THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

9/12 ROOF PITCH
UNLESS OTHERWISE
SPECIFIED



12 " FINISH O.H
R.T.M.C
2X6 EXTERIOR WALLS
ASPHALT SHINGLES
2X6 FASCIA BOARD

DESIGN LOADS:

SNOW LOAD	1.8	KPA
TC DEAD	6	PSF
BC LIVE	10.5	PSF
BC DEAD	7	PSF

ALL CONVENTIONAL ROOF FRAMING TO CONFORM TO PART9 OF THE OBC.LATEST EDITION ROOF RAFTERS THAT MEET OR CROSS OVER TRUSSES ARE TO BE 2"X4" SPF @24"o.c. WITH A 2"X4"SPF VERTICAL POST TO THE TRUSS UNDER AT EACH CROSS POINT. POSTS LONGER THAN 6' TO BE LATERALLY BRACED SO THAT THE DISTANCE BETWEEN END POINTS AND BETWEEN ROWS OF BRACING DOES NOT EXCEED 6'.

TRUSSES DESIGNED CONFORM TO THE RELEVANT SECTION OF THE LATEST EDITION OF THE ONTARIO BUILDING CODE (RESIDENTIAL PART 9)

HARDWARE
HGUS26-2(XX)
LUS26-2(VV)
LJS26DS(V)
LUS24(O)
...

BM2,4:2-2X10

DENOTES CONVENTIONAL FRAMING

M12242

TAMARACK LUMBER INC
ALPA LUMBER GROUP

Job Track:	50033
Plan Log:	201021
Layout ID:	402980

Builder / Location: GREEN PARK HOMES / CALEDON
Model / Elevation: BARTON 4/2
Mitek ver 8.2.3.229
Project: LAMBERT LANE PH.2
Date: 5/7/2019 | Sales: Mario DiCano | Designer: JG

DELIVERY SHIPLIST

TAMARACK LUMBER INC.
ALPA LUMBER GROUP

Lumber Yard:	TAMARACK LUMBER	Job Track:	50033
Builder:	GREEN PARK HOMES	PlanLog:	201021
Project:	LAMBERT LANE PH.2	Layout ID:	402980
Location:	CALEDON	Ref #	
Model:	BARTON 4	Page:	1 of 3
Lot #:		Date:	05/07/2019
Elevation:	2	Designer:	Jane Gong
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1 2-ply	T1 Hip Girder	9 /12	27-00-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-06-04 1-06-04	279.07 176.67		
	1 2-ply	T1Z1 Hip Girder	9 /12	27-00-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-06-04 1-06-04	254.79 164.67		
	2	T2 Hip	9 /12	27-00-00	5-01-04	2 x 4	1-03-08 1-03-08	1-06-04 1-06-04	221.33 142.00		
	2	T3 Hip	9 /12	27-00-00	6-01-04	2 x 4	1-03-08 1-03-08	1-06-04 1-06-04	242.71 157.33		
	2	T4 Hip	9 /12	27-00-00	7-01-04	2 x 4	1-03-08 1-03-08	1-06-04 1-06-04	245.08 159.00		
	2	T5 Hip	9 /12	27-00-00	8-01-04	2 x 4	1-03-08 1-03-08	1-06-04 1-06-04	259.05 166.67		
	9	T6 Hip	9 /12	27-00-00	9-01-04	2 x 4	1-03-08 1-03-08	1-06-04 1-06-04	1166.51 738.00		
	2	T7 Hip	9 /12	27-00-00	10-01-04	2 x 4	1-03-08 1-03-08	1-06-04 1-06-04	264.11 169.33		
	3	T9S Scissor	9 /12 6 /12	8-10-00	4-10-00	2 x 4	1-03-08 1-03-08	1-06-04 1-06-04	117.75 79.50		
	1	T10 Hip Girder	9 /12	11-02-00	4-05-02	2 x 4 2 x 6	1-05-00 1-03-08	1-06-04 1-06-04	59.88 37.33		
	3	T11 Common	9 /12	11-02-00	5-08-08	2 x 4	1-03-08 1-03-08	1-06-04 1-06-04	144.14 95.00		
	1 2-ply	T12 Jack-Closed Girder	9 /12	3-10-08	3-01-00	2 x 4 2 x 6		1-06-04 3-01-00	43.25 29.00		
	2	T13 Common	6 /12	8-05-08	3-02-03	2 x 4 2 x 6	1-03-08	6-12 9-00	61.74 40.67		
	1	G14 GABLE	6 /12	8-10-00	3-02-03	2 x 4	1-03-08 1-03-08	6-12 6-12	28.68 18.83		

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	50033
Builder:	GREEN PARK HOMES	PlanLog:	201021
Project:	LAMBERT LANE PH.2	Layout ID:	402980
Location:	CALEDON	Ref #	
Model:	BARTON 4	Page:	2 of 3
Lot #:		Date:	05/07/2019
Elevation:	2	Designer:	Jane Gong
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY PLY	MARK TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT RIGHT	HEEL HEIGHT LEFT RIGHT	LBS. BFT.	BUNDLE # STACK #	LOAD BY REMARKS
	1 2-ply	T20 Hip Girder	9 /12	20-08-00	5-11-02	2 x 4 2 x 6	1-03-08 1-03-08	1-06-04 1-06-04	208.6 134.67		
	1 2-ply	T21 Jack-Closed Girder	6 /12	5-10-08	4-01-04	2 x 4 2 x 6		1-02-00 4-01-04	58.52 37.67		
	5	PB1 Piggyback	9 /12	6-09-05	2-06-08	2 x 4			79.19 53.33		
	2	PB2 Piggyback	9 /12	6-09-05	2-00-00	2 x 4			35.06 25.33		
	16	J1 Jack-Open	6 /12	5-10-08	4-01-04	2 x 4	1-03-08	1-02-00 4-01-04	268.71 170.67		
	2	J4 Jack-Open	9 /12	1-09-07	2-10-05	2 x 4	1-03-08 1-01	1-06-04 2-10-05	18.63 14.00		
	1	J5 Jack-Open Girder	9 /12	3-10-08	2-10-05	2 x 4		1-06-04 4-05-02	9.91 7.00		
	2	J6 GABLE	4 /12	5-05-08	2-06-11	2 x 4	1-03-08	3-15 2-01-12	28.9 18.67		
	2	J20 Jack-Open	9 /12	5-10-08	5-11-02	2 x 4	1-03-08	1-06-04 5-11-02	36.8 24.00		
	1	J21 Jack-Open	9 /12	3-09-07	4-04-05	2 x 4	1-03-08 2-01-01	1-06-04 4-04-05	16.84 11.00		
	1	J22 Jack-Open Girder	9 /12	1-09-07	2-10-05	2 x 4	1-03-08 4-01-01	1-06-04 2-10-05	14.15 9.67		
	1	J24 Jack-Open	9 /12	1-10-08	4-04-05	2 x 4	1-10-15	1-06-04 2-11-02	10.38 7.00		

TOTAL # TRUSS= **72** TOTAL BFT OF ALL TRUSSES= **2687.01** BFT. TOTAL WEIGHT OF ALL TRSSES **4173.77** LBS

HARDWARE

QTY	TYPE	MODEL	LENGTH
3	Hardware	HGUS26-2	
3	Hardware	LJS26DS	

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	50033
Builder:	GREEN PARK HOMES	PlanLog:	201021
Project:	LAMBERT LANE PH.2	Layout ID:	402980
Location:	CALEDON	Ref #	
Model:	BARTON 4	Page:	3 of 3
Lot #:		Date:	05/07/2019
Elevation:	2	Designer:	Jane Gong
		Sales Rep:	Mario DiCano

HARDWARE

QTY	TYPE	MODEL	LENGTH
6	Hardware	LUS24	
1	Hardware	LUS26-2	

TOTAL NUMBER OF ITEMS= **13**

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402979	T1	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:07:58 2019 Page 1

ID:JIMS6RLJfVLhc2snmluv9GyJDZW-5hfhQlt_csDdQvFsezx67av0Yel6IKFIFzVvTXzlX8



TOTAL WEIGHT = 2 X 140 = 279 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x6	DRY	No.2	SPF
E - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
R - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
R - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A- C	1	12	SIDE(61.0)
H- J	1	12	SIDE(61.0)
C- E	2	12	SIDE(61.0)
E- H	2	12	SIDE(183.1)
R- B	2	12	TOP
K- I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
R- N	2	12	SIDE(183.1)
N- K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.25	3.00
C	TTWW+m	MT20	5.0	6.0	2.25	2.50
D	TMWW-t	MT20	5.0	6.0		
E	TS-t	MT20	5.0	6.0		
F	TMW+w	MT20	3.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	5.0	6.0	2.25	2.50
I	TMVW-p	MT20	5.0	6.0	1.25	3.00
K	BMV1+p	MT20	3.0	6.0		
L, M, P, Q						
L	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0		
R	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	3433	0	3433	0	0	5-8	5-8
K	3358	0	3358	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	2554	1447 / 0	485 / 0	0 / 0	0 / 0	622 / 0	0 / 0
K	2497	1417 / 0	472 / 0	0 / 0	0 / 0	608 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.46 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
FR-TO					
A- B	0 / 42	-102.1	-102.1	0.08 (1)	10.00
B- S	-3441 / 0	-102.1	-102.1	0.19 (1)	4.87
S- C	-3441 / 0	-102.1	-102.1	0.19 (1)	4.87
C- T	-4524 / 0	-102.1	-102.1	0.22 (1)	5.19
T- D	-4524 / 0	-102.1	-102.1	0.22 (1)	5.19
D- U	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
U- V	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
V- E	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
E- W	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
W- X	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
X- F	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
F- Y	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
Y- Z	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
Z- AA	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
AA- G	-6227 / 0	-102.1	-102.1	0.34 (1)	4.46
G- AB	-4505 / 0	-102.1	-102.1	0.21 (1)	5.21
AB- H	-4505 / 0	-102.1	-102.1	0.21 (1)	5.21
H- I	-3429 / 0	-102.1	-102.1	0.16 (1)	4.91
I- J	0 / 42	-102.1	-102.1	0.08 (1)	10.00
R- B	-3334 / 0	0.0	0.0	0.12 (1)	7.67
K- I	-3276 / 0	0.0	0.0	0.12 (1)	7.67
R-AC	0 / 0	-38.5	-38.5	0.04 (3)	10.00
AC- Q	0 / 0	-38.5	-38.5	0.04 (3)	10.00
Q-AD	0 / 2813	-38.5	-38.5	0.26 (1)	10.00
AD- P	0 / 2813	-38.5	-38.5	0.26 (1)	10.00
P-AE	0 / 4522	-38.5	-38.5	0.39 (1)	10.00
AE-AF	0 / 4522	-38.5	-38.5	0.39 (1)	10.00
AF-AG	0 / 4522	-38.5	-38.5	0.39 (1)	10.00
AG-AH	0 / 4522	-38.5	-38.5	0.39 (1)	10.00
AH- O	0 / 4522	-38.5	-38.5	0.39 (1)	10.00
O-AI	0 / 4504	-38.5	-38.5	0.39 (1)	10.00
AI- N	0 / 4504	-38.5	-38.5	0.39 (1)	10.00
N-AJ	0 / 4504	-38.5	-38.5	0.39 (1)	10.00
AJ-AK	0 / 4504	-38.5	-38.5	0.39 (1)	10.00
AK- M	0 / 4504	-38.5	-38.5	0.39 (1)	10.00
M-AL	0 / 2774	-38.5	-38.5	0.25 (1)	10.00
AL- L	0 / 2774	-38.5	-38.5	0.25 (1)	10.00
L-AM	0 / 0	-38.5	-38.5	0.04 (3)	10.00
AM- K	0 / 0	-38.5	-38.5	0.04 (3)	10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		
Q- C	-777 / 0	0.10 (1)
C- P	0 / 2841	0.35 (1)
P- D	-1665 / 0	0.22 (1)
D- O	0 / 1907	0.24 (1)
O- F	-1243 / 0	0.15 (1)
O- G	0 / 1927	0.24 (1)
M- G	-1889 / 0	0.23 (1)
M- H	0 / 2874	0.36 (1)
L- H	-774 / 0	0.10 (1)
B- Q	0 / 2940	0.36 (1)
L- I	0 / 2900	0.36 (1)



DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.19")

CSI: TC=0.34/1.00 (F-G:1) , BC=0.39/1.00 (M-O:1) , WB=0.36/1.00 (B-Q:1) , SSI=0.22/1.00 (D-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (L) (INPUT = 0.90)
JSI METAL= 0.49 (N) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
402979	T1	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:JIMS6RLJfVLhc2snmluv8GyJDZW-5hfhQIt_csDdQvFsezx67av0Yel6IKFIFzVvTXzIXtl

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	3-5-5	-44	-49	—	FRONT	VERT	DEAD	—	—
C	3-5-5	-251	-251	—	FRONT	VERT	SNOW	—	—
G	21-0-12	-123	-123	—	BACK	VERT	TOTAL	—	—
H	23-6-11	-44	-49	—	FRONT	VERT	DEAD	—	—
H	23-6-11	-251	-251	—	FRONT	VERT	SNOW	—	—
M	21-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
Q	3-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
S	3-0-12	-155	-155	—	BACK	VERT	TOTAL	—	—
T	5-0-12	-123	-123	—	BACK	VERT	TOTAL	—	—
U	7-0-12	-123	-123	—	BACK	VERT	TOTAL	—	—
V	9-0-12	-123	-123	—	BACK	VERT	TOTAL	—	—
W	11-0-12	-123	-123	—	BACK	VERT	TOTAL	—	—
X	13-0-12	-123	-123	—	BACK	VERT	TOTAL	—	—
Y	15-0-12	-123	-123	—	BACK	VERT	TOTAL	—	—
Z	17-0-12	-123	-123	—	BACK	VERT	TOTAL	—	—
AA	19-0-12	-123	-123	—	BACK	VERT	TOTAL	—	—
AB	23-0-12	-149	-149	—	BACK	VERT	TOTAL	—	—
AC	1-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AD	5-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AE	7-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AF	9-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AG	11-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AH	13-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AI	15-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AJ	17-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AK	19-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AL	23-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—
AM	25-0-12	-55	-70	—	BACK	VERT	TOTAL	—	—

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

LICENSED PROFESSIONAL ENGINEER
05/09/19
H.J. G. ALVES
100009024
PROVINCE OF ONTARIO

DWG NO. TAM 19109777
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402981	T1Z1	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2015 MiTek Industries, Inc. Wed May 8 15:15:38 2019 Page 1

ID:JIMS6RLJfVLhc2snmluv9GyJDZW-dASazbRXHCAMccQGaaB_mbyW53GR4KL?1XxEctzIXmZ



TOTAL WEIGHT = 2 X 127 = 255 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
R - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
R - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A- C	1	12	TOP
C- F	1	12	TOP
F- H	1	12	SIDE(81.0)
H- J	1	12	SIDE(81.0)
R- B	2	12	TOP
K- I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
R- N	2	12	TOP
N- K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
G- M	1	3	SIDE(598.9)
D- P	1	3	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	8.0	Edge	
C	TTWW+m	MT20	6.0	9.0	Edge	2.00
D	TMWW-t	MT20	4.0	6.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	6.0		
H	TTWW+m	MT20	6.0	8.0	Edge	2.00
I	TMWW-p	MT20	5.0	8.0	Edge	
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.00
M	BMWW+t	MT20	5.0	8.0	4.25	2.50
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BMWW+t	MT20	5.0	8.0	4.25	2.50
Q	BMWW-t	MT20	5.0	6.0	2.50	2.00
R	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR MUST BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
R	2803	0	2803	0	0	5-8	5-8
K	4864	0	4864	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX /MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	2076	1205 / 0	370 / 0	0 / 0	0 / 0	501 / 0	0 / 0
K	3595	2101 / 0	624 / 0	0 / 0	0 / 0	870 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.34 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF G-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 42	-102.1	-102.1	0.08 (1)	10.00
B- C	-2848 / 0	-102.1	-102.1	0.15 (1)	5.29
C- D	-3828 / 0	-102.1	-102.1	0.31 (1)	4.50
D- E	-6341 / 0	-102.1	-102.1	0.81 (1)	3.34
E- F	-6341 / 0	-102.1	-102.1	0.81 (1)	3.34
F- G	-6341 / 0	-102.1	-102.1	0.81 (1)	3.34
G- S	-6754 / 0	-102.1	-102.1	0.40 (1)	3.41
S- H	-6754 / 0	-102.1	-102.1	0.40 (1)	3.41
H- I	-5232 / 0	-102.1	-102.1	0.23 (1)	4.06
I- J	0 / 42	-102.1	-102.1	0.08 (1)	10.00
R- B	-2744 / 0	0.0	0.0	0.10 (1)	7.81
K- I	-4776 / 0	0.0	0.0	0.17 (1)	6.62
R- Q	0 / 0	-38.5	-38.5	0.02 (3)	10.00
Q- P	0 / 2256	-38.5	-38.5	0.19 (1)	10.00
P- O	0 / 3829	-38.5	-38.5	0.31 (1)	10.00
O- N	0 / 6754	-38.5	-38.5	0.54 (1)	10.00
N- M	0 / 6754	-38.5	-38.5	0.54 (1)	10.00
M- T	0 / 4148	-38.5	-38.5	0.31 (1)	10.00
T- L	0 / 4148	-38.5	-38.5	0.31 (1)	10.00
L- U	0 / 0	-38.5	-38.5	0.05 (3)	10.00
U- V	0 / 0	-38.5	-38.5	0.05 (3)	10.00
V- K	0 / 0	-38.5	-38.5	0.05 (3)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q- C	-819 / 0	0.08 (1)
C- P	0 / 2634	0.33 (1)
P- D	-1874 / 0	0.24 (1)
D- O	0 / 2822	0.35 (1)
O- E	-787 / 0	0.10 (1)
O- G	-464 / 0	0.11 (1)
M- G	-384 / 0	0.05 (1)
M- H	0 / 4364	0.54 (1)
L- H	-985 / 0	0.12 (1)
B- Q	0 / 2361	0.29 (1)
L- I	0 / 4375	0.54 (1)

DRWG NO. TAM T1Z10987
STRUCTURAL

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
H	23-6-11	-44	-49	—	FRONT	VERT	DEAD	—	—
H	23-6-11	-251	-251	—	FRONT	VERT	SNOW	—	—
M	20-9-8	-2998	-2998	—	FRONT	VERT	TOTAL	—	—
S	22-8-12	-132	-132	—	FRONT	VERT	TOTAL	—	—
T	22-8-12	-55	-70	—	FRONT	VERT	TOTAL	—	—
U	24-8-12	-55	-70	—	FRONT	VERT	TOTAL	—	—
V	25-5-12	-55	-70	—	FRONT	VERT	TOTAL	—	—

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP	CH.	LL =	29.1	PSF
		DL =	6.0	PSF
BOT	CH.	LL =	10.5	PSF
		DL =	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.24")

CSI: TC=0.81/1.00 (E-G:1) , BC=0.54/1.00 (M-O:1) , WB=0.54/1.00 (H-L:1) , SSI=0.17/1.00 (E-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (H) (INPUT = 0.90)
JSI METAL= 0.68 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T2	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:40 2019 Page 1
ID:VdmZNlanRCr_yT1tp?OGrfzKFiu-qvGDSTsx8wbIIJ9tSCJb9JQmVjWdM8zNCb3_fuzIqjf



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
P - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	Edge	3.00
C	TTWW-m	MT20	5.0	8.0	1.75	3.00
D	TMWW-t	MT20	4.0	4.0		
E	TS-t	MT20	3.0	6.0		
F	TMW+w	MT20	2.0	4.0		
G	TTWW-m	MT20	5.0	8.0	1.75	3.00
H	TMVW+p	MT20	5.0	6.0	Edge	3.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BS-t	MT20	3.0	6.0		
N	BMWW-t	MT20	4.0	6.0		
O	BMWW-t	MT20	5.0	6.0		
P	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
P	2039	0	2039	0	0	5-8	5-8
J	2039	0	2039	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0
J	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.59 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD FROM (PLF)	TO	LC1	MAX. CSI (LC)	MAX. UNBRAC LENGTH
A-B		0 / 42	-102.1	-102.1	0.14 (1)	10.00	
B-C		-1986 / 0	-102.1	-102.1	0.52 (1)	4.22	
C-D		-2630 / 0	-102.1	-102.1	0.66 (1)	3.59	
D-E		-2626 / 0	-102.1	-102.1	0.65 (1)	3.59	
E-F		-2626 / 0	-102.1	-102.1	0.65 (1)	3.59	
F-G		-2626 / 0	-102.1	-102.1	0.65 (1)	3.61	
G-H		-1986 / 0	-102.1	-102.1	0.52 (1)	4.22	
H-I		0 / 42	-102.1	-102.1	0.14 (1)	10.00	
P-B		-1967 / 0	0.0	0.0	0.21 (1)	6.00	
J-H		-1967 / 0	0.0	0.0	0.21 (1)	6.00	
P-O		0 / 0	-38.5	-38.5	0.20 (3)	10.00	
O-N		0 / 1582	-38.5	-38.5	0.41 (2)	10.00	
N-M		0 / 2630	-38.5	-38.5	0.55 (1)	10.00	
M-L		0 / 2630	-38.5	-38.5	0.55 (1)	10.00	
L-K		0 / 1582	-38.5	-38.5	0.41 (2)	10.00	
K-J		0 / 0	-38.5	-38.5	0.20 (3)	10.00	

WEBS

MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-C		-159 / 110	0.06 (1)
C-N		0 / 1355	0.30 (1)
N-D		-640 / 0	0.25 (1)
D-L		-2 / 0	0.00 (1)
L-F		-639 / 0	0.25 (1)
L-G		0 / 1353	0.30 (1)
K-G		-157 / 110	0.06 (1)
B-O		0 / 1632	0.37 (1)
K-H		0 / 1632	0.37 (1)

TOTAL WEIGHT = 2 X 111 = 221 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.20")

CSI: TC=0.66/1.00 (C-D:1) , BC=0.55/1.00 (L-N:1) , WB=0.37/1.00 (H-K:1) , SSI=0.28/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

(G) GRIP= 0.88 (G) (INPUT = 0.90)
(M) METAL= 0.91 (M) (INPUT = 1.00)





DWG NO. TAM 7910761
STRUCTURAL COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T3	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:41 2019 Page 1
ID:VdmZNlanRCr_yT1tp?OGrfzKFlu-l5pbfptZuDj9wSk30wqqhWz7w7tJ5VBWRFoXBKzIqje



TOTAL WEIGHT = 2 X 121 = 243 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.50
D	TTWW-m	MT20	5.0	6.0	1.75	2.00
E	TMWW-t	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TTWW-m	MT20	5.0	6.0	1.75	2.00
H	TMWW-t	MT20	5.0	6.0	2.50	2.50
I	TMV+p	MT20	3.0	4.0		
K	BMWW1-t	MT20	5.0	6.0	2.50	2.75
L	BMWW-t	MT20	4.0	4.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	4.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW1-t	MT20	5.0	6.0	2.50	2.75

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
Q	2039	0	2039	0	0	5-8	5-8
K	2039	0	2039	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0
K	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.17 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

MEMB. FR-TO	CHORDS MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 42	-102.1	-102.1	0.14 (1)	10.00	C-P	0 / 178	0.04 (2)
B-C	0 / 18	-102.1	-102.1	0.13 (1)	10.00	P-D	0 / 205	0.05 (3)
C-D	-1966 / 0	-102.1	-102.1	0.18 (1)	4.64	D-O	0 / 938	0.21 (1)
D-E	-2164 / 0	-102.1	-102.1	0.42 (1)	4.17	O-E	-540 / 0	0.32 (1)
E-F	-2162 / 0	-102.1	-102.1	0.42 (1)	4.17	E-M	-3 / 0	0.00 (1)
F-G	-2162 / 0	-102.1	-102.1	0.42 (1)	4.18	M-F	-539 / 0	0.32 (1)
G-H	-1966 / 0	-102.1	-102.1	0.18 (1)	4.63	M-G	0 / 935	0.21 (1)
H-I	0 / 18	-102.1	-102.1	0.13 (1)	10.00	L-G	0 / 205	0.05 (3)
I-J	0 / 42	-102.1	-102.1	0.14 (1)	10.00	L-H	0 / 178	0.04 (2)
Q-B	-266 / 0	0.0	0.0	0.03 (1)	7.81	Q-C	-2226 / 0	0.75 (1)
K-I	-266 / 0	0.0	0.0	0.03 (1)	7.81	H-K	-2226 / 0	0.75 (1)
Q-P	0 / 1466	-36.5	-36.5	0.43 (2)	10.00			
P-O	0 / 1574	-36.5	-36.5	0.45 (2)	10.00			
O-N	0 / 2184	-36.5	-36.5	0.43 (1)	10.00			
N-M	0 / 2184	-36.5	-36.5	0.43 (1)	10.00			
M-L	0 / 1574	-36.5	-36.5	0.46 (2)	10.00			
L-K	0 / 1466	-36.5	-36.5	0.44 (2)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.09")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.15")

CSI: TC=0.42/1.00 (D-E:1) , BC=0.46/1.00 (L-M:2) , WB=0.75/1.00 (H-K:1) , SSI=0.23/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

USI GRIP= 0.87 (K) (INPUT = 0.90)
USI METAL= 0.67 (N) (INPUT = 1.00)

RECEIVED
JUN 10 2019
TOWN OF CALEDON
BUILDING SECTION
FILE NO

LICENSED PROFESSIONAL ENGINEER
05/Jun/19
H. J. G. ALVES
100090[illegible]
PROVINCE OF ONTARIO

DWG NO. TAM T1910762
STRUCTURAL COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T4	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:42 2019 Page 1
ID:VdmZNlanRCr_yT1tp?OGrfzKFu-nHNzl9uBfXr?YcJFadL3EkV8sXBdqylfiVY5jmzlqjd



TOTAL WEIGHT = 2 X 123 = 245 lb

[MiTek]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
O - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
O - C	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	9.0		
D	TTWW-m	MT20	5.0	6.0	Edge	2.00
E	TMV+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	Edge	2.00
G	TMWW-t	MT20	4.0	9.0		
H	TMV+p	MT20	3.0	4.0		
J	BMVW1-t	MT20	5.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BS-t	MT20	3.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BMWW-t	MT20	4.0	4.0		
O	BMVW1-t	MT20	5.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQR0 BRG IN-SX
O	2039	0	2039	0	0	5-8	5-8
J	2039	0	2039	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0
J	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.20 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B		0 / 42	-102.1	-102.1	0.14 (1)	10.00
B-C		0 / 25	-102.1	-102.1	0.22 (1)	10.00
C-D		-1946 / 0	-102.1	-102.1	0.21 (1)	4.65
D-E		-1955 / 0	-102.1	-102.1	0.54 (1)	4.20
E-F		-1955 / 0	-102.1	-102.1	0.54 (1)	4.20
F-G		-1946 / 0	-102.1	-102.1	0.21 (1)	4.65
G-H		0 / 25	-102.1	-102.1	0.22 (1)	10.00
H-I		0 / 42	-102.1	-102.1	0.14 (1)	10.00
O-B		-288 / 0	0.0	0.0	0.03 (1)	7.81
J-H		-288 / 0	0.0	0.0	0.03 (1)	7.81
O-N		0 / 1524	-38.5	-38.5	0.57 (2)	10.00
N-M		0 / 1539	-38.5	-38.5	0.58 (2)	10.00
M-L		0 / 1539	-38.5	-38.5	0.58 (2)	10.00
L-K		0 / 1539	-38.5	-38.5	0.58 (2)	10.00
K-J		0 / 1524	-38.5	-38.5	0.57 (2)	10.00

WEBS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-N		0 / 113	0.03 (3)
N-D		0 / 351	0.08 (2)
D-M		0 / 626	0.14 (1)
M-E		-756 / 0	0.66 (1)
M-F		0 / 626	0.14 (1)
K-F		0 / 351	0.08 (2)
K-G		0 / 113	0.03 (3)
O-C		-2234 / 0	0.76 (1)
G-J		-2234 / 0	0.76 (1)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100099
PROVINCE OF ONTARIO
05/07/19

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = **24.0** **IN. C/C**

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.13")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.22")

CSI: TC=0.54/1.00 (D-E:1) , BC=0.58/1.00 (K-M:2) , WB=0.76/1.00 (G-J:1) , SSI=0.30/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.69 (C) (INPUT = 0.90)
JSI METAL= 0.58 (L) (INPUT = 1.00)

DWG NO. TAM T9/6763
STRUCTURAL COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T5	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:42 2019 Page 1
ID:VdmZNianRCr_yT1tp?OGrfzKFlu-nHNzl9uBfXr?YcJFadL3EkVCKXFHqyhffVY5jmzlqjd



TOTAL WEIGHT = 2 X 130 = 259 lb (M)(F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
Q - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW+p	MT20	5.0	6.0	Edge	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	8.0	2.25	1.50
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMWW+p	MT20	5.0	6.0	Edge	3.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWW-t	MT20	5.0	6.0		
Q	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
Q	2039	0	2039	0	0	5-8	5-8
J	2039	0	2039	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0
J	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.51 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 42	-102.1	-102.1	0.14 (1)		10.00
B-C	-1997 / 0	-102.1	-102.1	0.30 (1)		4.51
C-D	-1845 / 0	-102.1	-102.1	0.29 (1)		4.66
D-E	-1683 / 0	-102.1	-102.1	0.32 (1)		4.79
E-F	-1683 / 0	-102.1	-102.1	0.32 (1)		4.79
F-G	-1845 / 0	-102.1	-102.1	0.29 (1)		4.66
G-H	-1997 / 0	-102.1	-102.1	0.30 (1)		4.51
H-I	0 / 42	-102.1	-102.1	0.14 (1)		10.00
Q-B	-1967 / 0	0.0	0.0	0.21 (1)		6.01
J-H	-1967 / 0	0.0	0.0	0.21 (1)		6.01
Q-P	0 / 0	-38.5	-38.5	0.13 (3)		10.00
P-O	0 / 1622	-38.5	-38.5	0.34 (1)		10.00
O-N	0 / 1452	-38.5	-38.5	0.32 (1)		10.00
N-M	0 / 1452	-38.5	-38.5	0.32 (1)		10.00
M-L	0 / 1452	-38.5	-38.5	0.32 (1)		10.00
L-K	0 / 1622	-38.5	-38.5	0.34 (1)		10.00
K-J	0 / 0	-38.5	-38.5	0.13 (3)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
P-C	-246 / 47	0.09 (1)
C-O	-252 / 0	0.18 (1)
O-D	0 / 370	0.08 (2)
D-N	0 / 446	0.10 (1)
N-E	-583 / 0	0.74 (1)
N-F	0 / 446	0.10 (1)
L-F	0 / 370	0.08 (2)
L-G	-252 / 0	0.18 (1)
K-G	-246 / 47	0.09 (1)
B-P	0 / 1678	0.38 (1)
K-H	0 / 1678	0.38 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.11")

CSI: TC=0.32/1.00 (D-E:1) , BC=0.34/1.00 (K-L:1) , WB=0.74/1.00 (E-N:1) , SSI=0.23/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1657	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (H) (INPUT = 0.90)
JSI METAL= 0.51 (M) (INPUT = 1.00)





DWG NO. TAM 7910764
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T6	6	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:43 2019 Page 1
ID:VdmZNtanRCr_yT1tp?OGrfzKFiu-FUxL4UvpQrzs9muR7LsInx2LixaBZVXpuZHeGDzlqjc



TOTAL WEIGHT = 6 X 130 = 778 lb [MiTek]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
P - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW+p	MT20	5.0	6.0	Edge	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTW-m	MT20	4.0	4.0		
E	TMWW-t	MT20	4.0	4.0		
F	TTW-m	MT20	4.0	4.0		
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMWW+p	MT20	5.0	6.0	Edge	3.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BMWW-t	MT20	5.0	6.0		
P	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
P	2039	0	2039	0	0	5-8	5-8
J	2039	0	2039	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0
J	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.37 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-N, E-L

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX. CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 42	-102.1	-102.1	0.14 (1)	10.00
B-C	-2017 / 0	-102.1	-102.1	0.41 (1)	4.37
C-D	-1758 / 0	-102.1	-102.1	0.38 (1)	4.64
D-E	-1382 / 0	-102.1	-102.1	0.15 (1)	5.39
E-F	-1382 / 0	-102.1	-102.1	0.15 (1)	5.39
F-G	-1758 / 0	-102.1	-102.1	0.38 (1)	4.64
G-H	-2017 / 0	-102.1	-102.1	0.41 (1)	4.37
H-I	0 / 42	-102.1	-102.1	0.14 (1)	10.00
P-B	-1955 / 0	0.0	0.0	0.20 (1)	6.02
J-H	-1955 / 0	0.0	0.0	0.20 (1)	6.02
P-O	0 / 0	-38.5	-38.5	0.17 (3)	10.00
O-N	0 / 1642	-38.5	-38.5	0.43 (2)	10.00
N-M	0 / 1458	-38.5	-38.5	0.40 (2)	10.00
M-L	0 / 1458	-38.5	-38.5	0.40 (2)	10.00
L-K	0 / 1642	-38.5	-38.5	0.43 (2)	10.00
K-J	0 / 0	-38.5	-38.5	0.17 (3)	10.00

WEBS

MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
O-C	-175 / 94	0.08 (1)
C-N	-379 / 0	0.37 (1)
N-D	0 / 701	0.16 (1)
N-E	-215 / 0	0.13 (1)
E-L	-215 / 0	0.13 (1)
L-F	0 / 701	0.16 (1)
L-G	-379 / 0	0.37 (1)
K-G	-175 / 94	0.08 (1)
B-O	0 / 1685	0.38 (1)
K-H	0 / 1685	0.38 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.6	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.15")

CSI: TC=0.41/1.00 (G-H:1) , BC=0.43/1.00 (K-L:2) , WB=0.38/1.00 (H-K:1) , SSI=0.20/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1967	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

SI GRIP= 0.90 (B) (INPUT = 0.90)
SI METAL= 0.48 (M) (INPUT = 1.00)

DWG NO. TAM 7910765
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T7	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:44 2019 Page 1
ID:VdmZNlanRCr_yT1tp?OGrfzKFiu-jgVkIqwRB85jnwTeh2NXJ9aUQKvxltqy7D1Bofzlqjb



TOTAL WEIGHT = 2 X 132 = 264 lb

[M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
E - M	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	3.25
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTWW+m	MT20	5.0	6.0	2.25	1.50
F	TTW-m	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0	2.00	1.50
I	TMVW-p	MT20	5.0	6.0	1.75	3.25
K	BMV1+p	MT20	3.0	4.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWW-t	MT20	5.0	6.0		
Q	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
Q	2039	0	2039	0	0	5-8	5-8
K	2039	0	2039	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX/MIN COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0
K	1515	864 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.20 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 42	-102.1	-102.1	0.14 (1)	10.00
B-C	-2028 / 0	-102.1	-102.1	0.54 (1)	4.20
C-D	-1645 / 0	-102.1	-102.1	0.49 (1)	4.62
D-E	-1645 / 0	-102.1	-102.1	0.49 (1)	4.62
E-F	-1286 / 0	-102.1	-102.1	0.24 (1)	5.43
F-G	-1647 / 0	-102.1	-102.1	0.49 (1)	4.61
G-H	-1647 / 0	-102.1	-102.1	0.49 (1)	4.61
H-I	-2027 / 0	-102.1	-102.1	0.54 (1)	4.20
I-J	0 / 42	-102.1	-102.1	0.14 (1)	10.00
Q-B	-1949 / 0	0.0	0.0	0.20 (1)	6.03
K-I	-1949 / 0	0.0	0.0	0.20 (1)	6.03
Q-P	0 / 0	-38.5	-38.5	0.25 (3)	10.00
P-O	0 / 1656	-38.5	-38.5	0.46 (2)	10.00
O-N	0 / 1285	-38.5	-38.5	0.31 (1)	10.00
N-M	0 / 1285	-38.5	-38.5	0.31 (1)	10.00
M-L	0 / 1655	-38.5	-38.5	0.46 (2)	10.00
L-K	0 / 0	-38.5	-38.5	0.25 (3)	10.00

WEBS

MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
P-C	-83 / 176	0.04 (1)
C-O	-524 / 0	0.70 (1)
O-E	0 / 536	0.12 (1)
E-M	0 / 3	0.00 (1)
M-F	0 / 540	0.12 (1)
M-H	-522 / 0	0.69 (1)
L-H	-86 / 173	0.05 (1)
B-P	0 / 1690	0.38 (1)
L-I	0 / 1689	0.38 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP	CH.	LL =	29.1	PSF
		DL =	6.0	PSF
BOT	CH.	LL =	10.5	PSF
		DL =	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.12")

CSI: TC=0.54/1.00 (B-C:1) , BC=0.46/1.00 (O-P:2) , WB=0.70/1.00 (C-O:1) , SSI=0.23/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

SSI GRIP= 0.89 (S) (INPUT = 0.90)
SSI METAL= 0.41 (P) (INPUT = 1.00)

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

LICENSED PROFESSIONAL ENGINEER
H. J. G ALVES
100099824
PROVINCE OF ONTARIO
05/07/19

DWG NO. TAM T7910766
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402981	T9S	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:15:39 2019 Page 1

ID:JIMS6RLJfVLhc2snmIuv9GyJDZW-5N0zAxS92VIDEI_T8HiDJoVpSTiLpu59GBgo9JzIXmY



TOTAL WEIGHT = 3 X 39 = 118 lb [M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	Edge	
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMVW+p	MT20	5.0	6.0	Edge	
F	BVM1-p	MT20	3.0	4.0		
G	BBWWW-p	MT20	5.0	8.0		
H	BVM1-p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
H	762	0	762	0	0	5-8	5-8
F	762	0	762	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	561	337 / 0	93 / 0	0 / 0	0 / 0	131 / 0	0 / 0
F	561	337 / 0	93 / 0	0 / 0	0 / 0	131 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 42	-102.1	-102.1	0.14 (1)	10.00	G-C	0 / 389	0.09 (2)
B-C	-683 / 0	-102.1	-102.1	0.26 (1)	6.25	B-G	0 / 556	0.13 (1)
C-D	-683 / 0	-102.1	-102.1	0.26 (1)	6.25	G-D	0 / 556	0.13 (1)
D-E	0 / 42	-102.1	-102.1	0.14 (1)	10.00			
H-B	-677 / 0	0.0	0.0	0.07 (1)	7.81			
F-D	-677 / 0	0.0	0.0	0.07 (1)	7.81			
H-G	0 / 0	-38.5	-38.5	0.18 (3)	10.00			
G-F	0 / 0	-38.5	-38.5	0.18 (3)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.8 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.29")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.29")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.26/1.00 (C-D:1) , BC=0.18/1.00 (F-G:3) , WB=0.13/1.00 (B-G:1) , SSI=0.14/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.70 (C) (INPUT = 0.90)
JSI METAL= 0.40 (H) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/09/19
H. J. G. ALVES
100099024
PROVINCE OF ONTARIO

DWG NO. TAM 7191 0988
STRUCTURAL

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T10	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:46 2019 Page 1

ID:VdmZNlanRCr_yT1tp?OGrfzKFiu-f8dUjWxjmMR0Ed0pTQ?OagtF8ZYmuUFaXWlsYzlqZ



TOTAL WEIGHT = 61 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
K - B	2x6	DRY	No.2	SPF
H - F	2x6	DRY	No.2	SPF
K - H	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-t	MT20	5.0	6.0	2.50	1.50
C	TTW-m	MT20	4.0	4.0		
D	TMWW-t	MT20	4.0	4.0		
E	TTW-m	MT20	4.0	4.0		
F	TMWW-t	MT20	5.0	6.0	2.50	1.50
H	BMV1+p	MT20	3.0	6.0		
I	BMWWW-t	MT20	5.0	8.0		
J	BMWWW-t	MT20	5.0	8.0		
K	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
K	1694	0	1694	0	0	5-8	5-8
H	1115	0	1115	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	1240	786 / 0	188 / 0	0 / 0	0 / 0	286 / 0	0 / 0
H	821	494 / 0	135 / 0	0 / 0	0 / 0	192 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.47 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 42	-102.1	-102.1	0.15 (1)	10.00	
B-C	-1160 / 0	-102.1	-102.1	0.32 (1)	5.47	
C-D	-936 / 0	-102.1	-102.1	0.05 (1)	6.25	
D-E	-672 / 0	-102.1	-102.1	0.05 (1)	6.25	
E-F	-934 / 0	-102.1	-102.1	0.31 (1)	6.21	
F-G	0 / 42	-102.1	-102.1	0.15 (1)	10.00	
K-B	-1295 / 0	0.0	0.0	0.09 (1)	7.81	
H-F	-1027 / 0	0.0	0.0	0.07 (1)	7.81	
K-L	0 / 0	-38.5	-38.5	0.58 (1)	10.00	
L-J	0 / 0	-38.5	-38.5	0.58 (1)	10.00	
J-I	0 / 839	-38.5	-38.5	0.41 (1)	10.00	
I-H	0 / 0	-38.5	-38.5	0.08 (2)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-C	0 / 413	0.10 (1)
I-E	0 / 227	0.06 (2)
B-J	0 / 961	0.24 (1)
I-F	0 / 691	0.17 (1)
J-D	0 / 264	0.07 (1)
D-I	-455 / 0	0.15 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
L	2-2-8	-958	-958	—	FRONT	VERT	TOTAL	—	—



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.37")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.04")
ALLOWABLE DEFL.(TL)= L/360 (0.37")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.06")

CSI: TC=0.32/1.00 (B-C:1) , BC=0.58/1.00 (J-K:1) , WB=0.24/1.00 (B-J:1) , SSI=0.47/1.00 (J-K:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1697	788	1997	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (F) (INPUT = 0.90)
JSI METAL= 0.34 (F) (INPUT = 1.00)

DWG NO. TAM T1710768
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T11	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:47 2019 Page 1
ID:VdmZNianRCr_yT1tp?OGrfzKFlu-7FBswsyKU3UleNCDMAxExnC1bYzZVNuPpBFrP_zIqJY



TOTAL WEIGHT = 3 X 48 = 144 lb

MiTek

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMVW+p	MT20	4.0	4.0	1.00	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
H	926	0	926	0	0	5-8	5-8
F	926	0	926	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	883	404 / 0	117 / 0	0 / 0	0 / 0	162 / 0	0 / 0
F	883	404 / 0	117 / 0	0 / 0	0 / 0	162 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 42	-102.1	-102.1	0.14 (1)	10.00	
B-C	-543 / 0	-102.1	-102.1	0.41 (1)	6.25	
C-D	-543 / 0	-102.1	-102.1	0.41 (1)	6.25	
D-E	0 / 42	-102.1	-102.1	0.14 (1)	10.00	
H-B	-844 / 0	0.0	0.0	0.09 (1)	7.81	
F-D	-844 / 0	0.0	0.0	0.09 (1)	7.81	
H-G	0 / 0	-38.5	-38.5	0.27 (3)	10.00	
G-F	0 / 0	-38.5	-38.5	0.27 (3)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
G-C	0 / 246	0.08 (3)
B-G	0 / 444	0.10 (1)
G-D	0 / 444	0.10 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF SCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.8 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.37")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.37")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.41/1.00 (B-C:1) , BC=0.27/1.00 (F-G:3) , WB=0.10/1.00 (D-G:1) , SSI=0.18/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.81 (D) (INPUT = 0.90)
JSI METAL= 0.21 (B) (INPUT = 1.00)

BRACING AND TEMPORARY STRUCTURAL REQUIREMENTS ONLY

7910769

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402979	T12	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:06:00 2019 Page 1
ID:JPmXdERQr69GD5IO953aPwyJEIZ-13nRr_vE8TTLfDPFIOzaC?_RiS32mIJbjH_?XQztXtj



Scale = 1:18.6

TOTAL WEIGHT = 2 X 22 = 43 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
F-A	1	12	TOP
A-B	1	12	SIDE(61.0)
B-C	1	12	SIDE(61.0)
C-D	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
F-D	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
B	TTWW+m	MT20	5.0	6.0	2.25	1.50
C	TMV+p	MT20	3.0	4.0		
D	BMVW1+p	MT20	4.0	6.0		
E	BMWW-t	MT20	5.0	6.0		
F	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	903	0	903	0	0	5-8	5-8
D	883	0	883	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	667	394 / 0	115 / 0	0 / 0	0 / 0	158 / 0	0 / 0
D	651	388 / 0	111 / 0	0 / 0	0 / 0	154 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-A	-563 / 0	0.0	0.0	0.03 (1)	7.81	A-E	0 / 405	0.05 (1)
A-B	-453 / 0	-102.1	-102.1	0.04 (1)	6.25	E-B	0 / 579	0.07 (1)
B-C	0 / 0	-102.1	-102.1	0.03 (1)	10.00	B-D	-692 / 0	0.07 (1)
D-C	-91 / 0	0.0	0.0	0.01 (1)	7.81			
F-G	0 / 0	-38.5	-38.5	0.11 (1)	10.00			
G-E	0 / 0	-38.5	-38.5	0.11 (1)	10.00			
E-H	0 / 383	-38.5	-38.5	0.10 (1)	10.00			
H-D	0 / 383	-38.5	-38.5	0.10 (1)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
B	2-1-0	-73	-73	—	BACK	VERT	TOTAL		
G	10-12	-586	-586	—	FRONT	VERT	TOTAL		
H	2-10-12	-583	-583	—	FRONT	VERT	TOTAL		

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.5 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.04/1.00 (A-B:1) , BC=0.11/1.00 (E-F:1) , WB=0.07/1.00 (B-E:1) , SSI=0.14/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1556

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

ALIS GRIP= 0.26 (A) (INPUT = 0.90)
ALIS METAL= 0.09 (D) (INPUT = 1.00)

RECEIVED
JUN 10 2019
TOWN OF CALEDON
BUILDING SECTION
FILE NO.

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100089084
PROVINCE OF ONTARIO
05/08/19

DWG NO. TAM T1910979
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T13	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:48 2019 Page 1

ID:VdmZNlanRCr_yT1tp?OGrfzKFiu-bRIE7CzyFNc9GXmPwuSTU?IGCxK0ErjY2r?PxQzfqjX



TOTAL WEIGHT = 31 lb

[MiTek]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
B - D	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-m	MT20	4.0	6.0	1.75	1.50
C	TTW-p	MT20	4.0	4.0		
D	TMBH1-l	MT20	5.0	6.0		Edge
E	BMW+w	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
B	733	0	733	0	0	5-8	5-8	2x4 L
D	595	0	595	0	0	MECHANICAL		2x4 R

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	540	324 / 0	89 / 0	0 / 0	0 / 0	126 / 0	0 / 0
D	444	246 / 0	89 / 0	0 / 0	0 / 0	110 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO						FR-TO			
A-B	0 / 24	-102.1	-102.1		0.13 (1)	10.00	E-C	0 / 279	0.06 (2)
B-G	-635 / 0	-102.1	-102.1		0.10 (1)	6.25	F-G	-244 / 24	0.00 (1)
G-C	-650 / 0	-102.1	-102.1		0.17 (1)	6.25	H-I	-73 / 128	0.00 (1)
C-I	-655 / 0	-102.1	-102.1		0.14 (1)	6.25			
I-D	-713 / 0	-102.1	-102.1		0.13 (1)	6.25			
B-F	0 / 572	-38.5	-38.5		0.19 (1)	10.00			
F-E	0 / 572	-38.5	-38.5		0.19 (1)	10.00			
E-H	0 / 572	-38.5	-38.5		0.14 (1)	10.00			
H-D	0 / 572	-38.5	-38.5		0.10 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.26")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.26")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.17/1.00 (C-G:1) , BC=0.19/1.00 (E-F:1) , WB=0.06/1.00 (C-E:2) , SSI=0.16/1.00 (B-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.70 (D) (INPUT = 0.90)
JSI METAL= 0.16 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/07/19
H. S. GALVES
100009882
PROVINCE OF ONTARIO

DESIGN FOR TAM 05/07/19
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402981	G14	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:15:34 2019 Page 1
ID:JIMS6RLJfVLhc2snmluv9GyJDZW-kPC47DO0Dzfx7_6VLk62cln_IS098eFQ8wz1T6zIXmd



TOTAL WEIGHT = 30 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
B - F	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-I	MT20	4.0	6.0		Edge
C	TMW+w	MT20	2.0	4.0		
D	TTW-p	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TMBH1-I	MT20	4.0	6.0		Edge
H, I, J						
H	BMW1+w	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID,SHEATHING ON EXPOSED FACE.

HEEL
WEDGE
2x4 L
2x4 R
BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 21	-102.1	-102.1	0.13 (1)	10.00	I-D	-94 / 6	0.02 (1)
B-L	-121 / 0	-102.1	-102.1	0.02 (3)	6.25	J-C	-254 / 0	0.04 (1)
L-C	-71 / 0	-102.1	-102.1	0.07 (1)	6.25	H-E	-254 / 0	0.04 (1)
C-D	-85 / 0	-102.1	-102.1	0.07 (1)	6.25	K-L	-29 / 31	0.00 (1)
D-E	-85 / 0	-102.1	-102.1	0.07 (1)	6.25	M-N	-29 / 31	0.00 (1)
E-N	-71 / 0	-102.1	-102.1	0.07 (1)	6.25			
N-F	-121 / 0	-102.1	-102.1	0.02 (3)	6.25			
F-G	0 / 21	-102.1	-102.1	0.13 (1)	10.00			
B-K	0 / 77	-38.5	-38.5	0.05 (1)	10.00			
K-J	0 / 77	-38.5	-38.5	0.05 (2)	10.00			
J-I	0 / 65	-38.5	-38.5	0.05 (2)	10.00			
I-H	0 / 65	-38.5	-38.5	0.05 (2)	10.00			
H-M	0 / 77	-38.5	-38.5	0.05 (2)	10.00			
M-F	0 / 77	-38.5	-38.5	0.05 (1)	10.00			



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (A-B:1) , BC=0.05/1.00 (J-K:2) , WB=0.04/1.00 (E-H:1) , SSI=0.10/1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.31 (F) (INPUT = 0.90)
JSI METAL= 0.11 (C) (INPUT = 1.00)

DWG NO. TAM 7910982
STRUCTURAL
[illegible] ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402981	T20	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:15:40 2019 Page 1
ID:JIMS6RLJfVLhc2snmluv9GyJDZW-ZZaLOHTnopQ4rvZfi?DSs01xrtyhYH3IUrQLhlzIXmX



TOTAL WEIGHT = 2 X 104 = 209 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
M - B	2x6	DRY	No.2	SPF
H - F	2x6	DRY	No.2	SPF
M - J	2x6	DRY	No.2	SPF
J - H	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A- C	1	12	TOP
C- E	1	12	SIDE(61.0)
E- G	1	12	SIDE(61.0)
M- B	2	12	TOP
H- F	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
M- J	2	12	SIDE(0.0)
J- H	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
I- E	1	6	SIDE(14.7)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.25	3.00
C	TTWW+m	MT20	5.0	6.0	2.25	1.50
D	TMW+w	MT20	2.0	4.0		
E	TTWW+m	MT20	5.0	6.0	2.25	1.50
F	TMVW-p	MT20	5.0	6.0	1.25	3.00
H	BMV1+p	MT20	3.0	6.0		
I	BMWW-t	MT20	5.0	6.0		
J	BS-t	MT20	5.0	6.0		
K	BMWWW-t	MT20	5.0	8.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
M	2545	0	2545	0	0	5-8	5-8
H	3069	0	3069	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX/MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
M	1874	1117 / 0	308 / 0	0 / 0	0 / 0	450 / 0	0 / 0
H	2268	1327 / 0	380 / 0	0 / 0	0 / 0	559 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.64 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 42	-102.1	-102.1	0.08 (1)	10.00
B- C	-2659 / 0	-102.1	-102.1	0.43 (1)	5.11
C- D	-3242 / 0	-102.1	-102.1	0.25 (1)	4.90
D- N	-3242 / 0	-102.1	-102.1	0.25 (1)	4.90
N- E	-3242 / 0	-102.1	-102.1	0.25 (1)	4.90
E- F	-3335 / 0	-102.1	-102.1	0.48 (1)	4.64
F- G	0 / 42	-102.1	-102.1	0.08 (1)	10.00
M- B	-2435 / 0	0.0	0.0	0.09 (1)	7.81
H- F	-2941 / 0	0.0	0.0	0.11 (1)	7.81
M- L	0 / 0	-38.5	-38.5	0.07 (2)	10.00
L- K	0 / 2119	-38.5	-38.5	0.28 (1)	10.00
K- O	0 / 2668	-38.5	-38.5	0.49 (1)	10.00
O- J	0 / 2668	-38.5	-38.5	0.49 (1)	10.00
J- P	0 / 2668	-38.5	-38.5	0.49 (1)	10.00
P- I	0 / 2668	-38.5	-38.5	0.49 (1)	10.00
I- Q	0 / 0	-38.5	-38.5	0.15 (2)	10.00
Q- R	0 / 0	-38.5	-38.5	0.15 (2)	10.00
R- H	0 / 0	-38.5	-38.5	0.15 (2)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
L- C	-275 / 98	0.07 (1)
K- C	0 / 1790	0.22 (1)
K- D	-608 / 0	0.16 (1)
K- E	0 / 814	0.11 (1)
I- E	0 / 407	0.06 (3)
B- L	0 / 2466	0.27 (1)
I- F	-97 / 2719	0.34 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CON
E	14-9-8	-524	-524	—	FRONT	VERT	TOTAL	—	—
I	14-8-12	-28	-28	—	FRONT	VERT	TOTAL	—	—
N	12-8-12	-123	-123	—	FRONT	VERT	TOTAL	—	—
O	11-3-8	-1578	-1578	—	FRONT	VERT	TOTAL	—	—
P	12-8-12	-28	-28	—	FRONT	VERT	TOTAL	—	—
Q	16-8-12	-75	-95	—	FRONT	VERT	TOTAL	—	—
R	18-8-12	-75	-95	—	FRONT	VERT	TOTAL	—	—

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.69")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.69")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.09")

CSI: TC=0.48/1.00 (E-F;1) , BC=0.49/1.00 (I-K;1) , WB=0.34/1.00 (F-I;1) , SSI=0.44/1.00 (I-K;1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR (PSI)		SECTION (PLI)	
		MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.78 (E) (INPUT = 0.90)
JSI METAL= 0.54 (J) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/08/19
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

DWG NO. T4910989

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402981	T21	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:15:41 2019 Page 1

ID:JIMS6RLJfVLhc2snmluv9GyJDZW-1I7jbdUPZ7YxT38rGikhODa8XHNbHjXRjV9vDCzlXmW



TOTAL WEIGHT = 2 X 29 = 59 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - A	2x6	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
C - B	2x4	DRY	No.2	SPF
E - C	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
E- A	2	12	TOP
A- B	1	12	TOP
B- C	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
E- C	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMEB NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-p	MT20	4.0	6.0	1.00	3.00
B	TMVW+p	MT20	4.0	6.0	2.00	1.75
C	BMV1+p	MT20	3.0	6.0		
D	BMWW+t	MT20	5.0	8.0	4.25	2.50
E	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
E	1309	0	1309	0	0	5-8	5-8
C	3036	0	3036	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT C. MINIMUM BEARING LENGTH AT JOINT C = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	952	605 / 0	130 / 0	0 / 0	0 / 0	217 / 0	0 / 0
C	2233	1335 / 0	358 / 0	0 / 0	0 / 0	540 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- A	-856 / 0	0.0	0.0	0.03 (1)	7.81	A- D	0 / 852	0.11 (1)
A- B	-941 / 0	-102.1	-102.1	0.35 (1)	6.25	D- B	0 / 3115	0.39 (1)
C- B	-2878 / 0	0.0	0.0	0.35 (1)	6.77			
E- F	0 / 0	-38.5	-38.5	0.19 (1)	10.00			
F- G	0 / 0	-38.5	-38.5	0.19 (1)	10.00			
G- D	0 / 0	-38.5	-38.5	0.19 (1)	10.00			
D- C	0 / 0	-38.5	-38.5	0.05 (1)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
D	4-10-0	-3031	-3031	—	BACK	VERT	TOTAL	—	—
F	9-4	-266	-298	—	BACK	VERT	TOTAL	—	—
G	2-9-4	-192	-192	—	BACK	VERT	TOTAL	—	—

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.35/1.00 (B-C:1) , BC=0.19/1.00 (D-E:1) , WB=0.39/1.00 (B-D:1) , SSI=0.15/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.84 (B) (INPUT = 0.90)
JSI METAL= 0.28 (D) (INPUT = 1.00)

DWG NO. TAM R9910990
STRUCTURAL

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	PB1	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:35 2019 Page 1
ID:VdmZNtanRCr_yT1tp?OGrfzKFiu-UxSKPtpoJNz?CXHvffjQSF3IixDhyCd2JLD_gzfqjk



TOTAL WEIGHT = 2 X 18 = 35 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMB1-I	MT20	3.0	4.0	
C	TTW-m	MT20	4.0	4.0	
D	TTW-m	MT20	4.0	4.0	
E	TMB1-I	MT20	3.0	4.0	
G	BMW1+w	MT20	2.0	4.0	
H	BMW1+w	MT20	2.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	233	0	233	0	0	5-5-0	5-5-0
E	233	0	233	0	0	5-5-0	5-5-0
H	208	0	208	0	0	5-5-0	5-5-0
G	208	0	208	0	0	5-5-0	5-5-0

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	169	111 / 0	21 / 0	0 / 0	0 / 0	37 / 0	0 / 0
E	169	111 / 0	21 / 0	0 / 0	0 / 0	37 / 0	0 / 0
H	158	81 / 0	36 / 0	0 / 0	0 / 0	41 / 0	0 / 0
G	158	81 / 0	36 / 0	0 / 0	0 / 0	41 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 CSI (LC)	MAX	MAX. UNBRAC LENGTH
A-B	0 / 17	-102.1	-102.1	0.03 (1)		10.00
B-J	-84 / 0	-102.1	-102.1	0.01 (3)		6.25
J-C	-85 / 0	-102.1	-102.1	0.05 (1)		6.25
C-D	-43 / 0	-102.1	-102.1	0.04 (1)		6.25
D-L	-55 / 0	-102.1	-102.1	0.05 (1)		6.25
L-E	-84 / 0	-102.1	-102.1	0.01 (3)		6.25
E-F	0 / 17	-102.1	-102.1	0.03 (1)		10.00
B-I	0 / 51	-38.5	-38.5	0.05 (1)		10.00
I-H	0 / 51	-38.5	-38.5	0.05 (1)		10.00
H-G	0 / 43	-38.5	-38.5	0.04 (1)		10.00
G-K	0 / 51	-38.5	-38.5	0.05 (1)		10.00
K-E	0 / 51	-38.5	-38.5	0.05 (1)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
H-C	-121 / 0	0.02 (1)
G-D	-121 / 0	0.02 (1)
I-J	-103 / 22	0.00 (1)
K-L	-103 / 22	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 28.1 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.05/1.00 (D-L:1) , BC=0.05/1.00 (G-K:1) , WB=0.02/1.00 (D-G:1) , SSI=0.09/1.00 (E-K:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1967	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.17 (B) (INPUT = 0.90)
JSI METAL= 0.04 (B) (INPUT = 1.00)

THIS SHOP DRAWING HAS BEEN CONSTRUCTED TO BE ERECTED AS SHOWN AND THE BUILDING DESIGNER IS RESPONSIBLE FOR THE BRACING SHOWN

RECEIVED
JUN 10 2019
TOWN OF CALEDON
BUILDING SECTION
FILE NO.

LICENSED PROFESSIONAL ENGINEER
05/07/19
H. J. G. ALVES
100088024
PROVINCE OF ONTARIO

DWG NO. TAM T1910757
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	PB2	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:36 2019 Page 1
ID:VdmZNlanRCr_yT1tp?OGrfzKFlu-y70ic5pQ4h5sqhs5DMEf_TFCR6FaQPjnHz5mW7zlqjj



TOTAL WEIGHT = 2 X 16 = 32 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		
C	TT-p	MT20	3.0	4.0	Edge	2.00
D	TMB1-I	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	441	0	441	0	0	5-5-0	5-5-0
D	441	0	441	0	0	5-5-0	5-5-0

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	328	192 / 0	57 / 0	0 / 0	0 / 0	78 / 0	0 / 0
D	328	192 / 0	57 / 0	0 / 0	0 / 0	78 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 17	-102.1	-102.1	0.03 (1)	10.00	F-G	0 / 330	0.00 (1)
B-G	-442 / 0	-102.1	-102.1	0.12 (3)	6.25	H-I	0 / 330	0.00 (1)
G-C	-235 / 0	-102.1	-102.1	0.15 (1)	6.25			
C-I	-235 / 0	-102.1	-102.1	0.15 (1)	6.25			
I-D	-442 / 0	-102.1	-102.1	0.12 (3)	6.25			
D-E	0 / 17	-102.1	-102.1	0.03 (1)	10.00			
B-F	0 / 201	-38.5	-38.5	0.09 (3)	10.00			
F-H	0 / 201	-38.5	-38.5	0.17 (2)	10.00			
H-D	0 / 201	-38.5	-38.5	0.09 (3)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.8 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.15/1.00 (C-G:1) , BC=0.17/1.00 (F-H:2) , WB=0.00/1.00 (F-G:1) , SSI=0.18/1.00 (D-I:3)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.28 (B) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

DWG NO. TAM 1910758
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	J1	19	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:32 2019 Page 1
ID:VdmZNlanRCr_yT1tp?OGrfzKFiu-3MnBmkmw0SbQL4YK_XAiqdSQSVtyUbkBMMf7ZNLziqjn



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

TOTAL WEIGHT = 19 X 17 = 319 lb

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	646	0	646	0	0	5-8	5-8
C	225	0	225	0	0	1-8	1-8
D	93	0	119	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL BS7821H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	473	292 / 0	72 / 0	0 / 0	0 / 0	109 / 0	0 / 0
C	154	128 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
D	85	0 / 0	51 / 0	0 / 0	0 / 0	34 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX. CSI (LC)	MAX. UNBRAC LENGTH
E-B	-514 / 0	0.0	0.0	0.22 (3)	7.81
A-B	0 / 31	-102.1	-102.1	0.13 (1)	10.00
B-C	-34 / 0	-102.1	-102.1	0.09 (1)	6.25
E-D	0 / 0	-38.5	-38.5	0.22 (3)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.8 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.04")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 942 (0.07")

CSI: TC=0.60/1.00 (B-C:1) , BC=0.22/1.00 (D-E:3) , WB=0.00/1.00 (n/a:0) , SSI=0.26/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1668

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.21 (E) (INPUT = 0.90)
JSI METAL= 0.14 (B) (INPUT = 1.00)

DWG NO. TAM 7910753
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
402979	J4	3	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:07:55 2019 Page 1
ID:JPmXdERQr69GD5IO953aPwyJEIZ-g6zYoHr5Jxq3ZSWHzqNPVyHamRM353BsZ?HEsCzIXto



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
E - C	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
D	BMVW+w	MT20	2.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	127	0	127	0	0	1-8	1-8
B	91	0	91	0	0	1-8	1-8
C	38	0	46	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) E , B , C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	95	52 / 0	20 / 0	0 / 0	0 / 0	24 / 0	0 / 0
B	63	52 / 0	0 / 0	0 / 0	0 / 0	11 / 0	0 / 0
C	33	0 / 0	20 / 0	0 / 0	0 / 0	13 / 0	0 / 0

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
E-A	-91 / 0	0.0	0.0	0.01 (1)		7.81
A-B	0 / 0	-102.1	-102.1	0.06 (1)		10.00
E-D	0 / 0	-36.5	-36.5	0.03 (3)		10.00
D-C	0 / 0	-36.5	-36.5	0.02 (3)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-D	0 / 0	0.00 (1)

TOTAL WEIGHT = 3 X 8 = 23 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.08/1.00 (A-B:1) , BC=0.03/1.00 (D-E:3) , WB=0.00/1.00 (A-D:1) , SSI=0.06/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.07 (A) (INPUT = 0.90)
JSI METAL= 0.02 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/08/19
H. O. G. ALVES
100009020
PROVINCE OF ONTARIO

DWG NO. TAM 719/0974
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402979	J5	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:07:55 2019 Page 1
ID:JPmXdERQr69GD5IO953aPwyJEIZ-8IXw?drk4FywBc5UWYue29pIRqgdqVQ?of0oOfzIXtn



TOTAL WEIGHT = 10 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
E - C	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
D	BMW+w	MT20	2.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	166	0	166	0	0	5-8	5-8
B	91	0	91	0	0	1-8	1-8
C	75	0	95	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) B , C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	130	52 / 0	41 / 0	0 / 0	0 / 0	36 / 0	0 / 0
B	63	52 / 0	0 / 0	0 / 0	0 / 0	11 / 0	0 / 0
C	68	0 / 0	41 / 0	0 / 0	0 / 0	27 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, B

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO									
E- A	-91 / 0	0.0	0.0	0.01 (1)		7.81	A- D	0 / 0	0.00 (1)
A- B	0 / 0	-102.1	-102.1	0.06 (1)		10.00			
E- D	0 / 0	-38.5	-38.5	0.14 (2)		10.00			
D- C	0 / 0	-38.5	-38.5	0.14 (2)		10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
D	1-11-4	1	1	—	BACK	VERT	TOTAL	—	—

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.8 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.08/1.00 (A-B:1) , BC=0.14/1.00 (C-D:2) , WB=0.00/1.00 (A-D:1) , SSI=0.08/1.00 (D-E:2)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.07 (A) (INPUT = 0.90)
JSI METAL= 0.02 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/08/19
H. J. G. ALVES
100090
PROVINCE OF ONTARIO

DWG NO. TAM 7910975
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402979	J6	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:07:56 2019 Page 1
ID:JPmXdERQr69GD5IO953aPwyJEIZ-8IXw?drk4FywBc5UWYue29pfsqesqVQ?of0oOfzIXtn



TOTAL WEIGHT = 2 X 14 = 29 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): C
BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
FR-TO					
A- B	0 / 20	-102.1	-102.1	0.13 (1)	10.00
B- F	-51 / 0	-102.1	-102.1	0.13 (3)	6.25
F- C	0 / 6	-102.1	-102.1	0.42 (1)	10.00
B- E	0 / 0	-38.5	-38.5	0.26 (1)	10.00
E- D	0 / 0	-38.5	-38.5	0.31 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- F	-254 / 122	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 842 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 489 (0.13")

CSI: TC=0.42/1.00 (C-F:1) , BC=0.31/1.00 (D-E:1) , WB=0.00/1.00 (E-F:1) , SSI=0.26/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.31 (B) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/09/19
H. D. GALVES
100099094
PROVINCE OF ONTARIO

DWG NO. TAM 19010976
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402981	J20	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:15:35 2019 Page 1
ID:JIMS6RLJfVLhc2snmluv9GyJDZW-CbmSLZPe_Hool8hhvRdH9yK29sLBt53ZLaia0YzlXmc



TOTAL WEIGHT = 2 X 18 = 37 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	575	0	575	0	0	5-8	5-8
C	225	0	225	0	0	1-8	1-8
D	43	0	49	0	0	1-8	1-8

SEE MiTek STANDARD DETAIL 837821H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	401	293 / 0	0 / 0	0 / 0	0 / 0	108 / 0	0 / 0
C	154	128 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
D	35	0 / 0	0 / 0	0 / 0	0 / 0	35 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO					FR-TO			
E- B	-516 / 0	0.0	0.0	0.11 (4)	7.81			
A- B	0 / 42	-102.1	-102.1	0.14 (1)	10.00			
B- C	-45 / 0	-102.1	-102.1	0.60 (1)	6.25			
E- D	0 / 0	-17.5	-17.5	0.13 (4)	10.00			



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	8.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	42.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.60/1.00 (B-C:1) , BC=0.13/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.23/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.24 (B) (INPUT = 0.90)
JSI METAL= 0.18 (B) (INPUT = 1.00)

DWG NO. TAM T9/10983
STRUCTURAL
CONSIDERATIONS ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402981	J21	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:15:38 2019 Page 1

ID:JfMS6RLJfVLhc2snmluv9GyJDZW-goKqYvQGlaweNIGuT99WhAtJPGemcYJiaES8Y_zIXmb



TOTAL WEIGHT = 17 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	447	0	447	0	0	5-8	5-8
C	193	0	193	0	0	1-8	1-8
D	113	0	144	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	332	190 / 0	62 / 0	0 / 0	0 / 0	80 / 0	0 / 0
C	133	110 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
D	103	0 / 0	62 / 0	0 / 0	0 / 0	41 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- B	-334 / 0	0.0	0.0	0.03 (1)	7.81	B- E	0 / 0	0.00 (1)
A- B	0 / 42	-102.1	-102.1	0.14 (1)	10.00			
B- C	0 / 0	-102.1	-102.1	0.25 (1)	10.00			
F- E	0 / 0	-38.5	-38.5	0.23 (3)	10.00			
E- D	0 / 0	-38.5	-38.5	0.30 (3)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 925 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 555 (0.13")

CSI: TC=0.25/1.00 (B-C:1) , BC=0.30/1.00 (D-E:3) , WB=0.00/1.00 (B-E:1) , SSI=0.12/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.27 (B) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

DWG NO. TAM 79109984
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402981	J22	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:15:36 2019 Page 1
ID:JIMS6RLJfVLhc2snmluv9GyJDZW-goKqYvQGlaweNIGuT99WhAtKwGeScYJiaES8Y_zIXmb



TOTAL WEIGHT = 14 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	400	0	400	0	0	5-8	5-8
C	37	0	37	0	0	1-8	1-8
D	113	0	144	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	299	163 / 0	62 / 0	0 / 0	0 / 0	75 / 0	0 / 0
C	25	21 / 0	0 / 0	0 / 0	0 / 0	4 / 0	0 / 0
D	103	0 / 0	62 / 0	0 / 0	0 / 0	41 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- B	-286 / 0	0.0	0.0	0.03 (1)	7.81	B- E	0 / 0	0.00 (1)
A- B	0 / 42	-102.1	-102.1	0.15 (1)	10.00			
B- C	-93 / 0	-102.1	-102.1	0.15 (1)	6.25			
F- E	0 / 0	-38.5	-38.5	0.26 (2)	10.00			
E- G	0 / 0	-38.5	-38.5	0.32 (2)	10.00			
G- D	0 / 0	-38.5	-38.5	0.32 (2)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	1-11-4	1	1	—	FRONT	VERT	TOTAL	—	—
G	3-11-4	1	1	—	FRONT	VERT	TOTAL	—	—



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 925 (0.09")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 555 (0.13")

CSI: TC=0.15/1.00 (A-B:1) , BC=0.32/1.00 (D-E:2) , WB=0.00/1.00 (B-E:1) , SSI=0.12/1.00 (E-F:2)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.23 (B) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

DWG NO. TAM 19910985
ARCHITECTURAL
CONSTRUCTION ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402981	J24	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Wed May 8 15:15:37 2019 Page 1

ID:JIMS6RLJfVLhc2snmluv9GyJDZW-9_uCIFRuWu2V_Sr41sgIENPU8g26L?YsotBh4QzIXma



TOTAL WEIGHT = 10 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
E - C	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
D	BMW+w	MT20	2.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	229	0	229	0	0	1-8	1-8
B	193	0	193	0	0	1-8	1-8
C	36	0	46	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) E , B , C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	166	110 / 0	20 / 0	0 / 0	0 / 0	36 / 0	0 / 0
B	133	110 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
C	33	0 / 0	20 / 0	0 / 0	0 / 0	13 / 0	0 / 0

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- A	-193 / 0	0.0	0.0	0.02 (1)	7.81	A- D	0 / 0	0.00 (1)
A- B	0 / 0	-102.1	-102.1	0.25 (1)	10.00			
E- D	0 / 0	-38.5	-38.5	0.03 (3)	10.00			
D- C	0 / 0	-38.5	-38.5	0.02 (3)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.25/1.00 (A-B:1) , BC=0.03/1.00 (D-E:3) , WB=0.00/1.00 (A-D:1) , SSI=0.12/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.15 (A) (INPUT = 0.90)
JSI METAL= 0.04 (A) (INPUT = 1.00)



DWG NO. TAM 7191098G
STRUCTURAL
CLOSE CEMENT ONLY

isDesign™

Client:
Project:
Address:

Date: 5/7/2019
Designer:
Job Name: 201007
Project #:

BM1 S-P-F #2 2.000" X 10.000" 2-Ply - PASSED

Level: Level





Member Information

Type:	Girder
Plies:	2
Moisture Condition:	Dry
Deflection LL:	360
Deflection TL:	360
Importance:	Normal

Application:	Roof (Residential)
Slope:	0/12
Design Method:	LSD
Building Code:	NBCC 2015
Load Sharing:	No
Deck:	Not Checked
Vibration:	Not Checked

Unfactored Reactions UNPATTERNED lb (Uplift)

Brg	Live	Dead	Snow	Wind
1	207	257	583	0
2	199	246	558	0

Bearings and Factored Reactions

Bearing	Length	Cap.	React D/L lb	Total	Ld. Case	Ld. Comb.
1 - SPF	5.500"	14%	321 / 1081	1402	L	1.25D+1.5S +L
2 - HGUS...	4.000"	18%	308 / 1036	1344	L	1.25D+1.5S +L

Analysis Results

Analysis	Actual	Location	Allowed	Capacity	Comb.	Case
Moment	1585 ft-lb	3'	6039 ft-lb	0.262 (26%)	1.25D+1.5S +L	L
Unbraced	1585 ft-lb	3'	5236 ft-lb	0.303 (30%)	1.25D+1.5S +L	L
Shear	1217 lb	1'2"	3984 lb	0.306 (31%)	1.25D+1.5S +L	L
LL Defl inch	0.014 (L/4497)	3'	0.174 (L/360)	0.080 (8%)	S+0.5L	L
TL Defl inch	0.019 (L/3273)	3'	0.174 (L/360)	0.110 (11%)	D+S+0.5L	L

Design Notes

1 Fasten all plies using 3 rows of Pneumatic Gun Nail (.120x3.25") at 12" o.c. Maximum end distance not to exceed 6".
2 Refer to last page of calculations for fasteners required for specified loads.
3 Girders are designed to be supported on the bottom edge only.
4 Top braced at bearings.
5 Bottom braced at bearings.
6 Lateral slendemess ratio based on single ply width.

LICENSED PROFESSIONAL ENGINEER
5/07/19
H. J. G. ALVES
100099[illegible]
PROVINCE OF ONTARIO

[illegible] 17910792
[illegible] CTURAL
[illegible] PERMIT ONLY

1/2

ID	Load Type	Location	Trib Width	Side	Dead	Live	Snow	Wind	Comments
1	Uniform		6-7-0	Near Face	13 PSF	10.5 PSF	29.5 PSF	0 PSF	

This design is valid until 12/11/2021

Manufacturer Info

Tamarack Roof Trusses
3289 North Service Rd., ON
Canada
L7N3G2
(905) 335-1115

TAMARACK LUMBER INC

BM1 S-P-F #2 2.000" X 10.000" 2-Ply - PASSED

Level: Level



Multi-Ply Analysis

Fasten all plies using 3 rows of Pneumatic Gun Nail (.120x3.25") at 12" o.c. Maximum end distance not to exceed 6"

Capacity	68.7 %
Load	233.7 PLF
Yield Limit per Foot	340.0 PLF
Yield Limit per Fastener	113.3 lb.
Yield Mode	g
Edge Distance	1 1/2"
Min. End Distance	3"
Load Combination	1.25D+1.5S+L
Duration Factor	1.00

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009224
PROVINCE OF ONTARIO

RECEIVED
JUN 10 2019
TOWN OF CALEDON
BUILDING SECTION
FILE NO.

BUILDING PERMIT NO. 19/0792
STRUCTURAL
CERTIFICATION

Manufacturer Info	Tamarack Roof Trusses 3289 North Service Rd., ON Canada L7N3G2 (905) 336-1115

This design is valid until 12/11/2021

BM2 S-P-F #2 2.000" X 10.000" 2-Ply - PASSED

Level: Level





Member Information

Type:	Girder	Application:	Roof (Residential)
Plies:	2	Slope:	0/12
Moisture Condition:	Dry	Design Method:	LSD
Deflection LL:	360	Building Code:	NBCC 2015
Deflection TL:	360	Load Sharing:	No
Importance:	Normal	Deck:	Not Checked
		Vibration:	Not Checked

Unfactored Reactions UNPATTERNED lb (Uplift)

Brg	Live	Dead	Snow	Wind
1	155	203	456	0
2	180	233	523	0

Bearings and Factored Reactions

Bearing	Length	Cap.	React D/L lb	Total	Ld. Case	Ld. Comb.
1 - SPF	5.500"	11%	254 / 839	1093	L	1.25D+1.5S +L
2 - HGUS...	4.000"	17%	291 / 964	1255	L	1.25D+1.5S +L

Analysis Results

Analysis	Actual	Location	Allowed	Capacity	Comb.	Case
Moment	1791 ft-lb	2'9"	6039 ft-lb	0.297 (30%)	1.25D+1.5S +L	L
Unbraced	1791 ft-lb	2'9"	5236 ft-lb	0.342 (34%)	1.25D+1.5S +L	L
Shear	1217 lb	4'10"	3984 lb	0.305 (31%)	1.25D+1.5S +L	L
LL Defl inch	0.014 (L/4361)	3'	0.174 (L/360)	0.080 (8%)	S+0.5L	L
TL Defl inch	0.020 (L/3157)	3'	0.174 (L/360)	0.110 (11%)	D+S+0.5L	L

Design Notes

1 Fasten all plies using 3 rows of Pneumatic Gun Nail (.120x3.25") at 12" o.c. Maximum end distance not to exceed 6".
2 Refer to last page of calculations for fasteners required for specified loads.
3 Concentrated load fastener specification is in addition to hanger fasteners if a hanger is present.
4 Girders are designed to be supported on the bottom edge only.
5 Top braced at bearings.
6 Bottom braced at bearings.
7 Lateral slenderness ratio based on single ply width.

LICENSED PROFESSIONAL ENGINEER
05/09/19
H. G. REVES
100009024
PROVINCE OF ONTARIO

RECEIVED
JUN 10 2019
TOWN OF CALEDON
BUILDING SECTION
FILE NO

DATE NOTAM 7910994
STRUCTURAL
PLAN REVIEW BY

1/2

ID	Load Type	Location	Trib Width	Side	Dead	Live	Snow	Wind	Comments
1	Uniform		2-0-0	Near Face	13 PSF	10.5 PSF	28.5 PSF	0 PSF	
2	Point	0-9-0		Far Face	24 lb	20 lb	52 lb	0 lb	j4
3	Point	2-9-0		Far Face	157 lb	110 lb	352 lb	0 lb	t15c
4	Point	4-9-0		Far Face	102 lb	82 lb	228 lb	0 lb	t15

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

This design is valid until 12/11/2021

Manufacturer Info

Tamarack Roof Trusses
3269 North Service Rd., ON
Canada
L7N3G2
(905) 335-1115

TAMARACK LUMBER INC

BM2 S-P-F #2 2.000" X 10.000" 2-Ply - PASSED

Level: Level



Multi-Ply Analysis

Fasten all plies using 3 rows of Pneumatic Gun Nail (.120x3.25") at 12" o.c.. except for regions covered by concentrated load fastening. Maximum end distance not to exceed 6"

Capacity	20.9 %
Load	71.0 PLF
Yield Limit per Foot	340.0 PLF
Yield Limit per Fastener	113.3 lb.
Yield Mode	g
Edge Distance	1 1/2"
Min. End Distance	3"
Load Combination	1.25D+1.5S+L
Duration Factor	1.00

Concentrated Load

Fasten at concentrated side load at 4-9-0 with a minimum of (3) – Pneumatic Gun Nail (.120x3.25") in the pattern shown.

Capacity	81.1 %
Load	275.8lb.
Total Yield Limit	340.0 lb.
Yield Limit per Fastener	113.3 lb.
Yield Mode	g
Load Combination	1.25D+1.5S+L
Duration Factor	1.00

Min/Max fastener distances for Concentrated Side Loads





DESIGN AM 19/09/94
STRUCTURAL
COMPONENT ONLY 2/2

Manufacturer Info	Tamarack Roof Trusses 3289 North Service Rd., ON Canada L7N3G2 (905) 335-1115

This design is valid until 12/11/2021

isDesign™

Client:
Project:
Address:

Date: 5/8/2019
Designer:
Job Name: 402979
Project #:

BM3 S-P-F #1 2.000" X 10.000" 2-Ply - PASSED

Level: Level





Member Information

Type:	Girder	Application:	Roof (Residential)
Plies:	2	Slope:	0/12
Moisture Condition:	Dry	Design Method:	LSD
Deflection LL:	360	Building Code:	NBCC 2015
Deflection TL:	360	Load Sharing:	No
Importance:	Normal	Deck:	Not Checked
		Vibration:	Not Checked

Unfactored Reactions UNPATTERNED lb (Uplift)

Brg	Live	Dead	Snow	Wind
1	143	184	430	0
2	127	159	360	0

Bearings and Factored Reactions

Bearing	Length	Cap.	React D/L lb	Total	Ld. Case	Ld. Comb.
1 - SPF	3.500"	16%	230 / 788	1018	L	1.25D+1.5S +L
2 - SPF	5.500"	9%	198 / 667	866	L	1.25D+1.5S +L

Analysis Results

Analysis	Actual	Location	Allowed	Capacity	Comb.	Case
Moment	769 ft-lb	2'4 5/8"	6039 ft-lb	0.127 (13%)	1.25D+1.5S +L	L
Unbraced	769 ft-lb	2'4 5/8"	5641 ft-lb	0.136 (14%)	1.25D+1.5S +L	L
Shear	985 lb	1'	3984 lb	0.247 (25%)	1.25D+1.5S +L	L
LL Defl inch	0.004 (L/12347)	2' 7/8"	0.122 (L/360)	0.030 (3%)	S+0.5L	L
TL Defl inch	0.005 (L/9004)	2' 7/8"	0.122 (L/360)	0.040 (4%)	D+S+0.5L	L

Design Notes

1 Fasten all plies using 3 rows of Pneumatic Gun Nail (.120x3.25") at 12" o.c. Maximum end distance not to exceed 6".
2 Refer to last page of calculations for fasteners required for specified loads.
3 Concentrated load fastener specification is in addition to hanger fasteners if a hanger is present.
4 Girders are designed to be supported on the bottom edge only.
5 Top braced at bearings.
6 Bottom braced at bearings.
7 Lateral slenderness ratio based on single ply width.

LICENSED PROFESSIONAL ENGINEER
05/06/19
H. G. ALVES
100090?4
PROVINCE OF ONTARIO

[illegible] TAM 19010995
[illegible] STRUCTURAL
[illegible] 1/2

ID	Load Type	Location	Trib Width	Side	Dead	Live	Snow	Wind	Comments
1	Uniform		2-0-0	Near Face	13 PSF	10.5 PSF	29.5 PSF	0 PSF	
2	Point	0-10-8		Far Face	121 lb	91 lb	291 lb	0 lb	
3	Point	2-10-8		Far Face	110 lb	89 lb	246 lb	0 lb	

This design is valid until 12/11/2021

Manufacturer Info

Tamarack Roof Trusses
3289 North Service Rd., ON
Canada
L7N3G2
(905) 335-1115

TAMARACK LUMBER INC
ALPA LUMBER GROUP

BM3 S-P-F #1 2.000" X 10.000" 2-Ply - PASSED

Level: Level



Multi-Ply Analysis

Fasten all plies using 3 rows of Pneumatic Gun Nail (.120x3.25") at 12" o.c.. except for regions covered by concentrated load fastening. Maximum end distance not to exceed 6"

Capacity	20.9 %
Load	71.0 PLF
Yield Limit per Foot	340.0 PLF
Yield Limit per Fastener	113.3 lb.
Yield Mode	g
Edge Distance	1 1/2"
Min. End Distance	3"
Load Combination	1.25D+1.5S+L
Duration Factor	1.00

Concentrated Load

Fasten at concentrated side load at 0-10-8 with a minimum of (3) – Pneumatic Gun Nail (.120x3.25") in the pattern shown.

Capacity	99.8 %
Load	339.4lb.
Total Yield Limit	340.0 lb.
Yield Limit per Fastener	113.3 lb.
Yield Mode	g
Load Combination	1.25D+1.5S+L
Duration Factor	1.00

Concentrated Load

Fasten at concentrated side load at 2-10-8 with a minimum of (3) – Pneumatic Gun Nail (.120x3.25") in the pattern shown.

Capacity	87.6 %
Load	297.8lb.
Total Yield Limit	340.0 lb.
Yield Limit per Fastener	113.3 lb.
Yield Mode	g
Load Combination	1.25D+1.5S+L
Duration Factor	1.00

RECEIVED
JUN 10 2019
TOWN OF CALEDON
BUILDING SECTION
FILE NO

Min/Max fastener distances for Concentrated Side Loads



LICENSED PROFESSIONAL ENGINEER
05/08/19
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

PER NO TAM 1410995
STRUCTURAL
DESIGN ONLY 2/2

Manufacturer Info	Tamarack Roof Trusses 3289 North Service Rd., ON Canada L7N3G2 (905) 335-1115

This design is valid until 12/11/2021

ONTARIO WOOD TRUSS FABRICATORS ASSOCIATION

TECH-NOTES

TN 15-001
Piggyback Bracing

Overview:

Where piggybacks are connected overtop of base trusses, 2x4 purlins must be first added to the flat portion of the base truss at a spacing no more than 24" o/c. These purlins not only provide support for the piggyback trusses above, but are required to laterally support the top chord of the base truss which will not have the sheathing directly connected to the flat portion of the base truss. This ensures the top chord, most often in compression, will not buckle laterally.

Further, the purlins in the plane of the flat portion require diagonal bracing to prevent lateral displacement of the purlins themselves where under certain conditions, the trusses may in fact all buckle in the same direction if this additional bracing is not added in the plane of the purlins.

Detail:



NOTE: THE SLOPED PORTION OF THE TOP CHORD OF THE BASE TRUSS AND PIGGYBACK TRUSS IN THIS SKETCH IS ASSUMED TO BE SHEATHED IN ACCORDANCE WITH THE OBC.

SKETCH FROM BCSI-CANADA 2013

LUS – Double Shear Joist Hangers

SIMPSON Strong-Tie

All LUS hangers have double shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections.

Material: 18 gauge

Finish: G90 galvanized

Design:

- Factored resistances are in accordance with CSA O86-14.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

Installation:

- Use all specified fasteners.
- Nails: 16d = 0.162" dia. x 3½" long common wire, 10d = 0.148" x 3" long common wire.
- Double shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads.
- Not designed for welded or nailer applications.

Options:

- These hangers cannot be modified



LUS28


Typical LUS Installation

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance (lb.)			
								D.Fir-L		S-P-F	
		W	H	B	d_e[1]	Face	Joist	Uplift (K_D=1.15)	Normal (K_D=1.00)	Uplift (K_D=1.15)	Normal (K_D=1.00)
LUS24	18	1⁹⁄₁₆	3⅛	1¾	1 ¹⁵⁄₁₆	(4) 10d	(2) 10d	710	1630	645	1155
LUS24-2	18	3⅛	3⅛	2	1 ¹³⁄₁₆	(4) 16d	(2) 16d	835	2020	590	1435
LUS26	18	1⁹⁄₁₆	4¾	1¾	3⅝	(4) 10d	(4) 10d	1420	2170	1290	1630
LUS26-2	18	3⅛	4⅞	2	4	(4) 16d	(4) 16d	1720	2595	1545	1920
LUS26-3	18	4⅝	4⁹⁄₁₆	2	3¼	(4) 16d	(4) 16d	1720	2595	1545	2340
LUS28	18	1⁹⁄₁₆	6⅝	1¾	3¾	(6) 10d	(6) 10d	1420	2520	1290	1790
LUS28-2	18	3⅛	7	2	4	(6) 16d	(4) 16d	1720	3325	1545	2575
LUS28-3	18	4⅝	6¼	2	3¼	(6) 16d	(4) 16d	1720	3325	1545	2375
LUS210	18	1⁹⁄₁₆	7 ¹³⁄₁₆	1¾	3⅞	(8) 10d	(4) 10d	1420	2785	1290	2210
LUS210-2	18	3⅛	9	2	6	(8) 16d	(6) 16d	2580	4500	2320	3195
LUS210-3	18	4⅝	8⅝	2	5¼	(8) 16d	(6) 16d	2580	3345	2320	2375

1. d_e is the distance from the seat of the hanger to the highest joist nail.



Dome Double Shear Nailing prevents tabs breaking off (available on some models).

U.S. Patent 5,603,580


Double Shear Nailing Top View.

HUS/LJS – Double Shear Joist Hangers

SIMPSON Strong-Tie®

All hangers have double shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections. Do not bend or remove tabs.

Material: See table

Finish: G90 galvanized

Design:

- Factored resistances are in accordance with CSA O86-14.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

Installation:

- Use all specified fasteners
- Nails: 16d = 0.162" dia. x 3½" long common wire
- Double shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads
- Not designed for welded or nailer applications

Options:

- See current catalogue for options



LJS26DS



HUS210
(HUS26, HUS28, similar)



Typical LJS26DS Installation



Typical HUS Installation



Typical HUS Installation
(Truss Designer to provide fastener quantity for connecting multiple members together)

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance (lb.)			
								D.Fir-L		S-P-F	
		W	H	B	d_s[1]	Face	Joist	Uplift (K_D=1.15)	Normal (K_D=1.00)	Uplift (K_D=1.15)	Normal (K_D=1.00)
								lb.	lb.	lb.	lb.
LJS26DS	18	1⅜	5	3½	4⅝	(16) 16d	(8) 16d	2055	4265	1460	4115
HUS26	16	1⅝	5¾	3	3 15/16	(14) 16d	(6) 16d	2705	4940	2065	3875
HUS28	16	1⅝	7 3/32	3	6 3/32	(22) 16d	(8) 16d	3605	5365	2675	4345
HUS210	16	1⅝	9 3/32	3	7 3/32	(30) 16d	(10) 16d	4505	5795	4010	4740
HUS1.81/10	16	1 13/16	9	3	8	(30) 16d	(10) 16d	4505	6450	4010	5200

1. d_s is the distance from the seat of the hanger to the highest joist nail.



Dome Double Shear Nailing prevents tabs breaking off (available on some models).

U.S. Patent 5,603,580



Double Shear Nailing Side View. Do not bend tab back.



Double Shear Nailing Top View.



HGUS – Double Shear Joist Hangers

SIMPSON Strong-Tie®

All HGUS hangers have double shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections. Do not bend or remove tabs.

Material: 12 gauge

Finish: G90 galvanized

Design:

- Factored resistances are in accordance with CSA O86-14.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

Installation:

- Use all specified fasteners
- Nails: 16d = 0.162" dia x 3½" long common wire
- Double shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads
- Not designed for welded or nailer applications

Options:

- See current catalogue for options



HGUS28-2



Typical HGUS Installation



Typical HGUS Installation (Truss Designer to provide fastener quantity for connecting multiple members together)

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance (lb.)			
								D.Fir-L.		S-P-F	
		W	H	B	d_s[1]	Face	Joist	Uplift (K_D=1.15)	Normal (K_D=1.00)	Uplift (K_D=1.15)	Normal (K_D=1.00)
HGUS26	12	1⅝	5⅜	5	4⅝₃₂	(20) 16d	(8) 16d	2685	6625	2685	5700
HGUS26-2	12	3⅝₁₆	5⅞₁₆	4	4⅛	(20) 16d	(8) 16d	4385	8950	3100	6355
HGUS26-3	12	4⅛₁₆	5½	4	4⅛	(20) 16d	(8) 16d	4385	8950	3100	6355
HGUS26-4	12	6⅝₁₆	5⅞₁₆	4	4⅛	(20) 16d	(8) 16d	4385	8950	3100	6355
HGUS28	12	1⅝	7⅛	5	6⅛	(36) 16d	(12) 16d	3310	7675	3100	6900
HGUS28-2	12	3⅝₁₆	7⅜₁₆	4	6⅛	(36) 16d	(12) 16d	6070	12980	4310	9215
HGUS28-3	12	4⅛₁₆	7¼	4	6⅛	(36) 16d	(12) 16d	6070	12980	4310	9215
HGUS28-4	12	6⅝₁₆	7⅜₁₆	4	6⅛	(36) 16d	(12) 16d	6070	12980	4310	9215
HGUS210-2	12	3⅝₁₆	9⅜₁₆	4	8⅛	(46) 16d	(16) 16d	6840	14645	4855	10400
HGUS210-3	12	4⅛₁₆	9¼	4	8⅛	(46) 16d	(16) 16d	6840	14645	4855	10400
HGUS210-4	12	6⅝₁₆	9⅜₁₆	4	8⅛	(46) 16d	(16) 16d	6840	14645	4855	10400
HGUS212-4	12	6⅝₁₆	10⅝	4	10⅛	(56) 16d	(20) 16d	7640	14995	5425	10645
HGUS214-4	12	6⅝₁₆	12⅝	4	11⅛	(66) 16d	(22) 16d	10130	16400	7195	11645

1. d_s is the distance from the seat of the hanger to the highest joist nail.



Dome Double Shear Nailing prevents tabs breaking off (available on some models).

U.S. Patent 5,603,580



Double Shear Nailing Side View. Do not bend tab back.



Double Shear Nailing Top View.



45° Hip End

LUMBER SPECIFICATION

TOP CHORD	:	2 x 4 SPF#2
BOTTOM CHORD	:	2 x 4 SPF#2
WEBS	:	2 x 3 SPF#2

UNLESS OTHERWISE SHOWN

DESIGN LOAD

TOP CHORD SNOW LOAD	:	40.5 P.S.F.
TOP CHORD DEAD LOAD	:	3.0 P.S.F.
BOTTOM CHORD LIVE LOAD	:	0.0 P.S.F.
BOTTOM CHORD DEAD LOAD	:	7.0 P.S.F.
TOTAL LOAD	:	50.5 P.S.F

LICENSED PROFESSIONAL ENGINEER
06/11/16
H.J.G. ALVES
PROVINCE OF ONTARIO



Corner Side Jacks



Corner End Jacks



Common End Jacks



Detail A | Detail A Raised Heel | Detail A Raised Heel

NOTE: DESIGN CONFORMS TO PART 9, O.B.C. 2012 (L.S.D. DESIGN)

T-1800216

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

LUMBER SPECIFICATION

TOP CHORD : 2 x 4 SPF#2
BOTTOM CHORD : 2 x 4 SPF#2
WEBS : 2 x 3 SPF#2
UNLESS OTHERWISE SHOWN

DESIGN LOAD

TOP CHORD SNOW LOAD	:	40.5 P.S.F.
TOP CHORD DEAD LOAD	:	3.0 P.S.F.
BOTTOM CHORD LIVE LOAD	:	0.0 P.S.F.
BOTTOM CHORD DEAD LOAD	:	7.0 P.S.F.
TOTAL LOAD		50.5 P.S.F.

LICENSED PROFESSIONAL ENGINEER
06/11/2018
H.J.G. ALVES
PROVINCE OF ONTARIO



45° Hip End



Corner Side Jacks



Corner End Jacks



Common End Jacks



NOTE: DESIGN CONFORMS TO PART 9, O.B.C. 2012 (L.S.D. DESIGN)

T-1800217

Symbols

PLATE LOCATION AND ORIENTATION

Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths or mm. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0-1/16" from outside edge of truss.

This symbol indicates the required direction of slots in connector plates.

*Plate location details available in MiTek software or upon request.

PLATE SIZE

4 X 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING LOCATION

Indicated by symbol shown and/or by text in the bracing section of the output. Use T, I or Eliminator bracing if indicated.

BEARING

Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur.

Industry Standards:

TPIC: Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses

DSB-89: Design Standard for Bracing.

BCSI: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

Numbering System



dimensions shown in ft-in-sixteenths or mm (Drawings not to scale)



JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.

CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.

PRODUCT CODE APPROVALS

CCMC Reports:

11996-L, 10319-L, 13270-L, 12691-R

MiTek®

POWER TO PERFORM.™

MiTek Engineering Reference Sheet: MII-7473C rev. 10-'08

⚠ General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury

1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T, I, or Eliminator bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by TPIC.
7. Design assumes trusses will be suitably protected from the environment in accord with TPIC.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with TPIC Quality Criteria.



Alves Engineering Services Inc.
5208 Easton road
Burlington, Ontario L7L 6N6
(289) 259 5455

RESPONSABILITIES

1-Alves Engineering Services Inc. is responsible for the design of trusses as individual components

2-It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities having jurisdictions.

3- All dimensions are to be verified by owner, contractor, architect or other authority before manufacture.

4- Alves Engineering Services Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Alves Engineering Services Inc. drawings is specified for the truss as a single component and forms an integral part of the truss design, but is not meant to represent the only required bracing for that truss when trusses are installed in a series of trusses forming a roof truss system.

5- It is the manufactures responsibility to ensure that the trusses are manufactured in conformance with Alves Engineering Services Inc. specifications outlined below.

SPECIFICATIONS

1-Truss components sealed by Alves Engineering Services Inc. conform to the relevant sections of the current Building Code of Ontario and Canada (part 4 or part 9) or the current Canadian code for Farm Buildings in accordance with the application specified on the sealed truss component drawing. All truss component design procedures must conform to the current design standard issued by the truss plate institute of Canada (TPIC). All lumber and nailing stresses to conform to the current CSA wood design standard identified on the current Building Code and TPIC.

2- Lumber is to be the sizes and grade specified on the truss drawing.

3- Moist content of lumber is not to exceed 19% in service unless otherwise specified.

4- Plates shall be applied to both faces of the each truss joint and shall be positioned as shown on the truss drawings

5- Lumber used on manufacture of trusses is not to be treated with chemicals unless otherwise specified on the truss drawings.

6- The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals specified on the truss drawing but not exceeding 24" c/c for (part 9) and not exceeding 48" for (part 4 or farm design)

7- When rigid ceiling is not attached directly to the bottom chord, lateral bracing is required and it should not exceed more than 3m or 10' intervals.

8-Refer to Mitek sheet MII7473C REV.10-08 attached for information on symbols, numbering system and General Safety notes.

T-1800218 Feb 09, 2018