6/12 roof pitch unless noted



ASPHALT SHINGLES
FINISHED OVERHANG: 12"
2x6 EXTERIOR WALLS
2x6 FASCIA BOARD
HEEL: R.T.M.C.

All conventional framing to conform with Part 9 of O.B.C. 2012 (2019 amendment). Roof rafters that cross over or meet trusses to be min. 2x4 SPF #2 @ 24" o/c with a vertical post to the truss at each cross point. Vertical posts longer than 6' to have lateral bracing so that the distance between the post end points and lateral bracing does not exceed 6'.

DESIGN CONFORMS WITH OBC 2012 (2019 amendment) OCCUPANCY: RESIDENTIAL | PART: 9
Ss = 31.35 psf | Sr = 8.4 psf

DESIGN LOADS:
TCSL = 25.6 psf
TCDL = 6.0 psf
BCLL = 0.0 psf
BCDL = 7.4 psf

HARDWARE:
LUS24 - (O)
LJS26DS - (V)
HGUS26-2 - (XX)
LUS26-2-(VV)

BEAMS:
B40= B41 = B42=
2 - 2x10 SPF #2

DENOTES:
CONVENTIONAL FRAMING

M13125

TAMARACK ROOF TRUSSES INC.

Job Track: 51225	Builder / Location: GREEN PARK HOMES / WATERDOWN	Model / Elevation: MOUNTAINASH 4-017/3	Mitek ver 8.3.3.247
Plan Log: 202401	Project: RUSSELL GARDENS PH.3		
Layout ID: 412449	Date: 2020-09-10 Sales: Mario DiCano Designer: JG		

THESE DRAWINGS CONSTITUTE THE PROPERTY OF TAMARACK ROOF TRUSSES INC., SHALL NOT BE REPRODUCED, PUBLISHED, OR REDISTRIBUTED IN ANY MANNER OR UTILIZED FOR ANY PURPOSE OTHER THAN THE MANUFACTURE OF TRUSSES BY TAMARACK ROOF TRUSSES INC AND WILL BE RETRACTED BY TAMARACK ROOF TRUSSES INC IF UTLILZED FOR ANY OTHER PURPOSE.

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202401
Project:	RUSSELL GARDENS PH.3	Layout ID:	412449
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 4-017	Page:	1 of 3
Lot #:		Date:	09-10-2020
Elevation:	3	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	2	T41 Hip	6 /12	35-02-00	5-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	277.99 174.00		
	2	T42 Hip	6 /12	35-02-00	6-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	277.12 174.67		
	2	T43 Hip	6 /12	35-02-00	7-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	289.07 179.67		
	2	T44 Hip	6 /12	35-02-00	8-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	290.73 183.33		
	2	T45 Hip	6 /12	35-02-00	9-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	301.67 191.33		
	6	T46 Common	6 /12	35-02-00	9-11-08	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	910.08 558.00		
	1 2-ply	T47 Hip Girder	6 /12	16-07-00	4-01-04	2 x 4 2 x 6	1-03-08	1-02-00 2-02-00	156.02 100.67		
	1	T48 Hip	6 /12	16-07-00	5-01-04	2 x 4	1-03-08	1-02-00 2-02-00	68.15 43.33		
	1	T49 Common	6 /12	16-07-00	5-09-12	2 x 4	1-03-08	1-02-00 2-02-00	67.14 42.33		
	1	T50 Hip Girder	6 /12	10-11-00	2-07-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	42.73 28.33		
	1	T51 Hip	6 /12	10-11-00	4-07-04	2 x 4	1-03-08 1-03-08	2-02-00 2-02-00	51.54 34.50		
	1	T52 Flat	0 /12	9-04-00	2-10-00	2 x 4		2-10-00 2-10-00	36.11 23.83		
	1	G52 GABLE	0 /12	9-04-00	2-10-00	2 x 4		2-10-00 2-10-00	33.75 23.33		
	1	T53 Flat Girder	0 /12	9-04-00	3-10-00	2 x 6		3-10-00 3-10-00	50.9 31.50		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202401
Project:	RUSSELL GARDENS PH.3	Layout ID:	412449
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 4-017	Page:	2 of 3
Lot #:		Date:	09-10-2020
Elevation:	3	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1 2-ply	T54 Jack-Closed Girder	6 /12	6-10-08	4-01-04	2 x 4 2 x 6		8-00 4-01-04	59.61 37.33		
	1	T300 Hip Girder	6 /12	17-02-00	5-05-04	2 x 4 2 x 6	1-03-08 1-03-08	2-06-00 2-06-00	88.18 55.00		
	1 2-ply	T301 Jack-Closed Girder	6 /12	5-10-08	4-01-04	2 x 4 2 x 6		1-02-00 4-01-04	58.39 37.67		
	1 2-ply	T400 Hip Girder	6 /12	35-02-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 1-02-00	337.56 208.00		
	1 2-ply	T400Z Hip Girder	6 /12	35-02-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 1-02-00	337.56 208.00		
	9	J1 Jack-Open	6 /12	5-10-08	4-01-04	2 x 4	1-03-08	1-02-00 4-01-04	151.15 98.00		
	4	J40 Jack-Open	6 /12	3-09-08	4-01-04	2 x 4		2-02-08 4-01-04	52.34 35.33		
	4	J41 Jack-Open	6 /12	2-10-08	2-07-04	2 x 4	1-03-08	1-02-00 2-07-04	38.2 24.00		
	4	J300 Jack-Open	6 /12	5-10-08	5-05-04	2 x 4	1-03-08	2-06-00 5-05-04	81.15 54.00		
	3	C40 Jack-Open	6 /12	3-09-07	3-00-12	2 x 4	1-03-08 2-01-01	1-02-00 3-00-12	42.4 26.00		
	3	C41 Jack-Open	6 /12	1-09-07	2-00-12	2 x 4	1-03-08 4-01-01	1-02-00 2-00-12	34.75 22.00		
	3	C42 Jack-Open	6 /12	1-10-08	3-00-12	2 x 4	1-03-08 1-10-15	1-02-00 2-01-04	28.71 18.00		
	3	C43 Jack-Open	6 /12	1-09-07	2-00-12	2 x 4	1-03-08 1-01	1-02-00 2-00-12	21.06 14.00		
	2	C44 Jack-Open	6 /12	1-10-15	2-01-08	2 x 4	1-03-08 11-09	1-02-00 2-01-08	16.64 10.67		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202401
Project:	RUSSELL GARDENS PH.3	Layout ID:	412449
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 4-017	Page:	3 of 3
Lot #:		Date:	09-10-2020
Elevation:	3	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	2	C45 Jack-Open	6 /12	1-10-15	2-01-08	2 x 4	1-03-08 1-01	1-02-00 2-01-08	14.65 9.33		
	2	C300 Jack-Open	6 /12	3-09-07	4-04-12	2 x 4	1-03-08 2-01-01	2-06-00 4-04-12	35.25 23.00		
	2	C301 Jack-Open	6 /12	1-09-07	3-04-12	2 x 4	1-03-08 4-01-01	2-06-00 3-04-12	30 20.33		
	2	C302 Jack-Open	6 /12	1-10-08	4-04-12	2 x 4	1-03-08 1-10-15	2-06-00 3-05-04	26.05 17.67		
	2	C303 Jack-Open	6 /12	1-09-07	3-04-12	2 x 4	1-03-08 1-01	2-06-00 3-04-12	20.88 15.00		

TOTAL # TRUSS= **79** TOTAL BFT OF ALL TRUSSES= **2720.15** BFT. TOTAL WEIGHT OF ALL TRSSES **4327.53** LBS

HARDWARE

QTY	TYPE	MODEL	LENGTH
2	Hardware	HGUS26-2	
5	Hardware	LJS26DS	
6	Hardware	LUS24	
3	Hardware	LUS26-2	

TOTAL NUMBER OF ITEMS= **16**

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T1	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:47 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-VShX5DRAXNEn15LAM_IsZu8zCRhpfkAQNpVGMyzNCnc



TOTAL WEIGHT = 2 X 178 = 353 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
R - A	2x4	DRY	No.2	SPF
A - D	2x6	DRY	No.2	SPF
D - F	2x6	DRY	No.2	SPF
F - I	2x6	DRY	No.2	SPF
J - I	2x4	DRY	No.2	SPF
R - P	2x6	DRY	No.2	SPF
P - L	2x6	DRY	No.2	SPF
L - J	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
R- A	1	12	TOP
I- J	1	12	TOP
A- D	2	12	SIDE(183.1)
D- F	2	12	SIDE(0.0)
F- I	2	12	SIDE(0.0)
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
R- P	2	12	SIDE(183.1)
P- L	2	12	SIDE(183.1)
L- J	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.



Structural component only
DWG# T-2007063 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	3052	0	3052	0	0	3-8	3-8
J	3118	0	3118	0	0	3-8	3-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	2161	1401 / 0	0 / 0	0 / 0	0 / 0	761 / 0	0 / 0
J	2209	1430 / 0	0 / 0	0 / 0	0 / 0	778 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
R- A	-2974 / 0		0.0	0.0	0.34 (1)		6.88
A- S	-4326 / 0		-91.8	-91.8	0.20 (1)		5.32
S- T	-4326 / 0		-91.8	-91.8	0.20 (1)		5.32
T- B	-4326 / 0		-91.8	-91.8	0.20 (1)		5.32
B- U	-6696 / 0		-91.8	-91.8	0.25 (1)		4.43
U- V	-6696 / 0		-91.8	-91.8	0.25 (1)		4.43
V- C	-6696 / 0		-91.8	-91.8	0.25 (1)		4.43
C- D	-7505 / 0		-91.8	-91.8	0.23 (1)		4.25
D- W	-7505 / 0		-91.8	-91.8	0.23 (1)		4.25
W- E	-7505 / 0		-91.8	-91.8	0.23 (1)		4.25
E- X	-7505 / 0		-91.8	-91.8	0.23 (1)		4.25
X- Y	-7505 / 0		-91.8	-91.8	0.23 (1)		4.25
Y- F	-7505 / 0		-91.8	-91.8	0.23 (1)		4.25
F- Z	-7505 / 0		-91.8	-91.8	0.23 (1)		4.25
Z- G	-7505 / 0		-91.8	-91.8	0.23 (1)		4.25
G-AA	-6698 / 0		-91.8	-91.8	0.26 (1)		4.42
AA-AB	-6698 / 0		-91.8	-91.8	0.26 (1)		4.42
AB-AC	-6698 / 0		-91.8	-91.8	0.26 (1)		4.42
AC- H	-6698 / 0		-91.8	-91.8	0.26 (1)		4.42
H-AD	-4330 / 0		-91.8	-91.8	0.21 (1)		5.30
AD-AE	-4330 / 0		-91.8	-91.8	0.21 (1)		5.30
AE-AF	-4330 / 0		-91.8	-91.8	0.21 (1)		5.30
AF- I	-4330 / 0		-91.8	-91.8	0.21 (1)		5.30
J- I	-3028 / 0		0.0	0.0	0.35 (1)		6.64
R-AG	0 / 0		-18.5	-18.5	0.06 (4)		10.00
AG-AH	0 / 0		-18.5	-18.5	0.06 (4)		10.00
AH- Q	0 / 0		-18.5	-18.5	0.06 (4)		10.00
Q-AI	0 / 4326		-18.5	-18.5	0.33 (1)		10.00
AI- P	0 / 4326		-18.5	-18.5	0.33 (1)		10.00
P- O	0 / 4326		-18.5	-18.5	0.33 (1)		10.00
O-AJ	0 / 6696		-18.5	-18.5	0.49 (1)		10.00
AJ-AK	0 / 6696		-18.5	-18.5	0.49 (1)		10.00
AK- N	0 / 6696		-18.5	-18.5	0.49 (1)		10.00
N-AL	0 / 6698		-18.5	-18.5	0.49 (1)		10.00
AL-AM	0 / 6698		-18.5	-18.5	0.49 (1)		10.00
AM-AN	0 / 6698		-18.5	-18.5	0.49 (1)		10.00
AN- M	0 / 6698		-18.5	-18.5	0.49 (1)		10.00
M-AO	0 / 4330		-18.5	-18.5	0.33 (1)		10.00
AO- L	0 / 4330		-18.5	-18.5	0.33 (1)		10.00
L-AP	0 / 4330		-18.5	-18.5	0.33 (1)		10.00
AP-AQ	0 / 4330		-18.5	-18.5	0.33 (1)		10.00
AQ- K	0 / 4330		-18.5	-18.5	0.33 (1)		10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	MAX CSI (LC)
K- I	0 / 5083		0.63 (1)
A- Q	0 / 5078		0.63 (1)
K- H	-2465 / 0		0.30 (1)
Q- B	-2463 / 0		0.29 (1)
M- H	0 / 2804		0.35 (1)
B- O	0 / 2808		0.35 (1)
M- G	-1325 / 0		0.16 (1)
O- C	-1326 / 0		0.16 (1)
N- G	0 / 956		0.12 (1)
C- N	0 / 958		0.12 (1)
N- E	-851 / 0		0.10 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.20")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.38")

CSI: TC=0.35/1.00 (I-J:1) , BC=0.49/1.00 (M-N:1) , WB=0.63/1.00 (I-K:1) , SSI=0.17/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.66 (K) (INPUT = 0.90)
JSI METAL= 0.42 (F) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T1	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	6.0	9.0		Edge
B	TMWW-t	MT20	5.0	6.0	2.50	2.75
C	TMWW-t	MT20	5.0	6.0		
D	TS-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TMWW-t	MT20	5.0	6.0	2.50	2.75
I	TMVW-t	MT20	6.0	9.0		Edge
J	BMV1+p	MT20	3.0	6.0		
K	BMWW-t	MT20	6.0	9.0	3.00	4.25
L	BS-t	MT20	5.0	6.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.75
N	BMWWW-t	MT20	5.0	6.0		
O	BMWW-t	MT20	5.0	6.0	2.50	2.75
P	BS-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	6.0	9.0	3.00	4.25
R	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
K-AR	0 / 0	-18.5	-18.5	0.06 (4)	10.00			
AR-AS	0 / 0	-18.5	-18.5	0.06 (4)	10.00			
AS-AT	0 / 0	-18.5	-18.5	0.06 (4)	10.00			
AT- J	0 / 0	-18.5	-18.5	0.06 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
B	5-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
C	11-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
D	13-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
O	11-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
P	9-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
Q	5-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
S	1-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
T	3-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
U	7-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
V	9-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
W	15-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
X	17-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
Y	19-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
Z	21-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AA	23-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AB	25-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AC	27-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AD	29-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AE	31-10-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AF	33-10-12	-113	-113	--	FRONT	VERT	TOTAL	--	C1
AG	1-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AH	3-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AI	7-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AJ	13-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AK	15-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AL	17-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AM	19-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AN	21-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AO	23-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AP	25-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AQ	27-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AR	29-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AS	31-10-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AT	33-10-12	-27	-27	--	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007063 3/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T1Z	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:49 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-zfFwlZSolhMefFwNwhG566h7Ury0O8GacTEqvOzNCnb



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
R - A	2x4	DRY	No.2	SPF
A - D	2x6	DRY	No.2	SPF
D - F	2x6	DRY	No.2	SPF
F - I	2x6	DRY	No.2	SPF
J - I	2x4	DRY	No.2	SPF
R - P	2x6	DRY	No.2	SPF
P - L	2x6	DRY	No.2	SPF
L - J	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
R- A	1	12	TOP
I- J	1	12	TOP
A- D	2	12	SIDE(0.0)
D- F	2	12	SIDE(183.1)
F- I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
R- P	2	12	SIDE(0.0)
P- L	2	12	SIDE(183.1)
L- J	2	12	TOP
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.



Structural component only
DWG# T-2007064 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 176 = 353 lb [M]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	4002	0	4002	0	0	3-8	3-8
J	3132	0	3132	0	0	3-8	3-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	2824	1886 / 0	0 / 0	0 / 0	0 / 0	938 / 0	0 / 0
J	2212	1470 / 0	0 / 0	0 / 0	0 / 0	742 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.64 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
R- A	-3851 / 0	0.0	0.0	0.44 (1)	6.01	
A- S	-5722 / 0	-91.8	-91.8	0.25 (1)	4.72	
S- T	-5722 / 0	-91.8	-91.8	0.25 (1)	4.72	
T- B	-5722 / 0	-91.8	-91.8	0.25 (1)	4.72	
B- C	-8846 / 0	-91.8	-91.8	0.27 (1)	3.93	
C- D	-10219 / 0	-91.8	-91.8	0.34 (1)	3.64	
D- U	-10219 / 0	-91.8	-91.8	0.34 (1)	3.64	
U- E	-10219 / 0	-91.8	-91.8	0.34 (1)	3.64	
E- V	-10219 / 0	-91.8	-91.8	0.31 (1)	3.67	
V- F	-10219 / 0	-91.8	-91.8	0.31 (1)	3.67	
F- G	-10219 / 0	-91.8	-91.8	0.31 (1)	3.67	
G- H	-8031 / 0	-91.8	-91.8	0.23 (1)	4.14	
H- I	-4622 / 0	-91.8	-91.8	0.15 (1)	5.25	
J- I	-3071 / 0	0.0	0.0	0.35 (1)	6.60	
R- W	0 / 0	-18.5	-18.5	0.15 (1)	10.00	
W- X	0 / 0	-18.5	-18.5	0.15 (1)	10.00	
X- Y	0 / 0	-18.5	-18.5	0.15 (1)	10.00	
Y- Q	0 / 0	-18.5	-18.5	0.15 (1)	10.00	
Q- P	0 / 5722	-18.5	-18.5	0.44 (1)	10.00	
P- O	0 / 5722	-18.5	-18.5	0.44 (1)	10.00	
O- Z	0 / 8846	-18.5	-18.5	0.81 (1)	10.00	
Z-AA	0 / 8846	-18.5	-18.5	0.81 (1)	10.00	
AA- N	0 / 8846	-18.5	-18.5	0.81 (1)	10.00	
N-AB	0 / 8031	-18.5	-18.5	0.74 (1)	10.00	
AB-AC	0 / 8031	-18.5	-18.5	0.74 (1)	10.00	
AC- M	0 / 8031	-18.5	-18.5	0.74 (1)	10.00	
M- L	0 / 4622	-18.5	-18.5	0.33 (1)	10.00	
L- K	0 / 4622	-18.5	-18.5	0.33 (1)	10.00	
K- J	0 / 0	-18.5	-18.5	0.04 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
K- I	0 / 5428	0.67 (1)
A- Q	0 / 6717	0.83 (1)
K- H	-2763 / 0	0.33 (1)
Q- B	-2710 / 0	0.32 (1)
M- H	0 / 4038	0.50 (1)
B- O	0 / 3700	0.46 (1)
M- G	-1901 / 0	0.23 (1)
O- C	-1400 / 0	0.17 (1)
N- G	0 / 2591	0.32 (1)
C- N	0 / 1626	0.20 (1)
N- E	-710 / 0	0.08 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
S	1-10-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
T	3-10-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
U	15-8-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
V	17-8-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
W	1-10-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
X	3-10-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
Y	5-1-8	-727	-727	---	BACK	VERT	TOTAL	---	C1
Z	13-0-8	-727	-727	---	BACK	VERT	TOTAL	---	C1
AA	15-8-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AB	17-8-12	-26	-26	---	BACK	VERT	TOTAL	---	C1

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.28")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 828 (0.50")

CSI: TC=0.44/1.00 (A-R:1) , BC=0.81/1.00 (N-O:1) , WB=0.83/1.00 (A-Q:1) , SSI=0.41/1.00 (M-N:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (M) (INPUT = 0.90)
JSI METAL= 0.50 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T1Z	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	6.0	9.0		Edge
B	TMWW-t	MT20	5.0	6.0	2.50	2.75
C	TMWW-t	MT20	5.0	6.0		
D	TS-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TMWW-t	MT20	5.0	6.0	2.50	2.75
I	TMVW-t	MT20	6.0	9.0		Edge
J	BMV1+p	MT20	3.0	6.0		
K	BMWW-t	MT20	6.0	9.0	3.00	4.25
L	BS-t	MT20	5.0	6.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.75
N	BMWWW-t	MT20	5.0	6.0		
O	BMWW-t	MT20	5.0	6.0	2.50	2.75
P	BS-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	6.0	9.0	3.00	4.25
R	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
AC	18-3-8	-1293	-1293	---	BACK	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

Structural component only
DWG# T-2007064 T2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T2	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:50 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-w1MgjFT2qidMuZ4l16IZBXmNxeiPs5Wt3njxzHzNCnZ



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
R - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
C - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
J - I	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	5.0	6.0	2.00	2.25
B	TMWW-t	MT20	5.0	6.0		
C	TS-t	MT20	3.0	6.0		
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TMWW-t	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	5.0	6.0		
I	TMVW-t	MT20	5.0	6.0	2.00	2.25
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.00	2.25
L	BMWW-t	MT20	5.0	6.0		
M	BS-t	MT20	3.0	8.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	8.0		
P	BMWW-t	MT20	5.0	8.0		
Q	BMWW-t	MT20	5.0	6.0	2.00	2.25
R	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1920	0	1920	0	0	3-8	3-8
J	1920	0	1920	0	0	3-8	3-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1358	891 / 0	0 / 0	0 / 0	0 / 0	467 / 0	0 / 0
J	1358	891 / 0	0 / 0	0 / 0	0 / 0	467 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.23 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
R-A	-1875 / 0	0.0	0.0	0.83 (1)		6.13
A-B	-2042 / 0	-91.8	-91.8	0.59 (1)		4.10
B-C	-3149 / 0	-91.8	-91.8	0.74 (1)		3.28
C-D	-3149 / 0	-91.8	-91.8	0.74 (1)		3.28
D-E	-3533 / 0	-91.8	-91.8	0.68 (1)		3.23
E-F	-3533 / 0	-91.8	-91.8	0.68 (1)		3.23
F-G	-3149 / 0	-91.8	-91.8	0.74 (1)		3.28
G-H	-3149 / 0	-91.8	-91.8	0.74 (1)		3.28
H-I	-2042 / 0	-91.8	-91.8	0.59 (1)		4.10
J-I	-1875 / 0	0.0	0.0	0.83 (1)		6.13
R-Q	0 / 0	-18.5	-18.5	0.15 (4)		10.00
Q-P	0 / 2042	-18.5	-18.5	0.40 (1)		10.00
P-O	0 / 3149	-18.5	-18.5	0.56 (1)		10.00
O-N	0 / 3149	-18.5	-18.5	0.56 (1)		10.00
N-M	0 / 3149	-18.5	-18.5	0.56 (1)		10.00
M-L	0 / 3149	-18.5	-18.5	0.56 (1)		10.00
L-K	0 / 2042	-18.5	-18.5	0.40 (1)		10.00
K-J	0 / 0	-18.5	-18.5	0.15 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
K-I	0 / 2630	0.59 (1)
A-Q	0 / 2630	0.59 (1)
K-H	-1535 / 0	0.59 (1)
Q-B	-1535 / 0	0.59 (1)
L-H	0 / 1444	0.33 (1)
B-P	0 / 1444	0.33 (1)
L-F	-826 / 0	0.32 (1)
P-D	-826 / 0	0.32 (1)
N-F	0 / 502	0.11 (1)
D-N	0 / 502	0.11 (1)
N-E	-537 / 0	0.21 (1)

TOTAL WEIGHT = 2 X 143 = 286 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.23")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 996 (0.42")

CSI: TC=0.83/1.00 (A-R:1) , BC=0.56/1.00 (N-P:1) , WB=0.59/1.00 (I-K:1) , SSI=0.25/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1967	1856

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (A) (INPUT = 0.90)
JSI METAL= 0.99 (M) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007065

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T3	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:51 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-OEw2wbUhbclDWjfxbqpokkJaK233bSy0IRTUVjzNCnY



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
R - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
C - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
J - I	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	5.0	6.0	2.00	2.50
B	TMWW-t	MT20	5.0	6.0		
C	TS-t	MT20	3.0	6.0		
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TMWW-t	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	5.0	6.0		
I	TMVW-t	MT20	5.0	6.0	2.00	2.50
J	BMVt+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.00	2.50
L	BMWW-t	MT20	5.0	6.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	5.0	6.0	2.00	2.50
R	BMVt+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 153 = 305 lb [M]

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
R	1920	0	1920	0	0	3-8	3-8
J	1920	0	1920	0	0	3-8	3-8

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1358	891 / 0	0 / 0	0 / 0	0 / 0	467 / 0	0 / 0
J	1358	891 / 0	0 / 0	0 / 0	0 / 0	467 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.59 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF A-R, I-J.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
R-A	-1875 / 0	0.0	0.0	0.33 (1)	4.90
A-B	-1691 / 0	-91.8	-91.8	0.55 (1)	4.46
B-C	-2608 / 0	-91.8	-91.8	0.66 (1)	3.63
C-D	-2608 / 0	-91.8	-91.8	0.66 (1)	3.63
D-E	-2927 / 0	-91.8	-91.8	0.58 (1)	3.59
E-F	-2927 / 0	-91.8	-91.8	0.58 (1)	3.59
F-G	-2608 / 0	-91.8	-91.8	0.66 (1)	3.63
G-H	-2608 / 0	-91.8	-91.8	0.66 (1)	3.63
H-I	-1691 / 0	-91.8	-91.8	0.55 (1)	4.46
J-I	-1875 / 0	0.0	0.0	0.33 (1)	4.90
R-Q	0 / 0	-18.5	-18.5	0.15 (4)	10.00
Q-P	0 / 1691	-18.5	-18.5	0.35 (1)	10.00
P-O	0 / 2608	-18.5	-18.5	0.47 (1)	10.00
O-N	0 / 2608	-18.5	-18.5	0.47 (1)	10.00
N-M	0 / 2608	-18.5	-18.5	0.47 (1)	10.00
M-L	0 / 2608	-18.5	-18.5	0.47 (1)	10.00
L-K	0 / 1691	-18.5	-18.5	0.35 (1)	10.00
K-J	0 / 0	-18.5	-18.5	0.15 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
K-I	0 / 2368	0.53 (1)
A-Q	0 / 2368	0.53 (1)
K-H	-1536 / 0	0.90 (1)
Q-B	-1536 / 0	0.90 (1)
L-H	0 / 1304	0.29 (1)
B-P	0 / 1304	0.29 (1)
L-F	-826 / 0	0.48 (1)
P-D	-826 / 0	0.48 (1)
N-F	0 / 453	0.10 (1)
D-N	0 / 453	0.10 (1)
N-E	-537 / 0	0.31 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.18")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.33")

CSI: TC=0.66/1.00 (F-H:1) , BC=0.47/1.00 (N-P:1) , WB=0.90/1.00 (H-K:1) , SSI=0.25/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1567	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (I) (INPUT = 0.90)
JSI METAL= 0.83 (M) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007066

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T4	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:52 2020 Page 1
ID:i7vF?aG0E03cRUj6X1iSrkzlWYK-sQUQ8wVJMvt47tE88XL1GyrhNSOJK?q9W4C12AzNCnX



TOTAL WEIGHT = 2 X 157 = 313 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
P - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	5.0	6.0	2.25	2.00
B	TMWW-t	MT20	4.0	6.0		
C	TS-t	MT20	3.0	6.0		
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	6.0		
H	TMVW-t	MT20	5.0	6.0	2.50	2.50
I	BMV1+p	MT20	3.0	4.0		
J	BMWW-t	MT20	5.0	6.0	2.50	2.50
K	BS-t	MT20	3.0	6.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BMWW-t	MT20	4.0	6.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	5.0	6.0	2.00	2.50
P	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007067

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
P	1920	0	1920	0	0	3-8	3-8
I	1920	0	1920	0	0	3-8	3-8

UNFACTORED REACTIONS

JT	1ST LOASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1358	891 / 0	0 / 0	0 / 0	0 / 0	467 / 0	0 / 0
I	1358	891 / 0	0 / 0	0 / 0	0 / 0	467 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.31 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF A-P, H-I, B-O, D-L, G-J.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
P-A	-1868 / 0	0.0	0.0	0.43 (1)	4.91
A-B	-1662 / 0	-91.8	-91.8	0.82 (1)	4.04
B-C	-2418 / 0	-91.8	-91.8	0.95 (1)	3.33
C-D	-2416 / 0	-91.8	-91.8	0.95 (1)	3.33
D-E	-2415 / 0	-91.8	-91.8	0.74 (1)	3.73
E-F	-2415 / 0	-91.8	-91.8	0.96 (1)	3.31
F-G	-2415 / 0	-91.8	-91.8	0.96 (1)	3.31
G-H	-1663 / 0	-91.8	-91.8	0.82 (1)	4.02
I-H	-1868 / 0	0.0	0.0	0.43 (1)	4.91
P-O	0 / 0	-18.5	-18.5	0.22 (4)	10.00
O-N	0 / 1662	-18.5	-18.5	0.39 (1)	10.00
N-M	0 / 1662	-18.5	-18.5	0.39 (1)	10.00
M-L	0 / 2416	-18.5	-18.5	0.47 (1)	10.00
L-K	0 / 1663	-18.5	-18.5	0.39 (1)	10.00
K-J	0 / 1663	-18.5	-18.5	0.39 (1)	10.00
J-I	0 / 0	-18.5	-18.5	0.22 (4)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-O	0 / 2315	0.52 (1)
O-B	-1466 / 0	0.47 (1)
B-M	0 / 1058	0.24 (1)
M-D	-617 / 0	0.54 (1)
D-L	-2 / 0	0.00 (1)
L-E	-616 / 0	0.54 (1)
L-G	0 / 1054	0.24 (1)
J-G	-1465 / 0	0.47 (1)
J-H	0 / 2316	0.37 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.29")

CSI: TC=0.95/1.00 (E-G:1) , BC=0.47/1.00 (L-M:1) , WB=0.54/1.00 (D-M:1) , SSI=0.30/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	785	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (A) (INPUT = 0.90)
JSI METAL= 0.53 (K) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T5	10	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:53 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzIWYK-Kc2pLGWx7D?xl0pKiFsGp9Os5sII3ONJlkybaczNCnW



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
P - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
J - G	2x3	DRY	No.2	SPF
O - B	2x3	DRY	No.2	SPF
L - E	2x3	DRY	No.2	SPF
M - D	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	5.0	6.0	2.50	2.50
B	TMWW-t	MT20	4.0	8.0		
C	TS-t	MT20	3.0	6.0		
D	TMW+w	MT20	2.0	4.0		
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	6.0		
H	TMVW-t	MT20	5.0	6.0	2.50	2.50
I	BMV1+p	MT20	3.0	4.0		
J	BMWW-t	MT20	5.0	6.0	2.50	2.50
K	BS-t	MT20	3.0	6.0		
L	BMWW-t	MT20	4.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	5.0	6.0	2.50	2.50
P	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007068

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
P	1920	0	1920	0	0	3-8	3-8
I	1920	0	1920	0	0	3-8	3-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1358	891 / 0	0 / 0	0 / 0	0 / 0	467 / 0	0 / 0
I	1358	891 / 0	0 / 0	0 / 0	0 / 0	467 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.56 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF A-P, H-I, G-J, B-O, E-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
P-A	-1868 / 0	0.0	0.0	0.55 (1)	4.91
A-B	-1458 / 0	-91.8	-91.8	0.80 (1)	4.26
B-C	-2106 / 0	-91.8	-91.8	0.90 (1)	3.56
C-D	-2106 / 0	-91.8	-91.8	0.90 (1)	3.56
D-E	-2106 / 0	-91.8	-91.8	0.68 (1)	4.09
E-F	-2108 / 0	-91.8	-91.8	0.90 (1)	3.56
F-G	-2108 / 0	-91.8	-91.8	0.90 (1)	3.56
G-H	-1458 / 0	-91.8	-91.8	0.79 (1)	4.27
I-H	-1868 / 0	0.0	0.0	0.55 (1)	4.91
P-O	0 / 0	-18.5	-18.5	0.22 (4)	10.00
O-N	0 / 1458	-18.5	-18.5	0.36 (1)	10.00
N-M	0 / 1458	-18.5	-18.5	0.36 (1)	10.00
M-L	0 / 2108	-18.5	-18.5	0.42 (1)	10.00
L-K	0 / 1458	-18.5	-18.5	0.36 (1)	10.00
K-J	0 / 1458	-18.5	-18.5	0.36 (1)	10.00
J-I	0 / 0	-18.5	-18.5	0.22 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-H	0 / 2171	0.35 (1)
A-O	0 / 2171	0.35 (1)
J-G	-1463 / 0	0.61 (1)
O-B	-1462 / 0	0.51 (1)
L-G	0 / 982	0.16 (1)
B-M	0 / 980	0.16 (1)
L-E	-613 / 0	0.78 (1)
M-D	-612 / 0	0.77 (1)
M-E	-2 / 0	0.00 (1)

TOTAL WEIGHT = 10 X 178 = 1785 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.24")

CSI: TC=0.90/1.00 (B-D:1) , BC=0.42/1.00 (L-M:1) , WB=0.78/1.00 (E-L:1) , SSI=0.31/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (A) (INPUT = 0.90)
JSI METAL= 0.47 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T6	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:54 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-opcBZcXZuX7oNAOWGyNVLNxAAG1Foy0S_Oh862zNCnV



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
M - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
M - J	2x6	DRY	No.2	SPF
J - H	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	Edge	2.75
C	TTWW+m	MT20	5.0	6.0	2.00	1.50
D	TMW+w	MT20	2.0	4.0		
E	TTWW+m	MT20	5.0	6.0	2.00	1.50
F	TMVW+p	MT20	5.0	6.0	Edge	2.75
H	BMV1+p	MT20	3.0	6.0		
I	BMWW-t	MT20	5.0	6.0	2.50	2.75
J	BS-t	MT20	5.0	6.0		
K	BMWWW-t	MT20	5.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.75
M	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007069

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 84 lb [M]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
M	1888	0	1888	0	0	5-8	5-8
H	1422	0	1422	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
M	1329	909 / 0	0 / 0	0 / 0	0 / 0	420 / 0	0 / 0
H	1001	693 / 0	0 / 0	0 / 0	0 / 0	318 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.55 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 41	-91.8	-91.8	0.14 (1)	10.00	L-C	0 / 363	0.09 (1)	
B-C	-1847 / 0	-91.8	-91.8	0.34 (1)	4.55	C-K	0 / 310	0.08 (1)	
C-D	-1641 / 0	-91.8	-91.8	0.36 (1)	4.72	K-D	-461 / 0	0.16 (1)	
D-E	-1641 / 0	-91.8	-91.8	0.36 (1)	4.72	K-E	0 / 1010	0.25 (1)	
E-F	-1225 / 0	-91.8	-91.8	0.30 (1)	5.40	J-E	-274 / 0	0.09 (1)	
F-G	0 / 41	-91.8	-91.8	0.14 (1)	10.00	B-L	0 / 1480	0.37 (1)	
M-B	-1926 / 0	0.0	0.0	0.22 (1)	6.01	I-F	0 / 981	0.24 (1)	
H-F	-1380 / 0	0.0	0.0	0.16 (1)	6.88				
M-N	0 / 0	-18.5	-18.5	0.24 (1)	10.00				
N-L	0 / 0	-18.5	-18.5	0.24 (1)	10.00				
L-O	0 / 1424	-18.5	-18.5	0.70 (1)	10.00				
O-K	0 / 1424	-18.5	-18.5	0.70 (1)	10.00				
K-J	0 / 932	-18.5	-18.5	0.29 (1)	10.00				
J-I	0 / 932	-18.5	-18.5	0.29 (1)	10.00				
I-H	0 / 0	-18.5	-18.5	0.04 (4)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	3-10-8	-241	-241	---	FRONT	VERT	TOTAL	---	C1
L	3-11-4	-17	-17	---	FRONT	VERT	TOTAL	---	C1
N	2-0-12	-17	-17	---	FRONT	VERT	TOTAL	---	C1
O	5-6-8	-953	-953	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.10")

CSI: TC=0.36/1.00 (C-D:1) , BC=0.70/1.00 (K-L:1) , WB=0.37/1.00 (B-L:1) , SSI=0.45/1.00 (K-L:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (C) (INPUT = 0.90)
JSI METAL= 0.57 (J) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T7	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:55 2020 Page 1
ID:i7vF?aG0E03cRU|6X1jSrkzlWYK-G?AZmyXBfqF!_KyjqfukuaTK3fVZXS_cD2RifVzNChU



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
I - A	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
B	TTWW+m	MT20	5.0	6.0	2.25	1.50
C	TTW-m	MT20	4.0	4.0		
D	TMVW+p	MT20	4.0	4.0	1.00	2.00
E	BMV1+p	MT20	3.0	4.0		
F	BMWWW-t	MT20	4.0	9.0		
G	BS-t	MT20	3.0	6.0		
H	BMWW-t	MT20	4.0	4.0		
I	BMV1+p	MT20	3.0	4.0		



Structural component only
DWG# T-2007070

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
I	905	0	905	0	0	3-8	3-8
E	905	0	905	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
I	640	420 / 0	0 / 0	0 / 0	0 / 0	220 / 0	0 / 0
E	640	420 / 0	0 / 0	0 / 0	0 / 0	220 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I, E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	-718 / 0	-91.8	-91.8	0.39 (1)	6.25
B-C	-558 / 0	-91.8	-91.8	0.28 (1)	6.25
C-D	-729 / 0	-91.8	-91.8	0.42 (1)	6.25
I-A	-860 / 0	0.0	0.0	0.09 (1)	7.81
E-D	-958 / 0	0.0	0.0	0.09 (1)	7.81
I-H	0 / 0	-18.5	-18.5	0.13 (4)	10.00
H-G	0 / 550	-18.5	-18.5	0.18 (4)	10.00
G-F	0 / 550	-18.5	-18.5	0.18 (4)	10.00
F-E	0 / 0	-18.5	-18.5	0.14 (4)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
H-B	-34 / 68	0.02 (4)
B-F	0 / 14	0.00 (1)
F-C	-23 / 74	0.03 (4)
A-H	0 / 567	0.13 (1)
F-D	0 / 572	0.13 (1)

TOTAL WEIGHT = 70 lb [M|F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.42/1.00 (C-D:1) , BC=0.18/1.00 (F-H:4) , WB=0.13/1.00 (D-F:1) , SSI=0.17/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1655

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (D) (INPUT = 0.90)
JSI METAL= 0.24 (D) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T8	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:56 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-lBkxzlYpQ8NWcUXvNNPzRo0Yl3nGGp#RiAFBxzNCnT



TOTAL WEIGHT = 77 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
J - A	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMV+p	MT20	3.0	4.0		
B	TMWW-t	MT20	4.0	8.0		
C	TTW-m	MT20	4.0	4.0		
D	TTW-m	MT20	4.0	4.0		
E	TMWW-t	MT20	4.0	8.0		
F	TMV+p	MT20	3.0	4.0		
G	BMVW1-t	MT20	4.0	4.0		
H	BS-t	MT20	3.0	6.0		
I	BMWWWW*-t	MT20	5.0	12.0	3.00	6.00
J	BMVW1-t	MT20	4.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
J	905	0	905	0	0	3-8	3-8
G	905	0	905	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
J	640	420 / 0	0 / 0	0 / 0	0 / 0	220 / 0	0 / 0
G	640	420 / 0	0 / 0	0 / 0	0 / 0	220 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 27	-91.8	-91.8	0.22 (1)	10.00	B-I	-163 / 0	0.11 (1)
B-C	-649 / 0	-91.8	-91.8	0.17 (1)	6.25	I-E	-190 / 0	0.13 (1)
C-D	-489 / 0	-91.8	-91.8	0.01 (1)	6.25	J-B	-930 / 0	0.54 (1)
D-E	-650 / 0	-91.8	-91.8	0.18 (1)	6.25	E-G	-935 / 0	0.57 (1)
E-F	0 / 27	-91.8	-91.8	0.23 (1)	10.00	C-I	0 / 221	0.05 (1)
J-A	-129 / 0	0.0	0.0	0.01 (1)	7.81	I-D	0 / 222	0.05 (1)
G-F	-137 / 0	0.0	0.0	0.01 (1)	7.81			
J-I	0 / 590	-18.5	-18.5	0.41 (4)	10.00			
I-H	0 / 608	-18.5	-18.5	0.41 (4)	10.00			
H-G	0 / 608	-18.5	-18.5	0.41 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.11")

CSI: TC=0.23/1.00 (E-F:1) , BC=0.41/1.00 (G-I:4) , WB=0.57/1.00 (E-G:1) , SSI=0.13/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.75 (G) (INPUT = 0.90)
JSI METAL= 0.23 (G) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/12
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007071

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T9	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:57 2020 Page 1
ID:i7vF?aG0E03cRUj6X1SrkzlWYK-DOHJBeZRBSVNEe65x4wCz?ZjsTBi?LQvgMwojNzNCnS



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
K - A	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
K - H	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TTW+p	MT20	4.0	8.0	Edge	
D	TMVW-t	MT20	4.0	4.0	2.00	1.25
E	TMVW+p	MT20	4.0	4.0	1.00	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWW-t	MT20	4.0	6.0		
H	BS-I	MT20	3.0	6.0		
I	BMWWW-t	MT20	4.0	9.0		
J	BMWW-t	MT20	4.0	4.0		
K	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
K	905	0	905	0	0	3-8	3-8
F	905	0	905	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	640	420 / 0	0 / 0	0 / 0	0 / 0	220 / 0	0 / 0
F	640	420 / 0	0 / 0	0 / 0	0 / 0	220 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	-772 / 0	-91.8	-91.8	0.20 (1)		6.25
B-C	-620 / 0	-91.8	-91.8	0.19 (1)		6.25
C-D	-622 / 0	-91.8	-91.8	0.20 (1)		6.25
D-E	-795 / 0	-91.8	-91.8	0.21 (1)		6.25
K-A	-673 / 0	0.0	0.0	0.10 (1)		7.81
F-E	-672 / 0	0.0	0.0	0.09 (1)		7.81
K-J	0 / 0	-18.5	-18.5	0.07 (4)		10.00
J-I	0 / 615	-18.5	-18.5	0.13 (1)		10.00
I-H	0 / 633	-18.5	-18.5	0.14 (1)		10.00
H-G	0 / 633	-18.5	-18.5	0.14 (1)		10.00
G-F	0 / 0	-18.5	-18.5	0.07 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-B	-135 / 21	0.05 (1)
B-I	-251 / 0	0.18 (1)
I-C	0 / 478	0.11 (1)
I-D	-278 / 0	0.20 (1)
G-D	-110 / 31	0.04 (1)
A-J	0 / 653	0.15 (1)
G-E	0 / 662	0.15 (1)

TOTAL WEIGHT = 77 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.21/1.00 (D-E:1) , BC=0.14/1.00 (G-I:1) , WB=0.20/1.00 (D-I:1) , SSI=0.14/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	518	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (E) (INPUT = 0.90)
JSI METAL= 0.24 (E) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007072

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T10S	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:58 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-hariO_a4yidDrohlVoRRWD5vytX_kqu2v0fMFpzNCnR



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
N - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
N - M	2x4	DRY	No.2	SPF
M - C	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
I - E	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B, C, E, F						
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
D	TTW+p	MT20	4.0	6.0	Edge	
H	BMVW1-t	MT20	4.0	4.0		
I	BMV+p	MT20	3.0	4.0		
J	BVMWW-t	MT20	5.0	12.0	5.00	7.75
K	BMWWW-t	MT20	4.0	9.0		
L	BVMWW-t	MT20	5.0	12.0	5.00	7.75
M	BMV+p	MT20	3.0	4.0		
N	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007073

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
N	729	0	729	0	0	IN-SX	IN-SX
H	729	0	729	0	0	5-8	5-8
						MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
N	513	350 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0
H	513	350 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
B-C	-647 / 0	-91.8	-91.8	0.14 (1)	6.25	
C-D	-447 / 0	-91.8	-91.8	0.19 (1)	6.25	
D-E	-447 / 0	-91.8	-91.8	0.18 (1)	6.25	
E-F	-646 / 0	-91.8	-91.8	0.14 (1)	6.25	
F-G	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
N-B	-701 / 0	0.0	0.0	0.07 (1)	7.81	
H-F	-701 / 0	0.0	0.0	0.07 (1)	7.81	
N-M	0 / 20	-18.5	-18.5	0.01 (4)	10.00	
M-L	0 / 14	0.0	0.0	0.03 (1)	10.00	
L-C	-92 / 2	0.0	0.0	0.02 (1)	7.81	
L-K	0 / 528	-18.5	-18.5	0.13 (1)	10.00	
K-J	0 / 527	-18.5	-18.5	0.13 (1)	10.00	
I-J	0 / 14	0.0	0.0	0.03 (1)	10.00	
J-E	-93 / 2	0.0	0.0	0.02 (1)	7.81	
I-H	0 / 20	-18.5	-18.5	0.01 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-K	-211 / 0	0.07 (1)
K-D	0 / 229	0.05 (1)
K-E	-210 / 0	0.07 (1)
N-L	-26 / 0	0.00 (1)
B-L	0 / 527	0.12 (1)
J-F	0 / 526	0.12 (1)
J-H	-26 / 0	0.00 (1)

TOTAL WEIGHT = 2 X 56 = 112 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	26.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.36")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.36")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.19/1.00 (C-D:1) , BC=0.13/1.00 (K-L:1) , WB=0.12/1.00 (B-L:1) , SSI=0.13/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.74 (F) (INPUT = 0.90)
JSI METAL= 0.20 (F) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T11	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:59 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzIWYK-9mP4cKaij3l4TxGlJ3Vzg2Qe15HssTHxB7gPvoGzNCnQ



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTW+p	MT20	4.0	8.0	Edge	
D	TMVW+p	MT20	4.0	4.0	1.00	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
H	729	0	729	0	0	5-8	5-8
F	729	0	729	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	513	350 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0
F	513	350 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
B-C	-380 / 0	-91.8	-91.8	0.35 (1)	6.25	
C-D	-380 / 0	-91.8	-91.8	0.35 (1)	6.25	
D-E	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
H-B	-690 / 0	0.0	0.0	0.07 (1)	7.81	
F-D	-690 / 0	0.0	0.0	0.07 (1)	7.81	
H-G	0 / 0	-18.5	-18.5	0.16 (4)	10.00	
G-F	0 / 0	-18.5	-18.5	0.16 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
G-C	-15 / 89	0.03 (4)
B-G	0 / 300	0.07 (1)
G-D	0 / 300	0.07 (1)

TOTAL WEIGHT = 49 lb
[M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.36")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.36")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.35/1.00 (B-C:1) , BC=0.16/1.00 (G-H:4) , WB=0.07/1.00 (D-G:1) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.62 (D) (INPUT = 0.90)
JSI METAL= 0.17 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/11/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007074

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T12	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:03:01 2020 Page 1
ID:4NxGft_xHSHnstgnSWZu6izNuP6-59Xq1?cyEg?oiFQsAw?88rjPP4ZbxCqUb_u0s8zNCnO

Scale = 1:32.5



TOTAL WEIGHT = 35 lb [M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
F - A	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
B	TTW+p	MT20	4.0	6.0	Edge	
C	TMVW+p	MT20	4.0	4.0	1.00	2.00
D	BMV1+p	MT20	3.0	4.0		
E	BMWWW-t	MT20	4.0	9.0		
F	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	423	0	423	0	0	IN-SX	IN-SX
D	423	0	423	0	0	MECHANICAL	
						MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F, D. MINIMUM BEARING LENGTH AT JOINT F = 1-8, JOINT D = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	299	196 / 0	0 / 0	0 / 0	0 / 0	103 / 0	0 / 0
D	299	196 / 0	0 / 0	0 / 0	0 / 0	103 / 0	0 / 0

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B		-214 / 0	-91.8	-91.8	0.17 (1)	6.25	E-B	-78 / 37	0.03 (1)
B-C		-214 / 0	-91.8	-91.8	0.17 (1)	6.25	A-E	0 / 184	0.04 (1)
F-A		-395 / 0	0.0	0.0	0.05 (1)	7.81	E-C	0 / 184	0.04 (1)
D-C		-395 / 0	0.0	0.0	0.05 (1)	7.81			
F-E		0 / 0	-18.5	-18.5	0.08 (4)	10.00			
E-D		0 / 0	-18.5	-18.5	0.08 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.26")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.25")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.17/1.00 (B-C:1) , BC=0.08/1.00 (D-E:4) , WB=0.04/1.00 (A-E:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.31 (C) (INPUT = 0.90)
JSI METAL= 0.09 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007075

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T12S	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:03:02 2020 Page 1
ID:4NxGft_xHSHnstgnSWZu6izNuP6-ZL5CELda?_7fKP?3keWNg3GbiUw7gecsqedZObzNCnN



TOTAL WEIGHT = 2 X 43 = 85 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
L - A	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
L - K	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
G - D	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A, B, D, E						
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTW+p	MT20	4.0	6.0	Edge	
F	BMVW1-t	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWW-t	MT20	5.0	8.0	3.50	5.50
I	BMWWW-t	MT20	4.0	9.0		
J	BVMWW-t	MT20	5.0	8.0	3.50	5.50
K	BMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
L	423	0	423	0	0	IN-SX	IN-SX
F	423	0	423	0	0	MECHANICAL	
						MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT L, F. MINIMUM BEARING LENGTH AT JOINT L = 1-8, JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	299	196 / 0	0 / 0	0 / 0	0 / 0	103 / 0	0 / 0
F	299	196 / 0	0 / 0	0 / 0	0 / 0	103 / 0	0 / 0

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	-282 / 0	-91.8	-91.8	0.05 (1)		6.25
B-C	-274 / 0	-91.8	-91.8	0.07 (1)		6.25
C-D	-274 / 0	-91.8	-91.8	0.07 (1)		6.25
D-E	-282 / 0	-91.8	-91.8	0.05 (1)		5.25
L-A	-404 / 0	0.0	0.0	0.05 (1)		7.81
F-E	-404 / 0	0.0	0.0	0.05 (1)		7.81
L-K	0 / 9	-18.5	-18.5	0.01 (4)		10.00
K-J	0 / 11	0.0	0.0	0.01 (1)		10.00
J-B	-182 / 0	0.0	0.0	0.01 (1)		7.81
J-I	0 / 247	-18.5	-18.5	0.06 (1)		10.00
I-H	0 / 247	-18.5	-18.5	0.06 (1)		10.00
G-H	0 / 11	0.0	0.0	0.01 (1)		10.00
H-D	-182 / 0	0.0	0.0	0.01 (1)		7.81
G-F	0 / 9	-18.5	-18.5	0.01 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
I-C	0 / 125	0.03 (1)
I-D	-57 / 0	0.01 (1)
B-I	-57 / 0	0.01 (1)
L-J	-13 / 0	0.00 (1)
A-J	0 / 317	0.07 (1)
H-F	-13 / 0	0.00 (1)
H-E	0 / 317	0.07 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.26")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.26")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.07/1.00 (C-D:1) , BC=0.06/1.00 (H-I:1) , WB=0.07/1.00 (A-J:1) , SSI=0.09/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.30 (E) (INPUT = 0.90)
JSI METAL= 0.08 (E) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007076

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	T15	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:03:03 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-1XfbSheCmiFWyZaFIL1cDGpbHuDpP_en2IN7x1zNCnM



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
F - A	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
A	TMW-t	MT20	4.0	9.0	Edge
B	TMW+w	MT20	2.0	4.0	
C	TMW-t	MT20	4.0	9.0	Edge
D	BMV1+p	MT20	3.0	4.0	
E	BMWWW-t	MT20	6.0	9.0	
F	BMV1+p	MT20	3.0	4.0	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 37 lb [M]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	976	0	976	0	0	5-8	5-8
D	1015	0	1015	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	690	453 / 0	0 / 0	0 / 0	0 / 0	237 / 0	0 / 0
D	716	479 / 0	0 / 0	0 / 0	0 / 0	237 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.55 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-G	-2081 / 0	-91.8	-91.8	0.79 (1)	3.55
G-H	-2081 / 0	-91.8	-91.8	0.79 (1)	3.55
H-I	-2081 / 0	-91.8	-91.8	0.79 (1)	3.55
I-B	-2081 / 0	-91.8	-91.8	0.79 (1)	3.55
B-J	-2081 / 0	-91.8	-91.8	0.79 (1)	3.55
J-K	-2081 / 0	-91.8	-91.8	0.79 (1)	3.55
K-C	-2081 / 0	-91.8	-91.8	0.79 (1)	3.55
F-A	-869 / 0	0.0	0.0	0.10 (1)	7.81
D-C	-938 / 0	0.0	0.0	0.11 (1)	7.81
F-L	0 / 0	-18.5	-18.5	0.22 (4)	10.00
L-M	0 / 0	-18.5	-18.5	0.22 (4)	10.00
M-N	0 / 0	-18.5	-18.5	0.22 (4)	10.00
N-E	0 / 0	-18.5	-18.5	0.22 (4)	10.00
E-O	0 / 0	-18.5	-18.5	0.22 (4)	10.00
O-P	0 / 0	-18.5	-18.5	0.22 (4)	10.00
P-D	0 / 0	-18.5	-18.5	0.22 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-E	0 / 2157	0.53 (1)
E-B	-876 / 0	0.14 (1)
E-C	0 / 2157	0.53 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	10-11-0	-123	-123	---	BACK	VERT	TOTAL	---	C1
G	9-14	-90	-90	---	BACK	VERT	TOTAL	---	C1
H	2-9-14	-82	-82	---	BACK	VERT	TOTAL	---	C1
I	4-9-14	-82	-82	---	BACK	VERT	TOTAL	---	C1
J	6-9-14	-82	-82	---	BACK	VERT	TOTAL	---	C1
K	8-9-14	-82	-82	---	BACK	VERT	TOTAL	---	C1
L	9-14	-51	-51	---	BACK	VERT	TOTAL	---	C1
M	2-9-14	-49	-49	---	BACK	VERT	TOTAL	---	C1
N	4-9-14	-49	-49	---	BACK	VERT	TOTAL	---	C1
O	6-9-14	-49	-49	---	BACK	VERT	TOTAL	---	C1
P	8-9-14	-49	-49	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.36")
CALCULATED VERT. DEFL.(LL) = L/999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.36")
CALCULATED VERT. DEFL.(TL) = L/ 817 (0.16")

CSI: TC=0.79/1.00 (A-B:1) , BC=0.22/1.00 (E-F:4) , WB=0.53/1.00 (A-E:1) , SSI=0.39/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (A) (INPUT = 0.90)
JSI METAL= 0.40 (E) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007077

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T20	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:44 2020 Page 1
ID:h2dfIgC44wS_E2tzqPs_atzIIRw-E6e?Xzl51rNUYObeR4VLHMmIPOqOSi27EXMbZWzNCX



TOTAL WEIGHT = 2 X 183 = 365 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x6	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	1650F 1.5E	SPF
P - N	2x6	DRY	1650F 1.5E	SPF
N - K	2x6	DRY	1650F 1.5E	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	2	12	SIDE(122.0)
C-F	2	12	SIDE(61.0)
F-H	2	12	SIDE(61.0)
H-J	2	12	SIDE(122.0)
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	SIDE(0.0)
P-N	2	12	SIDE(0.0)
N-K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only
DWG# T-2007081 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
S	3330	0	3330	0	0	5-8	5-8
K	3379	0	3379	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	2354	1553 / 0	0 / 0	0 / 0	0 / 0	801 / 0	0 / 0
K	2388	1572 / 0	0 / 0	0 / 0	0 / 0	816 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.98 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 42	-91.8	-91.8	0.04 (1)	10.00
B-C	-3359 / 0	-91.8	-91.8	0.05 (1)	6.03
C-T	-6606 / 0	-91.8	-91.8	0.38 (1)	4.32
T-U	-6606 / 0	-91.8	-91.8	0.38 (1)	4.32
U-V	-6606 / 0	-91.8	-91.8	0.38 (1)	4.32
V-W	-6606 / 0	-91.8	-91.8	0.38 (1)	4.32
W-D	-6606 / 0	-91.8	-91.8	0.38 (1)	4.32
D-X	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
X-Y	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
Y-Z	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
Z-E	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
E-AA	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
AA-F	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
F-AB	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
AB-AC	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
AC-AD	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
AD-G	-7835 / 0	-91.8	-91.8	0.42 (1)	3.98
G-AE	-6612 / 0	-91.8	-91.8	0.38 (1)	4.32
AE-AF	-6612 / 0	-91.8	-91.8	0.38 (1)	4.32
AF-AG	-6612 / 0	-91.8	-91.8	0.38 (1)	4.32
AG-H	-6612 / 0	-91.8	-91.8	0.38 (1)	4.32
H-I	-3401 / 0	-91.8	-91.8	0.05 (1)	6.00
I-J	0 / 42	-91.8	-91.8	0.04 (1)	10.00
S-B	-3366 / 0	0.0	0.0	0.12 (1)	7.58
K-I	-3406 / 0	0.0	0.0	0.12 (1)	7.55

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R-C	-662 / 0	0.08 (1)
C-Q	0 / 4522	0.56 (1)
Q-D	-1799 / 0	0.22 (1)
D-O	0 / 1375	0.17 (1)
O-E	-590 / 0	0.12 (1)
O-G	0 / 1368	0.17 (1)
M-G	-1786 / 0	0.21 (1)
M-H	0 / 4493	0.56 (1)
L-H	-673 / 0	0.08 (1)
B-R	0 / 2729	0.34 (1)
L-I	0 / 2764	0.34 (1)

S-AH	0	0	-18.5	-18.5	0.06 (4)	10.00
AH-R	0	0	-18.5	-18.5	0.06 (4)	10.00
R-AI	0	2546	-18.5	-18.5	0.16 (1)	10.00
AI-AJ	0	2546	-18.5	-18.5	0.16 (1)	10.00
AJ-AK	0	2546	-18.5	-18.5	0.16 (1)	10.00
AK-AL	0	2546	-18.5	-18.5	0.16 (1)	10.00
AL-Q	0	2546	-18.5	-18.5	0.16 (1)	10.00
Q-P	0	6606	-18.5	-18.5	0.32 (1)	10.00
P-AM	0	6606	-18.5	-18.5	0.32 (1)	10.00
AM-AN	0	6606	-18.5	-18.5	0.32 (1)	10.00
AN-O	0	6606	-18.5	-18.5	0.32 (1)	10.00
O-AO	0	6613	-18.5	-18.5	0.32 (1)	10.00
AO-AP	0	6613	-18.5	-18.5	0.32 (1)	10.00
AP-AQ	0	6613	-18.5	-18.5	0.32 (1)	10.00
AQ-N	0	6613	-18.5	-18.5	0.32 (1)	10.00
N-AR	0	6613	-18.5	-18.5	0.32 (1)	10.00
AR-M	0	6613	-18.5	-18.5	0.32 (1)	10.00

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 5.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.20")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.38")

CSI: TC=0.42/1.00 (D-E:1) , BC=0.32/1.00 (O-Q:1) , WB=0.58/1.00 (C-Q:1) , SSI=0.22/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.82 (M) (INPUT = 0.90)
JSI METAL= 0.52 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T20	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:h2dfIqC44wS_E2tzqPs_atzIIRw-E6e?Xz!51rNUYObeR4VLHMmiPOqOSi27EXMbZWzNCX

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	7.0	8.0		
C	TTWW+m	MT20	8.0	9.0	3.50	1.75
D	TMWW-t	MT20	5.0	6.0	2.50	2.50
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0	2.50	2.50
H	TTWW+m	MT20	8.0	9.0	3.50	1.75
I	TMVW+p	MT20	7.0	8.0		
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.25
M	BMWW-t	MT20	5.0	8.0	2.50	3.00
N	BS-t	MT20	6.0	9.0		
O	BMWWW-t	MT20	5.0	12.0		
P	BS-t	MT20	6.0	9.0		
Q	BMWW-t	MT20	5.0	8.0	2.50	3.00
R	BMWW-t	MT20	5.0	6.0	2.50	2.25
S	BMV1+p	MT20	3.0	6.0		

LOADING

TOTAL LOAD CASES: (4)

CHORDS					WEBS			
MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
M-AS	0 / 2579	-18.5	-18.5	0.16 (1)	10.00			
AS-AT	0 / 2579	-18.5	-18.5	0.16 (1)	10.00			
AT-AU	0 / 2579	-18.5	-18.5	0.16 (1)	10.00			
AU-L	0 / 2579	-18.5	-18.5	0.16 (1)	10.00			
L-AV	0 / 0	-18.5	-18.5	0.06 (4)	10.00			
AV-K	0 / 0	-18.5	-18.5	0.08 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	2-11-8	-38	-42	--	FRONT	VERT	DEAD	--	C1
C	2-11-8	-191	-191	--	FRONT	VERT	SNOW	--	C1
H	32-2-8	-38	-42	--	FRONT	VERT	DEAD	--	C1
H	32-2-8	-116	-116	--	FRONT	VERT	TOTAL	--	C1
H	32-2-8	-191	-191	--	FRONT	VERT	SNOW	--	C1
L	31-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
P	11-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
T	3-11-4	-111	-111	--	FRONT	VERT	TOTAL	--	C1
U	5-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
V	7-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
W	9-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
X	11-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
Y	13-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
Z	15-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AA	17-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AB	19-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AC	21-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AD	23-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AE	25-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AF	27-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AG	29-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AH	1-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AI	3-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AJ	5-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AK	7-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AL	9-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AM	13-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AN	15-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AO	17-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AP	19-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AQ	21-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AR	23-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AS	25-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AT	27-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AU	29-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AV	33-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/22/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007081 JL

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T20Z	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:45 2020 Page 1
ID:h2dfIgC44wS_E2tzqPs_atzIIRw-iJCOIJmko9VL9YAq_n0aqaJuZo4EB5KGTB585yzNCX



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x6	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	1650F 1.5E	SPF
P - N	2x6	DRY	1650F 1.5E	SPF
N - K	2x6	DRY	1650F 1.5E	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	2	12	SIDE(122.0)
C-F	2	12	SIDE(183.1)
F-H	2	12	TOP
H-J	2	12	TOP
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	SIDE(183.1)
P-N	2	12	SIDE(183.1)
N-K	2	12	TOP
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.



Structural component only
DWG# T-2007082 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 183 = 365 lb

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
S	4991	0	4991	0	0	IN-SX	IN-SX
K	3694	0	3694	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	3528	2323 / 0	0 / 0	0 / 0	0 / 0	1206 / 0	0 / 0
K	2608	1737 / 0	0 / 0	0 / 0	0 / 0	871 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.20 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 42	-91.8	-91.8	0.04 (1)	10.00	
B- C	-5342 / 0	-91.8	-91.8	0.07 (1)	5.02	
C- D	-9971 / 0	-91.8	-91.8	0.39 (1)	3.64	
D- T	-12379 / 0	-91.8	-91.8	0.52 (1)	3.20	
T- E	-12379 / 0	-91.8	-91.8	0.52 (1)	3.20	
E- F	-12379 / 0	-91.8	-91.8	0.49 (1)	3.23	
F- G	-12379 / 0	-91.8	-91.8	0.49 (1)	3.23	
G- H	-8599 / 0	-91.8	-91.8	0.33 (1)	3.93	
H- I	-3750 / 0	-91.8	-91.8	0.06 (1)	5.79	
I- J	0 / 42	-91.8	-91.8	0.04 (1)	10.00	
S- B	-5197 / 0	0.0	0.0	0.19 (1)	6.41	
K- I	-3727 / 0	0.0	0.0	0.13 (1)	7.30	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R- C	-253 / 44	0.03 (1)
C- Q	0 / 6569	0.81 (1)
Q- D	-1958 / 0	0.23 (1)
D- O	0 / 2694	0.33 (1)
O- E	-782 / 0	0.09 (1)
O- G	0 / 4229	0.52 (1)
M- G	-2619 / 0	0.31 (1)
M- H	0 / 6416	0.79 (1)
L- H	-864 / 0	0.10 (1)
B- R	0 / 4341	0.54 (1)
L- I	0 / 3047	0.38 (1)

S- U	0 / 0	-18.5	-18.5	0.20 (1)	10.00
U- R	0 / 0	-18.5	-18.5	0.20 (1)	10.00
R- V	0 / 4073	-18.5	-18.5	0.36 (1)	10.00
V- Q	0 / 4073	-18.5	-18.5	0.36 (1)	10.00
Q- P	0 / 9971	-18.5	-18.5	0.73 (1)	10.00
P- W	0 / 9971	-18.5	-18.5	0.73 (1)	10.00
W- X	0 / 9971	-18.5	-18.5	0.73 (1)	10.00
X- O	0 / 9971	-18.5	-18.5	0.73 (1)	10.00
O- Y	0 / 8600	-18.5	-18.5	0.58 (1)	10.00
Y- N	0 / 8600	-18.5	-18.5	0.58 (1)	10.00
N- M	0 / 8600	-18.5	-18.5	0.58 (1)	10.00
M- L	0 / 2839	-18.5	-18.5	0.16 (1)	10.00
L- K	0 / 0	-18.5	-18.5	0.05 (1)	10.00

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	2-11-8	-38	-42	---	FRONT	VERT	DEAD	--	C1
C	2-11-8	-117	-117	---	BACK	VERT	TOTAL	--	C1
C	2-11-8	-191	-191	---	FRONT	VERT	SNOW	--	C1
E	17-4-12	-110	-110	---	BACK	VERT	TOTAL	--	C1
O	17-4-12	-26	-26	---	BACK	VERT	TOTAL	--	C1
R	2-9-4	-26	-26	---	BACK	VERT	TOTAL	--	C1
T	15-4-12	-110	-110	---	BACK	VERT	TOTAL	--	C1
U	9-4	-29	-29	---	BACK	VERT	TOTAL	--	C1
V	4-8-8	-1066	-1066	---	BACK	VERT	TOTAL	--	C1
W	13-5-8	-1066	-1066	---	BACK	VERT	TOTAL	--	C1
X	15-4-12	-26	-26	---	BACK	VERT	TOTAL	--	C1
Y	18-5-8	-1738	-1738	---	BACK	VERT	TOTAL	--	C1

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.33")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 685 (0.62")

CSI: TC=0.52/1.00 (D-E:1) , BC=0.73/1.00 (O-Q:1) , WB=0.81/1.00 (C-Q:1) , SSI=0.57/1.00 (M-O:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (D) (INPUT = 0.90)
JSI METAL= 0.84 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T20Z	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:h2dfigC44wS_E2tzoPs_atzIIRw-iJCOIJmko9VL9YAq_n0aqaJuZo4EB5KGTB585yzNCX

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	7.0	8.0		
C	TTWW+m	MT20	8.0	9.0	3.50	1.75
D	TMWW-t	MT20	5.0	6.0	2.50	2.50
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0	2.50	2.50
H	TTWW+m	MT20	8.0	9.0	3.50	1.75
I	TMVW+p	MT20	7.0	8.0		
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.25
M	BMWW-t	MT20	5.0	8.0	2.50	2.75
N	BS-t	MT20	6.0	9.0		
O	BMWWW-t	MT20	5.0	12.0	2.75	6.00
P	BS-t	MT20	6.0	9.0		
Q	BMWW-t	MT20	5.0	8.0	2.50	2.75
R	BMWW-t	MT20	5.0	6.0	2.50	2.25
S	BMV1+p	MT20	3.0	6.0		

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

Structural component only
DWG# T-2007082

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T21	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:46 2020 Page 1

ID:h2dflgC44wS_E2tzqPs_atzIIRw-AVImyfmMZTdCnil0YUXpMnr1ECRIweZQhrridOzNCXh



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
I - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW+p	MT20	5.0	6.0	Edge	2.75
C	TTWW+m	MT20	6.0	9.0	Edge	1.75
D, E, H						
D	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	8.0		
G	TMW+w	MT20	2.0	4.0		
I	TTWW+m	MT20	6.0	9.0	Edge	1.75
J	TMWW+p	MT20	5.0	6.0	Edge	2.75
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	4.0	6.0	2.00	2.75
N	BMWW-t	MT20	5.0	6.0	2.50	2.75
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	4.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	5.0	6.0		
T	BMWW-t	MT20	4.0	6.0	2.00	2.75
U	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007083

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 147 = 293 lb

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
U	2066	0	2066	0	0	5-8	5-8
L	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.20 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
B- C	-1960 / 0	-91.8	-91.8	0.36 (1)	4.46	
C- D	-2871 / 0	-91.8	-91.8	0.57 (1)	3.59	
D- E	-3508 / 0	-91.8	-91.8	0.65 (1)	3.21	
E- F	-3505 / 0	-91.8	-91.8	0.53 (1)	3.36	
F- G	-3505 / 0	-91.8	-91.8	0.53 (1)	3.36	
G- H	-3505 / 0	-91.8	-91.8	0.66 (1)	3.20	
H- I	-2871 / 0	-91.8	-91.8	0.57 (1)	3.59	
I- J	-1960 / 0	-91.8	-91.8	0.36 (1)	4.46	
J- K	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
U- B	-2037 / 0	0.0	0.0	0.22 (1)	5.92	
L- J	-2037 / 0	0.0	0.0	0.22 (1)	5.92	
U- T	0 / 0	-18.5	-18.5	0.10 (4)	10.00	
T- S	0 / 1494	-18.5	-18.5	0.30 (1)	10.00	
S- R	0 / 2871	-18.5	-18.5	0.51 (1)	10.00	
R- Q	0 / 2871	-18.5	-18.5	0.51 (1)	10.00	
Q- P	0 / 3508	-18.5	-18.5	0.62 (1)	10.00	
P- O	0 / 2872	-18.5	-18.5	0.51 (1)	10.00	
O- N	0 / 2872	-18.5	-18.5	0.51 (1)	10.00	
N- M	0 / 1494	-18.5	-18.5	0.30 (1)	10.00	
M- L	0 / 0	-18.5	-18.5	0.10 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
T- C	-358 / 0	0.14 (1)
C- S	0 / 1836	0.41 (1)
S- D	-1118 / 0	0.43 (1)
D- Q	0 / 856	0.19 (1)
Q- E	-475 / 0	0.18 (1)
E- P	-2 / 0	0.00 (1)
P- G	-474 / 0	0.18 (1)
P- H	0 / 853	0.19 (1)
N- H	-1117 / 0	0.43 (1)
N- I	0 / 1837	0.41 (1)
M- I	-358 / 0	0.14 (1)
B- T	0 / 1571	0.35 (1)
M- J	0 / 1571	0.35 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.20")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=0.66/1.00 (G-H:1) , BC=0.62/1.00 (P-Q:1) , WB=0.43/1.00 (D-S:1) , SSI=0.23/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (S) (INPUT = 0.90)
JSI METAL= 0.90 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	ORWG NO.
408151	T22	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:47 2020 Page 1
ID:h2dfIgC44wS_E2tzqPs_atzIRw-ehJ89?n_KmI3PrKD6C22v?OAzcpWf3vZwVaFArzNCXg



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
S - P	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.50	3.00
C	TTWW+m	MT20	6.0	9.0	Edge	1.75
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	4.0		
H	TTWW+m	MT20	6.0	9.0	Edge	1.75
I	TMVW-p	MT20	5.0	6.0	1.50	3.00
K	BMV1+p	MT20	3.0	4.0		
L, M, Q, R						
L	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BS-t	MT20	3.0	6.0		
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007084

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 148 = 296 lb [M]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2066	0	2066	0	0	5-8	5-8
K	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
K	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.28 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B-C	-2004 / 0	-91.8	-91.8	0.64 (1)	4.11
C-D	-2653 / 0	-91.8	-91.8	0.74 (1)	3.50
D-E	-2978 / 0	-91.8	-91.8	0.78 (1)	3.28
E-F	-2978 / 0	-91.8	-91.8	0.78 (1)	3.28
F-G	-2978 / 0	-91.8	-91.8	0.78 (1)	3.28
G-H	-2653 / 0	-91.8	-91.8	0.74 (1)	3.50
H-I	-2004 / 0	-91.8	-91.8	0.64 (1)	4.11
I-J	0 / 41	-91.8	-91.8	0.13 (1)	10.00
S-B	-2026 / 0	0.0	0.0	0.22 (1)	5.94
K-I	-2026 / 0	0.0	0.0	0.22 (1)	5.94
S-R	0 / 0	-18.5	-18.5	0.14 (4)	10.00
R-Q	0 / 1532	-18.5	-18.5	0.33 (1)	10.00
Q-P	0 / 2653	-18.5	-18.5	0.49 (1)	10.00
P-O	0 / 2653	-18.5	-18.5	0.49 (1)	10.00
O-N	0 / 2653	-18.5	-18.5	0.49 (1)	10.00
N-M	0 / 2653	-18.5	-18.5	0.49 (1)	10.00
M-L	0 / 1532	-18.5	-18.5	0.33 (1)	10.00
L-K	0 / 0	-18.5	-18.5	0.14 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R-C	-246 / 7	0.14 (1)
Q-C	0 / 1538	0.35 (1)
Q-D	-943 / 0	0.55 (1)
D-O	0 / 450	0.10 (1)
O-E	-513 / 0	0.30 (1)
O-G	0 / 450	0.10 (1)
M-G	-943 / 0	0.55 (1)
M-H	0 / 1538	0.35 (1)
L-H	-246 / 7	0.14 (1)
B-R	0 / 1580	0.36 (1)
L-I	0 / 1580	0.36 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.29")

CSI: TC=0.78/1.00 (D-E:1) , BC=0.49/1.00 (O-Q:1) , WB=0.55/1.00 (G-M:1) , SSI=0.27/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.90 (B) (INPUT = 0.90)
JSI METAL = 0.85 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T23	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 5 Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:48 2020 Page 1
ID:h2dIigC44wS_E2tzqPs_atzIIRw-6utWNKoc54tw0?vPgvZHSCwP40ArOPLli99KoiHzNCXf



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.25
D	TTWW+m	MT20	5.0	8.0	2.00	1.75
E	TMWW-t	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0		
I	TTWW+m	MT20	5.0	8.0	2.00	1.75
J	TMWW-t	MT20	5.0	6.0	2.50	2.25
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-t	MT20	5.0	6.0	2.25	3.00
N	BMWW-t	MT20	4.0	4.0		
O	BMWW+t	MT20	4.0	6.0		
P	BS-t	MT20	3.0	6.0		
Q	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW+t	MT20	4.0	6.0		
T	BMWW-t	MT20	4.0	4.0		
U	BMVW1-t	MT20	5.0	6.0	2.25	3.00



Structural component only
DWG# T-2007085

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 162 = 323 lb

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
U	2066	0	2066	0	0	5-8	5-8
M	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	971 / 0	0 / 0	0 / 0	0 / 0	486 / 0	0 / 0
M	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.77 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B-C	0 / 19	-91.8	-91.8	0.14 (1)	10.00
C-D	-2023 / 0	-91.8	-91.8	0.20 (1)	4.59
D-E	-2308 / 0	-91.8	-91.8	0.55 (1)	3.94
E-F	-2534 / 0	-91.8	-91.8	0.57 (1)	3.77
F-G	-2534 / 0	-91.8	-91.8	0.57 (1)	3.77
G-H	-2534 / 0	-91.8	-91.8	0.57 (1)	3.77
H-I	-2308 / 0	-91.8	-91.8	0.55 (1)	3.94
I-J	-2023 / 0	-91.8	-91.8	0.20 (1)	4.59
J-K	0 / 19	-91.8	-91.8	0.14 (1)	10.00
K-L	0 / 41	-91.8	-91.8	0.13 (1)	10.00
U-B	-246 / 0	0.0	0.0	0.03 (1)	7.81
M-K	-246 / 0	0.0	0.0	0.03 (1)	7.81
U-T	0 / 1433	-18.5	-18.5	0.33 (1)	10.00
T-S	0 / 1535	-18.5	-18.5	0.35 (1)	10.00
S-R	0 / 2308	-18.5	-18.5	0.42 (1)	10.00
R-Q	0 / 2308	-18.5	-18.5	0.42 (1)	10.00
Q-P	0 / 2308	-18.5	-18.5	0.42 (1)	10.00
P-O	0 / 2308	-18.5	-18.5	0.42 (1)	10.00
O-N	0 / 1535	-18.5	-18.5	0.35 (1)	10.00
N-M	0 / 1433	-18.5	-18.5	0.33 (1)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-T	0 / 156	0.04 (1)
T-D	0 / 76	0.03 (4)
D-S	0 / 1220	0.27 (1)
S-E	-850 / 0	0.74 (1)
E-Q	0 / 361	0.08 (1)
Q-F	-461 / 0	0.40 (1)
Q-H	0 / 361	0.08 (1)
O-H	-850 / 0	0.74 (1)
O-I	0 / 1220	0.27 (1)
N-I	0 / 76	0.03 (4)
N-J	0 / 156	0.04 (1)
U-C	-2277 / 0	0.98 (1)
J-M	-2277 / 0	0.98 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 5.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.13")
ALLOWABLE DEFL.(TL)= L/240 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.23")

CSI: TC=0.57/1.00 (E-F:1) , BC=0.42/1.00 (O-Q:1) , WB=0.98/1.00 (J-M:1) , SSI=0.24/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (I) (INPUT = 0.90)
JSI METAL= 0.72 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408151	T24	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:49 2020 Page 1

ID:h2dflgC44wS_E2tzqPs_atzIIRw-a4RuagpEsO?ne9UbDd4W_QTXEPW57sssNp3MEjzNCXe



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.50
D	TTWW+m	MT20	5.0	8.0	2.00	1.75
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW+m	MT20	5.0	8.0	2.00	1.75
I	TMWW-t	MT20	5.0	6.0	2.50	2.50
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	5.0	6.0		
M	BMWW-t	MT20	4.0	4.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWW-t	MT20	4.0	6.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMVW1-t	MT20	5.0	6.0		

Structural component only
DWG# T-2007086

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2066	0	2066	0	0	5-8	5-8
L	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.81 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-C.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
B-C	0 / 26	-91.8	-91.8	0.21 (1)	10.00	
C-D	-2008 / 0	-91.8	-91.8	0.29 (1)	4.50	
D-E	-2163 / 0	-91.8	-91.8	0.73 (1)	3.81	
E-F	-2162 / 0	-91.8	-91.8	0.73 (1)	3.81	
F-G	-2162 / 0	-91.8	-91.8	0.73 (1)	3.81	
G-H	-2162 / 0	-91.8	-91.8	0.73 (1)	3.82	
H-I	-2008 / 0	-91.8	-91.8	0.29 (1)	4.50	
I-J	0 / 26	-91.8	-91.8	0.21 (1)	10.00	
J-K	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
S-B	-264 / 0	0.0	0.0	0.03 (1)	7.81	
L-J	-264 / 0	0.0	0.0	0.03 (1)	7.81	
S-R	0 / 1487	-18.5	-18.5	0.38 (1)	10.00	
R-Q	0 / 1519	-18.5	-18.5	0.39 (1)	10.00	
Q-P	0 / 1519	-18.5	-18.5	0.39 (1)	10.00	
P-O	0 / 2163	-18.5	-18.5	0.42 (1)	10.00	
O-N	0 / 1519	-18.5	-18.5	0.39 (1)	10.00	
N-M	0 / 1519	-18.5	-18.5	0.39 (1)	10.00	
M-L	0 / 1487	-18.5	-18.5	0.38 (1)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-R	0 / 64	0.02 (4)
R-D	0 / 126	0.04 (4)
D-P	0 / 998	0.22 (1)
P-E	-650 / 0	0.82 (1)
E-O	-2 / 0	0.00 (1)
O-G	-649 / 0	0.82 (1)
O-H	0 / 996	0.22 (1)
M-H	0 / 126	0.04 (4)
M-I	0 / 64	0.02 (4)
S-C	-2291 / 0	0.97 (1)
I-L	-2291 / 0	0.97 (1)

TOTAL WEIGHT = 2 X 163 = 326 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	8.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.10")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.21")

CSI: TC=0.73/1.00 (D-E:1) , BC=0.42/1.00 (O-P:1) , WB=0.97/1.00 (I-L:1) , SSI=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	789	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.67 (I) (INPUT = 0.90)
JSI METAL= 0.56 (I) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T25	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:50 2020 Page 1
ID:h2dfgC44wS_E2tzqPs_atzIIRw-2G?Ho0psdh7eGJ2nnKbiXd0n8pt_sTb?cTpvm9zNCXd



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - Q	2x4	DRY	No.2	SPF
E - P	2x4	DRY	No.2	SPF
P - H	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW+p	MT20	5.0	6.0	2.00	2.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.25
D	TTWW-m	MT20	5.0	6.0	2.00	1.75
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	6.0	2.00	1.75
I	TMWW-t	MT20	4.0	4.0	2.00	1.25
J	TMVW+p	MT20	5.0	6.0	2.00	2.00
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0		
N, Q, S						
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	8.0		
T	BMWW-t	MT20	5.0	8.0		
U	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007087

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 182 = 363 lb [M][F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
U	2066	0	2066	0	0	5-8	5-8
L	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.44 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-Q, E-P, G-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B- C	-1994 / 0	-91.8	-91.8	0.30 (1)	4.53
C- D	-1957 / 0	-91.8	-91.8	0.29 (1)	4.57
D- E	-1923 / 0	-91.8	-91.8	0.40 (1)	4.44
E- F	-1921 / 0	-91.8	-91.8	0.37 (1)	4.49
F- G	-1921 / 0	-91.8	-91.8	0.37 (1)	4.49
G- H	-1921 / 0	-91.8	-91.8	0.40 (1)	4.45
H- I	-1957 / 0	-91.8	-91.8	0.29 (1)	4.57
I- J	-1994 / 0	-91.8	-91.8	0.30 (1)	4.53
J- K	0 / 41	-91.8	-91.8	0.13 (1)	10.00
U- B	-2028 / 0	0.0	0.0	0.22 (1)	5.94
L- J	-2028 / 0	0.0	0.0	0.22 (1)	5.94
U- T	0 / 0	-18.5	-18.5	0.08 (4)	10.00
T- S	0 / 1555	-18.5	-18.5	0.30 (1)	10.00
S- R	0 / 1477	-18.5	-18.5	0.30 (1)	10.00
R- Q	0 / 1477	-18.5	-18.5	0.30 (1)	10.00
Q- P	0 / 1923	-18.5	-18.5	0.38 (1)	10.00
P- O	0 / 1478	-18.5	-18.5	0.30 (1)	10.00
O- N	0 / 1478	-18.5	-18.5	0.30 (1)	10.00
N- M	0 / 1555	-18.5	-18.5	0.31 (1)	10.00
M- L	0 / 0	-18.5	-18.5	0.08 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
T- C	-357 / 0	0.16 (1)
C- S	-121 / 0	0.10 (1)
S- D	0 / 188	0.05 (4)
D- Q	0 / 810	0.13 (1)
Q- E	-569 / 0	0.31 (1)
E- P	-3 / 0	0.00 (1)
P- G	-568 / 0	0.31 (1)
P- H	0 / 807	0.13 (1)
N- H	0 / 189	0.05 (4)
N- I	-121 / 0	0.10 (1)
M- I	-358 / 0	0.16 (1)
B- T	0 / 1617	0.36 (1)
M- J	0 / 1617	0.36 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ASC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.16")

CSI: TC=0.40/1.00 (D-E:1) , BC=0.38/1.00 (P-Q:1) , WB=0.36/1.00 (B-T:1) , SSI=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (B) (INPUT = 0.90)
JSI METAL= 0.50 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T26	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:51 2020 Page 1
ID:h2dlqC44wS_E2tzqPs_atzlRw-WSZf?MqUO?FVtTd_L27_3rYteDDdbsO9r7YTJczNCXc



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.50	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.25
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.25	1.50
G	TMWW-t	MT20	4.0	4.0	2.00	1.25
H	TMVW-p	MT20	5.0	6.0	1.50	3.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMWW-t	MT20	4.0	4.0		
M	BS-I	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007088

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
R	2066	0	2066	0	0	5-8	5-8
J	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.96 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B- C	-2021 / 0	-91.8	-91.8	0.39 (1)	4.41
C- D	-1908 / 0	-91.8	-91.8	0.37 (1)	4.52
D- E	-1809 / 0	-91.8	-91.8	0.74 (1)	3.96
E- F	-1809 / 0	-91.8	-91.8	0.74 (1)	3.96
F- G	-1908 / 0	-91.8	-91.8	0.37 (1)	4.52
G- H	-2021 / 0	-91.8	-91.8	0.39 (1)	4.41
H- I	0 / 41	-91.8	-91.8	0.13 (1)	10.00
R- B	-2024 / 0	0.0	0.0	0.22 (1)	5.94
J- H	-2024 / 0	0.0	0.0	0.22 (1)	5.94
R- Q	0 / 0	-18.5	-18.5	0.10 (4)	10.00
Q- P	0 / 1580	-18.5	-18.5	0.34 (1)	10.00
P- O	0 / 1437	-18.5	-18.5	0.35 (1)	10.00
O- N	0 / 1437	-18.5	-18.5	0.35 (1)	10.00
N- M	0 / 1437	-18.5	-18.5	0.35 (1)	10.00
M- L	0 / 1437	-18.5	-18.5	0.35 (1)	10.00
L- K	0 / 1580	-18.5	-18.5	0.34 (1)	10.00
K- J	0 / 0	-18.5	-18.5	0.10 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q- C	-302 / 0	0.17 (1)
C- P	-217 / 0	0.25 (1)
P- D	0 / 278	0.06 (1)
D- N	0 / 615	0.10 (1)
N- E	-838 / 0	0.58 (1)
N- F	0 / 615	0.10 (1)
L- F	0 / 278	0.06 (1)
L- G	-217 / 0	0.25 (1)
K- G	-302 / 0	0.17 (1)
B- Q	0 / 1629	0.37 (1)
K- H	0 / 1629	0.37 (1)

TOTAL WEIGHT = 4 X 173 = 693 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.17")

CSI: TC=0.74/1.00 (D-E:1) , BC=0.35/1.00 (L-N:1) , WB=0.58/1.00 (E-N:1) , SSI=0.33/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (B) (INPUT = 0.90)
JSI METAL= 0.46 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T27	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:53 2020 Page 1
ID:h2dfIgC44wS_E2tzqPs_atzIIRw-TrgPQ2slvcVC7mnMST9S9GeHs1uT3o2SIR1ZNUzNCXa



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
T - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
T - Q	2x4	DRY	No.2	SPF
Q - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
S - C	2x3	DRY	No.2	SPF
C - R	2x3	DRY	No.2	SPF
N - I	2x3	DRY	No.2	SPF
M - I	2x3	DRY	No.2	SPF
B - S	2x3	DRY	No.2	SPF
M - J	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.50	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.25
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	8.0	Edge	3.00
F	TMW+w	MT20	2.0	4.0		
G	TTWW-m	MT20	5.0	8.0	Edge	3.00
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.25
J	TMVW-p	MT20	5.0	6.0	1.50	3.00
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0		
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMWW-t	MT20	5.0	6.0		
T	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007089

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
T	2066	0	2066	0	0	5-8	5-8
L	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.27 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-R, F-P, I-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B- C	-2039 / 0	-91.8	-91.8	0.50 (1)	4.27
C- D	-1844 / 0	-91.8	-91.8	0.46 (1)	4.47
D- E	-1844 / 0	-91.8	-91.8	0.46 (1)	4.47
E- F	-1621 / 0	-91.8	-91.8	0.50 (1)	4.60
F- G	-1621 / 0	-91.8	-91.8	0.50 (1)	4.60
G- H	-1844 / 0	-91.8	-91.8	0.46 (1)	4.47
H- I	-1844 / 0	-91.8	-91.8	0.46 (1)	4.47
I- J	-2039 / 0	-91.8	-91.8	0.50 (1)	4.27
J- K	0 / 41	-91.8	-91.8	0.13 (1)	10.00
T- B	-2021 / 0	0.0	0.0	0.21 (1)	5.94
L- J	-2021 / 0	0.0	0.0	0.21 (1)	5.94
T- S	0 / 0	-18.5	-18.5	0.14 (4)	10.00
S- R	0 / 1597	-18.5	-18.5	0.33 (1)	10.00
R- Q	0 / 1387	-18.5	-18.5	0.30 (1)	10.00
Q- P	0 / 1387	-18.5	-18.5	0.30 (1)	10.00
P- O	0 / 1387	-18.5	-18.5	0.30 (1)	10.00
O- N	0 / 1387	-18.5	-18.5	0.30 (1)	10.00
N- M	0 / 1597	-18.5	-18.5	0.33 (1)	10.00
M- L	0 / 0	-18.5	-18.5	0.14 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
S- C	-245 / 10	0.17 (1)
C- R	-314 / 0	0.15 (1)
R- E	0 / 338	0.05 (1)
E- P	0 / 469	0.08 (1)
P- F	-699 / 0	0.45 (1)
P- G	0 / 469	0.08 (1)
N- G	0 / 338	0.05 (1)
N- I	-314 / 0	0.15 (1)
M- I	-245 / 10	0.17 (1)
B- S	0 / 1637	0.37 (1)
M- J	0 / 1637	0.37 (1)

TOTAL WEIGHT = 2 X 190 = 380 lb.
[M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , AEC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.14")

CSI: TC=0.50/1.00 (E-F:1) , BC=0.33/1.00 (M-N:1) , WB=0.45/1.00 (F-P:1) , SSI=0.28/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (J) (INPUT = 0.90)
JSI METAL= 0.47 (O) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T28	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:54 2020 Page 1
ID:h2dfigC44wS_E2tzqPs_atzIIRw-x1EndOtNgwd3kwMZ0AghhTAWTQH0oB?bX5n7vxzNCXZ



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
L - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	8.0		
D	TTWW+p	MT20	4.0	6.0	Edge	
E	TMWW-t	MT20	4.0	8.0		
F	TMV+p	MT20	3.0	4.0		
H	BMWW1-t	MT20	4.0	4.0		
I	BMWW+t	MT20	4.0	6.0		
J	BS-t	MT20	3.0	6.0		
K	BMWW+t	MT20	4.0	8.0		
L	BMWW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007090

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
L	1041	0	1041	0	0	5-8	5-8
H	1041	0	1041	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0
H	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B-C	0 / 29	-91.8	-91.8	0.26 (1)	10.00
C-D	-764 / 0	-91.8	-91.8	0.20 (1)	6.25
D-E	-764 / 0	-91.8	-91.8	0.20 (1)	6.25
E-F	0 / 29	-91.8	-91.8	0.26 (1)	10.00
F-G	0 / 41	-91.8	-91.8	0.13 (1)	10.00
L-B	-270 / 0	0.0	0.0	0.03 (1)	7.81
H-F	-270 / 0	0.0	0.0	0.03 (1)	7.81
L-K	0 / 632	-18.5	-18.5	0.18 (4)	10.00
K-J	0 / 459	-18.5	-18.5	0.17 (4)	10.00
J-I	0 / 459	-18.5	-18.5	0.17 (4)	10.00
I-H	0 / 632	-18.5	-18.5	0.18 (4)	10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
D-I	0 / 339	0.08 (1)
I-E	-222 / 0	0.09 (1)
K-D	0 / 339	0.08 (1)
C-K	-222 / 0	0.09 (1)
L-C	-964 / 0	0.66 (1)
E-H	-964 / 0	0.66 (1)

TOTAL WEIGHT = 2 X 82 = 163 lb [M|F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.26/1.00 (B-C:1) , BC=0.18/1.00 (H-I:4) , WB=0.66/1.00 (E-H:1) , SSI=0.14/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.78 (C) (INPUT = 0.90)
JSI METAL= 0.26 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T29	1	1	GREEN-PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:55 2020 Page 1
ID:h2dfigC44wS_E2tzqPs_atzIIRw-PEoArkt?RElwM4xiatBwEhiq9qdOXaSkmIWqSNzNCXY



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
L - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW+p	MT20	5.0	6.0	Edge	
E	TMWW-t	MT20	4.0	4.0	2.00	1.50
F	TMV+p	MT20	3.0	4.0		
H	BMVW1-t	MT20	4.0	4.0		
I	BMWW-t	MT20	4.0	4.0		
J	BS-t	MT20	3.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
L	1041	0	1041	0	0	5-8	5-8
H	1041	0	1041	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX/MIN COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0
H	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
B-C	0 / 28	-91.8	-91.8	0.28 (1)	10.00	
C-D	-633 / 0	-91.8	-91.8	0.20 (1)	6.25	
D-E	-633 / 0	-91.8	-91.8	0.20 (1)	6.25	
E-F	0 / 28	-91.8	-91.8	0.26 (1)	10.00	
F-G	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
L-B	-276 / 0	0.0	0.0	0.04 (1)	7.81	
H-F	-276 / 0	0.0	0.0	0.04 (1)	7.81	
L-K	0 / 495	-18.5	-18.5	0.17 (4)	10.00	
K-J	0 / 395	-18.5	-18.5	0.16 (4)	10.00	
J-I	0 / 395	-18.5	-18.5	0.16 (4)	10.00	
I-H	0 / 495	-18.5	-18.5	0.17 (4)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
D-I	0 / 254	0.06 (1)
I-E	-138 / 14	0.10 (1)
K-D	0 / 254	0.06 (1)
G-K	-138 / 14	0.10 (1)
L-C	-875 / 0	0.90 (1)
E-H	-875 / 0	0.90 (1)

TOTAL WEIGHT = 91 lb [M|F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.26/1.00 (E-F:1) , BC=0.17/1.00 (K-L:4) , WB=0.90/1.00 (E-H:1) , SSI=0.14/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	518	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (E) (INPUT = 0.90)
JSI METAL= 0.34 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007091

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T30	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:56 2020 Page 1
ID:h2dfiqC44wS_E2tzqPs_atzIIRw-tQMY23udCXun_EWx8bi9muGsMEweG3Mu_PGE_pzNCXx



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x6	DRY	No.2	SPF
E - H	2x4	DRY	No.2	SPF
L - B	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
L - K	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTW-h	MT20	4.0	6.0		
E	TTWW+m	MT20	5.0	8.0	Edge	
F	TMWW-t	MT20	4.0	6.0		
G	TMV+p	MT20	3.0	4.0		
I	BMVW1-t	MT20	4.0	4.0		
J	BMWW-t	MT20	4.0	4.0		
K	BSWWW-t	MT20	6.0	9.0	Edge	3.75
L	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007092

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
L	1041	0	1041	0	0	IN-SX	IN-SX
I	1041	0	1041	0	0	5-8	5-8
						MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT I. MINIMUM BEARING LENGTH AT JOINT I = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0
I	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-K.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B-C	0 / 27	-91.8	-91.8	0.23 (1)	10.00
C-D	-566 / 0	-91.8	-91.8	0.18 (1)	6.25
D-E	-414 / 0	-91.8	-91.8	0.01 (1)	6.25
E-F	-582 / 0	-91.8	-91.8	0.18 (1)	6.25
F-G	0 / 27	-91.8	-91.8	0.23 (1)	10.00
G-H	0 / 41	-91.8	-91.8	0.13 (1)	10.00
L-B	-265 / 0	0.0	0.0	0.04 (1)	7.81
I-G	-265 / 0	0.0	0.0	0.04 (1)	7.81
L-K	0 / 468	-18.5	-18.5	0.36 (4)	10.00
K-J	0 / 424	-18.5	-18.5	0.30 (4)	10.00
J-I	0 / 477	-18.5	-18.5	0.30 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-K	-98 / 9	0.09 (1)
K-D	0 / 164	0.04 (1)
K-E	-109 / 0	0.07 (4)
J-E	0 / 268	0.07 (4)
J-F	-93 / 15	0.09 (1)
L-C	-846 / 0	0.78 (1)
F-I	-862 / 0	0.79 (1)

TOTAL WEIGHT = 97 lb
[M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.17")

CSI: TC=0.23/1.00 (B-C:1) , BC=0.36/1.00 (K-L:4) , WB=0.79/1.00 (F-I:1) , SSI=0.14/1.00 (J-K:4)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (C) (INPUT = 0.90)
JSI METAL= 0.31 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T31	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:57 2020 Page 1
ID:h2dflgC44wS_E2tzqPs_atzIIRw-LcwwGPvFzr0ebO58hIDOJ5o2BgID?Ze1D3?nWFzNCXW



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - H	2x4	DRY	No.2	SPF
M - B	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTW-m	MT20	4.0	4.0		
E	TTWW+m	MT20	5.0	6.0	2.25	1.50
F	TMWW-t	MT20	4.0	4.0	2.00	1.75
G	TMV+p	MT20	3.0	4.0		
H	BMVW1-t	MT20	4.0	4.0		
J	BMWW-t	MT20	4.0	4.0		
K	BS-t	MT20	3.0	6.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BMVW1-t	MT20	4.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
M	1041	0	1041	0	0	5-8	5-8
I	1041	0	1041	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT I. MINIMUM BEARING LENGTH AT JOINT I = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
M	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0
I	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00	C-L	-10 / 34	0.01 (4)
B-C	0 / 22	-91.8	-91.8	0.16 (1)	10.00	L-D	0 / 110	0.03 (4)
C-D	-513 / 0	-91.8	-91.8	0.13 (1)	6.25	L-E	0 / 0	0.00 (1)
D-E	-463 / 0	-91.8	-91.8	0.14 (1)	6.25	J-E	0 / 109	0.03 (4)
E-F	-512 / 0	-91.8	-91.8	0.13 (1)	6.25	J-F	-11 / 34	0.01 (4)
F-G	0 / 22	-91.8	-91.8	0.16 (1)	10.00	M-C	-873 / 0	0.60 (1)
G-H	0 / 41	-91.8	-91.8	0.13 (1)	10.00	F-I	-873 / 0	0.60 (1)
M-B	-245 / 0	0.0	0.0	0.04 (1)	7.81			
I-G	-245 / 0	0.0	0.0	0.04 (1)	7.81			
M-L	0 / 457	-18.5	-18.5	0.21 (4)	10.00			
L-K	0 / 453	-18.5	-18.5	0.20 (4)	10.00			
K-J	0 / 453	-18.5	-18.5	0.20 (4)	10.00			
J-I	0 / 457	-18.5	-18.5	0.21 (4)	10.00			

TOTAL WEIGHT = 92 lb [MiF]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 989 (0.07")

CSI: TC=0.16/1.00 (F-G:1) , BC=0.21/1.00 (I-J:4) , WB=0.60/1.00 (C-M:1) , SSI=0.12/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (C) (INPUT = 0.90)
JSI METAL= 0.31 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
09/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007093

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T32	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:58 2020 Page 1
ID:h2dfIgC44wS_E2tzqPs_atzIIRw-ppUITlwtk98VDYgKF0IdrJL8I2f0k8OBSjlK2izNCXV



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTWW+m	MT20	5.0	6.0	2.25	1.50
D	TTW-m	MT20	4.0	4.0		
E	TMVW+p	MT20	4.0	4.0	1.00	2.00
G	BMV1+p	MT20	3.0	4.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BS-t	MT20	3.0	6.0		
J	BMWW-t	MT20	4.0	4.0		
K	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
K	1041	0	1041	0	0	5-8	5-8
G	1041	0	1041	0	0	IN-SX MECHANICAL	IN-SX

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0
G	734	495 / 0	0 / 0	0 / 0	0 / 0	239 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-H.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B-C	-619 / 0	-91.8	-91.8	0.35 (1)	6.25
C-D	-473 / 0	-91.8	-91.8	0.39 (1)	6.25
D-E	-619 / 0	-91.8	-91.8	0.35 (1)	6.25
E-F	0 / 41	-91.8	-91.8	0.13 (1)	10.00
K-B	-1000 / 0	0.0	0.0	0.15 (1)	7.81
G-E	-1000 / 0	0.0	0.0	0.16 (1)	7.81
K-J	0 / 0	-18.5	-18.5	0.13 (4)	10.00
J-I	0 / 473	-18.5	-18.5	0.17 (4)	10.00
I-H	0 / 473	-18.5	-18.5	0.17 (4)	10.00
H-G	0 / 0	-18.5	-18.5	0.13 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-C	-115 / 46	0.12 (1)
C-H	0 / 0	0.00 (1)
H-D	-115 / 46	0.12 (1)
B-J	0 / 526	0.12 (1)
H-E	0 / 526	0.12 (1)

TOTAL WEIGHT = 79 lb
[M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.39/1.00 (C-D:1) , BC=0.17/1.00 (H-J:4) , WB=0.12/1.00 (B-J:1) , SSI=0.21/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.82 (B) (INPUT = 0.90)
JSI METAL= 0.23 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007094

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	G33	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:40 2020 Page 1
ID:h2dflgC44wS_E2tzqPs_atzIIRw-LLOVhbibzdt23nisCEQP7Wb90nX9W01XJvONQkzNCXn

Scale = 1:30.6



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
L - B	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - H	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW+p	MT20	4.0	4.0	1.00	2.00
C	TMW+w	MT20	2.0	4.0		
D	TTW+p	MT20	4.0	6.0	Edge	
E	TMW+w	MT20	2.0	4.0		
F	TMW+p	MT20	4.0	4.0	1.00	2.00
H	BMV1+p	MT20	3.0	4.0		
I	BMWW1-t	MT20	4.0	4.0		
J	BMW1+w	MT20	2.0	4.0		
K	BMWW1-t	MT20	4.0	4.0		
L	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007078

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
L-B	-231 / 0	0.0	0.0	0.02 (1)	7.81
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B-C	-11 / 0	-91.8	-91.8	0.07 (1)	6.25
C-D	-32 / 0	-91.8	-91.8	0.07 (1)	6.25
D-E	-32 / 0	-91.8	-91.8	0.07 (1)	6.25
E-F	-11 / 0	-91.8	-91.8	0.07 (1)	6.25
F-G	0 / 41	-91.8	-91.8	0.13 (1)	10.00
H-F	-231 / 0	0.0	0.0	0.02 (1)	7.81
L-K	0 / 0	-18.5	-18.5	0.02 (4)	10.00
K-J	0 / 13	-18.5	-18.5	0.02 (4)	10.00
J-I	0 / 13	-18.5	-18.5	0.02 (4)	10.00
I-H	0 / 0	-18.5	-18.5	0.02 (4)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-D	-123 / 0	0.05 (1)
K-C	-236 / 0	0.05 (1)
I-E	-236 / 0	0.05 (1)
B-K	0 / 23	0.01 (1)
I-F	0 / 23	0.01 (1)

TOTAL WEIGHT = 42 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (F-G:1) , BC=0.02/1.00 (J-K:4) , WB=0.05/1.00 (C-K:1) , SSI=0.08/1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (C) (INPUT = 0.90)
JSI METAL= 0.13 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T33X	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 28 2019 MiTek Industries, Inc. Sat Apr 25 11:19:59 2020 Page 1
ID:h2dfIgC44wS_E2tzqPs_atzIIRw-I?2gh5wWVSGMrhFWpjGsOWuMTR?fTcdKhMUub8zNCXU



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
F - A	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
B	TTW+p	MT20	4.0	6.0	Edge	
C	TMVW+p	MT20	4.0	4.0	1.00	2.00
D	BMV1+p	MT20	3.0	4.0		
E	BMWWW-t	MT20	4.0	9.0		
F	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007095

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	496	0	496	0	0	3-0	3-0
D	496	0	496	0	0	3-0	3-0

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	351	230 / 0	0 / 0	0 / 0	0 / 0	121 / 0	0 / 0
D	351	230 / 0	0 / 0	0 / 0	0 / 0	121 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	-311 / 0	-91.8	-91.8	0.24	(1)		6.25
B-C	-311 / 0	-91.8	-91.8	0.24	(1)		6.25
F-A	-464 / 0	0.0	0.0	0.05	(1)		7.81
D-C	-464 / 0	0.0	0.0	0.05	(1)		7.81
F-E	0 / 0	-18.5	-18.5	0.11	(4)		10.00
E-D	0 / 0	-18.5	-18.5	0.11	(4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
E-B	-14 / 72	0.03	(4)
A-E	0 / 246	0.06	(1)
E-C	0 / 246	0.06	(1)

TOTAL WEIGHT = 37 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.30")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.30")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.24/1.00 (A-B:1) , BC=0.11/1.00 (E-F:4) , WB=0.06/1.00 (C-E:1) , SSI=0.12/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.42 (A) (INPUT = 0.90)
JSI METAL= 0.12 (A) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T34	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:20:00 2020 Page 1
ID:h2dflgC44wS_E2tzqPs atzIIRw-mBc3uRx8GmODTrpiNRn5xkQXdrLiC2aUv0ER7azNCXT



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
F - A	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
B	TTW+p	MT20	4.0	6.0	Edge	
C	TMVW+p	MT20	4.0	4.0	1.00	2.00
D	BMV1+p	MT20	3.0	4.0		
E	BMWWW-t	MT20	4.0	9.0		
F	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	469	0	469	0	0	IN-SX	MECHANICAL
D	469	0	469	0	0	IN-SX	MECHANICAL

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F, D. MINIMUM BEARING LENGTH AT JOINT F = 1-8, JOINT D = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	331	217 / 0	0 / 0	0 / 0	0 / 0	114 / 0	0 / 0
D	331	217 / 0	0 / 0	0 / 0	0 / 0	114 / 0	0 / 0

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	-218 / 0	-91.8	-91.8	0.21 (1)	6.25
B-C	-218 / 0	-91.8	-91.8	0.21 (1)	6.25
F-A	-438 / 0	0.0	0.0	0.07 (1)	7.81
D-C	-438 / 0	0.0	0.0	0.07 (1)	7.81
F-E	0 / 0	-18.5	-18.5	0.09 (4)	10.00
E-D	0 / 0	-18.5	-18.5	0.09 (4)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-111 / 32	0.07 (1)
A-E	0 / 197	0.04 (1)
E-C	0 / 197	0.04 (1)

TOTAL WEIGHT = 2 X 41 = 82 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.28")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.28")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.21/1.00 (A-B:1) , BC=0.09/1.00 (E-F:4) , WB=0.07/1.00 (B-E:1) , SSI=0.12/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.33 (A) (INPUT = 0.90)
JSI METAL= 0.09 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007096

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T35	2	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:20:01 2020 Page 1
ID:h2dfiqC44wS_E2tzqPs_atzilRw-EO9R5nym13W447Ovw8IKTxzhdFf_xTUd8gz_f1zNCXS



TOTAL WEIGHT = 4 X 20 = 80 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
F- A	1	12	TOP
A- C	1	12	TOP
C- D	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
F- D	1	11	SIDE(97.1)
WEBS : (0.122"X3") SPIRAL NAILS			
B- E	1	6	SIDE(20.3)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
A	TMW-t	MT20	4.0	6.0	
B	TMW+w	MT20	2.0	4.0	
C	TMW-t	MT20	4.0	6.0	
D	BMV1+p	MT20	3.0	4.0	
E	BMWW-t	MT20	4.0	9.0	

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007097 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER.

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	1016	0	1016	0	0	5-8	5-8
D	1085	0	1085	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	726	436 / 0	0 / 0	0 / 0	0 / 0	290 / 0	0 / 0
D	772	479 / 0	0 / 0	0 / 0	0 / 0	293 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.23 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- A	-965 / 0	0.0	0.0	0.05 (1)		7.81	A- E	0 / 1810	0.22 (1)
A- G	-1705 / 0	-91.8	-91.8	0.26 (1)		6.23	E- B	-482 / 0	0.04 (1)
G- B	-1706 / 0	-91.8	-91.8	0.26 (1)		6.23	E- C	0 / 1810	0.22 (1)
B- C	-1706 / 0	-91.8	-91.8	0.08 (1)		6.25			
D- C	-707 / 0	0.0	0.0	0.04 (1)		7.81			
F- E	0 / 0	-43.5	-43.5	0.05 (4)		10.00			
E- H	0 / 0	-43.5	-43.5	0.22 (1)		10.00			
H- D	0 / 0	-43.5	-43.5	0.22 (1)		10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	3-0-12	-450	-450	---	FRONT	VERT	TOTAL	--	C1
G	1-0-12	-404	-404	---	TOP	VERT	TOTAL	--	C1
H	5-0-12	-452	-452	---	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	25.8	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDTL USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2018 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.26/1.00 (A-B:1) , BC=0.22/1.00 (D-E:1) , WB=0.22/1.00 (A-E:1) , SSI=0.16/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.59 (C) (INPUT = 0.90)
JSI METAL= 0.21 (C) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	T35	2	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
F	BMV1+p	MT20	3.0	4.0		

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007097 3/7

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	G36	1	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:41 2020 Page 1
ID:h2dflgC44wS_E2tzqPs_atzflRw-pXytvxjDkw?vhws3lxxefk8KlBtVFSmhYZ7xyBzNCXm



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
P - B	2x4	DRY	No.2	SPF
A - E	2x4	DRY	No.2	SPF
E - I	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - J	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C, D, F, G						
C	TMW+w	MT20	2.0	4.0		
E	TTW+p	MT20	4.0	6.0	Edge	
H	TMVW+p	MT20	4.0	4.0	1.00	2.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW1-t	MT20	4.0	4.0		
L, M, N						
L	BMW1+w	MT20	2.0	4.0		
O	BMWW1-t	MT20	4.0	4.0		
P	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
P- B	-274 / 0	0.0	0.0	0.03 (1)		7.81
A- B	0 / 41	-91.8	-91.8	0.13 (1)		10.00
B- C	-57 / 0	-91.8	-91.8	0.12 (1)		6.25
C- D	-4 / 0	-91.8	-91.8	0.05 (1)		10.00
D- E	-22 / 0	-91.8	-91.8	0.08 (1)		6.25
E- F	-22 / 0	-91.8	-91.8	0.08 (1)		6.25
F- G	-4 / 0	-91.8	-91.8	0.05 (1)		10.00
G- H	-57 / 0	-91.8	-91.8	0.12 (1)		6.25
H- I	0 / 41	-91.8	-91.8	0.13 (1)		10.00
J- H	-274 / 0	0.0	0.0	0.03 (1)		7.81
P- O	0 / 0	-18.5	-18.5	0.01 (4)		10.00
O- N	0 / 12	-18.5	-18.5	0.02 (4)		10.00
N- M	0 / 7	-18.5	-18.5	0.02 (4)		10.00
M- L	0 / 7	-18.5	-18.5	0.02 (4)		10.00
L- K	0 / 12	-18.5	-18.5	0.02 (4)		10.00
K- J	0 / 0	-18.5	-18.5	0.01 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
M- E	-139 / 0	0.08 (1)
N- D	-223 / 0	0.07 (1)
O- C	-75 / 0	0.01 (1)
L- F	-223 / 0	0.07 (1)
K- G	-75 / 0	0.01 (1)
B- O	0 / 20	0.00 (1)
K- H	0 / 20	0.00 (1)

TOTAL WEIGHT = 53 lb

DESIGN CRITERIA [M]

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (H-I:1) , BC=0.02/1.00 (K-L:4) , WB=0.08/1.00 (E-M:1) , SSI=0.08/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.21 (B) (INPUT = 0.90)
JSI METAL= 0.12 (F) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007079

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T40	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:32 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-0EAlx1sxZWS34fYetZ2E6M6CTQSHDeTgR0niCQzNCOX



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
T - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
T - Q	2x6	DRY	No.2	SPF
Q - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A- C	1	12	
H- J	1	12	SIDE(61.0)
C- F	2	12	SIDE(61.0)
F- H	2	12	SIDE(61.0)
T- B	2	12	SIDE(61.0)
K- I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			TOP
T- Q	2	12	
Q- N	2	12	SIDE(183.1)
N- K	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			SIDE(183.1)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only
DWG# T-2007107 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 170 = 341 lb [M]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
T	3331	0	3331	0	0	5-8	5-8
K	3331	0	3331	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	2356	1544 / 0	0 / 0	0 / 0	0 / 0	812 / 0	0 / 0
K	2356	1544 / 0	0 / 0	0 / 0	0 / 0	812 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.87 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 28	-91.8	-91.8	0.07 (1)	10.00	
B- C	-5077 / 0	-91.8	-91.8	0.52 (1)	3.87	
C- U	-7106 / 0	-91.8	-91.8	0.23 (1)	4.33	
U- V	-7106 / 0	-91.8	-91.8	0.23 (1)	4.33	
V- D	-7106 / 0	-91.8	-91.8	0.23 (1)	4.33	
D- W	-7994 / 0	-91.8	-91.8	0.27 (1)	4.10	
W- X	-7994 / 0	-91.8	-91.8	0.27 (1)	4.10	
X- Y	-7994 / 0	-91.8	-91.8	0.27 (1)	4.10	
Y- E	-7994 / 0	-91.8	-91.8	0.27 (1)	4.10	
E- Z	-7994 / 0	-91.8	-91.8	0.27 (1)	4.10	
Z- F	-7994 / 0	-91.8	-91.8	0.27 (1)	4.10	
F-AA	-7994 / 0	-91.8	-91.8	0.27 (1)	4.10	
AA-AB	-7994 / 0	-91.8	-91.8	0.27 (1)	4.10	
AB- G	-7994 / 0	-91.8	-91.8	0.27 (1)	4.10	
G-AC	-7106 / 0	-91.8	-91.8	0.23 (1)	4.33	
AC-AD	-7106 / 0	-91.8	-91.8	0.23 (1)	4.33	
AD- H	-7106 / 0	-91.8	-91.8	0.23 (1)	4.33	
H- I	-5077 / 0	-91.8	-91.8	0.52 (1)	3.87	
I- J	0 / 28	-91.8	-91.8	0.07 (1)	10.00	
T- B	-3255 / 0	0.0	0.0	0.11 (1)	7.69	
K- I	-3255 / 0	0.0	0.0	0.11 (1)	7.69	
T-AE	0 / 0	-18.5	-18.5	0.06 (4)	10.00	
AE-AF	0 / 0	-18.5	-18.5	0.06 (4)	10.00	
AF- S	0 / 0	-18.5	-18.5	0.06 (4)	10.00	
S-AG	0 / 4563	-18.5	-18.5	0.34 (1)	10.00	
AG-AH	0 / 4563	-18.5	-18.5	0.34 (1)	10.00	
AH- R	0 / 4563	-18.5	-18.5	0.34 (1)	10.00	
R- Q	0 / 7105	-18.5	-18.5	0.52 (1)	10.00	
Q-AI	0 / 7105	-18.5	-18.5	0.52 (1)	10.00	
AI-AJ	0 / 7105	-18.5	-18.5	0.52 (1)	10.00	
AJ- P	0 / 7105	-18.5	-18.5	0.52 (1)	10.00	
P-AK	0 / 8119	-18.5	-18.5	0.56 (1)	10.00	
AK- O	0 / 8119	-18.5	-18.5	0.56 (1)	10.00	
O-AL	0 / 7105	-18.5	-18.5	0.52 (1)	10.00	
AL-AM	0 / 7105	-18.5	-18.5	0.52 (1)	10.00	
AM- N	0 / 7105	-18.5	-18.5	0.52 (1)	10.00	
N- M	0 / 7105	-18.5	-18.5	0.52 (1)	10.00	
M-AN	0 / 4563	-18.5	-18.5	0.34 (1)	10.00	
AN-AO	0 / 4563	-18.5	-18.5	0.34 (1)	10.00	
AO- L	0 / 4563	-18.5	-18.5	0.34 (1)	10.00	
L-AP	0 / 0	-18.5	-18.5	0.06 (4)	10.00	
AP-AQ	0 / 0	-18.5	-18.5	0.06 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
S- C	-427 / 8	0.05 (1)
C- R	0 / 3083	0.38 (1)
R- D	-1565 / 0	0.19 (1)
D- G	0 / 1071	0.13 (1)
M- G	-1565 / 0	0.19 (1)
L- H	-427 / 8	0.05 (1)
B- S	0 / 4592	0.57 (1)
L- I	0 / 4592	0.57 (1)
D- P	0 / 1071	0.13 (1)
M- H	0 / 3083	0.38 (1)
P- E	-505 / 0	0.06 (1)
E- O	-505 / 0	0.06 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=0.52/1.00 (H-I:1) , BC=0.56/1.00 (O-P:1) , WB=0.57/1.00 (B-S:1) , SSI=0.16/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.84 (S) (INPUT = 0.90)
JSI METAL= 0.84 (N) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T40	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-0EAlx1sxZWS34lYetZ2E6M6CTQSHDeTgR0niCQzNCOX

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	8.0		
C	TTWW+m	MT20	5.0	8.0	Edge	
D, E, G						
D	TMWW-t	MT20	5.0	8.0		
F	TS-t	MT20	5.0	6.0		
H	TTWW+m	MT20	5.0	8.0	Edge	
I	TMVW-t	MT20	5.0	8.0		
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.50
M, O, P, R						
M	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	5.0	6.0		
Q	BS-t	MT20	5.0	6.0		
S	BMWW-t	MT20	5.0	6.0	2.50	2.50
T	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	LC
AQ- K	0 / 0	-18.5	-18.5	0.06	(4)	

WEBS MEMB. FR-TO	MAX. UNBRAC LENGTH	MAX. FACTORED FORCE (LBS)	MAX CSI	LC
	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-438	-438	--	FRONT	VERT	TOTAL	--	C1
E	17-7-0	-110	-110	--	FRONT	VERT	TOTAL	--	C1
H	29-3-8	-438	-438	--	FRONT	VERT	TOTAL	--	C1
L	29-2-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
N	23-2-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
Q	11-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
S	5-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
U	7-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
V	9-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
W	11-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
X	13-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
Y	15-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
Z	19-2-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AA	21-2-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AB	23-2-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AC	25-2-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AD	27-2-12	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AE	1-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AF	3-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AG	7-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AH	9-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AI	13-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AJ	15-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AK	17-7-0	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AL	19-2-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AM	21-2-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AN	25-2-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AO	27-2-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AP	31-2-12	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AQ	33-2-12	-25	-26	--	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007107 3/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T40Z	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:34 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-ydH2MiuB57imK3i1?..4iCnCV?E2GhUJzvKGpGJzNCOV



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESGR.
A - C	2x4	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
T - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
T - Q	2x6	DRY	No.2	SPF
Q - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	
H-J	1	12	SIDE(61.0)
C-F	2	12	TOP
F-H	2	12	SIDE(61.0)
T-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			TOP
T-Q	2	12	
Q-N	2	12	SIDE(183.1)
N-K	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			TOP
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.



Structural component only
DWG# T-2007108

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 170 = 341 lb

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
T	4474	0	4474	0	0	5-8	5-8
K	3775	0	3775	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LOASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	3162	2088 / 0	0 / 0	0 / 0	0 / 0	1073 / 0	0 / 0
K	2665	1772 / 0	0 / 0	0 / 0	0 / 0	893 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.19 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.07 (1)	10.00	
B-C	-7163 / 0	-91.8	-91.8	0.71 (1)	3.19	
C-U	-10299 / 0	-91.8	-91.8	0.32 (1)	3.62	
U-V	-10299 / 0	-91.8	-91.8	0.32 (1)	3.62	
V-D	-10299 / 0	-91.8	-91.8	0.32 (1)	3.62	
D-W	-12012 / 0	-91.8	-91.8	0.45 (1)	3.27	
W-X	-12012 / 0	-91.8	-91.8	0.45 (1)	3.27	
X-Y	-12012 / 0	-91.8	-91.8	0.45 (1)	3.27	
Y-E	-12012 / 0	-91.8	-91.8	0.45 (1)	3.27	
E-F	-12381 / 0	-91.8	-91.8	0.40 (1)	3.28	
F-G	-12381 / 0	-91.8	-91.8	0.40 (1)	3.28	
G-H	-9386 / 0	-91.8	-91.8	0.25 (1)	3.84	
H-I	-5896 / 0	-91.8	-91.8	0.59 (1)	3.58	
I-J	0 / 28	-91.8	-91.8	0.07 (1)	10.00	
T-B	-4430 / 0	0.0	0.0	0.16 (1)	6.82	
K-I	-3716 / 0	0.0	0.0	0.13 (1)	7.31	
T-Z	0 / 0	-18.5	-18.5	0.08 (4)	10.00	
Z-AA	0 / 0	-18.5	-18.5	0.08 (4)	10.00	
AA-S	0 / 0	-18.5	-18.5	0.08 (4)	10.00	
S-AB	0 / 6432	-18.5	-18.5	0.69 (1)	10.00	
AB-AC	0 / 6432	-18.5	-18.5	0.69 (1)	10.00	
AC-AD	0 / 6432	-18.5	-18.5	0.69 (1)	10.00	
AD-R	0 / 6432	-18.5	-18.5	0.69 (1)	10.00	
R-Q	0 / 10298	-18.5	-18.5	0.76 (1)	10.00	
Q-AE	0 / 10298	-18.5	-18.5	0.76 (1)	10.00	
AE-AF	0 / 10298	-18.5	-18.5	0.76 (1)	10.00	
AF-P	0 / 10298	-18.5	-18.5	0.76 (1)	10.00	
P-O	0 / 12286	-18.5	-18.5	0.91 (1)	10.00	
O-N	0 / 9385	-18.5	-18.5	0.72 (1)	10.00	
N-M	0 / 9385	-18.5	-18.5	0.72 (1)	10.00	
M-L	0 / 5303	-18.5	-18.5	0.37 (1)	10.00	
L-K	0 / 0	-18.5	-18.5	0.04 (4)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
S-C	-384 / 25	0.05 (1)
C-R	0 / 4687	0.58 (1)
R-D	-2057 / 0	0.25 (1)
Q-G	0 / 3611	0.45 (1)
M-G	-2637 / 0	0.32 (1)
L-H	-616 / 0	0.08 (1)
B-S	0 / 6479	0.80 (1)
L-I	0 / 5333	0.66 (1)
D-P	0 / 2066	0.26 (1)
M-H	0 / 4950	0.61 (1)
P-E	-1110 / 0	0.14 (1)
E-O	0 / 383	0.05 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-438	-438	---	BACK	VERT	TOTAL	---	C1
O	18-5-8	-2436	-2436	---	BACK	VERT	TOTAL	---	C1
P	16-9-12	-17	-17	---	BACK	VERT	TOTAL	---	C1
S	5-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
U	7-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
V	10-9-12	-82	-82	---	BACK	VERT	TOTAL	---	C1
W	12-9-12	-82	-82	---	BACK	VERT	TOTAL	---	C1

DESIGN CRITERIA [M]

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.31")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 740 (0.57")

CSI: TC=0.71/1.00 (B-C:1) , BC=0.91/1.00 (O-P:1) , WB=0.80/1.00 (B-S:1) , SSI=0.15/1.00 (R-S:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (S) (INPUT = 0.90)
JSI METAL= 0.93 (N) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T40Z	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	2.00	3.50
C	TTWW+m	MT20	6.0	9.0	Edge	
D, E, G						
D	TMWW-t	MT20	5.0	6.0		
F	TS-t	MT20	5.0	6.0		
H	TTWW+m	MT20	6.0	9.0	Edge	
I	TMVW-p	MT20	5.0	8.0	2.00	3.50
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	8.0	2.50	3.50
M	BMWW-t	MT20	5.0	6.0	2.50	2.00
N	BS-t	MT20	5.0	6.0		
O	BMWW-t	MT20	5.0	6.0	2.75	2.75
P	BMWW-t	MT20	5.0	6.0	2.75	2.75
Q	BS-t	MT20	5.0	6.0		
R	BMWW-t	MT20	5.0	6.0	2.50	2.00
S	BMWW-t	MT20	5.0	8.0	2.50	3.50
T	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
X	14-9-12	-82	-82	---	BACK	VERT	TOTAL	---	C1
Y	16-9-12	-82	-82	---	BACK	VERT	TOTAL	---	C1
Z	1-11-4	-25	-26	---	BACK	VERT	TOTAL	---	C1
AA	3-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AB	7-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AC	8-10-8	-639	-639	---	BACK	VERT	TOTAL	---	C1
AD	10-9-12	-17	-17	---	BACK	VERT	TOTAL	---	C1
AE	12-9-12	-17	-17	---	BACK	VERT	TOTAL	---	C1
AF	14-9-12	-17	-17	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

Structural component only
DWG# T-2007108

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T41	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:35 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzIWYK-QprQa2vprRqdxDHDYhbxk_kd2eSiQx967_0NpfzNCOU



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.75
D	TTWW-m	MT20	5.0	8.0	2.25	2.75
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	8.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	2.25	2.75
I	TMWW-t	MT20	5.0	6.0	2.50	2.75
J	TMV+p	MT20	3.0	4.0		
L	BMWW1-t	MT20	4.0	9.0		Edge
M	BMWW-t	MT20	4.0	4.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWW-t	MT20	4.0	8.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMWW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007109

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 139 = 278 lb [M]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.94 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
B-C	0 / 16	-91.8	-91.8	0.20 (1)	10.00	
C-D	-2799 / 0	-91.8	-91.8	0.32 (1)	3.88	
D-E	-3508 / 0	-91.8	-91.8	0.95 (1)	2.94	
E-F	-3507 / 0	-91.8	-91.8	0.93 (1)	2.94	
F-G	-3507 / 0	-91.8	-91.8	0.93 (1)	2.94	
G-H	-3507 / 0	-91.8	-91.8	0.94 (1)	2.95	
H-I	-2799 / 0	-91.8	-91.8	0.32 (1)	3.88	
I-J	0 / 15	-91.8	-91.8	0.20 (1)	10.00	
J-K	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
S-B	-270 / 0	0.0	0.0	0.03 (1)	7.81	
L-J	-270 / 0	0.0	0.0	0.03 (1)	7.81	
S-R	0 / 2417	-18.5	-18.5	0.53 (1)	10.00	
R-Q	0 / 2489	-18.5	-18.5	0.54 (1)	10.00	
Q-P	0 / 2489	-18.5	-18.5	0.54 (1)	10.00	
P-O	0 / 3509	-18.5	-18.5	0.64 (1)	10.00	
O-N	0 / 2489	-18.5	-18.5	0.54 (1)	10.00	
N-M	0 / 2489	-18.5	-18.5	0.54 (1)	10.00	
M-L	0 / 2417	-18.5	-18.5	0.53 (1)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-R	0 / 93	0.03 (4)
R-D	0 / 121	0.04 (4)
D-P	0 / 1267	0.29 (1)
P-E	-643 / 0	0.25 (1)
E-O	-2 / 0	0.00 (1)
O-G	-643 / 0	0.25 (1)
O-H	0 / 1266	0.28 (1)
M-H	0 / 121	0.04 (4)
M-I	0 / 93	0.03 (4)
S-C	-2974 / 0	0.83 (1)
I-L	-2974 / 0	0.83 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.41")

CSI: TC=0.95/1.00 (D-E:1) , BC=0.64/1.00 (O-P:1) , WB=0.83/1.00 (I-L:1) , SSI=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (L) (INPUT = 0.90)
JSI METAL= 0.77 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T42	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:36 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-u?PpnOvRckyUZNsP6P6AHCHnN1r19RDGMelwLCzNCOT



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	8.0	2.25	3.75
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	8.0	2.25	3.75
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.00
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.00
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007110

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 139 = 277 lb [M][F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
R	2063	0	2063	0	0	IN-SX	IN-SX
J	2063	0	2063	0	0	5-8	5-8
						5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.78 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B-C	-2834 / 0	-91.8	-91.8	0.39 (1)	3.81
C-D	-2687 / 0	-91.8	-91.8	0.37 (1)	3.91
D-E	-3060 / 0	-91.8	-91.8	0.97 (1)	2.78
E-F	-3060 / 0	-91.8	-91.8	0.97 (1)	2.78
F-G	-2687 / 0	-91.8	-91.8	0.37 (1)	3.91
G-H	-2834 / 0	-91.8	-91.8	0.39 (1)	3.81
H-I	0 / 28	-91.8	-91.8	0.12 (1)	10.00
R-B	-2018 / 0	0.0	0.0	0.20 (1)	5.94
J-H	-2018 / 0	0.0	0.0	0.20 (1)	5.94
R-Q	0 / 0	-18.5	-18.5	0.10 (4)	10.00
Q-P	0 / 2555	-18.5	-18.5	0.51 (1)	10.00
P-O	0 / 2386	-18.5	-18.5	0.49 (1)	10.00
O-N	0 / 2386	-18.5	-18.5	0.49 (1)	10.00
N-M	0 / 2386	-18.5	-18.5	0.49 (1)	10.00
M-L	0 / 2386	-18.5	-18.5	0.49 (1)	10.00
L-K	0 / 2555	-18.5	-18.5	0.51 (1)	10.00
K-J	0 / 0	-18.5	-18.5	0.10 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-353 / 0	0.08 (1)
C-P	-210 / 0	0.13 (1)
P-D	0 / 246	0.06 (4)
D-N	0 / 844	0.19 (1)
N-E	-872 / 0	0.51 (1)
N-F	0 / 844	0.19 (1)
L-F	0 / 246	0.06 (4)
L-G	-210 / 0	0.13 (1)
K-G	-353 / 0	0.08 (1)
B-Q	0 / 2591	0.58 (1)
K-H	0 / 2591	0.58 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.17")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.34")

CSI: TC=0.97/1.00 (D-E:1) , BC=0.51/1.00 (K-L:1) , WB=0.58/1.00 (H-K:1) , SSI=0.34/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (D) (INPUT = 0.90)
JSI METAL= 0.75 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T43	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:37 2020 Page 1
ID:j7vF?aG0E03cRUj6X1jSrkzIWYK-MCzB_kw3N24LBWQcg6dPpPq2FR8XutKPbIVTtezNCOS



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - Q	2x4	DRY	No.2	SPF
Q - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.25
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.25
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007111

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 145 = 289 lb [M][F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
R	2063	0	2063	0	0	IN-SX	IN-SX
J	2063	0	2063	0	0	5-8	5-8
						5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
FR-TO						
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
B-C	-2889 / 0	-91.8	-91.8	0.58 (1)	3.58	
C-D	-2539 / 0	-91.8	-91.8	0.52 (1)	3.83	
D-E	-2559 / 0	-91.8	-91.8	0.48 (1)	3.85	
E-F	-2559 / 0	-91.8	-91.8	0.48 (1)	3.85	
F-G	-2539 / 0	-91.8	-91.8	0.52 (1)	3.83	
G-H	-2889 / 0	-91.8	-91.8	0.58 (1)	3.58	
H-I	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
R-B	-2014 / 0	0.0	0.0	0.20 (1)	5.95	
J-H	-2014 / 0	0.0	0.0	0.20 (1)	5.95	
R-Q	0 / 0	-18.5	-18.5	0.15 (4)	10.00	
Q-P	0 / 2609	-18.5	-18.5	0.49 (1)	10.00	
P-O	0 / 2249	-18.5	-18.5	0.43 (1)	10.00	
O-N	0 / 2249	-18.5	-18.5	0.43 (1)	10.00	
N-M	0 / 2249	-18.5	-18.5	0.43 (1)	10.00	
M-L	0 / 2249	-18.5	-18.5	0.43 (1)	10.00	
L-K	0 / 2609	-18.5	-18.5	0.49 (1)	10.00	
K-J	0 / 0	-18.5	-18.5	0.15 (4)	10.00	

WEBS

MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		
Q-C	-255 / 12	0.07 (1)
C-P	-435 / 0	0.42 (1)
P-D	0 / 350	0.08 (1)
D-N	0 / 482	0.11 (1)
N-E	-641 / 0	0.58 (1)
N-F	0 / 482	0.11 (1)
L-F	0 / 350	0.08 (1)
L-G	-435 / 0	0.42 (1)
K-G	-255 / 12	0.07 (1)
B-Q	0 / 2635	0.59 (1)
K-H	0 / 2635	0.59 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.28")

CSI: TC=0.59/1.00 (G-H:1) , BC=0.49/1.00 (K-L:1) , WB=0.59/1.00 (B-Q:1) , SSI=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1997	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (C) (INPUT = 0.90)
JSI METAL= 0.69 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T44	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:38 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-rOXZC4xi8MCCoq?oEq9eMdMA6rWEdKWYqyF1P4zNCOR



TOTAL WEIGHT = 2 X 145 = 291 lb [M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESGR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TS-t	MT20	3.0	6.0		
E	TTW-m	MT20	4.0	6.0		
F	TMWW-t	MT20	4.0	4.0		
G	TTW-m	MT20	4.0	6.0		
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.75
J	TMVW-p	MT20	5.0	8.0	Edge	3.50
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.25
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	5.0	6.0	2.50	2.25
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007112

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-P, F-P, F-O, I-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
B- C	-2908 / 0	-91.8	-91.8	0.83 (1)	3.25	
C- D	-2373 / 0	-91.8	-91.8	0.72 (1)	3.66	
D- E	-2373 / 0	-91.8	-91.8	0.72 (1)	3.66	
E- F	-2100 / 0	-91.8	-91.8	0.19 (1)	4.53	
F- G	-2100 / 0	-91.8	-91.8	0.19 (1)	4.53	
G- H	-2373 / 0	-91.8	-91.8	0.72 (1)	3.66	
H- I	-2373 / 0	-91.8	-91.8	0.72 (1)	3.66	
I- J	-2908 / 0	-91.8	-91.8	0.83 (1)	3.25	
J- K	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
S- B	-2008 / 0	0.0	0.0	0.20 (1)	5.96	
L- J	-2008 / 0	0.0	0.0	0.20 (1)	5.96	
S- R	0 / 0	-18.5	-18.5	0.20 (4)	10.00	
R- Q	0 / 2630	-18.5	-18.5	0.52 (1)	10.00	
Q- P	0 / 2630	-18.5	-18.5	0.52 (1)	10.00	
P- O	0 / 2193	-18.5	-18.5	0.45 (1)	10.00	
O- N	0 / 2630	-18.5	-18.5	0.52 (1)	10.00	
N- M	0 / 2630	-18.5	-18.5	0.52 (1)	10.00	
M- L	0 / 0	-18.5	-18.5	0.20 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R- C	-182 / 52	0.06 (1)
C- P	-637 / 0	0.29 (1)
P- E	0 / 674	0.15 (1)
P- F	-222 / 0	0.11 (1)
F- O	-222 / 0	0.11 (1)
O- G	0 / 674	0.15 (1)
O- I	-637 / 0	0.29 (1)
M- I	-182 / 52	0.06 (1)
B- R	0 / 2649	0.60 (1)
M- J	0 / 2649	0.60 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	5.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.30")

CSI: TC=0.83/1.00 (I-J:1) , BC=0.52/1.00 (M-O:1) , WB=0.60/1.00 (B-R:1) , SSI=0.28/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1997	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (M) (INPUT = 0.90)
JSI METAL= 0.79 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T45	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:39 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-Ja5xPQyKvfK3Qqa_nXqtvqvRdFrwMjni2c_ayWzNCOQ



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
T - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
T - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	8.0	2.50	2.25
D	TS-t	MT20	3.0	6.0		
E	TMWW-t	MT20	4.0	4.0	2.00	1.50
F	TTW-h	MT20	4.0	4.0	2.00	1.75
G	TTWW-m	MT20	5.0	6.0	2.00	2.00
H	TMWW-t	MT20	4.0	4.0	2.00	1.50
I	TS-t	MT20	3.0	6.0		
J	TMWW-t	MT20	5.0	8.0	2.50	2.25
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-t	MT20	5.0	6.0	2.25	2.00
N, P, S						
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
Q	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	6.0		
T	BMVW1-t	MT20	5.0	6.0	2.25	2.00



Structural component only
DWG# T-2007113

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 151 = 302 lb [M|F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
T	2063	0	2063	0	0	5-8	5-8
M	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
M	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, M

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.86 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-Q, H-P, C-T, J-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B-C	0 / 19	-91.8	-91.8	0.32 (1)	10.00
C-D	-2759 / 0	-91.8	-91.8	0.40 (1)	3.86
D-E	-2759 / 0	-91.8	-91.8	0.40 (1)	3.86
E-F	-2167 / 0	-91.8	-91.8	0.35 (1)	4.30
F-G	-1925 / 0	-91.8	-91.8	0.18 (1)	4.71
G-H	-2166 / 0	-91.8	-91.8	0.36 (1)	4.30
H-I	-2760 / 0	-91.8	-91.8	0.40 (1)	3.86
I-J	-2760 / 0	-91.8	-91.8	0.40 (1)	3.86
J-K	0 / 19	-91.8	-91.8	0.32 (1)	10.00
K-L	0 / 28	-91.8	-91.8	0.12 (1)	10.00
T-B	-326 / 0	0.0	0.0	0.03 (1)	7.81
M-K	-326 / 0	0.0	0.0	0.03 (1)	7.81
T-S	0 / 2536	-18.5	-18.5	0.55 (1)	10.00
S-R	0 / 2362	-18.5	-18.5	0.53 (1)	10.00
R-Q	0 / 2362	-18.5	-18.5	0.53 (1)	10.00
Q-P	0 / 1924	-18.5	-18.5	0.40 (1)	10.00
P-O	0 / 2362	-18.5	-18.5	0.53 (1)	10.00
O-N	0 / 2362	-18.5	-18.5	0.53 (1)	10.00
N-M	0 / 2537	-18.5	-18.5	0.56 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-S	-110 / 37	0.04 (1)
S-E	0 / 276	0.06 (1)
E-Q	-681 / 0	0.31 (1)
Q-F	0 / 613	0.14 (1)
Q-G	0 / 4	0.00 (1)
P-G	0 / 609	0.14 (1)
P-H	-682 / 0	0.31 (1)
H-N	0 / 278	0.06 (1)
N-J	-110 / 37	0.04 (1)
T-C	-3040 / 0	0.85 (1)
J-M	-3041 / 0	0.85 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.32")

CSI: TC=0.40/1.00 (H-J:1) , BC=0.56/1.00 (M-N:1) , WB=0.85/1.00 (J-M:1) , SSI=0.20/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1657	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (M) (INPUT = 0.90)
JSI METAL= 0.83 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T46	6	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:41 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-FzCiq6zaRHbng8kNvyiL_F_md2XrqfH?WwTh0PzNCOO



TOTAL WEIGHT = 6 X 152 = 910 lb [M](F)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.25	2.00
D	TS-t	MT20	3.0	6.0		
E	TMWW+t	MT20	5.0	6.0		
F	TTWW+p	MT20	4.0	8.0	Edge	
G	TMWW+t	MT20	5.0	6.0		
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	5.0	6.0	2.25	2.00
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	4.0	9.0		Edge
M, O, P, R						
M	BMWW+t	MT20	4.0	6.0		
N	BS-t	MT20	3.0	6.0		
Q	BS-t	MT20	3.0	6.0		
S	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.75 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-S, I-L.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
B-C	0 / 22	-91.8	-91.8	0.40 (1)	10.00	
C-D	-2808 / 0	-91.8	-91.8	0.49 (1)	3.75	
D-E	-2808 / 0	-91.8	-91.8	0.49 (1)	3.75	
E-F	-2322 / 0	-91.8	-91.8	0.46 (1)	4.07	
F-G	-2322 / 0	-91.8	-91.8	0.46 (1)	4.07	
G-H	-2808 / 0	-91.8	-91.8	0.49 (1)	3.75	
H-I	-2808 / 0	-91.8	-91.8	0.49 (1)	3.75	
I-J	0 / 22	-91.8	-91.8	0.40 (1)	10.00	
J-K	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
S-B	-344 / 0	0.0	0.0	0.03 (1)	7.81	
L-J	-344 / 0	0.0	0.0	0.03 (1)	7.81	
S-R	0 / 2574	-18.5	-18.5	0.53 (1)	10.00	
R-Q	0 / 2291	-18.5	-18.5	0.47 (1)	10.00	
Q-P	0 / 2291	-18.5	-18.5	0.47 (1)	10.00	
P-O	0 / 1762	-18.5	-18.5	0.38 (1)	10.00	
O-N	0 / 2291	-18.5	-18.5	0.47 (1)	10.00	
N-M	0 / 2291	-18.5	-18.5	0.47 (1)	10.00	
M-L	0 / 2574	-18.5	-18.5	0.53 (1)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-O	0 / 866	0.19 (1)
O-G	-726 / 0	0.72 (1)
G-M	0 / 391	0.09 (1)
M-I	-192 / 18	0.05 (1)
P-F	0 / 866	0.19 (1)
E-P	-726 / 0	0.72 (1)
R-E	0 / 391	0.09 (1)
C-R	-192 / 18	0.05 (1)
S-C	-3084 / 0	0.72 (1)
I-L	-3064 / 0	0.72 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.28")

CSI: TC=0.49/1.00 (C-E:1) , BC=0.53/1.00 (L-M:1) , WB=0.72/1.00 (E-P:1) , SSI=0.22/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR (PSI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX MIN
MT20	618	354	1667	788	1967 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (C) (INPUT = 0.90)
JSI METAL= 0.77 (I) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007114

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T47	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:42 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzIWYK-j9m42R_CCajeHiJZTf0aWTXzGSyYZDD8kZDEYrzNCON



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
L - B	2x6	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
L - I	2x6	DRY	No.2	SPF
I - G	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A- C	1	12	SIDE(61.0)
C- E	1	12	SIDE(61.0)
E- F	1	12	TOP
G- F	1	12	TOP
L- B	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
L- I	2	12	SIDE(0.0)
I- G	2	12	TOP
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.



Structural component only
DWG# T-2007115 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
L	2005	0	2005	0	0	5-8	5-8
G	1397	0	1397	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 2-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	1412	956 / 0	0 / 0	0 / 0	0 / 0	457 / 0	0 / 0
G	985	662 / 0	0 / 0	0 / 0	0 / 0	323 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.18 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 28	-91.8	-91.8	0.07 (1)	10.00	
B- C	-2643 / 0	-91.8	-91.8	0.37 (1)	5.18	
C- D	-1951 / 0	-91.8	-91.8	0.10 (1)	6.17	
D- E	-1951 / 0	-91.8	-91.8	0.10 (1)	6.17	
E- F	-1405 / 0	-91.8	-91.8	0.14 (1)	8.25	
L- B	-1885 / 0	0.0	0.0	0.07 (1)	7.81	
G- F	-1369 / 0	0.0	0.0	0.08 (1)	7.81	
L- M	0 / 0	-18.5	-18.5	0.10 (1)	10.00	
M- N	0 / 0	-18.5	-18.5	0.10 (1)	10.00	
N- O	0 / 0	-18.5	-18.5	0.10 (1)	10.00	
O- K	0 / 0	-18.5	-18.5	0.10 (1)	10.00	
K- J	0 / 2389	-18.5	-18.5	0.24 (1)	10.00	
J- I	0 / 1243	-18.5	-18.5	0.11 (1)	10.00	
I- H	0 / 1243	-18.5	-18.5	0.11 (1)	10.00	
H- G	0 / 0	-18.5	-18.5	0.02 (4)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
K- C	0 / 943	0.12 (1)
K- J	-646 / 0	0.13 (1)
J- D	-371 / 0	0.05 (1)
J- E	0 / 1047	0.13 (1)
H- E	-446 / 0	0.06 (1)
B- K	0 / 2382	0.29 (1)
H- F	0 / 1375	0.17 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-320	-320	---	FRONT	VERT	TOTAL	---	C1
M	1-11-4	-25	-26	---	FRONT	VERT	TOTAL	---	C1
N	3-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
O	5-6-8	-1076	-1076	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 78 = 156 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.06")

CSI: TC=0.37/1.00 (B-C:1) , BC=0.24/1.00 (J-K:1) , WB=0.29/1.00 (B-K:1) , SSI=0.37/1.00 (K-L:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.80 (B) (INPUT = 0.90)
JSI METAL= 0.32 (B) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T47	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-i9m42R_CCaieHlJZTfDaWTXzGSyYZDD8kZDEYrzNCON

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	4.0	6.0	1.00	3.00
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TMW+w	MT20	2.0	4.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TMVW+p	MT20	4.0	4.0	1.50	2.00
G	BMV1+p	MT20	3.0	6.0		
H	BMWW-t	MT20	5.0	6.0		
I	BS-t	MT20	5.0	6.0		
J	BMWWW-t	MT20	5.0	8.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMV1+p	MT20	3.0	6.0		

LICENSED PROFESSIONAL ENGINEER
04/17/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007115

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408152	T48	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:43 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-BMKSFn?qzurVvRul0Nkp3g47HsGXldIlzDyo5IzNCOM



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTW-m	MT20	4.0	4.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TMVW+p	MT20	4.0	4.0	1.50	2.00
G	BMV1+p	MT20	3.0	4.0		
H	BMWW-t	MT20	4.0	6.0		
I	BS-t	MT20	3.0	6.0		
J	BMWWW-t	MT20	4.0	9.0		
K	BMVW1-t	MT20	4.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
K	1039	0	1039	0	0	5-8	5-8
G	914	0	914	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	732	494 / 0	0 / 0	0 / 0	0 / 0	238 / 0	0 / 0
G	646	424 / 0	0 / 0	0 / 0	0 / 0	222 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.12 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B-C	0 / 18	-91.8	-91.8	0.22 (1)	10.00
C-D	-916 / 0	-91.8	-91.8	0.18 (1)	6.24
D-E	-806 / 0	-91.8	-91.8	0.10 (1)	6.25
E-F	-821 / 0	-91.8	-91.8	0.42 (1)	6.12
K-B	-265 / 0	0.0	0.0	0.03 (1)	7.81
G-F	-866 / 0	0.0	0.0	0.10 (1)	7.81
K-J	0 / 993	-18.5	-18.5	0.32 (4)	10.00
J-I	0 / 731	-18.5	-18.5	0.31 (4)	10.00
I-H	0 / 731	-18.5	-18.5	0.31 (4)	10.00
H-G	0 / 0	-18.5	-18.5	0.15 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-J	-232 / 0	0.10 (1)
J-D	0 / 134	0.03 (4)
J-E	0 / 152	0.03 (1)
H-E	-163 / 0	0.05 (1)
K-C	-1221 / 0	0.47 (1)
H-F	0 / 769	0.17 (1)

TOTAL WEIGHT = 88 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.13")

CSI: TC=0.42/1.00 (E-F:1) , BC=0.32/1.00 (J-K:4) , WB=0.47/1.00 (C-K:1) , SSI=0.19/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (C) (INPUT = 0.90)
JSI METAL= 0.41 (C) (INPUT = 1.00)



Structural component only
DWG# T-2007116

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T49	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:44 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-fYuqS70SkCzMXbTya4F2bucKSGdH15VRCtiLdkzNCOL



TOTAL WEIGHT = 67 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	6.0	2.00	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTW-p	MT20	4.0	4.0		
E	TMWW-t	MT20	4.0	6.0		
F	TMV+p	MT20	3.0	4.0		
G	BMVW1-t	MT20	4.0	4.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BS-t	MT20	3.0	6.0		
J	BMWW-t	MT20	4.0	6.0		
K	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
K	1039	0	1039	0	0	5-8	5-8
G	914	0	914	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	732	494 / 0	0 / 0	0 / 0	0 / 0	238 / 0	0 / 0
G	646	424 / 0	0 / 0	0 / 0	0 / 0	222 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.66 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
B-C	-1135 / 0	-91.8	-91.8	0.26 (1)	5.66	
C-D	-799 / 0	-91.8	-91.8	0.25 (1)	6.25	
D-E	-793 / 0	-91.8	-91.8	0.15 (1)	6.25	
E-F	0 / 17	-91.8	-91.8	0.19 (1)	10.00	
K-B	-998 / 0	0.0	0.0	0.10 (1)	7.81	
G-F	-129 / 0	0.0	0.0	0.02 (1)	7.81	
K-J	0 / 0	-18.5	-18.5	0.10 (4)	10.00	
J-I	0 / 1034	-18.5	-18.5	0.29 (4)	10.00	
I-H	0 / 1034	-18.5	-18.5	0.29 (4)	10.00	
H-G	0 / 722	-18.5	-18.5	0.26 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-C	-114 / 23	0.02 (1)
C-H	-418 / 0	0.22 (1)
H-D	0 / 407	0.09 (1)
H-E	-39 / 37	0.02 (1)
B-J	0 / 1051	0.24 (1)
E-G	-1026 / 0	0.44 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.55")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.55")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.10")

CSI: TC=0.26/1.00 (B-C:1) , BC=0.29/1.00 (H-J:4) , WB=0.44/1.00 (E-G:1) , SSI=0.19/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1657	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.84 (G) (INPUT = 0.90)
JSI METAL= 0.36 (I) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007117

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC	DRWG NO.
408152	T50	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:45 2020 Page 1

ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-7kSCgT05VV5D8I288onH859SRg_CmbYaRXRu9AzNCOK



TOTAL WEIGHT = 43 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	4.0	4.0	1.50	2.00
C	TTWW-m	MT20	5.0	6.0	2.00	2.00
D	TTW-m	MT20	4.0	4.0		
E	TMVW-p	MT20	4.0	4.0	1.50	2.00
G	BMV1+p	MT20	3.0	4.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BMWW-t	MT20	4.0	6.0		
J	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
J	868	0	868	0	0	5-8	5-8
G	866	0	868	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
J	611	416 / 0	0 / 0	0 / 0	0 / 0	195 / 0	0 / 0
G	610	415 / 0	0 / 0	0 / 0	0 / 0	194 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J, G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.09 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1. MAX (PLF) FROM	TO	CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A- B	0 / 28	-91.8	-91.8	0.13 (1)	10.00	I- C	-121 / 32	0.02 (1)
B- C	-837 / 0	-91.8	-91.8	0.15 (1)	6.25	C- H	0 / 2	0.00 (4)
C- K	-743 / 0	-91.8	-91.8	0.50 (1)	6.09	H- D	-116 / 34	0.02 (1)
K- L	-743 / 0	-91.8	-91.8	0.50 (1)	6.09	B- I	0 / 778	0.19 (1)
L- D	-743 / 0	-91.8	-91.8	0.50 (1)	6.09	H- E	0 / 783	0.19 (1)
D- E	-844 / 0	-91.8	-91.8	0.15 (1)	6.25			
E- F	0 / 28	-91.8	-91.8	0.13 (1)	10.00			
J- B	-848 / 0	0.0	0.0	0.09 (1)	7.81			
G- E	-844 / 0	0.0	0.0	0.09 (1)	7.81			
J- M	0 / 0	-18.5	-18.5	0.08 (4)	10.00			
M- I	0 / 0	-18.5	-18.5	0.08 (4)	10.00			
I- N	0 / 742	-18.5	-18.5	0.18 (1)	10.00			
N- O	0 / 742	-18.5	-18.5	0.18 (1)	10.00			
O- H	0 / 742	-18.5	-18.5	0.18 (1)	10.00			
H- P	0 / 0	-18.5	-18.5	0.08 (4)	10.00			
P- G	0 / 0	-18.5	-18.5	0.08 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	2-10-8	-119	-119	---	FRONT	VERT	TOTAL	---	C1
D	8-0-8	-119	-119	---	FRONT	VERT	TOTAL	---	C1
H	7-11-12	-5	-5	---	FRONT	VERT	TOTAL	---	C1
I	2-11-4	-5	-5	---	FRONT	VERT	TOTAL	---	C1
K	3-11-12	-7	-7	---	FRONT	VERT	TOTAL	---	C1
L	5-11-12	-7	-7	---	FRONT	VERT	TOTAL	---	C1
M	2-0-12	-5	-5	---	FRONT	VERT	TOTAL	---	C1
N	3-11-12	-5	-5	---	FRONT	VERT	TOTAL	---	C1
O	5-11-12	-5	-5	---	FRONT	VERT	TOTAL	---	C1
P	8-10-4	-5	-5	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.36")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.36")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.50/1.00 (C-D:1) , BC=0.18/1.00 (H-I:1) , WB=0.19/1.00 (E-H:1) , SSI=0.21/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.77 (E) (INPUT = 0.90)
JSI METAL= 0.28 (E) (INPUT = 1.00)

Structural component only
DWG# T-2007118

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T51	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:46 2020 Page 1
ID:j7vF?aG0E03cRUj6X1jSrkzlWYK-cw0btp1jGpD3mvcKiVIWhJlgf3K9V4MkfBBShczNCOJ



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TTWW-m	MT20	5.0	6.0	2.25	2.25
D	TTW-m	MT20	4.0	4.0		
E	TMVW-t	MT20	4.0	4.0	2.00	1.25
G	BMV1+p	MT20	3.0	4.0		
H	BMWWW-t	MT20	4.0	6.0	2.00	1.50
I	BMWW-t	MT20	4.0	4.0		
J	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 52 lb (M)(F)

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
J	726	0	726	0	0	IN-SX	IN-SX
G	726	0	726	0	0	MECHANICAL 5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT J. MINIMUM BEARING LENGTH AT JOINT J = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
J	511	349 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0
G	511	349 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12	(1)		10.00
B-C	-435 / 0	-91.8	-91.8	0.28	(1)		6.25
C-D	-386 / 0	-91.8	-91.8	0.02	(1)		6.25
D-E	-434 / 0	-91.8	-91.8	0.28	(1)		6.25
E-F	0 / 28	-91.8	-91.8	0.12	(1)		10.00
J-B	-688 / 0	0.0	0.0	0.08	(1)		7.81
G-E	-688 / 0	0.0	0.0	0.08	(1)		7.81
J-I	0 / 0	-18.5	-18.5	0.10	(4)		10.00
I-H	0 / 367	-18.5	-18.5	0.14	(4)		10.00
H-G	0 / 0	-18.5	-18.5	0.10	(4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
I-C	-78 / 18	0.02	(1)
C-H	-4 / 0	0.00	(1)
H-D	-82 / 19	0.03	(1)
B-I	0 / 415	0.09	(1)
H-E	0 / 414	0.09	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.36")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.36")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.28/1.00 (B-C:1) , BC=0.14/1.00 (H-I:4) , WB=0.09/1.00 (B-I:1) , SSI=0.16/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	518	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.66 (B) (INPUT = 0.90)
JSI METAL= 0.22 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/22/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007119

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T52	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:47 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-47az592L17LwO3BXFDpIDWEm8TqSEVLturw?E3zNCO



TOTAL WEIGHT = 36 lb

MiTek

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	4.0	6.0		
B	TMW+w	MT20	2.0	4.0		
C	TMVW-t	MT20	4.0	6.0		
D	BMV1+p	MT20	3.0	4.0		
E	BMWWW-t	MT20	4.0	9.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	620	0	620	0	0	5-8	5-8
D	620	0	620	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	448	239 / 0	0 / 0	0 / 0	0 / 0	209 / 0	0 / 0
D	448	239 / 0	0 / 0	0 / 0	0 / 0	209 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.52 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-A	-583 / 0	0.0	0.0	0.11 (1)	7.81	A-E	0 / 792	0.24 (1)
A-B	-695 / 0	-114.3	-114.3	0.55 (1)	5.52	E-B	-658 / 0	0.15 (1)
B-C	-695 / 0	-114.3	-114.3	0.55 (1)	5.52	E-C	0 / 792	0.24 (1)
D-C	-583 / 0	0.0	0.0	0.11 (1)	7.81			
F-E	0 / 0	-18.5	-18.5	0.13 (4)	10.00			
E-D	0 / 0	-18.5	-18.5	0.13 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	15.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	48.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.31")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.31")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.55/1.00 (B-C:1) , BC=0.13/1.00 (E-F:4) , WB=0.24/1.00 (A-E:1) , SSI=0.34/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.61 (A) (INPUT = 0.90)
JSI METAL= 0.24 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
24/07/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007120

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC	DRWG NO.
408152	G52	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:28 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-7Twn6fpQVHydc8EtejzIyWyePpDiHyU4WOpV3fzNCOb



TOTAL WEIGHT = 34 lb
[M][R]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
L - A	2x4	DRY	No.2	SPF
A - F	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
L - G	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
A	TMV+p	MT20	3.0	4.0	
B, C, D, E					
B	TMW+w	MT20	2.0	4.0	
F	TMV+p	MT20	3.0	4.0	
G	BMV1+p	MT20	3.0	4.0	
H, I, J, K					
H	BMW1+w	MT20	2.0	4.0	
L	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER
PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX UNBRAC LENGTH
L-A	-101 / 0	0.0	0.0	0.03	(1)		7.81
A-B	-8 / 0	-114.3	-114.3	0.08	(1)		10.00
B-C	-8 / 0	-114.3	-114.3	0.08	(1)		10.00
C-D	-8 / 0	-114.3	-114.3	0.07	(1)		10.00
D-E	-8 / 0	-114.3	-114.3	0.07	(1)		10.00
E-F	-8 / 0	-114.3	-114.3	0.05	(1)		10.00
G-F	-64 / 0	0.0	0.0	0.02	(1)		7.81
L-K	0 / 8	-18.5	-18.5	0.02	(4)		10.00
K-J	0 / 8	-18.5	-18.5	0.02	(4)		10.00
J-I	0 / 8	-18.5	-18.5	0.02	(4)		10.00
I-H	0 / 8	-18.5	-18.5	0.02	(4)		10.00
H-G	0 / 8	-18.5	-18.5	0.02	(1)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
K-B	-245 / 0	0.06	(1)
J-C	-224 / 0	0.05	(1)
I-D	-237 / 0	0.05	(1)
H-E	-196 / 0	0.04	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	15.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	48.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.08/1.00 (A-B:1) , BC=0.02/1.00 (K-L:4) , WB=0.06/1.00 (B-K:1) , SSI=0.13/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.17 (K) (INPUT = 0.90)
JSI METAL= 0.07 (K) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
09/12/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007104

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC	DRWG NO.
408152	T53	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:48 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-YJ7LIV3zoQTn?DmjpwK_mkn0tt?2zwn17VqZmVzNCOH



TOTAL WEIGHT = 51 lb (M)(R)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - A	2x4	DRY	No.2	SPF
A - C	2x6	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMW-t	MT20	5.0	6.0		
B	TMW+w	MT20	3.0	6.0		
C	TMW-t	MT20	5.0	6.0		
D	BMV1+p	MT20	3.0	6.0		
E	BMWWW-t	MT20	5.0	8.0		
F	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	988	0	988	0	0	MECHANICAL	
D	1012	0	1012	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F, D. MINIMUM BEARING LENGTH AT JOINT F = 3-8, JOINT D = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	705	427 / 0	0 / 0	0 / 0	0 / 0	279 / 0	0 / 0
D	722	439 / 0	0 / 0	0 / 0	0 / 0	283 / 0	0 / 0

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-A	-846 / 0	0.0	0.0	0.23 (1)	7.45		A-E	0 / 1072	0.35 (1)
A-B	-869 / 0	-114.3	-114.3	0.24 (1)	6.25		E-B	-632 / 0	0.18 (1)
B-C	-869 / 0	-114.3	-114.3	0.24 (1)	6.25		E-C	0 / 1072	0.35 (1)
D-C	-846 / 0	0.0	0.0	0.23 (1)	7.45				
F-G	0 / 0	-18.5	-18.5	0.24 (1)	10.00				
G-H	0 / 0	-18.5	-18.5	0.24 (1)	10.00				
H-E	0 / 0	-18.5	-18.5	0.24 (1)	10.00				
E-I	0 / 0	-18.5	-18.5	0.24 (1)	10.00				
I-J	0 / 0	-18.5	-18.5	0.24 (1)	10.00				
J-D	0 / 0	-18.5	-18.5	0.24 (1)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
G	1-9-12	-190	-190	---	FRONT	VERT	TOTAL	--	C1
H	3-9-12	-190	-190	---	FRONT	VERT	TOTAL	--	C1
I	5-9-12	-190	-190	---	FRONT	VERT	TOTAL	--	C1
J	7-9-12	-190	-190	---	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	15.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	48.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.31")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.31")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.24/1.00 (B-C:1) , BC=0.24/1.00 (D-E:1) , WB=0.35/1.00 (A-E:1) , SSI=0.29/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.78 (E) (INPUT = 0.90)
JSI METAL= 0.32 (E) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/M/10
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007121

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	T54	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:50 2020 Page 1
ID:j7vF?aG0E03cRUj6X1jSrkzIWYK-UiF5jA4DJ2jVFWw6xLMSr9sN4hadRnVJap9frOzNCOF

Scale = 1:23.1



TOTAL WEIGHT = 2 X 30 = 60 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
A - D	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	TOP
C-D	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
A-D	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBMH1+m	MT20	5.0	6.0	3.50	
B	TMWW-t	MT20	5.0	6.0	2.50	2.25
C	TMV+p	MT20	3.0	4.0		
D	BMVW1-t	MT20	5.0	6.0	2.50	2.75
E	BMW+w	MT20	3.0	10.0		

Structural component only
DWG# T-2007122

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
A	3467	0	3467	0	0	5-8	5-8	2x4 L
D	2454	0	2454	0	0	MECHANICAL		

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	2449	1622 / 0	0 / 0	0 / 0	0 / 0	828 / 0	0 / 0
D	1735	1144 / 0	0 / 0	0 / 0	0 / 0	591 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.16 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-G	-4978 / 0	-91.8	-91.8	0.19 (1)	4.16	E-B	0 / 3365	0.42 (1)	
G-B	-3863 / 0	-91.8	-91.8	0.17 (1)	4.66	B-D	-4035 / 0	0.53 (1)	
B-C	-13 / 0	-91.8	-91.8	0.07 (1)	6.25	F-G	0 / 1740	0.00 (1)	
D-C	-129 / 0	0.0	0.0	0.02 (1)	7.81				
A-F	0 / 3490	-18.5	-18.5	0.25 (1)	10.00				
F-H	0 / 3490	-18.5	-18.5	0.68 (1)	10.00				
H-I	0 / 3490	-18.5	-18.5	0.68 (1)	10.00				
I-J	0 / 3490	-18.5	-18.5	0.68 (1)	10.00				
J-E	0 / 3490	-18.5	-18.5	0.68 (1)	10.00				
E-K	0 / 3490	-18.5	-18.5	0.49 (1)	10.00				
K-D	0 / 3490	-18.5	-18.5	0.49 (1)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
H	1-4-0	-1378	-1378	---	BACK	VERT	TOTAL	---	C1
I	2-0-0	-1000	-1000	---	FRONT	VERT	TOTAL	---	C1
J	3-0-4	-994	-994	---	FRONT	VERT	TOTAL	---	C1
J	3-3-4	-898	-898	---	BACK	VERT	TOTAL	---	C1
K	5-3-4	-898	-898	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

*** NON STANDARD GIRDER ***
ADDTL USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.23")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.23")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.19/1.00 (A-G:1) , BC=0.68/1.00 (E-F:1) , WB=0.53/1.00 (B-D:1) , SSI=0.90/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (B) (INPUT = 0.90)
JSI METAL= 0.70 (A) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	G60	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:39 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzIWYK-kwCWPUL9QwEw4tkeuIc_ECpgnD4MnCBFXZZr4QzNCnk(



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
AC- B	2x4	DRY	No.2	SPF
A - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
J - O	2x4	DRY	No.2	SPF
P - O	2x4	DRY	No.2	SPF
AC- T	2x4	DRY	No.2	SPF
T - P	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C, D, E, F, G, I, K, L, M, N						
C	TMW+w	MT20	2.0	4.0		
H	TS-t	MT20	3.0	6.0		
J	TTW-m	MT20	4.0	4.0		
O	TMV+p	MT20	3.0	4.0		
P	BMV1+p	MT20	3.0	4.0		
Q, R, S, U, V, W, X, Y, Z, AA, AB						
Q	BMW1+w	MT20	2.0	4.0		
T	BS-t	MT20	3.0	6.0		
AC	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007057

TOTAL WEIGHT = 4 X 116 = 464 lb (M)

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) .

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF O-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
AC- B	-224 / 0	0.0	0.0	0.02	(1)	7.81	Q- N	-195 / 0	0.25 (1)
A- B	0 / 28	-91.8	-91.8	0.12	(1)	10.00	R- M	-183 / 0	0.23 (1)
B- C	-26 / 0	-91.8	-91.8	0.04	(1)	6.25	S- L	-188 / 0	0.24 (1)
C- D	-19 / 0	-91.8	-91.8	0.04	(1)	6.25	U- K	-136 / 0	0.17 (1)
D- E	-15 / 0	-91.8	-91.8	0.04	(1)	6.25	V- J	-131 / 0	0.17 (1)
E- F	-11 / 0	-91.8	-91.8	0.04	(1)	6.25	W- I	-135 / 0	0.17 (1)
F- G	-8 / 0	-91.8	-91.8	0.04	(1)	10.00	X- G	-183 / 0	0.11 (1)
G- H	-6 / 0	-91.8	-91.8	0.04	(1)	10.00	Y- F	-182 / 0	0.07 (1)
H- I	-6 / 0	-91.8	-91.8	0.04	(1)	10.00	Z- E	-182 / 0	0.05 (1)
I- J	-6 / 0	-91.8	-91.8	0.04	(1)	10.00	AA- D	-183 / 0	0.03 (1)
J- K	-2 / 0	-91.8	-91.8	0.03	(1)	10.00	AB- C	-176 / 0	0.03 (1)
K- L	-2 / 0	-91.8	-91.8	0.04	(1)	10.00			
L- M	-2 / 0	-91.8	-91.8	0.04	(1)	10.00			
M- N	-2 / 0	-91.8	-91.8	0.04	(1)	10.00			
N- O	-2 / 0	-91.8	-91.8	0.04	(1)	10.00			
P- O	-91 / 0	0.0	0.0	0.01	(1)	6.25			
AC-AB	0 / 24	-18.5	-18.5	0.02	(4)	10.00			
AB-AA	0 / 17	-18.5	-18.5	0.02	(4)	10.00			
AA- Z	0 / 13	-18.5	-18.5	0.02	(4)	10.00			
Z- Y	0 / 10	-18.5	-18.5	0.02	(4)	10.00			
Y- X	0 / 7	-18.5	-18.5	0.01	(4)	10.00			
X- W	0 / 5	-18.5	-18.5	0.02	(4)	10.00			
W- V	0 / 4	-18.5	-18.5	0.02	(4)	10.00			
V- U	0 / 2	-18.5	-18.5	0.01	(4)	10.00			
U- T	0 / 2	-18.5	-18.5	0.02	(4)	10.00			
T- S	0 / 2	-18.5	-18.5	0.02	(4)	10.00			
S- R	0 / 2	-18.5	-18.5	0.02	(4)	10.00			
R- Q	0 / 2	-18.5	-18.5	0.02	(4)	10.00			
Q- P	0 / 2	-18.5	-18.5	0.02	(4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.12/1.00 (A-B:1) , BC=0.02/1.00 (O-R:4) , WB=0.25/1.00 (N-Q:1) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.60 (J) (INPUT = 0.90)
JSI METAL= 0.08 (I) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	GP1	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:40 2020 Page 1

ID:i7vF?aG0E03cRUj6X1jSrkzIWYK-C6mudqMnBDMnh0JqS07DnQMnfcNpWgWOmDIPdszNCnj



TOTAL WEIGHT = 2 X 54 = 107 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
A - G	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TMW+w	MT20	2.0	4.0		
C	TTWW+p	MT20	4.0	6.0	Edge	
D	TMW+w	MT20	2.0	4.0		
E	TBM1-h	MT20	3.0	4.0		
F	BMWW1-t	MT20	4.0	4.0		
G	BS-t	MT20	3.0	8.0		
H	BMWW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007058

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	134	0	134	0	0	18-1-0 { 9-11-1(3)}1-0	
E	134	0	134	0	0	18-1-0 { 9-11-1(3)}1-0	
F	863	0	863	0	0	18-1-0 { 9-11-1(3)}1-0	
H	863	0	863	0	0	18-1-0 { 9-11-1(3)}1-0	

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	94	68 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
E	94	68 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
F	611	395 / 0	0 / 0	0 / 0	0 / 0	216 / 0	0 / 0
H	611	395 / 0	0 / 0	0 / 0	0 / 0	216 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, E, F, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-J	0 / 240	-91.8	-91.8	0.12 (1)		10.00
J-B	0 / 301	-91.8	-91.8	0.34 (1)		10.00
B-C	0 / 503	-91.8	-91.8	0.37 (1)		10.00
C-D	0 / 503	-91.8	-91.8	0.37 (1)		10.00
D-L	0 / 301	-91.8	-91.8	0.34 (1)		10.00
L-E	0 / 240	-91.8	-91.8	0.12 (1)		10.00
A-I	255 / 0	-18.5	-18.5	0.11 (1)		6.25
I-H	243 / 0	-18.5	-18.5	0.13 (4)		6.25
H-G	248 / 0	-18.5	-18.5	0.13 (4)		6.25
G-F	248 / 0	-18.5	-18.5	0.13 (4)		6.25
F-K	243 / 0	-18.5	-18.5	0.13 (4)		6.25
K-E	255 / 0	-18.5	-18.5	0.11 (1)		6.25

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-F	428 / 0	0.18 (1)
F-D	436 / 0	0.08 (1)
H-C	428 / 0	0.18 (1)
B-H	436 / 0	0.08 (1)
I-J	76 / 35	0.00 (1)
K-L	76 / 35	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.37/1.00 (C-D:1) , BC=0.13/1.00 (F-K:4) , WB=0.18/1.00 (C-H:1) , SSI=0.17/1.00 (D-L:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.48 (H) (INPUT = 0.90)
JSI METAL= 0.15 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	P1	17	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:45 2020 Page 1

ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-Z4ZngXQw0m_4ooBoEZjOUT3e9d5nBxS8vV0At4zNCne



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
A - G	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TMWW-t	MT20	4.0	4.0	2.00	1.75
C	TTW-p	MT20	4.0	4.0		
D	TMWW-t	MT20	4.0	4.0	2.00	1.75
E	TBM1-h	MT20	3.0	4.0		
F	BMW1+w	MT20	2.0	4.0		
G	BS-t	MT20	3.0	6.0		
H	BMWWW1-t	MT20	4.0	9.0		
I	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	124	0	124	0	0	18-1-0 (11-11-12)	1-0-0
E	124	0	124	0	0	18-1-0 (11-11-12)	1-0-0
H	415	0	415	0	0	18-1-0 (11-11-12)	1-0-0
F	666	0	666	0	0	18-1-0 (11-11-12)	1-0-0
I	666	0	666	0	0	18-1-0 (11-11-12)	1-0-0

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	87	59 / 0	0 / 0	0 / 0	0 / 0	28 / 0	0 / 0
E	87	59 / 0	0 / 0	0 / 0	0 / 0	28 / 0	0 / 0
H	293	192 / 0	0 / 0	0 / 0	0 / 0	101 / 0	0 / 0
F	471	307 / 0	0 / 0	0 / 0	0 / 0	164 / 0	0 / 0
I	471	307 / 0	0 / 0	0 / 0	0 / 0	164 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, E, H, F, I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-K	0 / 248	-91.8	-91.8	0.07 (1)	10.00	
K-B	0 / 292	-91.8	-91.8	0.32 (1)	10.00	
B-C	0 / 188	-91.8	-91.8	0.30 (1)	10.00	
C-D	0 / 188	-91.8	-91.8	0.30 (1)	10.00	
D-M	0 / 292	-91.8	-91.8	0.32 (1)	10.00	
M-E	0 / 248	-91.8	-91.8	0.07 (1)	10.00	
A-J	-256 / 0	-18.5	-18.5	0.14 (1)	6.25	
J-I	-240 / 0	-18.5	-18.5	0.14 (1)	6.25	
I-H	-240 / 0	-18.5	-18.5	0.11 (1)	6.25	
H-G	-240 / 0	-18.5	-18.5	0.11 (1)	6.25	
G-F	-240 / 0	-18.5	-18.5	0.11 (1)	6.25	
F-L	-240 / 0	-18.5	-18.5	0.14 (1)	6.25	
L-E	-256 / 0	-18.5	-18.5	0.14 (1)	6.25	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
H-C	-445 / 0	0.13 (1)
H-D	0 / 59	0.01 (1)
F-D	-526 / 0	0.08 (1)
B-H	0 / 59	0.01 (1)
I-B	-526 / 0	0.08 (1)
J-K	-128 / 6	0.00 (1)
L-M	-128 / 6	0.00 (1)

TOTAL WEIGHT = 17 X 55 = 943 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.32/1.00 (D-M:1) , BC=0.14/1.00 (F-L:1) , WB=0.13/1.00 (C-H:1) , SSI=0.17/1.00 (D-M:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.51 (B) (INPUT = 0.90)
JSI METAL= 0.13 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007062

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408151	PB20	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:19:42 2020 Page 1
ID:h2dfIgC44wS_E2IzqPs_atzIIRw-HkWF6HjVE7ml4RFJISfCxhPKbCR_v_qmDtUUdzNCXI



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
B - F	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (tab/o js in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0	1.50	2.00
C	TTWW+m	MT20	5.0	6.0	2.25	1.50
D	TMW+w	MT20	2.0	4.0		
E	TTWW+m	MT20	5.0	6.0	2.25	1.50
F	TMB1-I	MT20	3.0	4.0	1.50	2.00
H	BMW1+w	MT20	2.0	4.0		
I	BMWWW1-1	MT20	4.0	9.0		
J	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	169	0	169	0	0	13-7-1	13-7-1
F	169	0	169	0	0	13-7-1	13-7-1
J	268	0	268	0	0	13-7-1	13-7-1
I	683	0	683	0	0	13-7-1	13-7-1
H	268	0	268	0	0	13-7-1	13-7-1

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	116	93 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
F	116	93 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
J	207	118 / 0	0 / 0	0 / 0	0 / 0	89 / 0	0 / 0
I	481	327 / 0	0 / 0	0 / 0	0 / 0	154 / 0	0 / 0
H	207	118 / 0	0 / 0	0 / 0	0 / 0	89 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, F, J, I, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 14	-91.8	-91.8	0.02 (1)		10.00
B-L	-31 / 4	-91.8	-91.8	0.01 (1)		6.25
L-C	-60 / 0	-91.8	-91.8	0.03 (1)		6.25
C-D	-8 / 0	-91.8	-91.8	0.39 (1)		10.00
D-E	-8 / 0	-91.8	-91.8	0.39 (1)		10.00
E-N	-60 / 0	-91.8	-91.8	0.03 (1)		6.25
N-F	-31 / 4	-91.8	-91.8	0.01 (1)		6.25
F-G	0 / 14	-91.8	-91.8	0.02 (1)		10.00
B-K	0 / 42	-18.5	-18.5	0.04 (1)		10.00
K-J	0 / 42	-18.5	-18.5	0.07 (4)		10.00
J-I	0 / 29	-18.5	-18.5	0.10 (4)		10.00
I-H	0 / 29	-18.5	-18.5	0.10 (4)		10.00
H-M	0 / 42	-18.5	-18.5	0.07 (4)		10.00
M-F	0 / 42	-18.5	-18.5	0.04 (1)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-C	-194 / 0	0.03 (1)
C-I	-22 / 0	0.01 (1)
I-D	-576 / 0	0.08 (1)
I-E	-22 / 0	0.01 (1)
H-E	-194 / 0	0.03 (1)
K-L	-121 / 0	0.00 (1)
M-N	-121 / 0	0.00 (1)

TOTAL WEIGHT = 2 X 45 = 90 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.39/1.00 (C-D:1) , BC=0.10/1.00 (I-J:4) , WB=0.08/1.00 (D-I:1) , SSI=0.22/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1697	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.30 (D) (INPUT = 0.90)
JSI METAL= 0.12 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007080

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	U1	21	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:42 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzIWYK-9VtI1WN1jrcVxKTDZR9hsrR4TQ3I_cmhDXnWhlzNCnh



TOTAL WEIGHT = 21 X 17 = 353 lb

[M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	525	0	525	0	0	5-8	5-8
C	202	0	202	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	369	257 / 0	0 / 0	0 / 0	0 / 0	111 / 0	0 / 0
C	139	113 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
D	36	0 / 0	0 / 0	0 / 0	0 / 0	36 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-461 / 0	0.0	0.0	0.13 (4)		7.81			
A-B	0 / 28	-91.8	-91.8	0.12 (1)		10.00			
B-C	-30 / 0	-91.8	-91.8	0.54 (1)		6.25			
E-D	0 / 0	-18.5	-18.5	0.13 (4)		10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/999 (0.03")

CSI: TC=0.64/1.00 (B-C;1) , BC=0.13/1.00 (D-E;4) , WB=0.00/1.00 (n/a;0) , SSI=0.24/1.00 (B-C;1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.19 (E) (INPUT = 0.90)
JSI METAL= 0.13 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007059

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	J2	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:33 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-dhR1FrOlU8kMYU2P78qwP2_KzqQlj30rSBX3DBzNCng



TOTAL WEIGHT = 15 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	341	0	341	0	0	5-8	5-8
C	178	0	178	0	0	1-8	1-8
D	38	0	40	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	239	170 / 0	0 / 0	0 / 0	0 / 0	69 / 0	0 / 0
C	122	99 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
D	29	0 / 0	0 / 0	0 / 0	0 / 0	29 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- B	-305 / 0	0.0	0.0	0	0.03 (1)	7.81	B- E	0 / 0	0.00 (1)
A- B	0 / 41	-91.8	-91.8	0	0.14 (5)	10.00			
B- C	0 / 0	-91.8	-91.8	0	0.23 (1)	10.00			
F- E	0 / 0	-18.5	-18.5	0	0.08 (4)	10.00			
E- D	0 / 0	-18.5	-18.5	0	0.08 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN, C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.23/1.00 (B-C:1) , BC=0.08/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00 .

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.24 (B) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007060

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	J3	6	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:44 2020 Page 1
ID:37vF?aG0E03cRUj6X1jSrkzIWYK-5u?PSBPIFSsDAedbhsB9xGWUuEIBSWG_hrGcmdzNCnf



TOTAL WEIGHT = 6 X 12 = 71 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TM91-I	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
C	174	0	174	0	0	1-8	1-8
B	384	0	384	0	0	5-8	5-8
D	68	0	68	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
C	120	93 / 0	0 / 0	0 / 0	0 / 0	27 / 0	0 / 0
B	255	180 / 0	0 / 0	0 / 0	0 / 0	75 / 0	0 / 0
D	50	19 / 0	0 / 0	0 / 0	0 / 0	32 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 18	-91.8	-91.8	1	0.11 (1)	10.00	E-F	-194 / 7	0.00 (1)
B-F	-14 / 0	-91.8	-91.8	1	0.05 (4)	6.25			
F-C	0 / 2	-91.8	-91.8	1	0.22 (1)	10.00			
B-E	0 / 0	-18.5	-18.5	1	0.17 (1)	10.00			
E-D	0 / 0	-18.5	-18.5	1	0.17 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.8	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.22/1.00 (C-F:1) , BC=0.17/1.00 (D-E:1) , WB=0.00/1.00 (E-F:1) , SSI=0.16/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.24 (B) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007061

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	J40	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:29 2020 Page 1
ID:i7vF?aG0E03cRUj8X1jSrkzlWYK-bfU9J?q2Gb4UDip3CRUXVjVnrDY50PbEI2Z2b6zNCOa



TOTAL WEIGHT = 4 X 13 = 52 lb [M|F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
E - C	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	4.0	4.0	2.00	1.25
D	BMW+w	MT20	2.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	209	0	209	0	0	MECHANICAL	
B	174	0	174	0	0	1-8	1-8
C	35	0	39	0	0	1-8	1-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B , C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	148	97 / 0	0 / 0	0 / 0	0 / 0	51 / 0	0 / 0
B	120	97 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
C	28	0 / 0	0 / 0	0 / 0	0 / 0	28 / 0	0 / 0

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-A	-174 / 0	0.0	0.0	0	0.02 (1)	7.81	A-D	0 / 0	0.00 (1)
A-B	0 / 0	-91.8	-91.8	0	0.22 (1)	10.00			
E-D	0 / 0	-18.5	-18.5	0	0.07 (4)	10.00			
D-C	0 / 0	-18.5	-18.5	0	0.08 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.22/1.00 (A-B:1) , BC=0.08/1.00 (C-D:4) , WB=0.00/1.00 (A-D:1) , SSI=0.12/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.11 (A) (INPUT = 0.90)
JSI METAL= 0.03 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007105

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	J41	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:31 2020 Page 1

ID:i7vF?aG0E03cRUj6X1jSrkzIWYK-Y2cwkhrJoCKCTbzSJsX?a8a7q0FFUJ5WDM29g_zNCOY



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	319	0	319	0	0	5-8	5-8
C	99	0	99	0	0	1-8	1-8
D	23	0	26	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	223	161 / 0	0 / 0	0 / 0	0 / 0	62 / 0	0 / 0
C	68	55 / 0	0 / 0	0 / 0	0 / 0	13 / 0	0 / 0
D	18	0 / 0	0 / 0	0 / 0	0 / 0	18 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-269 / 0	0.0	0.0	0.02 (4)		7.81			
A-B	0 / 28	-91.8	-91.8	0.13 (5)		10.00			
B-C	-15 / 0	-91.8	-91.8	0.13 (1)		6.25			
E-D	0 / 0	-18.5	-18.5	0.03 (4)		10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 4 X 10 = 38 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = U 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = U 999 (0.00")

CSI: TC=0.13/1.00 (B-C:1) , BC=0.03/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.12 (E) (INPUT = 0.90)
JSI METAL = 0.08 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007106

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408150	C1	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:37 2020 Page 1

ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-oX4m_oJvuI_CqZaFmuZV9nkJvPNuJLXy4F4i0XzNCnm



TOTAL WEIGHT = 12 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	297	0	297	0	0	5-8	5-8
C	42	0	42	0	-36	1-8	1-8
D	36	0	40	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS FACTORED UPLIFT

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX/MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	208	145 / 0	0 / 0	0 / 0	0 / 0	63 / 0	0 / 0
C	29	23 / -26	0 / 0	0 / 0	0 / 0	5 / 0	0 / 0
D	29	0 / 0	0 / 0	0 / 0	0 / 0	29 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-B	-261 / 0	0.0	0.0	0.03 (1)	7.81	B-E	0 / 0	0.00 (1)	
A-B	0 / 41	-91.8	-91.8	0.14 (5)	10.00				
B-C	-29 / 0	-91.8	-91.8	0.14 (5)	6.25				
F-E	0 / 0	-18.5	-18.5	0.08 (4)	10.00				
E-G	0 / 0	-18.5	-18.5	0.08 (4)	10.00				
G-D	0 / 0	-18.5	-18.5	0.08 (4)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
G	2-0-12	1	1	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.01")

CSI: TC=0.14/1.00 (A-B:5) , BC=0.08/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.09/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.20 (B) (INPUT = 0.90)
JSI METAL= 0.05 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007055

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC	DRWG NO.
408150	C2	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:02:38 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-Gke8C8KXfc63Sj9SKb4li?GVwpk52on6lvplY_zNCnl



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
D	BMW1-t	MT20	4.0	4.0	2.00	1.25
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	278	0	278	0	0	5-8	5-8
C	42	0	42	0	-36	1-8	1-8
D	18	0	20	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 160 LBS FACTORED UPLIFT

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	194	145 / 0	0 / 0	0 / 0	0 / 0	48 / 0	0 / 0
C	29	23 / -26	0 / 0	0 / 0	0 / 0	5 / 0	0 / 0
D	14	0 / 0	0 / 0	0 / 0	0 / 0	14 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
E-B	-281 / 0	0.0	0.0	0.03 (1)		7.81
A-B	0 / 41	-91.8	-91.8	0.13 (1)		10.00
B-C	-29 / 0	-91.8	-91.8	0.12 (1)		6.25
E-D	0 / 0	-18.5	-18.5	0.02 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
B-D	0 / 0	0.00 (1)

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 10 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.-

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.13/1.00 (A-B:1) , BC=0.02/1.00 (D-E:4) , WB=0.00/1.00 (B-D:1) , SSI=0.08/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.20 (B) (INPUT = 0.90)
JSI METAL= 0.05 (B) (INPUT = 1.00)

Structural component only
DWG# T-2007056

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	C40	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:21 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-q7?8eGk1873dG3CXklLfA19Pt_oO8nd2voddJZzNCOi



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	8MV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	405	0	405	0	0	5-8	5-8
C	130	0	130	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 697791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX/MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	286	190 / 0	0 / 0	0 / 0	0 / 0	96 / 0	0 / 0
C	90	73 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
D	36	0 / 0	0 / 0	0 / 0	0 / 0	36 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-342 / 0	0.0	0.0	0.13 (4)	7.81			
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00			
B-C	-19 / 0	-91.8	-91.8	0.22 (1)	6.25			
E-D	0 / 0	-18.5	-18.5	0.13 (4)	10.00			

TOTAL WEIGHT = 4 X 14 = 57 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.13/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007098

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	C41	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:23 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-nV7u2ylHglJKVNMvrAN7FSFnyoUmch6LN66kNSzNCOg



TOTAL WEIGHT = 4 X 12 = 46 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
E	284	0	284	0	0	IN-SX	IN-SX
C	63	0	63	0	0	1-8	1-8
D	44	0	52	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	200	137 / 0	0 / 0	0 / 0	0 / 0	62 / 0	0 / 0
C	46	21 / 0	0 / 0	0 / 0	0 / 0	25 / 0	0 / 0
D	35	0 / -3	0 / 0	0 / 0	0 / 0	37 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (7)

CHORDS MEMB. FR-TO	MAX. FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	WEBS MEMB. FR-TO	MAX. UNBRAC LENGTH	MAX. FORCE (LBS)	MAX CSI (LC)
E- B	-227 / 0	0.0	0.0	0.11 (4)		7.81		
A- B	0 / 28	-91.8	-91.8	0.12 (1)		10.00		
B- C	-9 / 9	-91.8	-91.8	0.08 (4)		10.00		
E- F	0 / 0	-18.5	-18.5	0.14 (4)		10.00		
F- G	0 / 0	-18.5	-18.5	0.14 (4)		10.00		
G- D	0 / 0	-18.5	-18.5	0.14 (4)		10.00		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	1-11-4	7	1	12	BACK	VERT	TOTAL	--	C1
G	3-11-4	1	1	--	BACK	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF	
	DL =	6.0	PSF	
BOT CH.	LL =	0.0	PSF	
	DL =	7.4	PSF	
TOTAL LOAD	=	39.0	PSF	

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.14/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=0.98 NAIL=0.98 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/22/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only.
DWG# T-2007099

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	C42	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:24 2020 Page 1

ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-FihGGHmvR2RB7Xx6PtvMognw6CsuL8MVcmrHwuzNCOf



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	361	0	361	0	0	5-8	5-8
C	130	0	130	0	0	1-8	1-8
D	16	0	17	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	250	190 / 0	0 / 0	0 / 0	0 / 0	60 / 0	0 / 0
C	90	73 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
D	12	0 / 0	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- B	-342 / 0	0.0	0.0	0	0.01 (4)	7.81			
A- B	0 / 28	-91.8	-91.8	0	0.13 (5)	10.00			
B- C	-19 / 0	-91.8	-91.8	0	0.22 (1)	6.25			
E- D	0 / 0	-18.5	-18.5	0	0.02 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 4 X 10 = 38 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.02/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007100

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	C43	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:25 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-juEfTdnYCMa2lgWlzbQbKIK7UcCo4bceqQbrSKzNCOe



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	271	0	271	0	0	5-8	5-8
C	45	0	45	0	-23	1-8	1-8
D	8	0	17	0	-2	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS FACTORED UPLIFT
PROVIDE ANCHORAGE AT BEARING JOINT D FOR 150 LBS FACTORED UPLIFT

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX/MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	188	141 / 0	0 / 0	0 / 0	0 / 0	47 / 0	0 / 0
C	31	24 / -18	0 / 0	0 / 0	0 / 0	7 / 0	0 / 0
D	7	0 / -8	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- B	-244 / 0	0.0	0.0	0.04 (5)		7.81			
A- B	0 / 28	-91.8	-91.8	0.12 (1)		10.00			
B- C	-17 / 0	-91.8	-91.8	0.09 (1)		6.25			
E- D	0 / 0	-18.5	-18.5	0.04 (5)		10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 4 X 7 = 28 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.04/1.00 (D-E:5) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007101

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	C44	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:26 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzlWYK-B4o1hzoAzgivMq6UXlxqt5lHt?X4p2sn34KO_nzNCOd



TOTAL WEIGHT = 2 X 8 = 17 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV4p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	264	0	264	0	0	5-8	5-8
C	66	0	66	0	0	1-8	1-8
D	23	0	26	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	185	130 / 0	0 / 0	0 / 0	0 / 0	55 / 0	0 / 0
C	46	37 / 0	0 / 0	0 / 0	0 / 0	9 / 0	0 / 0
D	18	0 / 0	0 / 0	0 / 0	0 / 0	18 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)	MAX. UNBRAC LENGTH
E-B	-234 / 0	0.0	0.0	0.02 (4)				7.81
A-B	0 / 28	-91.8	-91.8	0.13 (5)				10.00
B-C	-10 / 0	-91.8	-91.8	0.06 (1)				10.00
E-F	0 / 0	-18.5	-18.5	0.03 (4)				10.00
F-D	0 / 0	-18.5	-18.5	0.03 (4)				10.00

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	2-0-12	1	1	---	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.13/1.00 (A-B:5) , BC=0.03/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.10/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

Structural component only
DWG# T-2007102

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408152	C45	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 11:29:27 2020 Page 1
ID:i7vF?aG0E03cRUj6X1jSrkzIWYK-fHMPuJookzqm__gh40S3PIPT_PtZYV6xIk4xXDzNCOc



TOTAL WEIGHT = 2 X 7 = 15 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	254	0	254	0	0	5-8	5-8
C	68	0	68	0	0	1-8	1-8
D	16	0	16	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	177	130 / 0	0 / 0	0 / 0	0 / 0	47 / 0	0 / 0
C	48	37 / 0	0 / 0	0 / 0	0 / 0	9 / 0	0 / 0
D	13	0 / 0	0 / 0	0 / 0	0 / 0	13 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-234 / 0	0.0	0.0	0.01 (4)	7.81				
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00				
B-C	-10 / 0	-91.8	-91.8	0.08 (1)	10.00				
E-D	0 / 0	-18.5	-18.5	0.02 (4)	10.00				

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.02/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007103

LUL/LUS/LJS/HUS/HHUS/HGUS

Standard and Double-Shear Joist Hangers

This product is preferable to similar connectors because of a) easier installation, b) higher capacities, c) lower installed cost, or a combination of these features.

Most hangers in this series have double-shear nailing — an innovation that distributes the load through two points on each joist nail for greater strength. This allows for fewer nails, faster installation, and the use of all common nails for the same connection. (Do not bend or remove tabs)

Double-shear hangers range from the light capacity LUS hangers to the highest capacity HGUS hangers. For medium load truss applications, the HUS offers a lower cost alternative and easier installation than the HGUS hangers, while providing greater load capacity and bearing than the LUS.

Material: See table on pp. 258–259.

Finish: Galvanized. Some products available in stainless steel or ZMAX® coating; see Corrosion Information, pp. 20–24.

Installation:

- Use all specified fasteners; see General Notes.
- Nails must be driven at an angle through the joist or truss into the header to achieve the tabulated resistances (except LUL).
- Where 16d commons are specified, 10d commons may be used at 0.83 of the tabulated factored resistance.
- Not designed for welded or nailer applications.
- With single ply 2x carrying members, use 10d x 1½" nails into the header and 10d commons into the joist, and reduce the resistance to 0.64 of the table value where 16d nails are specified and 0.77 where 10d nails are specified.

Options:

- LUS, LJS, LUL and HUS hangers cannot be modified.
- Other sizes available; consult your Simpson Strong-Tie representative.
- See Hanger Options Information on p. 126.


Double-Shear Nailing Top View


Double-Shear Nailing Side View; Do not bend tab


Dome Double-Shear Nailing Side View *(available on some models)*

U.S. Patent 5,603,580



LUS28



LU26L



HUS210
(HUS26, HUS28, and HHUS similar)



HGUS28-2



HHUS210-2


Typical HUS26 Installation with Reduced Heel Height
(Truss Designer to provide fastener quantity for connecting multiple members together)



LJS26DS

C-C-CAN2018 ©2017 SIMPSON STRONG-TIE COMPANY INC.

LUL/LUS/LJS/HUS/HHUS/HGUS



SIMPSON Strong-Tie

HHUS/HGUS

See Hanger Options information on pp. 125–127.

HHUS — Sloped and/or Skewed Seat

- HHUS hangers can be skewed to a maximum of 45° and/or sloped to a maximum of 45°
- For skew only, maximum factored down resistance is 0.85 of the table value
- For sloped only or sloped and skewed hangers, the maximum factored down resistance is 0.72 of the table value
- Uplift resistances for sloped/skewed conditions are 0.62 of the table value
- The joist must be bevel-cut to allow for double-shear nailing

HGUS — Skewed Seat

- HGUS hangers can be skewed only to a maximum of 45°. Factored resistances are:

HGUS Seat Width	Joist	Down Resistance	Uplift
W < 2"	Bevel or square cut	0.62 of table value	0.46 of table value
2" < W < 6"	Bevel cut	0.67 of table value	0.41 of table value
2" < W < 6"	Square cut	0.46 of table value	0.41 of table value
W > 6"	Bevel cut	0.75 of table value	0.41 of table value



Top View HHUS Hanger Skewed Right
(joist must be bevel cut)
All joist nails installed on the outside angle *(non-acute side)*.

Standard and Double-Shear Joist Hangers (cont.)

■ These products are available with additional corrosion protection. For more information, see p. 24.

◤ These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

	Model No.	Ga.	Dimensions (in.) W	H	B	d_e[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L. Uplift (K_D = 1.15) lb. / kN	D.Fir-L. Normal (K_D = 1.00) lb. / kN	S-P-F Uplift (K_D = 1.15) lb. / kN	S-P-F Normal (K_D = 1.00) lb. / kN
	Single 2x Sizes											
■	LUS24	18	1⁹⁄₁₆	3⅛	1¾	2¼	(4) 10d	(2) 10d	710 / 3.16	1625 / 7.23	645 / 2.87	1155 / 5.14
	LU24L	22	1⁹⁄₁₆	3	1⅝	2¹¹⁄₁₆	(4) 10d	(2) 10d x 1½"	360 / 1.60	1020 / 4.54	320 / 1.42	725 / 3.22
	LU26L	22	1⁹⁄₁₆	5	1⅝	4⅝	(6) 10d	(4) 10d x 1½"	720 / 3.20	1605 / 7.14	645 / 2.87	1140 / 5.07
SS ■	LUS26	18	1⁹⁄₁₆	4¾	1¾	3¾	(4) 10d	(4) 10d	1420 / 6.32	2170 / 9.65	1290 / 5.74	1630 / 7.25
■	HUS26	16	1⅝	5⅜	3	3¹⁵⁄₁₆	(14) 16d	(6) 16d	2705 / 11.80	4940 / 21.97	2065 / 9.20	3875 / 17.24
	LJS26DS	18	1⁹⁄₁₆	5	3½	4⅝	(16) 16d	(6) 16d	2055 / 9.14	4265 / 18.97	1460 / 6.49	4115 / 18.31
	HGUS26	12	1⅝	5⅜	5	4⅛	(20) 16d	(8) 16d	2685 / 11.96	6625 / 29.51	2685 / 11.96	5700 / 25.35
	LU28L	20	1⁹⁄₁₆	6¾	1⅝	5⅞	(8) 10d	(6) 10d x 1½"	1140 / 5.07	2185 / 9.72	1020 / 4.54	1550 / 6.89
SS	LUS28	18	1⁹⁄₁₆	6⅝	1¾	3¾	(6) 10d	(4) 10d	1420 / 6.32	2520 / 11.21	1290 / 5.74	1790 / 7.96
■	HUS28	16	1⅝	7¹⁄₁₆	3	6¹⁄₁₆	(22) 16d	(8) 16d	3605 / 16.04	5366 / 23.86	2675 / 11.90	4345 / 19.33
	HGUS28	12	1⅝	7⅛	5	6⅛	(36) 16d	(12) 16d	3310 / 14.74	7675 / 34.19	3310 / 14.74	6900 / 30.73
	LU210L	20	1⁹⁄₁₆	8	1⅝	7⅝	(10) 10d	(6) 10d x 1½"	1140 / 5.07	2495 / 11.10	1020 / 4.54	1770 / 7.87
SS	LUS210	18	1⁹⁄₁₆	7¹³⁄₁₆	1¾	3⅞	(8) 10d	(4) 10d	1420 / 6.32	2785 / 12.39	1290 / 5.74	2210 / 9.83

1. Factored uplift resistances have been increased 15% for wind or earthquake loading; no further increase is allowed.
2. Designer must ensure that hanger is compatible with truss when reduced heel height is used.
3. d_e is the distance from the bearing seat to the top joist nail.
4. Resistances shown require a minimum 2-ply girder truss. For fastening to single-ply truss request technical bulletin T-C-N10TRSSCN and/or see installation notes.
5. Nails: 16d = 0.162" dia. x 3½" long. See pp. 27–28 for other nail sizes and information.

C-C-CAN2018 ©2017 SIMPSON STRONG-TIE COMPANY INC.

Face-Mount Hangers

SIMPSON Strong-Tie

■ These products are available with additional corrosion protection. For more information, see p. 24.

◤ These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Dimensions (in.) W	H	B	d_6[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L Uplift (K_D = 1.15) lb. kN	D.Fir-L Normal (K_D = 1.00) lb. kN	S-P-F Uplift (K_D = 1.15) lb. kN	S-P-F Normal (K_D = 1.00) lb. kN
Double 2x Sizes											
■ LUS24-2	18	3⅛	3⅛	2	1½	(4) 16d	(2) 16d	835 3.71	2020 8.99	590 2.62	1435 6.38
■ SS LUS26-2	18	3⅛	4⅞	2	4	(4) 16d	(4) 16d	1720 7.65	2595 11.54	1545 6.87	1920 8.54
■ HHUS26-2	14	3⅝	5⅞	3	3 15/16	(14) 16d	(6) 16d	2850 12.68	7335 32.63	2065 9.20	5205 23.15
HGUS26-2	12	3⅝	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
■ SS LUS28-2	18	3⅛	7	2	4	(6) 16d	(4) 16d	1720 7.65	3325 14.79	1545 6.87	2575 11.45
■ HHUS28-2	14	3⅝	7⅝	3	6⅛	(22) 16d	(8) 16d	3765 16.75	8940 39.77	2675 11.90	6345 28.22
HGUS28-2	12	3⅝	7⅝	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ SS LUS210-2	18	3⅛	9	2	6	(8) 16d	(6) 16d	2580 11.48	4500 20.02	2320 10.32	3195 14.21
■ HHUS210-2	14	3⅝	9⅜	3	8	(30) 16d	(10) 16d	4670 20.77	9660 42.97	4235 18.84	7000 31.14
HGUS210-2	12	3⅝	9⅜	4	8⅛	(46) 16d	(16) 16d	6840 30.43	14015 62.34	4855 21.60	10270 45.69
Triple 2x Sizes											
HGUS26-3	12	4 15/16	5½	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
HGUS28-3	12	4 15/16	7¼	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ HHUS210-3	14	4⅛	9	3	7 15/16	(30) 16d	(10) 16d	4670 20.77	9670 43.02	4235 18.84	6865 30.54
HGUS210-3	12	4⅛	9¼	4	8⅛	(46) 16d	(16) 16d	6840 30.43	14645 65.14	4855 21.60	10400 46.26
Quadruple 2x Sizes											
HGUS26-4	12	6⅝	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
HGUS28-4	12	6⅝	7⅜	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ HHUS210-4	14	6⅛	8⅛	3	7 15/16	(30) 16d	(10) 16d	4670 20.77	10155 45.17	4235 18.84	7210 32.07
HGUS210-4	12	6⅝	9⅜	4	8⅛	(46) 16d	(16) 16d	6840 30.43	14645 65.14	4855 21.60	10400 46.26
HGUS212-4	12	6⅝	10⅝	4	10⅛	(56) 16d	(20) 16d	7640 33.98	14995 66.70	5425 24.13	10645 47.35
HGUS214-4	12	6⅝	12⅝	4	11⅛	(66) 16d	(22) 16d	10130 45.06	16400 72.95	7195 32.00	11645 51.80
4x Sizes											
■ LUS46	18	3⅜	4¾	2	3 7/16	(4) 16d	(4) 16d	1720 7.65	2595 11.54	1545 6.87	1920 8.54
■ HHUS46	14	3⅝	5¼	3	3 15/16	(14) 16d	(6) 16d	2540 11.30	7335 32.63	2065 9.20	5205 23.15
HGUS46	12	3⅝	5¼	4	4 15/16	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
■ LUS48	18	3⅜	6¾	2	3 7/16	(6) 16d	(4) 16d	1720 7.65	3325 14.79	1545 6.87	2575 11.45
■ HHUS48	14	3⅝	7⅛	3	6⅛	(22) 16d	(8) 16d	3765 16.75	8940 39.77	2675 11.90	6345 28.22
HGUS48	12	3⅝	7⅛	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ LUS410	18	3⅜	8¾	2	5⅝	(8) 16d	(6) 16d	2580 11.48	4500 20.02	2320 10.32	3195 14.21
HGUS410	12	3⅝	9	4	8 15/16	(46) 16d	(16) 16d	6840 30.43	14015 62.34	4855 21.60	10270 45.69
HGUS412	12	3⅝	10⅞	4	10⅛	(56) 16d	(20) 16d	7640 33.98	14995 66.70	5425 24.13	10645 47.35
HGUS414	12	3⅝	12⅞	4	11⅛	(66) 16d	(22) 16d	10130 45.06	16400 72.95	7195 32.00	11645 51.80

See footnotes on p. 258.

LICENSED PROFESSIONAL ENGINEER 1/15/18 B. D. BUNTING PROVINCE OF ONTARIO

C-C-CAN2018 ©2017 SIMPSON STRONG-TIE COMPANY INC.

TECHNICAL BULLETIN

TC – Truss Connectors

SIMPSON
Strong-Tie®

The TC truss connector is an ideal connector for scissor trusses and can allow horizontal movement up to 1¼". The TC also attaches plated trusses to top plates or sill plates to resist uplift forces. Typically used on one or both ends of truss as determined by the building designer.

Material: 16 gauge

Finish: G90 galvanized

Design: Factored resistances are in accordance with CSA 086-14

Installation:

- Use all specified fasteners.
- Nails: 10d = 0.148" dia. x 3" long common wire, 10d x 1½ = 0.148" dia. x 1½" long.
- Drive 10d nails into the truss at the inside end of the slotted holes (inside end is towards the centre of the truss) and clinch on the back side. Do not seat these nails into the truss–allow room under the nail head for movement of the truss with respect to the wall.

Optional TC Installation:

- Bend one flange up 90°. Drive specified nails into the top and face of the top plates or install Titen® screws into the top and face of masonry wall. See optional load tables and installation details.



TC24
U.S. Patent 4,932,173



Typical TC24 Installation



TC26
(TC28 Similar)



Optional TC26 Installation for Grouted Concrete Block using a Wood Nailer (8", 10", 12" Wall Installation Similar)



Optional TC26 Installation for Grouted Concrete Block using Titen Screws

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K_D=1.15)	Uplift (K_D=1.15)
			lb.	lb.
TC24	(4) 10d	(4) 10d	605	430
TC26	(5) 10d	(6) 10d	1015	720
TC28	(5) 10d	(6) 10d	1015	720

Optional TC Installation Table

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K_D=1.15)	Uplift (K_D=1.15)
			lb.	lb.
TC26	(5) 10d	(6) 10d x 1½"	810	660
	(5) 10d	(6) 10d	930	660

1. Factored resistances have been increased 15% for earthquake or wind loading; no further increase allowed; reduce where other loads govern.
2. Grout strength is 15 MPa minimum.
3. Optional TC26 installation with 10d nails requires minimum 3" top plate thickness.
4. TC26 fastened to grouted concrete block with (6) – ³⁄₁₆" x 2¼" Titen screws has a factored uplift resistance of 275 lb.

LICENSED PROFESSIONAL ENGINEER
4/3/2017
B. D. BUNTING
PROVINCE OF ONTARIO

LIMIT STATES DESIGN

This technical bulletin is effective until June 30, 2019 and reflects information available as of March 1, 2017. This information is updated periodically and should not be relied upon after June 30, 2019; contact Simpson Strong-Tie for current information and limited warranty or see strongtie.com.

© 2017 Simpson Strong-Tie Company Inc.

T-SPECTC17 3/17 exp. 6/19

(800) 999-5099
strongtie.com

H/TSP

SIMPSON Strong-Tie®

Seismic and Hurricane Ties (cont.)

■ These products are available with additional corrosion protection. For more information, see p. 24.

◤ These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

	Model No.	Ga.	Fasteners			Factored Resistance (K_D = 1.15)					
						D.Fir-L			S-P-F		
						Uplift	Lateral		Uplift	Lateral	
			To Rafters/ Truss	To Plates	To Studs		F_1	F_2		F_1	F_2
						lb.	lb.	lb.	lb.	lb.	lb.
						kN	kN	kN	kN	kN	kN
■	H1	18	(6) 8d x 1½"	(4) 8d	—	740	685	300	680	485	215
						3.29	3.05	1.33	3.02	2.16	0.96
SS	H2A	18	(5) 8d x 1½"	(2) 8d x 1½"	(5) 8d x 1½"	830	220	75	590	155	55
						3.69	0.98	0.33	2.62	0.69	0.24
SS	H2.5A	18	(5) 8d	(5) 8d	—	805	160	160	755	160	160
						3.58	0.71	0.71	3.36	0.71	0.71
	H2.5T	18	(5) 8d	(5) 8d	—	835	175	210	740	160	210
						3.71	0.78	0.93	3.29	0.71	0.93
SS	H3	18	(4) 8d	(4) 8d	—	740	180	265	615	125	190
						3.29	0.80	1.18	2.74	0.56	0.85
■	H6	16	—	(6) 8d	(6) 8d	1585	1085	—	1125	770	—
						7.05	4.83	—	5.00	3.43	—
■	H7Z	16	(4) 8d	(2) 8d	(6) 8d	1390	670	—	990	475	—
						6.18	2.98	—	4.40	2.11	—
SS	H8[3]	18	(6) 10d x 1½"	(5) 10d x 1½"	—	1120	—	—	1025	—	—
						4.98	—	—	4.56	—	—
SS	H10A[9]	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1735	795	410	1505	565	290
						7.72	3.54	1.82	6.69	2.51	1.29
	H10AR	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1485	690	430	1220	570	305
						6.61	3.07	1.91	5.43	2.54	1.36
■	H10A-2	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1835	1275	430	1645	880	305
						8.16	5.67	1.91	7.32	3.91	1.36
	H10S[7,9]	18	(8) 8d x 1½"	(8) 8d x 1½"	(8) 8d	1465	795	315	1040	565	225
						6.52	3.54	1.40	4.63	2.51	1.00
■	H11Z	18	(6) 16d x 2½"	(6) 16d x 2½"	—	1095	920	545	780	655	390
						4.87	4.09	2.42	3.47	2.91	1.73
	H14	18	1 (12) 8d x 1½"	(13) 8d	—	2390	855	320	1805	610	230
						10.63	3.80	1.42	8.03	2.71	1.02
			2 (12) 8d x 1½"	(15) 8d	—	2390	855	320	1805	610	230
						10.63	3.80	1.42	8.03	2.71	1.02
	TSP	16	(9) 10d x 1½"	(6) 10d x 1½"	—	1295	440	—	920	310	—
						5.76	1.96	—	4.09	1.38	—
			(9) 10d x 1½"	(6) 10d	—	1560	440	—	1105	310	—
						6.94	1.96	—	4.92	1.38	—

1. Factored resistances have been increased 15% for short term loading; no further increase is allowed.
2. Factored resistances are for one anchor. A minimum rafter thickness of 2½" must be used when framing anchors are installed on the same side of the plate (exception: H2.6A).
3. H8 factored uplift resistances for stud-to-bottom plate installations are 595 lb. (2.65 kN) for D.Fir-L and 390 lb. (1.74 kN) for S-P-F.
4. When cross-grain bending or cross-grain tension cannot be avoided, mechanical reinforcement to resist such forces should be considered.
5. Hurricane ties are shown installed on the outside of the wall for clarity. Installation on the inside of the wall is acceptable. For a continuous load path, connections at the top and bottom of the wall must be on the same side of the wall (see technical bulletin T-HTIECONPATH).
6. Factored resistances in the F_1 direction are not intended to replace diaphragm boundary members or prevent cross grain bending of the truss or rafter members. Additional shear transfer elements shall be considered where there may be effects of cross grain bending or tension.
7. H10S can have the stud offset a maximum of 1" from the rafter (centre to centre) for a reduced uplift of 1435 lb. (6.38 kN) D.Fir-L and 1015 lb. (4.51 kN) S-P-F.
8. H10S nails to plates are optional for uplift but required for lateral loads.
9. H10A may be field-bent up to a slope of 8/12. Multiply the tabulated uplift value x 0.75. Full tabulated lateral resistances apply.
10. The factored resistances of stainless-steel connectors match carbon-steel connectors when installed with Simpson Strong-Tie® stainless-steel, SCNR ring-shank nails. For more information, refer to engineering letter L-F-SSNAILS at strongtie.com.
11. D.Fir-L/S-P-F factored uplift resistances for the H2.5A fastened to a 2x4 truss bottom chord and double top plates using (5) 8d x 1½" nails into the top plates and (3) 8d x 1½" nails into the lowest three flange holes into the truss bottom chord is 495 lb. (2.20 kN).
12. Nails: 16d x 2½" = 0.162" dia. x 2½" long, 10d = 0.148" dia. x 3" long, 10d x 1½" = 0.148" dia. x 1½" long, 8d = 0.131" dia. x 2½" long, 8d x 1½" = 0.131" dia. x 1½" long. See pp. 27–28 for other nail sizes and information.

C-C-CAN2018 ©2017 SIMPSON STRONG-TIE COMPANY INC.

BEARING ANCHORAGE BY TOE-NAILS FOR LATERAL CAPACITY

B97791H1

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL LATERAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	132	147
	3.25	0.144	132	147
	3.50	0.160	159	177
COMMON SPIRAL	3.00	0.122	97	108
	3.25	0.122	97	108
	3.50	0.152	145	162

NOTES:

1. Rafter and ceiling members may be anchored to top and bottom chords of girder truss by toe-nailing rafter and ceiling members to girder chords provided the reaction does not exceed the lateral capacities in the table. Hangers (specified by others) are required for reactions higher than the maximum toe-nail capacity. Reactions are based on factored loads.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.4.1.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in tables below.
5. Nail values in table are based on the following relative lumber densities: G = 0.42 (SPF), G = 0.49 (D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See next page for nailing on bearing plate).
7. For loads due to **wind** the nail lateral capacity in this table may be multiplied by 1.15 (K_D factor).
8. Lumber must be dry (< 19% moisture content) at the time of nail installation.
9. Nail values in this table comply with CSA O86-14, section 12.9.4
10. This design is not valid after March 31, 2021.





TOE-NAIL INSTALLATION

Nail type	Common wire	Common spiral	Common wire	Common spiral
Nail dia. (in)	0.160	0.152	0.144	0.122
	(3.5" nail)		(3" and 3.25" nail)	
LUMBER SIZE	**MAXIMUM NUMBER OF TOE-NAILS**			
2X4 SPF	2	2	3	3
2X4 D. Fir	2	2	2	2
2X6 SPF	4	4	4	5
2X6 D. Fir	3	3	3	4

MiTek®
MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019

PEO
Certificate No. 10889485

LICENSED PROFESSIONAL ENGINEER
C. Cordogiannis
90553736
PROVINCE OF ONTARIO

BEARING ANCHORAGE BY TOE-NAILS FOR WIND LOADING

B97791H2

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL WITHDRAWAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	30	42
	3.25	0.144	32	45
	3.50	0.160	38	52
COMMON SPIRAL	3.00	0.122	26	36
	3.25	0.122	28	40
	3.50	0.152	36	50

Note: If using truss with D. Fir lumber and S-P-F bearing plate, use values in table for S-P-F.

NOTES:

1. Truss chord, rafter, or ceiling members may be anchored to bearing plate by toe-nails, provided that the actual factored uplift force due to **wind** or **earthquake** load does not exceed the withdrawal capacities in the table. Hangers (specified by others) are required for uplift forces that are higher than the maximum toe-nail withdrawal capacity.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.5.2.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in table above.
5. Nail values in table are based on the following relative lumber densities: G = 0.42(SPF), G = 0.49(D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See drawing on detail B37579H1).
7. Lumber must be dry (< 19% moisture content) at the time of nail installation.
8. Nail values in this table comply with CSA O86-14, section 12.9.5
9. This design is not valid after March 31, 2021.

Toe-nailing on 2x6 Bearing Plate



Elevation view





Toe-nailing viewed from end of joist or truss

Toe-nailing on 2x4 Bearing Plate



Elevation view



PEO
Certificate No. 10889485

MiTek®

MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019

Symbols

PLATE LOCATION AND ORIENTATION



Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths or mm. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0-1/16" from outside edge of truss.

This symbol indicates the required direction of slots in connector plates.

*Plate location details available in MiTek software or upon request.

PLATE SIZE

4 X 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING LOCATION

Indicated by symbol shown and/or by text in the bracing section of the output. Use T, I or Eliminator bracing if indicated.

BEARING

Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur.

Industry Standards:

TPIC: Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses

DSB-89: Design Standard for Bracing.

BCSI: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

Numbering System

dimensions shown in ft-in-sixteenths or mm (Drawings not to scale)



JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.

CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.

PRODUCT CODE APPROVALS

CCMC Reports:

11996-L, 10319-L, 13270-L, 12691-R

© 2007 MiTek® All Rights Reserved

MiTek®

POWER TO PERFORM.™

MiTek Engineering Reference Sheet: MII-7473C rev. 10-'08

⚠ General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury

1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T, I, or Eliminator bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by TPIC.
7. Design assumes trusses will be suitably protected from the environment in accord with TPIC.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with TPIC Quality Criteria.

ONTARIO WOOD TRUSS
FABRICATORS ASSOCIATION

TECH-NOTES

TN 15-001
Piggyback Bracing

Overview:

Where piggybacks are connected overtop of base trusses, 2x4 purlins must be first added to the flat portion of the base truss at a spacing no more than 24" o/c. These purlins not only provide support for the piggyback trusses above, but are required to laterally support the top chord of the base truss which will not have the sheathing directly connected to the flat portion of the base truss. This ensures the top chord, most often in compression, will not buckle laterally.

Further, the purlins in the plane of the flat portion require diagonal bracing to prevent lateral displacement of the purlins themselves where under certain conditions, the trusses may in fact all buckle in the same direction if this additional bracing is not added in the plane of the purlins.

Detail:



NOTE: THE SLOPED PORTION OF THE TOP CHORD OF THE BASE TRUSS AND PIGGYBACK TRUSS IN THIS SKETCH IS ASSUMED TO BE SHEATHED IN ACCORDANCE WITH THE OBC.

SKETCH FROM BCSI-CANADA 2013

Disclaimer:

OWTFA Tech Notes are intended to provide guidance to the design community both within the membership as well as to third party designers who might benefit from the information. The details have been developed by the OWTFA technical committee and although there may be professional engineers involved in development, the information contained in the tech-note are not intended to be used without having a professional engineer review the information for a specific application. The OWTFA takes no responsibility with respect to the information provided but has developed this tech-note to offer guidance where it is not currently readily available.



Alves Engineering Services Inc.
5208 Easton road
Burlington, Ontario L7L 6N6
(289) 259 5455

RESPONSABILITIES

1-Alves Engineering Services Inc. is responsible for the design of trusses as individual components

2-It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities having jurisdictions.

3- All dimensions are to be verified by owner, contractor, architect or other authority before manufacture.

4- Alves Engineering Services Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Alves Engineering Services Inc. drawings is specified for the truss as a single component and forms an integral part of the truss design, but is not meant to represent the only required bracing for that truss when trusses are installed in a series of trusses forming a roof truss system.

5- It is the manufactures responsibility to ensure that the trusses are manufactured in conformance with Alves Engineering Services Inc. specifications outlined below.

SPECIFICATIONS

1-Truss components sealed by Alves Engineering Services Inc. conform to the relevant sections of the current Building Code of Ontario and Canada (part 4 or part 9) or the current Canadian code for Farm Buildings in accordance with the application specified on the sealed truss component drawing. All truss component design procedures must conform to the current design standard issued by the truss plate institute of Canada (TPIC). All lumber and nailing stresses to conform to the current CSA wood design standard identified on the current Building Code and TPIC.

2- Lumber is to be the sizes and grade specified on the truss drawing.

3- Moist content of lumber is not to exceed 19% in service unless otherwise specified.

4- Plates shall be applied to both faces of the each truss joint and shall be positioned as shown on the truss drawings

5- Lumber used on manufacture of trusses is not to be treated with chemicals unless otherwise specified on the truss drawings.

6- The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals specified on the truss drawing but not exceeding 24" c/c for (part 9) and not exceeding 48" for (part 4 or farm design)

7- When rigid ceiling is not attached directly to the bottom chord, lateral bracing is required and it should not exceed more than 3m or 10' intervals.

8-Refer to Mitek sheet MII7473C REV.10-08 attached for information on symbols, numbering system and General Safety notes.

T-1800213 Feb 09, 2018