

ASPHALT SHINGLES
FINISHED OVERHANG: 12"
2x6 EXTERIOR WALLS
2x6 FASCIA BOARD
HEEL: R.T.M.C.

All conventional framing to conform with Part 9 of O.B.C. 2012 (2019 amendment). Roof rafters that cross over or meet trusses to be min. 2x4 SPF #2 @ 24" o/c with a vertical post to the truss at each cross point. Vertical posts longer than 6' to have lateral bracing so that the distance between the post end points and lateral bracing does not exceed 6'.

DESIGN CONFORMS WITH OBC 2012 (2019 amendment) OCCUPANCY: RESIDENTIAL | PART: 9
Ss = 31.35 psf | Sr = 8.4 psf

DESIGN LOADS:
TCSL = 25.6 psf
TCDL = 6.0 psf
BCLL = 0.0 psf
BCDL = 7.4 psf

CITY OF HAMILTON
Building Division
Permit No. 21 — 107130
THESE STAMPED DRAWINGS SHALL BE AVAILABLE ON SITE
THE OWNER AND/OR CONTRACTOR SHALL COMPLY WITH THE ONTARIO BUILDING CODE AND ALL OTHER APPLICABLE LAW
These drawings and/or specifications have been reviewed by
FEB 26 2021
DATE
FOR CHIEF BUILDING OFFICIAL

HARDWARE:
LUS24 - **(O)**
LJS26DS - **(V)**
HGUS26-2 - **(XX)**
LUS26-2-(VV)

BEAMS:
B1= B2 = B151 = 2 - 2x10 SPF #2

DENOTES:
CONVENTIONAL FRAMING

TAMARACK ROOF TRUSSES INC.

Job Track: 51225	Builder / Location: GREEN PARK HOMES / WATERDOWN	Model / Elevation: MOUNTAINASH 5-318 / 1- STD OR OPT.5 BR	Mitek ver 8.3.3.247
Plan Log: 202406	Project: RUSSELL GARDENS PH.3		
Layout ID: 415023	Date: 2020-12-09 / Sales: Mario DiCano / Designer: JG/ND		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202406
Project:	RUSSELL GARDENS PH.3	Layout ID:	408168
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 5	Page:	1 of 2
Lot #:	318	Date:	04-27-2020
Elevation:	1- STD OR OPT.5 BR	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1 2-ply	T1 Hip Girder	10 /12	35-02-00	4-01-11	2 x 6	1-03-08 1-03-08	1-07-11 1-07-11	365.29 218.00		
	1 2-ply	T1Z Hip Girder	10 /12	35-02-00	4-01-11	2 x 6	1-03-08 1-03-08	1-07-11 1-07-11	365.29 218.00		
	2	T2 Hip	10 /12	35-02-00	5-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	293.44 186.67		
	2	T3 Hip	10 /12	35-02-00	6-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	296.43 188.67		
	2	T4 Hip	10 /12	35-02-00	7-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	323.09 204.33		
	2	T5 Hip	10 /12	35-02-00	8-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	326.19 204.67		
	2	T6 Hip	10 /12	35-02-00	9-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	363.03 228.67		
	5	T7 Hip	10 /12	35-02-00	10-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	866.6 540.00		
	2	T8 Hip	10 /12	35-02-00	11-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	380.36 236.67		
	6	T9 Common	10 /12	16-03-00	8-04-15	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	480.92 308.00		
	1	G9 GABLE	10 /12	16-03-00	8-04-15	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	81.49 53.33		
	1	T10 Common	10 /12	8-02-00	5-00-08	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	38.47 25.83		
	1	G10 GABLE	10 /12	8-02-00	5-00-08	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	40.07 27.83		
	3	T11 Common	10 /12	13-05-00	7-02-12	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	191.27 120.50		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202406
Project:	RUSSELL GARDENS PH.3	Layout ID:	408168
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 5	Page:	2 of 2
Lot #:	318	Date:	04-27-2020
Elevation:	1- STD OR OPT.5 BR	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1	G11 GABLE	10 /12	13-05-00	7-02-12	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	65.46 42.17		
	1	T12 Hip Girder	10 /12	8-02-00	2-02-08	2 x 4	1-03-08 1-03-08	1-00-07 1-00-07	34.43 25.33		
	1	T13 Half Hip Girder	10 /12	7-07-00	2-02-08	2 x 4	1-03-08	1-00-07 1-09-07	31.77 22.50		
	3	PB1 Piggyback	10 /12	14-10-03	2-00-00	2 x 4			135.57 90.00		
	19	J1 Jack-Open	6 /12	5-10-08	4-01-04	2 x 4	1-03-08	1-02-00 4-01-04	319.1 202.67		
	8	J2 Jack-Open	4 /12	4-04-08	2-02-06	2 x 4	1-03-08	3-15 1-09-07	95.29 64.00		

TOTAL # TRUSS= **66** TOTAL BFT OF ALL TRUSSES= **3206.84** BFT. TOTAL WEIGHT OF ALL TRSSES **5093.55** LBS

HARDWARE

QTY	TYPE	MODEL	LENGTH
1	Hardware	HGUS26-2	
5	Hardware	LJS26DS	
1	Hardware	LUS26-2	

TOTAL NUMBER OF ITEMS= **7**

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T1	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:48 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-Mcniq2FIKiqQuZwGH_IYq8JSj_3jkj34wGOweSzNBRL



TOTAL WEIGHT = 2 X 183 = 365 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x6	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	2100F 1.8E	SPF
P - N	2x6	DRY	2100F 1.8E	SPF
N - K	2x6	DRY	2100F 1.8E	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	2	12	SIDE(122.0)
C-F	2	12	SIDE(61.0)
F-H	2	12	SIDE(61.0)
H-J	2	12	SIDE(122.0)
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	SIDE(0.0)
P-N	2	12	SIDE(0.0)
N-K	2	12	SIDE(197.8)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

LICENSED PROFESSIONAL ENGINEER
04/29/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007129 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	RECMD BRG IN-SX
S	3330	0	3330	0	0	5-8	5-8
K	3379	0	3379	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	2354	1553 / 0	0 / 0	0 / 0	0 / 0	801 / 0	0 / 0
K	2388	1572 / 0	0 / 0	0 / 0	0 / 0	816 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.98 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO									
A-B	0 / 42	-91.8	-91.8	0.04 (1)	10.00		R-C	-650 / 0	0.08 (1)
B-C	-3367 / 0	-91.8	-91.8	0.05 (1)	6.02		C-Q	0 / 4509	0.56 (1)
C-T	-6602 / 0	-91.8	-91.8	0.38 (1)	4.31		Q-D	-1799 / 0	0.22 (1)
T-U	-6602 / 0	-91.8	-91.8	0.38 (1)	4.31		D-O	0 / 1370	0.17 (1)
U-V	-6602 / 0	-91.8	-91.8	0.38 (1)	4.31		O-E	-987 / 0	0.12 (1)
V-W	-6602 / 0	-91.8	-91.8	0.38 (1)	4.31		O-G	0 / 1362	0.17 (1)
W-D	-6602 / 0	-91.8	-91.8	0.38 (1)	4.31		M-G	-1787 / 0	0.21 (1)
D-X	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98		M-H	0 / 4481	0.55 (1)
X-Y	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98		L-H	-661 / 0	0.08 (1)
Y-Z	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98		B-R	0 / 2736	0.34 (1)
Z-E	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98		L-I	0 / 2771	0.34 (1)
E-AA	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98				
AA-F	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98				
F-AB	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98				
AB-AC	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98				
AC-AD	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98				
AD-G	-7826 / 0	-91.8	-91.8	0.42 (1)	3.98				
G-AE	-6608 / 0	-91.8	-91.8	0.38 (1)	4.31				
AE-AF	-6608 / 0	-91.8	-91.8	0.38 (1)	4.31				
AF-AG	-6608 / 0	-91.8	-91.8	0.38 (1)	4.31				
AG-H	-6608 / 0	-91.8	-91.8	0.38 (1)	4.31				
H-I	-3410 / 0	-91.8	-91.8	0.05 (1)	6.00				
I-J	0 / 42	-91.8	-91.8	0.04 (1)	10.00				
S-B	-3375 / 0	0.0	0.0	0.12 (1)	7.56				
K-I	-3414 / 0	0.0	0.0	0.12 (1)	7.55				
S-AH	0 / 0	-18.5	-18.5	0.05 (4)	10.00				
AH-R	0 / 0	-18.5	-18.5	0.05 (4)	10.00				
R-AI	0 / 2553	-18.5	-18.5	0.12 (1)	10.00				
AI-AJ	0 / 2553	-18.5	-18.5	0.12 (1)	10.00				
AJ-AK	0 / 2553	-18.5	-18.5	0.12 (1)	10.00				
AK-AL	0 / 2553	-18.5	-18.5	0.12 (1)	10.00				
AL-Q	0 / 2553	-18.5	-18.5	0.12 (1)	10.00				
Q-P	0 / 6602	-18.5	-18.5	0.22 (1)	10.00				
P-AM	0 / 6602	-18.5	-18.5	0.22 (1)	10.00				
AM-AN	0 / 6602	-18.5	-18.5	0.22 (1)	10.00				
AN-O	0 / 6602	-18.5	-18.5	0.22 (1)	10.00				
O-AO	0 / 6609	-18.5	-18.5	0.22 (1)	10.00				
AO-AP	0 / 6609	-18.5	-18.5	0.22 (1)	10.00				
AP-AQ	0 / 6609	-18.5	-18.5	0.22 (1)	10.00				
AQ-N	0 / 6609	-18.5	-18.5	0.22 (1)	10.00				
N-AR	0 / 6609	-18.5	-18.5	0.22 (1)	10.00				
AR-M	0 / 6609	-18.5	-18.5	0.22 (1)	10.00				

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.20")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.37")

CSI: TC=0.42/1.00 (D-E:1) , BC=0.22/1.00 (O-Q:1) , WB=0.56/1.00 (C-Q:1) , SSI=0.22/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (H) (INPUT = 0.90)
JSI METAL= 0.65 (N) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T1	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	8.0	2.50	3.25
C	TTVW+m	MT20	7.0	8.0	3.75	1.50
D	TMWW-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	7.0	8.0	3.75	1.50
I	TMVW-t	MT20	5.0	8.0	2.50	3.25
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.25
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.25
R	BMWW-t	MT20	5.0	6.0		
S	BMV1+p	MT20	3.0	6.0		

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
M-AS	0 / 2586	-18.5	-18.5	0.12 (1)	10.00			
AS-AT	0 / 2586	-18.5	-18.5	0.12 (1)	10.00			
AT-AU	0 / 2586	-18.5	-18.5	0.12 (1)	10.00			
AU-L	0 / 2586	-18.5	-18.5	0.12 (1)	10.00			
L-AV	0 / 0	-18.5	-18.5	0.05 (1)	10.00			
AV-K	0 / 0	-18.5	-18.5	0.05 (1)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	2-11-8	-38	-42	--	FRONT	VERT	DEAD	--	C1
C	2-11-8	-191	-191	--	FRONT	VERT	SNOW	--	C1
H	32-2-8	-38	-42	--	FRONT	VERT	DEAD	--	C1
H	32-2-8	-116	-116	--	FRONT	VERT	TOTAL	--	C1
H	32-2-8	-191	-191	--	FRONT	VERT	SNOW	--	C1
L	31-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
P	11-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
T	3-11-4	-111	-111	--	FRONT	VERT	TOTAL	--	C1
U	5-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
V	7-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
W	9-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
X	11-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
Y	13-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
Z	15-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AA	17-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AB	19-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AC	21-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AD	23-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AE	25-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AF	27-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AG	29-11-4	-110	-110	--	FRONT	VERT	TOTAL	--	C1
AH	1-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AI	3-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AJ	5-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AK	7-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AL	9-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AM	13-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AN	15-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AO	17-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AP	19-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AQ	21-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AR	23-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AS	25-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AT	27-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AU	29-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1
AV	33-11-4	-26	-26	--	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007129

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T1Z	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:49 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-qoL41NGw50yHWjVSripnNNrbzOlzT4?D9w8UBuzNBRK



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x6	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	2100F 1.8E	SPF
P - N	2x6	DRY	2100F 1.8E	SPF
N - K	2x6	DRY	2100F 1.8E	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	2	12	TOP
C-F	2	12	SIDE(183.1)
F-H	2	12	TOP
H-J	2	12	TOP
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	TOP
P-N	2	12	SIDE(197.8)
N-K	2	12	TOP
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

LICENSED PROFESSIONAL ENGINEER
04/29/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007130 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 183 = 365 lb [M]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	3963	0	3963	0	0	5-8	5-8
K	3687	0	3687	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	2793	1690 / 0	0 / 0	0 / 0	0 / 0	902 / 0	0 / 0
K	2599	1756 / 0	0 / 0	0 / 0	0 / 0	843 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.20 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 42	-91.8	-91.8	0.04 (1)	10.00	
B-C	-3986 / 0	-91.8	-91.8	0.06 (1)	5.85	
C-D	-9534 / 0	-91.8	-91.8	0.37 (1)	3.74	
D-T	-12331 / 0	-91.8	-91.8	0.52 (1)	3.20	
T-E	-12331 / 0	-91.8	-91.8	0.52 (1)	3.20	
E-F	-12331 / 0	-91.8	-91.8	0.50 (1)	3.23	
F-G	-12331 / 0	-91.8	-91.8	0.50 (1)	3.23	
G-H	-8575 / 0	-91.8	-91.8	0.33 (1)	3.94	
H-I	-3759 / 0	-91.8	-91.8	0.06 (1)	5.78	
I-J	0 / 42	-91.8	-91.8	0.04 (1)	10.00	
S-B	-3945 / 0	0.0	0.0	0.14 (1)	7.14	
K-I	-3733 / 0	0.0	0.0	0.13 (1)	7.29	
S-R	0 / 0	-18.5	-18.5	0.02 (4)	10.00	
R-Q	0 / 3013	-18.5	-18.5	0.21 (1)	10.00	
Q-P	0 / 9534	-18.5	-18.5	0.67 (1)	10.00	
P-U	0 / 9534	-18.5	-18.5	0.67 (1)	10.00	
U-V	0 / 9534	-18.5	-18.5	0.67 (1)	10.00	
V-O	0 / 9534	-18.5	-18.5	0.67 (1)	10.00	
O-W	0 / 8575	-18.5	-18.5	0.49 (1)	10.00	
W-N	0 / 8575	-18.5	-18.5	0.49 (1)	10.00	
N-M	0 / 8575	-18.5	-18.5	0.49 (1)	10.00	
M-L	0 / 2844	-18.5	-18.5	0.12 (1)	10.00	
L-K	0 / 0	-18.5	-18.5	0.05 (1)	10.00	

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R-C	-1086 / 0	0.13 (1)
R-Q	0 / 7263	0.90 (1)
Q-D	-2160 / 0	0.28 (1)
D-O	0 / 3130	0.39 (1)
O-E	-776 / 0	0.09 (1)
O-G	0 / 4203	0.52 (1)
M-G	-2613 / 0	0.31 (1)
M-H	0 / 6383	0.79 (1)
L-H	-843 / 0	0.10 (1)
B-R	0 / 3239	0.40 (1)
L-I	0 / 3052	0.38 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	17-5-12	-110	-110	---	BACK	VERT	TOTAL	--	C1
O	17-5-12	-26	-26	---	BACK	VERT	TOTAL	--	C1
T	15-5-12	-110	-110	---	BACK	VERT	TOTAL	--	C1
U	13-8-8	-1615	-1615	---	BACK	VERT	TOTAL	--	C1
V	15-5-12	-26	-26	---	BACK	VERT	TOTAL	--	C1
W	18-9-8	-1620	-1620	---	BACK	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.8	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.35")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 657 (0.64")

CSI: TC=0.52/1.00 (D-E:1) , BC=0.67/1.00 (O-Q:1) , WB=0.90/1.00 (C-Q:1) , SSI=0.53/1.00 (M-O:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (C) (INPUT = 0.90)
JSI METAL= 0.95 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408168	T1Z	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:DMCubINVR8TstFae31v6I_zns1I-goL41NGw50yHWiVSripnNNrbzOlzT4?D9w8UBuzNBRK

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	6.0	9.0		
C	TTWW+m	MT20	8.0	9.0	Edge	6.50
D	TMWW-t	MT20	5.0	8.0	2.50	2.50
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0	2.50	2.50
H	TTWW+m	MT20	8.0	9.0	Edge	6.50
I	TMVW+p	MT20	6.0	9.0		
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.75
M	BMWW-t	MT20	5.0	8.0	2.50	2.00
N	BS-t	MT20	6.0	9.0		
O	BMWWW-t	MT20	5.0	12.0	3.00	6.00
P	BS-t	MT20	6.0	9.0		
Q	BMWW-t	MT20	5.0	8.0	2.50	2.00
R	BMWW-t	MT20	5.0	6.0	2.50	2.75
S	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007130 92

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T2	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:50 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1I-I?vSFjHZsJ487s3fPPK0vaOkaof0CfaMOat1jKzNBRJ



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
I - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	Edge	2.75
C	TTWW+m	MT20	6.0	9.0	Edge	1.75
D, E, H						
D	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
I	TTWW+m	MT20	6.0	9.0	Edge	1.75
J	TMVW+p	MT20	5.0	6.0	Edge	2.75
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	4.0	6.0	2.00	2.75
N	BMWW-t	MT20	5.0	8.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	4.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	5.0	6.0		
T	BMWW-t	MT20	4.0	6.0	2.00	2.75
U	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007131

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 147 = 293 lb (M)

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
U	2066	0	2066	0	0	5-8	5-8
L	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LOASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.20 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)		10.00
B-C	-1960 / 0	-91.8	-91.8	0.39 (1)		4.46
C-D	-2871 / 0	-91.8	-91.8	0.57 (1)		3.59
D-E	-3506 / 0	-91.8	-91.8	0.65 (1)		3.21
E-F	-3505 / 0	-91.8	-91.8	0.53 (1)		3.36
F-G	-3505 / 0	-91.8	-91.8	0.53 (1)		3.36
G-H	-3505 / 0	-91.8	-91.8	0.66 (1)		3.20
H-I	-2871 / 0	-91.8	-91.8	0.57 (1)		3.59
I-J	-1960 / 0	-91.8	-91.8	0.39 (1)		4.46
J-K	0 / 41	-91.8	-91.8	0.13 (1)		10.00
U-B	-2037 / 0	0.0	0.0	0.22 (1)		5.92
L-J	-2037 / 0	0.0	0.0	0.22 (1)		5.92
U-T	0 / 0	-18.5	-18.5	0.10 (4)		10.00
T-S	0 / 1494	-18.5	-18.5	0.30 (1)		10.00
S-R	0 / 2871	-18.5	-18.5	0.51 (1)		10.00
R-Q	0 / 2871	-18.5	-18.5	0.51 (1)		10.00
Q-P	0 / 3506	-18.5	-18.5	0.62 (1)		10.00
P-O	0 / 2872	-18.5	-18.5	0.51 (1)		10.00
O-N	0 / 2872	-18.5	-18.5	0.51 (1)		10.00
N-M	0 / 1494	-18.5	-18.5	0.30 (1)		10.00
M-L	0 / 0	-18.5	-18.5	0.10 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
T-C	-358 / 0	0.14 (1)
C-S	0 / 1836	0.41 (1)
S-D	-1118 / 0	0.43 (1)
D-Q	0 / 866	0.19 (1)
Q-E	-475 / 0	0.18 (1)
E-P	-2 / 0	0.00 (1)
P-Q	-474 / 0	0.18 (1)
P-H	0 / 853	0.19 (1)
N-H	-1117 / 0	0.43 (1)
N-I	0 / 1837	0.41 (1)
M-I	-358 / 0	0.14 (1)
B-T	0 / 1571	0.35 (1)
M-J	0 / 1571	0.35 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.20")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=0.66/1.00 (G-H:1) , BC=0.62/1.00 (P-Q:1) , WB=0.43/1.00 (D-S:1) , SSI=0.23/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (N) (INPUT = 0.90)
JSI METAL= 0.90 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T3	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:51 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-mBTrS3IBddC?I0sry7rFSoxtJC1Ex4wWcEdaFnzNBRI



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
S - P	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.50	3.00
C	TTWW+m	MT20	8.0	9.0	Edge	1.75
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	4.0		
H	TTWW+m	MT20	6.0	9.0	Edge	1.75
I	TMVW-p	MT20	5.0	6.0	1.50	3.00
K	BMV1+p	MT20	3.0	4.0		
L, M, Q, R						
L	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BS-t	MT20	3.0	6.0		
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007132

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 148 = 296 lb [M]

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
S	2066	0	2066	0	0	5-8	5-8
K	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
K	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.28 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00	R-C	-246 / 7	0.14 (1)
B-C	-2004 / 0	-91.8	-91.8	0.64 (1)	4.11	C-Q	0 / 1538	0.35 (1)
C-D	-2653 / 0	-91.8	-91.8	0.74 (1)	3.50	Q-D	-943 / 0	0.55 (1)
D-E	-2978 / 0	-91.8	-91.8	0.78 (1)	3.28	D-O	0 / 450	0.10 (1)
E-F	-2978 / 0	-91.8	-91.8	0.78 (1)	3.28	O-E	-513 / 0	0.30 (1)
F-G	-2978 / 0	-91.8	-91.8	0.78 (1)	3.28	O-G	0 / 450	0.10 (1)
G-H	-2653 / 0	-91.8	-91.8	0.74 (1)	3.50	M-G	-943 / 0	0.55 (1)
H-I	-2004 / 0	-91.8	-91.8	0.64 (1)	4.11	M-H	0 / 1538	0.35 (1)
I-J	0 / 41	-91.8	-91.8	0.13 (1)	10.00	L-H	-246 / 7	0.14 (1)
S-B	-2026 / 0	0.0	0.0	0.22 (1)	5.94	B-R	0 / 1580	0.36 (1)
K-I	-2026 / 0	0.0	0.0	0.22 (1)	5.94	L-I	0 / 1580	0.36 (1)
S-R	0 / 0	-18.5	-18.5	0.14 (4)	10.00			
R-Q	0 / 1532	-18.5	-18.5	0.33 (1)	10.00			
Q-P	0 / 2653	-18.5	-18.5	0.49 (1)	10.00			
P-O	0 / 2653	-18.5	-18.5	0.49 (1)	10.00			
O-N	0 / 2653	-18.5	-18.5	0.49 (1)	10.00			
N-M	0 / 2653	-18.5	-18.5	0.49 (1)	10.00			
M-L	0 / 1532	-18.5	-18.5	0.33 (1)	10.00			
L-K	0 / 0	-18.5	-18.5	0.14 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.8	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.18")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.29")

CSI: TC=0.78/1.00 (E-G:1) , BC=0.49/1.00 (M-O:1) , WB=0.55/1.00 (G-M:1) , SSI=0.27/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (B) (INPUT = 0.90)
JSI METAL= 0.85 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T4	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:52 2020 Page 1

ID:DMCubINVR6TstFos31v6I_zns1I-EN1DfPlpOxKsNAD1WqNU_?T6RbNZgQVfruM8oDzNBRH



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	8.0	2.50	2.25
D	TTWW+m	MT20	5.0	8.0	2.00	1.75
E	TMWW-t	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0		
I	TTWW+m	MT20	5.0	8.0	2.00	1.75
J	TMWW-t	MT20	5.0	6.0	2.50	2.25
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-t	MT20	5.0	6.0	2.25	3.00
N	BMWW-t	MT20	4.0	4.0		
O	BMWW+t	MT20	4.0	6.0		
P	BS-t	MT20	3.0	6.0		
Q	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW+t	MT20	4.0	6.0		
T	BMWW-t	MT20	4.0	4.0		
U	BMVW1-t	MT20	5.0	6.0	2.25	3.00

Structural component only
DWG# T-2007133

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 162 = 323 lb

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
U	2066	0	2066	0	0	5-8	5-8
M	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS				
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
M	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.77 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS						WEBS			
MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00	C-T	0 / 166	0.04 (1)
B-C	0 / 19	-91.8	-91.8	0.14 (1)	10.00	T-D	0 / 76	0.03 (4)
C-D	-2023 / 0	-91.8	-91.8	0.20 (1)	4.59	D-S	0 / 1220	0.27 (1)
D-E	-2308 / 0	-91.8	-91.8	0.55 (1)	3.94	S-E	-850 / 0	0.74 (1)
E-F	-2534 / 0	-91.8	-91.8	0.57 (1)	3.77	E-Q	0 / 361	0.08 (1)
F-G	-2534 / 0	-91.8	-91.8	0.57 (1)	3.77	Q-F	-481 / 0	0.40 (1)
G-H	-2534 / 0	-91.8	-91.8	0.57 (1)	3.77	Q-H	0 / 361	0.08 (1)
H-I	-2308 / 0	-91.8	-91.8	0.55 (1)	3.94	O-H	-850 / 0	0.74 (1)
I-J	-2023 / 0	-91.8	-91.8	0.20 (1)	4.59	O-I	0 / 1220	0.27 (1)
J-K	0 / 19	-91.8	-91.8	0.14 (1)	10.00	N-I	0 / 76	0.03 (4)
K-L	0 / 41	-91.8	-91.8	0.13 (1)	10.00	N-J	0 / 166	0.04 (1)
U-B	-246 / 0	0.0	0.0	0.03 (1)	7.81	U-C	-2277 / 0	0.98 (1)
M-K	-246 / 0	0.0	0.0	0.03 (1)	7.81	J-M	-2277 / 0	0.98 (1)
U-T	0 / 1433	-18.5	-18.5	0.33 (1)	10.00			
T-S	0 / 1535	-18.5	-18.5	0.35 (1)	10.00			
S-R	0 / 2308	-18.5	-18.5	0.42 (1)	10.00			
R-Q	0 / 2308	-18.5	-18.5	0.42 (1)	10.00			
Q-P	0 / 2308	-18.5	-18.5	0.42 (1)	10.00			
P-O	0 / 2308	-18.5	-18.5	0.42 (1)	10.00			
O-N	0 / 1535	-18.5	-18.5	0.35 (1)	10.00			
N-M	0 / 1433	-18.5	-18.5	0.33 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.13")
ALLOWABLE DEFL.(TL)= L/240 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.23")

CSI: TC=0.57/1.00 (E-F:1) , BC=0.42/1.00 (O-C:1) , WB=0.99/1.00 (J-M:1) , SSI=0.24/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (I) (INPUT = 0.90)
JSI METAL= 0.72 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T5	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:53 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-iabbtlJR9ESj_KoE4YujXD0Eb?jpPtp4Y6hKfzNBRG



TOTAL WEIGHT = 2 X 163 = 326 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	8.0	2.50	2.50
D	TTWW+m	MT20	5.0	8.0	2.00	1.75
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW+m	MT20	5.0	8.0	2.00	1.75
I	TMWW-t	MT20	5.0	6.0	2.50	2.50
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	5.0	6.0		
M	BMWW-t	MT20	4.0	4.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWW-t	MT20	4.0	6.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMVW1-t	MT20	5.0	6.0		



Structural component only
DWG# T-2007134

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2066	0	2066	0	0	5-8	5-8
L	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.81 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
B-C	0 / 26	-91.8	-91.8	0.21 (1)	10.00	
C-D	-2008 / 0	-91.8	-91.8	0.29 (1)	4.50	
D-E	-2163 / 0	-91.8	-91.8	0.73 (1)	3.81	
E-F	-2162 / 0	-91.8	-91.8	0.73 (1)	3.81	
F-G	-2162 / 0	-91.8	-91.8	0.73 (1)	3.81	
G-H	-2162 / 0	-91.8	-91.8	0.73 (1)	3.82	
H-I	-2008 / 0	-91.8	-91.8	0.29 (1)	4.50	
I-J	0 / 26	-91.8	-91.8	0.21 (1)	10.00	
J-K	0 / 41	-91.8	-91.8	0.13 (1)	10.00	
S-B	-264 / 0	0.0	0.0	0.03 (1)	7.81	
L-J	-264 / 0	0.0	0.0	0.03 (1)	7.81	
S-R	0 / 1487	-18.5	-18.5	0.38 (1)	10.00	
R-Q	0 / 1519	-18.5	-18.5	0.39 (1)	10.00	
Q-P	0 / 1519	-18.5	-18.5	0.39 (1)	10.00	
P-O	0 / 2163	-18.5	-18.5	0.42 (1)	10.00	
O-N	0 / 1519	-18.5	-18.5	0.39 (1)	10.00	
N-M	0 / 1519	-18.5	-18.5	0.39 (1)	10.00	
M-L	0 / 1487	-18.5	-18.5	0.38 (1)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-R	0 / 64	0.02 (4)
R-D	0 / 126	0.04 (4)
D-P	0 / 998	0.22 (1)
P-E	-650 / 0	0.82 (1)
E-O	-2 / 0	0.00 (1)
O-G	-649 / 0	0.82 (1)
O-H	0 / 998	0.22 (1)
M-H	0 / 126	0.04 (4)
M-I	0 / 64	0.02 (4)
S-C	-2291 / 0	0.97 (1)
I-L	-2291 / 0	0.97 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. O/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.10")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.21")

CSI: TC=0.73/1.00 (D-E:1) , BC=0.42/1.00 (O-P:1) , WB=0.97/1.00 (I-L:1) , SSI=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (I) (INPUT = 0.90)
JSI METAL= 0.56 (I) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T6	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:55 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-eyiLIRLhhsiQEeycBzwBce5fFpQxtxr5XsboOYzNBRE



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - Q	2x4	DRY	No.2	SPF
E - P	2x4	DRY	No.2	SPF
P - H	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	8.0	2.00	2.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.25
D	TTWW-m	MT20	5.0	8.0	2.00	1.75
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	2.00	1.75
I	TMWW-t	MT20	4.0	4.0	2.00	1.25
J	TMVW+p	MT20	5.0	8.0	2.00	2.00
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	8.0		
N, Q, S						
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	6.0		
T	BMWW-t	MT20	5.0	6.0		
U	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007135

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 182 = 363 lb [M][F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
U	2066	0	2066	0	0	5-8	5-8
L	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.44 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-Q, E-P, G-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)		10.00
B-C	-1994 / 0	-91.8	-91.8	0.30 (1)		4.53
C-D	-1957 / 0	-91.8	-91.8	0.29 (1)		4.57
D-E	-1923 / 0	-91.8	-91.8	0.40 (1)		4.44
E-F	-1921 / 0	-91.8	-91.8	0.37 (1)		4.49
F-G	-1921 / 0	-91.8	-91.8	0.37 (1)		4.49
G-H	-1921 / 0	-91.8	-91.8	0.40 (1)		4.45
H-I	-1957 / 0	-91.8	-91.8	0.29 (1)		4.57
I-J	-1994 / 0	-91.8	-91.8	0.30 (1)		4.53
J-K	0 / 41	-91.8	-91.8	0.13 (1)		10.00
U-B	-2028 / 0	0.0	0.0	0.22 (1)		5.94
L-J	-2028 / 0	0.0	0.0	0.22 (1)		5.94
U-T	0 / 0	-18.5	-18.5	0.08 (4)		10.00
T-S	0 / 1555	-18.5	-18.5	0.30 (1)		10.00
S-R	0 / 1477	-18.5	-18.5	0.30 (1)		10.00
R-Q	0 / 1477	-18.5	-18.5	0.30 (1)		10.00
Q-P	0 / 1923	-18.5	-18.5	0.38 (1)		10.00
P-O	0 / 1478	-18.5	-18.5	0.30 (1)		10.00
O-N	0 / 1478	-18.5	-18.5	0.30 (1)		10.00
N-M	0 / 1555	-18.5	-18.5	0.31 (1)		10.00
M-L	0 / 0	-18.5	-18.5	0.08 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
T-C	-357 / 0	0.16 (1)
C-S	-121 / 0	0.10 (1)
S-D	0 / 189	0.05 (4)
D-Q	0 / 810	0.13 (1)
Q-E	-589 / 0	0.31 (1)
E-P	-3 / 0	0.00 (1)
P-G	-568 / 0	0.31 (1)
P-H	0 / 807	0.13 (1)
N-H	0 / 189	0.05 (4)
N-I	-121 / 0	0.10 (1)
M-I	-358 / 0	0.16 (1)
B-T	0 / 1617	0.36 (1)
M-J	0 / 1617	0.36 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.16")

CSI: TC=0.40/1.00 (D-E:1) , BC=0.38/1.00 (P-Q:1) , WB=0.36/1.00 (B-T:1) , SSI=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (B) (INPUT = 0.90)
JSI METAL= 0.50 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T7	5	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:58 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-79GkVnMJS9qHrnXplqRQ9relkDmacKeFmWKLx_zNBRD



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - Q	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	6.0	1.50	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.25
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.25	1.50
G	TMWW-t	MT20	4.0	4.0	2.00	1.25
H	TMWW-p	MT20	5.0	6.0	1.50	3.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	2066	0	2066	0	0	5-8	5-8
J	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.96 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00
B-C	-2021 / 0	-91.8	-91.8	0.39 (1)	4.41
C-D	-1909 / 0	-91.8	-91.8	0.37 (1)	4.52
D-E	-1809 / 0	-91.8	-91.8	0.74 (1)	3.96
E-F	-1809 / 0	-91.8	-91.8	0.74 (1)	3.96
F-G	-1908 / 0	-91.8	-91.8	0.37 (1)	4.52
G-H	-2021 / 0	-91.8	-91.8	0.39 (1)	4.41
H-I	0 / 41	-91.8	-91.8	0.13 (1)	10.00
R-B	-2024 / 0	0.0	0.0	0.22 (1)	5.94
J-H	-2024 / 0	0.0	0.0	0.22 (1)	5.94
R-Q	0 / 0	-18.5	-18.5	0.10 (4)	10.00
Q-P	0 / 1560	-18.5	-18.5	0.34 (1)	10.00
P-O	0 / 1437	-18.5	-18.5	0.35 (1)	10.00
O-N	0 / 1437	-18.5	-18.5	0.35 (1)	10.00
N-M	0 / 1437	-18.5	-18.5	0.35 (1)	10.00
M-L	0 / 1437	-18.5	-18.5	0.35 (1)	10.00
L-K	0 / 1560	-18.5	-18.5	0.34 (1)	10.00
K-J	0 / 0	-18.5	-18.5	0.10 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-302 / 0	0.17 (1)
C-P	-217 / 0	0.25 (1)
P-D	0 / 278	0.08 (1)
D-N	0 / 615	0.10 (1)
N-E	-838 / 0	0.58 (1)
N-F	0 / 615	0.10 (1)
L-F	0 / 278	0.08 (1)
L-G	-217 / 0	0.25 (1)
K-G	-302 / 0	0.17 (1)
B-Q	0 / 1629	0.37 (1)
K-H	0 / 1629	0.37 (1)

TOTAL WEIGHT = 5 X 173 = 867 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.17")

CSI: TC=0.74/1.00 (D-E:1) , BC=0.35/1.00 (L-N:1) , WB=0.58/1.00 (E-N:1) , SSI=0.33/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR (PSI) MAX	MIN	SECTION (PLI) MAX	MIN	MAX
MT20		618	354	1667	788	1987 1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (H) (INPUT = 0.90)
JSI METAL= 0.48 (O) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. GALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007136

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T8	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:57 2020 Page 1
ID:DMCublNVR6TstFoe31v6l_zns1l-bLq6j7MyDTz8Tx6?JNyfh3A_Cc6BLq3O?A4vTQzNBRC



TOTAL WEIGHT = 2 X 190 = 380 lb [M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
T - S	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
T - Q	2x4	DRY	No.2	SPF
Q - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
S - C	2x3	DRY	No.2	SPF
C - R	2x3	DRY	No.2	SPF
N - I	2x3	DRY	No.2	SPF
M - I	2x3	DRY	No.2	SPF
B - S	2x3	DRY	No.2	SPF
M - J	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	6.0	1.50	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.25
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	8.0	Edge	3.00
F	TMW+w	MT20	2.0	4.0		
G	TTWW-m	MT20	5.0	8.0	Edge	3.00
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.25
J	TMWW-p	MT20	5.0	6.0	1.50	3.00
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0		
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMWW-t	MT20	5.0	6.0		
T	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007137

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
T	2066	0	2066	0	0	IN-SX	IN-SX
L	2066	0	2066	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.27 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-R, F-P, I-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC FROM	TO	MAX (PLF)	CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.13 (1)		10.00
B-C	-2039 / 0	-91.8	-91.8	0.50 (1)		4.27
C-D	-1844 / 0	-91.8	-91.8	0.46 (1)		4.47
D-E	-1844 / 0	-91.8	-91.8	0.46 (1)		4.47
E-F	-1621 / 0	-91.8	-91.8	0.50 (1)		4.60
F-G	-1621 / 0	-91.8	-91.8	0.50 (1)		4.60
G-H	-1844 / 0	-91.8	-91.8	0.46 (1)		4.47
H-I	-1844 / 0	-91.8	-91.8	0.46 (1)		4.47
I-J	-2039 / 0	-91.8	-91.8	0.50 (1)		4.27
J-K	0 / 41	-91.8	-91.8	0.13 (1)		10.00
T-B	-2021 / 0	0.0	0.0	0.21 (1)		5.94
L-J	-2021 / 0	0.0	0.0	0.21 (1)		5.94
T-S	0 / 0	-18.5	-18.5	0.14 (4)		10.00
S-R	0 / 1597	-18.5	-18.5	0.33 (1)		10.00
R-Q	0 / 1387	-18.5	-18.5	0.30 (1)		10.00
Q-P	0 / 1387	-18.5	-18.5	0.30 (1)		10.00
P-O	0 / 1387	-18.5	-18.5	0.30 (1)		10.00
O-N	0 / 1387	-18.5	-18.5	0.30 (1)		10.00
N-M	0 / 1597	-18.5	-18.5	0.33 (1)		10.00
M-L	0 / 0	-18.5	-18.5	0.14 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
S-C	-245 / 10	0.17 (1)
C-R	-314 / 0	0.15 (1)
R-E	0 / 338	0.05 (1)
E-P	0 / 469	0.08 (1)
P-F	-699 / 0	0.45 (1)
P-G	0 / 469	0.08 (1)
N-G	0 / 338	0.05 (1)
N-I	-314 / 0	0.15 (1)
M-I	-245 / 10	0.17 (1)
B-S	0 / 1637	0.37 (1)
M-J	0 / 1637	0.37 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.14")

CSI: TC=0.50/1.00 (E-F:1) , BC=0.33/1.00 (M-N:1) , WB=0.45/1.00 (F-P:1) , SSI=0.28/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	619	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (J) (INPUT = 0.90)
JSI METAL= 0.47 (O) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T9	6	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:56 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-3XOUwSNa_n5?55hBt5UuEGjD_0Uq4EhYDqpS?tzNBRB



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
L - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	8.0		
D	TTWW+p	MT20	4.0	8.0	Edge	
E	TMWW-t	MT20	4.0	6.0		
F	TMV+p	MT20	3.0	4.0		
H	BMVW1-t	MT20	4.0	4.0		
I	BMWW+t	MT20	4.0	6.0		
J	BS-t	MT20	3.0	6.0		
K	BMWW+t	MT20	4.0	6.0		
L	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
L	1023	0	1023	0	0	5-8	5-8
H	1023	0	1023	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	721	487 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0
H	721	487 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 41	-91.8	-91.8	1	0.13 (1)	10.00	D-I	0 / 330	0.07 (1)
B-C	0 / 28	-91.8	-91.8	1	0.24 (1)	10.00	I-E	-216 / 0	0.09 (1)
C-D	-745 / 0	-91.8	-91.8	1	0.19 (1)	6.25	K-D	0 / 330	0.07 (1)
D-E	-745 / 0	-91.8	-91.8	1	0.19 (1)	6.25	C-K	-216 / 0	0.09 (1)
E-F	0 / 28	-91.8	-91.8	1	0.24 (1)	10.00	L-C	-943 / 0	0.61 (1)
F-G	0 / 41	-91.8	-91.8	1	0.13 (1)	10.00	E-H	-943 / 0	0.61 (1)
L-B	-267 / 0	0.0	0.0	1	0.03 (1)	7.81			
H-F	-267 / 0	0.0	0.0	1	0.03 (1)	7.81			
L-K	0 / 616	-18.5	-18.5	1	0.17 (4)	10.00			
K-J	0 / 449	-18.5	-18.5	1	0.16 (4)	10.00			
J-I	0 / 449	-18.5	-18.5	1	0.16 (4)	10.00			
I-H	0 / 616	-18.5	-18.5	1	0.17 (4)	10.00			

TOTAL WEIGHT = 6 X 80 = 481 lb [M(F)]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.24/1.00 (B-C:1) , BC=0.17/1.00 (H-I:4) , WB=0.61/1.00 (C-L:1) , SSI=0.14/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1567	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.76 (C) (INPUT = 0.90)
JSI METAL= 0.25 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007138

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	G9	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:40 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns1I-b4Ih8J9HDFpZxKJkpJ9gVTzANmNyICAu40SVMwzNBRT



TOTAL WEIGHT = 81 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - F	2x4	DRY	No.2	SPF
F - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW+p	MT20	4.0	4.0	1.00	2.00
C, D, E, G, H, I						
C	TMW+w	MT20	2.0	4.0		
F	TTW+p	MT20	4.0	6.0	Edge	
J	TMW+p	MT20	4.0	4.0	1.00	2.00
L	BMV1+p	MT20	3.0	4.0		
M	BMWW1-t	MT20	4.0	4.0		
N, P, Q, R, S						
N	BMW1+w	MT20	2.0	4.0		
O	BS-t	MT20	3.0	6.0		
T	BMWW1-t	MT20	4.0	4.0		
U	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 41	-91.8	-91.8	0.13 (1)	10.00		Q-F	-124 / 0	0.17 (1)
B-C	-28 / 0	-91.8	-91.8	0.05 (1)	6.25		R-E	-210 / 0	0.18 (1)
C-D	-36 / 0	-91.8	-91.8	0.05 (1)	6.25		S-D	-169 / 0	0.06 (1)
D-E	-24 / 0	-91.8	-91.8	0.05 (1)	6.25		T-C	-205 / 0	0.04 (1)
E-F	-36 / 0	-91.8	-91.8	0.05 (1)	6.25		P-G	-210 / 0	0.18 (1)
F-G	-36 / 0	-91.8	-91.8	0.05 (1)	6.25		N-H	-169 / 0	0.06 (1)
G-H	-24 / 0	-91.8	-91.8	0.05 (1)	6.25		M-I	-205 / 0	0.04 (1)
H-I	-36 / 0	-91.8	-91.8	0.05 (1)	6.25		B-T	0 / 37	0.01 (1)
I-J	-28 / 0	-91.8	-91.8	0.05 (1)	6.25		M-J	0 / 37	0.01 (1)
J-K	0 / 41	-91.8	-91.8	0.13 (1)	10.00				
U-B	-246 / 0	0.0	0.0	0.03 (1)	7.81				
L-J	-246 / 0	0.0	0.0	0.03 (1)	7.81				
U-T	0 / 0	-18.5	-18.5	0.02 (4)	10.00				
T-S	0 / 25	-18.5	-18.5	0.02 (4)	10.00				
S-R	0 / 21	-18.5	-18.5	0.02 (4)	10.00				
R-Q	0 / 18	-18.5	-18.5	0.02 (4)	10.00				
Q-P	0 / 18	-18.5	-18.5	0.02 (4)	10.00				
P-O	0 / 21	-18.5	-18.5	0.02 (4)	10.00				
O-N	0 / 21	-18.5	-18.5	0.02 (4)	10.00				
N-M	0 / 25	-18.5	-18.5	0.02 (4)	10.00				
M-L	0 / 0	-18.5	-18.5	0.02 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.8	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF SCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (A-B:1) , BC=0.02/1.00 (M-N:4) , WB=0.17/1.00 (F-Q:1) , SSI=0.08/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	816	354	1667	788	1967	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.52 (T) (INPUT = 0.90)
JSI METAL= 0.11 (G) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007123

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T10	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:59 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-XIys8oOCI4DsiFFNQo?7nUGOUQrOpqnhSUZ?XJzNBRA



TOTAL WEIGHT = 38 lb
[M|F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTW+p	MT20	4.0	6.0	Edge	
D	TMVW+p	MT20	4.0	4.0	1.00	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
H	577	0	577	0	0	5-8	5-8
F	577	0	577	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	406	280 / 0	0 / 0	0 / 0	0 / 0	126 / 0	0 / 0
F	406	280 / 0	0 / 0	0 / 0	0 / 0	126 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 41		-91.8	-91.8	0.13 (1)		10.00	G-C	-37 / 57	0.02 (4)
B-C	-264 / 0		-91.8	-91.8	0.20 (1)		6.25	B-G	0 / 213	0.05 (1)
C-D	-264 / 0		-91.8	-91.8	0.20 (1)		6.25	G-D	0 / 213	0.05 (1)
D-E	0 / 41		-91.8	-91.8	0.13 (1)		10.00			
H-B	-548 / 0		0.0	0.0	0.06 (1)		7.81			
F-D	-548 / 0		0.0	0.0	0.06 (1)		7.81			
H-G	0 / 0		-18.5	-18.5	0.09 (4)		10.00			
G-F	0 / 0		-18.5	-18.5	0.09 (4)		10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.27")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.27")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.20/1.00 (B-C:1) , BC=0.09/1.00 (F-G:4) , WB=0.05/1.00 (D-G:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.46 (D) (INPUT = 0.90)
JSI METAL= 0.12 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007139

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	G10	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:41 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I_znstI-3Gs3MeAv_YyQYUtwN0gv2hWL7AjCchL2JgC3vMzNBRS



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
L - B	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - H	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TMW+w	MT20	2.0	4.0		
D	TTW+p	MT20	4.0	6.0	Edge	
E	TMW+w	MT20	2.0	4.0		
F	TMVW+p	MT20	4.0	4.0	1.00	2.00
H	BMV1+p	MT20	3.0	4.0		
I	BMWW1-I	MT20	4.0	4.0		
J	BMW1+w	MT20	2.0	4.0		
K	BMWW1-I	MT20	4.0	4.0		
L	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007124

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
L-B	-224 / 0	0.0	0.0	0.02 (1)		7.81
A-B	0 / 41	-91.8	-91.8	0.13 (1)		10.00
B-C	-11 / 0	-91.8	-91.8	0.06 (1)		6.25
C-D	-31 / 0	-91.8	-91.8	0.06 (1)		6.25
D-E	-31 / 0	-91.8	-91.8	0.06 (1)		6.25
E-F	-11 / 0	-91.8	-91.8	0.06 (1)		6.25
F-G	0 / 41	-91.8	-91.8	0.13 (1)		10.00
H-F	-224 / 0	0.0	0.0	0.02 (1)		7.81
L-K	0 / 0	-18.5	-18.5	0.02 (4)		10.00
K-J	0 / 13	-18.5	-18.5	0.02 (4)		10.00
J-I	0 / 13	-18.5	-18.5	0.02 (4)		10.00
I-H	0 / 0	-18.5	-18.5	0.02 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-D	-126 / 0	0.05 (1)
K-C	-227 / 0	0.04 (1)
I-E	-227 / 0	0.04 (1)
B-K	0 / 24	0.01 (1)
I-F	0 / 24	0.01 (1)

TOTAL WEIGHT = 40 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (A-B:1) , BC=0.02/1.00 (J-K:4) , WB=0.05/1.00 (D-J:1) , SSI=0.08/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.17 (C) (INPUT = 0.90)
JSI METAL= 0.12 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T11	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:35:00 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1I-?wWEL8PqVOLjKPqa_WWMJhcZlq8hYBarh8IZ4lzNBR9



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0		
D	TTW+p	MT20	4.0	6.0	Edge	
E	TMWW-t	MT20	4.0	4.0		
F	TMV+p	MT20	3.0	4.0		
H	BMVW1-t	MT20	4.0	4.0		
I	BMWWW-t	MT20	4.0	9.0		
J	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
J	867	0	867	0	0	IN-SX	IN-SX
H	867	0	867	0	0	5-8 MECHANICAL	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
J	611	414 / 0	0 / 0	0 / 0	0 / 0	196 / 0	0 / 0
H	611	414 / 0	0 / 0	0 / 0	0 / 0	196 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	CSI	MAX (LC)	MAX. UNBRAC LENGTH
A- B	0 / 41	-91.8	-91.8	0.13	(1)	10.00	10.00
B- C	0 / 23	-91.8	-91.8	0.16	(1)	10.00	10.00
C- D	-509 / 0	-91.8	-91.8	0.13	(1)	10.00	6.25
D- E	-509 / 0	-91.8	-91.8	0.13	(1)	10.00	6.25
E- F	0 / 23	-91.8	-91.8	0.16	(1)	10.00	10.00
F- G	0 / 41	-91.8	-91.8	0.13	(1)	10.00	10.00
J- B	-244 / 0	0.0	0.0	0.03	(1)	7.81	
H- F	-244 / 0	0.0	0.0	0.03	(1)	7.81	
J- I	0 / 469	-18.5	-18.5	0.27	(4)	10.00	
I- H	0 / 469	-18.5	-18.5	0.27	(4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
I- D	0 / 382	0.09 (1)
I- E	-149 / 0	0.07 (1)
C- I	-149 / 0	0.07 (1)
J- C	-742 / 0	0.33 (1)
E- H	-742 / 0	0.33 (1)

TOTAL WEIGHT = 3 X 64 = 191 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.45")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.45")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.16/1.00 (E-F:1) , BC=0.27/1.00 (I-J:4) , WB=0.33/1.00 (E-H:1) , SSI=0.11/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.84 (E) (INPUT = 0.90)
JSI METAL= 0.27 (E) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/22/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007140

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	G11	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:42 2020 Page 1
ID:DMCubINVR6TstFoe31v8I_zns1I-XSQRZ_BXIs4GAeS6xkB8au3WtZ3HL6XBYKxcRozNBRP



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
P - B	2x4	DRY	No.2	SPF
A - E	2x4	DRY	No.2	SPF
E - I	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - J	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW+p	MT20	4.0	4.0	1.00	2.00
C, D, F, G						
C	TMW+w	MT20	2.0	4.0		
E	TTW+p	MT20	4.0	6.0	Edge	
H	TMW+p	MT20	4.0	4.0	1.00	2.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW1-t	MT20	4.0	4.0		
L, M, N						
L	BMW1+w	MT20	2.0	4.0		
O	BMWW1-t	MT20	4.0	4.0		
P	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

TOTAL WEIGHT = 65 lb [M]

CHORDS

MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
FR-TO						
P-B	-283 / 0	0.0	0.0	0.03 (1)		7.81
A-B	0 / 41	-91.8	-91.8	0.13 (1)		10.00
B-C	-24 / 0	-91.8	-91.8	0.08 (1)		6.25
C-D	-36 / 0	-91.8	-91.8	0.08 (1)		6.25
D-E	-35 / 0	-91.8	-91.8	0.05 (1)		6.25
E-F	-35 / 0	-91.8	-91.8	0.05 (1)		6.25
F-G	-36 / 0	-91.8	-91.8	0.08 (1)		6.25
G-H	-24 / 0	-91.8	-91.8	0.08 (1)		6.25
H-I	0 / 41	-91.8	-91.8	0.13 (1)		10.00
J-H	-263 / 0	0.0	0.0	0.03 (1)		7.81
P-O	0 / 0	-18.5	-18.5	0.03 (4)		10.00
O-N	0 / 22	-18.5	-18.5	0.03 (4)		10.00
N-M	0 / 19	-18.5	-18.5	0.02 (4)		10.00
M-L	0 / 19	-18.5	-18.5	0.02 (4)		10.00
L-K	0 / 22	-18.5	-18.5	0.03 (4)		10.00
K-J	0 / 0	-18.5	-18.5	0.03 (4)		10.00

WEBS

MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		
M-E	-128 / 0	0.11 (1)
N-D	-190 / 0	0.09 (1)
O-C	-239 / 0	0.06 (1)
L-F	-190 / 0	0.09 (1)
K-G	-239 / 0	0.06 (1)
B-O	0 / 32	0.01 (1)
K-H	0 / 32	0.01 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (H-I:1) , BC=0.03/1.00 (K-L:4) , WB=0.11/1.00 (E-M:1) , SSI=0.08/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	786	1997	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.20 (B) (INPUT = 0.90)
JSI METAL= 0.13 (G) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007125

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T12	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:35:01 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-T63dYUPSGiTayZPmYD1bsvLjXEW1Hhl_vn26cCzNBR8



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
L - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTWW-m	MT20	5.0	8.0	1.75	2.00
D	TMW+w	MT20	2.0	4.0		
E	TTWW-m	MT20	5.0	8.0	1.75	2.00
F	TMVW+p	MT20	4.0	4.0	1.00	2.00
H	BMV1+p	MT20	3.0	4.0		
I	BMWW-t	MT20	4.0	4.0		
J	BMWWW-t	MT20	4.0	9.0		
K	BMWW-t	MT20	4.0	4.0		
L	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
L	913	0	913	0	0	5-8	5-8
H	911	0	911	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	642	442 / 0	0 / 0	0 / 0	0 / 0	199 / 0	0 / 0
H	641	437 / 0	0 / 0	0 / 0	0 / 0	204 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.82 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	FACTORED VERT. LOAD (PLF) FROM	TO	LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	MAX CSI (LC)
A-B	0 / 41		-91.8	-91.8	0.14 (1)	10.00		J-D	-487 / 0		0.08 (1)
B-C	-631 / 0		-91.8	-91.8	0.14 (1)	6.25		K-C	-156 / 0		0.02 (1)
C-M	-1054 / 0		-91.8	-91.8	0.23 (1)	5.82		C-J	0 / 700		0.17 (1)
M-N	-1054 / 0		-91.8	-91.8	0.23 (1)	5.82		B-K	0 / 525		0.13 (1)
N-D	-1054 / 0		-91.8	-91.8	0.23 (1)	5.82		I-E	-149 / 0		0.02 (1)
D-O	-1054 / 0		-91.8	-91.8	0.23 (1)	5.82		J-E	0 / 698		0.17 (1)
O-E	-1054 / 0		-91.8	-91.8	0.23 (1)	5.82		I-F	0 / 526		0.13 (1)
E-F	-632 / 0		-91.8	-91.8	0.14 (1)	6.25					
F-G	0 / 41		-91.8	-91.8	0.14 (1)	10.00					
L-B	-936 / 0		0.0	0.0	0.10 (1)	7.81					
H-F	-937 / 0		0.0	0.0	0.10 (1)	7.81					
L-K	0 / 0		-18.5	-18.5	0.05 (1)	10.00					
K-P	0 / 420		-18.5	-18.5	0.13 (1)	10.00					
P-J	0 / 420		-18.5	-18.5	0.13 (1)	10.00					
J-Q	0 / 421		-18.5	-18.5	0.14 (1)	10.00					
Q-I	0 / 421		-18.5	-18.5	0.14 (1)	10.00					
I-H	0 / 0		-18.5	-18.5	0.05 (1)	10.00					

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	10-13	-9	-10	---	FRONT	VERT	DEAD	---	C1
C	1-2-7	-114	-114	---	BACK	VERT	TOTAL	---	C1
C	10-13	-44	-44	---	FRONT	VERT	SNOW	---	C1
E	7-3-3	-9	-10	---	FRONT	VERT	DEAD	---	C1
E	7-3-3	-90	-90	---	BACK	VERT	TOTAL	---	C1
E	7-3-3	-44	-44	---	FRONT	VERT	SNOW	---	C1
I	7-2-7	-49	-49	---	BACK	VERT	TOTAL	---	C1
K	1-2-7	-49	-49	---	BACK	VERT	TOTAL	---	C1
N	3-2-7	-82	-82	---	BACK	VERT	TOTAL	---	C1
O	5-2-7	-82	-82	---	BACK	VERT	TOTAL	---	C1
P	3-2-7	-49	-49	---	BACK	VERT	TOTAL	---	C1
Q	5-2-7	-49	-49	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 34 lb [M]

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.27")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.27")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.23/1.00 (C-D:1) , BC=0.14/1.00 (I-J:1) , WB=0.17/1.00 (C-J:1) , SSI=0.22/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.



Structural component only
DWG# T-2007141

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T13	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:35:03 2020 Page 1
ID:DMCubINVR6TstFce31v6l_zns1l-PVBNzARioJlBsZ9le33xKQvZ1CWfYJHN5XDg4zNBR6



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW+p	MT20	4.0	4.0	1.00	2.00
C	TTWW+m	MT20	6.0	9.0	Edge	1.75
D	TMW+w	MT20	2.0	4.0		
E	TMWW-t	MT20	6.0	16.0	3.00	5.00
G	BMV+p	MT20	3.0	4.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BMWW-t	MT20	4.0	4.0		
J	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	695	0	695	0	0	5-8	5-8
J	936	0	936	0	0	5-8	5-8

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): F

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	490	327 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0
J	669	446 / 0	0 / 0	0 / 0	0 / 0	210 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.56 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 41	-91.8	-91.8	0.14 (1)	10.00	
B-C	-656 / 0	-91.8	-91.8	0.14 (1)	6.25	
C-K	-1230 / 0	-91.8	-91.8	0.46 (1)	5.09	
K-D	-1230 / 0	-91.8	-91.8	0.46 (1)	5.09	
D-L	-1230 / 0	-91.8	-91.8	0.89 (1)	3.56	
L-M	-1230 / 0	-91.8	-91.8	0.89 (1)	3.56	
M-E	-1230 / 0	-91.8	-91.8	0.89 (1)	3.56	
E-F	0 / 0	-91.8	-91.8	0.35 (1)	10.00	
G-E	0 / 83	0.0	0.0	0.02 (4)	10.00	
J-B	-966 / 0	0.0	0.0	0.11 (1)	7.81	
J-I	0 / 0	-18.5	-18.5	0.06 (1)	10.00	
I-N	0 / 436	-18.5	-18.5	0.14 (1)	10.00	
N-H	0 / 436	-18.5	-18.5	0.14 (1)	10.00	
H-O	0 / 0	-18.5	-18.5	0.09 (1)	10.00	
O-P	0 / 0	-18.5	-18.5	0.09 (1)	10.00	
P-G	0 / 0	-18.5	-18.5	0.09 (1)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
I-C	-158 / 0	0.03 (1)
B-I	0 / 548	0.14 (1)
H-D	-767 / 0	0.12 (1)
C-H	0 / 867	0.21 (1)
H-E	0 / 1345	0.33 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	10-13	-9	-10	---	FRONT	VERT	DEAD	--	C1
C	10-13	-80	-90	---	FRONT	VERT	TOTAL	--	C1
C	10-13	-44	-44	---	FRONT	VERT	SNOW	--	C1
I	11-9	-49	-49	---	FRONT	VERT	TOTAL	--	C1
K	2-11-9	-82	-82	---	FRONT	VERT	TOTAL	--	C1
L	4-11-9	-82	-82	---	FRONT	VERT	TOTAL	--	C1
M	6-11-9	-82	-82	---	FRONT	VERT	TOTAL	--	C1
N	2-11-9	-49	-49	---	FRONT	VERT	TOTAL	--	C1
O	4-11-8	-49	-49	---	FRONT	VERT	TOTAL	--	C1
P	6-11-9	-53	-53	---	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 32 lb [M]

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.25")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (0.25")
CALCULATED VERT. DEFL.(TL) = L/ 688 (0.13")

CSI: TC=0.89/1.00 (D-E:1) , BC=0.14/1.00 (H-I:1) , WB=0.33/1.00 (E-H:1) , SSI=0.42/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.79 (C) (INPUT = 0.90)
JSI METAL= 0.30 (H) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007142

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T20	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:24 2020 Page 1
ID:K?TPdhgj0npIfqlYdbWfOFzldeG-l8jtqasn1sB7_BudbzOzKub4B6zN_xr0MZbHOgzNBD



TOTAL WEIGHT = 2 X 160 = 321 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
J - L	2x4	DRY	No.2	SPF
V - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
V - S	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - M	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
C-G	1	12	SIDE(61.0)
G-J	1	12	SIDE(61.0)
J-L	1	12	SIDE(61.0)
V-B	1	12	TOP
M-K	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
V-S	2	12	SIDE(183.1)
S-P	2	12	SIDE(183.1)
P-M	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.



Structural component only
DWG# T-2007145 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
V	3342	0	3342	0	0	5-8	5-8
M	3393	0	3393	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
V	2363	1555 / 0	0 / 0	0 / 0	0 / 0	808 / 0	0 / 0
M	2397	1595 / 0	0 / 0	0 / 0	0 / 0	812 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) V, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.03 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
FR-TO					
A- B	0 / 35	-91.8	-91.8	0.07 (1)	10.00
B- C	-3951 / 0	-91.8	-91.8	0.22 (1)	4.58
C- W	-6186 / 0	-91.8	-91.8	0.61 (1)	3.41
W- X	-6186 / 0	-91.8	-91.8	0.61 (1)	3.41
X- Y	-6186 / 0	-91.8	-91.8	0.61 (1)	3.41
Y- D	-6186 / 0	-91.8	-91.8	0.61 (1)	3.41
D- Z	-7502 / 0	-91.8	-91.8	0.71 (1)	3.03
Z-AA	-7502 / 0	-91.8	-91.8	0.71 (1)	3.03
AA- E	-7502 / 0	-91.8	-91.8	0.71 (1)	3.03
E-AB	-7502 / 0	-91.8	-91.8	0.35 (1)	3.33
AB-AC	-7502 / 0	-91.8	-91.8	0.35 (1)	3.33
AC- F	-7502 / 0	-91.8	-91.8	0.35 (1)	3.33
F- G	-7509 / 0	-91.8	-91.8	0.37 (1)	3.31
G- H	-7509 / 0	-91.8	-91.8	0.37 (1)	3.31
H-AD	-7509 / 0	-91.8	-91.8	0.71 (1)	3.03
AD-AE	-7509 / 0	-91.8	-91.8	0.71 (1)	3.03
AE-AF	-7509 / 0	-91.8	-91.8	0.71 (1)	3.03
AF- I	-7509 / 0	-91.8	-91.8	0.71 (1)	3.03
I-AG	-6217 / 0	-91.8	-91.8	0.61 (1)	3.41
AG-AH	-6217 / 0	-91.8	-91.8	0.61 (1)	3.41
AH- J	-6217 / 0	-91.8	-91.8	0.61 (1)	3.41
J- K	-4025 / 0	-91.8	-91.8	0.22 (1)	4.55
K- L	0 / 35	-91.8	-91.8	0.07 (1)	10.00
V- B	-3298 / 0	0.0	0.0	0.18 (1)	6.41
M- K	-3356 / 0	0.0	0.0	0.19 (1)	6.36
V-AI	0 / 0	-18.5	-18.5	0.05 (4)	10.00
AI-AJ	0 / 0	-18.5	-18.5	0.05 (4)	10.00
AJ- U	0 / 0	-18.5	-18.5	0.05 (4)	10.00
U-AK	0 / 3265	-18.5	-18.5	0.25 (1)	10.00
AK-AL	0 / 3265	-18.5	-18.5	0.25 (1)	10.00
AL-AM	0 / 3265	-18.5	-18.5	0.25 (1)	10.00
AM- T	0 / 3265	-18.5	-18.5	0.25 (1)	10.00
T-AN	0 / 6186	-18.5	-18.5	0.46 (1)	10.00
AN-AO	0 / 6186	-18.5	-18.5	0.46 (1)	10.00
AO- S	0 / 6186	-18.5	-18.5	0.46 (1)	10.00
S- R	0 6186	-18.5	-18.5	0.46 (1)	10.00
R-AP	0 7606	-18.5	-18.5	0.56 (1)	10.00
AP-AQ	0 7606	-18.5	-18.5	0.56 (1)	10.00
AQ-AR	0 7606	-18.5	-18.5	0.56 (1)	10.00
AR- Q	0 7606	-18.5	-18.5	0.56 (1)	10.00
Q- P	0 6217	-18.5	-18.5	0.46 (1)	10.00
P-AS	0 6217	-18.5	-18.5	0.46 (1)	10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		
U- C	-596 / 0	0.08 (1)
C- T	0 / 3530	0.44 (1)
T- D	-1829 / 0	0.23 (1)
D- R	0 / 1602	0.20 (1)
R- E	-602 / 0	0.08 (1)
Q- H	-595 / 0	0.08 (1)
Q- I	0 / 1573	0.19 (1)
O- I	-1808 / 0	0.23 (1)
O- J	0 / 3493	0.43 (1)
N- J	-616 / 0	0.08 (1)
B- U	0 / 3374	0.42 (1)
N- K	0 / 3439	0.43 (1)
R- F	-179 / 0	0.03 (1)
F- Q	-166 / 0	0.03 (1)

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(56 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 939 (0.23")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 664 (0.44")

CSI: TC=0.71/1.00 (D-E:1) , BC=0.56/1.00 (Q-R:1) , WB=0.44/1.00 (C-T:1) , SSI=0.23/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.71 (G) (INPUT = 0.90)
JSI METAL= 0.59 (S) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T20	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	1.50	3.50
C	TTWW-m	MT20	6.0	9.0	Edge	6.25
D	TMWW-t	MT20	4.0	6.0		
E	TMW+w	MT20	2.0	4.0		
F	TMWW-t	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMW+w	MT20	2.0	4.0		
I	TMWW-t	MT20	4.0	6.0		
J	TTWW-m	MT20	6.0	9.0	Edge	6.25
K	TMVW-p	MT20	5.0	8.0	1.50	3.50
M	BMV1+p	MT20	3.0	6.0		
N	BMWW-t	MT20	5.0	6.0	2.50	2.00
O	BMWW+t	MT20	6.0	9.0	4.50	2.00
P	BS-t	MT20	5.0	6.0		
Q	BMWWW-t	MT20	5.0	8.0		
R	BMWWW-t	MT20	5.0	8.0		
S	BS-t	MT20	5.0	6.0		
T	BMWW+t	MT20	6.0	9.0	4.50	2.00
U	BMWW-t	MT20	5.0	8.0	2.50	2.00
V	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
AS-AT	0 / 6217	-18.5	-18.5	0.46 (1)	10.00			
AT-O	0 / 6217	-18.5	-18.5	0.46 (1)	10.00			
O-AU	0 / 3326	-18.5	-18.5	0.26 (1)	10.00			
AU-AV	0 / 3326	-18.5	-18.5	0.26 (1)	10.00			
AV-N	0 / 3326	-18.5	-18.5	0.26 (1)	10.00			
N-AW	0 / 0	-18.5	-18.5	0.04 (4)	10.00			
AW-M	0 / 0	-18.5	-18.5	0.04 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-0-11	-49	-55	--	FRONT	VERT	DEAD	--	C1
C	4-0-11	-254	-254	--	FRONT	VERT	SNOW	--	C1
G	19-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
J	31-1-6	-49	-55	--	FRONT	VERT	DEAD	--	C1
J	31-1-6	-117	-117	--	BACK	VERT	TOTAL	--	C1
J	31-1-6	-254	-254	--	FRONT	VERT	SNOW	--	C1
N	31-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
P	21-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
W	5-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
X	7-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
Y	9-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
Z	11-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
AA	13-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
AB	15-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
AC	17-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
AD	21-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
AE	23-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
AF	25-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
AG	27-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
AH	29-2-12	-110	-110	--	BACK	VERT	TOTAL	--	C1
AI	1-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AJ	3-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AK	5-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AL	7-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AM	9-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AN	11-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AO	13-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AP	15-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AQ	17-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AR	19-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AS	23-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AT	25-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AU	27-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AV	29-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1
AW	33-2-12	-26	-26	--	BACK	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) **C1:** A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

Structural component only
DWG# T-2007145

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T20Z	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:25 2020 Page 1

ID:K?TPdhgj0npf1qlYdbWfOFzldeG-AKHFuwtPo9K_cKTp9gXCt67DKWF2jJk9bCKqw7zNBDs



TOTAL WEIGHT = 2 X 160 = 321 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
J - L	2x4	DRY	No.2	SPF
V - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
V - S	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - M	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS		
A- C 1	12	TOP
C- G 1	12	TOP
G- J 1	12	SIDE(61.0)
J- L 1	12	SIDE(61.0)
V- B 1	12	TOP
M- K 1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS		
V- S 2	12	TOP
S- P 2	12	TOP
P- M 2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS		
2x3 1	6	
I- O 1	3	SIDE(557.9)
D- T 1	3	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.



Structural component only
DWG# T-2007146 R2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
V	2938	0	2938	0	0	5-8	5-8
M	4796	0	4796	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
V	2073	1388 / 0	0 / 0	0 / 0	0 / 0	684 / 0	0 / 0
M	3361	2278 / 0	0 / 0	0 / 0	0 / 0	1103 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) V, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.57 FT,
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 35	-91.8	-91.8	0.07 (1)	10.00	
B- C	-3442 / 0	-91.8	-91.8	0.20 (1)	4.86	
C- D	-5906 / 0	-91.8	-91.8	0.43 (1)	3.70	
D- E	-7947 / 0	-91.8	-91.8	0.58 (1)	3.11	
E- F	-7947 / 0	-91.8	-91.8	0.31 (1)	3.30	
F- G	-9222 / 0	-91.8	-91.8	0.38 (1)	3.01	
G- H	-9222 / 0	-91.8	-91.8	0.38 (1)	3.01	
H- I	-9222 / 0	-91.8	-91.8	0.77 (1)	2.73	
I- W	-9635 / 0	-91.8	-91.8	0.86 (1)	2.57	
W- X	-9635 / 0	-91.8	-91.8	0.86 (1)	2.57	
X- J	-9635 / 0	-91.8	-91.8	0.86 (1)	2.57	
J- Y	-5847 / 0	-91.8	-91.8	0.33 (1)	3.76	
Y- K	-5847 / 0	-91.8	-91.8	0.33 (1)	3.76	
K- L	0 / 35	-91.8	-91.8	0.07 (1)	10.00	
V- B	-2914 / 0	0.0	0.0	0.16 (1)	6.74	
M- K	-4771 / 0	0.0	0.0	0.27 (1)	5.48	
V- U	0 / 0	-18.5	-18.5	0.03 (4)	10.00	
U- T	0 / 2843	-18.5	-18.5	0.21 (1)	10.00	
T- S	0 / 5906	-18.5	-18.5	0.44 (1)	10.00	
S- R	0 / 5906	-18.5	-18.5	0.44 (1)	10.00	
R- Q	0 / 8653	-18.5	-18.5	0.62 (1)	10.00	
Q- P	0 / 9635	-18.5	-18.5	0.72 (1)	10.00	
P- O	0 / 9635	-18.5	-18.5	0.72 (1)	10.00	
O- Z	0 / 4855	-18.5	-18.5	0.41 (1)	10.00	
Z- AA	0 / 4855	-18.5	-18.5	0.41 (1)	10.00	
AA- N	0 / 4855	-18.5	-18.5	0.41 (1)	10.00	
N- AB	0 / 0	-18.5	-18.5	0.06 (4)	10.00	
AB- AC	0 / 0	-18.5	-18.5	0.06 (4)	10.00	
AC- M	0 / 0	-18.5	-18.5	0.06 (4)	10.00	

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
I- C	-564 / 0	0.07 (1)
C- T	0 / 3700	0.46 (1)
T- D	-1983 / 0	0.25 (1)
D- R	0 / 2485	0.31 (1)
R- E	-368 / 0	0.05 (1)
Q- H	-346 / 0	0.04 (1)
O- I	-503 / 0	0.19 (1)
O- I	-397 / 0	0.05 (1)
O- J	0 / 5776	0.71 (1)
N- J	-915 / 0	0.12 (1)
B- U	0 / 2940	0.36 (1)
N- K	0 / 5020	0.62 (1)
R- F	-1209 / 0	0.21 (1)
F- Q	0 / 974	0.12 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
J	31-1-6	-49	-55	---	FRONT	VERT	DEAD	--	C1
J	31-1-6	-254	-254	---	FRONT	VERT	SNOW	--	C1
O	25-7-8	-2840	-2840	---	FRONT	VERT	TOTAL	--	C1
W	27-6-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
X	29-6-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
Y	31-6-12	-136	-136	---	FRONT	VERT	TOTAL	--	C1
Z	27-6-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AA	29-6-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AB	31-6-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AC	33-6-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , CBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.28")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 632 (0.51")

CSI: TC=0.88/1.00 (I-J:1) , BC=0.72/1.00 (O-Q:1) , WB=0.71/1.00 (J-O:1) , SSI=0.18/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (C) (INPUT = 0.90)
JSI METAL= 0.87 (S) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408169	T20Z	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:K?TPdhgi0ngI1qlYdbWlOFzIdsG-AKHFuwtPg9K_cKTo9gXCt67DKWF2jJk9bCKqw7zNBDe

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	1.50	3.50
C	TTWW-m	MT20	7.0	8.0	1.75	2.50
D	TMWW-t	MT20	4.0	6.0		
E	TMW+w	MT20	2.0	4.0		
F	TMWW-t	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMW+w	MT20	2.0	4.0		
I	TMWW-t	MT20	4.0	6.0		
J	TTWW-m	MT20	7.0	8.0	1.75	2.50
K	TMVW-p	MT20	5.0	8.0	1.50	3.50
M	BMV1+p	MT20	3.0	6.0		
N	BMWW-t	MT20	5.0	6.0	2.50	2.00
O	BMWW+t	MT20	6.0	9.0	4.50	2.00
P	BS-t	MT20	5.0	6.0		
Q	BMWWW-t	MT20	5.0	8.0		
R	BMWWW-t	MT20	5.0	8.0		
S	BS-t	MT20	5.0	6.0		
T	BMWW+t	MT20	6.0	9.0	4.50	2.00
U	BMWW-t	MT20	5.0	6.0	2.50	2.00
V	BMV1+p	MT20	3.0	6.0		

CONNECTION REQUIREMENTS

1) **C1:** A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007146 4/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T21	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:26 2020 Page 1
ID:K?TPdhg|0npf1qfYdbWfOFzIdaG-eWrd5Gt2ZTSrDU10|O2RPJqONwdaSrJJps4OSZzNBDd



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
S - P	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	5.0	8.0	1.75	2.75
C	TTW-m	MT20	6.0	9.0	Edge	
D	TMW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW-t	MT20	4.0	4.0		
H	TTW-m	MT20	6.0	9.0	Edge	
I	TMW-p	MT20	5.0	8.0	1.75	2.75
K	BMV1+p	MT20	3.0	4.0		
L	BMW-t	MT20	4.0	9.0		
M	BMW-t	MT20	5.0	6.0		
N	BS-t	MT20	4.0	6.0		
O	BMWW-t	MT20	4.0	9.0		
P	BS-t	MT20	4.0	6.0		
Q	BMW-t	MT20	5.0	8.0		
R	BMW-t	MT20	4.0	8.0		
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007147

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2065	0	2065	0	0	5-8	5-8
K	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
K	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.97 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 35	-91.8	-91.8	1	0.12 (1)	10.00	R-C	-243 / 10	0.09 (1)
B-C	-2297 / 0	-91.8	-91.8	1	0.70 (1)	3.76	C-Q	0 / 1669	0.38 (1)
C-D	-3213 / 0	-91.8	-91.8	1	0.80 (1)	3.19	Q-D	-929 / 0	0.36 (1)
D-E	-3594 / 0	-91.8	-91.8	1	0.86 (1)	2.97	D-Q	0 / 489	0.11 (1)
E-F	-3594 / 0	-91.8	-91.8	1	0.86 (1)	2.97	Q-E	-505 / 0	0.19 (1)
F-G	-3594 / 0	-91.8	-91.8	1	0.86 (1)	2.97	Q-G	0 / 490	0.11 (1)
G-H	-3213 / 0	-91.8	-91.8	1	0.80 (1)	3.19	M-G	-929 / 0	0.36 (1)
H-I	-2296 / 0	-91.8	-91.8	1	0.70 (1)	3.76	M-H	0 / 1670	0.38 (1)
I-J	0 / 35	-91.8	-91.8	1	0.12 (1)	10.00	L-H	-243 / 10	0.09 (1)
S-B	-2023 / 0	0.0	0.0	1	0.21 (1)	5.94	B-R	0 / 1943	0.44 (1)
K-I	-2023 / 0	0.0	0.0	1	0.21 (1)	5.94	L-I	0 / 1943	0.44 (1)
S-R	0 / 0	-18.5	-18.5	4	0.15 (4)	10.00			
R-Q	0 / 1904	-18.5	-18.5	1	0.39 (1)	10.00			
Q-P	0 / 3213	-18.5	-18.5	1	0.58 (1)	10.00			
P-O	0 / 3213	-18.5	-18.5	1	0.58 (1)	10.00			
O-N	0 / 3213	-18.5	-18.5	1	0.58 (1)	10.00			
N-M	0 / 3213	-18.5	-18.5	1	0.58 (1)	10.00			
M-L	0 / 1903	-18.5	-18.5	1	0.39 (1)	10.00			
L-K	0 / 0	-18.5	-18.5	1	0.15 (4)	10.00			

TOTAL WEIGHT = 2 X 140 = 280 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.39")

CSI: TC=0.86/1.00 (E-G:1) , BC=0.58/1.00 (O-Q:1) , WB=0.44/1.00 (B-R:1) , SSI=0.26/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (B) (INPUT = 0.90)
JSI METAL= 0.74 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T22	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Rural Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:27 2020 Page 1
ID:K?TPdhgj0npI1qiYdbWfOFzldeG-6jO?JbugKnairecCH5ZgyXDamJ?DB9HS2Wpx??zNBDc



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
U - S	2x4	DRY	No.2	SPF
S - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	8.0	2.50	2.50
D	TTWW-m	MT20	5.0	8.0	1.75	3.50
E	TMWW-t	MT20	4.0	4.0		
F	TMV+w	MT20	2.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0		
I	TTWW-m	MT20	5.0	8.0	1.75	3.50
J	TMWW-t	MT20	5.0	6.0	2.50	2.50
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-t	MT20	5.0	8.0	2.50	2.25
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW+t	MT20	4.0	6.0		
Q	BMWWW-t	MT20	4.0	9.0		
R	BMWW+t	MT20	4.0	6.0		
S	BS-t	MT20	3.0	6.0		
T	BMWW-t	MT20	4.0	4.0		
U	BMVW1-t	MT20	5.0	6.0	2.50	2.25

Structural component only
DWG# T-2007148

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
U	2085	0	2085	0	0	5-8	5-8
M	2085	0	2085	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
M	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, M

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.53 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	MAX CSI (LC)
A-B	0 / 35		-91.8	-91.8	0.12 (1)	10.00	C-T	0 / 135		0.03 (4)
B-C	0 / 18		-91.8	-91.8	0.16 (1)	10.00	T-D	0 / 90		0.03 (4)
C-D	-2305 / 0		-91.8	-91.8	0.23 (1)	4.31	D-R	0 / 1218		0.27 (1)
D-E	-2723 / 0		-91.8	-91.8	0.54 (1)	3.69	R-E	-814 / 0		0.48 (1)
E-F	-2966 / 0		-91.8	-91.8	0.56 (1)	3.53	E-Q	0 / 383		0.08 (1)
F-G	-2966 / 0		-91.8	-91.8	0.56 (1)	3.53	Q-F	-440 / 0		0.26 (1)
G-H	-2966 / 0		-91.8	-91.8	0.56 (1)	3.53	Q-H	0 / 363		0.08 (1)
H-I	-2723 / 0		-91.8	-91.8	0.54 (1)	3.69	P-H	-814 / 0		0.48 (1)
I-J	-2305 / 0		-91.8	-91.8	0.23 (1)	4.31	P-I	0 / 1218		0.27 (1)
J-K	0 / 18		-91.8	-91.8	0.16 (1)	10.00	N-I	0 / 90		0.03 (4)
K-L	0 / 35		-91.8	-91.8	0.12 (1)	10.00	N-J	0 / 136		0.03 (4)
U-B	-255 / 0		0.0	0.0	0.03 (1)	7.81	U-C	-2515 / 0		0.97 (1)
M-K	-255 / 0		0.0	0.0	0.03 (1)	7.81	J-M	-2514 / 0		0.97 (1)
U-T	0 / 1802		-18.5	-18.5	0.40 (1)	10.00				
T-S	0 / 1901		-18.5	-18.5	0.41 (1)	10.00				
S-R	0 / 1901		-18.5	-18.5	0.41 (1)	10.00				
R-Q	0 / 2724		-18.5	-18.5	0.49 (1)	10.00				
Q-P	0 / 2723		-18.5	-18.5	0.49 (1)	10.00				
P-O	0 / 1900		-18.5	-18.5	0.41 (1)	10.00				
O-N	0 / 1900		-18.5	-18.5	0.41 (1)	10.00				
N-M	0 / 1801		-18.5	-18.5	0.40 (1)	10.00				

TOTAL WEIGHT = 2 X 151 = 303 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.29")

CSI: TC=0.68/1.00 (E-F:1) , BC=0.49/1.00 (Q-R:1) , WB=0.97/1.00 (C-U:1) , SSI=0.23/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1997	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (M) (INPUT = 0.90)
JSI METAL= 0.63 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T23	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:28 2020 Page 1
ID:K?TPdhgj0npt1qlYdbWfOFzldeG-bvyNWxvI54iZToBOqp4vVkInEjLmwjVbHAZVXRzNBDb



TOTAL WEIGHT = 2 X 155 = 309 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	8.0	Edge	
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	Edge	
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMVW-p	MT20	5.0	6.0	1.75	2.75
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	8.0	2.50	2.75
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	8.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	4.0	4.0		
T	BMWW-t	MT20	5.0	8.0	2.50	2.75
U	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	RECOMD BRG IN-SX
U	2065	0	2065	0	0	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.72 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

† LATERAL BRACE(S) AT 1/2 LENGTH OF E-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 35	-91.8	-91.8	0.12 (1)	10.00
B- C	-2270 / 0	-91.8	-91.8	0.37 (1)	4.19
C- D	-2254 / 0	-91.8	-91.8	0.36 (1)	4.21
D- E	-2485 / 0	-91.8	-91.8	0.64 (1)	3.72
E- F	-2483 / 0	-91.8	-91.8	0.64 (1)	3.72
F- G	-2483 / 0	-91.8	-91.8	0.64 (1)	3.72
G- H	-2483 / 0	-91.8	-91.8	0.63 (1)	3.74
H- I	-2254 / 0	-91.8	-91.8	0.36 (1)	4.21
I- J	-2269 / 0	-91.8	-91.8	0.37 (1)	4.19
J- K	0 / 35	-91.8	-91.8	0.12 (1)	10.00
U- B	-2027 / 0	0.0	0.0	0.21 (1)	5.94
L- J	-2026 / 0	0.0	0.0	0.21 (1)	5.94
U- T	0 / 0	-18.5	-18.5	0.08 (4)	10.00
T- S	0 / 1909	-18.5	-18.5	0.37 (1)	10.00
S- R	0 / 1854	-18.5	-18.5	0.36 (1)	10.00
R- Q	0 / 1854	-18.5	-18.5	0.36 (1)	10.00
Q- P	0 / 2485	-18.5	-18.5	0.47 (1)	10.00
P- O	0 / 1854	-18.5	-18.5	0.36 (1)	10.00
O- N	0 / 1854	-18.5	-18.5	0.36 (1)	10.00
N- M	0 / 1908	-18.5	-18.5	0.37 (1)	10.00
M- L	0 / 0	-18.5	-18.5	0.08 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
T- C	-396 / 0	0.11 (1)
C- S	-79 / 0	0.05 (1)
S- D	0 / 158	0.04 (4)
D- Q	0 / 949	0.21 (1)
Q- E	-597 / 0	0.52 (1)
E- P	-2 / 0	0.00 (1)
P- G	-596 / 0	0.52 (1)
P- H	0 / 947	0.21 (1)
N- H	0 / 157	0.04 (4)
N- I	-78 / 0	0.05 (1)
M- I	-397 / 0	0.11 (1)
B- T	0 / 1966	0.44 (1)
M- J	0 / 1965	0.44 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.24")

CSI: TC=0.64/1.00 (D-E:1) , BC=0.47/1.00 (P-Q:1) , WB=0.52/1.00 (E-Q:1) , SSI=0.26/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1655

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (D) (INPUT = 0.90)
JSI METAL= 0.62 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/19/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007149

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T24	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:29 2020 Page 1
ID:K?TPdhgj0npI1qlYdbWfOFzIdeG-35WmkHwwsOqQ4ymbOWc81ylwH7IxfBtlWql23uzNBDa



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	6.0	2.25	1.75
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	1.75
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMVW-p	MT20	5.0	6.0	1.75	2.75
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.75
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.75
R	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007150

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 158 = 317 lb [M|F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	2065	0	2065	0	0	5-8	5-8
J	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.47 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)		10.00
B-C	-2318 / 0	-91.8	-91.8	0.38 (1)		4.16
C-D	-2188 / 0	-91.8	-91.8	0.37 (1)		4.28
D-E	-2274 / 0	-91.8	-91.8	0.81 (1)		3.47
E-F	-2274 / 0	-91.8	-91.8	0.81 (1)		3.47
F-G	-2185 / 0	-91.8	-91.8	0.37 (1)		4.28
G-H	-2317 / 0	-91.8	-91.8	0.38 (1)		4.16
H-I	0 / 35	-91.8	-91.8	0.12 (1)		10.00
R-B	-2022 / 0	0.0	0.0	0.21 (1)		5.94
J-H	-2022 / 0	0.0	0.0	0.21 (1)		5.94
R-Q	0 / 0	-18.5	-18.5	0.10 (4)		10.00
Q-P	0 / 1953	-18.5	-18.5	0.40 (1)		10.00
P-O	0 / 1794	-18.5	-18.5	0.41 (1)		10.00
O-N	0 / 1794	-18.5	-18.5	0.41 (1)		10.00
N-M	0 / 1794	-18.5	-18.5	0.41 (1)		10.00
M-L	0 / 1794	-18.5	-18.5	0.41 (1)		10.00
L-K	0 / 1953	-18.5	-18.5	0.40 (1)		10.00
K-J	0 / 0	-18.5	-18.5	0.10 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-321 / 0	0.11 (1)
C-P	-218 / 0	0.18 (1)
P-D	0 / 266	0.08 (1)
D-N	0 / 691	0.11 (1)
N-E	-851 / 0	0.35 (1)
N-F	0 / 691	0.11 (1)
L-F	0 / 266	0.08 (1)
L-G	-218 / 0	0.18 (1)
K-G	-321 / 0	0.11 (1)
B-Q	0 / 1996	0.45 (1)
K-H	0 / 1995	0.45 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2018 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.22")

CSI: TC=0.81/1.00 (D-E:1) , BC=0.41/1.00 (N-P:1) , WB=0.45/1.00 (B-Q:1) , SSI=0.34/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	789	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (B) (INPUT = 0.90)
JSI METAL= 0.64 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T25	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:36 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzIdsG-XI48xdwYdiyHi6LnyE7Na9q9dX2TOe3ukU2bbKzNBDZ



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMVW-p	MT20	5.0	6.0	1.75	2.75
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	4.0	9.0		
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	4.0	9.0		
R	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007151

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 165 = 329 lb [M|F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
R	2065	0	2065	0	0	5-8	5-8
J	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.99 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00
B-C	-2347 / 0	-91.8	-91.8	0.52 (1)	3.99
C-D	-2096 / 0	-91.8	-91.8	0.48 (1)	4.22
D-E	-1985 / 0	-91.8	-91.8	0.49 (1)	4.26
E-F	-1985 / 0	-91.8	-91.8	0.49 (1)	4.26
F-G	-2095 / 0	-91.8	-91.8	0.48 (1)	4.22
G-H	-2346 / 0	-91.8	-91.8	0.52 (1)	3.99
H-I	0 / 35	-91.8	-91.8	0.12 (1)	10.00
R-B	-2018 / 0	0.0	0.0	0.21 (1)	5.94
J-H	-2018 / 0	0.0	0.0	0.21 (1)	5.94
R-Q	0 / 0	-18.5	-18.5	0.14 (4)	10.00
Q-P	0 / 1981	-18.5	-18.5	0.39 (1)	10.00
P-O	0 / 1716	-18.5	-18.5	0.34 (1)	10.00
O-N	0 / 1716	-18.5	-18.5	0.34 (1)	10.00
N-M	0 / 1716	-18.5	-18.5	0.34 (1)	10.00
M-L	0 / 1716	-18.5	-18.5	0.34 (1)	10.00
L-K	0 / 1980	-18.5	-18.5	0.39 (1)	10.00
K-J	0 / 0	-18.5	-18.5	0.14 (4)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-248 / 11	0.11 (1)
C-P	-356 / 0	0.42 (1)
P-D	0 / 342	0.08 (1)
D-N	0 / 477	0.08 (1)
N-E	-677 / 0	0.37 (1)
N-F	0 / 477	0.08 (1)
L-F	0 / 341	0.08 (1)
L-G	-358 / 0	0.42 (1)
K-G	-249 / 11	0.11 (1)
B-Q	0 / 2014	0.45 (1)
K-H	0 / 2014	0.45 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.10")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.19")

CSI: TC=0.52/1.00 (B-C:1) , BC=0.39/1.00 (P-Q:1) , WB=0.45/1.00 (B-Q:1) , SSI=0.27/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	766	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (6) (INPUT = 0.90)
JSI METAL= 0.58 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T26	5	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:32 2020 Page 1

ID:K?TPdhgj0npl1qlYdbWfOFzldeG-TgCuMJyo9JC?yPVA3e9rfawTUKjTsYXBCoXigDzNBDX



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
T - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
T - Q	2x4	DRY	No.2	SPF
Q - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
E - P	2x4	DRY	No.2	SPF
P - G	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	8.0	2.25	2.00
F	TMW+w	MT20	2.0	4.0		
G	TTWW-m	MT20	5.0	8.0	2.25	2.00
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMVW-p	MT20	5.0	8.0	1.75	2.75
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	4.0	9.0		
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMWW-t	MT20	4.0	9.0		
T	BMV1+p	MT20	3.0	4.0		



Structural component only
DWG# T-2007152

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 5 X 172 = 858 lb [M|F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
T	2065	0	2065	0	0	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.77 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-R, F-P, I-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 35	-91.8	-91.8	0.12 (1)	10.00
B- C	-2359 / 0	-91.8	-91.8	0.69 (1)	3.77
C- D	-1996 / 0	-91.8	-91.8	0.62 (1)	4.11
D- E	-1996 / 0	-91.8	-91.8	0.62 (1)	4.11
E- F	-1761 / 0	-91.8	-91.8	0.27 (1)	4.77
F- G	-1761 / 0	-91.8	-91.8	0.27 (1)	4.77
G- H	-1996 / 0	-91.8	-91.8	0.62 (1)	4.11
H- I	-1996 / 0	-91.8	-91.8	0.62 (1)	4.11
I- J	-2358 / 0	-91.8	-91.8	0.69 (1)	3.77
J- K	0 / 35	-91.8	-91.8	0.12 (1)	10.00
T- B	-2014 / 0	0.0	0.0	0.21 (1)	5.95
L- J	-2014 / 0	0.0	0.0	0.21 (1)	5.95
T- S	0 / 0	-18.5	-18.5	0.19 (4)	10.00
S- R	0 / 1998	-18.5	-18.5	0.42 (1)	10.00
R- Q	0 / 1629	-18.5	-18.5	0.32 (1)	10.00
Q- P	0 / 1629	-18.5	-18.5	0.32 (1)	10.00
P- O	0 / 1629	-18.5	-18.5	0.32 (1)	10.00
O- N	0 / 1629	-18.5	-18.5	0.32 (1)	10.00
N- M	0 / 1995	-18.5	-18.5	0.42 (1)	10.00
M- L	0 / 0	-18.5	-18.5	0.19 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
S- C	-189 / 46	0.10 (1)
C- R	-485 / 0	0.24 (1)
R- E	0 / 416	0.09 (1)
E- P	0 / 315	0.05 (1)
P- F	-502 / 0	0.35 (1)
P- G	0 / 315	0.05 (1)
N- G	0 / 415	0.09 (1)
N- I	-484 / 0	0.24 (1)
M- I	-189 / 46	0.10 (1)
B- S	0 / 2022	0.45 (1)
M- J	0 / 2021	0.45 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. O/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.09")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.18")

CSI: TC=0.69/1.00 (B-C:1) , BC=0.42/1.00 (R-S:1) , WB=0.45/1.00 (B-S:1) , SSI=0.24/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (B) (INPUT = 0.90)
JSI METAL= 0.50 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T27	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S,Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:33 2020 Page 1
ID:K?TPdhqj0npl1qlYdbWfOFzldeG-xtmGZfzRwdKrZZ4MdMq4CoSb3k2Cb?nKQSHGCfzNBDW



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	8.0		
E	TTWW-m	MT20	5.0	8.0	2.00	3.00
F	TTW-m	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0	2.00	1.50
I	TMWW-p	MT20	5.0	6.0	1.75	2.75
K	BMV1+p	MT20	3.0	4.0		
L	BMWW-t	MT20	4.0	9.0		
M	BS-t	MT20	3.0	6.0		
N	BMWW-t	MT20	4.0	9.0		
O	BMWW-t	MT20	4.0	4.0		
P	BS-t	MT20	3.0	6.0		
Q	BMWW-t	MT20	4.0	9.0		
R	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 166 = 333 lb [M|F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	2065	0	2065	0	0	5-8	5-8
K	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
K	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.45 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-O, H-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX. CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00
B-C	-2358 / 0	-91.8	-91.8	0.89 (1)	3.45
C-D	-1888 / 0	-91.8	-91.8	0.78 (1)	3.91
D-E	-1888 / 0	-91.8	-91.8	0.78 (1)	3.91
E-F	-1538 / 0	-91.8	-91.8	0.47 (1)	4.74
F-G	-1888 / 0	-91.8	-91.8	0.78 (1)	3.91
G-H	-1888 / 0	-91.8	-91.8	0.78 (1)	3.91
H-I	-2357 / 0	-91.8	-91.8	0.89 (1)	3.45
I-J	0 / 35	-91.8	-91.8	0.12 (1)	10.00
R-B	-2009 / 0	0.0	0.0	0.21 (1)	5.95
K-I	-2009 / 0	0.0	0.0	0.21 (1)	5.95
R-Q	0 / 0	-18.5	-18.5	0.25 (4)	10.00
Q-P	0 / 1959	-18.5	-18.5	0.45 (1)	10.00
P-O	0 / 1999	-18.5	-18.5	0.45 (1)	10.00
O-N	0 / 1538	-18.5	-18.5	0.33 (1)	10.00
N-M	0 / 1998	-18.5	-18.5	0.45 (1)	10.00
M-L	0 / 1998	-18.5	-18.5	0.45 (1)	10.00
L-K	0 / 0	-18.5	-18.5	0.24 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-139 / 76	0.09 (1)
C-O	-605 / 0	0.38 (1)
O-E	0 / 499	0.08 (1)
E-N	0 / 0	0.00 (1)
N-F	0 / 500	0.08 (1)
N-H	-604 / 0	0.38 (1)
L-H	-140 / 75	0.09 (1)
B-Q	0 / 2020	0.45 (1)
L-I	0 / 2019	0.45 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.09")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.20")

CSI: TC=0.89/1.00 (B-C:1) , BC=0.45/1.00 (O-Q:1) , WB=0.45/1.00 (B-Q:1) , SSI=0.27/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (F) (INPUT = 0.90)
JSI METAL= 0.68 (P) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007153

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408169	T28	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:34 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWlOFzldeG-P3Jfn?_3gwSiBjfYB3BJk??uz8RBKVIUf60pl5zNBDV



TOTAL WEIGHT = 2 X 122 = 245 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
N - B	2x6	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
K - H	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	TOP
C-F	1	12	TOP
F-G	1	12	TOP
H-G	1	12	TOP
N-B	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
N-K	2	12	TOP
K-H	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
E-J	1	6	SIDE(77.0)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

LICENSED PROFESSIONAL ENGINEER
04/29/20
H. J.G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007154 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
N	2086	0	2086	0	0	5-8	5-8
H	2756	0	2756	0	0	IN-SX MECHANICAL	IN-SX

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
N	1470	994 / 0	0 / 0	0 / 0	0 / 0	476 / 0	0 / 0
H	1941	1320 / 0	0 / 0	0 / 0	0 / 0	620 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.76 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 35	-91.8	-91.8	0.07 (1)	10.00	M- C	-218 / 22	0.04 (1)
B-C	-2363 / 0	-91.8	-91.8	0.37 (1)	5.41	C- L	0 / 1550	0.19 (1)
C-D	-3093 / 0	-91.8	-91.8	0.24 (1)	5.03	L- D	-928 / 0	0.19 (1)
D-E	-3519 / 0	-91.8	-91.8	0.25 (1)	4.76	D- J	0 / 589	0.07 (1)
E-F	-3519 / 0	-91.8	-91.8	0.24 (1)	4.79	J- E	-508 / 0	0.10 (1)
F-G	-2352 / 0	-91.8	-91.8	0.16 (1)	5.69	J- F	0 / 2156	0.27 (1)
N-B	-2037 / 0	0.0	0.0	0.07 (1)	7.81	I- F	-548 / 0	0.11 (1)
H-G	-2632 / 0	0.0	0.0	0.19 (1)	7.01	B- M	0 / 1891	0.25 (1)
						I- G	0 / 2264	0.28 (1)
N-M	0 / 0	-18.5	-18.5	0.04 (4)	10.00			
M-L	0 / 1959	-18.5	-18.5	0.14 (1)	10.00			
L-K	0 / 3093	-18.5	-18.5	0.27 (1)	10.00			
K-O	0 / 3093	-18.5	-18.5	0.27 (1)	10.00			
O-J	0 / 3093	-18.5	-18.5	0.27 (1)	10.00			
J-P	0 / 1942	-18.5	-18.5	0.23 (1)	10.00			
P-Q	0 / 1942	-18.5	-18.5	0.23 (1)	10.00			
Q-R	0 / 1942	-18.5	-18.5	0.23 (1)	10.00			
R-I	0 / 1942	-18.5	-18.5	0.23 (1)	10.00			
I-S	0 / 0	-18.5	-18.5	0.10 (1)	10.00			
S-T	0 / 0	-18.5	-18.5	0.10 (1)	10.00			
T-H	0 / 0	-18.5	-18.5	0.10 (1)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
O	16-0-0	-997	-997	---	FRONT	VERT	TOTAL	---	C1
P	16-11-4	-187	-187	---	FRONT	VERT	TOTAL	---	C1
Q	18-3-12	-187	-187	---	FRONT	VERT	TOTAL	---	C1
R	20-3-12	-187	-187	---	FRONT	VERT	TOTAL	---	C1
S	22-3-12	-174	-174	---	FRONT	VERT	TOTAL	---	C1
T	24-3-12	-173	-173	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.85")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.85")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.11")

CSI: TC=0.37/1.00 (B-C:1) , BC=0.27/1.00 (J-L:1) , WB=0.28/1.00 (G-I:1) , SSI=0.34/1.00 (J-L:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (F) (INPUT = 0.90)
JSI METAL= 0.45 (G) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408169	T28	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:K?TPdhgj0npf1qlYdbWfOFzldeG-P3Jfn?_3gwSiBlfYB3BJk??uz8RBKVfUf60pf5zNBDV

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	6.0	2.50	1.75
C	TTWW+m	MT20	5.0	6.0	2.00	1.50
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.00	1.50
G	TMVW+p	MT20	5.0	6.0	Edge	
H	BMV1+p	MT20	3.0	6.0		
I, L, M						
I	BMWW-t	MT20	5.0	6.0		
J	BMWWW-t	MT20	5.0	6.0		
K	BS-t	MT20	5.0	6.0		
N	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007154 V

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T29	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:35 2020 Page 1

ID:K?TPdhgj0npl1qlYdbWlOFzldeG-tFt1_L_hREaZptDkInjYHDY1dYm23pNdummMHYzNBDL



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
M - B	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0		
D	TTWW+m	MT20	5.0	6.0	2.00	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.00	1.50
G	TMVW+p	MT20	5.0	6.0	Edge	
H	BMV1+p	MT20	3.0	4.0		
I	BMWW-t	MT20	4.0	8.0		
J	BS-t	MT20	3.0	8.0		
K	BMWWW-t	MT20	4.0	9.0		
L	BMWW-t	MT20	4.0	4.0		
M	BMVW1-t	MT20	5.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007155

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
M	1532	0	1532	0	0	5-8	5-8
H	1406	0	1406	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
M	1081	723 / 0	0 / 0	0 / 0	0 / 0	358 / 0	0 / 0
H	884	652 / 0	0 / 0	0 / 0	0 / 0	342 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.89 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00	
B-C	0 / 22	-91.8	-91.8	0.22 (1)	10.00	
C-D	-1491 / 0	-91.8	-91.8	0.19 (1)	5.19	
D-E	-1464 / 0	-91.8	-91.8	0.44 (1)	4.89	
E-F	-1464 / 0	-91.8	-91.8	0.44 (1)	4.89	
F-G	-1226 / 0	-91.8	-91.8	0.44 (1)	5.25	
M-B	-268 / 0	0.0	0.0	0.03 (1)	7.81	
H-G	-1362 / 0	0.0	0.0	0.20 (1)	6.98	
M-L	0 / 1279	-18.5	-18.5	0.36 (4)	10.00	
L-K	0 / 1223	-18.5	-18.5	0.36 (4)	10.00	
K-J	0 / 1014	-18.5	-18.5	0.26 (1)	10.00	
J-I	0 / 1014	-18.5	-18.5	0.26 (1)	10.00	
I-H	0 / 0	-18.5	-18.5	0.17 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-L	-80 / 27	0.04 (1)
L-D	0 / 209	0.05 (4)
D-K	0 / 354	0.08 (1)
K-E	-662 / 0	0.48 (1)
K-F	0 / 663	0.15 (1)
I-F	-282 / 0	0.21 (1)
M-C	-1757 / 0	0.83 (1)
I-G	0 / 1098	0.25 (1)

TOTAL WEIGHT = 109 lb [MF]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.85")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.85")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.15")

CSI: TC=0.44/1.00 (F-G:1) , BC=0.36/1.00 (K-L:4) , WB=0.83/1.00 (C-M:1) , SSI=0.26/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.82 (D) (INPUT = 0.90)
JSI METAL= 0.51 (G) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T30	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:38 2020 Page 1
ID:K?TPdhgj0npl1qlYcbWfOFzfdeG-MSRPCg?JCYiQQ1oxlUEnpQ4FSy9zoKVn7QVwp_zNBDT



TOTAL WEIGHT = 2 X 72 = 145 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
L - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	6.0		
D	TTWW+p	MT20	4.0	8.0	Edge	
E	TMWW-t	MT20	4.0	6.0		
F	TMV+p	MT20	3.0	4.0		
H	BMVW1-t	MT20	4.0	4.0		
I	BMWW-t	MT20	4.0	4.0		
J	BS-t	MT20	3.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007156

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
L	1022	0	1022	0	0	5-8	5-8
H	1022	0	1022	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	720	466 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0
H	720	466 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12	(1)		10.00
B-C	0 / 24	-91.8	-91.8	0.24	(1)		10.00
C-D	-845 / 0	-91.8	-91.8	0.19	(1)		6.25
D-E	-845 / 0	-91.8	-91.8	0.19	(1)		6.25
E-F	0 / 24	-91.8	-91.8	0.24	(1)		10.00
F-G	0 / 35	-91.8	-91.8	0.12	(1)		10.00
L-B	-269 / 0	0.0	0.0	0.03	(1)		7.81
H-F	-268 / 0	0.0	0.0	0.03	(1)		7.81
L-K	0 / 782	-18.5	-18.5	0.19	(1)		10.00
K-J	0 / 557	-18.5	-18.5	0.17	(4)		10.00
J-I	0 / 557	-18.5	-18.5	0.17	(4)		10.00
I-H	0 / 782	-18.5	-18.5	0.19	(1)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
D-I	0 / 336	0.08	(1)
I-E	-217 / 0	0.06	(1)
K-D	0 / 336	0.08	(1)
C-K	-217 / 0	0.06	(1)
L-C	-1042 / 0	0.52	(1)
E-H	-1042 / 0	0.52	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ASC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.24/1.00 (B-C:1) , BC=0.19/1.00 (H-I:1) , WB=0.52/1.00 (C-L:1) , SSI=0.15/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (H) (INPUT = 0.90)
JSI METAL= 0.29 (L) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T30A	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:37 2020 Page 1

ID:K?TPdhgj0npl1qlYdbWfOFzIdeG-qe?nP00xzrqH2AN7sCl0MedQCLVGXo_wL4FTLQzNBDS



TOTAL WEIGHT = 2 X 70 = 140 lb [M|F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	6.0		
D	TTWW+p	MT20	4.0	6.0	Edge	
E	TMWW-t	MT20	4.0	6.0		
F	TMV+p	MT20	3.0	4.0		
G	BMVW1-t	MT20	4.0	4.0		
H	BMWW-t	MT20	4.0	4.0		
I	BS-t	MT20	3.0	6.0		
J	BMWW-t	MT20	4.0	4.0		
K	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
K	1001	0	1001	0	0	5-8	5-8
G	875	0	875	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	706	476 / 0	0 / 0	0 / 0	0 / 0	229 / 0	0 / 0
G	619	406 / 0	0 / 0	0 / 0	0 / 0	213 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K, G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00	
B-C	0 / 24	-91.8	-91.8	0.24 (1)	10.00	
C-D	-817 / 0	-91.8	-91.8	0.19 (1)	6.25	
D-E	-763 / 0	-91.8	-91.8	0.18 (1)	6.25	
E-F	0 / 24	-91.8	-91.8	0.22 (1)	10.00	
K-B	-268 / 0	0.0	0.0	0.03 (1)	7.81	
G-F	-124 / 0	0.0	0.0	0.01 (1)	7.81	
K-J	0 / 740	-18.5	-18.5	0.18 (1)	10.00	
J-I	0 / 531	-18.5	-18.5	0.17 (4)	10.00	
I-H	0 / 531	-18.5	-18.5	0.17 (4)	10.00	
H-G	0 / 891	-18.5	-18.5	0.17 (1)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
D-H	0 / 272	0.08 (1)
H-E	-160 / 2	0.05 (1)
J-D	0 / 342	0.08 (1)
C-J	-222 / 0	0.05 (1)
K-C	-1012 / 0	0.51 (1)
E-G	-992 / 0	0.44 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.53")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.53")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.24/1.00 (B-C:1) , BC=0.18/1.00 (J-K:1) , WB=0.51/1.00 (C-K:1) , SSI=0.15/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (K) (INPUT = 0.90)
JSI METAL= 0.28 (K) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/12/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007157

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T30S	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:38 2020 Page 1
ID:K?TPdhgjGnpf1qlYdbWfOFzldeG-lqZ9cM1Zk9y8gKyJQvGFvrAbEimYGAw4ak_1uszNBDR



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
J - I	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES *(table is in inches)*

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	6.0		
D	TTW+p	MT20	4.0	6.0	Edge	
E	TMWW-t	MT20	4.0	6.0		
F	TMV+p	MT20	3.0	4.0		
H	BMVW1-t	MT20	4.0	6.0		
I	BBWWW-p	MT20	5.0	8.0	2.75	4.00
J	BMVW1-t	MT20	4.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007158

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
J	1022	0	1022	0	0	5-8	5-8
H	1022	0	1022	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LOASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
J	720	486 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0
H	720	486 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.76 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LOC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00
B-C	0 / 22	-91.8	-91.8	0.22 (1)	10.00
C-D	-1134 / 0	-91.8	-91.8	0.19 (1)	5.76
D-E	-1134 / 0	-91.8	-91.8	0.19 (1)	5.76
E-F	0 / 22	-91.8	-91.8	0.22 (1)	10.00
F-G	0 / 35	-91.8	-91.8	0.12 (1)	10.00
J-B	-273 / 0	0.0	0.0	0.03 (1)	7.81
H-F	-273 / 0	0.0	0.0	0.03 (1)	7.81
J-I	0 / 1120	-18.5	-18.5	0.44 (4)	10.00
I-H	0 / 1120	-18.5	-18.5	0.44 (4)	10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
I-D	0 / 942	0.21 (1)
I-E	-143 / 11	0.05 (1)
C-I	-143 / 11	0.05 (1)
J-C	-1478 / 0	0.78 (1)
E-H	-1478 / 0	0.78 (1)

TOTAL WEIGHT = 2 X 67 = 133 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/ 789 (0.25")

CSI: TC=0.22/1.00 (E-F:1) , BC=0.44/1.00 (H-I:4) , WB=0.78/1.00 (C-J:1) , SSI=0.15/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (H) (INPUT = 0.90)
JSI METAL= 0.35 (H) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T31S	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:39 2020 Page 1

ID:K?TPdhgj0npl1qlYdbWfOPzfdeG-m17Yqi1BVT4?HUXW_dnUR3inH9Cs?pxDpOkaQJzNBDQ



TOTAL WEIGHT = 29 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
G - C	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
B - H	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
C	TMV+p	MT20	3.0	4.0		
D	TTW-m	MT20	4.0	4.0		
E	TMV+p	MT20	3.0	4.0		
F	BMVW1-I	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWWW-I	MT20	6.0	9.0	3.00	2.75
I	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	193	0	193	0	0	MECHANICAL	
I	361	0	361	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	136	88 / 0	0 / 0	0 / 0	0 / 0	49 / 0	0 / 0
I	252	181 / 0	0 / 0	0 / 0	0 / 0	72 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 CSI (LC)	MAX UNBRAC LENGTH
A- B	0 / 35	-91.8	-91.8	0.14 (5)	10.00
B- C	-87 / 0	-91.8	-91.8	0.09 (1)	6.25
C- D	-99 / 0	-91.8	-91.8	0.07 (1)	6.25
D- E	-11 / 0	-91.8	-91.8	0.07 (1)	6.25
F- E	-148 / 0	0.0	0.0	0.04 (1)	7.81
I- B	-327 / 0	0.0	0.0	0.02 (4)	7.81
I- H	0 / 8	-18.5	-18.5	0.03 (4)	10.00
G- H	-2 / 8	0.0	0.0	0.05 (1)	10.00
H- C	-203 / 0	0.0	0.0	0.04 (1)	7.81
G- F	0 / 30	-18.5	-18.5	0.03 (1)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
H- F	-27 / 0	0.00 (1)
B- H	0 / 68	0.02 (1)
H- D	0 / 173	0.03 (1)

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.14/1.00 (A-B:5) , BC=0.05/1.00 (G-H:1) , WB=0.03/1.00 (D-H:1) , SSI=0.12/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.23 (B) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007159

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T32S	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:40 2020 Page 1

ID:K?TPdhgj0npl1qlYdbWfOFzldeG-EDhw122qGmCsve6iXKlj_GFy1ZYDkG4M22T7yIzNBDP



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
G - D	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TTWW+m	MT20	5.0	8.0	Edge	
D	TMV+p	MT20	3.0	4.0		
E	TMVW-t	MT20	4.0	4.0		
F	BMVW1-t	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWWW-t	MT20	5.0	8.0	3.00	2.50
I	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	191	0	191	0	0	IN-SX	IN-SX
I	362	0	362	0	0	MECHANICAL	
						5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LOASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	136	87 / -12	0 / 0	0 / 0	0 / 0	49 / 0	0 / 0
I	253	162 / 0	0 / 0	0 / 0	0 / 0	71 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A- B	0 / 35	-91.8	-91.8	0.14 (5)	10.00	C- H	0 / 60	0.01 (1)
B- C	-41 / 0	-91.8	-91.8	0.13 (5)	6.25	H- F	-7 / 0	0.00 (1)
C- D	-69 / 0	-91.8	-91.8	0.02 (1)	6.25	H- E	0 / 153	0.03 (1)
D- E	-65 / 0	-91.8	-91.8	0.02 (1)	6.25	I- C	-100 / 34	0.02 (1)
F- E	-175 / 0	0.0	0.0	0.03 (1)	7.81			
I- B	-253 / 0	0.0	0.0	0.03 (1)	7.81			
I- H	-18 / 69	-18.5	-18.5	0.04 (4)	6.25			
G- H	0 / 13	0.0	0.0	0.01 (1)	10.00			
H- D	-142 / 0	0.0	0.0	0.01 (1)	7.81			
G- F	0 / 5	-18.5	-18.5	0.01 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 25 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.14/1.00 (A-B:5) , BC=0.04/1.00 (H-I:4) , WB=0.03/1.00 (E-H:1) , SSI=0.09/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

Structural component only
DWG# T-2007160

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T33	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:41 2020 Page 1
ID:K?TPdhgj0npI1qlYdbWfOFzldeG-iPFIFO3S14LjXohu51pyWUp8MznVTeTWGiDhUBzNBDO



TOTAL WEIGHT = 2 X 29 = 58 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
F-A	1	12	TOP
A-C	1	12	TOP
C-D	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
F-D	2	8	SIDE(305.2)
WEBS : (0.122"X3") SPIRAL NAILS			
B-E	1	2	SIDE(408.9)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMWW-t	MT20	4.0	8.0		Edge
B	TMWW-t	MT20	5.0	6.0		
C	TMW+p	MT20	3.0	4.0		
D	BMWW1-t	MT20	5.0	6.0		
E	BMWW+t	MT20	5.0	8.0	4.25	2.50



Structural component only
DWG# T-2007161 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	1914	0	1914	0	0	5-8	5-8
D	2859	0	2859	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	1348	915 / 0	0 / 0	0 / 0	0 / 0	434 / 0	0 / 0
D	2015	1359 / 0	0 / 0	0 / 0	0 / 0	657 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.59 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
F-A	-1877 / 0	0.0	0.0	0.10 (1)	7.81
A-B	-2566 / 0	-91.8	-91.8	0.08 (1)	5.59
B-C	-7 / 0	-91.8	-91.8	0.06 (1)	10.00
D-C	-120 / 0	0.0	0.0	0.01 (1)	7.81
F-E	0 / 0	-18.5	-18.5	0.01 (1)	10.00
E-G	0 / 2301	-18.5	-18.5	0.49 (1)	10.00
G-D	0 / 2301	-18.5	-18.5	0.49 (1)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-E	0 / 2380	0.29 (1)
E-B	0 / 2808	0.32 (1)
B-D	-2896 / 0	0.35 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	3-0-0	-2737	-2737	---	BACK	VERT	TOTAL	---	C1
G	4-11-4	-1388	-1388	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.10/1.00 (A-F:1) , BC=0.49/1.00 (D-E:1) , WB=0.35/1.00 (B-D:1) , SSI=0.33/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.84 (B) (INPUT = 0.90)
JSI METAL= 0.44 (E) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408169	T33	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:K?TPdhqi0npJ1qlYdbWfOFzIdeG-iPFlFO3S14LiXohu51pyWUp8MznVTeTWGiDhUBzNBDO

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
F	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/11/22
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007161 YZ

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T40	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:15 2020 Page 1

ID:K?TPdhgj0npl1qlYdbWfOFzldeG-dToLVCBPTkKk_gKpGOLn4U0ubv6N8cfVf?sayUzNB1c



TOTAL WEIGHT = 2 X 169 = 338 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
H-J	1	12	SIDE(61.0)
C-F	2	12	SIDE(61.0)
F-H	2	12	SIDE(61.0)
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	SIDE(183.1)
P-N	2	12	SIDE(183.1)
N-K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only

DWG# T-2007168 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	3331	0	3331	0	0	5-8	5-8
K	3331	0	3331	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	2356	1544 / 0	0 / 0	0 / 0	0 / 0	812 / 0	0 / 0
K	2356	1544 / 0	0 / 0	0 / 0	0 / 0	812 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.87 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.07 (1)		10.00
B-C	-5069 / 0	-91.8	-91.8	0.52 (1)		3.87
C-T	-6976 / 0	-91.8	-91.8	0.24 (1)		4.35
T-U	-6976 / 0	-91.8	-91.8	0.24 (1)		4.35
U-D	-6976 / 0	-91.8	-91.8	0.24 (1)		4.35
D-V	-8155 / 0	-91.8	-91.8	0.31 (1)		4.02
V-W	-8155 / 0	-91.8	-91.8	0.31 (1)		4.02
W-X	-8155 / 0	-91.8	-91.8	0.31 (1)		4.02
X-E	-8155 / 0	-91.8	-91.8	0.31 (1)		4.02
E-Y	-8155 / 0	-91.8	-91.8	0.31 (1)		4.02
Y-F	-8155 / 0	-91.8	-91.8	0.31 (1)		4.02
F-Z	-8155 / 0	-91.8	-91.8	0.31 (1)		4.02
Z-AA	-8155 / 0	-91.8	-91.8	0.31 (1)		4.02
AA-G	-8155 / 0	-91.8	-91.8	0.31 (1)		4.02
G-AB	-6976 / 0	-91.8	-91.8	0.24 (1)		4.35
AB-AC	-6976 / 0	-91.8	-91.8	0.24 (1)		4.35
AC-H	-6976 / 0	-91.8	-91.8	0.24 (1)		4.35
H-I	-5069 / 0	-91.8	-91.8	0.52 (1)		3.87
I-J	0 / 28	-91.8	-91.8	0.07 (1)		10.00
S-B	-3250 / 0	0.0	0.0	0.11 (1)		7.69
K-I	-3250 / 0	0.0	0.0	0.11 (1)		7.69
S-AD	0 / 0	-18.5	-18.5	0.07 (4)		10.00
AD-AE	0 / 0	-18.5	-18.5	0.07 (4)		10.00
AE-R	0 / 0	-18.5	-18.5	0.07 (4)		10.00
R-AF	0 / 4557	-18.5	-18.5	0.33 (1)		10.00
AF-AG	0 / 4557	-18.5	-18.5	0.33 (1)		10.00
AG-Q	0 / 4557	-18.5	-18.5	0.33 (1)		10.00
Q-AH	0 / 6975	-18.5	-18.5	0.52 (1)		10.00
AH-P	0 / 6975	-18.5	-18.5	0.52 (1)		10.00
P-AI	0 / 6975	-18.5	-18.5	0.52 (1)		10.00
AI-O	0 / 6975	-18.5	-18.5	0.52 (1)		10.00
O-AJ	0 / 6975	-18.5	-18.5	0.52 (1)		10.00
AJ-N	0 / 6975	-18.5	-18.5	0.52 (1)		10.00
N-AK	0 / 6975	-18.5	-18.5	0.52 (1)		10.00
AK-M	0 / 6975	-18.5	-18.5	0.52 (1)		10.00
M-AL	0 / 4557	-18.5	-18.5	0.33 (1)		10.00
AL-AM	0 / 4557	-18.5	-18.5	0.33 (1)		10.00
AM-L	0 / 4557	-18.5	-18.5	0.33 (1)		10.00
L-AN	0 / 0	-18.5	-18.5	0.07 (4)		10.00
AN-AO	0 / 0	-18.5	-18.5	0.07 (4)		10.00
AO-K	0 / 0	-18.5	-18.5	0.07 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R-C	-449 / 0	0.06 (1)
C-Q	0 / 3021	0.37 (1)
Q-D	-1608 / 0	0.19 (1)
D-O	0 / 1339	0.17 (1)
O-E	-1056 / 0	0.13 (1)
O-G	0 / 1339	0.17 (1)
M-G	-1608 / 0	0.19 (1)
M-H	0 / 3021	0.37 (1)
L-H	-449 / 0	0.06 (1)
B-R	0 / 4585	0.57 (1)
L-I	0 / 4585	0.57 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=0.52/1.00 (B-C:1) , BC=0.52/1.00 (O-Q:1) , WB=0.57/1.00 (B-R:1) , SSI=0.16/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (H) (INPUT = 0.90)
JSI METAL= 0.67 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T40	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:K?TPdhqI0npI1qIYdbWfOFzIdeG-dToLVCBPTkKk_gKpGOLn4U0ubv6N8cfVf?sayUzNB1c

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	6.0		
C	TTWW+m	MT20	5.0	6.0	2.00	2.25
D	TMWW-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	5.0	6.0	2.00	2.25
I	TMVW-t	MT20	5.0	6.0		
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.50
M	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	6.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMWW-t	MT20	5.0	6.0	2.50	2.50
S	BMV1+p	MT20	3.0	6.0		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-437	-437	---	FRONT	VERT	TOTAL	---	C1
E	17-7-0	-110	-110	---	FRONT	VERT	TOTAL	---	C1
H	29-3-8	-437	-437	---	FRONT	VERT	TOTAL	---	C1
L	29-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
N	21-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
O	17-7-0	-26	-26	---	FRONT	VERT	TOTAL	---	C1
P	13-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
R	5-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
T	7-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
U	9-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
V	11-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
W	13-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
X	15-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Y	19-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Z	21-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AA	23-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AB	25-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AC	27-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AD	1-11-4	-25	-26	---	FRONT	VERT	TOTAL	---	C1
AE	3-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AF	7-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AG	9-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AH	11-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AI	15-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AJ	19-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AK	23-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AL	25-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AM	27-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AN	31-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AO	33-2-12	-25	-26	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007168

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T40Z	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:17 2020 Page 1
ID:K?TPdhqj0npl1qlYdbWlOFzldeG-arw5vuDf_MaSDzUBNpNF9v6Buik?cSGo6JLh0NzNB1e



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
H-J	1	12	TOP
C-F	2	12	SIDE(61.0)
F-H	2	12	TOP
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	SIDE(183.1)
P-N	2	12	TOP
N-K	2	12	TOP
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
D-Q	1	3	SIDE(625.1)
G-M	1	3	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only
DWG# T-2007169

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	4582	0	4582	0	0	5-8	5-8
K	3047	0	3047	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	3236	2151 / 0	0 / 0	0 / 0	0 / 0	1084 / 0	0 / 0
K	2151	1436 / 0	0 / 0	0 / 0	0 / 0	715 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.15 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B		0 / 28	-91.8	-91.8	0.07 (1)	10.00	
B-C		-7293 / 0	-91.8	-91.8	0.72 (1)	3.15	
C-T		-10549 / 0	-91.8	-91.8	0.34 (1)	3.55	
T-U		-10549 / 0	-91.8	-91.8	0.34 (1)	3.55	
U-D		-10549 / 0	-91.8	-91.8	0.34 (1)	3.55	
D-E		-9485 / 0	-91.8	-91.8	0.31 (1)	3.78	
E-F		-9485 / 0	-91.8	-91.8	0.29 (1)	3.81	
F-G		-9485 / 0	-91.8	-91.8	0.29 (1)	3.81	
G-H		-8958 / 0	-91.8	-91.8	0.17 (1)	4.44	
H-I		-4808 / 0	-91.8	-91.8	0.48 (1)	4.06	
I-J		0 / 28	-91.8	-91.8	0.07 (1)	10.00	
S-B		-4503 / 0	0.0	0.0	0.16 (1)	6.76	
K-I		-2990 / 0	0.0	0.0	0.11 (1)	7.81	
S-V		0 / 0	-18.5	-18.5	0.06 (4)	10.00	
V-W		0 / 0	-18.5	-18.5	0.06 (4)	10.00	
W-R		0 / 0	-18.5	-18.5	0.06 (4)	10.00	
R-X		0 / 6557	-18.5	-18.5	0.50 (1)	10.00	
X-Y		0 / 6557	-18.5	-18.5	0.50 (1)	10.00	
Y-Q		0 / 6557	-18.5	-18.5	0.50 (1)	10.00	
Q-P		0 / 10548	-18.5	-18.5	0.77 (1)	10.00	
P-O		0 / 10548	-18.5	-18.5	0.77 (1)	10.00	
O-N		0 / 6955	-18.5	-18.5	0.50 (1)	10.00	
N-M		0 / 6955	-18.5	-18.5	0.50 (1)	10.00	
M-L		0 / 4144	-18.5	-18.5	0.29 (1)	10.00	
L-K		0 / 0	-18.5	-18.5	0.04 (4)	10.00	

WEBS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R-C		-673 / 0	0.08 (1)
C-Q		0 / 4986	0.62 (1)
Q-D		-184 / 38	0.02 (1)
D-Q		-1207 / 0	0.72 (1)
O-E		-646 / 0	0.08 (1)
O-G		0 / 2871	0.36 (1)
M-G		-1984 / 0	0.24 (1)
M-H		0 / 3512	0.43 (1)
L-H		-464 / 0	0.06 (1)
B-R		0 / 6598	0.82 (1)
L-I		0 / 4167	0.52 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-437	-437	---	BACK	VERT	TOTAL	--	C1
Q	10-9-8	-2715	-2715	---	BACK	VERT	TOTAL	--	C1
R	5-11-4	-26	-26	---	BACK	VERT	TOTAL	--	C1
T	7-11-4	-110	-110	---	BACK	VERT	TOTAL	--	C1
U	9-11-4	-110	-110	---	BACK	VERT	TOTAL	--	C1
V	1-11-4	-25	-26	---	BACK	VERT	TOTAL	--	C1
W	3-11-4	-26	-26	---	BACK	VERT	TOTAL	--	C1
X	7-11-4	-26	-26	---	BACK	VERT	TOTAL	--	C1
Y	9-11-4	-26	-26	---	BACK	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 169 = 338 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.26")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 881 (0.48")

CSI: TC=0.72/1.00 (B-C:1) , BC=0.77/1.00 (O-Q:1) , WB=0.82/1.00 (B-R:1) , SSI=0.13/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (B) (INPUT = 0.90)
JSI METAL= 0.99 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408170	T40Z	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:K?TPdhgj0npf1gIYdbWlOFzldeG-arw5vuDf_MaSDzUBNpNF9v6Buik?cSGo6JLh0NzNB1a

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	2.00	3.50
C	TTWW+m	MT20	6.0	9.0	Edge	
D	TMWW-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	6.0	9.0	Edge	
I	TMVW-p	MT20	5.0	8.0	2.00	3.50
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	8.0	2.50	3.25
M	BMWW+t	MT20	6.0	9.0	4.50	2.50
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWW+t	MT20	6.0	9.0	4.50	2.50
R	BMWW-t	MT20	5.0	8.0	2.50	3.25
S	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/27/10
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007169

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T41	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:18 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzldeG-22UT7EDHffiJr73OxWvUi8eJ865BLvLxLz4FZpzNB1Z



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.75
D	TTWW-m	MT20	5.0	8.0	2.25	2.75
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	8.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	2.25	2.75
I	TMWW-t	MT20	5.0	6.0	2.50	2.75
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	4.0	9.0		Edge
M	BMWW-t	MT20	4.0	4.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWW-t	MT20	4.0	6.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007170

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.94 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX. CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B-C	0 / 16	-91.8	-91.8	0.20 (1)	10.00
C-D	-2799 / 0	-91.8	-91.8	0.32 (1)	3.88
D-E	-3508 / 0	-91.8	-91.8	0.95 (1)	2.94
E-F	-3507 / 0	-91.8	-91.8	0.93 (1)	2.94
F-G	-3507 / 0	-91.8	-91.8	0.93 (1)	2.94
G-H	-3507 / 0	-91.8	-91.8	0.94 (1)	2.95
H-I	-2799 / 0	-91.8	-91.8	0.32 (1)	3.88
I-J	0 / 16	-91.8	-91.8	0.20 (1)	10.00
J-K	0 / 28	-91.8	-91.8	0.12 (1)	10.00
S-B	-270 / 0	0.0	0.0	0.03 (1)	7.81
L-J	-270 / 0	0.0	0.0	0.03 (1)	7.81
S-R	0 / 2417	-18.5	-18.5	0.53 (1)	10.00
R-Q	0 / 2489	-18.5	-18.5	0.54 (1)	10.00
Q-P	0 / 2489	-18.5	-18.5	0.54 (1)	10.00
P-O	0 / 3509	-18.5	-18.5	0.64 (1)	10.00
O-N	0 / 2489	-18.5	-18.5	0.54 (1)	10.00
N-M	0 / 2489	-18.5	-18.5	0.54 (1)	10.00
M-L	0 / 2417	-18.5	-18.5	0.53 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-R	0 / 93	0.03 (4)
R-D	0 / 121	0.04 (4)
D-P	0 / 1267	0.29 (1)
P-E	-643 / 0	0.25 (1)
E-O	-2 / 0	0.00 (1)
O-G	-643 / 0	0.25 (1)
O-H	0 / 1266	0.28 (1)
M-H	0 / 121	0.04 (4)
M-I	0 / 93	0.03 (4)
S-C	-2974 / 0	0.83 (1)
I-L	-2974 / 0	0.83 (1)

TOTAL WEIGHT = 2 X 139 = 278 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.8	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.41")

CSI: TC=0.85/1.00 (D-E:1) , BC=0.64/1.00 (O-P:1) , WB=0.83/1.00 (I-L:1) , SSI=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (L) (INPUT = 0.90)
JSI METAL= 0.77 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T42	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:19 2020 Page 1
ID:K?TPdhgj0npI1qlYdbWfOFzldeG-WE2rKaEwWzr9THdaVEQ|EKBSUWUW4PP4adqo5FzNB1Y



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	8.0	2.25	3.75
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	8.0	2.25	3.75
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.00
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.00
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007171

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	2063	0	2063	0	0	5-8	5-8
J	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.78 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B-C	-2834 / 0	-91.8	-91.8	0.39 (1)	3.81
C-D	-2687 / 0	-91.8	-91.8	0.37 (1)	3.91
D-E	-3060 / 0	-91.8	-91.8	0.97 (1)	2.78
E-F	-3060 / 0	-91.8	-91.8	0.97 (1)	2.78
F-G	-2687 / 0	-91.8	-91.8	0.37 (1)	3.91
G-H	-2834 / 0	-91.8	-91.8	0.39 (1)	3.81
H-I	0 / 28	-91.8	-91.8	0.12 (1)	10.00
R-B	-2018 / 0	0.0	0.0	0.20 (1)	5.94
J-H	-2018 / 0	0.0	0.0	0.20 (1)	5.94
R-Q	0 / 0	-18.5	-18.5	0.10 (4)	10.00
Q-P	0 / 2555	-18.5	-18.5	0.51 (1)	10.00
P-O	0 / 2386	-18.5	-18.5	0.49 (1)	10.00
O-N	0 / 2386	-18.5	-18.5	0.49 (1)	10.00
N-M	0 / 2386	-18.5	-18.5	0.49 (1)	10.00
M-L	0 / 2386	-18.5	-18.5	0.49 (1)	10.00
L-K	0 / 2555	-18.5	-18.5	0.51 (1)	10.00
K-J	0 / 0	-18.5	-18.5	0.10 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-353 / 0	0.08 (1)
C-P	-210 / 0	0.13 (1)
P-D	0 / 246	0.06 (4)
D-N	0 / 844	0.19 (1)
N-E	-872 / 0	0.51 (1)
N-F	0 / 844	0.19 (1)
L-F	0 / 246	0.06 (4)
L-G	-210 / 0	0.13 (1)
K-G	-353 / 0	0.08 (1)
B-Q	0 / 2591	0.58 (1)
K-H	0 / 2591	0.58 (1)

TOTAL WEIGHT = 2 X 139 = 277 lb. [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.17")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.34")

CSI: TC=0.97/1.00 (D-E:1) , BC=0.51/1.00 (P-Q:1) , WB=0.58/1.00 (B-Q:1) , SSI=0.34/1.00 (O-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (F) (INPUT = 0.90)
JSI METAL= 0.75 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T43	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:20 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWtOFzldeG-_QcEYwFYHHz04RCm3xxynXkjMwq0psVEoHZLdizNB1X



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	8.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	8.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	8.0	2.50	2.25
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	8.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	8.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	8.0	2.50	2.25
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007172

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	2083	0	2083	0	0	5-8	5-8
J	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
	A-B	0 / 26	-91.8	-91.8	0.12 (1)		10.00
	B-C	-2889 / 0	-91.8	-91.8	0.58 (1)		3.58
	C-D	-2539 / 0	-91.8	-91.8	0.52 (1)		3.83
	D-E	-2559 / 0	-91.8	-91.8	0.48 (1)		3.85
	E-F	-2589 / 0	-91.8	-91.8	0.48 (1)		3.85
	F-G	-2539 / 0	-91.8	-91.8	0.52 (1)		3.83
	G-H	-2889 / 0	-91.8	-91.8	0.58 (1)		3.58
	H-I	0 / 26	-91.8	-91.8	0.12 (1)		10.00
	R-B	-2014 / 0	0.0	0.0	0.20 (1)		5.95
	J-H	-2014 / 0	0.0	0.0	0.20 (1)		5.95
	R-Q	0 / 0	-18.5	-18.5	0.15 (4)		10.00
	Q-P	0 / 2609	-18.5	-18.5	0.49 (1)		10.00
	P-O	0 / 2249	-18.5	-18.5	0.43 (1)		10.00
	O-N	0 / 2249	-18.5	-18.5	0.43 (1)		10.00
	N-M	0 / 2249	-18.5	-18.5	0.43 (1)		10.00
	M-L	0 / 2249	-18.5	-18.5	0.43 (1)		10.00
	L-K	0 / 2609	-18.5	-18.5	0.49 (1)		10.00
	K-J	0 / 0	-18.5	-18.5	0.15 (4)		10.00

WEBS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
	Q-C	-255 / 12	0.07 (1)
	C-P	-435 / 0	0.42 (1)
	P-D	0 / 350	0.08 (1)
	D-N	0 / 482	0.11 (1)
	N-E	-641 / 0	0.56 (1)
	N-F	0 / 482	0.11 (1)
	L-F	0 / 350	0.08 (1)
	L-G	-435 / 0	0.42 (1)
	K-G	-255 / 12	0.07 (1)
	B-Q	0 / 2635	0.59 (1)
	K-H	0 / 2635	0.59 (1)

TOTAL WEIGHT = 2 X 145 = 289 lb [M|F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCSC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.26")

CSI: TC=0.58/1.00 (B-C:1) , BC=0.48/1.00 (P-Q:1) , WB=0.59/1.00 (B-Q:1) , SSI=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.69 (Q) (INPUT = 0.90)
JSI METAL= 0.69 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T44	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:21 2020 Page 1
ID:K?TPdhgjDnpI1qIYdbWfOFzldeG-SdAcIGGA2a5tibnycfSBKlGrDK9fYJhN1xJv98zNB1W



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TS-t	MT20	3.0	6.0		
E	TTW-m	MT20	4.0	6.0		
F	TMWW-t	MT20	4.0	4.0		
G	TTW-m	MT20	4.0	6.0		
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.75
J	TMVW-p	MT20	5.0	8.0	Edge	3.50
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.25
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	5.0	6.0	2.50	2.25
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007173

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-P, F-P, F-O, I-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 28	-91.8	-91.8	0.12 (1)		10.00
B- C	-2908 / 0	-91.8	-91.8	0.83 (1)		3.25
C- D	-2373 / 0	-91.8	-91.8	0.72 (1)		3.66
D- E	-2373 / 0	-91.8	-91.8	0.72 (1)		3.66
E- F	-2100 / 0	-91.8	-91.8	0.19 (1)		4.53
F- G	-2100 / 0	-91.8	-91.8	0.19 (1)		4.53
G- H	-2373 / 0	-91.8	-91.8	0.72 (1)		3.66
H- I	-2373 / 0	-91.8	-91.8	0.72 (1)		3.66
I- J	-2906 / 0	-91.8	-91.8	0.83 (1)		3.25
J- K	0 / 28	-91.8	-91.8	0.12 (1)		10.00
S- B	-2008 / 0	0.0	0.0	0.20 (1)		5.96
L- J	-2008 / 0	0.0	0.0	0.20 (1)		5.96
S- R	0 / 0	-18.5	-18.5	0.20 (4)		10.00
R- Q	0 / 2630	-18.5	-18.5	0.52 (1)		10.00
Q- P	0 / 2630	-18.5	-18.5	0.52 (1)		10.00
P- O	0 / 2193	-18.5	-18.5	0.45 (1)		10.00
O- N	0 / 2630	-18.5	-18.5	0.52 (1)		10.00
N- M	0 / 2630	-18.5	-18.5	0.52 (1)		10.00
M- L	0 / 0	-18.5	-18.5	0.20 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R- C	-182 / 52	0.06 (1)
C- P	-637 / 0	0.29 (1)
P- E	0 / 674	0.15 (1)
P- F	-222 / 0	0.11 (1)
F- O	-222 / 0	0.11 (1)
O- G	0 / 674	0.15 (1)
O- I	-637 / 0	0.29 (1)
M- I	-182 / 52	0.06 (1)
B- R	0 / 2649	0.60 (1)
M- J	0 / 2649	0.60 (1)

TOTAL WEIGHT = 2 X 145 = 291 lb
[M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.30")

CSI: TC=0.83/1.00 (B-C:1) , BC=0.52/1.00 (F-R:1) , WB=0.60/1.00 (B-R:1) , SSI=0.28/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (M) (INPUT = 0.90)
JSI METAL= 0.79 (Q) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T45	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:22 2020 Page 1

ID:K?TPdhqj0npi1qlYdbWfOFzIdeG-wpj_zbGopuDkKM9AMzQsyp6jfVPHiyXGb2SiazNB1V



TOTAL WEIGHT = 2 X 151 = 302 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
T - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
T - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.25
D	TS-t	MT20	3.0	6.0		
E	TMWW-t	MT20	4.0	4.0	2.00	1.50
F	TTW-h	MT20	4.0	4.0	2.00	1.75
G	TTWW-m	MT20	5.0	6.0	2.00	2.00
H	TMWW-t	MT20	4.0	4.0	2.00	1.50
I	TS-t	MT20	3.0	6.0		
J	TMWW-t	MT20	5.0	6.0	2.50	2.25
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-t	MT20	5.0	6.0	2.25	2.00
N, P, S						
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
Q	BMWWW-t	MT20	4.0	6.0		
R	BS-t	MT20	3.0	6.0		
T	BMVW1-t	MT20	5.0	6.0	2.25	2.00

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
T	2063	0	2063	0	0	5-8	5-8
M	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
M	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.85 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-Q, H-P, C-T, J-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 28	-91.8	-91.8	0.12 (1)		10.00
B- C	0 / 19	-91.8	-91.8	0.32 (1)		10.00
C- D	-2759 / 0	-91.8	-91.8	0.40 (1)		3.86
D- E	-2759 / 0	-91.8	-91.8	0.40 (1)		3.86
E- F	-2167 / 0	-91.8	-91.8	0.36 (1)		4.30
F- G	-1925 / 0	-91.8	-91.8	0.18 (1)		4.71
G- H	-2166 / 0	-91.8	-91.8	0.36 (1)		4.30
H- I	-2760 / 0	-91.8	-91.8	0.40 (1)		3.86
I- J	-2760 / 0	-91.8	-91.8	0.40 (1)		3.86
J- K	0 / 19	-91.8	-91.8	0.32 (1)		10.00
K- L	0 / 28	-91.8	-91.8	0.12 (1)		10.00
T- B	-326 / 0	0.0	0.0	0.03 (1)		7.81
M- K	-326 / 0	0.0	0.0	0.03 (1)		7.81
T- S	0 / 2536	-18.5	-18.5	0.55 (1)		10.00
S- R	0 / 2362	-18.5	-18.5	0.53 (1)		10.00
R- Q	0 / 2362	-18.5	-18.5	0.53 (1)		10.00
Q- P	0 / 1924	-18.5	-18.5	0.40 (1)		10.00
P- O	0 / 2362	-18.5	-18.5	0.53 (1)		10.00
O- N	0 / 2362	-18.5	-18.5	0.53 (1)		10.00
N- M	0 / 2537	-18.5	-18.5	0.56 (1)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C- S	-110 / 37	0.04 (1)
S- E	0 / 276	0.06 (1)
E- Q	-681 / 0	0.31 (1)
Q- F	0 / 613	0.14 (1)
Q- G	0 / 4	0.00 (1)
P- G	0 / 609	0.14 (1)
P- H	-682 / 0	0.31 (1)
H- N	0 / 276	0.06 (1)
N- J	-110 / 37	0.04 (1)
T- C	-3040 / 0	0.85 (1)
J- M	-3041 / 0	0.85 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.32")

CSI: TC=0.40/1.00 (H-J:1) , BC=0.56/1.00 (M-N:1) , WB=0.85/1.00 (J-M:1) , SSI=0.20/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (M) (INPUT = 0.90)
JSI METAL= 0.78 (O) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007174

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T46	6	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:23 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzIdeG-O?HMAxHQaCLbxuxLk4UfPALGz7q50ADgUFo?E1zNB1U



TOTAL WEIGHT = 6 X 152 = 910 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.25	2.00
D	TS-t	MT20	3.0	6.0		
E	TMWW+t	MT20	5.0	6.0		
F	TTWW+p	MT20	4.0	6.0	Edge	
G	TMWW+t	MT20	5.0	6.0		
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	5.0	6.0	2.25	2.00
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	4.0	9.0		Edge
M, O, P, R						
M	BMWW+t	MT20	4.0	6.0		
N	BS-t	MT20	3.0	6.0		
Q	BS-t	MT20	3.0	6.0		
S	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.76 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-S, I-L

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B- C	0 / 22	-91.8	-91.8	0.40 (1)	10.00
C- D	-2808 / 0	-91.8	-91.8	0.49 (1)	3.75
D- E	-2808 / 0	-91.8	-91.8	0.49 (1)	3.75
E- F	-2322 / 0	-91.8	-91.8	0.46 (1)	4.07
F- G	-2322 / 0	-91.8	-91.8	0.46 (1)	4.07
G- H	-2808 / 0	-91.8	-91.8	0.49 (1)	3.75
H- I	-2808 / 0	-91.8	-91.8	0.49 (1)	3.75
I- J	0 / 22	-91.8	-91.8	0.40 (1)	10.00
J- K	0 / 28	-91.8	-91.8	0.12 (1)	10.00
S- B	-344 / 0	0.0	0.0	0.03 (1)	7.81
L- J	-344 / 0	0.0	0.0	0.03 (1)	7.81
S- R	0 / 2574	-18.5	-18.5	0.53 (1)	10.00
R- Q	0 / 2291	-18.5	-18.5	0.47 (1)	10.00
Q- P	0 / 2291	-18.5	-18.5	0.47 (1)	10.00
P- O	0 / 1762	-18.5	-18.5	0.39 (1)	10.00
O- N	0 / 2291	-18.5	-18.5	0.47 (1)	10.00
N- M	0 / 2291	-18.5	-18.5	0.47 (1)	10.00
M- L	0 / 2574	-18.5	-18.5	0.53 (1)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- O	0 / 866	0.19 (1)
O- G	-726 / 0	0.72 (1)
G- M	0 / 391	0.09 (1)
M- I	-192 / 19	0.05 (1)
P- F	0 / 868	0.19 (1)
E- P	-726 / 0	0.72 (1)
R- E	0 / 391	0.09 (1)
C- R	-192 / 18	0.05 (1)
S- C	-3084 / 0	0.72 (1)
I- L	-3084 / 0	0.72 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.28")

CSI: TC=0.49/1.00 (G-I:1) , BC=0.53/1.00 (R-S:1) , WB=0.72/1.00 (E-P:1) , SSI=0.22/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (C) (INPUT = 0.90)
JSI METAL= 0.77 (I) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007175

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T47	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:24 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzIdeG-sCrkNHI2LVTSZ2WXIn?uxNuSFX8oiOpjvXZmTzNB1T



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
N - B	2x6	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
K - H	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS		SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A- D	1	12	TOP
D- F	1	12	SIDE(61.0)
F- G	1	12	SIDE(61.0)
H- G	1	12	TOP
N- B	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
N- K	2	12	TOP
K- H	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007176 92

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT SRG	REQRD BRG
N	2120	0	2120	0	0	5-8	5-8
H	3119	0	3119	0	0	IN-SX MECHANICAL	IN-SX

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
N	1495	1003 / 0	0 / 0	0 / 0	0 / 0	492 / 0	0 / 0
H	2201	1472 / 0	0 / 0	0 / 0	0 / 0	729 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.64 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.07 (1)	10.00	
B-C	-2914 / 0	-91.8	-91.8	0.17 (1)	5.22	
C-D	-2892 / 0	-91.8	-91.8	0.17 (1)	5.24	
D-E	-3517 / 0	-91.8	-91.8	0.27 (1)	4.74	
E-F	-3517 / 0	-91.8	-91.8	0.27 (1)	4.74	
F-G	-3466 / 0	-91.8	-91.8	0.39 (1)	4.64	
N-B	-2064 / 0	0.0	0.0	0.07 (1)	7.81	
H-G	-2933 / 0	0.0	0.0	0.20 (1)	8.72	
N-M	0 / 0	-18.5	-18.5	0.03 (1)	10.00	
M-L	0 / 2822	-18.5	-18.5	0.21 (1)	10.00	
L-K	0 / 2568	-18.5	-18.5	0.33 (1)	10.00	
K-J	0 / 2568	-18.5	-18.5	0.33 (1)	10.00	
J-O	0 / 3109	-18.5	-18.5	0.69 (1)	10.00	
O-I	0 / 3109	-18.5	-18.5	0.69 (1)	10.00	
I-P	0 / 0	-18.5	-18.5	0.32 (1)	10.00	
P-Q	0 / 0	-18.5	-18.5	0.32 (1)	10.00	
Q-H	0 / 0	-18.5	-18.5	0.32 (1)	10.00	

WEBS

MEMB. FR-TO	FACTORED FORCE (LBS)	MAX CSI (LC)
M- C	-408 / 0	0.04 (1)
C- L	-66 / 0	0.01 (1)
L- D	0 / 70	0.01 (4)
D- J	0 / 1336	0.17 (1)
J- E	-555 / 0	0.12 (1)
J- F	0 / 575	0.07 (1)
I- F	0 / 522	0.06 (1)
I- G	0 / 3293	0.41 (1)
B- M	0 / 2664	0.33 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	18-6-0	-178	-178	---	FRONT	VERT	TOTAL	--	C1
I	18-3-12	-35	-35	---	FRONT	VERT	TOTAL	--	C1
O	18-4-8	-1661	-1661	---	FRONT	VERT	TOTAL	--	C1
P	20-3-12	-283	-283	---	FRONT	VERT	TOTAL	--	C1
Q	22-3-12	-284	-284	---	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 114 = 228 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.81")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.81")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.15")

CSI: TC=0.39/1.00 (F-G:1) , BC=0.69/1.00 (I-J:1) , WB=0.41/1.00 (G-I:1) , SSI=0.37/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.87 (I) (INPUT = 0.90)
JSI METAL = 0.44 (G) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408170	T47	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:K?TPdhgj0npl1qlYdbWfOFzldeG-sCrkNHl2LVTSZ2WXIn?uxNuSFX8ofiOpjvXZmTzNB1T

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	4.0	6.0	1.00	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMVW-t	MT20	5.0	8.0		Edge
H	BMV1+p	MT20	3.0	6.0		
I	BMWW-t	MT20	5.0	6.0	2.50	2.75
J	BMWWW-t	MT20	5.0	8.0		
K	BS-t	MT20	5.0	6.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMWW-t	MT20	5.0	6.0		
N	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/22/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007176

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T48	1	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:25 2020 Page 1
ID:K?TPdhgj0npl1qiYdbWfOFzIdeG-LOP7bdJg6pbJBC5krUX7UbRc0xZ9U3GzyZH6IvzNB1S



TOTAL WEIGHT = 99 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
M - B	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	6.0	2.00	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TTW-m	MT20	4.0	4.0		
F	TMWW-t	MT20	4.0	6.0		
G	TMV+p	MT20	3.0	4.0		
H	BMVW1-t	MT20	4.0	6.0		
I	BMWWW-t	MT20	4.0	9.0		
J	BS-t	MT20	3.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
M	1461	0	1461	0	0	5-8	5-8
H	1337	0	1337	0	0	IN-SX MECHANICAL	IN-SX

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
M	1031	690 / 0	0 / 0	0 / 0	0 / 0	341 / 0	0 / 0
H	945	620 / 0	0 / 0	0 / 0	0 / 0	325 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF D-I.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B-C	-1844 / 0	-91.8	-91.8	0.36 (1)	4.58
C-D	-1488 / 0	-91.8	-91.8	0.34 (1)	5.00
D-E	-1181 / 0	-91.8	-91.8	0.46 (1)	5.27
E-F	-1336 / 0	-91.8	-91.8	0.18 (1)	5.42
F-G	0 / 18	-91.8	-91.8	0.21 (1)	10.00
M-B	-1419 / 0	0.0	0.0	0.14 (1)	6.85
H-G	-138 / 0	0.0	0.0	0.02 (1)	7.81
M-L	0 / 0	-18.5	-18.5	0.12 (4)	10.00
L-K	0 / 1671	-18.5	-18.5	0.32 (1)	10.00
K-J	0 / 1313	-18.5	-18.5	0.36 (4)	10.00
J-I	0 / 1313	-18.5	-18.5	0.36 (4)	10.00
I-H	0 / 1069	-18.5	-18.5	0.34 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
L-C	-165 / 32	0.04 (1)
C-K	-436 / 0	0.31 (1)
K-D	0 / 334	0.08 (1)
D-I	-189 / 0	0.09 (1)
I-E	0 / 175	0.05 (4)
I-F	0 / 158	0.04 (4)
B-L	0 / 1692	0.38 (1)
F-H	-1563 / 0	0.82 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.81")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.81")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.14")

CSI: TC=0.46/1.00 (D-E:1) , BC=0.36/1.00 (I-K:4) , WB=0.82/1.00 (F-H:1) , SSI=0.22/1.00 (D-E:1)

COL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (8) (INPUT = 0.90)
JSI METAL= 0.50 (8) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007177

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T49	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:27 2020 Page 1

ID:K?TPdhgi0npl1qlYdbWfOFzldeG-HnXt0JKxeQr1QWF6zvZbZ0Wx4kDry?lGPtmDNozNB1Q



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
K - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
J - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMV+p	MT20	3.0	4.0		
B	TMWW-t	MT20	5.0	6.0		
C	TVMWW-t	MT20	4.0	9.0	2.25	5.50
D	TMV+p	MT20	3.0	4.0		
E	TMWW-t	MT20	4.0	6.0		
F	TMVW-t	MT20	5.0	6.0		
G	BMV1+p	MT20	3.0	4.0		
H	BMWWW-t	MT20	5.0	6.0	2.50	2.50
I	BS-t	MT20	3.0	6.0		
J	BMVW-t	MT20	4.0	4.0		
K	BMVW1-t	MT20	5.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING.

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
K	1079	0	1079	0	0	5-8	5-8
G	1079	0	1079	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	780	416 / 0	0 / 0	0 / 0	0 / 0	364 / 0	0 / 0
G	780	416 / 0	0 / 0	0 / 0	0 / 0	364 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K, G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.47 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

TOTAL WEIGHT = 3 X 72 = 216 lb [M][R]

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
K-A	-163 / 0	0.0	0.0	0.04 (1)	7.81
A-B	0 / 0	-114.3	-114.3	0.32 (1)	10.00
B-C	-1416 / 0	-114.3	-114.3	0.37 (1)	4.47
J-C	-226 / 0	0.0	0.0	0.08 (1)	7.81
C-D	-183 / 0	0.0	0.0	0.08 (1)	7.81
D-E	-58 / 0	-114.3	-114.3	0.51 (1)	8.25
E-F	-1004 / 0	-114.3	-114.3	0.55 (1)	4.81
G-F	-1039 / 0	0.0	0.0	0.37 (1)	6.81
K-J	0 / 1013	-18.5	-18.5	0.41 (4)	10.00
J-I	0 / 1402	-18.5	-18.5	0.48 (4)	10.00
I-H	0 / 1402	-18.5	-18.5	0.48 (4)	10.00
H-G	0 / 0	-18.5	-18.5	0.13 (4)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
K-B	-1328 / 0	0.65 (1)
B-J	0 / 538	0.16 (1)
C-E	-961 / 0	0.30 (1)
C-H	-469 / 0	0.30 (1)
H-E	-471 / 0	0.16 (1)
H-F	0 / 1303	0.39 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	15.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	48.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN ALL FLAT SECTIONS BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.11")

CSI: TC=0.55/1.00 (E-F:1) , BC=0.48/1.00 (H-J:4) , WB=0.65/1.00 (B-K:1) , SSI=0.34/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1687	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (C) (INPUT = 0.90)
JSI METAL= 0.62 (I) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007178

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T50	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:28 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzldeG-Iz5FDfLZPkzu2gpJXd4q6D3AB8cJhXEPeXWmvEzNB1P



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	8.0		
D	TTW-t	MT20	4.0	4.0		
E	TMWW-t	MT20	4.0	4.0		
F	TMVW-t	MT20	4.0	6.0		
G	BMV1+p	MT20	3.0	4.0		
H	BMWW-t	MT20	4.0	8.0		
I	BS-t	MT20	3.0	6.0		
J	BMWWW-t	MT20	4.0	9.0		
K	BMVW1-t	MT20	4.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
K	1020	0	1020	0	0	5-8	5-8
G	898	0	898	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	719	485 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0
G	633	416 / 0	0 / 0	0 / 0	0 / 0	218 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.73 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 26	-91.8	-91.8	0.12 (1)		10.00
B- C	0 / 14	-91.8	-91.8	0.15 (1)		10.00
C- D	-962 / 0	-91.8	-91.8	0.13 (1)		6.20
D- E	-894 / 0	-91.8	-91.8	0.26 (1)		6.16
E- F	-1054 / 0	-91.8	-91.8	0.27 (1)		5.73
K- B	-248 / 0	0.0	0.0	0.03 (1)		7.81
G- F	-855 / 0	0.0	0.0	0.10 (1)		7.81
K- J	0 / 956	-18.5	-18.5	0.26 (1)		10.00
J- I	0 / 1073	-18.5	-18.5	0.27 (1)		10.00
I- H	0 / 1073	-18.5	-18.5	0.27 (1)		10.00
H- G	0 / 0	-18.5	-18.5	0.10 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C- J	-135 / 7	0.04 (1)
J- D	0 / 355	0.08 (1)
J- E	-283 / 0	0.13 (1)
H- E	-335 / 0	0.07 (1)
K- C	-1196 / 0	0.35 (1)
H- F	0 / 1150	0.26 (1)

TOTAL WEIGHT = 2 X 63 = 126 lb
[M|F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.09")

CSI: TC=0.27/1.00 (E-F:1) , BC=0.27/1.00 (H-J:1) , WB=0.35/1.00 (C-K:1) , SSI=0.21/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.71 (H) (INPUT = 0.90)
JSI METAL= 0.32 (I) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007179

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T51	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:29 2020 Page 1
ID:K?TPdhgj0npI1qlYdbWfOFzIdsG-D9fdR?MBA25IfpOV4Kb3eRbKcYx2QzGZtBFKSgzNB1C



TOTAL WEIGHT = 70 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TMWW-t	MT20	4.0	6.0		
G	BMV1+p	MT20	3.0	4.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BS-t	MT20	3.0	6.0		
J	BMWW-t	MT20	4.0	4.0		
K	BMW1-t	MT20	4.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
G	866	0	866	0	0	MECHANICAL	
K	1020	0	1020	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM LIVE	WIND	DEAD	SOIL
G	633	416 / 0	0 / 0	0 / 0	0 / 0	218 / 0	0 / 0
K	719	485 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.21 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)		10.00
B-C	0 / 17	-91.8	-91.8	0.20 (1)		10.00
C-D	-901 / 0	-91.8	-91.8	0.22 (1)		9.21
D-E	-654 / 0	-91.8	-91.8	0.29 (1)		6.25
E-F	-654 / 0	-91.8	-91.8	0.29 (1)		6.25
G-F	-858 / 0	0.0	0.0	0.35 (1)		7.81
K-B	-261 / 0	0.0	0.0	0.03 (1)		7.81
K-J	0 / 985	-18.5	-18.5	0.30 (4)		10.00
J-I	0 / 796	-18.5	-18.5	0.30 (4)		10.00
I-H	0 / 796	-18.5	-18.5	0.30 (4)		10.00
H-G	0 / 0	-18.5	-18.5	0.06 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-J	-215 / 0	0.06 (1)
J-D	0 / 265	0.06 (1)
D-H	-210 / 0	0.14 (1)
H-E	-488 / 0	0.18 (1)
H-F	0 / 961	0.22 (1)
K-C	-1192 / 0	0.43 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.12")

CSI: TC=0.35/1.00 (F-G:1) , BC=0.30/1.00 (J-K:4) , WB=0.43/1.00 (C-K:1) , SSI=0.19/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (C) (INPUT = 0.90)
JSI METAL= 0.40 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007180

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	G52	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:13 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzldeG-h4ha4W99x740lMAQ9zJJ?3xf05YfgpiCBiNUtczNB1e



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
L - A	2x4	DRY	No.2	SPF
A - F	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
L - G	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMV+p	MT20	3.0	4.0		
B, C, D, E						
B	TMW+w	MT20	2.0	4.0		
F	TMV+p	MT20	3.0	4.0		
G	BMV1+p	MT20	3.0	4.0		
H, I, J, K						
H	BMW1+w	MT20	2.0	4.0		
L	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER
PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING
BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
L-A	-100 / 0	0.0	0.0	0.02 (1)		7.81
A-B	-4 / 0	-114.3	-114.3	0.08 (1)		10.00
B-C	-4 / 0	-114.3	-114.3	0.08 (1)		10.00
C-D	-4 / 0	-114.3	-114.3	0.07 (1)		10.00
D-E	-4 / 0	-114.3	-114.3	0.07 (1)		10.00
E-F	-4 / 0	-114.3	-114.3	0.05 (1)		10.00
G-F	-54 / 0	0.0	0.0	0.02 (1)		7.81
L-K	0 / 4	-18.5	-18.5	0.02 (4)		10.00
K-J	0 / 4	-18.5	-18.5	0.02 (4)		10.00
J-I	0 / 4	-18.5	-18.5	0.02 (4)		10.00
I-H	0 / 4	-18.5	-18.5	0.02 (4)		10.00
H-G	0 / 4	-18.5	-18.5	0.01 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
K-B	-245 / 0	0.09 (1)
J-C	-224 / 0	0.08 (1)
I-D	-238 / 0	0.08 (1)
H-E	-186 / 0	0.06 (1)

TOTAL WEIGHT = 41 lb

[M](R)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	15.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	48.0	PSF

SPACING = 24.0 IN.C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.08/1.00 (B-C:1) , BC=0.02/1.00 (J-K:4) , WB=0.09/1.00 (B-K:1) , SSI=0.13/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.17 (B) (INPUT = 0.90)
JSI METAL= 0.07 (K) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007166

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T53S	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:30 2020 Page 1
ID:K?TPdhgj0npI1qlYdbWfOFzldeG-hLC0eLNpxLDcHzzhe26lBe8YnyLF9WNi5r?t_7zNB1N



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
G - C	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
B - H	2x3	DRY	No.2	SPF
H - E	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TMV+p	MT20	3.0	4.0		
D	TT-m	MT20	3.0	6.0	0.50	2.50
E	TMVW-t	MT20	4.0	4.0		
F	BMVW1-t	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWW-t	MT20	5.0	8.0	3.00	2.50
I	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	302	0	302	0	0	IN-SX	IN-SX
I	457	0	457	0	0	MECHANICAL	
						5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	214	138 / 0	0 / 0	0 / 0	0 / 0	75 / 0	0 / 0
I	320	225 / 0	0 / 0	0 / 0	0 / 0	95 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B-C	-217 / 0	-91.8	-91.8	0.14 (1)	6.25
C-D	-200 / 0	-91.8	-91.8	0.05 (1)	6.25
D-E	-167 / 0	-91.8	-91.8	0.03 (1)	6.25
F-E	-273 / 0	0.0	0.0	0.03 (1)	7.81
I-B	-420 / 0	0.0	0.0	0.04 (4)	7.81
I-H	0 / 41	-18.5	-18.5	0.05 (4)	10.00
G-H	0 / 25	0.0	0.0	0.02 (1)	10.00
H-C	-166 / 0	0.0	0.0	0.04 (1)	7.81
G-F	0 / 16	-18.5	-18.5	0.02 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
H-F	-10 / 0	0.00 (1)
B-H	0 / 153	0.03 (1)
H-E	0 / 247	0.06 (1)

TOTAL WEIGHT = 33 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.14/1.00 (B-C:1) , BC=0.05/1.00 (H-I:4) , WB=0.06/1.00 (E-H:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.36 (H) (INPUT = 0.90)
JSI METAL= 0.13 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/22/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007181

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T54S	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Trusses, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:31 2020 Page 1
ID:K?TPdhqj0npI1qlYdbWfOFzldeG-9YmOrgNRhfLTv7YtCleXkshknMhquyRrKVkRWZzNB1M



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
G - D	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TMV+p	MT20	3.0	4.0		
E	TMVW-t	MT20	4.0	4.0		
F	BMVW1-t	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWWW-t	MT20	5.0	8.0	3.00	2.50
I	BMWW-t	MT20	4.0	4.0		
J	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	302	0	302	0	0	MECHANICAL	
J	456	0	456	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	214	139 / 0	0 / 0	0 / 0	0 / 0	75 / 0	0 / 0
J	320	225 / 0	0 / 0	0 / 0	0 / 0	95 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO							FR-TO		
A- B	0 / 28	-91.8	-91.8	0.12 (1)		10.00	I- C	-50 / 10	0.01 (1)
B- C	-240 / 0	-91.8	-91.8	0.12 (1)		6.25	C- H	0 / 84	0.02 (1)
C- D	-246 / 0	-91.8	-91.8	0.05 (1)		6.25	H- F	-9 / 0	0.00 (1)
D- E	-241 / 0	-91.8	-91.8	0.07 (1)		6.25	H- E	0 / 302	0.07 (1)
F- E	-276 / 0	0.0	0.0	0.05 (1)		7.81	B- I	0 / 214	0.05 (1)
J- B	-439 / 0	0.0	0.0	0.04 (1)		7.81			
J- I	0 / 0	-18.5	-18.5	0.02 (4)		10.00			
I- H	0 / 193	-18.5	-18.5	0.04 (1)		10.00			
G- H	0 / 25	0.0	0.0	0.02 (1)		10.00			
H- D	-219 / 0	0.0	0.0	0.01 (1)		7.81			
G- F	0 / 8	-18.5	-18.5	0.03 (4)		10.00			

TOTAL WEIGHT = 31 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.04/1.00 (H-I:1) , WB=0.07/1.00 (E-H:1) , SSI=0.10/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.33 (B) (INPUT = 0.90)
JSI METAL= 0.13 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. GALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007182

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T55	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:32 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzldeG-dkKm30O3SzTJWH74mT9mG3DvHI_9dNX?Z9U_2?zNB1L



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
F- A	1	12	TOP
A- C	1	12	TOP
C- D	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
F- D	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
B- E	1	6	SIDE(45.8)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMWW-t	MT20	4.0	4.0	2.00	1.25
B	TMWW-t	MT20	4.0	4.0	2.00	1.75
C	TMV+p	MT20	3.0	4.0		
D	BMVW1+p	MT20	4.0	6.0		
E	BMWW-t	MT20	5.0	6.0		

Structural component only
DWG# T-2007183 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	RECMD BRG
F	1589	0	1589	0	0	5-8	5-8
D	1680	0	1680	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	1121	750 / 0	0 / 0	0 / 0	0 / 0	371 / 0	0 / 0
D	1185	792 / 0	0 / 0	0 / 0	0 / 0	394 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- A	-1074 / 0	0.0	0.0	0.07 (1)		7.81	A- E	0 / 975	0.12 (1)
A- B	-867 / 0	-91.8	-91.8	0.06 (1)		6.25	E- B	0 / 1044	0.13 (1)
B- C	-12 / 0	-91.8	-91.8	0.06 (1)		6.25	B- D	-1248 / 0	0.21 (1)
D- C	-105 / 0	0.0	0.0	0.02 (1)		7.81			
F- G	0 / 0	-18.5	-18.5	0.19 (1)		10.00			
G- E	0 / 0	-18.5	-18.5	0.19 (1)		10.00			
E- H	0 / 786	-18.5	-18.5	0.21 (1)		10.00			
H- D	0 / 786	-18.5	-18.5	0.21 (1)		10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	3-0-4	-877	-877	---	BACK	VERT	TOTAL	---	C1
G	1-0-4	-877	-877	---	BACK	VERT	TOTAL	---	C1
H	5-0-4	-880	-880	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 34 = 67 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	8.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.07/1.00 (A-F:1) , BC=0.21/1.00 (D-E:1) , WB=0.21/1.00 (B-D:1) , SSI=0.20/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.72 (A) (INPUT = 0.90)
JSI METAL= 0.18 (D) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408170	T55	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:K?TPdhqi0npH1qIYdbWfOFzldeG-dkKm30O3SzTJWH74mT9mG3DvHi 9dNX?Z9U 2?zNB1L

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
F	BMV1+p	MT20	3.0	6.0		

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007183

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T56	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:K?TPdhgj0npl1qlYdbWfOFzldeG-6wu8GMPiDGbA8RiGJAg?pHm499FsMnS8opDXbRzNB1K



TOTAL WEIGHT = 2 X 29 = 57 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS		
F-A 1	12	TOP
A-C 1	12	TOP
C-D 1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS		
F-D 2	5	SIDE(549.3)
WEBS : (0.122"X3") SPIRAL NAILS		
B-E 1	2	SIDE(259.5)
2x3 1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMWW-t	MT20	4.0	6.0		Edge
B	TMWW-t	MT20	5.0	6.0	2.50	2.75
C	TMV+p	MT20	3.0	4.0		
D	BMVW1-t	MT20	5.0	6.0		
E	BMWW-t	MT20	5.0	6.0	4.25	2.50



Structural component only
DWG# T-2007184 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	2334	0	2334	0	0	5-8	5-8
D	2733	0	2733	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	1846	1103 / 0	0 / 0	0 / 0	0 / 0	543 / 0	0 / 0
D	1929	1290 / 0	0 / 0	0 / 0	0 / 0	639 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.20 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-A	-2316 / 0	0.0	0.0	0.13 (1)	7.37	A-E	0 / 2898	0.36 (1)
A-B	-3101 / 0	-91.8	-91.8	0.08 (1)	5.20	E-B	0 / 2880	0.36 (1)
B-C	-5 / 0	-91.8	-91.8	0.08 (1)	10.00	B-D	-3303 / 0	0.42 (1)
D-C	-138 / 0	0.0	0.0	0.02 (1)	7.81			
F-E	0 / 0	-18.5	-18.5	0.01 (4)	10.00			
E-G	0 / 2779	-18.5	-18.5	0.57 (1)	10.00			
G-D	0 / 2779	-18.5	-18.5	0.57 (1)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	2-7-8	-3101	-3101	---	BACK	VERT	TOTAL	---	C1
G	4-6-12	-1318	-1318	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA O86-09, CSA O86-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.13/1.00 (A-F:1) , BC=0.57/1.00 (D-E:1) , WB=0.42/1.00 (B-D:1) , SSI=0.27/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (E) (INPUT = 0.90)
JSI METAL= 0.50 (E) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408170	T56	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:K?TPdhgi0ngI1qfYdbW!OFzldeG-8wu8GMPiDGbA8RiGJAg?pHm499FsMnS8opDXbRzNB1K

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
F	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/22/20
H. J. GALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007184 Y2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	PB1	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:46 2020 Page 1
ID:DMCubINVR6TstFos31v6l_znsII-PDfyPME2p5aIfFmuAaG4IkD6h8P9Gw?nTyvpaZzNBRN



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
B - F	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (Table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0	1.50	2.00
C	TTWW+m	MT20	5.0	6.0	2.25	1.50
D	TMW+w	MT20	2.0	4.0		
E	TTWW+m	MT20	5.0	6.0	2.25	1.50
F	TMB1-I	MT20	3.0	4.0	1.50	2.00
H	BMW1+w	MT20	2.0	4.0		
I	BMWWW1-I	MT20	4.0	9.0		
J	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 3 X 45 = 136 lb [M]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	169	0	169	0	0	13-7-1	13-7-1
F	169	0	169	0	0	13-7-1	13-7-1
J	288	0	288	0	0	13-7-1	13-7-1
I	683	0	683	0	0	13-7-1	13-7-1
H	288	0	288	0	0	13-7-1	13-7-1

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	116	93 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
F	116	93 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
J	207	118 / 0	0 / 0	0 / 0	0 / 0	89 / 0	0 / 0
I	481	327 / 0	0 / 0	0 / 0	0 / 0	154 / 0	0 / 0
H	207	118 / 0	0 / 0	0 / 0	0 / 0	89 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, F, J, I, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 14	-91.8	-91.8	0.02 (1)	10.00
B-L	-31 / 4	-91.8	-91.8	0.01 (1)	6.25
L-C	-60 / 0	-91.8	-91.8	0.03 (1)	6.25
C-D	-8 / 0	-91.8	-91.8	0.39 (1)	10.00
D-E	-8 / 0	-91.8	-91.8	0.39 (1)	10.00
E-N	-60 / 0	-91.8	-91.8	0.03 (1)	6.25
N-F	-31 / 4	-91.8	-91.8	0.01 (1)	6.25
F-G	0 / 14	-91.8	-91.8	0.02 (1)	10.00
B-K	0 / 42	-18.5	-18.5	0.04 (1)	10.00
K-J	0 / 42	-18.5	-18.5	0.07 (4)	10.00
J-I	0 / 29	-18.5	-18.5	0.10 (4)	10.00
I-H	0 / 29	-18.5	-18.5	0.10 (4)	10.00
H-M	0 / 42	-18.5	-18.5	0.07 (4)	10.00
M-F	0 / 42	-18.5	-18.5	0.04 (1)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-C	-194 / 0	0.03 (1)
C-I	-22 / 0	0.01 (1)
I-D	-576 / 0	0.08 (1)
I-E	-22 / 0	0.01 (1)
H-E	-194 / 0	0.03 (1)
K-L	-121 / 0	0.00 (1)
M-N	-121 / 0	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.39/1.00 (C-D:1) , BC=0.10/1.00 (H-I:4) , WB=0.08/1.00 (D-I:1) , SSI=0.22/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1697	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.30 (D) (INPUT = 0.90)
JSI METAL= 0.12 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
apr/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007128

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	PB20	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:22 2020 Page 1
ID:K?TPdhgj0npf1qlYdbWfOFzideG-mlb6FuqXVExPltkFUY_VFTVtTIPkW7jvF6AJozNBDh



TOTAL WEIGHT = 3 X 25 = 75 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		
C	TTWW-m	MT20	5.0	6.0	2.00	2.00
D	TTW-m	MT20	4.0	4.0		
E	TMB1-I	MT20	3.0	4.0		
G	BMWW1-t	MT20	4.0	4.0		
H	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	221	0	221	0	0	7-6-14	7-6-14
E	209	0	209	0	0	7-6-14	7-6-14
H	248	0	248	0	0	7-6-14	7-6-14
G	260	0	260	0	0	7-6-14	7-6-14

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	154	113 / 0	0 / 0	0 / 0	0 / 0	41 / 0	0 / 0
E	146	108 / 0	0 / 0	0 / 0	0 / 0	39 / 0	0 / 0
H	176	109 / 0	0 / 0	0 / 0	0 / 0	67 / 0	0 / 0
G	193	127 / 0	0 / 0	0 / 0	0 / 0	71 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 15	-91.8	-91.8	0.03 (1)		10.00
B-J	-83 / 0	-91.8	-91.8	0.01 (1)		6.25
J-C	-74 / 0	-91.8	-91.8	0.05 (1)		6.25
C-D	-30 / 0	-91.8	-91.8	0.15 (1)		6.25
D-L	-54 / 0	-91.8	-91.8	0.05 (1)		6.25
L-E	-41 / 0	-91.8	-91.8	0.01 (1)		6.25
E-F	0 / 15	-91.8	-91.8	0.03 (1)		10.00
B-I	0 / 60	-18.5	-18.5	0.05 (1)		10.00
I-H	0 / 60	-18.5	-18.5	0.05 (1)		10.00
H-G	0 / 48	-18.5	-18.5	0.03 (1)		10.00
G-K	0 / 43	-18.5	-18.5	0.08 (1)		10.00
K-E	0 / 43	-18.5	-18.5	0.05 (1)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
H-C	-176 / 0	0.03 (1)
C-G	-21 / 0	0.00 (1)
G-D	-198 / 0	0.03 (1)
I-J	-121 / 0	0.00 (1)
K-L	-123 / 0	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2018
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.15/1.00 (C-D:1) , BC=0.08/1.00 (B-I:1) , WB=0.03/1.00 (D-G:1) , SSI=0.11/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (B) (INPUT = 0.90)
JSI METAL= 0.04 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007144

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	J1	19	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:43 2020 Page 1
ID:DMCubiNVR6TstFos31v6l_zns1l-?e_pnKBAWAC7oo1JURiN76ba9zNy3aYKn_h9zEzNBRQ



TOTAL WEIGHT = 19 X 17 = 319 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	525	0	525	0	0	5-8	5-8
C	202	0	202	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS
1ST LCASE MAX./MIN. COMPONENT REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	369	257 / 0	0 / 0	0 / 0	0 / 0	111 / 0	0 / 0
C	139	113 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
D	36	0 / 0	0 / 0	0 / 0	0 / 0	36 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-461 / 0	0.0	0.0	0.13 (4)		7.81			
A-B	0 / 28	-91.8	-91.8	0.12 (1)		10.00			
B-C	-30 / 0	-91.8	-91.8	0.54 (1)		6.25			
E-D	0 / 0	-18.5	-18.5	0.13 (4)		10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.54/1.00 (B-C:1) , BC=0.13/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.24/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1997	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.19 (E) (INPUT = 0.90)
JSI METAL= 0.13 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007126

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	J2	8	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:34:44 2020 Page 1
ID:DMCubINVR6TslFoe31v6l_zns1l-TrYB_gCoHTK_PxcV29DcgJ8qrNjco1oU?eQjVhzNBRP



TOTAL WEIGHT = 8 X 12 = 95 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB14	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
C	174	0	174	0	0	1-8	1-8
B	364	0	364	0	0	5-8	5-8
D	68	0	68	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
C	120	93 / 0	0 / 0	0 / 0	0 / 0	27 / 0	0 / 0
B	255	180 / 0	0 / 0	0 / 0	0 / 0	75 / 0	0 / 0
D	50	19 / 0	0 / 0	0 / 0	0 / 0	32 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 18	-91.8	-91.8	0.11 (1)	10.00	
B-F	-14 / 0	-91.8	-91.8	0.05 (4)	6.25	
F-C	0 / 2	-91.8	-91.8	0.22 (1)	10.00	
B-E	0 / 0	-18.5	-18.5	0.17 (1)	10.00	
E-D	0 / 0	-18.5	-18.5	0.17 (1)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-F	-194 / 7	0.00 (1)

DESIGN CRITERIA [M]

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.22/1.00 (C-F:1) , BC=0.17/1.00 (D-E:1) , WB=0.00/1.00 (E-F:1) , SSI=0.16/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1657	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.24 (B) (INPUT = 0.80)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007127

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	J20S	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 12:49:21 2020 Page 1
ID:K?TPdhgjDnpl1qlYdbWfOFzldeG-IZ1k2YpvkxpY7j92wrSGiGzlsv3rng3ZgbMdnLzNBD



Scale = 1:29.3

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
H - B	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
F - C	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
C	TMV+p	MT20	3.0	4.0		
D	TMWW-t	MT20	5.0	8.0	2.50	2.50
E	BMWW1-t	MT20	4.0	4.0		
F	BMV+p	MT20	3.0	4.0		
G	BVMWWW-t	MT20	5.0	8.0	3.00	2.50
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
H	332	0	332	0	0	5-8	5-8
E	206	0	206	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	232	166 / 0	0 / 0	0 / 0	0 / 0	66 / 0	0 / 0
E	145	95 / 0	0 / 0	0 / 0	0 / 0	50 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
H-B	-307 / 0	0.0	0.0	0.03 (1)		7.81	B-G	0 / 83	0.02 (1)
A-B	0 / 35	-91.8	-91.8	0.14 (5)		10.00	E-D	-184 / 0	0.05 (1)
B-C	-83 / 0	-91.8	-91.8	0.07 (1)		6.25	G-E	-14 / 0	0.00 (1)
C-D	-100 / 0	-91.8	-91.8	0.06 (1)		6.25	G-D	0 / 220	0.05 (1)
H-G	0 / 0	-18.5	-18.5	0.04 (4)		10.00			
F-G	0 / 12	0.0	0.0	0.02 (1)		10.00			
G-C	-218 / 0	0.0	0.0	0.02 (1)		7.81			
F-E	0 / 9	-18.5	-18.5	0.01 (4)		10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 3 X 29 = 86 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.14/1.00 (A-B:5) , BC=0.04/1.00 (G-H:4) , WB=0.05/1.00 (D-E:1) , SSI=0.09/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.21 (B) (INPUT = 0.90)
JSI METAL= 0.07 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/22/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007143

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	J40	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:14 2020 Page 1

ID:K?TPdhgj0npl1qlYdbWfOFzldeG-9GFyHsAniRCtMWicihqYYGUjuVsSPHGLQM61Q2zNB1c



TOTAL WEIGHT = 20 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	441	0	441	0	0	5-8	5-8
C	264	0	264	0	0	1-8	1-8
D	53	0	60	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	310	217 / 0	0 / 0	0 / 0	0 / 0	93 / 0	0 / 0
C	182	147 / 0	0 / 0	0 / 0	0 / 0	35 / 0	0 / 0
D	43	0 / 0	0 / 0	0 / 0	0 / 0	43 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- B	-388 / 0	0.0	0.0	0.05 (1)		7.81	B- E	0 / 0	0.00 (1)
A- B	0 / 28	-91.8	-91.8	0.12 (1)		10.00			
B- C	0 / 0	-91.8	-91.8	0.52 (1)		10.00			
F- E	0 / 0	-18.5	-18.5	0.14 (4)		10.00			
E- D	0 / 0	-18.5	-18.5	0.18 (4)		10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.52/1.00 (B-C:1) , BC=0.18/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.18/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.24 (B) (INPUT = 0.80)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007167

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408170	C40	3	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:08 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzldeG-K7th1p606bSjebITMQj8l?Emz4pp?ZnT2QfjCOzNB1j



TOTAL WEIGHT = 3 X 14 = 42 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	405	0	405	0	0	5-8	5-8
C	130	0	130	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	286	190 / 0	0 / 0	0 / 0	0 / 0	96 / 0	0 / 0
C	90	73 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
D	36	0 / 0	0 / 0	0 / 0	0 / 0	36 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- B	-342 / 0	0.0	0.0	0.13 (4)	7.81			
A- B	0 / 28	-91.8	-91.8	0.12 (1)	10.00			
B- C	-19 / 0	-91.8	-91.8	0.22 (1)	6.25			
E- D	0 / 0	-18.5	-18.5	0.13 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	8.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.13/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/25/20
H. J. GALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007162

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	C41	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:09 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzIdeG-pJR3E96etvaaGltfw7ENrDmzlU9yk01cG4PGkrzNB1i



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	284	0	284	0	0	5-8	5-8
C	63	0	63	0	0	1-8	1-8
D	44	0	52	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	200	137 / 0	0 / 0	0 / 0	0 / 0	62 / 0	0 / 0
C	46	21 / 0	0 / 0	0 / 0	0 / 0	25 / 0	0 / 0
D	35	0 / -3	0 / 0	0 / 0	0 / 0	37 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (7)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-227 / 0	0.0	0.0	1	0.11 (4)	7.81			
A-B	0 / 26	-91.8	-91.8	1	0.12 (1)	10.00			
B-C	-9 / 9	-91.8	-91.8	1	0.08 (4)	10.00			
E-F	0 / 0	-18.5	-18.5	1	0.14 (4)	10.00			
F-G	0 / 0	-18.5	-18.5	1	0.14 (4)	10.00			
G-D	0 / 0	-18.5	-18.5	1	0.14 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	1-11-4	7	1	12	BACK	VERT	TOTAL	--	C1
G	3-11-4	1	1	--	BACK	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 3 X 12 = 35 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	8.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.14/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=0.98 NAIL=0.98 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007163

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	C42	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:10 2020 Page 1

ID:K?TPdhgj0npl1qlYdbWfOFzldeG-HV?SRV7GeCiRuvRrTrlcNQJ6SuW4TTHmVk8pHHzNB1h



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	351	0	361	0	0	5-8	5-8
C	130	0	130	0	0	1-8	1-8
D	16	0	17	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	250	190 / 0	0 / 0	0 / 0	0 / 0	60 / 0	0 / 0
C	90	73 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
D	12	0 / 0	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-342 / 0	0.0	0.0		0.01 (4)	7.81			
A-B	0 / 28	-91.8	-91.8		0.13 (5)	10.00			
B-C	-19 / 0	-91.8	-91.8		0.22 (1)	6.25			
E-D	0 / 0	-18.5	-18.5		0.02 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 3 X 10 = 29 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.02/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/29/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007164

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	C43	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Sat Apr 25 13:02:11 2020 Page 1
ID:K?TPdhgj0npl1qlYdbWfOFzIdeG-IiZqir6uPWqIV2011YHrwesJqIs_CwXvkOuNpjzNB1g



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	271	0	271	0	0	5-8	5-8
C	45	0	45	0	-23	1-8	1-8
D	8	0	17	0	-2	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS FACTORED UPLIFT
PROVIDE ANCHORAGE AT BEARING JOINT D FOR 150 LBS FACTORED UPLIFT

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	198	141 / 0	0 / 0	0 / 0	0 / 0	47 / 0	0 / 0
C	31	24 / -18	0 / 0	0 / 0	0 / 0	7 / 0	0 / 0
D	7	0 / -8	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-244 / 0	0.0	0.0	0.04 (5)	7.81			
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00			
B-C	-17 / 0	-91.8	-91.8	0.09 (1)	6.25			
E-D	0 / 0	-18.5	-18.5	0.04 (5)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 3 X 7 = 21 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.04/1.00 (D-E:5) , WB=0.09/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/27/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007165

LUL/LUS/LJS/HUS/HHUS/HGUS

SIMPSON Strong-Tie®

Standard and Double-Shear Joist Hangers

This product is preferable to similar connectors because of a) easier installation, b) higher capacities, c) lower installed cost, or a combination of these features.

Most hangers in this series have double-shear nailing — an innovation that distributes the load through two points on each joist nail for greater strength. This allows for fewer nails, faster installation, and the use of all common nails for the same connection. (Do not bend or remove tabs)

Double-shear hangers range from the light capacity LUS hangers to the highest capacity HGUS hangers. For medium load truss applications, the HUS offers a lower cost alternative and easier installation than the HGUS hangers, while providing greater load capacity and bearing than the LUS.

Material: See table on pp. 258–259.

Finish: Galvanized. Some products available in stainless steel or ZMAX® coating; see Corrosion Information, pp. 20–24.

Installation:

- Use all specified fasteners; see General Notes.
- Nails must be driven at an angle through the joist or truss into the header to achieve the tabulated resistances (except LUL).
- Where 16d commons are specified, 10d commons may be used at 0.83 of the tabulated factored resistance.
- Not designed for welded or nailer applications.
- With single ply 2x carrying members, use 10d x 1½" nails into the header and 10d commons into the joist, and reduce the resistance to 0.64 of the table value where 16d nails are specified and 0.77 where 10d nails are specified.

Options:

- LUS, LJS, LUL and HUS hangers cannot be modified.
- Other sizes available; consult your Simpson Strong-Tie representative.
- See Hanger Options Information on p. 126.



LUS28



LU26L



HUS210
(HUS26, HUS28, and HHUS similar)



HGUS28-2



HHUS210-2

Double-Shear Nailing Top View



Double-Shear Nailing Side View; Do not bend tab



Dome Double-Shear Nailing Side View *(available on some models)*

U.S. Patent 5,603,580

Typical HUS26 Installation with Reduced Heel Height

(Truss Designer to provide fastener quantity for connecting multiple members together)





LJS26DS

LUL/LUS/LJS/HUS/HHUS/HGUS

SIMPSON Strong-Tie

HHUS/HGUS

See Hanger Options information on pp. 125–127.

HHUS — Sloped and/or Skewed Seat

- HHUS hangers can be skewed to a maximum of 45° and/or sloped to a maximum of 45°
- For skew only, maximum factored down resistance is 0.85 of the table value
- For sloped only or sloped and skewed hangers, the maximum factored down resistance is 0.72 of the table value
- Uplift resistances for sloped/skewed conditions are 0.62 of the table value
- The joist must be bevel-cut to allow for double-shear nailing

HGUS — Skewed Seat

- HGUS hangers can be skewed only to a maximum of 45°. Factored resistances are:

HGUS Seat Width	Joist	Down Resistance	Uplift
W < 2"	Bevel or square cut	0.62 of table value	0.46 of table value
2" < W < 6"	Bevel cut	0.67 of table value	0.41 of table value
2" < W < 6"	Square cut	0.46 of table value	0.41 of table value
W > 6"	Bevel cut	0.75 of table value	0.41 of table value



Top View HHUS Hanger Skewed Right
(joist must be bevel cut)
All joist nails installed on the outside angle *(non-acute side)*.

Standard and Double-Shear Joist Hangers (cont.)

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Dimensions (in.) W	H	B	d_e[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L Uplift (K_D = 1.15) lb. / kN	D.Fir-L Normal (K_D = 1.00) lb. / kN	S-P-F Uplift (K_D = 1.15) lb. / kN	S-P-F Normal (K_D = 1.00) lb. / kN
Single 2x Sizes											
LUS24	18	1⅜	3⅛	1¾	2¼	(4) 10d	(2) 10d	710 / 3.16	1625 / 7.23	645 / 2.87	1155 / 5.14
LU24L	22	1⅜	3	1⅝	2⅛	(4) 10d	(2) 10d x 1½"	360 / 1.60	1020 / 4.54	320 / 1.42	725 / 3.22
LU26L	22	1⅜	5	1⅝	4⅝	(6) 10d	(4) 10d x 1½"	720 / 3.20	1605 / 7.14	645 / 2.87	1140 / 5.07
SS LUS26	18	1⅜	4¾	1¾	3¾	(4) 10d	(4) 10d	1420 / 6.32	2170 / 9.65	1290 / 5.74	1630 / 7.25
HUS26	16	1⅝	5⅝	3	3⅛	(14) 16d	(6) 16d	2705 / 11.30	4940 / 21.97	2065 / 9.20	3875 / 17.24
LJS26DS	18	1⅜	5	3½	4⅝	(16) 16d	(6) 16d	2055 / 9.14	4265 / 18.97	1460 / 6.49	4115 / 18.31
HGUS26	12	1⅝	5⅝	5	4⅛	(20) 16d	(8) 16d	2685 / 11.96	6625 / 29.51	2685 / 11.96	5700 / 25.35
LU28L	20	1⅜	6¾	1⅝	5⅞	(8) 10d	(6) 10d x 1½"	1140 / 5.07	2185 / 9.72	1020 / 4.54	1550 / 6.89
SS LUS28	18	1⅜	6⅝	1¾	3¾	(6) 10d	(4) 10d	1420 / 6.32	2520 / 11.21	1290 / 5.74	1790 / 7.96
HUS28	16	1⅝	7⅛	3	6⅛	(22) 16d	(8) 16d	3605 / 16.04	5365 / 23.86	2675 / 11.90	4345 / 19.33
HGUS28	12	1⅝	7⅛	5	6⅛	(36) 16d	(12) 16d	3310 / 14.74	7675 / 34.19	3310 / 14.74	6900 / 30.73
LU210L	20	1⅜	8	1⅝	7⅝	(10) 10d	(6) 10d x 1½"	1140 / 5.07	2495 / 11.10	1020 / 4.54	1770 / 7.87
SS LUS210	18	1⅜	7¹⁵⁄₁₆	1¾	3⅞	(8) 10d	(4) 10d	1420 / 6.32	2785 / 12.39	1290 / 5.74	2210 / 9.83

1. Factored uplift resistances have been increased 15% for wind or earthquake loading; no further increase is allowed.
2. Designer must ensure that hanger is compatible with truss when reduced heel height is used.
3. d_e is the distance from the bearing seat to the top joist nail.
4. Resistances shown require a minimum 2-ply girder truss. For fastening to single-ply truss request technical bulletin T-C-N10TRSSCN and/or see installation notes.
5. Nails: 16d = 0.162" dia. x 3½" long. See pp. 27–28 for other nail sizes and information.

SIMPSON Strong-Tie

Face-Mount Hangers

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32-34 for more information.

Model No.	Ga.	Dimensions (in.) W	H	B	d_e[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L Uplift (K_D = 1.15) lb. / kN	D.Fir-L Normal (K_D = 1.00) lb. / kN	S-P-F Uplift (K_D = 1.15) lb. / kN	S-P-F Normal (K_D = 1.00) lb. / kN
Double 2x Sizes											
LUS24-2	18	3⅛	3⅛	2	1½	(4) 16d	(2) 16d	835 / 3.71	2020 / 8.99	590 / 2.62	1435 / 6.38
LUS26-2	18	3⅛	4⅞	2	4	(4) 16d	(4) 16d	1720 / 7.65	2595 / 11.54	1545 / 6.87	1920 / 8.54
HHUS26-2	14	3⅜	5⅛	3	3 15/16	(14) 16d	(6) 16d	2860 / 12.68	7335 / 32.63	2065 / 9.20	5205 / 23.15
HGUS26-2	12	3⅜	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 / 19.51	8950 / 39.81	3110 / 13.83	6355 / 28.27
LUS28-2	18	3⅛	7	2	4	(6) 16d	(4) 16d	1720 / 7.65	3325 / 14.79	1545 / 6.87	2575 / 11.45
HHUS28-2	14	3⅜	7⅝	3	6⅛	(22) 16d	(8) 16d	3765 / 16.75	8940 / 39.77	2675 / 11.90	6345 / 28.22
HGUS28-2	12	3⅜	7⅞	4	6⅛	(36) 16d	(12) 16d	6070 / 27.00	12980 / 57.74	4310 / 19.17	9215 / 40.99
LUS210-2	18	3⅛	9	2	6	(8) 16d	(6) 16d	2580 / 11.48	4500 / 20.02	2320 / 10.32	3195 / 14.21
HHUS210-2	14	3⅜	9⅞	3	8	(30) 16d	(10) 16d	4670 / 20.77	9660 / 42.97	4235 / 18.84	7000 / 31.14
HGUS210-2	12	3⅜	9⅞	4	8⅛	(46) 16d	(16) 16d	6840 / 30.43	14015 / 62.34	4855 / 21.60	10270 / 45.69
Triple 2x Sizes											
HGUS26-3	12	4 15/16	5½	4	4⅛	(20) 16d	(8) 16d	4385 / 19.51	8950 / 39.81	3110 / 13.83	6355 / 28.27
HGUS28-3	12	4 15/16	7¼	4	6⅛	(36) 16d	(12) 16d	6070 / 27.00	12980 / 57.74	4310 / 19.17	9215 / 40.99
HHUS210-3	14	4⅜	9	3	7 15/16	(30) 16d	(10) 16d	4670 / 20.77	9670 / 43.02	4235 / 18.84	6865 / 30.54
HGUS210-3	12	4 15/16	9¼	4	8⅛	(46) 16d	(16) 16d	6840 / 30.43	14645 / 65.14	4855 / 21.60	10400 / 46.26
Quadruple 2x Sizes											
HGUS26-4	12	6⅜	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 / 19.51	8950 / 39.81	3110 / 13.83	6355 / 28.27
HGUS28-4	12	6⅜	7⅜	4	6⅛	(36) 16d	(12) 16d	6070 / 27.00	12980 / 57.74	4310 / 19.17	9215 / 40.99
HHUS210-4	14	6⅛	8⅞	3	7 13/16	(30) 16d	(10) 16d	4670 / 20.77	10155 / 45.17	4235 / 18.84	7210 / 32.07
HGUS210-4	12	6⅜	9⅜	4	8⅛	(46) 16d	(16) 16d	6840 / 30.43	14645 / 65.14	4855 / 21.60	10400 / 46.26
HGUS212-4	12	6⅜	10⅞	4	10⅛	(56) 16d	(20) 16d	7640 / 33.98	14995 / 66.70	5425 / 24.13	10645 / 47.35
HGUS214-4	12	6⅜	12⅝	4	11⅛	(66) 16d	(22) 16d	10130 / 45.06	16400 / 72.95	7195 / 32.00	11645 / 51.80
4x Sizes											
LUS46	18	3⅜	4¾	2	3⅞	(4) 16d	(4) 16d	1720 / 7.65	2595 / 11.54	1545 / 6.87	1920 / 8.54
HHUS46	14	3⅜	5¼	3	3 13/16	(14) 16d	(6) 16d	2540 / 11.30	7335 / 32.63	2065 / 9.20	5205 / 23.15
HGUS46	12	3⅝	5¼	4	4⅛	(20) 16d	(8) 16d	4385 / 19.51	8950 / 39.81	3110 / 13.83	6355 / 28.27
LUS48	18	3⅜	6¾	2	3⅞	(6) 16d	(4) 16d	1720 / 7.65	3325 / 14.79	1545 / 6.87	2575 / 11.45
HHUS48	14	3⅝	7¼	3	6⅛	(22) 16d	(8) 16d	3765 / 16.75	8940 / 39.77	2675 / 11.90	6345 / 28.22
HGUS48	12	3⅝	7⅛	4	6⅛	(36) 16d	(12) 16d	6070 / 27.00	12980 / 57.74	4310 / 19.17	9215 / 40.99
LUS410	18	3⅜	8¾	2	5⅞	(8) 16d	(6) 16d	2580 / 11.48	4500 / 20.02	2320 / 10.32	3195 / 14.21
HGUS410	12	3⅝	9	4	8⅛	(46) 16d	(16) 16d	6840 / 30.43	14015 / 62.34	4855 / 21.60	10270 / 45.69
HGUS412	12	3⅝	10⅞	4	10⅛	(56) 16d	(20) 16d	7640 / 33.98	14995 / 66.70	5425 / 24.13	10645 / 47.35
HGUS414	12	3⅝	12⅝	4	11⅛	(66) 16d	(22) 16d	10130 / 45.06	16400 / 72.95	7195 / 32.00	11645 / 51.80

See footnotes on p. 258.

TC – Truss Connectors

SIMPSON Strong-Tie

The TC truss connector is an ideal connector for scissor trusses and can allow horizontal movement up to 1¼". The TC also attaches plated trusses to top plates or sill plates to resist uplift forces. Typically used on one or both ends of truss as determined by the building designer.

Material: 16 gauge

Finish: G90 galvanized

Design: Factored resistances are in accordance with CSA 086-14

Installation:

- Use all specified fasteners.
- Nails: 10d = 0.148" dia. x 3" long common wire, 10d x 1½ = 0.148" dia. x 1½" long.
- Drive 10d nails into the truss at the inside end of the slotted holes (inside end is towards the centre of the truss) and clinch on the back side. Do not seat these nails into the truss–allow room under the nail head for movement of the truss with respect to the wall.

Optional TC Installation:

- Bend one flange up 90°. Drive specified nails into the top and face of the top plates or install Titen® screws into the top and face of masonry wall. See optional load tables and installation details.



TC24
U.S. Patent 4,932,173



Typical TC24 Installation



TC26
(TC28 Similar)



Optional TC26 Installation for Grouted Concrete Block using a Wood Nailer
(8", 10", 12" Wall Installation Similar)



Optional TC26 Installation for Grouted Concrete Block using Titen Screws

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K_D=1.15)	Uplift (K_D=1.15)
			lb.	lb.
TC24	(4) 10d	(4) 10d	605	430
TC26	(5) 10d	(6) 10d	1015	720
TC28	(5) 10d	(6) 10d	1015	720

Optional TC Installation Table

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K_D=1.15)	Uplift (K_D=1.15)
			lb.	lb.
TC26	(5) 10d	(6) 10d x 1½"	810	660
	(5) 10d	(6) 10d	930	660

1. Factored resistances have been increased 15% for earthquake or wind loading; no further increase allowed; reduce where other loads govern.
2. Grout strength is 15 MPa minimum.
3. Optional TC26 installation with 10d nails requires minimum 3" top plate thickness.
4. TC26 fastened to grouted concrete block with (6) – ⅝" x 2¼" Titen screws has a factored uplift resistance of 275 lb.

LIMIT STATES DESIGN

(800) 999-5099
strongtie.com

H/TSP

SIMPSON Strong-Tie®

Seismic and Hurricane Ties (cont.)

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Fasteners			Factored Resistance (K_D = 1.15)					
					D.Fir-L			S-P-F		
					Uplift	Lateral		Uplift	Lateral	
		To Rafters/ Truss	To Plates	To Studs		F_1	F_2		F_1	F_2
					lb.	lb.	lb.	lb.	lb.	lb.
					kN	kN	kN	kN	kN	kN
H1	18	(6) 8d x 1½"	(4) 8d	—	740	685	300	680	485	215
					3.29	3.05	1.33	3.02	2.16	0.96
H2A	18	(5) 8d x 1½"	(2) 8d x 1½"	(5) 8d x 1½"	830	220	75	590	155	55
					3.69	0.98	0.33	2.62	0.69	0.24
H2.5A	18	(5) 8d	(5) 8d	—	805	160	160	755	160	160
					3.58	0.71	0.71	3.36	0.71	0.71
H2.5T	18	(5) 8d	(5) 8d	—	835	175	210	740	160	210
					3.71	0.78	0.93	3.29	0.71	0.93
H3	18	(4) 8d	(4) 8d	—	740	180	265	615	125	190
					3.29	0.80	1.18	2.74	0.56	0.85
H6	16	—	(8) 8d	(8) 8d	1585	1085	—	1125	770	—
					7.05	4.83	—	5.00	3.43	—
H7Z	16	(4) 8d	(2) 8d	(8) 8d	1390	670	—	990	475	—
					6.18	2.98	—	4.40	2.11	—
H8[3]	18	(5) 10d x 1½"	(5) 10d x 1½"	—	1120	—	—	1025	—	—
					4.98	—	—	4.56	—	—
H10A[9]	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1735	795	410	1505	565	290
					7.72	3.54	1.82	6.69	2.51	1.29
H10AR	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1485	690	430	1220	570	305
					6.61	3.07	1.91	5.43	2.54	1.36
H10A-2	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1895	1275	430	1645	880	305
					8.16	5.67	1.91	7.32	3.91	1.36
H10S[7,9]	18	(8) 8d x 1½"	(8) 8d x 1½"	(8) 8d	1465	795	315	1040	565	225
					6.52	3.54	1.40	4.63	2.51	1.00
H11Z	18	(6) 16d x 2½"	(6) 16d x 2½"	—	1095	920	545	780	655	390
					4.87	4.09	2.42	3.47	2.91	1.73
H14	18	1 (12) 8d x 1½"	(13) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
		2 (12) 8d x 1½"	(15) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
TSP	16	(9) 10d x 1½"	(6) 10d x 1½"	—	1295	440	—	920	310	—
					5.76	1.96	—	4.09	1.38	—
		(9) 10d x 1½"	(6) 10d	—	1560	440	—	1105	310	—
					6.94	1.96	—	4.92	1.38	—

1. Factored resistances have been increased 15% for short term loading; no further increase is allowed.
2. Factored resistances are for one anchor. A minimum rafter thickness of 2½" must be used when framing anchors are installed on the same side of the plate (exception: H2.5A).
3. H8 factored uplift resistances for stud-to-bottom plate installations are 595 lb. (2.65 kN) for D.Fir-L and 390 lb. (1.74 kN) for S-P-F.
4. When cross-grain bending or cross-grain tension cannot be avoided, mechanical reinforcement to resist such forces should be considered.
5. Hurricane ties are shown installed on the outside of the wall for clarity. Installation on the inside of the wall is acceptable. For a continuous load path, connections at the top and bottom of the wall must be on the same side of the wall (see technical bulletin T-HTIECONPATH).
6. Factored resistances in the F_1 direction are not intended to replace diaphragm boundary members or prevent cross grain bending of the truss or rafter members. Additional shear transfer elements shall be considered where there may be effects of cross grain bending or tension.
7. H10S can have the stud offset a maximum of 1" from the rafter (centre to centre) for a reduced uplift of 1435 lb. (6.38 kN) D.Fir-L and 1015 lb. (4.51 kN) S-P-F.
8. H10S nails to plates are optional for uplift but required for lateral loads.
9. H10A may be field-bent up to a slope of 6/12. Multiply the tabulated uplift value x 0.75. Full tabulated lateral resistances apply.
10. The factored resistances of stainless-steel connectors match carbon-steel connectors when installed with Simpson Strong-Tie® stainless-steel, SCNR ring-shank nails. For more information, refer to engineering letter L-F-SSNAILS at strongtie.com.
11. D.Fir-L/S-P-F factored uplift resistances for the H2.5A fastened to a 2x4 truss bottom chord and double top plates using (5) 8d x 1 ½" nails into the top plates and (3) 8d x 1 ½" nails into the lowest three flange holes into the truss bottom chord is 495 lb. (2.20 kN).
12. Nails: 16d x 2½" = 0.162" dia. x 2½" long, 10d = 0.148" dia. x 3" long, 10d x 1½" = 0.148" dia. x 1½" long, 8d = 0.131" dia. x 2½" long, 8d x 1½" = 0.131" dia. x 1½" long. See pp. 27–28 for other nail sizes and information.

BEARING ANCHORAGE BY TOE-NAILS FOR LATERAL CAPACITY

B97791H1

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL LATERAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	132	147
	3.25	0.144	132	147
	3.50	0.160	159	177
COMMON SPIRAL	3.00	0.122	97	108
	3.25	0.122	97	108
	3.50	0.152	145	162

NOTES:

1. Rafter and ceiling members may be anchored to top and bottom chords of girder truss by toe-nailing rafter and ceiling members to girder chords provided the reaction does not exceed the lateral capacities in the table. Hangers (specified by others) are required for reactions higher than the maximum toe-nail capacity. Reactions are based on factored loads.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.4.1.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in tables below.
5. Nail values in table are based on the following relative lumber densities: G = 0.42 (SPF), G = 0.49 (D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See next page for nailing on bearing plate).
7. For loads due to **wind** the nail lateral capacity in this table may be multiplied by 1.15 (K_D factor).
8. Lumber must be dry (< 19% moisture content) at the time of nail installation.
9. Nail values in this table comply with CSA O86-14, section 12.9.4
10. This design is not valid after March 31, 2021.





TOE-NAIL INSTALLATION

Nail type	Common wire	Common spiral	Common wire	Common spiral
Nail dia. (in)	0.160	0.152	0.144	0.122
	(3.5" nail)		**(3" and 3.25" nail)**	
LUMBER SIZE	**MAXIMUM NUMBER OF TOE-NAILS**			
2X4 SPF	2	2	3	3
2X4 D. Fir	2	2	2	2
2X6 SPF	4	4	4	5
2X6 D. Fir	3	3	3	4

MiTek®
MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

PEO
Certificate No. 10889485



December 2, 2019

BEARING ANCHORAGE BY TOE-NAILS FOR WIND LOADING

B97791H2

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL WITHDRAWAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	30	42
	3.25	0.144	32	45
	3.50	0.160	38	52
COMMON SPIRAL	3.00	0.122	26	36
	3.25	0.122	28	40
	3.50	0.152	36	50

Note: If using truss with D. Fir lumber and S-P-F bearing plate, use values in table for S-P-F.

NOTES:

1. Truss chord, rafter, or ceiling members may be anchored to bearing plate by toe-nails, provided that the actual factored uplift force due to **wind** or **earthquake** load does not exceed the withdrawal capacities in the table. Hangers (specified by others) are required for uplift forces that are higher than the maximum toe-nail withdrawal capacity.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.5.2.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in table above.
5. Nail values in table are based on the following relative lumber densities: G = 0.42(SPF), G = 0.49(D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See drawing on detail B37579H1).
7. Lumber must be dry (< 19% moisture content) at the time of nail installation.
8. Nail values in this table comply with CSA O86-14, section 12.9.5
9. This design is not valid after March 31, 2021.

Toe-nailing on 2x6 Bearing Plate



Elevation view





Toe-nailing viewed from end of joist or truss

Toe-nailing on 2x4 Bearing Plate



Elevation view



PEO
Certificate No. 10889485.

MiTek®
MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019

Symbols

PLATE LOCATION AND ORIENTATION



Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths or mm. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0-1/16" from outside edge of truss.

This symbol indicates the required direction of slots in connector plates.

*Plate location details available in MiTek software or upon request.

PLATE SIZE

4 x 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING LOCATION

Indicated by symbol shown and/or by text in the bracing section of the output. Use T, I or Eliminator bracing if indicated.

BEARING



Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur.

Industry Standards:

TPIC: Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses

DSB-89: Design Standard for Bracing.

BCSI: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

Numbering System



dimensions shown in ft-in-sixteenths or mm (Drawings not to scale)



JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.

CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.

PRODUCT CODE APPROVALS

CCMC Reports:

11996-L, 10319-L, 13270-L, 12691-R

MiTek®

POWER TO PERFORM.™

MiTek Engineering Reference Sheet: MII-7473C rev. 10-'08

⚠ General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury

1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T, I, or Eliminator bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by TPIC.
7. Design assumes trusses will be suitably protected from the environment in accord with TPIC.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with TPIC Quality Criteria.

ONTARIO WOOD TRUSS
FABRICATORS ASSOCIATION

TECH-NOTES

TN 15-001
Piggyback Bracing

Overview:

Where piggybacks are connected overtop of base trusses, 2x4 purlins must be first added to the flat portion of the base truss at a spacing no more than 24" o/c. These purlins not only provide support for the piggyback trusses above, but are required to laterally support the top chord of the base truss which will not have the sheathing directly connected to the flat portion of the base truss. This ensures the top chord, most often in compression, will not buckle laterally.

Further, the purlins in the plane of the flat portion require diagonal bracing to prevent lateral displacement of the purlins themselves where under certain conditions, the trusses may in fact all buckle in the same direction if this additional bracing is not added in the plane of the purlins.

Detail:



NOTE: THE SLOPED PORTION OF THE TOP CHORD OF THE BASE TRUSS AND PIGGYBACK TRUSS IN THIS SKETCH IS ASSUMED TO BE SHEATHED IN ACCORDANCE WITH THE OBC.

SKETCH FROM BCSI-CANADA 2013



Alves Engineering Services Inc.
5208 Easton road
Burlington, Ontario L7L 6N6
(289) 259 5455

RESPONSABILITIES

1-Alves Engineering Services Inc. is responsible for the design of trusses as individual components

2-It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities having jurisdictions.

3- All dimensions are to be verified by owner, contractor, architect or other authority before manufacture.

4- Alves Engineering Services Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Alves Engineering Services Inc. drawings is specified for the truss as a single component and forms an integral part of the truss design, but is not meant to represent the only required bracing for that truss when trusses are installed in a series of trusses forming a roof truss system.

5- It is the manufactures responsibility to ensure that the trusses are manufactured in conformance with Alves Engineering Services Inc. specifications outlined below.

SPECIFICATIONS

1-Truss components sealed by Alves Engineering Services Inc. conform to the relevant sections of the current Building Code of Ontario and Canada (part 4 or part 9) or the current Canadian code for Farm Buildings in accordance with the application specified on the sealed truss component drawing. All truss component design procedures must conform to the current design standard issued by the truss plate institute of Canada (TPIC). All lumber and nailing stresses to conform to the current CSA wood design standard identified on the current Building Code and TPIC.

2- Lumber is to be the sizes and grade specified on the truss drawing.

3- Moist content of lumber is not to exceed 19% in service unless otherwise specified.

4- Plates shall be applied to both faces of the each truss joint and shall be positioned as shown on the truss drawings

5- Lumber used on manufacture of trusses is not to be treated with chemicals unless otherwise specified on the truss drawings.

6- The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals specified on the truss drawing but not exceeding 24" c/c for (part 9) and not exceeding 48" for (part 4 or farm design)

7- When rigid ceiling is not attached directly to the bottom chord, lateral bracing is required and it should not exceed more than 3m or 10' intervals.

8-Refer to Mitek sheet MII7473C REV.10-08 attached for information on symbols, numbering system and General Safety notes.

T-1800215 Feb 09, 2018