CITY OF HAMILTON
Building Division

Permit No. 21-111561

THESE STAMPED DRAWINGS SHALL BE AVAILABLE ON SITE

THE OWNER AND/OR CONTRACTOR SHALL COMPLY WITH THE ONTARIO BUILDING CODE AND ALL OTHER APPLICABLE LAW

These drawings and/or specifications have been revised

FOR CHIEF BUILDING OFFICIAL

DATE MARCH 30/21

6/12 roof pitch unless noted



ASPHALT SHINGLES
FINISHED OVERHANG: 12"
2x6 EXTERIOR WALLS
2x6 FASCIA BOARD
HEEL: R.T.M.C.

All conventional framing to conform with Part 9 of O.B.C. 2012 (2019 amendment). Roof rafters that cross over or meet trusses to be min. 2x4 SPF #2 @ 24" o/c with a vertical post to the truss at each cross point. Vertical posts longer than 6' to have lateral bracing so that the distance between the post end points and lateral bracing does not exceed 6'.

DESIGN CONFORMS WITH OBC 2012 (2019 amendment) OCCUPANCY: RESIDENTIAL | PART: 9
Ss = 31.35 psf | Sr = 8.4 psf

DESIGN LOADS:
TCSL = 25.6 psf
TCDL = 6.0 psf
BCLL = 0.0 psf
BCDL = 7.4 psf

HARDWARE:
LUS24 - (**O**)
LJS26DS - (**V**)
HGUS26-2 - (**XX**)

BEAMS:
B1 = B2 = B3=
2 - 2x10 SPF #2

DENOTES:
CONVENTIONAL FRAMING

M13122

TAMARACK ROOF TRUSSES INC.

Job Track: **51225**	Builder / Location: **GREEN PARK HOMES / WATERDOWN**	Model / Elevation: **MOUNTAINASH 1/3**	Mitek ver 8.3.1.215
Plan Log: **202352**	Project: **RUSSELL GARDENS PH.3**		LOT 281
Layout ID: **408039**	Date: 2020-04-27 Sales: **Mario DiCano** Designer: JG		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202352
Project:	RUSSELL GARDENS PH.3	Layout ID:	408039
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 1	Page:	1 of 3
Lot #:	28	Date:	04-27-2020
Elevation:	3	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1 2-ply	T17 Half Hip Girder	5 /12	18-05-00	2-05-11	2 x 4	1-03-08	5-06 2-00-12	146.31 91.67		
	1 2-ply	T45 Hip Girder	6 /12	35-02-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 1-02-00	308.58 192.00		
	2	T46 Hip	6 /12	35-02-00	5-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	277.96 174.00		
	2	T47 Hip	6 /12	35-02-00	6-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	277.1 174.67		
	2	T48 Hip	6 /12	35-02-00	7-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	289.05 179.67		
	1	T49 Hip	6 /12	35-02-00	7-08-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	148.43 94.67		
	1 2-ply	T50 Roof Special Girder	6 /12	35-02-00	9-06-08	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 1-02-00	350.75 220.67		
	1 2-ply	T51 Hip Girder	6 /12	28-08-00	6-06-04	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 3-07-00	276.79 172.00		
	1	T52 Hip	6 /12	28-08-00	7-06-04	2 x 4	1-03-08 1-03-08	1-02-00 3-07-00	132.03 82.83		
	1	T53 Hip	6 /12	28-08-00	8-06-04	2 x 4	1-03-08 1-03-08	1-02-00 3-07-00	126.27 79.83		
	3	T54 Common	6 /12	28-08-00	9-06-08	2 x 4	1-03-08	1-02-00 3-07-00	372.41 235.50		
	1	T55 Common Girder	6 /12	15-11-00	6-05-08	2 x 4 2 x 6	1-03-08	1-02-00 3-09-08	76.19 47.17		
	2	T56 Common	6 /12	15-11-00	6-05-08	2 x 4	1-03-08	1-02-00 3-09-08	132.53 84.00		
	1	T57 Hip Girder	6 /12	11-06-00	3-07-04	2 x 4	1-03-08 1-05-00	1-02-00 1-02-00	48.07 32.33		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202352
Project:	RUSSELL GARDENS PH.3	Layout ID:	408039
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 1	Page:	2 of 3
Lot #:	281	Date:	04-27-2020
Elevation:	3	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	3	T58 Common	6 /12	11-06-00	6-05-08	2 x 4	1-03-08 1-03-08	3-07-00 3-07-00	160.02 106.00		
	3	T59S Jack-Closed	6 /12	5-10-08	6-06-04	2 x 4	1-03-08	1-02-00 6-06-04	115.98 76.00		
	1	T60S Half Hip	6 /12	5-10-08	5-11-00	2 x 4	1-03-08	1-02-00 5-11-00	39.66 26.17		
	1	T61S Half Hip	6 /12	5-10-08	4-11-00	2 x 4	1-03-08	1-02-00 4-11-00	36.66 24.83		
	1	V45 Valley	6 /12	17-06-00	4-04-08	2 x 4			46.6 29.33		
	1	V46 Valley	6 /12	13-06-00	3-02-00	2 x 4			35.02 22.33		
	14	J1 Jack-Open	6 /12	5-10-08	4-01-04	2 x 4	1-03-08	1-02-00 4-01-04	235.1 149.33		
	9	J3 Jack-Open	4 /12	5-02-08	2-05-11	2 x 4	1-03-08	3-15 2-00-12	124.77 78.00		
	4	J4 Jack-Open	5 /12	6-10-08	3-08-10	2 x 4	1-03-08	5-06 3-03-12	85.53 53.33		
	1	J4Z Jack-Open	5 /12	6-10-08	3-08-10	2 x 4	1-03-08	5-06 3-03-12	21.35 13.33		
	1	J45 Jack-Open	6 /12	4-10-08	3-07-04	2 x 4	1-03-08	1-02-00 3-07-04	14.38 9.33		
	4	C45 Jack-Open	6 /12	1-09-08	2-00-12	2 x 4	1-03-08 4-01-00	1-02-00 2-00-12	46.34 29.33		
	4	C46 Jack-Open	6 /12	3-10-15	3-01-08	2 x 4	1-03-08 1-11-09	1-02-00 3-01-08	57.17 34.67		
	6	C47 Jack-Open	6 /12	2-00-00	3-01-08	2 x 4	1-03-08 1-10-15	1-02-00 2-02-00	59.24 36.00		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202352
Project:	RUSSELL GARDENS PH.3	Layout ID:	408039
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 1	Page:	3 of 3
Lot #:	28	Date:	04-27-2020
Elevation:	3	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	6	C48 Jack-Open	6 /12	1-09-06	2-00-11	2 x 4	1-03-08 1-02	1-02-00 2-00-11	42.1 28.00		
	2	C49 Jack-Open	6 /12	3-10-15	3-01-08	2 x 4	1-03-08 11-09	1-02-00 3-01-08	26.3 16.00		
	2	C50 Jack-Open Girder	6 /12	1-10-15	2-01-08	2 x 4	1-03-08 2-11-09	1-02-00 2-01-08	21.2 13.33		

TOTAL # TRUSS= **87** TOTAL BFT OF ALL TRUSSES= **2606.32** BFT. TOTAL WEIGHT OF ALL TRSSES **4129.87** LBS

HARDWARE

QTY	TYPE	MODEL	LENGTH
3	Hardware	HGUS26-2	
9	Hardware	LJS26DS	
5	Hardware	LUS24	

TOTAL NUMBER OF ITEMS= **17**

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T1	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:57 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-YNzkWI9WY4Ch5G03aUPmp43X6qrMM2PJ?RI2rKzNVs4



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x6	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)	
TOP CHORDS : (0.122"X3") SPIRAL NAILS				
A-C	2	12		SIDE(122.0)
C-F	2	12		SIDE(61.0)
F-H	2	12		SIDE(61.0)
H-J	2	12		SIDE(122.0)
S-B	2	12		TOP
K-I	2	12		TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS				
S-P	2	12		SIDE(183.1)
P-N	2	12		SIDE(0.0)
N-K	2	12		SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS				
2x3	1	6		

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.



Structural component only
DWG# T-2006875 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	3397	0	3397	0	0	5-8	5-8
K	3346	0	3346	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
MAX. MIN. COMPONENT REACTIONS							
S	2400	1568 0	0 0	0 0	0 0	812 0	0 0
K	2366	1557 0	0 0	0 0	0 0	809 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.02 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	36	-91.8	-91.8	0.04 (1)	10.00
B-C	-4153	0	-91.8	-91.8	0.09 (1)	5.52
C-T	-6892	0	-91.8	-91.8	0.33 (1)	4.29
T-U	-6892	0	-91.8	-91.8	0.33 (1)	4.29
U-V	-6892	0	-91.8	-91.8	0.33 (1)	4.29
V-D	-6892	0	-91.8	-91.8	0.33 (1)	4.29
D-W	-7922	0	-91.8	-91.8	0.36 (1)	4.02
W-X	-7922	0	-91.8	-91.8	0.36 (1)	4.02
X-Y	-7922	0	-91.8	-91.8	0.36 (1)	4.02
Y-E	-7922	0	-91.8	-91.8	0.36 (1)	4.02
E-Z	-7922	0	-91.8	-91.8	0.36 (1)	4.02
Z-F	-7922	0	-91.8	-91.8	0.36 (1)	4.02
F-AA	-7922	0	-91.8	-91.8	0.36 (1)	4.02
AA-AB	-7922	0	-91.8	-91.8	0.36 (1)	4.02
AB-G	-7922	0	-91.8	-91.8	0.36 (1)	4.02
G-AC	-6865	0	-91.8	-91.8	0.33 (1)	4.30
AC-AD	-6865	0	-91.8	-91.8	0.33 (1)	4.30
AD-AE	-6865	0	-91.8	-91.8	0.33 (1)	4.30
AE-H	-6865	0	-91.8	-91.8	0.33 (1)	4.30
H-I	-4073	0	-91.8	-91.8	0.09 (1)	5.56
I-J	0	36	-91.8	-91.8	0.04 (1)	10.00
S-B	-3377	0	0.0	0.0	0.12 (1)	7.58
K-I	-3318	0	0.0	0.0	0.12 (1)	7.63
S-AF	0	0	-18.5	-18.5	0.07 (4)	10.00
AF-R	0	0	-18.5	-18.5	0.07 (4)	10.00
R-AG	0	3431	-18.5	-18.5	0.27 (1)	10.00
AG-AH	0	3431	-18.5	-18.5	0.27 (1)	10.00
AH-AI	0	3431	-18.5	-18.5	0.27 (1)	10.00
AI-Q	0	3431	-18.5	-18.5	0.27 (1)	10.00
Q-P	0	6892	-18.5	-18.5	0.52 (1)	10.00
P-AJ	0	6892	-18.5	-18.5	0.52 (1)	10.00
AJ-AK	0	6892	-18.5	-18.5	0.52 (1)	10.00
AK-O	0	6892	-18.5	-18.5	0.52 (1)	10.00
O-AL	0	6865	-18.5	-18.5	0.51 (1)	10.00
AL-AM	0	6865	-18.5	-18.5	0.51 (1)	10.00
AM-AN	0	6865	-18.5	-18.5	0.51 (1)	10.00
AN-N	0	6865	-18.5	-18.5	0.51 (1)	10.00
N-AO	0	6865	-18.5	-18.5	0.51 (1)	10.00
AO-M	0	6865	-18.5	-18.5	0.51 (1)	10.00
M-AP	0	3386	-18.5	-18.5	0.27 (1)	10.00
AP-AQ	0	3386	-18.5	-18.5	0.27 (1)	10.00
AQ-AR	0	3386	-18.5	-18.5	0.27 (1)	10.00

WEBS FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
R-C	-517	0	0.06 (1)
C-Q	0	3919	0.49 (1)
Q-D	-1649	0	0.20 (1)
D-O	0	1172	0.15 (1)
O-E	-916	0	0.11 (1)
O-G	0	1203	0.15 (1)
M-G	-1670	0	0.20 (1)
M-H	0	3962	0.49 (1)
L-H	-500	0	0.06 (1)
B-R	0	3526	0.44 (1)
L-I	0	3458	0.43 (1)

TOTAL WEIGHT = 2 X 181 = 361 lb [M]

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	25.8	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.20")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.38")

CSI: TC=0.36/1.00 (D-E:1) , BC=0.52/1.00 (O-Q:1) , WB=0.49/1.00 (H-M:1) , SSI=0.20/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (M) (INPUT = 0.90)
JSI METAL= 0.63 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T1	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.50	3.00
C	TTWW+m	MT20	7.0	8.0	4.00	1.75
D	TMWW-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	7.0	8.0	4.00	1.75
I	TMVW-p	MT20	5.0	6.0	1.50	3.00
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.75
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.75
R	BMWW-t	MT20	5.0	6.0		
S	BMV1+p	MT20	3.0	6.0		

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
AR- L	0 3368	-18.5	-18.5	0.27 (1)	10.00			
L-AS	0 0	-18.5	-18.5	0.07 (4)	10.00			
AS-AT	0 0	-18.5	-18.5	0.07 (4)	10.00			
AT- K	0 0	-18.5	-18.5	0.07 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-0-10	-49	-55	---	FRONT	VERT	DEAD	---	C1
C	4-0-10	-117	-117	---	BACK	VERT	TOTAL	---	C1
C	4-0-10	-254	-254	---	FRONT	VERT	SNOW	---	C1
F	19-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
H	31-1-6	-49	-55	---	FRONT	VERT	DEAD	---	C1
H	31-1-6	-254	-254	---	FRONT	VERT	SNOW	---	C1
P	11-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
R	3-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
T	5-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
U	7-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
V	9-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
W	11-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
X	13-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
Y	15-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
Z	17-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AA	21-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AB	23-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AC	25-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AD	27-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AE	29-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AF	1-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AG	5-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AH	7-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AI	9-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AJ	13-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AK	15-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AL	17-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AM	19-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AN	21-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AO	23-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AP	25-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AQ	27-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AR	29-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AS	31-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AT	33-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006875 2/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T2	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:58 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I_zns1I-0aX6j298JNKYjQbF8Cw7MHca7DAe5WUTE52cOmzNVs3



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
S - P	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TTWW-m	MT20	6.0	9.0	Edge	
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	4.0		
H	TTWW-m	MT20	6.0	9.0	Edge	
I	TMVW-p	MT20	5.0	6.0	1.75	2.75
K	BMV1+p	MT20	3.0	4.0		
L	BMWW-t	MT20	4.0	9.0		
M	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	4.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BS-t	MT20	4.0	6.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMWW-t	MT20	4.0	9.0		
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006876

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2065	0	2065	0	0	5-8	5-8
K	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	970 0	0 0	0 0	0 0	488 0	0 0
K	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.97 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)
A-B	0	35	-91.8	-91.8	0.12	(1)	
B-C	-2297	0	-91.8	-91.8	0.70	(1)	
C-D	-3214	0	-91.8	-91.8	0.80	(1)	
D-E	-3595	0	-91.8	-91.8	0.86	(1)	
E-F	-3595	0	-91.8	-91.8	0.86	(1)	
F-G	-3595	0	-91.8	-91.8	0.86	(1)	
G-H	-3214	0	-91.8	-91.8	0.80	(1)	
H-I	-2297	0	-91.8	-91.8	0.70	(1)	
I-J	0	35	-91.8	-91.8	0.12	(1)	
S-B	-2023	0	0.0	0.0	0.21	(1)	
K-I	-2023	0	0.0	0.0	0.21	(1)	
S-R	0	0	-18.5	-18.5	0.15	(4)	
R-Q	0	1904	-18.5	-18.5	0.39	(1)	
Q-P	0	3214	-18.5	-18.5	0.58	(1)	
P-O	0	3214	-18.5	-18.5	0.58	(1)	
O-N	0	3214	-18.5	-18.5	0.58	(1)	
N-M	0	3214	-18.5	-18.5	0.58	(1)	
M-L	0	1904	-18.5	-18.5	0.39	(1)	
L-K	0	0	-18.5	-18.5	0.15	(4)	

MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
10.00	R-C	-243	10	0.09	(1)
3.78	C-Q	0	1670	0.38	(1)
3.18	Q-D	-929	0	0.36	(1)
2.97	D-O	0	490	0.11	(1)
2.97	O-E	-505	0	0.19	(1)
2.97	O-G	0	490	0.11	(1)
3.18	M-G	-929	0	0.36	(1)
3.78	M-H	0	1670	0.38	(1)
10.00	L-H	-243	10	0.09	(1)
5.94	B-R	0	1943	0.44	(1)
5.94	L-I	0	1943	0.44	(1)
10.00					
10.00					
10.00					
10.00					
10.00					
10.00					
10.00					

TOTAL WEIGHT = 2 X 140 = 280 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=0.86/1.00 (E-G:1) , BC=0.58/1.00 (O-Q:1) , WB=0.44/1.00 (B-R:1) , SSI=0.26/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (B) (INPUT = 0.90)
JSI METAL= 0.74 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T3	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:59 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-Um5VxOAm4hSPLs9RhvREvV8qWdYHqqTcTln9wDzNVs2



TOTAL WEIGHT = 2 X 151 = 303 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.50
D	TTWW-m	MT20	5.0	8.0	1.75	3.50
E	TMWW-t	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0		
I	TTWW-m	MT20	5.0	8.0	1.75	3.50
J	TMWW-t	MT20	5.0	6.0	2.50	2.50
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-t	MT20	5.0	6.0	2.50	2.25
N	BMWW-t	MT20	4.0	4.0		
O	BMWW+t	MT20	4.0	6.0		
P	BS-t	MT20	3.0	6.0		
Q	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW+t	MT20	4.0	6.0		
T	BMWW-t	MT20	4.0	4.0		
U	BMVW1-t	MT20	5.0	6.0	2.50	2.25



Structural component only
DWG# T-2006877

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
U	2065	0	2065	0	0	5-8	5-8
M	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	970 0	0 0	0 0	0 0	488 0	0 0
M	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, M

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.53 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 35	-91.8	-91.8	0.12 (1)	10.00	
B-C	0 18	-91.8	-91.8	0.16 (1)	10.00	
C-D	-2306 0	-91.8	-91.8	0.23 (1)	4.31	
D-E	-2724 0	-91.8	-91.8	0.54 (1)	3.69	
E-F	-2967 0	-91.8	-91.8	0.56 (1)	3.53	
F-G	-2967 0	-91.8	-91.8	0.56 (1)	3.53	
G-H	-2967 0	-91.8	-91.8	0.56 (1)	3.53	
H-I	-2724 0	-91.8	-91.8	0.54 (1)	3.69	
I-J	-2306 0	-91.8	-91.8	0.23 (1)	4.31	
J-K	0 18	-91.8	-91.8	0.16 (1)	10.00	
K-L	0 35	-91.8	-91.8	0.12 (1)	10.00	
U-B	-255 0	0.0	0.0	0.03 (1)	7.81	
M-K	-255 0	0.0	0.0	0.03 (1)	7.81	
U-T	0 1802	-18.5	-18.5	0.40 (1)	10.00	
T-S	0 1901	-18.5	-18.5	0.41 (1)	10.00	
S-R	0 2724	-18.5	-18.5	0.49 (1)	10.00	
R-Q	0 2724	-18.5	-18.5	0.49 (1)	10.00	
Q-P	0 2724	-18.5	-18.5	0.49 (1)	10.00	
P-O	0 2724	-18.5	-18.5	0.49 (1)	10.00	
O-N	0 1901	-18.5	-18.5	0.41 (1)	10.00	
N-M	0 1802	-18.5	-18.5	0.40 (1)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-T	0 135	0.03 (4)
T-D	0 90	0.03 (4)
D-S	0 1218	0.27 (1)
S-E	-814 0	0.48 (1)
E-Q	0 383	0.08 (1)
Q-F	-440 0	0.26 (1)
Q-H	0 383	0.08 (1)
O-H	-814 0	0.48 (1)
O-I	0 1218	0.27 (1)
N-I	0 90	0.03 (4)
N-J	0 135	0.03 (4)
U-C	-2515 0	0.97 (1)
J-M	-2515 0	0.97 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.29")

CSI: TC=0.56/1.00 (E-F:1) , BC=0.49/1.00 (Q-S:1) , WB=0.97/1.00 (C-U:1) , SSI=0.23/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (U) (INPUT = 0.90)
JSI METAL= 0.84 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408016	T4	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:01 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-Q8DFL3C0cli7atJqpKTi_wE8jRD3irvvw3GG_5zNVs0



TOTAL WEIGHT = 2 X 155 = 309 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	8.0	Edge	
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	Edge	
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMVW-p	MT20	5.0	6.0	1.75	2.75
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.75
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	6.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	4.0	4.0		
T	BMWW-t	MT20	5.0	6.0	2.50	2.75
U	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006878

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
U	2065	0	2065	0	0	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	MAX. MIN. COMPONENT REACTIONS PERM.LIVE	WIND	DEAD	SOIL
U	1458	970 0	0 0	0 0	0 0	488 0	0 0
L	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.72 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12 (1)	10.00
B-C	-2270	0	-91.8	-91.8	0.37 (1)	4.19
C-D	-2254	0	-91.8	-91.8	0.36 (1)	4.21
D-E	-2485	0	-91.8	-91.8	0.64 (1)	3.72
E-F	-2484	0	-91.8	-91.8	0.64 (1)	3.72
F-G	-2484	0	-91.8	-91.8	0.64 (1)	3.72
G-H	-2484	0	-91.8	-91.8	0.63 (1)	3.74
H-I	-2254	0	-91.8	-91.8	0.36 (1)	4.21
I-J	-2270	0	-91.8	-91.8	0.37 (1)	4.19
J-K	0	35	-91.8	-91.8	0.12 (1)	10.00
U-B	-2027	0	0.0	0.0	0.21 (1)	5.94
L-J	-2026	0	0.0	0.0	0.21 (1)	5.94
U-T	0	0	-18.5	-18.5	0.08 (4)	10.00
T-S	0	1909	-18.5	-18.5	0.37 (1)	10.00
S-R	0	1854	-18.5	-18.5	0.36 (1)	10.00
R-Q	0	1854	-18.5	-18.5	0.36 (1)	10.00
Q-P	0	2485	-18.5	-18.5	0.47 (1)	10.00
P-O	0	1854	-18.5	-18.5	0.36 (1)	10.00
O-N	0	1854	-18.5	-18.5	0.36 (1)	10.00
N-M	0	1909	-18.5	-18.5	0.37 (1)	10.00
M-L	0	0	-18.5	-18.5	0.08 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
T-C	-396	0	0.11 (1)
C-S	-79	0	0.05 (1)
S-D	0	156	0.04 (4)
D-Q	0	949	0.21 (1)
Q-E	-597	0	0.52 (1)
E-P	-2	0	0.00 (1)
P-G	-597	0	0.52 (1)
P-H	0	947	0.21 (1)
N-H	0	157	0.04 (4)
N-I	-78	0	0.05 (1)
M-I	-397	0	0.11 (1)
B-T	0	1966	0.44 (1)
M-J	0	1966	0.44 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010. NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 999 (0.24")

CSI: TC=0.64/1.00 (D-E:1) , BC=0.47/1.00 (P-Q:1) , WB=0.52/1.00 (E-Q:1) , SSI=0.26/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (D) (INPUT = 0.90)
JSI METAL= 0.62 (D) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T5	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:02 2020 Page 1
ID:DMCubINVR6TsiFoe31v6I_zns1I-uLndZPDeNcq_C1u0N1_xW7mOZra01H639j0pXYzNVs?



LUMBER

N. I. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	6.0	2.00	2.00
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	6.0	2.00	2.00
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMVW-p	MT20	5.0	6.0	1.75	2.75
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.75
N, Q, S						
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	6.0		
T	BMWW-t	MT20	5.0	6.0	2.50	2.75
U	BMV1+p	MT20	3.0	4.0		



Structural component only
DWG# T-2006879

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
U	2065	0	2065	0	0	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	970 0	0 0	0 0	0 0	488 0	0 0
L	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.17 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 35	-91.8	-91.8	0.12 (1)	10.00
B- C	-2304 0	-91.8	-91.8	0.34 (1)	4.22
C- D	-2212 0	-91.8	-91.8	0.33 (1)	4.30
D- E	-2283 0	-91.8	-91.8	0.38 (1)	4.17
E- F	-2281 0	-91.8	-91.8	0.35 (1)	4.21
F- G	-2281 0	-91.8	-91.8	0.35 (1)	4.21
G- H	-2281 0	-91.8	-91.8	0.38 (1)	4.17
H- I	-2212 0	-91.8	-91.8	0.33 (1)	4.30
I- J	-2304 0	-91.8	-91.8	0.34 (1)	4.22
J- K	0 35	-91.8	-91.8	0.12 (1)	10.00
U- B	-2024 0	0.0	0.0	0.21 (1)	5.94
L- J	-2024 0	0.0	0.0	0.21 (1)	5.94
U- T	0 0	-18.5	-18.5	0.09 (4)	10.00
T- S	0 1940	-18.5	-18.5	0.37 (1)	10.00
S- R	0 1817	-18.5	-18.5	0.35 (1)	10.00
R- Q	0 1817	-18.5	-18.5	0.35 (1)	10.00
Q- P	0 2283	-18.5	-18.5	0.42 (1)	10.00
P- O	0 1817	-18.5	-18.5	0.35 (1)	10.00
O- N	0 1817	-18.5	-18.5	0.35 (1)	10.00
N- M	0 1939	-18.5	-18.5	0.37 (1)	10.00
M- L	0 0	-18.5	-18.5	0.09 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
T- C	-343 0	0.11 (1)
C- S	-170 0	0.12 (1)
S- D	0 211	0.05 (4)
D- Q	0 787	0.18 (1)
Q- E	-535 0	0.59 (1)
E- P	-3 0	0.00 (1)
P- G	-534 0	0.59 (1)
P- H	0 784	0.18 (1)
N- H	0 213	0.05 (1)
N- I	-170 0	0.12 (1)
M- I	-344 0	0.11 (1)
B- T	0 1987	0.45 (1)
M- J	0 1987	0.45 (1)

TOTAL WEIGHT = 159 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.21")

CSI: TC=0.38/1.00 (D-E:1) , BC=0.42/1.00 (P-Q:1) , WB=0.59/1.00 (E-Q:1) , SSI=0.23/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (T) (INPUT = 0.90)
JSI METAL= 0.52 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T6	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:03 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_znst1i-MXL?mlDH8wyqpBTDwIWA3LJZQEu4mi3COMIM3_zNVs



TOTAL WEIGHT = 2 X 187 = 374 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
J - L	2x4	DRY	No.2	SPF
W - B	2x6	DRY	No.2	SPF
M - K	2x6	DRY	No.2	SPF
W - T	2x6	DRY	No.2	SPF
T - Q	2x6	DRY	No.2	SPF
Q - M	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-E	1	12	TOP
E-F	1	12	TOP
F-H	1	12	TOP
H-J	1	12	SIDE(61.0)
J-L	1	12	SIDE(61.0)
W-B	2	12	TOP
M-K	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
W-T	2	12	TOP
T-Q	2	12	TOP
Q-M	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
I-O	1	3	SIDE(557.0)
2x4	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.



Structural component only
DWG# T-2006880

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
W	2636	0	2636	0	0	5-8	5-8
M	4822	0	4822	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
W	1860	1245 0	0 0	0 0	0 0	615 0	0 0
M	3399	2296 0	0 0	0 0	0 0	1102 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) W, M

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.33 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF D-S, G-S, H-R.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.07	(1)		10.00
B-C	-3016	0	-91.8	-91.8	0.17	(1)		5.16
C-D	-3139	0	-91.8	-91.8	0.27	(1)		4.99
D-E	-2847	0	-91.8	-91.8	0.25	(1)		5.19
E-F	-2847	0	-91.8	-91.8	0.25	(1)		5.19
F-G	-2851	0	-91.8	-91.8	0.28	(1)		5.15
G-H	-4733	0	-91.8	-91.8	0.37	(1)		4.13
H-I	-7591	0	-91.8	-91.8	0.34	(1)		3.33
I-X	-7094	0	-91.8	-91.8	0.23	(1)		3.53
X-J	-7094	0	-91.8	-91.8	0.23	(1)		3.53
J-K	-5913	0	-91.8	-91.8	0.30	(1)		3.79
K-L	0	35	-91.8	-91.8	0.07	(1)		10.00
W-B	-2590	0	0.0	0.0	0.09	(1)		7.81
M-K	-4782	0	0.0	0.0	0.17	(1)		6.62
W-V	0	0	-18.5	-18.5	0.02	(1)		10.00
V-U	0	2528	-18.5	-18.5	0.20	(1)		10.00
U-T	0	2619	-18.5	-18.5	0.21	(1)		10.00
T-S	0	2619	-18.5	-18.5	0.21	(1)		10.00
S-R	0	3989	-18.5	-18.5	0.30	(1)		10.00
R-Q	0	7602	-18.5	-18.5	0.56	(1)		10.00
Q-P	0	7602	-18.5	-18.5	0.56	(1)		10.00
P-O	0	7093	-18.5	-18.5	0.55	(1)		10.00
O-N	0	4885	-18.5	-18.5	0.40	(1)		10.00
N-Y	0	0	-18.5	-18.5	0.03	(4)		10.00
Y-M	0	0	-18.5	-18.5	0.03	(4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
U-D	0	84	0.02	(4)
D-S	-464	0	0.12	(1)
S-F	0	2758	0.24	(1)
S-G	-2760	0	0.74	(1)
R-G	0	2720	0.34	(1)
R-H	-4488	0	0.66	(1)
P-H	-374	0	0.05	(1)
N-J	-953	0	0.12	(1)
B-V	0	2607	0.32	(1)
N-K	0	5051	0.63	(1)
O-I	-764	0	0.10	(1)
O-J	0	4164	0.52	(1)
P-I	0	675	0.08	(1)
V-C	-569	0	0.07	(1)
C-U	0	111	0.01	(1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
J	31-1-6	-49	-56	---	FRONT	VERT	DEAD	---	C1
J	31-1-6	-252	-252	---	FRONT	VERT	SNOW	---	C1
N	30-8-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
O	28-9-8	-2837	-2837	---	FRONT	VERT	TOTAL	---	C1
X	30-8-12	-139	-139	---	FRONT	VERT	TOTAL	---	C1
Y	32-8-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN ALL FLAT SECTIONS BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L 999 (0.18")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 999 (0.33")

CSI: TC=0.37 1.00 (G-H:1) , BC=0.55 1.00 (P-R:1) , WB=0.74 1.00 (G-S:1) , SSI=0.10 1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (G) (INPUT = 0.90)
JSI METAL= 0.73 (Q) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408016	T6	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	5.0	6.0	1.50	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TMWW-t	MT20	4.0	4.0	2.00	1.50
E	TS-t	MT20	3.0	6.0		
F	TTW+p	MT20	4.0	6.0	Edge	
G	TMWW-t	MT20	4.0	6.0	2.00	2.25
H	TTWW+m	MT20	5.0	8.0	3.25	2.25
I	TMWW-t	MT20	4.0	4.0		
J	TTWW+m	MT20	7.0	8.0	Edge	2.50
K	TMW-p	MT20	5.0	8.0	Edge	
M	BMV1+p	MT20	3.0	6.0		
N	BMWW-t	MT20	5.0	8.0	2.50	3.75
O	BMWW+t	MT20	5.0	8.0	2.75	2.25
P, U, V						
P	BMWW-t	MT20	5.0	6.0		
Q	BS-t	MT20	5.0	6.0		
R	BMWW-t	MT20	5.0	6.0	2.50	2.75
S	BMWWW-t	MT20	5.0	8.0		
T	BS-t	MT20	5.0	6.0		
W	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006880

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T7	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:04 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_znst1l-qjuN_5EvvD4hRL2PUS1PcYsameGlVD4Lc0VvaQzNVrz



TOTAL WEIGHT = 2 X 137 = 274 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
Q - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	TOP
C-F	1	12	TOP
F-H	1	12	SIDE(61.0)
H-J	1	12	SIDE(61.0)
Q-B	1	12	TOP
K-I	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
Q-N	2	12	TOP
N-K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
L-H	1	6	SIDE(11.5)
G-M	1	6	SIDE(327.9)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only
DWG# T-2006881 M2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
Q	2875	0	2875	0	0	5-8	5-8
K	3757	0	3757	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	2027	1368 0	0 0	0 0	0 0	661 0	0 0
K	2651	1771 0	0 0	0 0	0 0	880 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 35	-91.8	-91.8	0.07 (1)	10.00
B-C	-3505 0	-91.8	-91.8	0.43 (1)	4.60
C-D	-5189 0	-91.8	-91.8	0.47 (1)	3.89
D-E	-5189 0	-91.8	-91.8	0.35 (1)	3.89
E-F	-6254 0	-91.8	-91.8	0.67 (1)	3.00
F-G	-6254 0	-91.8	-91.8	0.67 (1)	3.00
G-R	-6253 0	-91.8	-91.8	0.91 (1)	3.00
R-S	-6253 0	-91.8	-91.8	0.91 (1)	3.00
S-T	-6253 0	-91.8	-91.8	0.91 (1)	3.00
T-H	-6253 0	-91.8	-91.8	0.91 (1)	3.00
H-I	-4739 0	-91.8	-91.8	0.53 (1)	4.00
I-J	0 35	-91.8	-91.8	0.07 (1)	10.00
Q-B	-2830 0	0.0	0.0	0.16 (1)	6.82
K-I	-3687 0	0.0	0.0	0.21 (1)	6.12
Q-P	0 0	-18.5	-18.5	0.05 (4)	10.00
P-O	0 2906	-18.5	-18.5	0.22 (1)	10.00
O-N	0 5620	-18.5	-18.5	0.41 (1)	10.00
N-M	0 5620	-18.5	-18.5	0.41 (1)	10.00
M-U	0 3931	-18.5	-18.5	0.33 (1)	10.00
U-V	0 3931	-18.5	-18.5	0.33 (1)	10.00
V-W	0 3931	-18.5	-18.5	0.33 (1)	10.00
W-L	0 3931	-18.5	-18.5	0.33 (1)	10.00
L-X	0 0	-18.5	-18.5	0.09 (4)	10.00
X-Y	0 0	-18.5	-18.5	0.09 (4)	10.00
Y-K	0 0	-18.5	-18.5	0.09 (4)	10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
P-C	-346 0	0.07 (1)
C-O	0 2893	0.36 (1)
O-D	-877 0	0.14 (1)
M-G	-1219 0	0.25 (1)
M-H	0 2943	0.36 (1)
L-H	-366 66	0.07 (1)
L-I	0 3993	0.49 (1)
B-P	0 2953	0.37 (1)
O-E	-1091 0	0.26 (1)
E-M	0 1605	0.20 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
H	22-9-8	-512	-512	---	FRONT	VERT	TOTAL	---	C1
L	22-8-12	-36	-36	---	FRONT	VERT	TOTAL	---	C1
M	16-5-8	-1959	-1959	---	FRONT	VERT	TOTAL	---	C1
R	17-8-12	-178	-178	---	FRONT	VERT	TOTAL	---	C1
S	18-8-12	-178	-178	---	FRONT	VERT	TOTAL	---	C1
T	20-8-12	-178	-178	---	FRONT	VERT	TOTAL	---	C1
U	17-8-12	-36	-36	---	FRONT	VERT	TOTAL	---	C1
V	18-8-12	-36	-36	---	FRONT	VERT	TOTAL	---	C1
W	20-8-12	-36	-36	---	FRONT	VERT	TOTAL	---	C1
X	24-8-12	-36	-36	---	FRONT	VERT	TOTAL	---	C1
Y	26-8-12	-36	-36	---	FRONT	VERT	TOTAL	---	C1

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.22")

CSI: TC=0.91-1.00 (G-H:1) , BC=0.41/1.00 (M-O:1) , WB=0.49/1.00 (I-L:1) , SSI=0.31/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (P) (INPUT = 0.90)
JSI METAL= 0.53 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408016	T7	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:DMCubINVR6TstFoe31v6I_zns1I-qiuN_5EvvD4hRL2PUS1PcYsameGfVD4Lc0VvaQzNVrz

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	1.75	2.75
C	TTWW-m	MT20	5.0	8.0	1.75	3.00
D	TMW+w	MT20	2.0	4.0		
E	TMWW+t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	8.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	1.75	3.00
I	TMVW-p	MT20	5.0	6.0	1.75	2.75
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMWWW-t	MT20	5.0	8.0		
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BMWW-t	MT20	5.0	6.0		
Q	BMV1+p	MT20	3.0	6.0		

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006881

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T8	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:06 2020 Page 1
ID:DMCublNVR6TstFoe31v6l_zns1l-n608PnG9RrLPgiCncl3thzx0sSyRz0Qe4K_0fJzNVrx



TOTAL WEIGHT = 121 lb (M|F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
O - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0		
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	5.0	6.0		
H	TMV+p	MT20	3.0	4.0		
J	BMVW1-t	MT20	5.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BS-t	MT20	3.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BMWW-t	MT20	4.0	4.0		
O	BMVW1-t	MT20	5.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
O	1706	0	1706	0	0	5-8	5-8
J	1706	0	1706	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	1204	804 0	0 0	0 0	0 0	401 0	0 0
J	1204	804 0	0 0	0 0	0 0	401 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.28 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0 35	-91.8	-91.8	0.12	(1)		10.00
B-C	0 22	-91.8	-91.8	0.21	(1)		10.00
C-D	-1753 0	-91.8	-91.8	0.20	(1)		4.86
D-E	-1858 0	-91.8	-91.8	0.55	(1)		4.28
E-F	-1858 0	-91.8	-91.8	0.55	(1)		4.28
F-G	-1753 0	-91.8	-91.8	0.20	(1)		4.86
G-H	0 22	-91.8	-91.8	0.21	(1)		10.00
H-I	0 35	-91.8	-91.8	0.12	(1)		10.00
O-B	-287 0	0.0	0.0	0.03	(1)		7.81
J-H	-287 0	0.0	0.0	0.03	(1)		7.81
O-N	0 1465	-18.5	-18.5	0.38	(1)		10.00
N-M	0 1441	-18.5	-18.5	0.39	(4)		10.00
M-L	0 1441	-18.5	-18.5	0.39	(4)		10.00
L-K	0 1441	-18.5	-18.5	0.39	(4)		10.00
K-J	0 1465	-18.5	-18.5	0.38	(1)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
C-N	-36 42	0.02	(1)
N-D	0 183	0.05	(4)
D-M	0 585	0.13	(1)
M-E	-728 0	0.53	(1)
M-F	0 585	0.13	(1)
K-F	0 183	0.05	(4)
K-G	-36 42	0.02	(1)
O-C	-2012 0	0.95	(1)
G-J	-2012 0	0.95	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.16")

CSI: TC=0.55/1.00 (D-E:1) , BC=0.39/1.00 (M-N:4) , WB=0.95/1.00 (C-O:1) , SSI=0.29/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.82 (J) (INPUT = 0.90)
JSI METAL= 0.49 (G) (INPUT = 1.00)

Structural component only
DWG# T-2006882

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T9	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:07 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-FlaWc7GnC8TGlon_9ba6DBUE_sKAiYAoJ_iZBlzNVrw



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
Q - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	4.0	6.0	1.00	3.25
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW+m	MT20	5.0	6.0	2.00	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.00	1.50
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMW-p	MT20	4.0	6.0	1.00	3.25
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWW-t	MT20	5.0	6.0		
Q	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
Q	1706	0	1706	0	0	5-8	5-8
J	1706	0	1706	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1204	804 0	0 0	0 0	0 0	401 0	0 0
J	1204	804 0	0 0	0 0	0 0	401 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.63 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12 (1)		10.00
B-C	-1828	0	-91.8	-91.8	0.34 (1)		4.63
C-D	-1835	0	-91.8	-91.8	0.32 (1)		4.85
D-E	-1503	0	-91.8	-91.8	0.25 (1)		5.10
E-F	-1503	0	-91.8	-91.8	0.25 (1)		5.10
F-G	-1835	0	-91.8	-91.8	0.32 (1)		4.85
G-H	-1828	0	-91.8	-91.8	0.34 (1)		4.63
H-I	0	35	-91.8	-91.8	0.12 (1)		10.00
Q-B	-1666	0	0.0	0.0	0.17 (1)		6.42
J-H	-1666	0	0.0	0.0	0.17 (1)		6.42
Q-P	0	0	-18.5	-18.5	0.10 (4)		10.00
P-O	0	1545	-18.5	-18.5	0.29 (1)		10.00
O-N	0	1337	-18.5	-18.5	0.26 (1)		10.00
N-M	0	1337	-18.5	-18.5	0.26 (1)		10.00
M-L	0	1337	-18.5	-18.5	0.26 (1)		10.00
L-K	0	1545	-18.5	-18.5	0.29 (1)		10.00
K-J	0	0	-18.5	-18.5	0.10 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
P-C	-232	4	0.08 (1)
C-O	-285	0	0.23 (1)
O-D	0	279	0.06 (1)
D-N	0	330	0.07 (1)
N-E	-495	0	0.60 (1)
N-F	0	330	0.07 (1)
L-F	0	279	0.06 (1)
L-G	-285	0	0.23 (1)
K-G	-232	4	0.08 (1)
B-P	0	1580	0.38 (1)
K-H	0	1580	0.36 (1)

TOTAL WEIGHT = 133 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.11")

CSI: TC=0.34/1.00 (B-C:1) , BC=0.29/1.00 (O-P:1) , WB=0.60/1.00 (E-N:1) , SSI=0.20/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BENO=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (F) (INPUT = 0.90)
JSI METAL= 0.42 (H) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006883

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T10	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:08 2020 Page 1
ID:DMCubINVR6TstFog31v6I_zns1I-jV8upTHPzSb7wyLAjI5LmO0N8FepR0sxXeT6jBzNVrv



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	2.75	2.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	8.0		
E	TTWW+m	MT20	5.0	6.0	2.00	1.50
F	TTW-m	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0	2.00	1.50
I	TMVW+p	MT20	5.0	6.0	2.75	2.00
K	BMV1+p	MT20	3.0	4.0		
L	BMWW-t	MT20	4.0	9.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWW-t	MT20	4.0	9.0		
Q	BMV1+p	MT20	3.0	4.0		



Structural component only
DWG# T-2006884

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
O	1706	0	1706	0	0	5.8	5.8
K	1706	0	1706	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT K. MINIMUM BEARING LENGTH AT JOINT K = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1204	804 0	0 0	0 0	0 0	401 0	0 0
K	1204	804 0	0 0	0 0	0 0	401 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.41 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12 (1)	10.00
B-C	-1843	0	-91.8	-91.8	0.50 (1)	4.41
C-D	-1505	0	-91.8	-91.8	0.46 (1)	4.82
D-E	-1505	0	-91.8	-91.8	0.46 (1)	4.82
E-F	-1225	0	-91.8	-91.8	0.30 (1)	5.44
F-G	-1506	0	-91.8	-91.8	0.46 (1)	4.82
G-H	-1506	0	-91.8	-91.8	0.46 (1)	4.82
H-I	-1843	0	-91.8	-91.8	0.50 (1)	4.41
I-J	0	35	-91.8	-91.8	0.12 (1)	10.00
Q-B	-1660	0	0.0	0.0	0.17 (1)	6.44
K-I	-1660	0	0.0	0.0	0.17 (1)	6.44
Q-P	0	0	-18.5	-18.5	0.16 (4)	10.00
P-O	0	1564	-18.5	-18.5	0.33 (1)	10.00
O-N	0	1224	-18.5	-18.5	0.25 (1)	10.00
N-M	0	1224	-18.5	-18.5	0.25 (1)	10.00
M-L	0	1563	-18.5	-18.5	0.33 (1)	10.00
L-K	0	0	-18.5	-18.5	0.16 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
P-C	-155	48	0.07 (1)
C-O	-453	0	0.57 (1)
O-E	0	389	0.09 (1)
E-M	0	1	0.00 (1)
M-F	0	391	0.09 (1)
M-H	-452	0	0.57 (1)
L-H	-157	47	0.07 (1)
B-P	0	1588	0.36 (1)
L-I	0	1588	0.36 (1)

TOTAL WEIGHT = 129 lb
[M(F)]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.12")

CSI: TC=0.50/1.00 (B-C:1) , BC=0.33/1.00 (O-P:1) , WB=0.57/1.00 (C-O:1) , SSI=0.22/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (B) (INPUT = 0.90)
JSI METAL= 0.76 (B) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T11	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:09 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1I-BhiG1ol1jmj_X6wMH0daJcZWKf_IAWS4mICgFezNVru



TOTAL WEIGHT = 132 lb (M|F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	2.75	2.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	6.0	2.00	2.00
F	TTW-m	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0	2.00	1.50
I	TMVW+p	MT20	5.0	6.0	2.75	2.00
K	BMV1+p	MT20	3.0	4.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWW-t	MT20	5.0	6.0		
Q	BMV1+p	MT20	3.0	4.0		



Structural component only
DWG# T-2006885

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
Q	1705	0	1706	0	0	5-8	5-8
K	1708	0	1706	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT K. MINIMUM BEARING LENGTH AT JOINT K = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1204	804 0	0 0	0 0	0 0	401 0	0 0
K	1204	804 0	0 0	0 0	0 0	401 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.27 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-O, H-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12 (1)		10.00
B-C	-1842	0	-91.8	-91.8	0.60 (1)		4.27
C-D	-1433	0	-91.8	-91.8	0.55 (1)		4.77
D-E	-1433	0	-91.8	-91.8	0.55 (1)		4.77
E-F	-1163	0	-91.8	-91.8	0.11 (1)		5.79
F-G	-1434	0	-91.8	-91.8	0.55 (1)		4.77
G-H	-1434	0	-91.8	-91.8	0.55 (1)		4.77
H-I	-1841	0	-91.8	-91.8	0.60 (1)		4.27
I-J	0	35	-91.8	-91.8	0.12 (1)		10.00
Q-B	-1657	0	0.0	0.0	0.17 (1)		6.44
K-I	-1657	0	0.0	0.0	0.17 (1)		6.44
Q-P	0	0	-18.5	-18.5	0.20 (4)		10.00
P-O	0	1565	-18.5	-18.5	0.35 (1)		10.00
O-N	0	1162	-18.5	-18.5	0.25 (1)		10.00
N-M	0	1162	-18.5	-18.5	0.25 (1)		10.00
M-L	0	1565	-18.5	-18.5	0.35 (1)		10.00
L-K	0	0	-18.5	-18.5	0.19 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
P-C	-120	70	0.06 (1)
C-O	-535	0	0.26 (1)
O-E	0	418	0.09 (1)
E-M	0	5	0.00 (1)
M-F	0	424	0.10 (1)
M-H	-532	0	0.26 (1)
L-H	-123	68	0.06 (1)
B-P	0	1587	0.36 (1)
L-I	0	1586	0.36 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.14")

CSI: TC=0.60/1.00 (B-C:1) , BC=0.35/1.00 (O-P:1) , WB=0.36/1.00 (B-P:1) , SSI=0.24/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (B) (INPUT = 0.90)
JSI METAL= 0.76 (B) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408016	T12	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:10 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-ltGfE8JgU3rr9GVZrj8prp5fV3KgvzQE?yyDo4zNVrt



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
O - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
M - E	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	2.75	2.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTW+p	MT20	4.0	6.0	Edge	
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMVW+p	MT20	5.0	6.0	2.75	2.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BS-t	MT20	3.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BMWW-t	MT20	5.0	6.0		
O	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
O	1706	0	1706	0	0	5-8	5-8
J	1706	0	1706	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT J. MINIMUM BEARING LENGTH AT JOINT J = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	1204	804 0	0 0	0 0	0 0	-101 0	0 0
J	1204	804 0	0 0	0 0	0 0	-101 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.99 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF G-M, C-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC) (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12 (1)	10.00
B-C	-1830	0	-91.8	-91.8	0.77 (1)	3.99
C-D	-1333	0	-91.8	-91.8	0.68 (1)	4.64
D-E	-1333	0	-91.8	-91.8	0.68 (1)	4.64
E-F	-1333	0	-91.8	-91.8	0.68 (1)	4.64
F-G	-1333	0	-91.8	-91.8	0.68 (1)	4.64
G-H	-1830	0	-91.8	-91.8	0.77 (1)	3.99
H-I	0	35	-91.8	-91.8	0.12 (1)	10.00
O-B	-1651	0	0.0	0.0	0.17 (1)	6.45
J-H	-1651	0	0.0	0.0	0.17 (1)	6.45
O-N	0	0	-18.5	-18.5	0.23 (4)	10.00
N-M	0	1559	-18.5	-18.5	0.37 (1)	10.00
M-L	0	1559	-18.5	-18.5	0.37 (1)	10.00
L-K	0	1559	-18.5	-18.5	0.37 (1)	10.00
K-J	0	0	-18.5	-18.5	0.23 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
M-E	0	944	0.15 (1)
M-G	-636	0	0.38 (1)
K-G	-84	90	0.05 (1)
C-M	-636	0	0.38 (1)
N-C	-84	90	0.05 (1)
B-N	0	1576	0.35 (1)
K-H	0	1576	0.35 (1)

TOTAL WEIGHT = 125 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.14")

CSI: TC=0.77/1.00 (B-C;1) , BC=0.37/1.00 (M-N;1) , WB=0.36/1.00 (C-M;1) , SSI=0.27/1.00 (B-C;1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (H) (INPUT = 0.90)
JSI METAL= 0.77 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006886

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T13	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:11 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-74p1SUKIFNzinQ4IOQf2O1eo_TbQePnNDchnKWzNVrs



TOTAL WEIGHT = 82 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
L - B	2x6	DRY	No.2	SPF
H - F	2x6	DRY	No.2	SPF
L - J	2x6	DRY	No.2	SPF
J - H	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	5.0	6.0	1.50	3.00
C	TTW-m	MT20	4.0	4.0	2.00	1.75
D	TMWW-t	MT20	4.0	4.0		
E	TTW-m	MT20	4.0	4.0	2.00	1.75
F	TMW-p	MT20	5.0	6.0	1.50	3.00
H	BMV1+p	MT20	3.0	6.0		
I	BMWWW-t	MT20	6.0	9.0		
J	BS-t	MT20	5.0	6.0		
K	BMWWW-t	MT20	6.0	9.0		
L	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
L	2062	0	2062	0	0	5-8	5-8
H	1468	0	1468	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	1453	982 0	0 0	0 0	0 0	471 0	0 0
H	1033	707 0	0 0	0 0	0 0	326 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.65 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.14 (1)	10.00
B-C	-2077	0	-91.8	-91.8	0.85 (1)	3.65
C-D	-1741	0	-91.8	-91.8	0.10 (1)	4.94
D-E	-1215	0	-91.8	-91.8	0.08 (1)	5.71
E-F	-1444	0	-91.8	-91.8	0.74 (1)	4.37
F-G	0	35	-91.8	-91.8	0.14 (1)	10.00
L-B	-1835	0	0.0	0.0	0.13 (1)	7.34
H-F	-1397	0	0.0	0.0	0.10 (1)	7.81
L-M	0	0	-18.5	-18.5	0.54 (1)	10.00
M-N	0	0	-18.5	-18.5	0.54 (1)	10.00
N-O	0	0	-18.5	-18.5	0.54 (1)	10.00
O-K	0	0	-18.5	-18.5	0.54 (1)	10.00
K-J	0	1526	-18.5	-18.5	0.66 (1)	10.00
J-I	0	1526	-18.5	-18.5	0.66 (1)	10.00
I-H	0	0	-18.5	-18.5	0.10 (4)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
K-C	0	459	0.11 (1)
I-E	0	438	0.11 (1)
B-K	0	1749	0.43 (1)
I-F	0	1217	0.30 (1)
K-D	0	542	0.13 (1)
D-I	-787	0	0.38 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-327	-327	---	FRONT	VERT	TOTAL	---	C1
M	1-11-4	-36	-36	---	FRONT	VERT	TOTAL	---	C1
N	3-11-4	-36	-36	---	FRONT	VERT	TOTAL	---	C1
O	4-8-8	-1078	-1078	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010. NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L 999 (0.16")

CSI: TC=0.85/1.00 (B-C:1) , BC=0.66/1.00 (I-K:1) , WB=0.43/1.00 (B-K:1) , SSI=0.69/1.00 (K-L:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.83 (J) (INPUT = 0.90)
JSI METAL= 0.81 (J) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006887

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T15	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:12 2020 Page 1
ID:DMCublNVR6TstFoe31v6I zns1I-bGNPfqKw0h5ZOafxy8AHwEB7At3yNqXXSGRKszzNVr



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
L - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	6.0		
D	TTWW+p	MT20	4.0	6.0	Edge	
E	TMWW-t	MT20	4.0	6.0		
F	TMV+p	MT20	3.0	4.0		
H	BMVW1-t	MT20	4.0	4.0		
I	BMWW-t	MT20	4.0	4.0		
J	BS-t	MT20	3.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
L	1026	0	1026	0	0	IN-SX	IN-SX
H	1026	0	1026	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	723	488 0	0 0	0 0	0 0	235 0	0 0
H	723	488 0	0 0	0 0	0 0	235 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	-91.8	-91.8	0.12	(1)		10.00
B-C	0	-91.8	-91.8	0.24	(1)		10.00
C-D	-851	-91.8	-91.8	0.19	(1)		6.25
D-E	-851	-91.8	-91.8	0.19	(1)		6.25
E-F	0	-91.8	-91.8	0.24	(1)		10.00
F-G	0	-91.8	-91.8	0.12	(1)		10.00
L-B	-269	0.0	0.0	0.03	(1)		7.81
H-F	-269	0.0	0.0	0.03	(1)		7.81
L-K	0	-18.5	-18.5	0.19	(1)		10.00
K-J	0	-18.5	-18.5	0.17	(4)		10.00
J-I	0	-18.5	-18.5	0.17	(4)		10.00
I-H	0	-18.5	-18.5	0.19	(1)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
D-I	0	338	0.08 (1)
I-E	-219	0	0.06 (1)
K-D	0	338	0.08 (1)
C-K	-219	0	0.06 (1)
L-C	-1048	0	0.53 (1)
E-H	-1048	0	0.53 (1)

TOTAL WEIGHT = 73 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.24/1.00 (B-C:1) , BC=0.19/1.00 (K-L:1) , WB=0.53/1.00 (C-L:1) , SSI=0.15/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (L) (INPUT = 0.90)
JSI METAL= 0.29 (L) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006888

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T15CP	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:14 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-YfV94WMAYILHeIpK4ZCl0fGTggkQrj0qwawRxrzNVrp



TOTAL WEIGHT = 73 lb
(M)(F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
L - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	6.0		
D	TMTMWWm	MT20	4.0	6.0	1.50	3.00
E	TMWW-t	MT20	4.0	6.0		
F	TMV+p	MT20	3.0	4.0		
H	BMWW1-t	MT20	4.0	4.0		
I	BMWW-t	MT20	4.0	4.0		
J	BS-t	MT20	3.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BMVW1-t	MT20	4.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
L	1026	0	1026	0	0	IN-SX	IN-SX
H	1026	0	1026	0	0	5-8	5-8
						MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	723	488 0	0 0	0 0	0 0	235 0	0 0
H	723	488 0	0 0	0 0	0 0	235 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 35	-91.8	-91.8	0.12 (1)	10.00
B-C	0 24	-91.8	-91.8	0.24 (1)	10.00
C-D	-851 0	-91.8	-91.8	0.19 (1)	6.25
D-E	-851 0	-91.8	-91.8	0.19 (1)	6.25
E-F	0 24	-91.8	-91.8	0.24 (1)	10.00
F-G	0 35	-91.8	-91.8	0.12 (1)	10.00
L-B	-269 0	0.0	0.0	0.03 (1)	7.81
H-F	-269 0	0.0	0.0	0.03 (1)	7.81
L-K	0 767	-18.5	-18.5	0.19 (1)	10.00
K-J	0 561	-18.5	-18.5	0.17 (4)	10.00
J-I	0 561	-18.5	-18.5	0.17 (4)	10.00
I-H	0 767	-18.5	-18.5	0.19 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
D-I	0 338	0.08 (1)
I-E	-219 0	0.06 (1)
K-D	0 338	0.08 (1)
C-K	-219 0	0.06 (1)
L-C	-1048 0	0.53 (1)
E-H	-1048 0	0.53 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.24/1.00 (B-C:1) , BC=0.19/1.00 (K-L:1) , WB=0.53/1.00 (C-L:1) , SSI=0.15/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (L) (INPUT = 0.90)
JSI METAL= 0.29 (L) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006889

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T16	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:15 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1I-0r3YHsNoJcT7F1OWdGj_Ytpb644uaH8z8Ef_THzNVro



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMVW+p	MT20	4.0	4.0	1.25	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-I	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
H	760	0	760	0	0	5-8	5-8
F	760	0	760	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	535	364 0	0 0	0 0	0 0	171 0	0 0
F	535	364 0	0 0	0 0	0 0	171 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (1)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	-91.8	-91.8	0.12	(1)		10.00
B-C	-463	-91.8	-91.8	0.39	(1)		6.25
C-D	-463	-91.8	-91.8	0.39	(1)		6.25
D-E	0	-91.8	-91.8	0.12	(1)		10.00
H-B	-719	0.0	0.0	0.07	(1)		7.81
F-D	-719	0.0	0.0	0.07	(1)		7.81
H-G	0	-18.5	-18.5	0.17	(4)		10.00
G-F	0	-18.5	-18.5	0.17	(4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
G-C	-14	0.03	(4)
B-G	0 392	0.09	(1)
G-D	0 392	0.09	(1)

TOTAL WEIGHT = 3 X 48 = 143 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.38")
CALCULATED VERT. DEFL.(LL) = L 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.38")
CALCULATED VERT. DEFL.(TL) = L 999 (0.03")

CSI: TC=0.39/1.00 (B-C:1) , BC=0.17/1.00 (G-H:4) , WB=0.09/1.00 (B-G:1) , SSI=0.17/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.55 (B) (INPUT = 0.90)
JSI METAL= 0.16 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006890

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T16S	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:16 2020 Page 1
ID:DMCubINVR6TstFoe31v6l znsiI-U1dwVCNQ4vb tBziB FD54LpMUPGJiO6NuPY?kzNVm



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
N - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
N - M	2x4	DRY	No.2	SPF
M - C	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
I - E	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	Edge	
C	TMVW+p	MT20	4.0	4.0	1.25	2.00
D	TTW-p	MT20	4.0	4.0	2.25	2.00
E	TMVW+p	MT20	4.0	4.0	1.25	2.00
F	TMVW+p	MT20	5.0	6.0	Edge	
H	BMVW1-t	MT20	4.0	4.0		
I	BMV+p	MT20	3.0	4.0		
J	BVMWW-t	MT20	6.0	9.0	4.50	5.50
K	BMWWW-t	MT20	4.0	9.0		
L	BVMWW-t	MT20	6.0	9.0	4.50	5.50
M	BMV+p	MT20	3.0	4.0		
N	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006891

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
N	760	0	760	0	0	5-8	5-8
H	760	0	760	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
N	535	364 0	0 0	0 0	0 0	171 0	0 0
H	535	364 0	0 0	0 0	0 0	171 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.81 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 FROM (PLF)	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12 (1)	10.00
B-C	-1137	0	-91.8	-91.8	0.14 (1)	5.81
C-D	-582	0	-91.8	-91.8	0.23 (1)	6.25
D-E	-562	0	-91.8	-91.8	0.23 (1)	6.25
E-F	-1137	0	-91.8	-91.8	0.14 (1)	5.81
F-G	0	35	-91.8	-91.8	0.12 (1)	10.00
N-B	-699	0	0.0	0.0	0.07 (1)	7.81
H-F	-699	0	0.0	0.0	0.07 (1)	7.81
N-M	0	52	-18.5	-18.5	0.01 (1)	10.00
M-L	0	14	0.0	0.0	0.09 (1)	10.00
L-C	0	148	0.0	0.0	0.11 (1)	10.00
L-K	0	1044	-18.5	-18.5	0.23 (1)	10.00
K-J	0	1044	-18.5	-18.5	0.23 (1)	10.00
I-J	0	14	0.0	0.0	0.09 (1)	10.00
J-E	0	148	0.0	0.0	0.11 (1)	10.00
I-H	0	52	-18.5	-18.5	0.01 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
K-D	0	252	0.06 (1)
K-E	-601	0	0.21 (1)
C-K	-601	0	0.21 (1)
N-L	-71	0	0.01 (1)
B-L	0	962	0.22 (1)
J-H	-71	0	0.01 (1)
J-F	0	962	0.22 (1)

TOTAL WEIGHT = 3 X 54 = 161 lb
[M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.38")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.38")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.23/1.00 (C-D:1) , BC=0.23/1.00 (K-L:1) , WB=0.22/1.00 (B-L:1) , SSI=0.15/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (F) (INPUT = 0.90)
JSI METAL= 0.46 (B) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	T17	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:17 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I_zns1I-yDBtiXO3rDjrVLYvihmSdIussug_22cGcY85YAzNVrm



TOTAL WEIGHT = 2 X 73 = 146 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - G	2x6	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
B - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
C-G	2	12	SIDE(183.1)
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
B-J	1	12	SIDE(61.0)
J-H	1	12	SIDE(61.0)
WEBS : (0.122"X3") SPIRAL NAILS			
L-C	1	6	SIDE(47.8)
2x3	1	6	
H-F	1	6	SIDE(47.9)
2x4	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-m	MT20	6.0	9.0	3.00	2.50
C	TTWW+m	MT20	5.0	6.0	2.00	2.50
D	TMW+w	MT20	3.0	6.0		



Structural component only
DWG# T-2006892 92

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
G	1931	0	1931	0	0	5-8	5-8	
B	2131	0	2131	0	0	5-8	5-8	2x4 L

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): G

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
G	1364	905 0	0 0	0 0	0 0	459 0	0 0
B	1503	1011 0	0 0	0 0	0 0	492 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) G, B

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.92 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	18	-91.8	-91.8	0.06 (1)	10.00
B-N	-4428	0	-106.7	-106.7	0.18 (1)	4.38
N-C	-4227	0	-106.7	-106.7	0.19 (1)	4.47
C-O	-5737	0	-106.7	-106.7	0.21 (1)	4.74
O-P	-5737	0	-106.7	-106.7	0.21 (1)	4.74
P-Q	-5737	0	-91.8	-91.8	0.21 (1)	4.74
Q-D	-5737	0	-91.8	-91.8	0.21 (1)	4.74
D-R	-5737	0	-91.8	-91.8	0.25 (1)	4.69
R-S	-5737	0	-91.8	-91.8	0.25 (1)	4.69
S-E	-5737	0	-91.8	-91.8	0.25 (1)	4.69
E-T	-5082	0	-91.8	-91.8	0.76 (1)	3.92
T-U	-5082	0	-91.8	-91.8	0.76 (1)	3.92
U-F	-5082	0	-91.8	-91.8	0.76 (1)	3.92
F-G	0	0	-91.8	-91.8	0.43 (1)	10.00
B-M	0	3899	-18.5	-18.5	0.44 (1)	10.00
M-V	0	3899	-18.5	-18.5	0.44 (1)	10.00
V-L	0	3899	-18.5	-18.5	0.44 (1)	10.00
L-W	0	3891	-18.5	-18.5	0.44 (1)	10.00
W-X	0	3891	-18.5	-18.5	0.44 (1)	10.00
X-K	0	3891	-18.5	-18.5	0.44 (1)	10.00
K-Y	0	5082	-18.5	-18.5	0.52 (1)	10.00
Y-J	0	5082	-18.5	-18.5	0.52 (1)	10.00
J-I	0	5082	-18.5	-18.5	0.52 (1)	10.00
I-Z	0	0	-18.5	-18.5	0.10 (1)	10.00
Z-AA	0	0	-18.5	-18.5	0.10 (1)	10.00
AA-H	0	0	-18.5	-18.5	0.10 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
L-C	0	135	0.02 (4)
H-F	0	147	0.01 (4)
I-F	0	5384	0.67 (1)
C-K	0	1967	0.24 (1)
I-E	-1549	0	0.12 (1)
K-D	-657	0	0.05 (1)
K-E	0	694	0.09 (1)
M-N	0	265	0.00 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	3-10-10	-41	-46	---	FRONT	VERT	DEAD	---	C1
C	3-10-10	-123	-123	---	BACK	VERT	TOTAL	---	C1
C	3-10-10	-213	-213	---	FRONT	VERT	SNOW	---	C1
F	17-11-6	-116	-116	---	BACK	VERT	TOTAL	---	C1
H	18-2-4	-68	-68	---	BACK	VERT	TOTAL	---	C1
J	11-11-6	-61	-61	---	BACK	VERT	TOTAL	---	C1
L	3-11-6	-61	-61	---	BACK	VERT	TOTAL	---	C1
O	5-11-6	-116	-116	---	BACK	VERT	TOTAL	---	C1
Q	7-11-6	-116	-116	---	BACK	VERT	TOTAL	---	C1
R	9-11-6	-116	-116	---	BACK	VERT	TOTAL	---	C1

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

GIRDER TYPE: GStdGirder
START DISTANCE = 0-0
START SPAN CARRIED = 3-0-0
END DISTANCE = 6-6-0
END SPAN CARRIED = 3-0-0
END WALL WIDTH = 5-8
APPLIED TO FRONT SIDE OF TOP CHORD.
- ADDT'L LOADS BASED ON 55 % OF GSL.

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 3.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.61")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (0.61")
CALCULATED VERT. DEFL.(TL) = L/ 743 (0.29")

CSI: TC=0.76/1.00 (E-F:1) , BC=0.52/1.00 (I-K:1) , WB=0.67/1.00 (F-I:1) , SSI=0.39/1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408016	T17	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
E	TMWW-t	MT20	5.0	6.0		
F	TMWWW-t	MT20	6.0	16.0	2.75	5.25
H	BMW+w	MT20	2.0	4.0		
I	BMWW-t	MT20	5.0	6.0	2.25	2.00
J	BS-t	MT20	3.0	6.0		
K	BMWWW-t	MT20	4.0	9.0		
L	BMW+w	MT20	2.0	4.0		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
S	11-11-6	-116	-116	---	BACK	VERT	TOTAL	---	C1
T	13-11-6	-116	-116	---	BACK	VERT	TOTAL	---	C1
U	15-11-6	-116	-116	---	BACK	VERT	TOTAL	---	C1
V	2-0-12	-61	-61	---	BACK	VERT	TOTAL	---	C1
W	5-11-6	-61	-61	---	BACK	VERT	TOTAL	---	C1
X	7-11-6	-61	-61	---	BACK	VERT	TOTAL	---	C1
Y	9-11-6	-61	-61	---	BACK	VERT	TOTAL	---	C1
Z	13-11-6	-61	-61	---	BACK	VERT	TOTAL	---	C1
AA	15-11-6	-61	-61	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (I) (INPUT = 0.90)
JSI METAL= 0.83 (J) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only.
DWG# T-2006892 N2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T20	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Trusses, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:01 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-9yNo_p6_bonbrtVlScM6EBajen1DmKYxIrPj7JzNUjq



TOTAL WEIGHT = 2 X 182 = 363 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x6	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A- C	2	12	SIDE(122.0)
C- F	2	12	SIDE(61.0)
F- H	2	12	SIDE(61.0)
H- J	2	12	SIDE(122.0)
S- B	2	12	TOP
K- I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S- P	2	12	SIDE(0.0)
P- N	2	12	SIDE(0.0)
N- K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only
DWG# T-2006897 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	3389	0	3389	0	0	5-8	5-8
K	3417	0	3417	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	MAX.-MIN. COMPONENT REACTIONS PERM.LIVE	WIND	DEAD	SOIL
S	2394	1585 0	0 0	0 0	0 0	809 0	0 0
K	2415	1593 0	0 0	0 0	0 0	821 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.99 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0	39	-91.8	-91.8	0.04 (1)	10.00
B- C	-3743	0	-91.8	-91.8	0.07 (1)	5.77
C- T	-6768	0	-91.8	-91.8	0.38 (1)	4.29
T- U	-6768	0	-91.8	-91.8	0.38 (1)	4.29
U- V	-6768	0	-91.8	-91.8	0.36 (1)	4.29
V- W	-6768	0	-91.8	-91.8	0.36 (1)	4.29
W- D	-6768	0	-91.8	-91.8	0.36 (1)	4.29
D- X	-7915	0	-91.8	-91.8	0.40 (1)	3.99
X- Y	-7915	0	-91.8	-91.8	0.40 (1)	3.99
Y- Z	-7915	0	-91.8	-91.8	0.40 (1)	3.99
Z- E	-7915	0	-91.8	-91.8	0.40 (1)	3.99
E-AA	-7915	0	-91.8	-91.8	0.39 (1)	3.99
AA- F	-7915	0	-91.8	-91.8	0.39 (1)	3.99
F-AB	-7915	0	-91.8	-91.8	0.39 (1)	3.99
AB-AC	-7915	0	-91.8	-91.8	0.39 (1)	3.99
AC-AD	-7915	0	-91.8	-91.8	0.39 (1)	3.99
AD- G	-7915	0	-91.8	-91.8	0.39 (1)	3.99
G-AE	-6773	0	-91.8	-91.8	0.36 (1)	4.29
AE-AF	-6773	0	-91.8	-91.8	0.36 (1)	4.29
AF-AG	-6773	0	-91.8	-91.8	0.36 (1)	4.29
AG- H	-6773	0	-91.8	-91.8	0.36 (1)	4.29
H- I	-3767	0	-91.8	-91.8	0.07 (1)	5.76
I- J	0	39	-91.8	-91.8	0.04 (1)	10.00
S- B	-3394	0	0.0	0.0	0.12 (1)	7.57
K- I	-3414	0	0.0	0.0	0.12 (1)	7.55
S-AH	0	0	-18.5	-18.5	0.08 (4)	10.00
AH- R	0	0	-18.5	-18.5	0.08 (4)	10.00
R-AI	0	2965	-18.5	-18.5	0.26 (1)	10.00
AI-AJ	0	2965	-18.5	-18.5	0.26 (1)	10.00
AJ-AK	0	2965	-18.5	-18.5	0.26 (1)	10.00
AK-AL	0	2965	-18.5	-18.5	0.26 (1)	10.00
AL- Q	0	2965	-18.5	-18.5	0.26 (1)	10.00
Q- P	0	6769	-18.5	-18.5	0.51 (1)	10.00
P-AM	0	6769	-18.5	-18.5	0.51 (1)	10.00
AM-AN	0	6769	-18.5	-18.5	0.51 (1)	10.00
AN- O	0	6769	-18.5	-18.5	0.51 (1)	10.00
O-AO	0	6774	-18.5	-18.5	0.51 (1)	10.00
AO-AP	0	6774	-18.5	-18.5	0.51 (1)	10.00
AP-AQ	0	6774	-18.5	-18.5	0.51 (1)	10.00
AQ- N	0	6774	-18.5	-18.5	0.51 (1)	10.00
N-AR	0	6774	-18.5	-18.5	0.51 (1)	10.00
AR- M	0	6774	-18.5	-18.5	0.51 (1)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
R- C	-601	0	0.07 (1)
C- Q	0	4266	0.53 (1)
Q- D	-1739	0	0.21 (1)
D- O	0	1292	0.16 (1)
O- E	-958	0	0.11 (1)
O- G	0	1286	0.16 (1)
M- G	-1732	0	0.21 (1)
M- H	0	4250	0.53 (1)
L- H	-604	0	0.07 (1)
B- R	0	3099	0.38 (1)
L- I	0	3119	0.39 (1)

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.36")

CSI: TC=0.40(1.00 (D-E:1) , BC=0.51 1.00 (O-Q:1) , WB=0.53(1.00 (C-Q:1) , SSI=0.21 1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (C) (INPUT = 0.90)
JSI METAL= 0.63 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408038	T20	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.25	3.00
C	TTWW+m	MT20	7.0	8.0	Edge	5.50
D	TMWW-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	7.0	8.0	Edge	5.50
I	TMVW-p	MT20	5.0	6.0	1.25	3.00
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.50
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	6.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.50
R	BMWW-t	MT20	5.0	6.0		
S	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FORCE (LBS)	FACTORED MAX CSI	(LC)
M-AS	0	-18.5	-18.5		0.26	(1)	10.00				
AS-AT	0	-18.5	-18.5		0.26	(1)	10.00				
AT-AU	0	-18.5	-18.5		0.26	(1)	10.00				
AU- L	0	-18.5	-18.5		0.26	(1)	10.00				
L-AV	0	-18.5	-18.5		0.08	(4)	10.00				
AV-AW	0	-18.5	-18.5		0.08	(4)	10.00				
AW- K	0	-18.5	-18.5		0.08	(4)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	3-5-5	-44	-49	---	FRONT	VERT	DEAD	---	C1
C	3-5-5	-222	-222	---	FRONT	VERT	SNOW	---	C1
H	31-8-11	-44	-49	---	FRONT	VERT	DEAD	---	C1
H	31-8-11	-116	-116	---	BACK	VERT	TOTAL	---	C1
H	31-8-11	-222	-222	---	FRONT	VERT	SNOW	---	C1
P	11-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
T	3-11-4	-134	-134	---	BACK	VERT	TOTAL	---	C1
U	5-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
V	7-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
W	9-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
X	11-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
Y	13-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
Z	15-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AA	17-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AB	19-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AC	21-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AD	23-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AE	25-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AF	27-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AG	29-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
AH	1-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AI	3-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AJ	5-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AK	7-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AL	9-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AM	13-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AN	15-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AO	17-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AP	19-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AQ	21-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AR	23-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AS	25-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AT	27-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AU	29-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AV	31-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AW	33-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006897 1/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T21	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:02 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-d9xAC87cM6vST14v0JiLmO6lyBLSVpX4WU9GgmzNUjp



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
S - P	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.50	3.00
C	TTWW+m	MT20	7.0	8.0	Edge	2.50
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	4.0		
H	TTWW+m	MT20	7.0	8.0	Edge	2.50
I	TMVW-p	MT20	5.0	6.0	1.50	3.00
K	BMV1+p	MT20	3.0	4.0		
L, M, Q, R						
L	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	4.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BS-t	MT20	4.0	6.0		
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2065	0	2065	0	0	5-8	5-8
K	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	970 0	0 0	0 0	0 0	488 0	0 0
K	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.81 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12 (1)		10.00
B-C	-2116	0	-91.8	-91.8	0.49 (1)		4.17
C-D	-3171	0	-91.8	-91.8	0.92 (1)		3.06
D-E	-3603	0	-91.8	-91.8	1.00 (1)		2.81
E-F	-3603	0	-91.8	-91.8	1.00 (1)		2.81
F-G	-3603	0	-91.8	-91.8	1.00 (1)		2.81
G-H	-3171	0	-91.8	-91.8	0.92 (1)		3.06
H-I	-2116	0	-91.8	-91.8	0.49 (1)		4.17
I-J	0	38	-91.8	-91.8	0.12 (1)		10.00
S-B	-2032	0	0.0	0.0	0.21 (1)		5.93
K-I	-2032	0	0.0	0.0	0.21 (1)		5.93
S-R	0	0	-18.5	-18.5	0.14 (4)		10.00
R-Q	0	1684	-18.5	-18.5	0.35 (1)		10.00
Q-P	0	3171	-18.5	-18.5	0.58 (1)		10.00
P-O	0	3171	-18.5	-18.5	0.58 (1)		10.00
O-N	0	3171	-18.5	-18.5	0.58 (1)		10.00
N-M	0	3171	-18.5	-18.5	0.58 (1)		10.00
M-L	0	1684	-18.5	-18.5	0.35 (1)		10.00
L-K	0	0	-18.5	-18.5	0.14 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
R-C	-295	0	0.11 (1)
C-Q	0	1853	0.42 (1)
Q-D	-988	0	0.38 (1)
D-O	0	542	0.12 (1)
O-E	-538	0	0.21 (1)
O-G	0	542	0.12 (1)
M-G	-988	0	0.38 (1)
M-H	0	1853	0.42 (1)
L-H	-295	0	0.11 (1)
B-R	0	1740	0.39 (1)
L-I	0	1740	0.39 (1)

TOTAL WEIGHT = 2 X 140 = 281 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.8	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=1.00/1.00 (E-G:1) , BC=0.58/1.00 (O-Q:1) , WB=0.42/1.00 (C-Q:1) , SSI=0.28/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (D) (INPUT = 0.90)
JSI METAL= 0.74 (P) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006898

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T22	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:03 2020 Page 1
ID:DMCubINVR6TstFoe31v6i_zns1I-5LVZPU8E7P1J4Bf8a1OaJcf?mbi7EAoDI8uqCCzNUjo



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.25
D	TTWW+m	MT20	6.0	9.0	Edge	2.00
E	TMWW-t	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0		
I	TTWW+m	MT20	6.0	9.0	Edge	2.00
J	TMWW-t	MT20	5.0	6.0	2.50	2.25
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-t	MT20	5.0	6.0	2.25	3.00
N	BMWW-t	MT20	4.0	4.0		
O	BMWW-t	MT20	5.0	6.0		
P	BS-t	MT20	3.0	6.0		
Q	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	5.0	6.0		
T	BMWW-t	MT20	4.0	4.0		
U	BMVW1-t	MT20	5.0	6.0	2.25	3.00

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006899

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
U	2065	0	2065	0	0	5-8	5-8
M	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
	MAX. MIN. COMPONENT REACTIONS						
U	1458	970 0	0 0	0 0	0 0	488 0	0 0
M	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.41 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 38	-91.8	-91.8	0.12 (1)	10.00	
B-C	0 16	-91.8	-91.8	0.11 (1)	10.00	
C-D	-2150 0	-91.8	-91.8	0.17 (1)	4.50	
D-E	-2667 0	-91.8	-91.8	0.64 (1)	3.60	
E-F	-2973 0	-91.8	-91.8	0.68 (1)	3.41	
F-G	-2973 0	-91.8	-91.8	0.68 (1)	3.41	
G-H	-2973 0	-91.8	-91.8	0.68 (1)	3.41	
H-I	-2687 0	-91.8	-91.8	0.64 (1)	3.60	
I-J	-2150 0	-91.8	-91.8	0.17 (1)	4.50	
J-K	0 16	-91.8	-91.8	0.11 (1)	10.00	
K-L	0 38	-91.8	-91.8	0.12 (1)	10.00	
U-B	-240 0	0.0	0.0	0.03 (1)	7.81	
M-K	-240 0	0.0	0.0	0.03 (1)	7.81	
U-T	0 1557	-18.5	-18.5	0.34 (1)	10.00	
T-S	0 1702	-18.5	-18.5	0.36 (1)	10.00	
S-R	0 2687	-18.5	-18.5	0.48 (1)	10.00	
R-Q	0 2687	-18.5	-18.5	0.48 (1)	10.00	
Q-P	0 2687	-18.5	-18.5	0.48 (1)	10.00	
P-O	0 2687	-18.5	-18.5	0.48 (1)	10.00	
O-N	0 1702	-18.5	-18.5	0.36 (1)	10.00	
N-M	0 1557	-18.5	-18.5	0.34 (1)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-T	0 216	0.05 (1)
T-D	-33 59	0.02 (4)
D-S	0 1393	0.31 (1)
S-E	-885 0	0.52 (1)
E-Q	0 410	0.09 (1)
Q-F	-481 0	0.28 (1)
Q-H	0 410	0.09 (1)
O-H	-885 0	0.52 (1)
O-I	0 1393	0.31 (1)
N-I	-33 59	0.02 (4)
N-J	0 216	0.05 (1)
U-C	-2364 0	0.80 (1)
J-M	-2364 0	0.80 (1)

TOTAL WEIGHT = 2 X 152 = 304 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 999 (0.28")

CSI: TC=0.68/1.00 (E-F:1) , BC=0.48/1.00 (O-Q:1) , WB=0.80/1.00 (C-U:1) , SSI=0.25/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.66 (M) (INPUT = 0.90)
JSI METAL= 0.84 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T23	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:36:05 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-1kcJqA9Vf1H1KUpWhSR2O1klbOOli40WDSNwG4zNUjm



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	8.0	2.50	2.50
D	TTWW-m	MT20	5.0	8.0	Edge	3.50
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	Edge	3.50
I	TMWW-t	MT20	5.0	8.0	2.50	2.50
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	5.0	6.0		
M	BMWW-t	MT20	4.0	4.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWW-t	MT20	4.0	6.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMVW1-t	MT20	5.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006900

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
S	2065	0	2065	0	0	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	970 0	0 0	0 0	0 0	488 0	0 0
L	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.47 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS							WEBS			
MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-B	0	38	-91.8	-91.8	0.12 (1)	10.00	C-R	0	82	0.03 (4)
B-C	0	22	-91.8	-91.8	0.19 (1)	10.00	R-D	0	115	0.04 (4)
C-D	-2138	0	-91.8	-91.8	0.27 (1)	4.41	D-P	0	1116	0.25 (1)
D-E	-2480	0	-91.8	-91.8	0.85 (1)	3.47	P-E	-671	0	0.59 (1)
E-F	-2479	0	-91.8	-91.8	0.84 (1)	3.47	E-O	-2	0	0.00 (1)
F-G	-2479	0	-91.8	-91.8	0.84 (1)	3.47	O-G	-671	0	0.59 (1)
G-H	-2479	0	-91.8	-91.8	0.84 (1)	3.49	O-H	0	1114	0.25 (1)
H-I	-2139	0	-91.8	-91.8	0.27 (1)	4.41	M-H	0	115	0.04 (4)
I-J	0	22	-91.8	-91.8	0.19 (1)	10.00	M-I	0	82	0.03 (4)
J-K	0	38	-91.8	-91.8	0.12 (1)	10.00	S-C	-2392	0	0.82 (1)
S-B	-259	0	0.0	0.0	0.03 (1)	7.81	I-L	-2393	0	0.82 (1)
L-J	-259	0	0.0	0.0	0.03 (1)	7.81				
S-R	0	1632	-18.5	-18.5	0.40 (1)	10.00				
R-Q	0	1691	-18.5	-18.5	0.41 (1)	10.00				
Q-P	0	1691	-18.5	-18.5	0.41 (1)	10.00				
P-O	0	2480	-18.5	-18.5	0.47 (1)	10.00				
O-N	0	1691	-18.5	-18.5	0.41 (1)	10.00				
N-M	0	1691	-18.5	-18.5	0.41 (1)	10.00				
M-L	0	1632	-18.5	-18.5	0.40 (1)	10.00				

TOTAL WEIGHT = 2 X 155 = 310 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L 360 (1.17")
CALCULATED VERT. DEFL.(LL) = L 999 (0.12")
ALLOWABLE DEFL.(TL)= L 360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 999 (0.25")

CSI: TC=0.85/1.00 (D-E:1) , BC=0.47/1.00 (O-P:1) , WB=0.82/1.00 (I-L:1) , SSI=0.29/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (I) (INPUT = 0.90)
JSI METAL= 0.59 (I) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T24	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:06 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-VwAh1WA7QKPuxeOjF9yHwEHW4olTRZVgR67UpXzNUi



TOTAL WEIGHT = 160 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.50	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	6.0	1.75	2.00
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	6.0	1.75	2.00
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMVW-p	MT20	5.0	6.0	1.50	3.00
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.75
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	6.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	4.0	4.0		
T	BMWW-t	MT20	5.0	6.0	2.50	2.75
U	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
U	2065	0	2065	0	0	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	970 0	0 0	0 0	0 0	488 0	0 0
L	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.81 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12 (1)		10.00
B-C	-2094	0	-91.8	-91.8	0.34 (1)		4.36
C-D	-2108	0	-91.8	-91.8	0.33 (1)		4.36
D-E	-2288	0	-91.8	-91.8	0.67 (1)		3.81
E-F	-2287	0	-91.8	-91.8	0.67 (1)		3.81
F-G	-2287	0	-91.8	-91.8	0.67 (1)		3.81
G-H	-2287	0	-91.8	-91.8	0.66 (1)		3.82
H-I	-2108	0	-91.8	-91.8	0.33 (1)		4.36
I-J	-2094	0	-91.8	-91.8	0.34 (1)		4.36
J-K	0	38	-91.8	-91.8	0.12 (1)		10.00
U-B	-2029	0	0.0	0.0	0.21 (1)		5.93
L-J	-2029	0	0.0	0.0	0.21 (1)		5.93
U-T	0	0	-18.5	-18.5	0.07 (4)		10.00
T-S	0	1696	-18.5	-18.5	0.34 (1)		10.00
S-R	0	1663	-18.5	-18.5	0.34 (1)		10.00
R-O	0	1663	-18.5	-18.5	0.34 (1)		10.00
Q-P	0	2289	-18.5	-18.5	0.44 (1)		10.00
P-O	0	1663	-18.5	-18.5	0.33 (1)		10.00
O-N	0	1663	-18.5	-18.5	0.33 (1)		10.00
N-M	0	1696	-18.5	-18.5	0.34 (1)		10.00
M-L	0	0	-18.5	-18.5	0.07 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
T-C	-409	0	0.13 (1)
C-S	-51	0	0.03 (1)
S-D	0	140	0.04 (4)
D-Q	0	965	0.22 (1)
Q-E	-619	0	0.67 (1)
E-P	-2	0	0.00 (1)
P-G	-618	0	0.67 (1)
P-H	0	983	0.22 (1)
N-H	0	141	0.04 (4)
N-I	-50	0	0.03 (1)
M-I	-409	0	0.13 (1)
B-T	0	1762	0.40 (1)
M-J	0	1762	0.40 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.21")

CSI: TC=0.67:1.00 (D-E:1) , BC=0.44:1.00 (P-Q:1) , WB=0.67 1.00 (E-Q:1) , SSI=0.27:1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP=0.88 (D) (INPUT = 0.90)
JSI METAL= 0.56 (D) (INPUT = 1.00)



Structural component only
DWG# T-2006901

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T25	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:07 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-z6k3FsBiBeXIZozvptTWTSqIFC2EA0Qpqms1LzzNUjk



TOTAL WEIGHT = 2 X 206 = 412 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - I	2x4	DRY	No.2	SPF
I - K	2x4	DRY	No.2	SPF
V - B	2x6	DRY	No.2	SPF
L - J	2x6	DRY	No.2	SPF
V - T	2x6	DRY	No.2	SPF
T - O	2x6	DRY	No.2	SPF
Q - L	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - E	2x4	DRY	No.2	SPF
E - R	2x4	DRY	No.2	SPF
R - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-D	1	12	TOP
D-E	1	12	TOP
E-F	1	12	TOP
F-H	1	12	TOP
H-I	1	12	SIDE(61.0)
I-K	1	12	SIDE(61.0)
V-B	2	12	TOP
L-J	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
V-T	2	12	TOP
T-Q	2	12	TOP
Q-L	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
2x4	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006902 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
V	2625	0	2625	0	0	IN-SX	IN-SX
L	4815	0	4815	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
V	1853	1235 0	0 0	0 0	0 0	617 0	0 0
L	3397	2275 0	0 0	0 0	0 0	1123 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) V, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.39 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-S, G-R, H-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.07 (1)	10.00	
B-C	-2954	0	-91.8	-91.8	0.77 (1)	4.70	
C-D	-2732	0	-91.8	-91.8	0.51 (1)	4.86	
D-E	-2732	0	-91.8	-91.8	0.51 (1)	4.86	
E-F	-2478	0	-91.8	-91.8	0.22 (1)	5.49	
F-G	-3108	0	-91.8	-91.8	0.26 (1)	5.01	
G-H	-4856	0	-91.8	-91.8	0.34 (1)	4.11	
H-W	-6692	0	-91.8	-91.8	0.43 (1)	3.39	
W-I	-6692	0	-91.8	-91.8	0.43 (1)	3.39	
I-J	-5307	0	-91.8	-91.8	0.22 (1)	4.05	
J-K	0	38	-91.8	-91.8	0.07 (1)	10.00	
V-B	-2555	0	0.0	0.0	0.09 (1)	7.81	
L-J	-4804	0	0.0	0.0	0.17 (1)	6.61	
V-U	0	0	-18.5	-18.5	0.07 (4)	10.00	
U-T	0	2397	-18.5	-18.5	0.17 (1)	10.00	
T-S	0	2397	-18.5	-18.5	0.17 (1)	10.00	
S-R	0	2131	-18.5	-18.5	0.18 (1)	10.00	
R-Q	0	3916	-18.5	-18.5	0.29 (1)	10.00	
Q-P	0	3916	-18.5	-18.5	0.29 (1)	10.00	
P-O	0	7267	-18.5	-18.5	0.55 (1)	10.00	
O-N	0	7271	-18.5	-18.5	0.60 (1)	10.00	
N-X	0	4205	-18.5	-18.5	0.40 (1)	10.00	
X-M	0	4205	-18.5	-18.5	0.40 (1)	10.00	
M-Y	0	0	-18.5	-18.5	0.04 (1)	10.00	
Y-L	0	0	-18.5	-18.5	0.04 (1)	10.00	

WEBS

MEMB. FR-TO	FORCE (LBS)		MAX CSI (LC)
C-S	-487	0	0.13 (1)
S-E	0	457	0.04 (1)
E-R	0	901	0.08 (1)
R-F	0	1471	0.13 (1)
R-G	-2604	0	0.69 (1)
P-G	0	2685	0.33 (1)
P-H	-4242	0	0.58 (1)
O-H	0	126	0.02 (4)
M-I	-1031	0	0.13 (1)
B-U	0	2419	0.30 (1)
M-J	0	4436	0.55 (1)
N-I	0	4422	0.55 (1)
H-N	-926	0	0.13 (1)
U-C	-187	59	0.10 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
I	31-8-11	-44	-49	---	FRONT	VERT	DEAD	--	C1
I	31-8-11	-222	-222	---	FRONT	VERT	SNOW	--	C1
N	28-9-8	-2881	-2881	---	FRONT	VERT	TOTAL	--	C1
W	30-8-12	-111	-111	---	FRONT	VERT	TOTAL	--	C1
X	30-8-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
Y	32-8-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN ALL FLAT SECTIONS BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L 999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 999 (0.25")

CSI: TC=0.77 1.00 (B-C:1) , BC=0.60/1.00 (N-O:1) , WB=0.69/1.00 (G-R:1) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (P) (INPUT = 0.90)
JSI METAL= 0.55 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408038	T25	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.25	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	8.0	1.75	3.25
F	TTW-m	MT20	4.0	4.0		
G	TMWW-t	MT20	4.0	6.0	2.00	2.25
H	TTWWW-m	MT20	6.0	9.0	3.00	4.00
I	TTWW+m	MT20	7.0	8.0	Edge	2.50
J	TMVW-p	MT20	5.0	8.0	Edge	
L	BMV1+p	MT20	3.0	6.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.00
N	BMWW+t	MT20	5.0	8.0		
O	BMW+w	MT20	3.0	6.0		
P, S, U						
P	BMWW-t	MT20	5.0	8.0		
Q	BS-t	MT20	5.0	6.0		
R	BMWWW-t	MT20	5.0	8.0		
T	BS-t	MT20	5.0	6.0		
V	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006902 T2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T26	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:08 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1I-SJIRSCCNxyfbByY5Ma_l0lMxycSnvRyzvQcbtPzNUii



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
T - B	2x6	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
T - P	2x6	DRY	No.2	SPF
P - L	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)		LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-D	1	12	TOP
D-E	1	12	TOP
E-F	1	12	TOP
F-H	1	12	TOP
H-K	1	12	TOP
L-J	1	12	TOP
T-B	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
T-P	2	12	TOP
P-L	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
G-O	1	6	SIDE(283.6)

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only
DWG# T-2006903 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 165 = 331 lb (M)

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
T	2827	0	2827	0	0	5-8	5-8
L	3897	0	3897	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1993	1344 0	0 0	0 0	0 0	649 0	0 0
L	2744	1866 0	0 0	0 0	0 0	879 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.52 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.07 (1)	10.00
B-C	-2921	0	-91.8	-91.8	0.11 (1)	5.30
C-D	-3206	0	-91.8	-91.8	0.11 (1)	5.10
D-E	-2572	0	-91.8	-91.8	0.09 (1)	5.57
E-F	-3871	0	-91.8	-91.8	0.08 (1)	4.76
F-G	-3868	0	-91.8	-91.8	0.30 (1)	4.52
G-H	-3868	0	-91.8	-91.8	0.33 (1)	4.52
H-I	-3479	0	-91.8	-91.8	0.13 (1)	4.92
I-J	-2929	0	-91.8	-91.8	0.12 (1)	5.28
J-K	0	38	-91.8	-91.8	0.07 (1)	10.00
T-B	-2777	0	0.0	0.0	0.10 (1)	7.81
L-J	-3806	0	0.0	0.0	0.31 (1)	6.04
T-S	0	0	-18.5	-18.5	0.02 (1)	10.00
S-R	0	2350	-18.5	-18.5	0.18 (1)	10.00
R-Q	0	3363	-18.5	-18.5	0.25 (1)	10.00
Q-P	0	3108	-18.5	-18.5	0.27 (1)	10.00
P-O	0	3108	-18.5	-18.5	0.27 (1)	10.00
O-U	0	2764	-18.5	-18.5	0.32 (1)	10.00
U-V	0	2764	-18.5	-18.5	0.32 (1)	10.00
V-N	0	2764	-18.5	-18.5	0.32 (1)	10.00
N-W	0	2358	-18.5	-18.5	0.30 (1)	10.00
W-M	0	2358	-18.5	-18.5	0.30 (1)	10.00
M-X	0	0	-18.5	-18.5	0.07 (1)	10.00
X-L	0	0	-18.5	-18.5	0.07 (1)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
S-C	-736 0	0.09 (1)
C-R	0 288	0.04 (1)
R-D	0 1673	0.21 (1)
E-Q	-813 0	0.31 (1)
Q-F	0 788	0.10 (1)
N-H	0 315	0.04 (1)
N-I	0 742	0.09 (1)
M-I	-1311 0	0.30 (1)
B-S	0 2469	0.31 (1)
M-J	0 2957	0.37 (1)
O-G	-568 0	0.33 (1)
O-H	0 1799	0.22 (1)
F-O	0 1492	0.18 (1)
R-E	-1945 0	0.80 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
N	21-11-4	-305	-305	---	FRONT	VERT	TOTAL	---	C1
O	16-0-8	-1712	-1712	---	FRONT	VERT	TOTAL	---	C1
U	17-11-4	-305	-305	---	FRONT	VERT	TOTAL	---	C1
V	19-11-4	-305	-305	---	FRONT	VERT	TOTAL	---	C1
W	23-11-4	-305	-305	---	FRONT	VERT	TOTAL	---	C1
X	25-11-4	-376	-376	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN ALL FLAT SECTIONS BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.13")

CSI: TC=0.33/1.00 (G-H:1) , BC=0.32/1.00 (N-O:1) , WB=0.80/1.00 (E-R:1) , SSI=0.14/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (H) (INPUT = 0.90)
JSI METAL= 0.55 (J) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408038	T26	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.25	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTW+m	MT20	4.0	4.0		
E	TTWW-m	MT20	5.0	6.0		
F	TTWW-m	MT20	5.0	6.0	2.00	2.00
G	TMW+w	MT20	2.0	4.0		
H	TTWW+m	MT20	5.0	6.0	2.25	1.50
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMVW+p	MT20	5.0	6.0	Edge	
L	BMV1+p	MT20	3.0	6.0		
M, N, Q, S						
M	BMWW-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BS-t	MT20	5.0	6.0		
R	BMWWW-t	MT20	5.0	8.0		
T	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006903

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T27	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:09 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I_zns1I-wVsqgYC?iFnSo66IwIV_Ytv6P0nLev3674L8QszNUji



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
Q - C	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0		
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMWW-t	MT20	4.0	4.0		
F	TMV+w	MT20	2.0	4.0		
G	TTWW+m	MT20	5.0	6.0	2.25	1.50
H	TMWW-t	MT20	4.0	6.0		
I	TMV+p	MT20	3.0	4.0		
K	BMVW1+p	MT20	4.0	6.0		
L, O, P						
L	BMWW-t	MT20	4.0	4.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BS-t	MT20	3.0	6.0		
Q	BMVW1-t	MT20	5.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
Q	1707	0	1707	0	0	5-8	5-8
K	1707	0	1707	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1205	804 0	0 0	0 0	0 0	401 0	0 0
K	1205	804 0	0 0	0 0	0 0	401 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.85 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12 (1)		10.00
B-C	0	25	-91.8	-91.8	0.23 (1)		10.00
C-D	-1525	0	-91.8	-91.8	0.28 (1)		4.90
D-E	-1583	0	-91.8	-91.8	0.35 (1)		4.85
E-F	-1510	0	-91.8	-91.8	0.34 (1)		4.95
F-G	-1510	0	-91.8	-91.8	0.33 (1)		4.96
G-H	-1337	0	-91.8	-91.8	0.21 (1)		5.38
H-I	0	38	-91.8	-91.8	0.17 (1)		10.00
I-J	0	38	-91.8	-91.8	0.12 (1)		10.00
Q-B	-267	0	0.0	0.0	0.03 (1)		7.81
K-I	-158	0	0.0	0.0	0.03 (1)		7.81
Q-P	0	1313	-18.5	-18.5	0.36 (4)		10.00
P-O	0	1280	-18.5	-18.5	0.37 (4)		10.00
O-N	0	1583	-18.5	-18.5	0.30 (1)		10.00
N-M	0	1583	-18.5	-18.5	0.30 (1)		10.00
M-L	0	1050	-18.5	-18.5	0.26 (1)		10.00
L-K	0	717	-18.5	-18.5	0.21 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
C-P	-51	35	0.03 (1)
P-D	0	187	0.05 (4)
D-O	0	538	0.12 (1)
O-E	-375	0	0.38 (1)
E-M	-132	0	0.07 (1)
M-F	-482	0	0.49 (1)
M-G	0	816	0.18 (1)
L-G	-222	0	0.23 (1)
L-H	0	480	0.11 (1)
Q-C	-1903	0	0.75 (1)
H-K	-1665	0	0.57 (1)

TOTAL WEIGHT = 139 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L 999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L 999 (0.16")

CSI: TC=0.35/1.00 (D-E:1) , BC=0.37/1.00 (O-P:4) , , WB=0.75/1.00 (C-Q:1) , SSI=0.21/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.83 (H) (INPUT = 0.90)
JSI METAL= 0.53 (N) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006904

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T28	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:11 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-su_a4DEFEt1A2PGg2IYSdI_QDpUc6I5PbOqFUkzNUig



TOTAL WEIGHT = 136 lb

[M](F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
P - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - L	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	2.50	2.25
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.25	1.50
G	TMWW-t	MT20	5.0	6.0	2.50	2.50
H	TMV+p	MT20	3.0	4.0		
J	BMVW1-t	MT20	4.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BS-t	MT20	3.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BMWW-t	MT20	4.0	4.0		
O	BMWW-t	MT20	5.0	6.0		
P	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
P	1707	0	1707	0	0	5-8	5-8
J	1707	0	1707	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1205	804 0	0 0	0 0	0 0	401 0	0 0
J	1205	804 0	0 0	0 0	0 0	401 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.83 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1, 2 LENGTH OF E-M, F-K.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12 (1)	10.00
B-C	-1668	0	-91.8	-91.8	0.30 (1)	4.83
C-D	-1553	0	-91.8	-91.8	0.29 (1)	5.00
D-E	-1423	0	-91.8	-91.8	0.45 (1)	4.92
E-F	-1423	0	-91.8	-91.8	0.45 (1)	4.92
F-G	-1358	0	-91.8	-91.8	0.17 (1)	5.40
G-H	0	24	-91.8	-91.8	0.20 (1)	10.00
H-I	0	38	-91.8	-91.8	0.12 (1)	10.00
P-B	-1668	0	0.0	0.0	0.17 (1)	6.42
J-H	-253	0	0.0	0.0	0.04 (1)	7.81
P-O	0	0	-18.5	-18.5	0.09 (4)	10.00
O-N	0	1373	-18.5	-18.5	0.28 (1)	10.00
N-M	0	1218	-18.5	-18.5	0.26 (1)	10.00
M-L	0	1063	-18.5	-18.5	0.32 (4)	10.00
L-K	0	1063	-18.5	-18.5	0.32 (4)	10.00
K-J	0	936	-18.5	-18.5	0.30 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
O-C	-255	0	0.10 (1)
C-N	-226	0	0.18 (1)
N-D	0	286	0.06 (1)
D-M	0	347	0.08 (1)
M-E	-675	0	0.31 (1)
M-F	0	610	0.14 (1)
K-F	-34	66	0.02 (4)
K-G	0	221	0.05 (1)
B-O	0	1415	0.32 (1)
G-J	-1682	0	0.91 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.11")

CSI: TC=0.45/1.00 (D-E:1) , BC=0.32/1.00 (K-M:4) , WB=0.91/1.00 (G-J:1) , SSI=0.27/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE LEFT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (B) (INPUT = 0.90)
JSI METAL= 0.40 (G) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006905

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	ORWG NO.
408038	T29	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:12 2020 Page 1
ID:DMCubiNVR6TstFoe31v6I_zns1I-K4XylZFu?AA1fZrtbQ3hAVXcuDqMrLdYq2ao0AzNUjf



TOTAL WEIGHT = 143 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
P - B	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
P - L	2x4	DRY	No.2	SPF
L - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	2.50	2.25
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
O	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.25	1.50
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMVW+p	MT20	5.0	6.0	Edge	
I	BMV1+p	MT20	3.0	4.0		
J	BMWW-t	MT20	4.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BS-t	MT20	3.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BMWW-t	MT20	4.0	4.0		
O	BMWW-t	MT20	5.0	6.0		
P	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006906

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
P	1707	0	1707	0	0	5-8	5-8
I	1580	0	1580	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT I. MINIMUM BEARING LENGTH AT JOINT I = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1205	804 0	0 0	0 0	0 0	401 0	0 0
I	1118	733 0	0 0	0 0	0 0	384 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.69 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12	(1)	10.00
B-C	-1702	0	-91.8	-91.8	0.39	(1)	4.69
C-D	-1476	0	-91.8	-91.8	0.37	(1)	4.99
D-E	-1249	0	-91.8	-91.8	0.27	(1)	5.45
E-F	-1249	0	-91.8	-91.8	0.27	(1)	5.45
F-G	-1332	0	-91.8	-91.8	0.32	(1)	5.26
G-H	-1158	0	-91.8	-91.8	0.26	(1)	5.62
P-B	-1685	0	0.0	0.0	0.17	(1)	6.42
I-H	-1557	0	0.0	0.0	0.25	(1)	6.60
P-O	0	0	-18.5	-18.5	0.13	(4)	10.00
O-N	0	1389	-18.5	-18.5	0.28	(1)	10.00
N-M	0	1154	-18.5	-18.5	0.23	(1)	10.00
M-L	0	1043	-18.5	-18.5	0.22	(1)	10.00
L-K	0	1043	-18.5	-18.5	0.22	(1)	10.00
K-J	0	958	-18.5	-18.5	0.21	(1)	10.00
J-I	0	0	-18.5	-18.5	0.08	(4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	LC
O-C	-195	23	0.09	(1)
C-N	-337	0	0.38	(1)
N-D	0	329	0.07	(1)
D-M	0	211	0.05	(1)
M-E	-519	0	0.31	(1)
M-F	0	457	0.10	(1)
K-F	0	73	0.03	(4)
K-G	0	119	0.03	(1)
J-G	-662	0	0.31	(1)
B-O	0	1422	0.32	(1)
J-H	0	1216	0.27	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.98")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.09")

CSI: TC=0.39/1.00 (B-C:1) , BC=0.28/1.00 (N-O:1) , WB=0.38/1.00 (C-N:1) , SSI=0.21 1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	786	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (B) (INPUT = 0.90)
JSI METAL= 0.44 (H) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T30	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:13 2020 Page 1
ID:DMCublNVR6TstFoe31v6l_zns1l-oG5KVvFWmUfuHjQ397awjj4kndAlaoXi2iJMZdzNUje



TOTAL WEIGHT = 149 lb

[M](F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
P - B	2x4	DRY	No.2	SPF
J - I	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF
F - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	2.50	2.25
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTW-m	MT20	4.0	4.0		
F	TMWW-t	MT20	4.0	6.0		
G	TTW-m	MT20	4.0	4.0		
H	TMWW-t	MT20	4.0	4.0	2.00	1.50
I	TMVW+p	MT20	5.0	6.0	Edge	
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	4.0	6.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BS-t	MT20	3.0	8.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BMWW-t	MT20	4.0	6.0	2.00	2.00
P	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006907

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
P	1707	0	1707	0	0	IN-SX	IN-SX
J	1580	0	1580	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT J. MINIMUM BEARING LENGTH AT JOINT J = 3-8.

UNFACTORED REACTIONS

JT	1ST LOASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1205	804 0	0 0	0 0	0 0	401 0	0 0
J	1118	733 0	0 0	0 0	0 0	384 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.53 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-N, F-N, F-L, H-L.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS) FR-TO		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12 (1)	10.00
B-C	-1705	0	-91.8	-91.8	0.51 (1)	4.53
C-D	-1395	0	-91.8	-91.8	0.47 (1)	4.95
D-E	-1395	0	-91.8	-91.8	0.47 (1)	4.95
E-F	-1087	0	-91.8	-91.8	0.13 (1)	5.93
F-G	-1017	0	-91.8	-91.8	0.13 (1)	6.08
G-H	-1309	0	-91.8	-91.8	0.41 (1)	5.19
H-I	-1234	0	-91.8	-91.8	0.34 (1)	5.37
P-B	-1680	0	0.0	0.0	0.17 (1)	6.44
J-I	-1552	0	0.0	0.0	0.25 (1)	6.61
P-O	0	0	-18.5	-18.5	0.16 (4)	10.00
O-N	0	1396	-18.5	-18.5	0.30 (1)	10.00
N-M	0	1109	-18.5	-18.5	0.26 (1)	10.00
M-L	0	1109	-18.5	-18.5	0.26 (1)	10.00
L-K	0	1023	-18.5	-18.5	0.25 (1)	10.00
K-J	0	0	-18.5	-18.5	0.10 (4)	10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS) FR-TO		MAX CSI (LC)
O-C	-151	47	0.09 (1)
C-N	-436	0	0.21 (1)
N-E	0	486	0.11 (1)
N-F	-74	6	0.05 (1)
F-L	-303	0	0.19 (1)
L-G	0	418	0.09 (1)
L-H	-13	5	0.01 (1)
K-H	-572	0	0.33 (1)
B-O	0	1422	0.32 (1)
K-I	0	1223	0.28 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00-12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.10")

CSI: TC=0.51-1.00 (B-C:1) , BC=0.30/1.00 (N-O:1) , WB=0.33/1.00 (H-K:1) , SSI=0.22/1.00 (B-C:1)

DOL LUMBER=1.00 NA/L>1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (B) (INPUT = 0.90)
JSI METAL= 0.48 (I) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T31	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:14 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-GTfjFG8XoQlvt?Fjr59Fwcvc1WGJFhrHM3v53zNUjd



TOTAL WEIGHT = 147 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
O - B	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
L - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
M - E	2x4	DRY	No.2	SPF
E - K	2x4	DRY	No.2	SPF
K - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	2.50	2.25
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	8.0	1.75	3.25
F	TTW-m	MT20	4.0	4.0		
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMVW+p	MT20	5.0	6.0	Edge	
I	BMV1+p	MT20	3.0	4.0		
J	BMWW-t	MT20	4.0	6.0		
K	BMWWW-t	MT20	4.0	9.0		
L	BS-t	MT20	3.0	8.0		
M	BMWW-t	MT20	4.0	4.0		
N	BMWW-t	MT20	5.0	6.0		
O	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006908

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
O	1707	0	1707	0	0	5-8	5-8
I	1580	0	1580	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT I. MINIMUM BEARING LENGTH AT JOINT I = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
	MAX./MIN. COMPONENT REACTIONS						
O	1205	804 0	0 0	0 0	0 0	401 0	0 0
I	1118	733 0	0 0	0 0	0 0	384 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.45 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-M, E-K, G-K.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 38	-91.8	-91.8	0.12 (1)	10.00	
B-C	-1705 0	-91.8	-91.8	0.57 (1)	4.45	
C-D	-1353 0	-91.8	-91.8	0.52 (1)	4.93	
D-E	-1353 0	-91.8	-91.8	0.52 (1)	4.93	
E-F	-998 0	-91.8	-91.8	0.37 (1)	5.77	
F-G	-1278 0	-91.8	-91.8	0.46 (1)	5.15	
G-H	-1263 0	-91.8	-91.8	0.38 (1)	5.27	
O-B	-1659 0	0.0	0.0	0.17 (1)	6.44	
I-H	-1551 0	0.0	0.0	0.25 (1)	6.61	
O-N	0 0	-18.5	-18.5	0.18 (4)	10.00	
N-M	0 1397	-18.5	-18.5	0.32 (1)	10.00	
M-L	0 1053	-18.5	-18.5	0.24 (1)	10.00	
L-K	0 1053	-18.5	-18.5	0.24 (1)	10.00	
K-J	0 1047	-18.5	-18.5	0.24 (1)	10.00	
J-I	0 0	-18.5	-18.5	0.13 (4)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
N-C	-127 63	0.08 (1)
C-M	-483 0	0.25 (1)
M-E	0 432	0.07 (1)
E-K	-121 0	0.10 (1)
K-F	0 268	0.04 (1)
K-G	-73 0	0.04 (1)
J-G	-531 0	0.34 (1)
B-N	0 1421	0.32 (1)
J-H	0 1228	0.28 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.10")

CSI: TC=0.57/1.00 (B-C:1) , BC=0.32/1.00 (M-N:1) , WB=0.34/1.00 (G-J:1) , SSI=0.23/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (B) (INPUT = 0.90)
JSI METAL= 0.49 (H) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T32	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:15 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I znsiI-kfD5wbHmI5YcW1aRHYcOo892cQlV2gx?W0oSdVzNUjc



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
K - B	2x6	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
K - G	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	
C	TTWW-m	MT20	5.0	6.0	2.00	2.25
O	TMW+w	MT20	2.0	4.0		
E	TTWW+m	MT20	7.0	8.0	Edge	2.50
F	TMVW+p	MT20	4.0	4.0	1.00	2.00
G	BMV1+p	MT20	3.0	6.0		
H	BMWW-t	MT20	5.0	8.0		
I	BMWWW-t	MT20	5.0	8.0	2.50	2.50
J	BMWW-t	MT20	5.0	6.0	3.00	2.25
K	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2006909

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
K	2125	0	2125	0	0	5.8	5.8
G	1299	0	1299	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3.8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	1493	1033 0	0 0	0 0	0 0	460 0	0 0
G	916	617 0	0 0	0 0	0 0	299 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.01 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.14 (1)		10.00
B-C	-2265	0	-91.8	-91.8	0.30 (1)		4.23
C-L	-1825	0	-91.8	-91.8	0.68 (1)		4.01
L-D	-1825	0	-91.8	-91.8	0.68 (1)		4.01
D-E	-1825	0	-91.8	-91.8	0.68 (1)		4.01
E-F	-464	0	-91.8	-91.8	0.02 (1)		6.25
K-B	-2214	0	0.0	0.0	0.16 (1)		6.83
G-F	-1281	0	0.0	0.0	0.24 (1)		7.08
K-M	0	0	-18.5	-18.5	0.35 (1)		10.00
M-J	0	0	-18.5	-18.5	0.35 (1)		10.00
J-N	0	1825	-18.5	-18.5	0.70 (1)		10.00
N-O	0	1825	-18.5	-18.5	0.70 (1)		10.00
O-I	0	1825	-18.5	-18.5	0.70 (1)		10.00
I-H	0	342	-18.5	-18.5	0.17 (1)		10.00
H-G	0	0	-18.5	-18.5	0.03 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
J-C	0 604	0.15 (1)
C-I	0 10	0.00 (4)
I-D	-654 0	0.17 (1)
I-E	0 1767	0.44 (1)
H-E	-930 0	0.24 (1)
B-J	0 1894	0.47 (1)
H-F	0 1021	0.25 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	3-5-5	-38	-42	---	FRONT	VERT	DEAD	---	C1
C	3-5-5	-240	-240	---	FRONT	VERT	SNOW	---	C1
L	3-11-4	-134	-134	---	FRONT	VERT	TOTAL	---	C1
M	1-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
N	3-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
O	4-8-8	-1079	-1079	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 79 lb (M)

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.53")
CALCULATED VERT. DEFL.(LL) = L 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.53")
CALCULATED VERT. DEFL.(TL) = L 999 (0.14")

CSI: TC=0.68/1.00 (C-D:1) , BC=0.70/1.00 (I-J:1) , WB=0.47 1.00 (B-J:1) , SSI=0.65/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI), MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (J) (INPUT = 0.90)
JSI METAL= 0.48 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T33	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:16 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-DmT8xIO3PgT8B9eqG7dKLiGHqDpnBj8kgY09yzNUjb



TOTAL WEIGHT = 89 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
I - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	6.0	Edge	
C	TTWW+m	MT20	5.0	6.0	2.25	1.50
D	TMW+w	MT20	2.0	4.0		
E	TMVW-t	MT20	4.0	6.0		
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMWW-t	MT20	4.0	6.0		
I	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
F	877	0	877	0	0	MECHANICAL	
I	1004	0	1004	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	621	407 0	0 0	0 0	0 0	213 0	0 0
I	708	478 0	0 0	0 0	0 0	230 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.13 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12	(1)		10.00
B-C	-781	0	-91.8	-91.8	0.39	(1)		6.25
C-D	-744	0	-91.8	-91.8	0.50	(1)		6.13
D-E	-744	0	-91.8	-91.8	0.50	(1)		6.13
F-E	-834	0	0.0	0.0	0.37	(1)		7.81
I-B	-968	0	0.0	0.0	0.10	(1)		7.81
I-H	0	0	-18.5	-18.5	0.11	(4)		10.00
H-G	0	622	-18.5	-18.5	0.19	(4)		10.00
G-F	0	0	-18.5	-18.5	0.13	(4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
H-C	-49	61	0.02	(4)
C-G	0	161	0.04	(1)
G-D	-632	0	0.24	(1)
G-E	0	980	0.22	(1)
B-H	0	642	0.14	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.53")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.53")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.50/1.00 (D-E:1) , BC=0.19/1.00 (G-H:4) , WB=0.24/1.00 (D-G:1) , SSI=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.67 (B) (INPUT = 0.90)
JSI METAL= 0.44 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006910

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T34	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:17 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1I-h1LrLHJ0qjoKmKkqOzestZEPMEYsWcgHzKHZiOzNUja



TOTAL WEIGHT = 75 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	6.0		
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMW+w	MT20	2.0	4.0		
F	TMVW+p	MT20	4.0	4.0		
G	BMV1+p	MT20	3.0	4.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BMWW-t	MT20	4.0	4.0		
J	BMVW1-t	MT20	4.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
G	877	0	877	0	0	MECHANICAL	
J	1004	0	1004	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
G	621	407 0	0 0	0 0	0 0	213 0	0 0
J	708	478 0	0 0	0 0	0 0	230 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12 (1)		10.00
B-C	0	18	-91.8	-91.8	0.13 (1)		10.00
C-D	-743	0	-91.8	-91.8	0.14 (1)		6.25
D-E	-585	0	-91.8	-91.8	0.37 (1)		6.25
E-F	-568	0	-91.8	-91.8	0.37 (1)		6.25
G-F	-838	0	0.0	0.0	0.60 (1)		7.81
J-B	-235	0	0.0	0.0	0.02 (1)		7.81
J-I	0	631	-18.5	-18.5	0.20 (4)		10.00
I-H	0	582	-18.5	-18.5	0.20 (4)		10.00
H-G	0	0	-18.5	-18.5	0.09 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
C-I	-78	12	0.03 (1)
I-D	0	175	0.04 (4)
D-H	-26	0	0.03 (4)
H-E	-556	0	0.33 (1)
H-F	0	873	0.20 (1)
J-C	-958	0	0.32 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.53")
CALCULATED VERT. DEFL.(LL) = L 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.53")
CALCULATED VERT. DEFL.(TL) = L 999 (0.08")

CSI: TC=0.60/1.00 (F-G:1) , BC=0.20/1.00 (H-I:4) , WB=0.33/1.00 (E-H:1) , SSI=0.22/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (F) (INPUT = 0.90)
JSI METAL= 0.25 (F) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006911

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T35	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:18 2020 Page 1
ID:DMCubINVR6TstFoe31v6I zns1I-9EvDZdJeb0wBNUI0yhA5QmndQevTF7IRC_16EqzNUjZ



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMVW+p	MT20	4.0	4.0	1.00	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-I	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
H	760	0	760	0	0	5-8	5-8
F	760	0	760	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW.	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	535	365 0	0 0	0 0	0 0	171 0	0 0
F	535	365 0	0 0	0 0	0 0	171 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12 (1)	10.00
B-C	-430	0	-91.8	-91.8	0.39 (1)	6.25
C-D	-430	0	-91.8	-91.8	0.39 (1)	6.25
D-E	0	38	-91.8	-91.8	0.12 (1)	10.00
H-B	-720	0	0.0	0.0	0.08 (1)	7.81
F-D	-720	0	0.0	0.0	0.08 (1)	7.81
H-G	0	0	-18.5	-18.5	0.17 (4)	10.00
G-F	0	0	-18.5	-18.5	0.17 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
G-C	-12	95	0.03 (4)
B-G	0	351	0.08 (1)
G-D	0	351	0.08 (1)

TOTAL WEIGHT = 2 X 49 = 98 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.38")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.38")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.39/1.00 (B-C;1) , BC=0.17/1.00 (F-G;4) , WB=0.08/1.00 (D-G;1) , SSI=0.16/1.00 (B-C;1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.68 (D) (INPUT = 0.90)
JSI METAL= 0.17 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006912

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	G35	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:37:58 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-kOhgMn46ItP0_QnAnUpPcYyHea6FZ4zUctB3X_zNUjt



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
P - B	2x4	DRY	No.2	SPF
A - E	2x4	DRY	No.2	SPF
E - I	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - J	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C, D, F, G						
C	TMW+w	MT20	2.0	4.0		
E	TTW-p	MT20	4.0	4.0	2.25	2.00
H	TMVW+p	MT20	4.0	4.0	1.00	2.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW1-t	MT20	4.0	4.0		
L, M, N						
L	BMW1+w	MT20	2.0	4.0		
O	BMWW1-t	MT20	4.0	4.0		
P	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (1)

CHORDS

MEMB. FR-TO	FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
P-B	-273 0	0.0	0.0	0.03 (1)	7.81
A-B	0 38	-91.8	-91.8	0.12 (1)	10.00
B-C	-49 0	-91.8	-91.8	0.12 (1)	6.25
C-D	-6 0	-91.8	-91.8	0.06 (1)	10.00
D-E	-22 0	-91.8	-91.8	0.06 (1)	6.25
E-F	-22 0	-91.8	-91.8	0.06 (1)	6.25
F-G	-6 0	-91.8	-91.8	0.06 (1)	10.00
G-H	-49 0	-91.8	-91.8	0.12 (1)	6.25
H-I	0 38	-91.8	-91.8	0.12 (1)	10.00
J-H	-273 0	0.0	0.0	0.03 (1)	7.81
P-O	0 0	-18.5	-18.5	0.02 (4)	10.00
O-N	0 13	-18.5	-18.5	0.02 (4)	10.00
N-M	0 8	-18.5	-18.5	0.01 (4)	10.00
M-L	0 8	-18.5	-18.5	0.01 (4)	10.00
L-K	0 13	-18.5	-18.5	0.02 (4)	10.00
K-J	0 0	-18.5	-18.5	0.02 (4)	10.00

WEBS

MEMB. FR-TO	FORCE (LBS)	MAX CSI (LC)
M-E	-138 0	0.07 (1)
N-D	-222 0	0.06 (1)
O-C	-102 0	0.02 (1)
L-F	-222 0	0.06 (1)
K-G	-102 0	0.02 (1)
B-O	0 20	0.00 (1)
K-H	0 20	0.00 (1)

TOTAL WEIGHT = 53 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.12/1.00 (A-B:1) , BC=0.02/1.00 (N-O:4) , WB=0.07/1.00 (E-M:1) , SSI=0.08/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.21 (B) (INPUT = 0.90)
JSI METAL= 0.12 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006895

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T36	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:20 2020 Page 1
ID:DMCubINVR6TslFos31v6l_zns1I-5c0_zlLv7eAvdoSP35CZVBszyRbvj1jkfiWDfjzNUjX



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMVW+p	MT20	4.0	4.0	1.00	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-1	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
H	760	0	760	0	0	5-8	5-8
F	760	0	760	0	0	4-12	4-12

UNFACTORED REACTIONS

	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	535	365 0	0 0	0 0	0 0	171 0	0 0
F	535	365 0	0 0	0 0	0 0	171 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.12	(1)	10.00
B-C	-338	0	-91.8	-91.8	0.39	(1)	6.25
C-D	-338	0	-91.8	-91.8	0.39	(1)	6.25
D-E	0	38	-91.8	-91.8	0.12	(1)	10.00
H-B	-720	0	0.0	0.0	0.12	(1)	7.81
F-D	-720	0	0.0	0.0	0.12	(1)	7.81
H-G	0	0	-18.5	-18.5	0.18	(4)	10.00
G-F	0	0	-18.5	-18.5	0.18	(4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	LC
G-C	-122	54	0.11	(1)
B-G	0	299	0.07	(1)
G-D	0	299	0.07	(1)

TOTAL WEIGHT = 3 X 55 = 164 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.38")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.38")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.39/1.00 (B-C:1) , BC=0.18/1.00 (G-H:4) , WB=0.11/1.00 (C-G:1) , SSI=0.16/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.59 (D) (INPUT = 0.90)
JSI METAL= 0.15 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006913

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T37S	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:21 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-ZpaMBeMXuxIIEy1bdpjo1PPC4rxSSUOtuyFnr9zNUjW



TOTAL WEIGHT = 3 X 44 = 133 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
H - B	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
F - C	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TMV+p	MT20	3.0	4.0		
D	TMVW-t	MT20	5.0	6.0	2.50	2.50
E	BMVW1-t	MT20	4.0	4.0		
F	BMV+p	MT20	3.0	4.0		
G	BVMWW-t	MT20	6.0	9.0	3.00	3.00
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
H	451	0	451	0	0	5-8	5-8
E	324	0	324	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	317	221 0	0 0	0 0	0 0	95 0	0 0
E	229	150 0	0 0	0 0	0 0	79 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1-2 LENGTH OF D-E.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
H-B	-413	0	0.0	0.0	0.04 (1)	7.81
A-B	0	41	-91.8	-91.8	0.13 (1)	10.00
B-C	-131	0	-91.8	-91.8	0.17 (1)	6.25
C-D	-181	0	-91.8	-91.8	0.17 (1)	6.25
E-D	-299	0	0.0	0.0	0.08 (1)	6.25
H-G	0	0	-18.5	-18.5	0.09 (4)	10.00
F-G	0	18	0.0	0.0	0.02 (1)	10.00
G-C	-360	0	0.0	0.0	0.05 (1)	7.81
F-E	0	10	-18.5	-18.5	0.02 (4)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
B-G	0 122	0.03 (1)
G-E	-13 0	0.00 (1)
G-D	0 384	0.09 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.17/1.00 (B-C:1) , BC=0.09/1.00 (G-H:4) , WB=0.09/1.00 (D-G:1) , SSI=0.13/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00 .

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.33 (B) (INPUT = 0.90)
JSI METAL= 0.13 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006914

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T38S	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:22 2020 Page 1
ID:DMCublNVR6TstFos31v6l_zns1l-178kO_M9eFQcs6coBWE1acxLPFHhByA07c?KNbzNUjV



Scale = 1:36.8

TOTAL WEIGHT = 41 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
F - C	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
G - D	2x3	DRY	No.2	SPF
B - G	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTV-h	MT20	4.0	4.0	1.50	2.00
D	TMVW+p	MT20	4.0	6.0		
E	BMVW1-t	MT20	4.0	4.0		
F	BMV+p	MT20	3.0	4.0		
G	BVMWWW-t	MT20	6.0	9.0	3.00	3.00
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	324	0	324	0	0	MECHANICAL	
H	451	0	451	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	229	150 0	0 0	0 0	0 0	79 0	0 0
H	317	221 0	0 0	0 0	0 0	95 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 41	-91.8	-91.8	0.13 (1)		10.00
B-C	-117 0	-91.8	-91.8	0.25 (1)		6.25
C-D	-82 0	-91.8	-91.8	0.06 (1)		6.25
E-D	-303 0	0.0	0.0	0.26 (1)		7.81
H-B	-413 0	0.0	0.0	0.04 (1)		7.81
H-G	0 0	-18.5	-18.5	0.09 (4)		10.00
F-G	0 18	0.0	0.0	0.01 (1)		10.00
G-C	-196 0	0.0	0.0	0.02 (1)		7.81
F-E	0 5	-18.5	-18.5	0.02 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
G-E	-6 0	0.00 (1)
G-D	0 233	0.05 (1)
B-G	0 94	0.02 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L 999 (0.01")

CSI: TC=0.26/1.00 (D-E:1) , BC=0.09/1.00 (G-H:4) , WB=0.05/1.00 (D-G:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.33 (B) (INPUT = 0.90)
JSI METAL = 0.08 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006915

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T39S	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:23 2020 Page 1
ID:DMCubNVR6TstFoe31v6I znsIf-VBi6cKNnPZYTUFB IEIG7qUYmfejwOzALGktv2zNUjU



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
G - D	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTWW+m	MT20	5.0	6.0	2.25	1.50
D	TMV+p	MT20	3.0	4.0		
E	TMVW-t	MT20	4.0	4.0		
F	BMVW1-t	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWWW-t	MT20	6.0	9.0	3.00	3.50
I	BMWW-t	MT20	4.0	4.0		
J	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	395	0	395	0	0	IN-SX	IN-SX
J	522	0	522	0	0	MECHANICAL 5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	279	183 0	0 0	0 0	0 0	96 0	0 0
J	367	254 0	0 0	0 0	0 0	113 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)
A-B	0	41	-91.8	-91.8	0.14	(1)	
B-C	-230	0	-115.9	-115.9	0.11	(1)	
C-D	-162	0	-115.9	-115.9	0.05	(1)	
D-E	-159	0	-115.9	-115.9	0.05	(1)	
F-E	-373	0	0.0	0.0	0.16	(1)	
J-B	-503	0	0.0	0.0	0.06	(1)	
J-I	0	0	-18.5	-18.5	0.02	(4)	
I-H	0	174	-18.5	-18.5	0.04	(1)	
G-H	0	18	0.0	0.0	0.02	(1)	
H-D	-247	0	0.0	0.0	0.02	(1)	
G-F	0	6	-18.5	-18.5	0.02	(4)	

MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
10.00	I-C	-52	18	0.01	(1)
6.25	C-H	-23	0	0.01	(1)
6.25	H-F	-8	0	0.00	(1)
6.25	H-E	0	331	0.08	(1)
7.81	E-I	0	200	0.05	(1)
7.81					
10.00					
10.00					
10.00					
7.81					
10.00					

WEBS

TOTAL WEIGHT = 40 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

GIRDER TYPE: CSIdGirder
START DISTANCE = 0-0
START SPAN CARRIED = 3-0-0
END DISTANCE = 5-10-8
END SPAN CARRIED = 3-0-0
END WALL WIDTH = 1-8
APPLIED TO FRONT SIDE OF TOP CHORD.
- ADDT'L LOADS BASED ON 55 % OF GSL.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L 999 (0.01")

CSI: TC=0.16/1.00 (E-F:1) , BC=0.04/1.00 (H-I:1) , WB=0.08/1.00 (E-H:1) , SSI=0.11 1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.57 (H) (INPUT = 0.90)
JSI METAL= 0.10 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006916

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	T40	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:24 2020 Page 1
ID:DMCubiNVR6TsIFoe31v6I_zns1I-_OGVpgOPAsqK6PmAlxGVf11qR3xjfpnJawURRUzNUjT



TOTAL WEIGHT = 45 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
L - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY; SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B, F, H, L						
B						
C	TTWW-m	MT20	5.0	6.0	1.75	1.75
D	TMW+w	MT20	2.0	4.0		
E	TTWW-m	MT20	5.0	6.0	1.75	1.75
H	TMBMVW1*+pMT20		6.0	9.0	7.50	2.75
I	BMWW-t	MT20	4.0	6.0		
J	BMWWW-t	MT20	4.0	9.0		
K	BMWW-t	MT20	4.0	6.0		
L	TMBMVW1*+pMT20		6.0	9.0	7.50	2.75

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
L	1198	0	1198	0	0	5-8	5-8
H	1193	0	1193	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	843	574 0	0 0	0 0	0 0	269 0	0 0
H	840	572 0	0 0	0 0	0 0	268 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.61 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-B	0	38	-91.8	-91.8	0.14 (1)	10.00	
B-C	-1199	0	-91.8	-91.8	0.15 (1)	5.64	
C-M	-1738	0	-91.8	-91.8	0.36 (1)	4.61	
M-D	-1738	0	-91.8	-91.8	0.36 (1)	4.61	
D-N	-1738	0	-91.8	-91.8	0.36 (1)	4.61	
N-E	-1738	0	-91.8	-91.8	0.36 (1)	4.61	
E-F	-1192	0	-91.8	-91.8	0.15 (1)	5.65	
F-G	0	38	-91.8	-91.8	0.14 (1)	10.00	
L-B	-1200	0	0.0	0.0	0.13 (1)	7.28	
H-F	-1195	0	0.0	0.0	0.13 (1)	7.28	
L-K	0	0	-18.5	-18.5	0.06 (4)	10.00	
K-O	0	927	-18.5	-18.5	0.24 (1)	10.00	
O-J	0	927	-18.5	-18.5	0.24 (1)	10.00	
J-P	0	921	-18.5	-18.5	0.25 (1)	10.00	
P-I	0	921	-18.5	-18.5	0.25 (1)	10.00	
I-H	0	0	-18.5	-18.5	0.06 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	LC
K-C	-80	30	0.01	(1)
C-J	0	896	0.22	(1)
J-D	-612	0	0.10	(1)
J-E	0	902	0.22	(1)
I-E	-62	29	0.01	(1)
B-K	0	960	0.24	(1)
I-F	0	955	0.24	(1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	1-9-10	-18	-18	---	FRONT	VERT	DEAD	--	C1
C	1-9-10	-90	-90	---	BACK	VERT	TOTAL	--	C1
C	1-9-10	-84	-84	---	FRONT	VERT	SNOW	--	C1
D	5-7-10	-83	-83	---	BACK	VERT	TOTAL	--	C1
E	9-8-6	-18	-18	---	FRONT	VERT	DEAD	--	C1
E	9-8-6	-90	-90	---	BACK	VERT	TOTAL	--	C1
E	9-8-6	-84	-84	---	FRONT	VERT	SNOW	--	C1
I	9-7-10	-48	-48	---	BACK	VERT	TOTAL	--	C1
J	5-7-10	-48	-48	---	BACK	VERT	TOTAL	--	C1
K	1-10-6	-48	-48	---	BACK	VERT	TOTAL	--	C1
M	3-7-10	-83	-83	---	BACK	VERT	TOTAL	--	C1
N	7-7-10	-83	-83	---	BACK	VERT	TOTAL	--	C1
O	3-7-10	-48	-48	---	BACK	VERT	TOTAL	--	C1
P	7-7-10	-48	-48	---	BACK	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

(1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.36")
CALCULATED VERT. DEFL.(LL) = L/999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.36")
CALCULATED VERT. DEFL.(TL) = L/999 (0.06")

CSI: TC=0.36(1.00 (C-D:1) , BC=0.25(1.00 (I-J:1) , WB=0.24(1.00 (B-K:1) , SSI=0.24(1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (E) (INPUT = 0.90)
JSI METAL= 0.26 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006917

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T45	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Trusses, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:40 2020 Page 1
ID:DMCublNVR6TstFoe31v6l_zns1l-csMtd_qogwRHBVJP2wAkN6tdDQMmdqV8?RayEXzNUPX



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
C-F	1	12	SIDE(61.0)
F-H	1	12	SIDE(61.0)
H-J	1	12	SIDE(61.0)
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	SIDE(183.1)
P-N	2	12	SIDE(183.1)
N-K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.



Structural component only
DWG# T-2006927 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
						IN-SX	IN-SX
S	3341	0	3341	0	0	5-8	5-8
K	3341	0	3341	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	2383	1549 0	0 0	0 0	0 0	814 0	0 0
K	2383	1549 0	0 0	0 0	0 0	814 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.86 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	FROM	TO	FACTORED VERT. LOAD (PLF)	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B		0	28		-91.8	-91.8	0.07	(1)	10.00
B-C		-5091	0		-91.8	-91.8	0.52	(1)	3.86
C-T		-7153	0		-91.8	-91.8	0.75	(1)	3.08
T-U		-7153	0		-91.8	-91.8	0.75	(1)	3.08
U-D		-7153	0		-91.8	-91.8	0.75	(1)	3.08
D-V		-7925	0		-91.8	-91.8	0.82	(1)	2.86
V-W		-7925	0		-91.8	-91.8	0.82	(1)	2.86
W-E		-7925	0		-91.8	-91.8	0.82	(1)	2.86
E-X		-7925	0		-91.8	-91.8	0.82	(1)	2.86
X-F		-7925	0		-91.8	-91.8	0.82	(1)	2.86
F-Y		-7925	0		-91.8	-91.8	0.82	(1)	2.86
Y-G		-7925	0		-91.8	-91.8	0.82	(1)	2.86
G-Z		-7153	0		-91.8	-91.8	0.75	(1)	3.08
Z-AA		-7153	0		-91.8	-91.8	0.75	(1)	3.08
AA-H		-7153	0		-91.8	-91.8	0.75	(1)	3.08
H-I		-5091	0		-91.8	-91.8	0.52	(1)	3.86
I-J		0	28		-91.8	-91.8	0.07	(1)	10.00
S-B		-3266	0		0.0	0.0	0.11	(1)	7.68
K-I		-3266	0		0.0	0.0	0.11	(1)	7.68
S-AB		0	0		-18.5	-18.5	0.06	(4)	10.00
AB-AC		0	0		-18.5	-18.5	0.06	(4)	10.00
AC-R		0	0		-18.5	-18.5	0.06	(4)	10.00
R-AD		0	4540		-18.5	-18.5	0.34	(1)	10.00
AD-AE		0	4540		-18.5	-18.5	0.34	(1)	10.00
AE-Q		0	4540		-18.5	-18.5	0.34	(1)	10.00
Q-P		0	7153		-18.5	-18.5	0.53	(1)	10.00
P-AF		0	7153		-18.5	-18.5	0.53	(1)	10.00
AF-O		0	7153		-18.5	-18.5	0.53	(1)	10.00
O-AG		0	7153		-18.5	-18.5	0.53	(1)	10.00
AG-N		0	7153		-18.5	-18.5	0.53	(1)	10.00
N-M		0	7153		-18.5	-18.5	0.53	(1)	10.00
M-AH		0	4540		-18.5	-18.5	0.34	(1)	10.00
AH-AI		0	4540		-18.5	-18.5	0.34	(1)	10.00
AI-L		0	4540		-18.5	-18.5	0.34	(1)	10.00
L-AJ		0	0		-18.5	-18.5	0.06	(4)	10.00
AJ-AK		0	0		-18.5	-18.5	0.06	(4)	10.00
AK-K		0	0		-18.5	-18.5	0.06	(4)	10.00

WEBS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
R-C		-386	31	0.05 (1)
C-Q		0	3088	0.38 (1)
Q-D		-1462	0	0.19 (1)
D-O		0	917	0.11 (1)
O-E		-820	0	0.10 (1)
O-G		0	917	0.11 (1)
M-G		-1462	0	0.19 (1)
M-H		0	3088	0.38 (1)
L-H		-386	31	0.05 (1)
B-R		0	4589	0.57 (1)
L-I		0	4589	0.57 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-7	-447	-447	---	BACK	VERT	TOTAL	---	CI
D	11-11-3	-110	-110	---	BACK	VERT	TOTAL	---	CI

TOTAL WEIGHT = 2 X 154 = 309 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.25")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 889 (0.47")

CSI: TC=0.82/1.00 (E-G:1) , BC=0.53/1.00 (M-O:1) , WB=0.57/1.00 (I-L:1) , SSI=0.20/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.68 (C) (INPUT = 0.90)
JSI METAL= 0.69 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408039	T45	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:DMCubINVR6TstFoe31v6I_zns1I-csMtd_qogwRHBVJP2wAkN6tdDQMmdqV87RavEXzNUPX

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	8.0		
C	TTWW-m	MT20	5.0	8.0	2.00	2.75
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	4.0		
H	TTWW-m	MT20	5.0	8.0	2.00	2.75
I	TMVW-t	MT20	5.0	8.0		
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.50
M	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMWW-t	MT20	5.0	6.0	2.50	2.50
S	BMV1+p	MT20	3.0	6.0		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	17-7-0	-110	-110	---	BACK	VERT	TOTAL	---	C1
G	23-2-13	-110	-110	---	BACK	VERT	TOTAL	---	C1
H	29-3-9	-447	-447	---	BACK	VERT	TOTAL	---	C1
L	29-2-13	-26	-26	---	BACK	VERT	TOTAL	---	C1
M	23-2-13	-26	-26	---	BACK	VERT	TOTAL	---	C1
N	21-2-13	-26	-26	---	BACK	VERT	TOTAL	---	C1
O	17-7-0	-26	-26	---	BACK	VERT	TOTAL	---	C1
P	13-11-3	-26	-26	---	BACK	VERT	TOTAL	---	C1
Q	11-11-3	-26	-26	---	BACK	VERT	TOTAL	---	C1
R	5-11-3	-26	-26	---	BACK	VERT	TOTAL	---	C1
T	7-11-3	-110	-110	---	BACK	VERT	TOTAL	---	C1
U	9-11-3	-110	-110	---	BACK	VERT	TOTAL	---	C1
V	13-11-3	-110	-110	---	BACK	VERT	TOTAL	---	C1
W	15-11-3	-110	-110	---	BACK	VERT	TOTAL	---	C1
X	19-2-13	-110	-110	---	BACK	VERT	TOTAL	---	C1
Y	21-2-13	-110	-110	---	BACK	VERT	TOTAL	---	C1
Z	25-2-13	-110	-110	---	BACK	VERT	TOTAL	---	C1
AA	27-2-13	-110	-110	---	BACK	VERT	TOTAL	---	C1
AB	1-11-4	-25	-26	---	BACK	VERT	TOTAL	---	C1
AC	3-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AD	7-11-3	-26	-26	---	BACK	VERT	TOTAL	---	C1
AE	9-11-3	-25	-26	---	BACK	VERT	TOTAL	---	C1
AF	15-11-3	-26	-26	---	BACK	VERT	TOTAL	---	C1
AG	19-2-13	-26	-26	---	BACK	VERT	TOTAL	---	C1
AH	25-2-13	-26	-26	---	BACK	VERT	TOTAL	---	C1
AI	27-2-13	-26	-26	---	BACK	VERT	TOTAL	---	C1
AJ	31-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AK	33-2-12	-25	-26	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

Structural component only
DWG# T-2006927

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T46	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:41 2020 Page 1
ID:DMCubINVR6TsIFoe31v6l_zns1l-53wFqKrQRDZ8ofuccehzwKQmxqgKMDiHE5JWmzzNUPW



TOTAL WEIGHT = 2 X 139 = 278 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.75
D	TTWW-m	MT20	5.0	8.0	2.25	2.75
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	2.25	2.75
I	TMWW-t	MT20	5.0	6.0	2.50	2.75
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	4.0	9.0		Edge
M	BMWW-t	MT20	4.0	4.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWW-t	MT20	4.0	6.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 0	0 0	0 0	0 0	488 0	0 0
L	1457	969 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.94 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12 (1)		10.00
B-C	0	16	-91.8	-91.8	0.20 (1)		10.00
C-D	-2799	0	-91.8	-91.8	0.32 (1)		3.88
D-E	-3510	0	-91.8	-91.8	0.95 (1)		2.94
E-F	-3508	0	-91.8	-91.8	0.93 (1)		2.94
F-G	-3508	0	-91.8	-91.8	0.93 (1)		2.94
G-H	-3508	0	-91.8	-91.8	0.94 (1)		2.94
H-I	-2799	0	-91.8	-91.8	0.32 (1)		3.88
I-J	0	16	-91.8	-91.8	0.20 (1)		10.00
J-K	0	28	-91.8	-91.8	0.12 (1)		10.00
S-B	-270	0	0.0	0.0	0.03 (1)		7.81
L-J	-270	0	0.0	0.0	0.03 (1)		7.81
S-R	0	2417	-18.5	-18.5	0.53 (1)		10.00
R-Q	0	2489	-18.5	-18.5	0.54 (1)		10.00
Q-P	0	2489	-18.5	-18.5	0.54 (1)		10.00
P-O	0	3510	-18.5	-18.5	0.64 (1)		10.00
O-N	0	2489	-18.5	-18.5	0.54 (1)		10.00
N-M	0	2489	-18.5	-18.5	0.54 (1)		10.00
M-L	0	2417	-18.5	-18.5	0.53 (1)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
C-R	0	93	0.03 (4)
R-D	0	121	0.04 (4)
D-P	0	1288	0.29 (1)
P-E	-644	0	0.25 (1)
E-O	-2	0	0.00 (1)
O-G	-643	0	0.25 (1)
O-H	0	1267	0.29 (1)
M-H	0	121	0.04 (4)
M-I	0	93	0.03 (4)
S-C	-2973	0	0.83 (1)
I-L	-2974	0	0.83 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.41")

CSI: TC=0.95/1.00 (D-E:1) , BC=0.64/1.00 (O-P:1) , WB=0.83/1.00 (H-L:1) , SSI=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP= 0.89 (L) (INPUT = 0.90)
JSI METAL= 0.77 (N) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006928

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T47	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:42 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I_zns1I-ZFUd1fs3CXh?QpToALCCSXyvHE3q5jIQSI33IPzNUPV



TOTAL WEIGHT = 2 X 139 = 277 lb (M)(F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	8.0	2.25	3.75
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	8.0	2.25	3.75
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.00
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.00
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	2063	0	2063	0	0	5-8	5-8
J	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	969 0	0 0	0 0	0 0	488 0	0 0
J	1457	969 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.78 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 28	-91.8	-91.8	0.12 (1)		10.00
B-C	-2834 0	-91.8	-91.8	0.39 (1)		3.81
C-D	-2688 0	-91.8	-91.8	0.37 (1)		3.91
D-E	-3061 0	-91.8	-91.8	0.97 (1)		2.78
E-F	-3061 0	-91.8	-91.8	0.97 (1)		2.78
F-G	-2688 0	-91.8	-91.8	0.37 (1)		3.91
G-H	-2834 0	-91.8	-91.8	0.39 (1)		3.81
H-I	0 28	-91.8	-91.8	0.12 (1)		10.00
R-B	-2018 0	0.0	0.0	0.20 (1)		5.94
J-H	-2018 0	0.0	0.0	0.20 (1)		5.94
R-Q	0 0	-18.5	-18.5	0.10 (4)		10.00
Q-P	0 2554	-18.5	-18.5	0.51 (1)		10.00
P-O	0 2386	-18.5	-18.5	0.49 (1)		10.00
O-N	0 2386	-18.5	-18.5	0.49 (1)		10.00
N-M	0 2386	-18.5	-18.5	0.49 (1)		10.00
M-L	0 2386	-18.5	-18.5	0.49 (1)		10.00
L-K	0 2554	-18.5	-18.5	0.51 (1)		10.00
K-J	0 0	-18.5	-18.5	0.10 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-354 0	0.08 (1)
C-P	-210 0	0.13 (1)
P-D	0 246	0.08 (4)
D-N	0 845	0.19 (1)
N-E	-872 0	0.51 (1)
N-F	0 845	0.19 (1)
L-F	0 246	0.08 (4)
L-G	-210 0	0.13 (1)
K-G	-354 0	0.08 (1)
B-Q	0 2591	0.58 (1)
K-H	0 2591	0.58 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.17")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.34")

CSI: TC=0.97/1.00 (D-E:1) , BC=0.51/1.00 (K-L:1) , WB=0.58/1.00 (H-K:1) , SSI=0.34/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (D) (INPUT = 0.90)
JSI METAL= 0.82 (M) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006929

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T48	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:43 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-1R20F?thzrps2z2_k2jR?IVABdOAqAsahPodqrzNUPU



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.25
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.25
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006930

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	2063	0	2063	0	0	5-8	5-8
J	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	969 0	0 0	0 0	0 0	488 0	0 0
J	1457	969 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12	(1)		10.00
B-C	-2889	0	-91.8	-91.8	0.58	(1)		3.58
C-D	-2540	0	-91.8	-91.8	0.52	(1)		3.83
D-E	-2560	0	-91.8	-91.8	0.48	(1)		3.85
E-F	-2560	0	-91.8	-91.8	0.52	(1)		3.83
F-G	-2540	0	-91.8	-91.8	0.48	(1)		3.85
G-H	-2889	0	-91.8	-91.8	0.58	(1)		3.58
H-I	0	28	-91.8	-91.8	0.12	(1)		10.00
R-B	-2014	0	0.0	0.0	0.20	(1)		5.95
J-H	-2014	0	0.0	0.0	0.20	(1)		5.95
R-Q	0	0	-18.5	-18.5	0.15	(4)		10.00
Q-P	0	2609	-18.5	-18.5	0.49	(1)		10.00
P-O	0	2250	-18.5	-18.5	0.43	(1)		10.00
O-N	0	2250	-18.5	-18.5	0.43	(1)		10.00
N-M	0	2250	-18.5	-18.5	0.43	(1)		10.00
M-L	0	2250	-18.5	-18.5	0.43	(1)		10.00
L-K	0	2609	-18.5	-18.5	0.49	(1)		10.00
K-J	0	0	-18.5	-18.5	0.15	(4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
Q-C	-255 12	0.07	(1)
C-P	-435 0	0.42	(1)
P-D	0 349	0.08	(1)
D-N	0 483	0.11	(1)
N-E	-641 0	0.56	(1)
N-F	0 483	0.11	(1)
L-F	0 349	0.08	(1)
L-G	-435 0	0.42	(1)
K-G	-255 12	0.07	(1)
B-Q	0 2635	0.59	(1)
K-H	0 2635	0.59	(1)

TOTAL WEIGHT = 2 X 145 = 289 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010. NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.28")

CSI: TC=0.58/1.00 (G-H:1) , BC=0.49/1.00 (K-L:1) , WB=0.59/1.00 (H-K:1) , SSI=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (O) (INPUT = 0.90)
JSI METAL= 0.69 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T49	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:45 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-zqAmghuxVS3aHGBNrTlv4AaUXR4RI3yt8jHjvkzNUPS



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
T - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
T - R	2x4	DRY	No.2	SPF
R - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TMW+w	MT20	2.0	4.0		
G	TTWW-m	MT20	5.0	8.0	2.25	2.00
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.75
J	TMVW-p	MT20	5.0	8.0	Edge	3.50
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.25
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	4.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	5.0	6.0	2.50	2.25
T	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006931

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 148 lb [M][F]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
T	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX.-MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1457	989 0	0 0	0 0	0 0	488 0	0 0
L	1457	989 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.41 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 28	-91.8	-91.8	0.12 (1)	10.00	S-C	-208 40	0.08 (1)
B-C	-2904 0	-91.8	-91.8	0.72 (1)	3.41	C-Q	-558 0	0.68 (1)
C-D	-2443 0	-91.8	-91.8	0.63 (1)	3.75	Q-E	0 409	0.09 (1)
D-E	-2443 0	-91.8	-91.8	0.63 (1)	3.75	E-P	0 335	0.08 (1)
E-F	-2336 0	-91.8	-91.8	0.30 (1)	4.22	P-F	-505 0	0.55 (1)
F-G	-2336 0	-91.8	-91.8	0.30 (1)	4.22	P-G	0 335	0.08 (1)
G-H	-2443 0	-91.8	-91.8	0.63 (1)	3.75	O-G	0 409	0.09 (1)
H-I	-2443 0	-91.8	-91.8	0.63 (1)	3.75	O-I	-558 0	0.68 (1)
I-J	-2904 0	-91.8	-91.8	0.72 (1)	3.41	M-I	-208 40	0.08 (1)
J-K	0 28	-91.8	-91.8	0.12 (1)	10.00	B-S	0 2647	0.60 (1)
T-B	-2011 0	0.0	0.0	0.20 (1)	5.95	M-J	0 2647	0.60 (1)
L-J	-2011 0	0.0	0.0	0.20 (1)	5.95			
T-S	0 0	-18.5	-18.5	0.19 (4)	10.00			
S-R	0 2625	-18.5	-18.5	0.50 (1)	10.00			
R-Q	0 2625	-18.5	-18.5	0.50 (1)	10.00			
Q-P	0 2161	-18.5	-18.5	0.42 (1)	10.00			
P-O	0 2161	-18.5	-18.5	0.42 (1)	10.00			
O-N	0 2625	-18.5	-18.5	0.50 (1)	10.00			
N-M	0 2625	-18.5	-18.5	0.50 (1)	10.00			
M-L	0 0	-18.5	-18.5	0.19 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF	
	DL =	6.0	PSF	
BOT CH.	LL =	0.0	PSF	
	DL =	7.4	PSF	
TOTAL LOAD =		39.0	PSF	

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.27")

CSI: TC=0.72 1.00 (I-J:1) , BC=0.50/1.00 (M-O:1) , WB=0.68/1.00 (I-O:1) , SSI=0.26/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (M) (INPUT = 0.90)
JSI METAL= 0.75 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T50	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:46 2020 Page 1

ID:DMCubINVR6TsIFoe31v6l_zns1I-R0k8t1vZGmBRvQmZPBG8dN7kmrNd1TI0NN1HRAzNUPR



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESGN.
A - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
V - B	2x6	DRY	No.2	SPF
M - K	2x6	DRY	No.2	SPF
V - S	2x6	DRY	No.2	SPF
S - Q	2x6	DRY	No.2	SPF
Q - M	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
O - I	2x4	DRY	No.2	SPF
H - O	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-E	1	12	TOP
E-F	1	12	TOP
F-H	1	12	TOP
H-I	1	12	SIDE(81.0)
I-L	1	12	SIDE(61.0)
V-B	2	12	TOP
M-K	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
V-S	2	12	TOP
S-Q	2	12	TOP
Q-M	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
O-I	1	3	SIDE(612.2)
2x4	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006932 rl

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
V	2700	0	2700	0	0	5-8	5-8
M	5001	0	5001	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
V	1906	1270 0	0 0	0 0	0 0	635 0	0 0
M	3531	2347 0	0 0	0 0	0 0	1184 0	0 0

MAX. MIN. COMPONENT REACTIONS

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) V, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.24 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF D-R, G-R, H-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.07 (1)		10.00
B-C	-4024	0	-91.8	-91.8	0.34 (1)		4.46
C-D	-3885	0	-91.8	-91.8	0.32 (1)		4.53
D-E	-3408	0	-91.8	-91.8	0.27 (1)		4.82
E-F	-3408	0	-91.8	-91.8	0.27 (1)		4.82
F-G	-3413	0	-91.8	-91.8	0.33 (1)		4.74
G-H	-5259	0	-91.8	-91.8	0.43 (1)		3.89
H-I	-7438	0	-91.8	-91.8	0.19 (1)		3.49
I-J	-8194	0	-91.8	-91.8	0.29 (1)		3.24
J-K	-6776	0	-91.8	-91.8	0.24 (1)		3.61
K-L	0	28	-91.8	-91.8	0.07 (1)		10.00
V-B	-2633	0	0.0	0.0	0.09 (1)		7.81
M-K	-4836	0	0.0	0.0	0.17 (1)		6.59
V-U	0	0	-18.5	-18.5	0.04 (1)		10.00
U-T	0	3618	-18.5	-18.5	0.27 (1)		10.00
T-S	0	3472	-18.5	-18.5	0.25 (1)		10.00
S-R	0	3472	-18.5	-18.5	0.25 (1)		10.00
R-Q	0	4730	-18.5	-18.5	0.34 (1)		10.00
Q-P	0	4730	-18.5	-18.5	0.34 (1)		10.00
P-W	0	7685	-18.5	-18.5	0.70 (1)		10.00
W-O	0	7685	-18.5	-18.5	0.70 (1)		10.00
O-X	0	6061	-18.5	-18.5	0.59 (1)		10.00
X-N	0	6061	-18.5	-18.5	0.59 (1)		10.00
N-Y	0	0	-18.5	-18.5	0.14 (1)		10.00
Y-M	0	0	-18.5	-18.5	0.14 (1)		10.00

WEBS

MEMB. FR-TO	FORCE (LBS)		MAX CSI (LC)
B-U	0	3649	0.45 (1)
U-C	-399	0	0.05 (1)
C-T	-176	0	0.07 (1)
T-D	0	206	0.03 (4)
D-R	-686	0	0.17 (1)
R-F	0	2635	0.33 (1)
R-G	-2633	0	0.64 (1)
P-G	0	2237	0.28 (1)
P-H	-3580	0	0.56 (1)
O-I	0	3033	0.27 (1)
O-J	0	1589	0.20 (1)
N-J	-1895	0	0.16 (1)
N-K	0	6254	0.77 (1)
H-O	-651	0	0.06 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
I	29-3-8	-447	-447	---	FRONT	VERT	TOTAL	---	C1
O	29-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
W	28-9-8	-3049	-3049	---	FRONT	VERT	TOTAL	---	C1
X	31-1-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
Y	33-1-4	-25	-26	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 175 = 351 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN ALL FLAT SECTIONS BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.18")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.30")

CSI: TC=0.43/1.00 (G-H:1) , BC=0.70/1.00 (O-P:1) , WB=0.77/1.00 (K-N:1) , SSI=1.00/1.00 (O-P:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (K) (INPUT = 0.90)
JSI METAL= 0.60 (I) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T50	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	2.00	2.75
C, D, J						
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
E	TS-t	MT20	3.0	6.0		
F	TTW+p	MT20	4.0	6.0	Edge	
G	TMWW-t	MT20	5.0	6.0		
H	TTWW-m	MT20	5.0	6.0		
I	TTW-m	MT20	5.0	6.0	2.00	4.00
K	TMVW-p	MT20	4.0	9.0	1.00	4.75
M	BMV1+p	MT20	3.0	6.0		
N	BMWW-t	MT20	5.0	8.0	2.50	2.75
O	BMWWW-t	MT20	7.0	8.0	4.25	2.50
P, T, U						
P	BMWW-t	MT20	5.0	6.0		
Q	BS-t	MT20	5.0	6.0		
R	BMWWW-t	MT20	5.0	8.0		
S	BS-t	MT20	5.0	8.0		
V	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006932 M2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T51	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:47 2020 Page 1

ID:DMCublNVR6TstFoe31v6l_znsIl-vDHW5NwB13KHXaLIzuoN9bqt6FIlm?a9c1mqzdzNUPQ



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
O - B	2x6	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
O - L	2x6	DRY	No.2	SPF
L - I	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-D	1	12	TOP
D-F,	1	12	TOP
F-H	1	12	TOP
I-G	1	12	TOP
O-B	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
O-L	2	12	TOP
L-I	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
E-K	1	6	SIDE(272.0)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

Structural component only
DWG# T-2006933 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 138 = 277 lb [M]

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
O	2860	0	2860	0	0	5-8	5-8
I	4124	0	4124	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	2016	1360 0	0 0	0 0	0 0	656 0	0 0
I	2905	1972 0	0 0	0 0	0 0	933 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O, I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.93 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-B	0	28	-91.8	-91.8	0.07 (1)	10.00	N-C	-490	0	0.08 (1)
B-C	-4279	0	-91.8	-91.8	0.35 (1)	4.32	C-M	-120	0	0.04 (1)
C-D	-4218	0	-91.8	-91.8	0.34 (1)	4.35	M-D	0	171	0.02 (4)
D-E	-4919	0	-91.8	-91.8	0.45 (1)	3.93	D-K	0	1782	0.22 (1)
E-F	-4919	0	-91.8	-91.8	0.52 (1)	3.93	J-F	-333	0	0.11 (1)
F-G	-3705	0	-91.8	-91.8	0.43 (1)	4.49	J-G	0	3754	0.46 (1)
G-H	0	28	-91.8	-91.8	0.07 (1)	10.00	B-N	0	3887	0.48 (1)
O-B	-2792	0	0.0	0.0	0.10 (1)	7.81	K-E	-673	0	0.22 (1)
I-G	-3822	0	0.0	0.0	0.39 (1)	8.03	K-F	0	2180	0.27 (1)
O-N	0	0	-18.5	-18.5	0.05 (1)	10.00				
N-M	0	3848	-18.5	-18.5	0.29 (1)	10.00				
M-L	0	3750	-18.5	-18.5	0.29 (1)	10.00				
L-K	0	3750	-18.5	-18.5	0.29 (1)	10.00				
K-P	0	3306	-18.5	-18.5	0.54 (1)	10.00				
P-Q	0	3306	-18.5	-18.5	0.54 (1)	10.00				
Q-R	0	3306	-18.5	-18.5	0.54 (1)	10.00				
R-J	0	3306	-18.5	-18.5	0.54 (1)	10.00				
J-S	0	0	-18.5	-18.5	0.33 (1)	10.00				
S-T	0	0	-18.5	-18.5	0.33 (1)	10.00				
T-I	0	0	-18.5	-18.5	0.33 (1)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
K	16-0-8	-1744	-1744	---	FRONT	VERT	TOTAL	---	C1
P	17-11-4	-305	-305	---	FRONT	VERT	TOTAL	---	C1
Q	19-11-4	-305	-305	---	FRONT	VERT	TOTAL	---	C1
R	21-11-4	-305	-305	---	FRONT	VERT	TOTAL	---	C1
S	23-11-4	-305	-305	---	FRONT	VERT	TOTAL	---	C1
T	25-11-4	-609	-609	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.95")
CALCULATED VERT. DEFL.(LL) = L 999 (0.10")
ALLOWABLE DEFL.(TL)= L/360 (0.95")
CALCULATED VERT. DEFL.(TL) = L 999 (0.18")

CSI: TC=0.52/1.00 (E-F:1) , BC=0.54/1.00 (J-K:1) , WB=0.48/1.00 (B-N:1) , SSI=0.24/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (D) (INPUT = 0.90)
JSI METAL= 0.48 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408039	T51	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:DMCubINVR6TsIFoe31v6I_zns1I-vDHW5NwB13KHXaUzuoN9bgt6FIlm?a9c1mazdzNUPQ

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	2.00	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.00	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	8.0	2.25	3.25
G	TMVW-p	MT20	4.0	6.0	1.25	3.00
I	BMV1+p	MT20	3.0	6.0		
J	BMWW-t	MT20	5.0	6.0	2.50	2.75
K	BMWWW-t	MT20	5.0	8.0		
L	BS-t	MT20	5.0	6.0		
M	BMWW-t	MT20	5.0	6.0		
N	BMWW-t	MT20	5.0	6.0		
O	BMV1+p	MT20	3.0	6.0		

LICENSED PROFESSIONAL ENGINEER
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006933 2/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T52	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:48 2020 Page 1

ID:DMCubiNVR6TstFoe31v6I_zns1I-NPrvIjwpoNS88kwyWcJcioC1ee7ZVLoJrhWOW3zNUPP



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
P - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	6.0	2.50	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	6.0		
H	TMV+p	MT20	3.0	4.0		
J	BMVW1-t	MT20	4.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BS-t	MT20	3.0	6.0		
N	BMWW-t	MT20	4.0	4.0		
O	BMWW-t	MT20	4.0	6.0	2.00	2.00
P	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
P	1705	0	1705	0	0	5-8	5-8
J	1705	0	1705	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1203	803 0	0 0	0 0	0 0	400 0	0 0
J	1203	803 0	0 0	0 0	0 0	400 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.92 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF D-L.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12 (1)		10.00
B-C	-2269	0	-91.8	-91.8	0.60 (1)		3.92
C-D	-1765	0	-91.8	-91.8	0.53 (1)		4.42
D-E	-1544	0	-91.8	-91.8	0.21 (1)		5.10
E-F	-1544	0	-91.8	-91.8	0.21 (1)		5.10
F-G	-1438	0	-91.8	-91.8	0.20 (1)		5.25
G-H	0	19	-91.8	-91.8	0.23 (1)		10.00
H-I	0	28	-91.8	-91.8	0.12 (1)		10.00
P-B	-1654	0	0.0	0.0	0.17 (1)		6.45
J-H	-283	0	0.0	0.0	0.06 (1)		7.81
P-O	0	0	-18.5	-18.5	0.18 (4)		10.00
O-N	0	2057	-18.5	-18.5	0.41 (1)		10.00
N-M	0	1556	-18.5	-18.5	0.32 (1)		10.00
M-L	0	1556	-18.5	-18.5	0.32 (1)		10.00
L-K	0	1268	-18.5	-18.5	0.37 (4)		10.00
K-J	0	1040	-18.5	-18.5	0.34 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
O-C	-144	59	0.04 (1)
C-N	-604	0	0.69 (1)
N-D	0	435	0.10 (1)
D-L	-27	0	0.01 (4)
L-E	-449	0	0.46 (1)
L-F	0	570	0.13 (1)
K-F	-144	30	0.15 (1)
K-G	0	376	0.08 (1)
B-O	0	2075	0.47 (1)
G-J	-1729	0	0.93 (1)

TOTAL WEIGHT = 132 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF	
	DL =	6.0	PSF	
BOT CH.	LL =	0.0	PSF	
	DL =	7.4	PSF	
TOTAL LOAD	=	39.0	PSF	

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.96")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.96")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.16")

CSI: TC=0.60/1.00 (B-C:1) , BC=0.41-1.00 (N-O:1) , WB=0.93/1.00 (G-J:1) , SSI=0.25/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE LEFT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (O) (INPUT = 0.90)
JSI METAL= 0.61 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006934

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T53	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Trusses, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:50 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-KozfjOy4K_isO24Ke1L4nDIJQSnJzMbcl_?UaxzNUPN



TOTAL WEIGHT = 126 lb

[M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
P - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	6.0	2.50	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TTW-m	MT20	4.0	4.0		
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMVW+p	MT20	4.0	6.0	Edge	
J	BMV1+p	MT20	3.0	4.0		
K	BMWW+t	MT20	4.0	6.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BS-t	MT20	3.0	6.0		
N	BMWW-t	MT20	4.0	4.0		
O	BMWW-t	MT20	5.0	6.0		
P	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2006935

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
P	1705	0	1705	0	0	5-8	5-8
J	1705	0	1705	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1203	803 0	0 0	0 0	0 0	400 0	0 0
J	1203	803 0	0 0	0 0	0 0	400 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.53 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-N, E-L

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12	(1)		10.00
B-C	-2259	0	-91.8	-91.8	0.84	(1)		3.53
C-D	-1576	0	-91.8	-91.8	0.72	(1)		4.25
D-E	-1576	0	-91.8	-91.8	0.72	(1)		4.25
E-F	-1256	0	-91.8	-91.8	0.21	(1)		5.51
F-G	-1430	0	-91.8	-91.8	0.63	(1)		4.62
G-H	-987	0	-91.8	-91.8	0.48	(1)		5.62
H-I	0	28	-91.8	-91.8	0.12	(1)		10.00
P-B	-1648	0	0.0	0.0	0.17	(1)		6.45
J-H	-1705	0	0.0	0.0	0.36	(1)		6.37
P-O	0	0	-18.5	-18.5	0.26	(4)		10.00
O-N	0	2053	-18.5	-18.5	0.46	(1)		10.00
N-M	0	1383	-18.5	-18.5	0.31	(1)		10.00
M-L	0	1383	-18.5	-18.5	0.31	(1)		10.00
L-K	0	934	-18.5	-18.5	0.24	(4)		10.00
K-J	0	0	-18.5	-18.5	0.16	(4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
O-C	-80	99	0.03	(4)
C-N	-797	0	0.41	(1)
N-E	0	514	0.12	(1)
E-L	-291	0	0.17	(1)
L-F	0	171	0.05	(4)
L-G	0	377	0.08	(1)
K-G	-1048	0	0.37	(1)
B-O	0	2066	0.46	(1)
K-H	0	1493	0.34	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00-12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.95")
CALCULATED VERT. DEFL.(LL) = L 999 (0.09")
ALLOWABLE DEFL.(TL)= L/360 (0.95")
CALCULATED VERT. DEFL.(TL) = L 999 (0.19")

CSI: TC=0.84/1.00 (B-C:1) , BC=0.46/1.00 (N-O:1) , WB=0.46/1.00 (B-O:1) , SSI=0.30/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (K) (INPUT = 0.90)
JSI METAL= 0.62 (B) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T54	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:51 2020 Page 1

ID:DMCublNVR6TslFoe31v6l_zns1l-o X1wkzi5lqj?BfXCksJJRqaYs9mipulXek27OzNUPM



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
O - B	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
L - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	6.0	2.50	2.75
C, E, G						
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TS-t	MT20	3.0	6.0		
F	TTW+p	MT20	4.0	4.0		
H	TMVW-t	MT20	5.0	6.0		Edge
I	BMV1+p	MT20	3.0	4.0		
J	BMWW-t	MT20	4.0	6.0		
K	BMWWW-t	MT20	4.0	9.0		
L	BS-t	MT20	3.0	6.0		
M	BMWW-t	MT20	4.0	4.0		
N	BMWW-t	MT20	4.0	9.0		
O	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006936

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
O	1705	0	1705	0	0	5-8	5-8
I	1580	0	1580	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT I. MINIMUM BEARING LENGTH AT JOINT I = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	1203	803 0	0 0	0 0	0 0	400 0	0 0
I	1118	733 0	0 0	0 0	0 0	384 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.14 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-K, G-K.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LCI	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0	28	-91.8	-91.8	0.12 (1)	10.00	
B- C	-2249	0	-91.8	-91.8	0.44 (1)	4.14	
C- D	-1917	0	-91.8	-91.8	0.36 (1)	4.53	
D- E	-1917	0	-91.8	-91.8	0.36 (1)	4.53	
E- F	-1359	0	-91.8	-91.8	0.35 (1)	5.18	
F- G	-1370	0	-91.8	-91.8	0.45 (1)	4.99	
G- H	-1409	0	-91.8	-91.8	0.49 (1)	4.89	
O- B	-1659	0	0.0	0.0	0.17 (1)	6.44	
I- H	-1531	0	0.0	0.0	0.32 (1)	6.65	
O- N	0	0	-18.5	-18.5	0.13 (4)	10.00	
N- M	0	2030	-18.5	-18.5	0.38 (1)	10.00	
M- L	0	1715	-18.5	-18.5	0.33 (1)	10.00	
L- K	0	1715	-18.5	-18.5	0.33 (1)	10.00	
K- J	0	1285	-18.5	-18.5	0.29 (1)	10.00	
J- I	0	0	-18.5	-18.5	0.17 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
N- C	-193	26	0.05 (1)
G- M	-381	0	0.31 (1)
M- E	0	314	0.07 (1)
E- K	-800	0	0.39 (1)
K- F	0	812	0.18 (1)
K- G	-137	0	0.07 (1)
J- G	-533	0	0.41 (1)
J- H	0	1444	0.32 (1)
B- N	0	2053	0.46 (1)

TOTAL WEIGHT = 3 X 124 = 372 lb (M|F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF SCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.95")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.95")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.16")

CSI: TC=0.49/1.00 (G-H:1) , BC=0.38/1.00 (M-N:1) , WB=0.46/1.00 (B-N:1) , SSI=0.25/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE LEFT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.84 (B) (INPUT = 0.90)
JSI METAL= 0.60 (B) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T55	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:52 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-GA5P84_KrcyadLEjIRNYseNfzFS?RDyvIIUbfqzNUPL



TOTAL WEIGHT = 76 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4 DRY	No.2	SPF
D - E	2x4 DRY	No.2	SPF
I - B	2x6 DRY	No.2	SPF
F - E	2x4 DRY	No.2	SPF
I - F	2x6 DRY	No.2	SPF
ALL WEBS EXCEPT	2x3 DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	
C	TMWW-t	MT20	5.0	6.0		
D	TTW-p	MT20	4.0	4.0		
E	TMVW-t	MT20	5.0	6.0		Edge
F	BMV1+p	MT20	3.0	6.0		
G	BMWWW-t	MT20	5.0	8.0	2.50	3.00
H	BMWW-t	MT20	7.0	8.0		
I	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
I	2204	0	2204	0	0	5-8	5-8
F	1409	0	1409	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM LIVE	WIND	DEAD	SOIL
I	1652	1058 0	0 0	0 0	0 0	494 0	0 0
F	993	671 0	0 0	0 0	0 0	323 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.13 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

2x4 DRY SPF No.2 T-BRACE AT C-G

FASTEN T AND I-BRACES TO NARROW EDGE OF WEB WITH ONE ROW PER PLY OF 3" COMMON WIRE NAILS @ 6" O.C. WITH 3" MINIMUM END DISTANCE. BRACE MUST COVER 90% OF WEB LENGTH.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.13 (1)	10.00
B-C	-2942	0	-91.8	-91.8	0.83 (1)	3.13
C-J	-1182	0	-91.8	-91.8	0.60 (1)	4.94
J-D	-1182	0	-91.8	-91.8	0.60 (1)	4.94
D-E	-1092	0	-91.8	-91.8	0.55 (1)	5.20
I-B	-2017	0	0.0	0.0	0.14 (1)	7.08
F-E	-1355	0	0.0	0.0	0.31 (1)	6.93
I-K	0	0	-18.5	-18.5	0.44 (1)	10.00
K-L	0	0	-18.5	-18.5	0.44 (1)	10.00
L-M	0	0	-18.5	-18.5	0.44 (1)	10.00
M-H	0	0	-18.5	-18.5	0.44 (1)	10.00
H-G	0	2657	-18.5	-18.5	0.57 (1)	10.00
G-F	0	0	-18.5	-18.5	0.07 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
H-C	0	1047	0.26 (1)
C-G	-2022	0	0.62 (1)
G-D	0	531	0.13 (1)
B-H	0	2685	0.66 (1)
G-E	0	1158	0.29 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
J	5-10-8	-330	-330	---	FRONT	VERT	TOTAL	---	C1
K	2-0-12	-25	-26	---	FRONT	VERT	TOTAL	---	C1
L	4-0-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
M	4-8-8	-1352	-1352	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.53")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.53")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.15")

CSI: TC=0.83/1.00 (B-C:1) , BC=0.57 1.00 (G-H:1) , WB=0.66/1.00 (B-H:1) , SSI=0.87/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (G) (INPUT = 0.90)
JSI METAL= 0.50 (H) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006937

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T56	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:53 2020 Page 1
ID:DMCubINVR6TstFoe31v6I znsIJ-kNfnLQ ycv4RFVovJ9unPswyOfteAkP2 yD8BGzNUPK



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
I - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	6.0	2.00	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTW-p	MT20	4.0	4.0		
E	TMVW+p	MT20	4.0	4.0	1.50	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWW-t	MT20	4.0	9.0		
H	BMWW-t	MT20	4.0	6.0		
I	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
I	1002	0	1002	0	0	5-8	5-8
F	877	0	877	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
I	706	477 0	0 0	0 0	0 0	230 0	0 0
F	621	407 0	0 0	0 0	0 0	213 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.68 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00
B-C	-1067	0	-91.8	-91.8	0.34 (1)	5.68
C-D	-602	0	-91.8	-91.8	0.33 (1)	6.25
D-E	-575	0	-91.8	-91.8	0.34 (1)	8.25
I-B	-959	0	0.0	0.0	0.10 (1)	7.81
F-E	-838	0	0.0	0.0	0.20 (1)	7.81
I-H	0	0	-18.5	-18.5	0.11 (4)	10.00
H-G	0	977	-18.5	-18.5	0.23 (1)	10.00
G-F	0	0	-18.5	-18.5	0.12 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
H-C	-53	66	0.02 (4)
C-G	-582	0	0.40 (1)
G-D	0	104	0.04 (4)
B-H	0	990	0.22 (1)
G-E	0	614	0.14 (1)

TOTAL WEIGHT = 2 X 66 = 133 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.53")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.53")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.34/1.00 (B-C:1) , BC=0.23/1.00 (G-H:1) , WB=0.40/1.00 (C-G:1) , SSI=0.21/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.61 (H) (INPUT = 0.90)
JSI METAL= 0.31 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006938

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T57	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:54 2020 Page 1
ID:DMCublNVR6TstFoe31v6l_zns1l-CZCAZm?aNDCIsfN6tsQ0x3S5C3CGvDTBDcziijzNUPJ



TOTAL WEIGHT = 46 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (tablels in Inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	6.0	2.00	3.00
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TTW-m	MT20	4.0	4.0		
E	TMVW-t	MT20	4.0	6.0	2.00	3.00
G	BMV1+p	MT20	3.0	4.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BMWW-t	MT20	4.0	6.0		
J	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
J	1148	0	1148	0	0	5-8	5-8
G	1153	0	1153	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
J	807	553 0	0 0	0 0	0 0	254 0	0 0
G	811	557 0	0 0	0 0	0 0	254 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J, G

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.10 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.13 (1)	10.00	
B-C	-1243	0	-91.8	-91.8	0.47 (1)	5.10	
C-K	-1100	0	-91.8	-91.8	0.12 (1)	5.88	
K-D	-1100	0	-91.8	-91.8	0.12 (1)	5.88	
D-E	-1235	0	-91.8	-91.8	0.47 (1)	5.11	
E-F	0	30	-91.8	-91.8	0.16 (1)	10.00	
J-B	-1097	0	0.0	0.0	0.12 (1)	7.52	
G-E	-1101	0	0.0	0.0	0.12 (1)	7.51	
J-L	0	0	-18.5	-18.5	0.16 (4)	10.00	
L-M	0	0	-18.5	-18.5	0.16 (4)	10.00	
M-I	0	0	-18.5	-18.5	0.16 (4)	10.00	
I-N	0	1108	-18.5	-18.5	0.26 (1)	10.00	
N-H	0	1108	-18.5	-18.5	0.26 (1)	10.00	
H-O	0	0	-18.5	-18.5	0.16 (4)	10.00	
O-P	0	0	-18.5	-18.5	0.16 (4)	10.00	
P-G	0	0	-18.5	-18.5	0.16 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
I-C	-87	58	0.02 (4)
C-H	-19	0	0.00 (1)
H-D	-73	60	0.02 (4)
B-I	0	1127	0.28 (1)
H-E	0	1120	0.28 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-10-8	-292	-292	---	BACK	VERT	TOTAL	---	C1
D	6-7-8	-292	-292	---	BACK	VERT	TOTAL	---	C1
K	5-5-4	-96	-96	---	BACK	VERT	TOTAL	---	C1
L	2-0-12	-17	-18	---	BACK	VERT	TOTAL	---	C1
M	4-0-12	-19	-19	---	BACK	VERT	TOTAL	---	C1
N	5-5-4	-19	-19	---	BACK	VERT	TOTAL	---	C1
O	7-5-4	-19	-19	---	BACK	VERT	TOTAL	---	C1
P	9-5-4	-17	-18	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.38")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.38")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.47 1.00 (B-C:1) , BC=0.26/1.00 (H-I:1) , WB=0.28/1.00 (B-I:1) , SSI=0.17:1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.71 (I) (INPUT = 0.90)
JSI METAL= 0.35 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006939

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T58	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:56 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1i-8xKw_S1rvqS08zXU_HSU0UXSutv7N92UgwSpobzNUPH



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TTW-p	MT20	4.0	4.0		
D	TMVW-t	MT20	4.0	4.0	2.00	1.25
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
H	758	0	758	0	0	5-8	5-8
F	758	0	758	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	534	364 0	0 0	0 0	0 0	170 0	0 0
F	534	364 0	0 0	0 0	0 0	170 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12 (1)		10.00
B-C	-344	0	-91.8	-91.8	0.39 (1)		6.25
C-D	-344	0	-91.8	-91.8	0.39 (1)		6.25
D-E	0	28	-91.8	-91.8	0.12 (1)		10.00
H-B	-718	0	0.0	0.0	0.15 (1)		7.81
F-D	-718	0	0.0	0.0	0.15 (1)		7.81
H-G	0	0	-18.5	-18.5	0.18 (4)		10.00
G-F	0	0	-18.5	-18.5	0.18 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
G-C	-220	18	0.15 (1)
B-G	0	355	0.08 (1)
G-D	0	355	0.08 (1)

TOTAL WEIGHT = 3 X 53 = 160 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 (N. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.38")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.38")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.39/1.00 (C-D:1) , BC=0.18/1.00 (G-H:4) , WB=0.15/1.00 (C-G:1) , SSI=0.18/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.54 (B) (INPUT = 0.90)
JSI METAL= 0.19 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. GALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006940

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T59S	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:57 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1l-d8ulBo1Tg8alj66gY?zjZl4flGGf6d8evaBMK2zNUPG



TOTAL WEIGHT = 3 X 39 = 116 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
H - B	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
F - C	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TMV+p	MT20	3.0	4.0		
D	TMVW+p	MT20	4.0	4.0	1.75	2.00
E	BMVW1-t	MT20	4.0	4.0		
F	BMV+p	MT20	3.0	4.0		
G	BVMWWW-t	MT20	6.0	9.0	2.25	3.00
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
H	448	0	448	0	0	5-8	5-8
E	324	0	324	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	315	220 0	0 0	0 0	0 0	95 0	0 0
E	229	150 0	0 0	0 0	0 0	79 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
H-B	-410	0	0.0	0.0	0.04 (1)		7.81
A-B	0	28	-91.8	-91.8	0.12 (1)		10.00
B-C	-195	0	-91.8	-91.8	0.18 (1)		6.25
C-D	-226	0	-91.8	-91.8	0.18 (1)		6.25
E-D	-300	0	0.0	0.0	0.26 (1)		7.81
H-G	0	0	-18.5	-18.5	0.09 (4)		10.00
F-G	0	18	0.0	0.0	0.02 (1)		10.00
G-C	-365	0	0.0	0.0	0.02 (1)		7.81
F-E	0	6	-18.5	-18.5	0.02 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
B-G	0	191	0.04 (1)
G-E	-9	0	0.00 (1)
G-D	0	411	0.09 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.26/1.00 (D-E:1) , BC=0.09/1.00 (G-H:4) , WB=0.09/1.00 (D-G:1) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1856

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.59 (G) (INPUT = 0.90)
JSI METAL = 0.12 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006941

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T60S	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:56 2020 Page 1
ID:DMCublNVR6TstFoe31v6I_zns1I-5KSgO825RSikLGht6iUy6vdqMgcur5qn8ExvsUzNUPF



TOTAL WEIGHT = 40 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
G - C	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TMV+p	MT20	3.0	4.0		
D	TTW-m	MT20	4.0	4.0		
E	TMVW-l	MT20	4.0	4.0		
F	BMVW1-t	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWWWW'	MT20	8.0	12.0	3.25	3.50
I	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	324	0	324	0	0	MECHANICAL	
I	448	0	448	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	229	150 0	0 0	0 0	0 0	79 0	0 0
I	315	220 0	0 0	0 0	0 0	95 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00
B-C	-198	0	-91.8	-91.8	0.19 (1)	6.25
C-D	-294	0	-91.8	-91.8	0.19 (1)	6.25
D-E	-137	0	-91.8	-91.8	0.02 (1)	6.25
F-E	-302	0	0.0	0.0	0.20 (1)	7.81
I-B	-410	0	0.0	0.0	0.04 (1)	7.81
I-H	0	0	-18.5	-18.5	0.09 (4)	10.00
G-H	0	18	0.0	0.0	0.02 (1)	10.00
H-C	-458	0	0.0	0.0	0.02 (1)	7.81
G-F	0	4	-18.5	-18.5	0.02 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
H-F	-7	0	0.00 (1)
B-H	0	198	0.04 (1)
H-D	0	222	0.05 (1)
H-E	0	283	0.06 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.20/1.00 (E-F:1) , BC=0.09/1.00 (H-I:4) , WB=0.06/1.00 (E-H:1) , SSI=0.17/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.37 (E) (INPUT = 0.90)
JSI METAL = 0.13 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006942

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	T61S	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:59 2020 Page 1
ID:DMCubINVR6TsIFoe31v6l_zns1I-ZW03cT3jClqazQG3gP?Be79?y4xeaWuxMugTPwzNUPE



TOTAL WEIGHT = 37 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
G - D	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TMV+p	MT20	3.0	4.0		
E	TMVW-t	MT20	4.0	4.0		
F	BMVW1-t	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWWW-t	MT20	6.0	9.0	Edge	3.00
I	BMWW-t	MT20	4.0	6.0		
J	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	627	0	627	0	0	MECHANICAL	
J	752	0	752	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	444	291 0	0 0	0 0	0 0	153 0	0 0
J	529	361 0	0 0	0 0	0 0	169 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	FORCE (LBS)	MAX. FACTORED CSI (LC)
A-B	0 28	-91.8	-91.8	0.13 (1)	10.00		I-C	0 191	0.05 (1)
B-C	-498 0	-91.8	-91.8	0.13 (1)	6.25		C-H	-174 0	0.03 (1)
C-D	-359 0	-91.8	-91.8	0.03 (1)	6.25		H-F	-10 0	0.00 (1)
D-E	-352 0	-91.8	-91.8	0.04 (1)	6.25		H-E	0 563	0.14 (1)
F-E	-511 0	0.0	0.0	0.21 (1)	7.81		B-I	0 466	0.12 (1)
J-B	-609 0	0.0	0.0	0.07 (1)	7.81				
J-I	0 0	-121.9	-121.9	0.13 (1)	10.00				
I-H	0 454	-121.9	-121.9	0.19 (1)	10.00				
G-H	0 108	0.0	0.0	0.04 (1)	10.00				
H-D	-166 0	0.0	0.0	0.02 (1)	7.81				
G-F	0 6	-121.9	-121.9	0.07 (1)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

GIRDER TYPE: CSI/Girder
START DISTANCE = 0-0
START SPAN CARRIED = 5-10-8
END DISTANCE = 5-10-8
END SPAN CARRIED = 5-10-8
END WALL WIDTH = 1-8
APPLIED TO FRONT SIDE OF BOTTOM CHORD.
- ADDT'L LOADS BASED ON 55 % OF GSL.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.21 1.00 (E-F:1) , BC=0.19 1.00 (H-I:1) , WB=0.14 1.00 (E-H:1) , SSI=0.17 1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.78 (B) (INPUT = 0.90)
JSI METAL= 0.23 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006943

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	V1	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:18 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1I-QQlgwtPhcXri6V85JOHhAVR9xH7BneePqCue4czNVr



TOTAL WEIGHT = 53 lb

(M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
A - H	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TMW+w	MT20	2.0	4.0		
C	TTW-m	MT20	4.0	4.0		
D	TTW-m	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TBM1-h	MT20	3.0	4.0		
G, I, J, K						
G	BMW1+w	MT20	2.0	4.0		
H	BS-t	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	132	0	132	0	0	17-3-12 (9-11-1/23-12	
F	132	0	132	0	0	17-3-12 (9-11-1/23-12	
I	308	0	308	0	0	17-3-12 (9-11-1/23-12	
J	308	0	308	0	0	17-3-12 (9-11-1/23-12	
G	514	0	514	0	0	17-3-12 (9-11-1/23-12	
K	514	0	514	0	0	17-3-12 (9-11-1/23-12	

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	93	63 / 0	0 - 0	0 - 0	0 - 0	30 - 0	0 - 0
F	93	63 - 0	0 - 0	0 0	0 0	30 0	0 0
I	219	139 0	0 - 0	0 0	0 0	80 0	0 0
J	219	139 0	0 - 0	0 0	0 0	80 0	0 0
G	363	241 0	0 - 0	0 0	0 0	122 0	0 0
K	363	241 - 0	0 - 0	0 - 0	0 - 0	122 - 0	0 - 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, F, I, J, G, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC((PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-M	0 27	-91.8	-91.8	0.04 (1)	10.00	I-D	-264 0	0.10 (1)
M-B	0 79	-91.8	-91.8	0.23 (1)	10.00	J-C	-264 0	0.10 (1)
B-C	0 41	-91.8	-91.8	0.22 (1)	10.00	G-E	-409 0	0.07 (1)
C-D	0 58	-91.8	-91.8	0.06 (1)	10.00	K-B	-109 0	0.07 (1)
D-E	0 41	-91.8	-91.8	0.22 (1)	10.00	L-M	-71 4	0.00 (1)
E-O	0 79	-91.8	-91.8	0.23 (1)	10.00	N-O	-71 4	0.00 (1)
O-F	0 27	-91.8	-91.8	0.04 (1)	10.00			
A-L	-50 0	-18.5	-18.5	0.07 (1)	6.25			
L-K	-37 0	-18.5	-18.5	0.07 (1)	6.25			
K-J	-52 0	-18.5	-18.5	0.07 (4)	6.25			
J-I	-58 0	-18.5	-18.5	0.04 (4)	6.25			
I-H	-52 0	-18.5	-18.5	0.07 (4)	6.25			
H-G	-52 0	-18.5	-18.5	0.07 (4)	6.25			
G-N	-37 0	-18.5	-18.5	0.07 (1)	6.25			
N-F	-50 0	-18.5	-18.5	0.07 (1)	6.25			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.23/1.00 (E-O:1) , BC=0.07/1.00 (G-N:1) , WB=0.10/1.00 (C-J:1) , SSI=0.14/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.61 (C) (INPUT = 0.90)
JSI METAL= 0.21 (E) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006893

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	V2	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:21:20 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I znsiI-MosRLZRx885QMoGUQpJ9FwWRJ5n6FY?iIWNI8VzNVr



TOTAL WEIGHT = 38 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TTW-m	MT20	4.0	4.0		
C	TTW-m	MT20	4.0	4.0		
D	TBM1-h	MT20	3.0	4.0		
E	BMW1+w	MT20	2.0	4.0		
F	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	55	0	55	0	0	14-3-12	14-3-12
D	55	0	55	0	0	14-3-12	14-3-12
E	734	0	734	0	0	14-3-12	14-3-12
F	734	0	734	0	0	14-3-12	14-3-12

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	39	25 0	0 0	0 0	0 0	14 0	0 0
D	39	25 0	0 0	0 0	0 0	14 0	0 0
E	519	341 0	0 0	0 0	0 0	178 0	0 0
F	519	341 0	0 0	0 0	0 0	178 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, D, E, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-H	0	373	-91.8	-91.8	0.12 (1)	10.00
H-B	0	377	-91.8	-91.8	0.27 (1)	10.00
B-C	0	340	-91.8	-91.8	0.43 (1)	10.00
C-J	0	377	-91.8	-91.8	0.27 (1)	10.00
J-D	0	373	-91.8	-91.8	0.12 (1)	10.00
A-G	-351	0	-18.5	-18.5	0.17 (1)	6.25
G-F	-318	0	-18.5	-18.5	0.17 (1)	6.25
F-E	-340	0	-18.5	-18.5	0.10 (4)	6.25
E-I	-318	0	-18.5	-18.5	0.17 (1)	6.25
I-D	-351	0	-18.5	-18.5	0.17 (1)	6.25

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
E-C	-606	0	0.11 (1)
F-B	-606	0	0.11 (1)
G-H	-216	0	0.00 (1)
I-J	-216	0	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.43/1.00 (B-C:1) , BC=0.17/1.00 (E-F:1) , WB=0.11/1.00 (C-E:1) , SSI=0.17/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.46 (C) (INPUT = 0.90)
JSI METAL= 0.23 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006894

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	V20	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:25 2020 Page 1
ID:DMCublNVR6TstFoe31v6I_zns1I-SaqI10P1xAoBjZLMsfokCFZtgSK_OHCTpZD__wzNUjS



TOTAL WEIGHT = 64 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
A - J	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B, D, F						
B	TMW+w	MT20	2.0	4.0		
C	TTW-m	MT20	4.0	4.0		
E	TTW-m	MT20	4.0	4.0		
G	TBM1-h	MT20	3.0	4.0		
H, I, K, L, M						
H	BMW1+w	MT20	2.0	4.0		
J	BS-t	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	124	0	124	0	0	20-10-11 (8-1/00-50-11	
G	124	0	124	0	0	20-10-11 (8-1/00-50-11	
I	325	0	325	0	0	20-10-11 (8-1/00-50-11	
K	472	0	472	0	0	20-10-11 (8-1/00-50-11	
L	325	0	325	0	0	20-10-11 (8-1/00-50-11	
M	466	0	466	0	0	20-10-11 (8-1/00-50-11	
H	466	0	466	0	0	20-10-11 (8-1/00-50-11	

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	87	60 / 0	0 / 0	0 0	0 0	27 0	0 0
G	87	60 / 0	0 / 0	0 0	0 0	27 0	0 0
I	232	140 0	0 / 0	0 0	0 0	93 0	0 0
K	332	229 0	0 / 0	0 0	0 0	102 0	0 0
L	232	140 / 0	0 / 0	0 / 0	0 0	93 / 0	0 0
M	329	220 0	0 / 0	0 0	0 0	109 0	0 0
H	329	220 / 0	0 / 0	0 0	0 0	109 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, G, I, K, L, M, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	FACTORED VERT. LOAD LC) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	MAX CSI (LC)
		A-O	-91.8	-91.8	0.04 (1)	6.25	I-E	-257 0		0.10 (1)
		O-B	-91.8	-91.8	0.20 (1)	10.00	K-D	-410 0		0.16 (1)
		B-C	-91.8	-91.8	0.20 (1)	6.25	L-C	-257 0		0.10 (1)
		C-D	-91.8	-91.8	0.20 (1)	6.25	M-B	-384 0		0.06 (1)
		D-E	-91.8	-91.8	0.20 (1)	6.25	H-F	-384 0		0.06 (1)
		E-F	-91.8	-91.8	0.20 (1)	6.25	N-O	-21 5		0.00 (1)
		F-Q	-91.8	-91.8	0.20 (1)	10.00	P-Q	-21 5		0.00 (1)
		Q-G	-91.8	-91.8	0.04 (1)	6.25				
A-N	0 31		-18.5	-18.5	0.04 (1)	10.00				
N-M	0 37		-18.5	-18.5	0.05 (4)	10.00				
M-L	-1 18		-18.5	-18.5	0.05 (4)	10.00				
L-K	-2 13		-18.5	-18.5	0.05 (4)	10.00				
K-J	-2 13		-18.5	-18.5	0.05 (4)	10.00				
J-I	-2 13		-18.5	-18.5	0.05 (4)	10.00				
I-H	-1 18		-18.5	-18.5	0.05 (4)	10.00				
H-P	0 37		-18.5	-18.5	0.05 (4)	10.00				
P-G	0 31		-18.5	-18.5	0.04 (1)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF	
	DL =	6.0	PSF	
BOT CH.	LL =	0.0	PSF	
	DL =	7.4	PSF	
TOTAL LOAD	=	39.0	PSF	

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.20/1.00 (C-D:1) , BC=0.05/1.00 (H-P:4) , WB=0.16/1.00 (D-K:1) , SSI=0.16/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.62 (E) (INPUT = 0.90)
JSI METAL= 0.20 (F) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006918

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	V21	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:38:27 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-OzxdRiQITn2vzVI_4qCHgfAuG_vsCbmGti52pzNUjQ



TOTAL WEIGHT = 49 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
A - G	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
A	TBM1-h	MT20	3.0	4.0	
B	TTW-m	MT20	4.0	4.0	
C	TMW+w	MT20	2.0	4.0	
D	TTW-m	MT20	4.0	4.0	
E	TBM1-h	MT20	3.0	4.0	
F, H, I					
F	BMW1+w	MT20	2.0	4.0	
G	BS-t	MT20	3.0	6.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	93	0	93	0	0	18-2-11 x 12-11	2-11
E	93	0	93	0	0	18-2-11 x 12-11	2-11
F	596	0	596	0	0	18-2-11 x 12-11	2-11
H	632	0	632	0	0	18-2-11 x 12-11	2-11
I	596	0	596	0	0	18-2-11 x 12-11	2-11

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	65	44 0	0 0	0 0	0 0	22 0	0 0
E	65	44 0	0 0	0 0	0 0	22 0	0 0
F	422	271 0	0 0	0 0	0 0	151 0	0 0
H	445	302 0	0 0	0 0	0 0	143 0	0 0
I	422	271 0	0 0	0 0	0 0	151 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, E, F, H, I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-K	0	225	-91.8	-91.8	0.08	(1)	10.00
K-B	0	222	-91.8	-91.8	0.20	(1)	10.00
B-C	0	198	-91.8	-91.8	0.41	(1)	10.00
C-D	0	198	-91.8	-91.8	0.41	(1)	10.00
D-M	0	222	-91.8	-91.8	0.20	(1)	10.00
M-E	0	225	-91.8	-91.8	0.08	(1)	10.00
A-J	-215	0	-18.5	-18.5	0.15	(1)	6.25
J-I	-182	0	-18.5	-18.5	0.15	(1)	6.25
I-H	-198	0	-18.5	-18.5	0.10	(1)	6.25
H-G	-198	0	-18.5	-18.5	0.10	(1)	6.25
G-F	-198	0	-18.5	-18.5	0.10	(1)	6.25
F-L	-182	0	-18.5	-18.5	0.15	(1)	6.25
L-E	-215	0	-18.5	-18.5	0.15	(1)	6.25

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	LC
F-D	-457	0	0.08	(1)
H-C	-585	0	0.10	(1)
I-B	-457	0	0.08	(1)
J-K	-201	0	0.00	(1)
L-M	-201	0	0.00	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. - G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.41 1.00 (B-C:1) , BC=0.15/1.00 (F-L:1) , WB=0.10/1.00 (C-H:1) , SSI=0.22/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.62 (D) (INPUT = 0.90)
JSI METAL= 0.18 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006919

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	V45	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 15:00:00 2020 Page 1
ID:DMCublNVR6TstFoe31v6l_zns1l-1jaRpp4Lz3yRaarFD7WQBKi9UUlkJ_Q4bYQ0xMzNUPD



TOTAL WEIGHT = 47 lb

(M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
A - G	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TMW+w	MT20	2.0	4.0		
C	TTW-p	MT20	4.0	4.0		
D	TMW+w	MT20	2.0	4.0		
E	TBM1-h	MT20	3.0	4.0		
F, H, I						
F	BMW1+w	MT20	2.0	4.0		
G	BS-t	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	141	0	141	0	0	17-5-0 (6-5-4	17-5-0
E	141	0	141	0	0	17-5-0 (6-5-4	17-5-0
H	479	0	479	0	0	17-5-0 (6-5-4	17-5-0
I	580	0	580	0	0	17-5-0 (6-5-4	17-5-0
F	580	0	580	0	0	17-5-0 (6-5-4	17-5-0

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	99	67 0	0 0	0 0	0 0	33 0	0 0
E	99	67 0	0 0	0 0	0 0	33 0	0 0
H	341	212 0	0 0	0 0	0 0	129 0	0 0
I	409	273 0	0 0	0 0	0 0	136 0	0 0
F	409	273 0	0 0	0 0	0 0	136 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, E, H, I, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-K	0	139	-91.8	-91.8	0.07	(1)		10.00
K-B	0	184	-91.8	-91.8	0.29	(1)		10.00
B-C	0	153	-91.8	-91.8	0.28	(1)		10.00
C-D	0	153	-91.8	-91.8	0.28	(1)		10.00
D-M	0	184	-91.8	-91.8	0.29	(1)		10.00
M-E	0	139	-91.8	-91.8	0.07	(1)		10.00
A-J	-154	0	-18.5	-18.5	0.12	(1)		6.25
J-I	-140	0	-18.5	-18.5	0.12	(1)		6.25
I-H	-155	0	-18.5	-18.5	0.09	(1)		6.25
H-G	-155	0	-18.5	-18.5	0.09	(1)		6.25
G-F	-155	0	-18.5	-18.5	0.09	(1)		6.25
F-L	-140	0	-18.5	-18.5	0.12	(1)		6.25
L-E	-154	0	-18.5	-18.5	0.12	(1)		6.25

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
H-C	-435	0	0.12	(1)
I-B	-453	0	0.07	(1)
F-D	-453	0	0.07	(1)
J-K	-102	6	0.00	(1)
L-M	-102	6	0.00	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.29/1.00 (D-M:1) , BC=0.12/1.00 (F-L:1) , WB=0.12/1.00 (C-H:1) , SSI=0.16/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.40 (D) (INPUT = 0.90)
JSI METAL= 0.19 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J./G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006944

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	V46	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 15:00:02 2020 Page 1
ID:DMCublNVR6TstFoe31v6l_zns1l-z5hBEV5bVgC9qu?eLYZuGlnShHwpnuzN3sv7?FzNUPB



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TTW-m	MT20	4.0	4.0		
C	TTW-m	MT20	4.0	4.0		
D	TBM1-h	MT20	3.0	4.0		
E	BMW1+w	MT20	2.0	4.0		
F	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	-22	0	0	0	-22	13-5-0	13-5-0
D	-22	0	0	0	-22	13-5-0	13-5-0
E	762	0	762	0	0	13-5-0	13-5-0
F	762	0	762	0	0	13-5-0	13-5-0

PROVIDE ANCHORAGE AT BEARING JOINT A FOR 150 LBS FACTORED UPLIFT
PROVIDE ANCHORAGE AT BEARING JOINT D FOR 150 LBS FACTORED UPLIFT

OK w/ TOE NAILING

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	-15	0 -13	0 0	0 0	0 0	0 -2	0 0
D	-15	0 -13	0 0	0 0	0 0	0 -2	0 0
E	538	358 0	0 0	0 0	0 0	182 0	0 0
F	538	356 0	0 0	0 0	0 0	182 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, D, E, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	CSI	LC	MAX UNBRAC LENGTH
A-H	0	837	-91.8	-91.8	0.28	(1)	10.00
H-B	0	835	-91.8	-91.8	0.50	(1)	10.00
B-C	0	778	-91.8	-91.8	0.14	(1)	10.00
C-J	0	835	-91.8	-91.8	0.50	(1)	10.00
J-D	0	837	-91.8	-91.8	0.28	(1)	10.00
A-G	-789	0	-18.5	-18.5	0.27	(1)	6.25
G-F	-755	0	-18.5	-18.5	0.28	(1)	6.25
F-E	-778	0	-18.5	-18.5	0.24	(1)	6.25
E-I	-755	0	-18.5	-18.5	0.28	(1)	6.25
I-D	-789	0	-18.5	-18.5	0.27	(1)	6.25

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	LC
E-C	-639	0	0.12	(1)
F-B	-639	0	0.12	(1)
G-H	-304	0	0.00	(1)
I-J	-304	0	0.00	(1)

TOTAL WEIGHT = 35 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.50/1.00 (C-J:1) , BC=0.28/1.00 (E-I:1) , WB=0.12/1.00 (C-E:1) , SSI=0.18/1.00 (C-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.80 (C) (INPUT = 0.90)
JSI METAL= 0.37 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006945

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	J1	19	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:51 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I_zns1I-jDcTFe4IzESXNLYvDEIMappSrPuzySaRdVrkegzNVsA



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	525	0	525	0	0	5-8	5-8
C	202	0	202	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	369	257 0	0 0	0 0	0 0	111 0	0 0
C	139	113 0	0 0	0 0	0 0	26 0	0 0
D	38	0 0	0 0	0 0	0 0	36 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-461 0	0.0	0.0	0	0.13 (4)	7.81			
A-B	0 28	-91.8	-91.8	0	0.12 (1)	10.00			
B-C	-30 0	-91.8	-91.8	0	0.54 (1)	6.25			
E-D	0 0	-18.5	-18.5	0	0.13 (4)	10.00			

TOTAL WEIGHT = 19 X 17 = 319 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.54/1.00 (B-C:1) , BC=0.13/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.24/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.19 (E) (INPUT = 0.90)
JSI METAL= 0.13 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006870

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	J2	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:52 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zris1I-BQArT_5NkXaO?V75nxpb60MdcpEJhvqas9bHA7zNVs9



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	450	0	450	0	0	5-8	5-8
C	270	0	270	0	0	1-8	1-8
D	54	0	61	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	316	221 . 0	0 0	0 0	0 0	95 0	0 0
C	186	150 . 0	0 0	0 0	0 0	35 0	0 0
D	43	0 0	0 0	0 0	0 0	43 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-B	-395 . 0	0.0	0.0	4	0.04	7.81	B-E	0 0	0.00 (1)
A-B	0 35	-91.8	-91.8	1	0.12	10.00			
B-C	0 0	-91.8	-91.8	1	0.54	10.00			
F-E	0 0	-18.5	-18.5	4	0.14	10.00			
E-D	0 0	-18.5	-18.5	4	0.19	10.00			

TOTAL WEIGHT = 4 X 19 = 77 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.54/1.00 (B-C:1) , BC=0.19/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.17/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.28 (B) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006871

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408016	J3	9	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:53 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-fckDgK67VriFcfiLeKqfEurmCZtQM4k4pKnZzNVs8



TOTAL WEIGHT = 9 X 14 = 125 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
C	208	0	208	0	0	1-8	1-8
B	410	0	410	0	0	5-8	5-8
D	79	0	79	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
C	144	112 0	0 0	0 0	0 0	32 0	0 0
B	288	202 0	0 0	0 0	0 0	86 0	0 0
D	59	21 0	0 0	0 0	0 0	38 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) C, B

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
A-B	0 18	-91.8	-91.8	0.11	(1)	10.00		E-F	-264 10	0.00	(1)
B-F	-17 8	-91.8	-91.8	0.06	(4)	8.25					
F-C	0 2	-91.8	-91.8	0.32	(1)	10.00					
B-E	0 0	-18.5	-18.5	0.23	(1)	10.00					
E-D	0 0	-18.5	-18.5	0.23	(1)	10.00					

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.04")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 895 (0.09")

CSI: TC=0.32/1.00 (C-F:1) , BC=0.23/1.00 (D-E:1) , WB=0.00/1.00 (E-F:1) . SSI=0.22/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS SEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.27 (B) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO
04/24/20

Structural component only
DWG# T-2006872

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408016	J4	4	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:54 2020 Page 1
ID:DMCubINVR6TstFoe31v8l_zns1l-7olctq6dG9q6EpHUvMr3CRR3NcwK9ostJT4OF?zNVs7



TOTAL WEIGHT = 4 X 21 = 86 lb (M)(F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-m	MT20	3.0	10.0	1.50	4.50
C	TMW+w	MT20	2.0	4.0		
E	BMW1+w	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
D	105	0	105	0	0	4-8	4-8	
B	474	0	474	0	0	5-8	5-8	2x4 L
E	291	0	291	0	0	5-8	5-8	

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
D	71	62 / 0	0 / 0	0 / 0	0 / 0	9 / 0	0 / 0
B	333	233 / 0	0 / 0	0 / 0	0 / 0	100 / 0	0 / 0
E	207	126 / 0	0 / 0	0 / 0	0 / 0	81 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) D, B, E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 18	-91.8	-91.8	0.12 (1)		10.00
B-G	-462 / 0	-91.8	-91.8	0.11 (4)		6.25
G-C	-361 / 0	-91.8	-91.8	0.14 (1)		6.25
C-D	-16 / 0	-91.8	-91.8	0.14 (1)		6.25
B-F	0 / 358	-18.5	-18.5	0.08 (4)		10.00
F-E	0 / 358	-18.5	-18.5	0.15 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-E	-432 / 0	0.09 (1)
F-G	0 / 104	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010. NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.21")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.21")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.14/1.00 (C-G:1) , BC=0.15/1.00 (E-F:4) , WB=0.09/1.00 (C-E:1) , SSI=0.15/1.00 (C-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.31 (C) (INPUT = 0.90)
JSI METAL= 0.21 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006873

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	J4Z	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:55 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-b?s_507F0SyzsysgS3MIkf_Df0F5uFm1Y7pxnSzNVs6



TOTAL WEIGHT = 21 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-m	MT20	3.0	10.0	1.50	4.50
C	TMW+w	MT20	2.0	4.0		
E	BMW1+w	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
D	122	0	122	0	0	4-8	4-8	
B	529	0	529	0	0	5-8	5-8	2x4 L
E	337	0	337	0	0	5-8	5-8	

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
D	84	70 0	0 0	0 0	0 0	14 0	0 0
B	371	288 0	0 0	0 0	0 0	113 0	0 0
E	240	148 0	0 0	0 0	0 0	92 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) D, B, E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	18	-91.8	-91.8	0.13	(1)		10.00
B-G	-528	0	-109.0	-109.0	0.16	(4)		6.25
G-C	-418	0	-109.0	-109.0	0.23	(1)		6.25
C-D	-19	0	-109.0	-109.0	0.23	(1)		6.25
B-F	0	413	-18.5	-18.5	0.09	(1)		10.00
F-E	0	413	-18.5	-18.5	0.18	(1)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
C-E	-502	0	0.12	(1)
F-G	0	100	0.00	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

GIRDER TYPE: CSIdGirder
START DISTANCE = 0-0
START SPAN CARRIED = 3-0-0
END DISTANCE = 6-10-8
END SPAN CARRIED = 3-0-0
END WALL WIDTH = 4-8
APPLIED TO FRONT SIDE OF TOP CHORD.
- ADDT'L LOADS BASED ON 55 % OF GSL.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.21")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.21")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.23/1.00 (C-G:1) , BC=0.18/1.00 (E-F:1) , WB=0.12/1.00 (C-E:1) , SSI=0.19/1.00 (C-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.36 (C) (INPUT = 0.90)
JSI METAL= 0.24 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006874

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408038	J20	5	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:37:59 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-CaF2Z75k3BXtcZMNLBKe8mVQp_QBIYHeqXwc3RzNUjs



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
C	175	0	175	0	0	1-8	1-8
B	365	0	365	0	0	5-8	5-8
D	67	0	67	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
C	121	94 0	0 0	0 0	0 0	27 0	0 0
B	256	181 0	0 0	0 0	0 0	75 0	0 0
D	50	18 0	0 0	0 0	0 0	32 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (1)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 23	-91.8	-91.8	0.12 (1)		10.00	E-F	-235 7	0.00 (1)
B-F	-17 13	-91.8	-91.8	0.04 (4)		6.25			
F-C	-1 2	-91.8	-91.8	0.23 (1)		10.00			
B-E	0 0	-18.5	-18.5	0.16 (1)		10.00			
E-D	0 0	-18.5	-18.5	0.16 (1)		10.00			

TOTAL WEIGHT = 5 X 12 = 61 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.23/1.00 (C-F:1) , BC=0.16/1.00 (D-E:1) , WB=0.00/1.00 (E-F:1) , SSI=0.19/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.26 (B) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006896

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	J45	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:38 2020 Page 1

ID:DMCubINVR6TstFoe31v6I znsiI-gUF7CIpY8IBZxC91xV7GIhoOkcnE92trX75s9ezNUPZ



TOTAL WEIGHT = 14 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT	REQRD
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	BRG IN-SX	BRG IN-SX
E	456	0	456	0	0	5-8	5-8
C	168	0	168	0	0	1-8	1-8
D	36	0	42	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	320	225 0	0 0	0 0	0 0	95 0	0 0
C	116	94 0	0 0	0 0	0 0	22 0	0 0
D	30	0 0	0 0	0 0	0 0	30 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS						WEBS			
MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-404	0	0.0	0.0	0.08 (4)	7.81			
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00			
B-C	-25	0	-91.8	-91.8	0.37 (1)	6.25			
E-D	0	0	-18.5	-18.5	0.09 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.37/1.00 (B-C:1) , BC=0.09/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.20/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.17 (E) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006926

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	C1	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:46 2020 Page 1
ID:DMCubINVR6TstFoe31v8l_zns1l-MGpaCx0c8hpFHagxRgiBtl6h2OBvHBLiTD8zyTzNVsF



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	354	0	354	0	0	5-8	5-8
C	174	0	174	0	0	1-8	1-8
D	54	0	61	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	250	167 / 0	0 / 0	0 / 0	0 / 0	83 / 0	0 / 0
C	120	97 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
D	43	0 / 0	0 / 0	0 / 0	0 / 0	43 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- B	-300 / 0	0.0	0.0	0.03	(1)		7.81	B- E	0 / 0	0.00 (1)
A- B	0 / 35	-91.8	-91.8	0.12	(1)		10.00			
B- C	0 / 0	-91.8	-91.8	0.22	(1)		10.00			
F- E	0 / 0	-18.5	-18.5	0.14	(4)		10.00			
E- D	0 / 0	-18.5	-18.5	0.19	(4)		10.00			

TOTAL WEIGHT = 2 X 16 = 33 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.19/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.21 (B) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006946

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408016	C2	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:47 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-qSNyPH1Ev?x6ukF8_ODQPzfuKoX80ebrittWVvzNVsE



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	311	0	311	0	0	5-8	5-8
C	34	0	34	0	0	1-8	1-8
D	54	0	61	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	220	143 0	0 0	0 0	0 0	77 0	0 0
C	23	19 0	0 0	0 0	0 0	4 0	0 0
D	43	0 0	0 0	0 0	0 0	43 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-B	-256 0	0.0	0.0	0.03 (1)	7.81	B-E	0 0	0.00 (1)
A-B	0 35	-91.8	-91.8	0.13 (1)	10.00			
B-C	-27 0	-91.8	-91.8	0.12 (1)	6.25			
F-E	0 0	-18.5	-18.5	0.13 (4)	10.00			
E-G	0 0	-18.5	-18.5	0.19 (4)	10.00			
G-H	0 0	-18.5	-18.5	0.19 (4)	10.00			
H-D	0 0	-18.5	-18.5	0.19 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
G	1-11-4	1	1	---	BACK	VERT	TOTAL	---	C1
H	3-11-4	1	1	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 13 = 27 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.13/1.00 (A-B:1) , BC=0.19/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.09/1.00 (B-C:1)

DOL LUMBER=0.99 NAIL=0.99 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (B) (INPUT = 0.90)
JSI METAL= 0.05 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006867

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	C3	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:48 2020 Page 1
ID:DMCubINVR6TstFoe31v8l_zns1I-lexKdd2sgJ3zWuqKY5kfyAB0YBv115q?xXd41MzNVsD



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
D	BMW1+t	MT20	4.0	4.0	2.00	Edge
E	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	316	0	316	0	0	5-8	5-8
C	174	0	174	0	0	1-8	1-8
D	16	0	18	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	219	167 0	0 0	0 0	0 0	52 0	0 0
C	120	97 0	0 0	0 0	0 0	23 0	0 0
D	13	0 0	0 0	0 0	0 0	13 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
E-B	-300 0	0.0	0.0	0.03 (1)	7.81
A-B	0 35	-91.8	-91.8	0.13 (5)	10.00
B-C	0 0	-91.8	-91.8	0.22 (1)	10.00
E-D	0 0	-18.5	-18.5	0.02 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
B-D	0 0	0.00 (1)

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 2 X 12 = 24 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.02/1.00 (D-E:4) , WB=0.00/1.00 (B-D:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.21 (B) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006868

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408016	C4	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 13:20:49 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I_zns1I-nrUjqz3VRcBq81PW6pGuVOkDsbEGUY48ABMdZozNVsC



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
D	BMW1-1	MT20	4.0	4.0	2.00	1.50
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	273	0	273	0	0	5-8	5-8
C	34	0	34	0	-39	1-8	1-8
D	16	0	18	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS FACTORED UPLIFT

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	190	143 / 0	0 / 0	0 / 0	0 / 0	47 0	0 0
C	23	19 / -27	0 0	0 / 0	0 0	4 0	0 0
D	13	0 / 0	0 / 0	0 / 0	0 / 0	13 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX (PLF) CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO								
E-B	-258 0	0.0	0.0	0.03 (1)	7.81	B-D	0 0	0.00 (1)
A-B	0 35	-91.8	-91.8	0.12 (1)	10.00			
B-C	-27 / 0	-91.8	-91.8	0.12 (1)	6.25			
E-D	0 / 0	-18.5	-18.5	0.02 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 2 X 9 = 18 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.02/1.00 (D-E:4) , WB=0.00/1.00 (B-D:1) , SSI=0.08/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (B) (INPUT = 0.90)
JSI METAL= 0.05 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006869

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	C45	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:30 2020 Page 1
ID:DMCubINVR6TstFoe31v6I zns1I-vxm5WZIX1rAi zYUTq_Oz?T4eO1eHQufil9Rt6zNUPh



TOTAL WEIGHT = 4 X 12 = 48 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	284	0	284	0	0	5-8	5-8
C	63	0	63	0	0	1-8	1-8
D	44	0	52	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	200	138 0	0 0	0 0	0 0	62 0	0 0
C	46	21 0	0 0	0 0	0 0	25 0	0 0
D	35	0 -3	0 0	0 0	0 0	37 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (7)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-228 0	0.0	0.0	0	0.11 (4)	7.81			
A-B	0 28	-91.8	-91.8	0	0.12 (1)	10.00			
B-C	-9 9	-91.8	-91.8	0	0.08 (4)	10.00			
E-F	0 0	-18.5	-18.5	0	0.14 (4)	10.00			
F-G	0 0	-18.5	-18.5	0	0.14 (4)	10.00			
G-D	0 0	-18.5	-18.5	0	0.14 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	1-11-4	7	1	12	BACK	VERT	TOTAL	---	C1
G	3-11-4	1	1	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010. NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.12,1.00 (A-B:1) , BC=0.14,1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=0.98 NAIL=0.98 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/apr/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006920

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	C46	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:32 2020 Page 1
ID:DMCubINVR6TsIFoe3tv6l_zns1l-rKtrxFknZSRQDHitaF0s2QYOJCjCIKOy9BeXy_zNUPf



TOTAL WEIGHT = 4 X 14 = 57 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	412	0	412	0	0	5-8	5-8
C	135	0	135	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	291	194 0	0 0	0 0	0 0	97 0	0 0
C	93	75 0	0 0	0 0	0 0	18 0	0 0
D	36	0 0	0 0	0 0	0 0	36 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LCI	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-349	0	0.0	0.0	0.13 (4)		7.81			
A-B	0	28	-91.8	-91.8	0.12 (1)		10.00			
B-C	-20	0	-91.8	-91.8	0.24 (1)		6.25			
E-D	0	0	-18.5	-18.5	0.13 (4)		10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.24/1.00 (B-C:1) , BC=0.13/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.16/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.15 (E) (INPUT = 0.90)
JSI METAL= 0.10 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/29/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006921

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	C47	6	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:33 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I zns1I-KWRE9aIPKmZHrQH3ByX5be4Z3b5CUnd6OrN5URzNUPe



TOTAL WEIGHT = 6 X 10 = 59 lb

(M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	369	0	369	0	0	5-8	5-8
C	135	0	135	0	0	1-8	1-8
D	16	0	16	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	256	194 / 0	0 / 0	0 / 0	0 / 0	62 / 0	0 / 0
C	93	75 / 0	0 / 0	0 / 0	0 / 0	18 / 0	0 / 0
D	13	0 / 0	0 / 0	0 / 0	0 / 0	13 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
E-B	-349	0	0.0	0.0	0.01 (4)		7.81
A-B	0	28	-91.8	-91.8	0.13 (5)		10.00
B-C	-20	0	-91.8	-91.8	0.24 (1)		6.25
E-D	0	0	-18.5	-18.5	0.02 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.24(1.00 (B-C:1) , BC=0.02/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.16/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.15 (E) (INPUT = 0.90)
JSI METAL= 0.10 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006922

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	C48	6	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:34 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-oj?cMwm154h8TasGif3K7rdmf?R8DEtFdV7e0tzNUPd



TOTAL WEIGHT = 6 X 7 = 42 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
E	271	0	271	0	0	5-8	5-8
C	44	0	44	0	-23	1-8	1-8
D	8	0	17	0	-2	1-8	1-8

* SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS FACTORED UPLIFT
PROVIDE ANCHORAGE AT BEARING JOINT D FOR 150 LBS FACTORED UPLIFT

UNFACTORED REACTIONS

	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	188	141 0	0 0	0 0	0 0	47 0	0 0
C	31	24 -18	0 0	0 0	0 0	7 0	0 0
D	7	0 -6	0 0	0 0	0 0	12 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS						WEBS			
MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-244	0	0.0	0.0	0.04 (5)	7.81			
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00			
B-C	-17	0	-91.8	-91.8	0.09 (1)	6.25			
E-D	0	0	-18.5	-18.5	0.04 (5)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010. NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.04/1.00 (D-E:5) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006923

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	C49	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:35 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-GvZ_ZGmgsNp_4kQSGNaZg3AvYPmXyh7Or9sBYJzNUPc



TOTAL WEIGHT = 2 X 13 = 26 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	401	0	401	0	0	5-8	5-8
C	135	0	135	0	0	1-8	1-8
D	38	0	42	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	282	194 0	0 0	0 0	0 0	88 0	0 0
C	93	75 0	0 0	0 0	0 0	18 0	0 0
D	30	0 0	0 0	0 0	0 0	30 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FR-TO	FACTORED VERT. LOAD (PLF) FROM	TO	MAX CSI (LC)	MAX UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)	FR-TO
E-B	-349 0		0.0	0.0	0.08 (4)	7.81				
A-B	0 28		-91.8	-91.8	0.12 (1)	10.00				
B-C	-20 0		-91.8	-91.8	0.24 (1)	6.25				
E-D	0 0		-18.5	-18.5	0.09 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.24(1.00 (B-C:1) , BC=0.09/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.16/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.15 (E) (INPUT = 0.90),
JSI METAL= 0.10 (B) (INPUT = 1.00)



Structural component only
DWG# T-2006924

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408039	C50	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 24 14:59:37 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-CIhk_yowO?3iK2aqNoc1IUFHvDR?QbdhJTLIdCzNUPa



TOTAL WEIGHT = 2 X 11 = 21 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	281	0	281	0	0	5-8	5-8
C	66	0	66	0	0	1-8	1-8
D	36	0	42	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	200	127 0	0 0	0 0	0 0	73 0	0 0
C	46	37 0	0 0	0 0	0 0	9 0	0 0
D	29	0 -2	0 0	0 0	0 0	30 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (7)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-234	0	0.0	0.0	0.08 (4)	7.81			
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00			
B-C	-10	0	-91.8	-91.8	0.06 (1)	10.00			
E-F	0	0	-18.5	-18.5	0.09 (4)	10.00			
F-G	0	0	-18.5	-18.5	0.09 (4)	10.00			
G-D	0	0	-18.5	-18.5	0.09 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	2-0-12	7	1	12	FRONT	VERT	TOTAL	---	C1
G	4-0-12	1	1	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L 999 (0.02")

CSI: TC=0.12(1.00 (A-B:1) , BC=0.09/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/24/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006925

LUL/LUS/LJS/HUS/HHUS/HGUS

Standard and Double-Shear Joist Hangers

This product is preferable to similar connectors because of a) easier installation, b) higher capacities, c) lower installed cost, or a combination of these features.

Most hangers in this series have double-shear nailing — an innovation that distributes the load through two points on each joist nail for greater strength. This allows for fewer nails, faster installation, and the use of all common nails for the same connection. (Do not bend or remove tabs)

Double-shear hangers range from the light capacity LUS hangers to the highest capacity HGUS hangers. For medium load truss applications, the HUS offers a lower cost alternative and easier installation than the HGUS hangers, while providing greater load capacity and bearing than the LUS.

Material: See table on pp. 258–259.

Finish: Galvanized. Some products available in stainless steel or ZMAX® coating; see Corrosion Information, pp. 20–24.

Installation:

- Use all specified fasteners; see General Notes.
- Nails must be driven at an angle through the joist or truss into the header to achieve the tabulated resistances (except LUL).
- Where 16d commons are specified, 10d commons may be used at 0.83 of the tabulated factored resistance.
- Not designed for welded or nailer applications.
- With single ply 2x carrying members, use 10d x 1½" nails into the header and 10d commons into the joist, and reduce the resistance to 0.64 of the table value where 16d nails are specified and 0.77 where 10d nails are specified.

Options:

- LUS, LJS, LUL and HUS hangers cannot be modified.
- Other sizes available; consult your Simpson Strong-Tie representative.
- See Hanger Options information on p. 126.



LUS28



LU26L



HUS210
(HUS26, HUS28, and HHUS similar)



HGUS28-2



HHUS210-2



Double-Shear Nailing Top View



Double-Shear Nailing Side View; Do not bend tab



Dome Double-Shear Nailing Side View *(available on some models)*

U.S. Patent 5,603,580

Typical HUS26 Installation with Reduced Heel Height

(Truss Designer to provide fastener quantity for connecting multiple members together)





LJS26DS

LUL/LUS/LJS/HUS/HHUS/HGUS

HHUS/HGUS

See Hanger Options information on pp. 125–127.

HHUS — Sloped and/or Skewed Seat

- HHUS hangers can be skewed to a maximum of 45° and/or sloped to a maximum of 45°
- For skew only, maximum factored down resistance is 0.85 of the table value
- For sloped only or sloped and skewed hangers, the maximum factored down resistance is 0.72 of the table value
- Uplift resistances for sloped/skewed conditions are 0.62 of the table value
- The joist must be bevel-cut to allow for double-shear nailing

HGUS — Skewed Seat

- HGUS hangers can be skewed only to a maximum of 45°. Factored resistances are:

HGUS Seat Width	Joist	Down Resistance	Uplift
W < 2"	Bevel or square cut	0.62 of table value	0.46 of table value
2" < W < 6"	Bevel cut	0.67 of table value	0.41 of table value
2" < W < 6"	Square cut	0.46 of table value	0.41 of table value
W > 6"	Bevel cut	0.75 of table value	0.41 of table value



Top View HHUS Hanger Skewed Right
(joist must be bevel cut)
All joist nails installed on the outside angle *(non-acute side)*.

Standard and Double-Shear Joist Hangers (cont.)

■ These products are available with additional corrosion protection. For more information, see p. 24.

◤ These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

	Model No.	Ga.	Dimensions (in.) W	H	B	d_e[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L Uplift (K_D = 1.15) lb. / kN	D.Fir-L Normal (K_D = 1.00) lb. / kN	S-P-F Uplift (K_D = 1.15) lb. / kN	S-P-F Normal (K_D = 1.00) lb. / kN
	Single 2x Sizes											
■	LUS24	18	1⁹⁄₁₆	3⅛	1¾	2¼	(4) 10d	(2) 10d	710 / 3.16	1625 / 7.23	645 / 2.87	1155 / 5.14
	LU24L	22	1⁹⁄₁₆	3	1⅝	2¹⁵⁄₁₆	(4) 10d	(2) 10d x 1½"	360 / 1.60	1020 / 4.54	320 / 1.42	725 / 3.22
	LU26L	22	1⁹⁄₁₆	5	1⅝	4⅝	(6) 10d	(4) 10d x 1½"	720 / 3.20	1606 / 7.14	645 / 2.87	1140 / 5.07
◤■	LUS26	18	1⁹⁄₁₆	4¾	1¾	3¾	(4) 10d	(4) 10d	1420 / 6.32	2170 / 9.65	1290 / 5.74	1630 / 7.25
■	HUS26	16	1⅝	5⅜	3	3¹⁵⁄₁₆	(14) 16d	(6) 16d	2705 / 11.80	4940 / 21.97	2065 / 9.20	3875 / 17.24
	LJS26DS	18	1⁹⁄₁₆	5	3½	4⅝	(16) 16d	(6) 16d	2055 / 9.14	4265 / 18.97	1460 / 6.49	4115 / 18.31
	HGUS26	12	1⅝	5⅜	5	4⅛	(20) 16d	(8) 16d	2685 / 11.96	6625 / 29.51	2685 / 11.96	5700 / 25.35
	LU28L	20	1⁹⁄₁₆	6¾	1⅝	5⅞	(8) 10d	(6) 10d x 1½"	1140 / 5.07	2185 / 9.72	1020 / 4.54	1550 / 6.89
◤■	LUS28	18	1⁹⁄₁₆	6⅝	1¾	3¾	(6) 10d	(4) 10d	1420 / 6.32	2520 / 11.21	1290 / 5.74	1790 / 7.96
■	HUS28	16	1⅝	7¹⁵⁄₁₆	3	6¹⁵⁄₁₆	(22) 16d	(8) 16d	3605 / 16.04	5386 / 23.86	2675 / 11.90	4345 / 19.33
	HGUS28	12	1⅝	7⅛	5	6⅛	(36) 16d	(12) 16d	3310 / 14.74	7675 / 34.19	3310 / 14.74	6900 / 30.73
	LU210L	20	1⁹⁄₁₆	8	1⅝	7⅝	(10) 10d	(6) 10d x 1½"	1140 / 5.07	2495 / 11.10	1020 / 4.54	1770 / 7.87
◤■	LUS210	18	1⁹⁄₁₆	7¹⁵⁄₁₆	1¾	3⅞	(8) 10d	(4) 10d	1420 / 6.32	2785 / 12.39	1290 / 5.74	2210 / 9.83

1. Factored uplift resistances have been increased 15% for wind or earthquake loading; no further increase is allowed.
2. Designer must ensure that hanger is compatible with truss when reduced heel height is used.
3. d_e is the distance from the bearing seat to the top joist nail.
4. Resistances shown require a minimum 2-ply girder truss. For fastening to single-ply truss request technical bulletin T-C-N10TRSSCN and/or see installation notes.
5. Nails: 16d = 0.162" dia. x 3½" long. See pp. 27–28 for other nail sizes and information.

SIMPSON Strong-Tie®

Face-Mount Hangers

■ These products are available with additional corrosion protection. For more information, see p. 24.

◤ These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32-34 for more information.

Model No.	Ga.	Dimensions (In.) W	H	B	d_e[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L Uplift (K_D = 1.15) lb. / kN	D.Fir-L Normal (K_D = 1.00) lb. / kN	S-P-F Uplift (K_D = 1.15) lb. / kN	S-P-F Normal (K_D = 1.00) lb. / kN
Double 2x Sizes											
■ LUS24-2	18	3⅛	3⅛	2	1½	(4) 16d	(2) 16d	835 / 3.71	2020 / 8.99	590 / 2.62	1435 / 6.38
SS LUS26-2	18	3⅛	4⅞	2	4	(4) 16d	(4) 16d	1720 / 7.65	2595 / 11.54	1545 / 6.87	1920 / 8.54
■ HHUS26-2	14	3⅝	5⅜	3	3 15/16	(14) 16d	(6) 16d	2850 / 12.68	7335 / 32.63	2065 / 9.20	5205 / 23.15
HGUS26-2	12	3⅝	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 / 19.51	8950 / 39.81	3110 / 13.83	6355 / 28.27
SS LUS28-2	18	3⅛	7	2	4	(6) 16d	(4) 16d	1720 / 7.65	3325 / 14.79	1545 / 6.87	2575 / 11.45
■ HHUS28-2	14	3⅝	7⅛	3	6⅛	(22) 16d	(8) 16d	3765 / 16.75	8940 / 39.77	2675 / 11.90	6345 / 28.22
HGUS28-2	12	3⅝	7⅛	4	6⅛	(36) 16d	(12) 16d	6070 / 27.00	12980 / 57.74	4310 / 19.17	9215 / 40.99
SS LUS210-2	18	3⅛	9	2	6	(8) 16d	(6) 16d	2580 / 11.48	4500 / 20.02	2320 / 10.32	3195 / 14.21
■ HHUS210-2	14	3⅝	9⅛	3	8	(30) 16d	(10) 16d	4670 / 20.77	9660 / 42.97	4235 / 18.84	7000 / 31.14
HGUS210-2	12	3⅝	9⅜	4	8⅛	(46) 16d	(16) 16d	6840 / 30.43	14015 / 62.34	4855 / 21.60	10270 / 45.69
Triple 2x Sizes											
HGUS26-3	12	4 15/16	5½	4	4⅛	(20) 16d	(8) 16d	4385 / 19.51	8950 / 39.81	3110 / 13.83	6355 / 28.27
HGUS28-3	12	4 15/16	7¼	4	6⅛	(36) 16d	(12) 16d	6070 / 27.00	12980 / 57.74	4310 / 19.17	9215 / 40.99
■ HHUS210-3	14	4 15/16	9	3	7 15/16	(30) 16d	(10) 16d	4670 / 20.77	9670 / 43.02	4235 / 18.84	6865 / 30.54
HGUS210-3	12	4 15/16	9¼	4	8⅛	(46) 16d	(16) 16d	6840 / 30.43	14645 / 65.14	4855 / 21.60	10400 / 46.26
Quadruple 2x Sizes											
HGUS26-4	12	6 15/16	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 / 19.51	8950 / 39.81	3110 / 13.83	6355 / 28.27
HGUS28-4	12	6 15/16	7 15/16	4	6⅛	(36) 16d	(12) 16d	6070 / 27.00	12980 / 57.74	4310 / 19.17	9215 / 40.99
■ HHUS210-4	14	6⅛	8⅞	3	7 15/16	(30) 16d	(10) 16d	4670 / 20.77	10155 / 45.17	4235 / 18.84	7210 / 32.07
HGUS210-4	12	6⅝	9⅛	4	8⅛	(46) 16d	(16) 16d	6840 / 30.43	14645 / 65.14	4855 / 21.60	10400 / 46.26
HGUS212-4	12	6⅝	10⅝	4	10⅛	(56) 16d	(20) 16d	7640 / 33.98	14995 / 66.70	5425 / 24.13	10645 / 47.35
HGUS214-4	12	6⅝	12⅝	4	11⅛	(66) 16d	(22) 16d	10130 / 45.06	16400 / 72.95	7195 / 32.00	11645 / 51.80
4x Sizes											
■ LUS46	18	3⅝	4¾	2	3⅞	(4) 16d	(4) 16d	1720 / 7.65	2595 / 11.54	1545 / 6.87	1920 / 8.54
■ HHUS46	14	3⅝	5¼	3	3 15/16	(14) 16d	(6) 16d	2540 / 11.30	7335 / 32.63	2065 / 9.20	5205 / 23.15
HGUS46	12	3⅝	5¼	4	4⅛	(20) 16d	(8) 16d	4385 / 19.51	8950 / 39.81	3110 / 13.83	6355 / 28.27
■ LUS48	18	3⅝	6¾	2	3⅞	(6) 16d	(4) 16d	1720 / 7.65	3325 / 14.79	1545 / 6.87	2575 / 11.45
■ HHUS48	14	3⅝	7⅛	3	6⅛	(22) 16d	(8) 16d	3765 / 16.75	8940 / 39.77	2675 / 11.90	6345 / 28.22
HGUS48	12	3⅝	7 15/16	4	6⅛	(36) 16d	(12) 16d	6070 / 27.00	12980 / 57.74	4310 / 19.17	9215 / 40.99
■ LUS410	18	3⅝	8¾	2	5⅝	(8) 16d	(6) 16d	2580 / 11.48	4500 / 20.02	2320 / 10.32	3195 / 14.21
HGUS410	12	3⅝	9	4	8⅛	(46) 16d	(16) 16d	6840 / 30.43	14015 / 62.34	4855 / 21.60	10270 / 45.69
HGUS412	12	3⅝	10⅞	4	10⅛	(56) 16d	(20) 16d	7640 / 33.98	14995 / 66.70	5425 / 24.13	10645 / 47.35
HGUS414	12	3⅝	12⅝	4	11⅛	(66) 16d	(22) 16d	10130 / 45.06	16400 / 72.95	7195 / 32.00	11645 / 51.80

See footnotes on p. 258.

TC – Truss Connectors

The TC truss connector is an ideal connector for scissor trusses and can allow horizontal movement up to 1¼". The TC also attaches plated trusses to top plates or sill plates to resist uplift forces. Typically used on one or both ends of truss as determined by the building designer.

Material: 16 gauge

Finish: G90 galvanized

Design: Factored resistances are in accordance with CSA O86-14

Installation:

- Use all specified fasteners.
- Nails: 10d = 0.148" dia. x 3" long common wire, 10d x 1½ = 0.148" dia. x 1½" long.
- Drive 10d nails into the truss at the inside end of the slotted holes (inside end is towards the centre of the truss) and clinch on the back side. Do not seat these nails into the truss–allow room under the nail head for movement of the truss with respect to the wall.

Optional TC Installation:

- Bend one flange up 90°. Drive specified nails into the top and face of the top plates or install Titen® screws into the top and face of masonry wall. See optional load tables and installation details.



TC24
U.S. Patent 4,932,173



Typical TC24 Installation



TC26
(TC28 Similar)


Optional TC26 Installation for Grouted Concrete Block using a Wood Nailer
(8", 10", 12" Wall Installation Similar)



Optional TC26 Installation for Grouted Concrete Block using Titen Screws

Model No.	Fasteners		Factored Resistance	
			D.Fir-L	S-P-F
	Truss	Wall Plates	Uplift (K_D=1.15)	Uplift (K_D=1.15)
			lb.	lb.
TC24	(4) 10d	(4) 10d	605	430
TC26	(5) 10d	(6) 10d	1015	720
TC28	(5) 10d	(6) 10d	1015	720

Optional TC Installation Table

Model No.	Fasteners		Factored Resistance	
			D.Fir-L	S-P-F
	Truss	Wall Plates	Uplift (K_D=1.15)	Uplift (K_D=1.15)
			lb.	lb.
TC26	(5) 10d	(6) 10d x 1½"	810	660
	(5) 10d	(6) 10d	930	660

1. Factored resistances have been increased 15% for earthquake or wind loading; no further increase allowed; reduce where other loads govern.
2. Grout strength is 15 MPa minimum.
3. Optional TC26 installation with 10d nails requires minimum 3" top plate thickness.
4. TC26 fastened to grouted concrete block with (6) – ³⁄₁₆" x 2¼" Titen screws has a factored uplift resistance of 275 lb.



H/TSP

SIMPSON Strong-Tie®

Seismic and Hurricane Ties (cont.)

■ These products are available with additional corrosion protection. For more information, see p. 24.

◤ These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Fasteners			Factored Resistance (K_D = 1.15)					
					D.Fir-L			S-P-F		
		To Rafters/ Truss	To Plates	To Studs	Uplift	Lateral		Uplift	Lateral	
						F_1	F_2		F_1	F_2
					lb.	lb.	lb.	lb.	lb.	lb.
					kN	kN	kN	kN	kN	kN
■ H1	18	(6) 8d x 1½"	(4) 8d	—	740	665	300	680	485	215
					3.29	3.05	1.33	3.02	2.16	0.98
SS H2A	18	(5) 8d x 1½"	(2) 8d x 1½"	(5) 8d x 1½"	830	220	75	590	155	55
					3.69	0.98	0.33	2.62	0.69	0.24
SS H2.5A	18	(5) 8d	(5) 8d	—	805	160	160	755	160	160
					3.58	0.71	0.71	3.36	0.71	0.71
H2.5T	18	(5) 8d	(5) 8d	—	835	175	210	740	160	210
					3.71	0.78	0.93	3.29	0.71	0.93
SS H3	18	(4) 8d	(4) 8d	—	740	180	265	615	125	190
					3.29	0.80	1.18	2.74	0.56	0.85
■ H6	16	—	(8) 8d	(8) 8d	1585	1085	—	1125	770	—
					7.05	4.83	—	5.00	3.43	—
■ H7Z	16	(4) 8d	(2) 8d	(8) 8d	1390	670	—	990	475	—
					6.18	2.98	—	4.40	2.11	—
SS H8[3]	18	(5) 10d x 1½"	(5) 10d x 1½"	—	1120	—	—	1025	—	—
					4.98	—	—	4.56	—	—
SS H10A[9]	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1735	795	410	1505	565	290
					7.72	3.54	1.82	6.69	2.51	1.29
H10AR	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1485	690	430	1220	570	305
					6.61	3.07	1.91	5.43	2.54	1.36
■ H10A-2	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1835	1275	430	1645	880	305
					8.16	5.67	1.91	7.32	3.91	1.36
H10S[7,8]	18	(8) 8d x 1½"	(8) 8d x 1½"	(8) 8d	1465	795	315	1040	565	225
					6.52	3.54	1.40	4.63	2.51	1.00
■ H11Z	18	(6) 16d x 2½"	(6) 16d x 2½"	—	1095	920	545	780	655	390
					4.87	4.09	2.42	3.47	2.91	1.73
H14	18	1 (12) 8d x 1½"	(13) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
		2 (12) 8d x 1½"	(15) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
TSP	16	(9) 10d x 1½"	(6) 10d x 1½"	—	1295	440	—	920	310	—
					5.76	1.96	—	4.09	1.38	—
		(9) 10d x 1½"	(6) 10d	—	1560	440	—	1105	310	—
					6.94	1.96	—	4.92	1.38	—

1. Factored resistances have been increased 15% for short term loading; no further increase is allowed.
2. Factored resistances are for one anchor. A minimum rafter thickness of 2½" must be used when framing anchors are installed on the same side of the plate (exception: H2.5A).
3. H8 factored uplift resistances for stud-to-bottom plate installations are 595 lb. (2.65 kN) for D.Fir-L and 390 lb. (1.74 kN) for S-P-F.
4. When cross-grain bending or cross-grain tension cannot be avoided, mechanical reinforcement to resist such forces should be considered.
5. Hurricane ties are shown installed on the outside of the wall for clarity. Installation on the inside of the wall is acceptable. For a continuous load path, connections at the top and bottom of the wall must be on the same side of the wall (see technical bulletin T-HTIECONPATH).
6. Factored resistances in the F_1 direction are not intended to replace diaphragm boundary members or prevent cross grain bending of the truss or rafter members. Additional shear transfer elements shall be considered where there may be effects of cross grain bending or tension.
7. H10S can have the stud offset a maximum of 1" from the rafter (centre to centre) for a reduced uplift of 1435 lb. (6.38 kN) D.Fir-L and 1015 lb. (4.51 kN) S-P-F.
8. H10S nails to plates are optional for uplift but required for lateral loads.
9. H10A may be field-bent up to a slope of 6/12. Multiply the tabulated uplift value x 0.75. Full tabulated lateral resistances apply.
10. The factored resistances of stainless-steel connectors match carbon-steel connectors when installed with Simpson Strong-Tie® stainless-steel, SCNR ring-shank nails. For more information, refer to engineering letter L-F-SSNAILS at strongtie.com.
11. D.Fir-L/S-P-F factored uplift resistances for the H2.5A fastened to a 2x4 truss bottom chord and double top plates using (5) 8d x 1½" nails into the top plates and (3) 8d x 1½" nails into the lowest three flange holes into the truss bottom chord is 495 lb. (2.20 kN).
12. Nails: 16d x 2½" = 0.162" dia. x 2¼" long, 10d = 0.148" dia. x 3" long, 10d x 1½" = 0.148" dia. x 1½" long, 8d = 0.131" dia. x 2½" long, 8d x 1½" = 0.131" dia. x 1½" long. See pp. 27–28 for other nail sizes and information.

BEARING ANCHORAGE BY TOE-NAILS FOR LATERAL CAPACITY

B97791H1

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL LATERAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	132	147
	3.25	0.144	132	147
	3.50	0.160	159	177
COMMON SPIRAL	3.00	0.122	97	108
	3.25	0.122	97	108
	3.50	0.152	145	162

NOTES:

1. Rafter and ceiling members may be anchored to top and bottom chords of girder truss by toe-nailing rafter and ceiling members to girder chords provided the reaction does not exceed the lateral capacities in the table. Hangers (specified by others) are required for reactions higher than the maximum toe-nail capacity. Reactions are based on factored loads.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.4.1.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in tables below.
5. Nail values in table are based on the following relative lumber densities: G = 0.42 (SPF), G = 0.49 (D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See next page for nailing on bearing plate).
7. For loads due to **wind** the nail lateral capacity in this table may be multiplied by 1.15 (K_D factor).
8. Lumber must be dry (< 19% moisture content) at the time of nail installation.
9. Nail values in this table comply with CSA O86-14, section 12.9.4
10. This design is not valid after March 31, 2021.





TOE-NAIL INSTALLATION

Nail type	Common wire	Common spiral	Common wire	Common spiral
Nail dia. (in)	0.160	0.152	0.144	0.122
	(3.5" nail)		**(3" and 3.25" nail)**	
LUMBER SIZE	**MAXIMUM NUMBER OF TOE-NAILS**			
2X4 SPF	2	2	3	3
2X4 D. Fir	2	2	2	2
2X6 SPF	4	4	4	5
2X6 D. Fir	3	3	3	4

MiTek® MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019

PEO
Certificate No. 10889465

BEARING ANCHORAGE BY TOE-NAILS FOR WIND LOADING

B97791H2

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL WITHDRAWAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	30	42
	3.25	0.144	32	45
	3.50	0.160	38	52
COMMON SPIRAL	3.00	0.122	26	36
	3.25	0.122	28	40
	3.50	0.152	36	50

Note: If using truss with D. Fir lumber and S-P-F bearing plate, use values in table for S-P-F.

NOTES:

1. Truss chord, rafter, or ceiling members may be anchored to bearing plate by toe-nails, provided that the actual factored uplift force due to **wind** or **earthquake** load does not exceed the withdrawal capacities in the table. Hangers (specified by others) are required for uplift forces that are higher than the maximum toe-nail withdrawal capacity.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.5.2.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in table above.
5. Nail values in table are based on the following relative lumber densities: G = 0.42(SPF), G = 0.49(D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See drawing on detail B37579H1).
7. Lumber must be dry (< 19% moisture content) at the time of nail installation.
8. Nail values in this table comply with CSA O86-14, section 12.9.5
9. This design is not valid after March 31, 2021.

Toe-nailing on 2x6 Bearing Plate



Elevation view





Toe-nailing viewed from end of joist or truss

Toe-nailing on 2x4 Bearing Plate



Elevation view



PEO
Certificate No. 10889465

MiTek®

MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019

Symbols

PLATE LOCATION AND ORIENTATION



Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths or mm. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0-1/16" from outside edge of truss.

This symbol indicates the required direction of slots in connector plates.

*Plate location details available in MiTek software or upon request.

PLATE SIZE

4 X 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING LOCATION

Indicated by symbol shown and/or by text in the bracing section of the output. Use T, I or Eliminator bracing if indicated.

BEARING



Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur.

Industry Standards:

TPIC: Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses
DSB-89: Design Standard for Bracing.
BCSI: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

Numbering System



dimensions shown in ft-in-sixteenths or mm (Drawings not to scale)



JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.

CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.

PRODUCT CODE APPROVALS

CCMC Reports:

11996-L, 10319-L, 13270-L, 12691-R

MiTek®
POWER TO PERFORM.™

MiTek Engineering Reference Sheet: MII-7473C rev. 10-'08

⚠ General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury

1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T, I, or Eliminator bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by TPIC.
7. Design assumes trusses will be suitably protected from the environment in accord with TPIC.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with TPIC Quality Criteria.

ONTARIO WOOD TRUSS
FABRICATORS ASSOCIATION

TECH-NOTES

TN 15-001
Piggyback Bracing

Overview:

Where piggybacks are connected overtop of base trusses, 2x4 purlins must be first added to the flat portion of the base truss at a spacing no more than 24" o/c. These purlins not only provide support for the piggyback trusses above, but are required to laterally support the top chord of the base truss which will not have the sheathing directly connected to the flat portion of the base truss. This ensures the top chord, most often in compression, will not buckle laterally.

Further, the purlins in the plane of the flat portion require diagonal bracing to prevent lateral displacement of the purlins themselves where under certain conditions, the trusses may in fact all buckle in the same direction if this additional bracing is not added in the plane of the purlins.

Detail:



NOTE: THE SLOPED PORTION OF THE TOP CHORD OF THE BASE TRUSS AND PIGGYBACK TRUSS IN THIS SKETCH IS ASSUMED TO BE SHEATHED IN ACCORDANCE WITH THE OBC.

SKETCH FROM BCSI-CANADA 2013



Alves Engineering Services Inc.
5208 Easton road
Burlington, Ontario L7L 6N6
(289) 259 5455

RESPONSABILITIES

1-Alves Engineering Services Inc. is responsible for the design of trusses as individual components

2-It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities having jurisdictions.

3- All dimensions are to be verified by owner, contractor, architect or other authority before manufacture.

4- Alves Engineering Services Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Alves Engineering Services Inc. drawings is specified for the truss as a single component and forms an integral part of the truss design, but is not meant to represent the only required bracing for that truss when trusses are installed in a series of trusses forming a roof truss system.

5- It is the manufactures responsibility to ensure that the trusses are manufactured in conformance with Alves Engineering Services Inc. specifications outlined below.

SPECIFICATIONS

1-Truss components sealed by Alves Engineering Services Inc. conform to the relevant sections of the current Building Code of Ontario and Canada (part 4 or part 9) or the current Canadian code for Farm Buildings in accordance with the application specified on the sealed truss component drawing. All truss component design procedures must conform to the current design standard issued by the truss plate institute of Canada (TPIC). All lumber and nailing stresses to conform to the current CSA wood design standard identified on the current Building Code and TPIC.

2- Lumber is to be the sizes and grade specified on the truss drawing.

3- Moist content of lumber is not to exceed 19% in service unless otherwise specified.

4- Plates shall be applied to both faces of the each truss joint and shall be positioned as shown on the truss drawings

5- Lumber used on manufacture of trusses is not to be treated with chemicals unless otherwise specified on the truss drawings.

6- The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals specified on the truss drawing but not exceeding 24" c/c for (part 9) and not exceeding 48" for (part 4 or farm design)

7- When rigid ceiling is not attached directly to the bottom chord, lateral bracing is required and it should not exceed more than 3m or 10' intervals.

8-Refer to Mitek sheet MII7473C REV.10-08 attached for information on symbols, numbering system and General Safety notes.

T-18002/18 Feb 09, 2018