ROOF PITCH 6/12 UNLESS NOTED



ALL CONV. FRAMING TO CONFORM WITH PART 9 OF O.B.C.2012 (2019 AMENDMENT)ROOF RAFTERS THAT CROSS MEET OVER TRUSSES TO BE 2X4SPF @ 24"O.C. WITH A 2X4 VERT. POST TO THE TRUSS UNDER NEATH AT EACH CROSS PT. VERT. POST LONGER THAN 6" TO HAVE LATERAL BRACING SO THAT THE DISTANCE BETWEEN END PT. & BETWEEN ROWS OF BRACING DOES NOT EXCEED 6"

ASPHALT SHINGLES
12"FINISHED OH.
R.T.M.C.
2X6 EXTERIOR WALLS
2X6 FASCIA BOARD

HARDWARE:
LUS24 - (O)
HUSC26-2 - (CC)
HGUS26-2 - (XX)

CITY OF HAMILTON
BUILDING DIVISION
Planning & Development Department
FEB 10 2021
REC'D BY ____ DATE ____
REF'D TO ____ DATE ____

DENOTES
CONV
FRAMING

DESIGN CONFORMS
WITH O.B.C.2012 PART 9
(2019 AMENDMENT)
DESIGN LOADS:
SNOW LOAD 25.6 PSF
TC DEAD 6 PSF
BC LIVE 0 PSF
BC DEAD 7.4 PSF

BM30, BM31 = 2-2X10

TAMARACK ROOF TRUSSES INC.

Job Track: 51225	Builder / Location: GREEN PARK HOMES / WATERDOWN	Model / Elevation: VALLEYCREEK 4/3	Mitek ver 8.3.1.215
Plan Log: 202404	Project: RUSSELL GARDENS PH.3		LOT 285
Layout ID: 408165	Date: 2020-05-11 Sales: Mario DiCano Designer: AC/JG	THESE DRAWINGS CONSTITUTE THE PROPERTY OF TAMARACK ROOF TRUSSES INC., SHALL NOT BE REPRODUCED, PUBLISHED, OR REDISTRIBUTED IN ANY MANNER OR UTILIZED FOR ANY PURPOSE OTHER THAN THE MANUFACTURE OF TRUSSES BY TAMARACK ROOF TRUSSES INC AND WILL BE RETRACTED BY TAMARACK ROOF TRUSSES INC IF UTLILZED FOR ANY OTHER PURPOSE.	

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202404
Project:	RUSSELL GARDENS PH.3	Layout ID:	408165
Location:	WATERDOWN	Ref #	
Model:	VALLEYCREEK 4	Page:	1 of 2
Lot #:	285	Date:	04-15-2020
Elevation:	3	Designer:	Andrew Conway
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT, RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1 2-ply	T21 Hip Girder	6 /12	31-11-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 1-02-00	310.75 194.00		
	1 2-ply	T21Z Hip Girder	6 /12	31-11-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 1-02-00	310.75 194.00		
	2	T22 Hip	6 /12	31-11-00	5-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	259.03 161.67		
	2	T23 Hip	6 /12	31-11-00	6-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	258.25 161.33		
	2	T24 Hip	6 /12	31-11-00	7-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	271.21 168.33		
	2	T25 Hip	6 /12	31-11-00	8-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	262.57 165.00		
	7	T26 Hip	6 /12	31-11-00	9-01-12	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	904.65 565.83		
	4	T32 Roof Special	6 /12	8-03-00	4-01-04	2 x 4		1-00-00 4-01-04	119.18 76.00		
	1	T33S Hip Girder	6 /12	13-01-00	3-11-00	2 x 4	1-03-08	1-02-00 1-02-00	54.31 36.00		
	4	T34 Common	6 /12	13-01-00	5-00-04	2 x 4	1-03-08	1-02-00 2-04-00	206.67 135.33		
	1	T34CP Hip	6 /12	13-01-00	4-11-00	2 x 4	1-03-08	1-02-00 2-04-00	51.56 33.83		
	6	J21 Jack-Open	6 /12	1-09-07	2-00-12	2 x 4	1-03-08 1-01	1-02-00 2-00-12	42.13 28.00		
	3	J22 Jack-Open	6 /12	1-10-08	3-00-12	2 x 4	1-03-08 1-10-15	1-02-00 2-01-04	28.71 18.00		
	2	J23 Jack-Open	6 /12	1-09-07	2-00-12	2 x 4	1-03-08 4-01-01	1-02-00 2-00-12	23.16 14.67		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202404
Project:	RUSSELL GARDENS PH.3	Layout ID:	408165
Location:	WATERDOWN	Ref #	
Model:	VALLEYCREEK 4	Page:	2 of 2
Lot #:	285	Date:	04-15-2020
Elevation:	3	Designer:	Andrew Conway
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	2	J24 Jack-Open	6 /12	3-09-07	3-00-12	2 x 4	1-03-08 2-01-01	1-02-00 3-00-12	28.26 17.33		
	11	J25 Jack-Open	6 /12	5-10-08	4-01-04	2 x 4	1-03-08	1-02-00 4-01-04	184.74 117.33		
	2	J31 Jack-Open	6 /12	1-10-15	2-01-08	2 x 4	1-03-08 1-03-01	1-02-00 2-01-08	17.31 12.00		
	3	J32 Jack-Open	6 /12	3-02-00	2-09-00	2 x 4	1-03-08	1-02-00 2-09-00	30.76 22.00		
	1	J33 Jack-Open	6 /12	6-10-00	2-01-08	2 x 4		8-04 4-01-04	13.22 8.67		
	1	J34 Jack-Open	6 /12	6-10-00	3-01-08	2 x 4		8-04 4-01-04	15.77 10.00		
	3	J35 Jack-Open	6 /12	6-10-00	4-01-04	2 x 4		8-04 4-01-04	67.97 45.00		

TOTAL # TRUSS= **63** TOTAL BFT OF ALL TRUSSES= **2184.32** BFT. TOTAL WEIGHT OF ALL TRSSES **3460.95** LBS

HARDWARE

QTY	TYPE	MODEL	LENGTH
9	Hardware	LUS24	
1	Hardware	HGUS26-2	
1	Hardware	HUSC26-2	

TOTAL NUMBER OF ITEMS= **11**

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	T1	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:35 2020 Page 1

ID:KIHNL?klAuBVUgBrpQW7E8zIs6y-tmv3EgegdlkXqcuTINYXUUGDwL2jdjw_1K2addzPIX



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
Y - B	2x6	DRY	No.2	SPF
M - K	2x6	DRY	No.2	SPF
Y - T	2x6	DRY	No.2	SPF
T - R	2x6	DRY	No.2	SPF
R - M	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS		SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A- D	1	12	SIDE(61.0)
D- G	1	12	SIDE(61.0)
G- I	1	12	SIDE(61.0)
I- L	1	12	SIDE(61.0)
Y- B	2	12	TOP
M- K	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
Y- T	2	12	SIDE(183.1)
T- R	2	12	SIDE(183.1)
R- M	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
V- D	1	6	SIDE(30.3)
P- I	1	6	SIDE(30.3)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	6.0	1.50	3.00
C	TMWW+t	MT20	5.0	6.0		
D	TTWWW-m	MT20	5.0	8.0	1.75	3.50
E	TMWW-t	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0		
I	TTWWW-m	MT20	5.0	8.0	1.75	3.50
J	TMWW+t	MT20	5.0	6.0		
K	TMVW-p	MT20	5.0	6.0	1.50	3.00
M	BMV1+p	MT20	3.0	6.0		
N, O, Q, U, W, X						
N	BMWW-t	MT20	5.0	6.0		
P	BMW+w	MT20	3.0	8.0		
R	BS-t	MT20	5.0	6.0		
S	BMWWW-t	MT20	5.0	8.0		
T	BS-t	MT20	5.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	RECRD BRG IN-SX
Y	3538	0	3538	0	0	5-8	5-8
M	3537	0	3537	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Y	2500	1655 / 0	0 / 0	0 / 0	0 / 0	845 / 0	0 / 0
M	2499	1654 / 0	0 / 0	0 / 0	0 / 0	845 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Y, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.47 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX (PLF) CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 35	-91.8	-91.8	0.07 (1)	10.00
B- C	-3538 / 0	-91.8	-91.8	0.10 (1)	4.91
C- D	-3862 / 0	-91.8	-91.8	0.15 (1)	4.70
D- Z	-5401 / 0	-91.8	-91.8	0.54 (1)	3.65
Z-AA	-5401 / 0	-91.8	-91.8	0.54 (1)	3.65
AA- E	-5401 / 0	-91.8	-91.8	0.54 (1)	3.65
E-AB	-5901 / 0	-91.8	-91.8	0.57 (1)	3.47
AB-AC	-5901 / 0	-91.8	-91.8	0.57 (1)	3.47
AC- F	-5901 / 0	-91.8	-91.8	0.57 (1)	3.47
F- G	-5901 / 0	-91.8	-91.8	0.57 (1)	3.48
G-AD	-5901 / 0	-91.8	-91.8	0.57 (1)	3.48
AD- H	-5901 / 0	-91.8	-91.8	0.57 (1)	3.48
H-AE	-5397 / 0	-91.8	-91.8	0.54 (1)	3.65
AE-AF	-5397 / 0	-91.8	-91.8	0.54 (1)	3.65
AF- I	-5397 / 0	-91.8	-91.8	0.54 (1)	3.65
I- J	-3860 / 0	-91.8	-91.8	0.15 (1)	4.70
J- K	-3536 / 0	-91.8	-91.8	0.10 (1)	4.91
K- L	0 / 35	-91.8	-91.8	0.07 (1)	10.00
Y- B	-3500 / 0	0.0	0.0	0.13 (1)	7.48
M- K	-3498 / 0	0.0	0.0	0.13 (1)	7.48
Y- X	0 / 0	-18.5	-18.5	0.02 (1)	10.00
X- W	0 / 2981	-18.5	-18.5	0.26 (1)	10.00
W-AG	0 / 3659	-18.5	-18.5	0.30 (1)	10.00
AG- V	0 / 3659	-18.5	-18.5	0.30 (1)	10.00
V-AH	0 / 3665	-18.5	-18.5	0.28 (1)	10.00
AH-AI	0 / 3665	-18.5	-18.5	0.28 (1)	10.00
AI- U	0 / 3665	-18.5	-18.5	0.28 (1)	10.00
U- T	0 / 5401	-18.5	-18.5	0.40 (1)	10.00
T-AJ	0 / 5401	-18.5	-18.5	0.40 (1)	10.00
AJ- S	0 / 5401	-18.5	-18.5	0.40 (1)	10.00
S-AK	0 / 5398	-18.5	-18.5	0.40 (1)	10.00
AK- R	0 / 5398	-18.5	-18.5	0.40 (1)	10.00
R- Q	0 / 5398	-18.5	-18.5	0.40 (1)	10.00
Q-AL	0 / 3863	-18.5	-18.5	0.28 (1)	10.00
AL-AM	0 / 3863	-18.5	-18.5	0.28 (1)	10.00
AM- P	0 / 3663	-18.5	-18.5	0.28 (1)	10.00
P-AN	0 / 3658	-18.5	-18.5	0.30 (1)	10.00
AN- O	0 / 3658	-18.5	-18.5	0.30 (1)	10.00
O- N	0 / 2980	-18.5	-18.5	0.28 (1)	10.00
N- M	0 / 0	-18.5	-18.5	0.02 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
X- C	-1140 / 0	0.10 (1)
V- D	0 / 265	0.04 (4)
D- U	0 / 2416	0.30 (1)
U- E	-1507 / 0	0.31 (1)
E- S	0 / 703	0.09 (1)
S- F	-836 / 0	0.17 (1)
S- H	0 / 706	0.09 (1)
Q- H	-1505 / 0	0.31 (1)
Q- I	0 / 2413	0.30 (1)
P- I	0 / 265	0.04 (4)
N- J	-1139 / 0	0.10 (1)
B- X	0 / 3248	0.40 (1)
N- K	0 / 3247	0.40 (1)
C- W	0 / 681	0.08 (1)
W- D	-948 / 0	0.26 (1)
O- J	0 / 681	0.08 (1)
I- O	-947 / 0	0.26 (1)

TOTAL WEIGHT = 2 X 163 = 325 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.23")

CSI: TC=0.57/1.00 (E-F:1) , BC=0.40/1.00 (S-U:1) , WB=0.40/1.00 (B-X:1) , SSI=0.23/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

SI GRIP= 0.85 (I) (INPUT = 0.90)
SI METAL= 0.50 (R) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/20/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only 1/2
DWG# T-2006468

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408163	T1	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:KIHNL?kIAuBVUqBrpQW7E8zIs6y-tmv3EgegdlkXqcuTINYXUUGDwL2jdjw_1K2addzPtX

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
V	BMW+w	MT20	3.0	6.0		
Y	BMV1+p	MT20	3.0	6.0		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
D	5-10-8	-584	-584	--	FRONT	VERT	TOTAL	--	C1
F	15-11-8	-178	-178	--	FRONT	VERT	TOTAL	--	C1
G	17-11-12	-178	-178	--	FRONT	VERT	TOTAL	--	C1
I	26-0-8	-584	-584	--	FRONT	VERT	TOTAL	--	C1
N	29-11-12	-36	-36	--	FRONT	VERT	TOTAL	--	C1
P	25-11-12	-36	-36	--	FRONT	VERT	TOTAL	--	C1
R	19-11-12	-36	-36	--	FRONT	VERT	TOTAL	--	C1
S	15-11-8	-36	-36	--	FRONT	VERT	TOTAL	--	C1
T	11-11-4	-36	-36	--	FRONT	VERT	TOTAL	--	C1
V	5-11-4	-36	-36	--	FRONT	VERT	TOTAL	--	C1
X	1-11-4	-36	-36	--	FRONT	VERT	TOTAL	--	C1
Z	7-11-4	-178	-178	--	FRONT	VERT	TOTAL	--	C1
AA	9-11-4	-178	-178	--	FRONT	VERT	TOTAL	--	C1
AB	11-11-4	-178	-178	--	FRONT	VERT	TOTAL	--	C1
AC	13-11-4	-178	-178	--	FRONT	VERT	TOTAL	--	C1
AD	19-11-12	-178	-178	--	FRONT	VERT	TOTAL	--	C1
AE	21-11-12	-178	-178	--	FRONT	VERT	TOTAL	--	C1
AF	23-11-12	-178	-178	--	FRONT	VERT	TOTAL	--	C1
AG	3-11-4	-36	-36	--	FRONT	VERT	TOTAL	--	C1
AH	7-11-4	-36	-36	--	FRONT	VERT	TOTAL	--	C1
AI	9-11-4	-36	-36	--	FRONT	VERT	TOTAL	--	C1
AJ	13-11-4	-36	-36	--	FRONT	VERT	TOTAL	--	C1
AK	17-11-12	-36	-36	--	FRONT	VERT	TOTAL	--	C1
AL	21-11-12	-36	-36	--	FRONT	VERT	TOTAL	--	C1
AM	23-11-12	-36	-36	--	FRONT	VERT	TOTAL	--	C1
AN	27-11-12	-36	-36	--	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/20/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006468

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	T1Z	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:36 2020 Page 1

ID:KIHNL?klAuBVUgBrpQW7E8zls6y-LzTSS0elOcsOlmTfs43m0hpSgkKgM5c8G_o893zPIXH



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
Y - B	2x6	DRY	No.2	SPF
M - K	2x6	DRY	No.2	SPF
Y - T	2x6	DRY	No.2	SPF
T - R	2x6	DRY	No.2	SPF
R - M	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-D	1	12	SIDE(61.0)
D-G	1	12	SIDE(61.0)
G-I	1	12	TOP
I-L	1	12	TOP
Y-B	2	12	TOP
M-K	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
Y-T	2	3	SIDE(915.6)
T-R	2	12	TOP
R-M	2	3	SIDE(915.6)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
C-X	1	2	
J-N	1	2	SIDE(391.7)

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3.0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	1.25	4.00
C	TMWW+t	MT20	5.0	6.0		
D	TTWWW-m	MT20	5.0	8.0	Edge	
E	TMWW-t	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0		
I	TTWWW-m	MT20	5.0	8.0	Edge	
J	TMWW+t	MT20	5.0	6.0		
K	TMVW-p	MT20	5.0	8.0	1.25	4.00
M	BMV1+t	MT20	6.0	9.0	Edge	0.50
N	BMWW+t	MT20	7.0	8.0	4.25	2.50
O, Q, U, W						
O	BMWW-t	MT20	5.0	8.0		
P	BMW+w	MT20	3.0	6.0		
R	BS-t	MT20	5.0	6.0		
S	BMWWW-t	MT20	5.0	8.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 2 X 163 = 325 lb

M

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
Y	4869	0	4869	0	0	5-8	5-8
M	6873	0	6873	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Y	3433	2308 / 0	0 / 0	0 / 0	0 / 0	1126 / 0	0 / 0
M	4850	3240 / 0	0 / 0	0 / 0	0 / 0	1610 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Y, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.67 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LCI FROM	TO	MAX (PLF) CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.07 (1)	10.00
B-C	-4946 / 0	-91.8	-91.8	0.11 (1)	4.27
C-D	-5328 / 0	-91.8	-91.8	0.22 (1)	4.05
D-E	-4737 / 0	-91.8	-91.8	0.30 (1)	4.16
E-F	-5022 / 0	-91.8	-91.8	0.31 (1)	4.06
F-G	-5022 / 0	-91.8	-91.8	0.31 (1)	4.06
G-H	-5022 / 0	-91.8	-91.8	0.31 (1)	4.06
H-I	-4787 / 0	-91.8	-91.8	0.30 (1)	4.16
I-J	-6115 / 0	-91.8	-91.8	0.27 (1)	3.76
J-K	-6704 / 0	-91.8	-91.8	0.18 (1)	3.67
K-L	0 / 35	-91.8	-91.8	0.07 (1)	10.00
Y-B	-4819 / 0	0.0	0.0	0.17 (1)	6.60
M-K	-6463 / 0	0.0	0.0	0.23 (1)	5.84
Y-X	0 / 0	-18.5	-18.5	0.02 (1)	10.00
X-W	0 / 4124	-18.5	-18.5	0.46 (1)	10.00
W-V	0 / 3860	-18.5	-18.5	0.45 (1)	10.00
V-U	0 / 3867	-18.5	-18.5	0.32 (1)	10.00
U-T	0 / 4738	-18.5	-18.5	0.34 (1)	10.00
T-S	0 / 4738	-18.5	-18.5	0.34 (1)	10.00
S-R	0 / 4787	-18.5	-18.5	0.35 (1)	10.00
R-Q	0 / 4787	-18.5	-18.5	0.35 (1)	10.00
Q-P	0 / 3961	-18.5	-18.5	0.31 (1)	10.00
P-O	0 / 3956	-18.5	-18.5	0.33 (1)	10.00
O-N	0 / 6579	-18.5	-18.5	0.68 (1)	10.00
N-M	0 / 0	-18.5	-18.5	0.32 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
X-C	-1315 / 0	0.12 (1)
V-D	0 / 363	0.04 (1)
D-U	0 / 1211	0.15 (1)
U-E	-798 / 0	0.16 (1)
E-S	0 / 401	0.05 (1)
S-F	-420 / 0	0.09 (1)
S-H	0 / 332	0.04 (1)
Q-H	-747 / 0	0.15 (1)
Q-I	0 / 1148	0.14 (1)
P-I	0 / 233	0.03 (1)
N-J	0 / 1399	0.17 (1)
B-X	0 / 4525	0.56 (1)
N-K	0 / 6121	0.76 (1)
C-W	0 / 854	0.11 (1)
W-D	0 / 1148	0.14 (1)
O-J	-1448 / 0	0.14 (1)
I-O	0 / 2298	0.28 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LCI	MAX-	MAX+	FACE	DIR.	TYPE
D	5-10-8	-399	-399	---	BACK	VERT	TOTAL
N	29-8-8	-5011	-5011	---	BACK	VERT	TOTAL
W	3-0-8	-2525	-2525	---	BACK	VERT	TOTAL
X	1-11-4	-36	-36	---	BACK	VERT	TOTAL

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.20")

CSI: TC=0.31/1.00 (E-F:1) , BC=0.68/1.00 (N-O:1) , WB=0.76/1.00 (K-N:1) , SSI=0.25/1.00 (N-O:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

CSI GRIP= 0.87 (B) (INPUT = 0.90)
CSI METAL= 0.72 (X) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/10/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only 1/2
DWG# T-2006469

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408163	T1Z	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:KIHNL?klAuBVUgBrpOW7E8zls6v-LzTSS0elOcsOlmTfs43m0hpSgkKqM5c8G_o893zPtXH

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
T	BS-t	MT20	5.0	6.0		
V	BMW+w	MT20	3.0	6.0		
X	BMWW+l	MT20	7.0	8.0	4.25	2.50
Y	BMV1+t	MT20	6.0	9.0	5.50	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/20/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006469

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	T2	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:37 2020 Page 1

ID:KIHNL?kIAuBVUgBrpQW7E8zIs6y-p90qfLfw9w_Fvw2sPnb?ZvMav8k55XdHUeXhiVzPtXG



TOTAL WEIGHT = 2 X 142 = 283 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
R - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0		
D	TTWW-m	MT20	5.0	6.0	2.00	2.00
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	6.0	2.00	2.00
I	TMWW-t	MT20	5.0	6.0		
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	5.0	6.0		
M, P, Q						
M	BMWW-t	MT20	4.0	4.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
R	BMVW1-t	MT20	5.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1885	0	1885	0	0	5-8	5-8
L	1885	0	1885	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX /MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
L	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.12 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00
B-C	0 / 22	-91.8	-91.8	0.22 (1)	10.00
C-D	-2020 / 0	-91.8	-91.8	0.29 (1)	4.49
D-E	-2191 / 0	-91.8	-91.8	0.47 (1)	4.12
E-F	-2189 / 0	-91.8	-91.8	0.47 (1)	4.12
F-G	-2189 / 0	-91.8	-91.8	0.47 (1)	4.12
G-H	-2189 / 0	-91.8	-91.8	0.47 (1)	4.13
H-I	-2020 / 0	-91.8	-91.8	0.29 (1)	4.49
I-J	0 / 22	-91.8	-91.8	0.22 (1)	10.00
J-K	0 / 35	-91.8	-91.8	0.12 (1)	10.00
R-B	-266 / 0	0.0	0.0	0.03 (1)	7.81
L-J	-266 / 0	0.0	0.0	0.03 (1)	7.81
R-Q	0 / 1655	-18.5	-18.5	0.40 (1)	10.00
Q-P	0 / 1662	-18.5	-18.5	0.40 (1)	10.00
P-O	0 / 2191	-18.5	-18.5	0.41 (1)	10.00
O-N	0 / 2191	-18.5	-18.5	0.41 (1)	10.00
N-M	0 / 1662	-18.5	-18.5	0.41 (1)	10.00
M-L	0 / 1655	-18.5	-18.5	0.40 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-Q	0 / 57	0.02 (4)
Q-D	0 / 145	0.05 (4)
D-P	0 / 814	0.18 (1)
P-E	-533 / 0	0.39 (1)
E-N	-2 / 0	0.00 (1)
N-G	-533 / 0	0.39 (1)
N-H	0 / 811	0.18 (1)
M-H	0 / 147	0.05 (4)
M-I	0 / 57	0.02 (4)
R-C	-2272 / 0	0.77 (1)
I-L	-2273 / 0	0.77 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.10")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.19")

CSI: TC=0.47/1.00 (D-E:1) , BC=0.41/1.00 (N-P:1) , WB=0.77/1.00 (I-L:1) , SSI=0.23/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (D) (INPUT = 0.90)
JSI METAL= 0.73 (O) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/20/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006470

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	T3	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:39 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zls6y-mY8a41hAhXEy9ECEXCdTeKRw5yQbZQEayy0omOzPIXE



TOTAL WEIGHT = 2 X 142 = 283 lb (M)(F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	5.0	6.0	1.75	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMW-p	MT20	5.0	6.0	1.75	3.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	6.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1885	0	1885	0	0	5-8	5-8
J	1885	0	1885	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW.	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
J	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.35 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00
B-C	-2071 / 0	-91.8	-91.8	0.35 (1)	4.39
C-D	-1915 / 0	-91.8	-91.8	0.34 (1)	4.55
D-E	-1885 / 0	-91.8	-91.8	0.49 (1)	4.35
E-F	-1885 / 0	-91.8	-91.8	0.49 (1)	4.35
F-G	-1915 / 0	-91.8	-91.8	0.34 (1)	4.55
G-H	-2071 / 0	-91.8	-91.8	0.35 (1)	4.39
H-I	0 / 36	-91.8	-91.8	0.12 (1)	10.00
R-B	-1844 / 0	0.0	0.0	0.19 (1)	6.16
J-H	-1844 / 0	0.0	0.0	0.19 (1)	6.16
R-Q	0 / 0	-18.5	-18.5	0.10 (4)	10.00
Q-P	0 / 1747	-18.5	-18.5	0.34 (1)	10.00
P-O	0 / 1570	-18.5	-18.5	0.32 (1)	10.00
O-N	0 / 1570	-18.5	-18.5	0.32 (1)	10.00
N-M	0 / 1570	-18.5	-18.5	0.32 (1)	10.00
M-L	0 / 1570	-18.5	-18.5	0.32 (1)	10.00
L-K	0 / 1747	-18.5	-18.5	0.34 (1)	10.00
K-J	0 / 0	-18.5	-18.5	0.10 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-280 / 0	0.09 (1)
C-P	-244 / 0	0.20 (1)
P-D	0 / 267	0.06 (1)
D-N	0 / 508	0.11 (1)
N-E	-684 / 0	0.83 (1)
N-F	0 / 508	0.11 (1)
L-F	0 / 267	0.06 (1)
L-G	-244 / 0	0.20 (1)
K-G	-280 / 0	0.09 (1)
B-Q	0 / 1787	0.40 (1)
K-H	0 / 1787	0.40 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.16")

CSI: TC=0.49/1.00 (D-E:1) , BC=0.34/1.00 (P-Q:1) , WB=0.83/1.00 (E-N:1) , SSI=0.27/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (Q) (INPUT = 0.90)
JSI METAL= 0.51 (O) (INPUT = 1.00)

Structural component only
DWG# T-2006471

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	T4	11	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:40 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zls6y-EkiyHNhoSrNpmNnR5w8iBX_4lMmZlxAjAcmLlqzPtXD



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
T - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
T - R	2x4	DRY	No.2	SPF
R - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	1.75	3.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TMW+w	MT20	2.0	4.0		
G	TTWW-m	MT20	5.0	6.0	2.25	2.00
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMVW-p	MT20	5.0	8.0	1.75	3.00
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	4.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	5.0	6.0		
T	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

TOTAL WEIGHT = 11 X 151 = 1658 lb (M&F)

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
T	1885	0	1885	0	0	5-8	5-8
L	1885	0	1885	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
L	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.16 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF F-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00
B-C	-2097 / 0	-91.8	-91.8	0.53 (1)	4.16
C-D	-1790 / 0	-91.8	-91.8	0.48 (1)	4.48
D-E	-1790 / 0	-91.8	-91.8	0.48 (1)	4.48
E-F	-1576 / 0	-91.8	-91.8	0.21 (1)	5.05
F-G	-1576 / 0	-91.8	-91.8	0.21 (1)	5.05
G-H	-1790 / 0	-91.8	-91.8	0.48 (1)	4.48
H-I	-1790 / 0	-91.8	-91.8	0.48 (1)	4.48
I-J	-2097 / 0	-91.8	-91.8	0.53 (1)	4.16
J-K	0 / 35	-91.8	-91.8	0.12 (1)	10.00
T-B	-1839 / 0	0.0	0.0	0.19 (1)	6.18
L-J	-1839 / 0	0.0	0.0	0.19 (1)	6.18
T-S	0 / 0	-18.5	-18.5	0.18 (4)	10.00
S-R	0 / 1775	-18.5	-18.5	0.36 (1)	10.00
R-Q	0 / 1775	-18.5	-18.5	0.36 (1)	10.00
Q-P	0 / 1461	-18.5	-18.5	0.29 (1)	10.00
P-O	0 / 1461	-18.5	-18.5	0.29 (1)	10.00
O-N	0 / 1775	-18.5	-18.5	0.36 (1)	10.00
N-M	0 / 1775	-18.5	-18.5	0.36 (1)	10.00
M-L	0 / 0	-18.5	-18.5	0.18 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
S-C	-194 / 35	0.09 (1)
C-Q	-420 / 0	0.53 (1)
Q-E	0 / 369	0.08 (1)
E-P	0 / 280	0.06 (1)
P-F	-449 / 0	0.28 (1)
P-G	0 / 280	0.06 (1)
O-G	0 / 369	0.08 (1)
O-I	-420 / 0	0.53 (1)
M-I	-194 / 35	0.09 (1)
B-S	0 / 1803	0.41 (1)
M-J	0 1803	0.41 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.14")

CSI: TC=0.53/1.00 (B-C:1) , BC=0.36/1.00 (Q-S:1) , WB=0.53/1.00 (C-Q:1) , SSI=0.22/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

SI GRIP= 0.84 (B) (INPUT = 0.90)
SI METAL= 0.57 (N) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H.J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006472

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	T5	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:41 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zls6y-iwGLVjiRD8VgOXMdedfxjlWKhl7T1KKtPGVvrGzPtXO



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
O - A	2x4	DRY	No.2	SPF
J - I	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
O - B	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMV+p	MT20	3.0	4.0		
B	TMWW-t	MT20	5.0	6.0		
C	TS-t	MT20	3.0	6.0		
D	TMWW-t	MT20	4.0	4.0	2.00	1.00
E	TTW+p	MT20	4.0	6.0	Edge	
F	TMWW-t	MT20	4.0	4.0	2.00	1.00
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	5.0	6.0		
I	TMV+p	MT20	3.0	4.0		
J	BMVW1-t	MT20	5.0	6.0		
K	BMWW+t	MT20	4.0	6.0		
L	BS-t	MT20	3.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BMWW+t	MT20	4.0	6.0		
O	BMVW1-t	MT20	5.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
O	1456	0	1456	0	0	MECHANICAL	
J	1456	0	1456	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT O, J. MINIMUM BEARING LENGTH AT JOINT O = 3-8, JOINT J = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	1030	676 / 0	0 / 0	0 / 0	0 / 0	354 / 0	0 / 0
J	1030	676 / 0	0 / 0	0 / 0	0 / 0	354 / 0	0 / 0

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.05 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF F-M, D-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 21	-91.8	-91.8	0.23 (1)	10.00
B-C	-1580 / 0	-91.8	-91.8	0.21 (1)	5.05
C-D	-1580 / 0	-91.8	-91.8	0.21 (1)	5.05
D-E	-1198 / 0	-91.8	-91.8	0.21 (1)	5.62
E-F	-1198 / 0	-91.8	-91.8	0.21 (1)	5.62
F-G	-1580 / 0	-91.8	-91.8	0.21 (1)	5.05
G-H	-1580 / 0	-91.8	-91.8	0.21 (1)	5.05
H-I	0 / 21	-91.8	-91.8	0.23 (1)	10.00
O-A	-164 / 0	0.0	0.0	0.02 (1)	7.81
J-I	-164 / 0	0.0	0.0	0.02 (1)	7.81
O-N	0 / 1361	-18.5	-18.5	0.32 (1)	10.00
N-M	0 / 1248	-18.5	-18.5	0.30 (1)	10.00
M-L	0 / 1248	-18.5	-18.5	0.30 (1)	10.00
L-K	0 / 1248	-18.5	-18.5	0.30 (1)	10.00
K-J	0 / 1361	-18.5	-18.5	0.32 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
M-E	0 / 985	0.22 (1)
M-F	-511 / 0	0.23 (1)
F-K	0 / 226	0.05 (1)
K-H	-92 / 25	0.03 (1)
D-M	-511 / 0	0.23 (1)
N-D	0 / 226	0.05 (1)
E-N	-92 / 25	0.03 (1)
O-B	-1842 / 0	0.79 (1)
H-J	-1842 / 0	0.79 (1)



TOTAL WEIGHT = 4 X 121 = 484 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. O/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.88")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.88")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.11")

CSI: TC=0.23/1.00 (H-I:1) , BC=0.32/1.00 (J-K:1) , WB=0.79/1.00 (H-J:1) , SSI=0.16/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)		SHEAR (PSI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (M) (INPUT = 0.90)
JSI METAL= 0.46 (H) (INPUT = 1.00)

Structural component only
DWG# T-2006473

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	T6	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:43 2020 Page 1
ID:KIHNL?kIAuBVUgBrpQW7E8zls6y-eJO5wPkhlmlOerV0m2hPpAceRZrYVPvAIZ_?v9zPtXA



TOTAL WEIGHT = 2 X 41 = 83 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
F - A	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.25	2.00
B	TTW-p	MT20	4.0	4.0	2.25	2.00
C	TMVW+p	MT20	4.0	4.0	1.25	2.00
D	BMV1+p	MT20	3.0	4.0		
E	BMWWW-I	MT20	4.0	9.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	593	0	593	0	0	IN-SX	IN-SX
D	593	0	593	0	0	5-8 MECHANICAL	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	419	275 / 0	0 / 0	0 / 0	0 / 0	144 / 0	0 / 0
D	419	275 / 0	0 / 0	0 / 0	0 / 0	144 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	-426 / 0	-91.8	-91.8	0.34 (1)		6.25
B-C	-426 / 0	-91.8	-91.8	0.34 (1)		6.25
F-A	-564 / 0	0.0	0.0	0.06 (1)		7.81
D-C	-554 / 0	0.0	0.0	0.06 (1)		7.81
F-E	0 / 0	-18.5	-18.5	0.15 (4)		10.00
E-D	0 / 0	-18.5	-18.5	0.15 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-20 / 85	0.03 (4)
A-E	0 / 362	0.08 (1)
E-C	0 / 362	0.08 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.36")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.36")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.34/1.00 (B-C:1) , BC=0.15/1.00 (D-E:4) , WB=0.08/1.00 (C-E:1) , SSI=0.16/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.45 (C) (INPUT = 0.90)
JSI METAL= 0.13 (C) (INPUT = 1.00)



Structural component only
DWG# T-2006474

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	T7S	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:44 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zls6y-6VyT7lkJV3fFF?4CKIDaLN8p4zBiErFJ5DkZRbzPtX9



TOTAL WEIGHT = 2 X 45 = 90 lb

[M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	Edge	
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMVW-p	MT20	5.0	6.0	Edge	
F	BMV1+p	MT20	3.0	4.0		
G	B8WWW-p	MT20	5.0	8.0	2.75	4.00
H	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
H	719	0	719	0	0	IN-SX	IN-SX
F	719	0	719	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM LIVE	WIND	DEAD	SOIL
H	506	345 / 0	0 / 0	0 / 0	0 / 0	161 / 0	0 / 0
F	506	345 / 0	0 / 0	0 / 0	0 / 0	161 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 35	-91.8	-91.8	0.12 (1)		10.00
B-C	-735 / 0	-91.8	-91.8	0.35 (1)		6.25
C-D	-735 / 0	-91.8	-91.8	0.35 (1)		6.25
D-E	0 / 35	-91.8	-91.8	0.12 (1)		10.00
H-B	-669 / 0	0.0	0.0	0.07 (1)		7.81
F-D	-669 / 0	0.0	0.0	0.07 (1)		7.81
H-G	0 / 0	-18.5	-18.5	0.16 (4)		10.00
G-F	0 / 0	-18.5	-18.5	0.16 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
G-C	0 / 323	0.07 (1)
B-G	0 / 622	0.14 (1)
G-D	0 / 622	0.14 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.36")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.36")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.08")

CSI: TC=0.35/1.00 (B-C:1) , BC=0.16/1.00 (G-H:4) , WB=0.14/1.00 (B-G:1) , SSI=0.16/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.54 (C) (INPUT = 0.90)
JSI METAL= 0.17 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/apr/20
H. G. GALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006475

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	T8	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 14:14:48 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zls6y-mNKqMOyOu_rJm?iJRIMc7KOc9iACD8rdQgx8JhzPojb



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - F	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
N - A	2x4	DRY	No.2	SPF
N - L	2x6	DRY	No.2	SPF
L - C	2x4	DRY	No.2	SPF
K - J	2x6	DRY	No.2	SPF
I - D	2x4	DRY	No.2	SPF
I - G	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-B	1	12	SIDE(61.0)
B-F	1	12	SIDE(61.0)
F-G	1	12	TOP
N-A	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
N-L	2	12	SIDE(0.0)
K-J	2	12	SIDE(61.0)
I-G	2	12	SIDE(183.1)
L-C	1	12	SIDE(29.4)
D-I	1	3	SIDE(316.3)
WEBS : (0.122"X3") SPIRAL NAILS			
E-H	1	4	SIDE(192.0)
2x3	1	6	
2x4	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (tablels in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-p	MT20	4.0	6.0	1.00	3.25
B	TTWW-t	MT20	5.0	12.0	2.00	9.75
C	TMVW-t	MT20	4.0	6.0		
D	TMV+p	MT20	3.0	4.0		
E	TMWW-t	MT20	4.0	8.0	2.00	2.75
F	TMVW-t	MT20	5.0	8.0	2.00	3.00
G	BMV1+t	MT20	4.0	9.0	Edge	0.50
H	BMWWW-t	MT20	6.0	12.0	2.75	6.00
I	BMV+p	MT20	3.0	6.0		
J	BVMWWW-t	MT20	7.0	12.0	4.50	4.00
K	BVMWW-t	MT20	6.0	12.0	3.00	6.75
L	BMV+p	MT20	3.0	6.0		
M	BMWWW-t	MT20	6.0	9.0		
N	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
G	5030	0	5030	0	0	MECHANICAL	
N	4034	0	4034	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 4-0.

UNFACTORED REACTIONS

JT	1ST LOASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
G	3552	2359 / 0	0 / 0	0 / 0	0 / 0	1193 / 0	0 / 0
N	2846	1909 / 0	0 / 0	0 / 0	0 / 0	938 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX (PLF) CSI (LC)	MAX. UNBRAC LENGTH
A-B	-3843 / 0	-91.8	-91.8	0.08 (1)	4.77
B-C	-9543 / 0	-91.8	-91.8	0.40 (1)	2.87
C-D	-11672 / 0	-91.8	-91.8	0.62 (1)	2.25
D-O	-11175 / 0	-91.8	-91.8	0.63 (1)	2.38
O-P	-11175 / 0	-91.8	-91.8	0.63 (1)	2.36
P-E	-11175 / 0	-91.8	-91.8	0.63 (1)	2.38
E-Q	-5097 / 0	-91.8	-91.8	0.16 (1)	4.16
Q-F	-5097 / 0	-91.8	-91.8	0.16 (1)	4.16
G-F	-4076 / 0	0.0	0.0	0.29 (1)	5.87
N-A	-3695 / 0	0.0	0.0	0.21 (1)	6.12
N-R	0 / 0	-18.5	-18.5	0.10 (1)	10.00
R-M	0 / 0	-18.5	-18.5	0.10 (1)	10.00
M-S	0 / 374	-18.5	-18.5	0.12 (1)	10.00
S-L	0 / 374	-18.5	-18.5	0.12 (1)	10.00
L-K	0 / 657	0.0	0.0	0.39 (1)	10.00
K-C	-1484 / 0	0.0	0.0	0.34 (1)	7.81
K-J	0 / 9900	-18.5	-18.5	0.65 (1)	10.00
I-J	0 / 677	0.0	0.0	0.52 (1)	10.00
J-D	-22 / 24	0.0	0.0	0.46 (1)	7.81
I-T	0 / 532	-18.5	-18.5	0.38 (1)	10.00
T-U	0 / 532	-18.5	-18.5	0.38 (1)	10.00
U-V	0 / 532	-18.5	-18.5	0.38 (1)	10.00
V-H	0 / 532	-18.5	-18.5	0.38 (1)	10.00
H-W	0 / 0	-18.5	-18.5	0.28 (1)	10.00
W-X	0 / 0	-18.5	-18.5	0.28 (1)	10.00
X-G	0 / 0	-18.5	-18.5	0.28 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
M-B	-2179 / 0	0.19 (1)
C-J	0 / 2246	0.28 (1)
H-E	-2889 / 0	0.25 (1)
H-F	0 / 8454	0.80 (1)
A-M	0 / 3502	0.43 (1)
M-K	0 / 3191	0.28 (1)
B-K	0 / 7537	0.93 (1)
J-H	0 / 4983	0.44 (1)
J-E	0 / 8452	0.80 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
B	2-1-0	-94	-94	---	BACK	VERT	TOTAL	---	C1
C	4-1-12	-4	-4	---	BACK	VERT	TOTAL	---	C1
H	9-1-12	-1438	-1438	---	FRONT	VERT	TOTAL	---	C1
J	5-8-8	-1446	-1446	---	FRONT	VERT	TOTAL	---	C1
L	4-1-4	-581	-581	---	FRONT	VERT	TOTAL	---	C1
L	4-1-4	-10	-10	---	BACK	VERT	TOTAL	---	C1
M	2-1-12	-1	-1	---	BACK	VERT	TOTAL	---	C1
O	6-1-12	-4	-4	---	BACK	VERT	TOTAL	---	C1
P	8-1-12	-4	-4	---	BACK	VERT	TOTAL	---	C1

TOTAL WEIGHT = 2 X 62 = 125 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA O86-09, CSA O86-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.40")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (0.40")
CALCULATED VERT. DEFL.(TL) = L/ 558 (0.26")

CSI: TC=0.63/1.00 (D-E:1) , BC=0.65/1.00 (J-K:1) , WB=0.93/1.00 (B-K:1) , SSI=0.32/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.69 (K) (INPUT = 0.90)
JSI METAL= 0.73 (K) (INPUT = 1.00)



Structural component only
DWG# T-2006476

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408163	T8	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:KlHNL7klAuBVUgBrpQW7E8zls6y-mNKqMOyOu_rJm?tJRIMc7KOc9iACD6rdQqx8JhzPqib

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
Q	10-1-12	-4	-4	---	BACK	VERT	TOTAL	---	C1
R	9-12	-702	-702	---	FRONT	VERT	TOTAL	---	C1
S	2-9-12	-574	-574	---	FRONT	VERT	TOTAL	---	C1
T	6-1-12	-8	-8	---	BACK	VERT	TOTAL	---	C1
U	7-1-12	-1438	-1438	---	FRONT	VERT	TOTAL	---	C1
V	8-1-12	-1	-1	---	BACK	VERT	TOTAL	---	C1
W	10-1-12	-1	-1	---	BACK	VERT	TOTAL	---	C1
X	11-1-12	-1439	-1439	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



Structural component only
DWG# T-2006476

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	T21	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:20 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-KoF1vV?_Qqkh_s4XuWdlW0BAKwy8Vdn7_qrxOxzPtZP



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - Q	2x6	DRY	No.2	SPF
Q - M	2x6	DRY	No.2	SPF
M - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
H-J	1	12	SIDE(61.0)
C-F	2	12	SIDE(183.1)
F-H	2	12	SIDE(61.0)
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-Q	2	12	SIDE(183.1)
Q-M	2	12	SIDE(183.1)
M-K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	8.0	2.00	3.25
C	TTWW+m	MT20	7.0	8.0	2.75	2.75
D	TMWW-t	MT20	5.0	8.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-I	MT20	5.0	6.0		
H	TTWW+m	MT20	7.0	8.0	2.75	2.75
I	TMW-p	MT20	5.0	8.0	2.00	3.25
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-I	MT20	5.0	8.0	2.50	3.25
M	BS-t	MT20	5.0	6.0		
N	BMWW-t	MT20	6.0	9.0	3.75	3.00
O	BMWWW-I	MT20	5.0	8.0		
P	BMWW-t	MT20	6.0	9.0	3.75	3.00
Q	BS-t	MT20	5.0	6.0		
R	BMWW-t	MT20	5.0	8.0	2.50	3.25
S	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	3035	0	3035	0	0	5-8	5-8
K	3034	0	3034	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	2146	1410 / 0	0 / 0	0 / 0	0 / 0	736 / 0	0 / 0
K	2145	1409 / 0	0 / 0	0 / 0	0 / 0	736 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.07 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX (PLF) CSI (LC)	MAX. UNBRAC LENGTH
A-B		0 / 28	-91.8	-91.8	0.07 (1)	10.00
B-C		-4576 / 0	-91.8	-91.8	0.48 (1)	4.07
C-T		-6582 / 0	-91.8	-91.8	0.38 (1)	4.33
T-U		-6582 / 0	-91.8	-91.8	0.36 (1)	4.33
U-V		-6582 / 0	-91.8	-91.8	0.36 (1)	4.33
V-D		-6582 / 0	-91.8	-91.8	0.36 (1)	4.33
D-W		-6516 / 0	-91.8	-91.8	0.29 (1)	4.40
W-E		-6516 / 0	-91.8	-91.8	0.29 (1)	4.40
E-F		-6516 / 0	-91.8	-91.8	0.29 (1)	4.40
F-G		-6516 / 0	-91.8	-91.8	0.29 (1)	4.40
G-X		-6580 / 0	-91.8	-91.8	0.36 (1)	4.33
X-Y		-6580 / 0	-91.8	-91.8	0.36 (1)	4.33
Y-Z		-6580 / 0	-91.8	-91.8	0.36 (1)	4.33
Z-H		-6580 / 0	-91.8	-91.8	0.36 (1)	4.33
H-I		-4574 / 0	-91.8	-91.8	0.48 (1)	4.07
I-J		0 / 28	-91.8	-91.8	0.07 (1)	10.00
S-B		-2972 / 0	0.0	0.0	0.10 (1)	7.81
K-I		-2971 / 0	0.0	0.0	0.10 (1)	7.81
S-AA		0 / 0	-18.5	-18.5	0.08 (4)	10.00
AA-AB		0 / 0	-18.5	-18.5	0.08 (4)	10.00
AB-R		0 / 0	-18.5	-18.5	0.08 (4)	10.00
R-AC		0 / 4111	-18.5	-18.5	0.33 (1)	10.00
AC-AD		0 / 4111	-18.5	-18.5	0.33 (1)	10.00
AD-Q		0 / 4111	-18.5	-18.5	0.33 (1)	10.00
Q-P		0 / 4111	-18.5	-18.5	0.33 (1)	10.00
P-AE		0 / 6582	-18.5	-18.5	0.47 (1)	10.00
AE-O		0 / 6582	-18.5	-18.5	0.47 (1)	10.00
O-AF		0 / 6579	-18.5	-18.5	0.47 (1)	10.00
AF-N		0 / 6579	-18.5	-18.5	0.47 (1)	10.00
N-M		0 / 4109	-18.5	-18.5	0.33 (1)	10.00
M-AG		0 / 4109	-18.5	-18.5	0.33 (1)	10.00
AG-AH		0 / 4109	-18.5	-18.5	0.33 (1)	10.00
AH-L		0 / 4109	-18.5	-18.5	0.33 (1)	10.00
L-AI		0 / 0	-18.5	-18.5	0.08 (4)	10.00
AI-AJ		0 / 0	-18.5	-18.5	0.08 (4)	10.00
AJ-K		0 / 0	-18.5	-18.5	0.08 (4)	10.00

WEBS MEMB.	FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R-C		-311 / 77	0.04 (1)
C-P		0 / 2765	0.34 (1)
P-D		-1060 / 0	0.13 (1)
D-O		-109 / 0	0.02 (1)
O-E		0 / 191	0.02 (1)
O-G		-105 / 0	0.02 (1)
N-G		-1059 / 0	0.13 (1)
N-H		0 / 2763	0.34 (1)
L-H		-311 / 77	0.04 (1)
B-R		0 / 4138	0.51 (1)
L-I		0 / 4137	0.51 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-457	-457	---	FRONT	VERT	TOTAL	---	CI
E	15-11-8	-110	-110	---	FRONT	VERT	TOTAL	---	CI
F	17-11-12	-110	-110	---	FRONT	VERT	TOTAL	---	CI

TOTAL WEIGHT = 2 X 155 = 311 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.30")

CSI: TC=0.48/1.00 (B-C:1) , BC=0.47/1.00 (O-P:1) , WB=0.51/1.00 (B-R:1) , SSI=0.20/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.54 (R) (INPUT = 0.90)
JSI METAL= 0.40 (M) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/20/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only 1/2
DWG# T-2006487

CONTINUED ON PAGE 2

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
H	26-0-8	-457	-457	---	FRONT	VERT	TOTAL	---	C1
L	25-11-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
M	19-11-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
O	15-11-8	-26	-26	---	FRONT	VERT	TOTAL	---	C1
Q	11-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
R	5-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
T	7-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
U	9-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
V	11-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
W	13-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
X	15-11-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Y	21-11-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Z	23-11-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AA	1-11-4	-25	-26	---	FRONT	VERT	TOTAL	---	C1
AB	3-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AC	7-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AD	9-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AE	13-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AF	17-11-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AG	21-11-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AH	23-11-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AI	27-11-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AJ	29-11-12	-25	-26	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



Structural component only
DWG# T-2006487

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	T21Z	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:21 2020 Page 1

ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-o?pP6r0cB7aYb0fjRD862DjHvKByE?sGDUbVwOzPiZO



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x8	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - Q	2x6	DRY	No.2	SPF
Q - M	2x6	DRY	No.2	SPF
M - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
H-J	1	12	TOP
C-F	2	12	SIDE(61.0)
F-H	2	12	TOP
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-Q	2	12	SIDE(183.1)
Q-M	2	12	SIDE(183.1)
M-K	2	12	TOP
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
G-N	1	6	SIDE(300.5)

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (tablels in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	2.00	3.25
C	TTWW+m	MT20	7.0	8.0	2.75	2.75
D	TMWW-t	MT20	5.0	8.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	8.0		
G	TMWW-t	MT20	5.0	8.0		
H	TTWW+m	MT20	7.0	8.0	2.75	2.75
I	TMVW-p	MT20	5.0	8.0	2.00	3.25
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	8.0	2.50	3.25
M	BS-t	MT20	5.0	8.0		
N	BMWW-t	MT20	6.0	9.0	3.75	3.00
O	BMWWW-l	MT20	5.0	8.0		
P	BMWW-t	MT20	6.0	9.0	3.75	3.00
Q	BS-t	MT20	5.0	8.0		
R	BMWW-l	MT20	5.0	8.0	2.50	3.25
S	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	4661	0	4661	0	0	5-8	5-8
K	4115	0	4115	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	3289	2197 / 0	0 / 0	0 / 0	0 / 0	1092 / 0	0 / 0
K	2901	1954 / 0	0 / 0	0 / 0	0 / 0	947 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.09 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX (PLF)	CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.07 (1)		10.00
B-C	-7526 / 0	-91.8	-91.8	0.75 (1)		3.09
C-T	-11598 / 0	-91.8	-91.8	0.51 (1)		3.27
T-U	-11598 / 0	-91.8	-91.8	0.51 (1)		3.27
U-D	-11598 / 0	-91.8	-91.8	0.51 (1)		3.27
D-E	-11693 / 0	-91.8	-91.8	0.31 (1)		3.38
E-F	-11893 / 0	-91.8	-91.8	0.29 (1)		3.39
F-G	-11893 / 0	-91.8	-91.8	0.29 (1)		3.39
G-H	-11804 / 0	-91.8	-91.8	0.50 (1)		3.25
H-I	-6538 / 0	-91.8	-91.8	0.65 (1)		3.37
I-J	0 / 28	-91.8	-91.8	0.07 (1)		10.00
S-B	-4635 / 0	0.0	0.0	0.16 (1)		6.71
K-I	-4078 / 0	0.0	0.0	0.14 (1)		7.05
S-V	0 / 0	-18.5	-18.5	0.15 (1)		10.00
V-W	0 / 0	-18.5	-18.5	0.15 (1)		10.00
W-R	0 / 0	-18.5	-18.5	0.15 (1)		10.00
R-X	0 / 6747	-18.5	-18.5	0.69 (1)		10.00
X-Y	0 / 6747	-18.5	-18.5	0.69 (1)		10.00
Y-Q	0 / 6747	-18.5	-18.5	0.69 (1)		10.00
Q-P	0 / 6747	-18.5	-18.5	0.69 (1)		10.00
P-Z	0 / 11598	-18.5	-18.5	0.94 (1)		10.00
Z-O	0 / 11598	-18.5	-18.5	0.94 (1)		10.00
O-AA	0 / 11803	-18.5	-18.5	0.94 (1)		10.00
AA-N	0 / 11803	-18.5	-18.5	0.94 (1)		10.00
N-M	0 / 5878	-18.5	-18.5	0.46 (1)		10.00
M-L	0 / 5878	-18.5	-18.5	0.46 (1)		10.00
L-K	0 / 0	-18.5	-18.5	0.05 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
R-C	-38 / 149	0.03 (4)
C-P	0 / 5427	0.67 (1)
P-D	-1126 / 0	0.13 (1)
D-O	0 / 489	0.06 (1)
O-E	-20 / 33	0.00 (1)
O-G	0 / 148	0.02 (1)
N-G	-777 / 0	0.09 (1)
N-H	0 / 5629	0.82 (1)
L-H	-609 / 0	0.08 (1)
B-R	0 / 6807	0.84 (1)
L-I	0 / 5913	0.73 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	CONC.
C	5-10-8	-380	-380	---	BACK	VERT	TOTAL	C1
N	18-8-8	-1854	-1854	---	BACK	VERT	TOTAL	C1
O	15-9-4	-459	-459	---	BACK	VERT	TOTAL	C1
Q	11-9-4	-459	-459	---	BACK	VERT	TOTAL	C1
R	5-11-4	-258	-256	---	BACK	VERT	TOTAL	C1
T	7-11-4	-33	-33	---	BACK	VERT	TOTAL	C1
U	9-11-4	-33	-33	---	BACK	VERT	TOTAL	C1
V	2-0-12	-41	-41	---	BACK	VERT	TOTAL	C1
W	4-0-12	-61	-61	---	BACK	VERT	TOTAL	C1
X	7-11-4	-258	-256	---	BACK	VERT	TOTAL	C1
Y	9-11-4	-256	-256	---	BACK	VERT	TOTAL	C1
Z	13-9-4	-459	-459	---	BACK	VERT	TOTAL	C1

TOTAL WEIGHT = 2 X 155 = 311 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.8	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.29")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 717 (0.53")

CSI: TC=0.75/1.00 (B-C:1) , BC=0.94/1.00 (N-O:1) , WB=0.84/1.00 (B-R:1) , SSI=0.23/1.00 (P-R:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (N) (INPUT = 0.90)
JSI METAL= 0.73 (M) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/19/20
H.J. G ALVES
100009024
PROVINCE OF ONTARIO

Structural component only 1/2
DWG# T-2006488

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408165	T21Z	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
AA	17-9-4	-459	-459	---	BACK	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/20/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006488

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	T22	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:21 2020 Page 1

ID:1ebEM4Ce92xn94Zv?jkFPizmBR3-o?pP6r0cB7aYb0fjRD862DjKBKHRE1RGDUbVwOzPtZO



TOTAL WEIGHT = 130 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
R - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	8.0		
D	TTWW-m	MT20	5.0	8.0	2.25	3.50
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMV+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	2.25	3.50
I	TMWW-t	MT20	5.0	8.0		
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	4.0	9.0		Edge
M	BMWW-t	MT20	4.0	4.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	6.0		
Q	BMWW-t	MT20	4.0	4.0		
R	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1884	0	1884	0	0	5-8	5-8
L	1884	0	1884	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1330	888 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
L	1330	886 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.61 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B-C	0 / 17	-91.8	-91.8	0.20 (1)	10.00
C-D	-2469 / 0	-91.8	-91.8	0.30 (1)	4.12
D-E	-2893 / 0	-91.8	-91.8	0.54 (1)	3.61
E-F	-2891 / 0	-91.8	-91.8	0.53 (1)	3.61
F-G	-2891 / 0	-91.8	-91.8	0.53 (1)	3.61
G-H	-2891 / 0	-91.8	-91.8	0.53 (1)	3.61
H-I	-2469 / 0	-91.8	-91.8	0.30 (1)	4.12
I-J	0 / 17	-91.8	-91.8	0.20 (1)	10.00
J-K	0 / 28	-91.8	-91.8	0.12 (1)	10.00
R-B	-269 / 0	0.0	-0.0	0.03 (1)	7.81
L-J	-269 / 0	0.0	0.0	0.03 (1)	7.81
R-Q	0 / 2167	-18.5	-18.5	0.49 (1)	10.00
Q-P	0 / 2194	-18.5	-18.5	0.48 (1)	10.00
P-O	0 / 2893	-18.5	-18.5	0.53 (1)	10.00
O-N	0 / 2893	-18.5	-18.5	0.53 (1)	10.00
N-M	0 / 2194	-18.5	-18.5	0.49 (1)	10.00
M-L	0 / 2168	-18.5	-18.5	0.49 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-Q	0 / 74	0.03 (4)
Q-D	0 / 133	0.04 (4)
D-P	0 / 933	0.21 (1)
P-E	-534 / 0	0.21 (1)
E-N	-2 / 0	0.00 (1)
N-G	-533 / 0	0.21 (1)
N-H	0 / 931	0.21 (1)
M-H	0 / 134	0.04 (4)
M-I	0 / 74	0.03 (4)
R-C	-2666 / 0	0.74 (1)
I-L	-2667 / 0	0.74 (1)

LICENSED PROFESSIONAL ENGINEER
04/20/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.29")

CSI: TC=0.54/1.00 (D-E:1) , BC=0.53/1.00 (N-P:1) , WB=0.74/1.00 (I-L:1) , SSI=0.23/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.84 (O) (INPUT = 0.90)
JSI METAL= 0.94 (O) (INPUT = 1.00)

Structural component only
DWG# T-2006489

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	T23	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:22 2020 Page 1

ID:1ebEM4Ce92xn94Zv?IkFPizmBR3-GBMoKB1EyR_ODAEv?xtLbRGV_jf9yX8PR8K2SqzPtZN



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	6.0	2.25	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-t	MT20	5.0	6.0	2.25	2.75
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.50
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.50
R	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1884	0	1884	0	0	5-8	5-8
J	1884	0	1884	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1330	888 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
J	1330	886 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.82 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 26	-91.8	-91.8	0.12 (1)	10.00
B-C	-2538 / 0	-91.8	-91.8	0.37 (1)	4.02
C-D	-2342 / 0	-91.8	-91.8	0.35 (1)	4.17
D-E	-2493 / 0	-91.8	-91.8	0.54 (1)	3.82
E-F	-2493 / 0	-91.8	-91.8	0.54 (1)	3.82
F-G	-2342 / 0	-91.8	-91.8	0.35 (1)	4.17
G-H	-2538 / 0	-91.8	-91.8	0.37 (1)	4.02
H-I	0 / 26	-91.8	-91.8	0.12 (1)	10.00
R-B	-1841 / 0	0.0	0.0	0.19 (1)	6.17
J-H	-1841 / 0	0.0	0.0	0.19 (1)	6.17
R-Q	0 / 0	-18.5	-18.5	0.10 (4)	10.00
Q-P	0 / 2290	-18.5	-18.5	0.43 (1)	10.00
P-O	0 / 2077	-18.5	-18.5	0.40 (1)	10.00
O-N	0 / 2077	-18.5	-18.5	0.40 (1)	10.00
N-M	0 / 2077	-18.5	-18.5	0.40 (1)	10.00
M-L	0 / 2077	-18.5	-18.5	0.40 (1)	10.00
L-K	0 / 2290	-18.5	-18.5	0.43 (1)	10.00
K-J	0 / 0	-18.5	-18.5	0.10 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-301 / 0	0.07 (1)
C-P	-264 / 0	0.16 (1)
P-D	0 / 257	0.06 (1)
D-N	0 / 575	0.13 (1)
N-E	-685 / 0	0.40 (1)
N-F	0 / 575	0.13 (1)
L-F	0 / 257	0.06 (1)
L-G	-264 / 0	0.16 (1)
K-G	-301 / 0	0.07 (1)
B-Q	0 / 2323	0.52 (1)
K-H	0 / 2323	0.52 (1)



TOTAL WEIGHT = 129 lb (M)(F)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(66 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.13")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.24")

CSI: TC=0.54/1.00 (D-E:1) , BC=0.43/1.00 (K-L:1) , WB=0.52/1.00 (H-K:1) , SS/=0.27/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (B) (INPUT = 0.90)
JSI METAL= 0.67 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006490

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	T24	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:22 2020 Page 1
ID:1ebEM4Ce92xn94Zv?jkFPizmBR3-GBMoKB1EyR_ODAEv?xILbRGVpjf6yX?PR8K2SqzPtZN



TOTAL WEIGHT = 136 lb [M](F)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - L	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	6.0	2.00	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-t	MT20	5.0	6.0	2.00	2.75
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.50
L	BS-t	MT20	3.0	6.0		
M	BMWW-t	MT20	4.0	4.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BMWW-t	MT20	4.0	4.0		
P	BS-t	MT20	3.0	6.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.50
R	BMVt+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1884	0	1884	0	0	5-8	5-8
J	1884	0	1884	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1330	886 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
J	1330	886 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.79 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)		10.00
B-C	-2579 / 0	-91.8	-91.8	0.55 (1)		3.79
C-D	-2188 / 0	-91.8	-91.8	0.49 (1)		4.11
D-E	-2088 / 0	-91.8	-91.8	0.24 (1)		4.49
E-F	-2088 / 0	-91.8	-91.8	0.24 (1)		4.49
F-G	-2188 / 0	-91.8	-91.8	0.49 (1)		4.11
G-H	-2579 / 0	-91.8	-91.8	0.55 (1)		3.79
H-I	0 / 28	-91.8	-91.8	0.12 (1)		10.00
R-B	-1836 / 0	0.0	0.0	0.19 (1)		6.18
J-H	-1836 / 0	0.0	0.0	0.19 (1)		6.18
R-Q	0 / 0	-18.5	-18.5	0.15 (4)		10.00
Q-P	0 / 2332	-18.5	-18.5	0.44 (1)		10.00
P-O	0 / 2332	-18.5	-18.5	0.44 (1)		10.00
O-N	0 / 1935	-18.5	-18.5	0.37 (1)		10.00
N-M	0 / 1935	-18.5	-18.5	0.37 (1)		10.00
M-L	0 / 2332	-18.5	-18.5	0.44 (1)		10.00
L-K	0 / 2332	-18.5	-18.5	0.44 (1)		10.00
K-J	0 / 0	-18.5	-18.5	0.15 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-212 / 29	0.06 (1)
C-O	-480 / 0	0.46 (1)
O-D	0 / 362	0.08 (1)
D-N	0 / 296	0.07 (1)
N-E	-451 / 0	0.39 (1)
N-F	0 / 296	0.07 (1)
M-F	0 / 362	0.08 (1)
M-G	-480 / 0	0.46 (1)
K-G	-212 / 29	0.06 (1)
B-Q	0 / 2355	0.53 (1)
K-H	0 / 2355	0.53 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.21")

CSI: TC=0.55/1.00 (G-H:1) , BC=0.44/1.00 (K-M:1) , WB=0.53/1.00 (H-K:1) , SSI=0.24/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (H) (INPUT = 0.90)
JSI METAL= 0.74 (P) (INPUT = 1.00)

Structural component only
DWG# T-2006491

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	T25	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:22 2020 Page 1
ID:1ebEM4Ce92xn94Zv?jkFPlzmBR3-GBMoKB1EyR_ODAEv?xlLbRGRCjePyXzPR8K2SqzPtZN



TOTAL WEIGHT = 131 lb
[M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	6.0	2.00	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TTW-m	MT20	4.0	4.0	2.00	1.75
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0	2.00	1.75
I	TMVW-t	MT20	5.0	6.0	2.00	2.75
K	BMV1+p	MT20	3.0	4.0		
L	BMWW-t	MT20	4.0	9.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BS-t	MT20	3.0	8.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWW-t	MT20	4.0	9.0		
Q	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
Q	1884	0	1884	0	0	5-8	5-8
K	1884	0	1884	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1330	886 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
K	1330	886 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.47 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-O, H-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00
B-C	-2587 / 0	-91.8	-91.8	0.78 (1)	3.47
C-D	-2013 / 0	-91.8	-91.8	0.68 (1)	3.97
D-E	-2013 / 0	-91.8	-91.8	0.68 (1)	3.97
E-F	-1775 / 0	-91.8	-91.8	0.24 (1)	4.79
F-G	-2013 / 0	-91.8	-91.8	0.68 (1)	3.97
G-H	-2013 / 0	-91.8	-91.8	0.68 (1)	3.97
H-I	-2587 / 0	-91.8	-91.8	0.78 (1)	3.47
I-J	0 / 28	-91.8	-91.8	0.12 (1)	10.00
Q-B	-1830 / 0	0.0	0.0	0.18 (1)	6.19
K-I	-1830 / 0	0.0	0.0	0.18 (1)	6.19
Q-P	0 / 0	-18.5	-18.5	0.22 (4)	10.00
P-O	0 / 2344	-18.5	-18.5	0.48 (1)	10.00
O-N	0 / 1774	-18.5	-18.5	0.35 (1)	10.00
N-M	0 / 1774	-18.5	-18.5	0.35 (1)	10.00
M-L	0 / 2344	-18.5	-18.5	0.48 (1)	10.00
L-K	0 / 0	-18.5	-18.5	0.22 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
P-C	-140 / 71	0.05 (1)
C-O	-881 / 0	0.31 (1)
O-E	0 / 458	0.10 (1)
E-M	0 / 2	0.00 (1)
M-F	0 / 460	0.10 (1)
M-H	-880 / 0	0.31 (1)
L-H	-142 / 70	0.05 (1)
B-P	0 / 2362	0.53 (1)
L-I	0 / 2361	0.53 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.24")

CSI: TC=0.78/1.00 (B-C:1) , BC=0.48/1.00 (O-P:1) , WB=0.53/1.00 (B-P:1) , SSI=0.28/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI: GRIP= 0.89 (B) (INPUT = 0.80)
(SI: METAL= 0.70 (B) (INPUT = 1.00)



Structural component only
DWG# T-2006492

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	T26	8	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Trusses, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:23 2020 Page 1
ID:1ebEM4Ce92xn94Zv?|kFPizmBR3-kNwAXX1tjl6FrKo6ZeBa7eojN7_Bh_xZgn4b_GzPtZM



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - K	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
R - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.50
D	TMWW-t	MT20	4.0	4.0	2.00	1.50
E	TS-t	MT20	3.0	6.0		
F	TTW+p	MT20	4.0	6.0	Edge	
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0	2.00	1.50
I	TMWW-t	MT20	5.0	6.0	2.50	2.50
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	4.0	9.0		Edge
M	BMWW-t	MT20	4.0	4.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	5.0	6.0		
P	BS-t	MT20	3.0	6.0		
Q	BMWW-t	MT20	4.0	4.0		
R	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1884	0	1884	0	0	5-8	5-8
L	1884	0	1884	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1330	886 / 0	0 / 0	0 / 0	0 - 0	444 / 0	0 / 0
L	1330	886 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.11 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF H-O, D-O, C-R, I-L.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
B-C	0 / 20	-91.8	-91.8	0.33 (1)	10.00	
C-D	-2428 / 0	-91.8	-91.8	0.37 (1)	4.11	
D-E	-1808 / 0	-91.8	-91.8	0.34 (1)	4.65	
E-F	-1808 / 0	-91.8	-91.8	0.34 (1)	4.65	
F-G	-1808 / 0	-91.8	-91.8	0.34 (1)	4.65	
G-H	-1808 / 0	-91.8	-91.8	0.34 (1)	4.65	
H-I	-2428 / 0	-91.8	-91.8	0.37 (1)	4.11	
I-J	0 / 20	-91.8	-91.8	0.33 (1)	10.00	
J-K	0 / 28	-91.8	-91.8	0.12 (1)	10.00	
R-B	-325 / 0	0.0	0.0	0.03 (1)	7.81	
L-J	-325 / 0	0.0	0.0	0.03 (1)	7.81	
R-Q	0 / 2268	-18.5	-18.5	0.51 (1)	10.00	
Q-P	0 / 2051	-18.5	-18.5	0.48 (1)	10.00	
P-O	0 / 2051	-18.5	-18.5	0.48 (1)	10.00	
O-N	0 / 2051	-18.5	-18.5	0.48 (1)	10.00	
N-M	0 / 2051	-18.5	-18.5	0.48 (1)	10.00	
M-L	0 / 2268	-18.5	-18.5	0.51 (1)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
O-F	0 / 1211	0.27 (1)
O-H	-701 / 0	0.32 (1)
H-M	0 / 312	0.07 (1)
M-I	-156 / 21	0.05 (1)
D-O	-701 / 0	0.32 (1)
Q-D	0 / 312	0.07 (1)
C-Q	-156 / 21	0.05 (1)
R-C	-2717 / 0	0.56 (1)
I-L	-2717 / 0	0.55 (1)



TOTAL WEIGHT = 8 X 133 = 1066 lb [M|F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.24")

CSI: TC=0.37/1.00 (H-I:1) , BC=0.51/1.00 (L-M:1) , WB=0.55/1.00 (H-L:1) , SSI=0.20/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (I) (INPUT = 0.90)
JSI METAL= 0.67 (I) (INPUT = 1.00)

Structural component only
DWG# T-2006493

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408164	T27	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:33 2020 Page 1

ID:1ebEM4Ce92xn94Zv?jkFPlzmBR3-wnKmOI1?nE1vSuRxBTBRBPSAJa9BzYmWWhS1cUzMDcO



TOTAL WEIGHT = 2 X 130 = 261 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
S - P	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	8.0	2.50	2.00
C	TTWW+m	MT20	6.0	9.0	Edge	2.00
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	4.0		
H	TTWW+m	MT20	6.0	9.0	Edge	2.00
I	TMW+p	MT20	5.0	8.0	2.50	2.00
K	BMV1+p	MT20	3.0	4.0		
L, M, Q, R						
L	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BS-t	MT20	3.0	6.0		
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007733

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	RECMD BRG IN-SX
S	1886	0	1886	0	0	5-8	5-8
K	1886	0	1886	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
K	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.42 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 38	-91.8	-91.8	0.12 (1)	10.00	R-C	-266 / 0	0.10 (1)
B-C	-1886 / 0	-91.8	-91.8	0.45 (1)	4.42	C-Q	0 / 1515	0.34 (1)
C-D	-2664 / 0	-91.8	-91.8	0.61 (1)	3.65	Q-D	-868 / 0	0.32 (1)
D-E	-3002 / 0	-91.8	-91.8	0.65 (1)	3.42	D-O	0 / 443	0.10 (1)
E-F	-3002 / 0	-91.8	-91.8	0.65 (1)	3.42	O-E	-472 / 0	0.18 (1)
F-G	-3002 / 0	-91.8	-91.8	0.65 (1)	3.42	O-G	0 / 443	0.10 (1)
G-H	-2664 / 0	-91.8	-91.8	0.61 (1)	3.65	M-G	-868 / 0	0.32 (1)
H-I	-1886 / 0	-91.8	-91.8	0.45 (1)	4.42	M-H	0 / 1515	0.34 (1)
I-J	0 / 38	-91.8	-91.8	0.12 (1)	10.00	L-H	-266 / 0	0.10 (1)
S-B	-1852 / 0	0.0	0.0	0.19 (1)	6.16	B-R	0 / 1552	0.35 (1)
K-I	-1852 / 0	0.0	0.0	0.19 (1)	6.16	L-I	0 / 1552	0.35 (1)
S-R	0 / 0	-18.5	-18.5	0.12 (4)	10.00			
R-Q	0 / 1500	-18.5	-18.5	0.31 (1)	10.00			
Q-P	0 / 2665	-18.5	-18.5	0.48 (1)	10.00			
P-O	0 / 2665	-18.5	-18.5	0.48 (1)	10.00			
O-N	0 / 2665	-18.5	-18.5	0.48 (1)	10.00			
N-M	0 / 2665	-18.5	-18.5	0.48 (1)	10.00			
M-L	0 / 1500	-18.5	-18.5	0.31 (1)	10.00			
L-K	0 / 0	-18.5	-18.5	0.12 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/999 (0.28")

CSI: TC=0.65/1.00 (D-E:1) , BC=0.48/1.00 (O-Q:1) , WB=0.35/1.00 (B-R:1) , SSI=0.24/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1658

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (B) (INPUT = 0.90)
JSI METAL= 0.81 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408164	T28	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:34 2020 Page 1
ID:1ebEM4Ce92xn94Zv?jkFPlzmBR3-O_u8ce2dYY9m3207kAlgjd_KR_W9iu5gILBb8wzMDcN



TOTAL WEIGHT = 2 X 137 = 274 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	8.0	2.50	2.75
D	TTWW-m	MT20	5.0	8.0	Edge	3.50
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMV+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	Edge	3.50
I	TMWW-t	MT20	5.0	8.0	2.50	2.75
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	5.0	6.0		
M	BMWW-t	MT20	4.0	4.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	6.0		
Q	BMWW-t	MT20	4.0	4.0		
R	BMVW1-t	MT20	5.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1886	0	1886	0	0	5-8	5-8
L	1886	0	1886	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1331	867 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
L	1331	867 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.78 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 38	-91.8	-91.8	0.12 (1)	10.00	C-Q	0 / 131	0.03 (4)	
B-C	0 / 18	-91.8	-91.8	0.13 (1)	10.00	Q-D	0 / 86	0.03 (4)	
C-D	-1910 / 0	-91.8	-91.8	0.18 (1)	4.71	D-P	0 / 1071	0.24 (1)	
D-E	-2286 / 0	-91.8	-91.8	0.69 (1)	3.78	P-E	-627 / 0	0.41 (1)	
E-F	-2284 / 0	-91.8	-91.8	0.68 (1)	3.79	E-N	-2 / 0	0.00 (1)	
F-G	-2284 / 0	-91.8	-91.8	0.68 (1)	3.79	N-G	-627 / 0	0.41 (1)	
G-H	-2284 / 0	-91.8	-91.8	0.68 (1)	3.80	N-H	0 / 1089	0.24 (1)	
H-I	-1910 / 0	-91.8	-91.8	0.18 (1)	4.71	M-H	0 / 88	0.03 (4)	
I-J	0 / 18	-91.8	-91.8	0.13 (1)	10.00	M-I	0 / 131	0.03 (4)	
J-K	0 / 38	-91.8	-91.8	0.12 (1)	10.00	R-C	-2134 / 0	0.79 (1)	
R-B	-245 / 0	0.0	0.0	0.03 (1)	7.81	I-L	-2134 / 0	0.79 (1)	
L-J	-245 / 0	0.0	0.0	0.03 (1)	7.81				
R-Q	0 / 1420	-18.5	-18.5	0.33 (1)	10.00				
Q-P	0 / 1510	-18.5	-18.5	0.35 (1)	10.00				
P-O	0 / 2286	-18.5	-18.5	0.43 (1)	10.00				
O-N	0 / 2286	-18.5	-18.5	0.43 (1)	10.00				
N-M	0 / 1511	-18.5	-18.5	0.35 (1)	10.00				
M-L	0 / 1421	-18.5	-18.5	0.33 (1)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.10")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.21")

CSI: TC=0.69/1.00 (D-E:1) , BC=0.43/1.00 (N-P:1) , WB=0.79/1.00 (I-L:1) , SSI=0.27/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (L) (INPUT = 0.90)
JSI METAL= 0.76 (O) (INPUT = 1.00)

Structural component only
DWG# T-2007734

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408164	T29	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:35 2020 Page 1
ID:1ebEM4Ce92xn94Zv?IkFPizmBR3-tASWp_2FJrHdhBbJluDvGqXT4OtXRJnp_?x8gNzMDcM



TOTAL WEIGHT = 2 X 147 = 295 lb (M)(F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	2.50	2.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.25	1.50
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMVW+p	MT20	5.0	6.0	2.50	2.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	8.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007735

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1886	0	1886	0	0	5-8	5-8
J	1886	0	1886	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
J	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.61 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 38	-91.8	-91.8	0.12 (1)	10.00
B-C	-1877 / 0	-91.8	-91.8	0.24 (1)	4.69
C-D	-1858 / 0	-91.8	-91.8	0.24 (1)	4.71
D-E	-1995 / 0	-91.8	-91.8	0.82 (1)	3.61
E-F	-1995 / 0	-91.8	-91.8	0.82 (1)	3.61
F-G	-1858 / 0	-91.8	-91.8	0.24 (1)	4.71
G-H	-1877 / 0	-91.8	-91.8	0.24 (1)	4.69
H-I	0 / 38	-91.8	-91.8	0.12 (1)	10.00
R-B	-1849 / 0	0.0	0.0	0.19 (1)	6.16
J-H	-1849 / 0	0.0	0.0	0.19 (1)	6.16
R-Q	0 / 0	-18.5	-18.5	0.08 (4)	10.00
Q-P	0 / 1522	-18.5	-18.5	0.33 (1)	10.00
P-O	0 / 1465	-18.5	-18.5	0.36 (1)	10.00
O-N	0 / 1465	-18.5	-18.5	0.36 (1)	10.00
N-M	0 / 1465	-18.5	-18.5	0.36 (1)	10.00
M-L	0 / 1465	-18.5	-18.5	0.36 (1)	10.00
L-K	0 / 1522	-18.5	-18.5	0.33 (1)	10.00
K-J	0 / 0	-18.5	-18.5	0.08 (4)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-364 / 0	0.12 (1)
C-P	-97 / 0	0.05 (1)
P-D	0 / 182	0.05 (4)
D-N	0 / 736	0.12 (1)
N-E	-871 / 0	0.96 (1)
N-F	0 / 736	0.12 (1)
L-F	0 / 182	0.05 (4)
L-G	-97 / 0	0.05 (1)
K-G	-364 / 0	0.12 (1)
B-Q	0 / 1581	0.36 (1)
K-H	0 / 1581	0.36 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.17")

CSI: TC=0.82/1.00 (D-E:1) , BC=0.36/1.00 (N-P:1) , WB=0.96/1.00 (E-N:1) , SSI=0.34/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (B) (INPUT = 0.90)
JSI METAL= 0.46 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408164	T30	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:38 2020 Page 1
ID:1ebEM4Ce92xn94Zv?jkFPizmBR3-LM0u1J3t49PUJLAVsbk8o24jboEYAvKyDIghDpzMDcL



TOTAL WEIGHT = 2 X 155 = 311 lb (M/F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	2.50	2.00
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.25	1.50
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMVW+p	MT20	5.0	6.0	2.50	2.00
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0		
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007736

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	1886	0	1886	0	0	5-8	5-8
J	1886	0	1886	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0
J	1331	887 / 0	0 / 0	0 / 0	0 / 0	444 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.52 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 38	-91.8	-91.8	0.12 (1)	10.00
B-C	-1923 / 0	-91.8	-91.8	0.38 (1)	4.52
C-D	-1772 / 0	-91.8	-91.8	0.34 (1)	4.68
D-E	-1655 / 0	-91.8	-91.8	0.46 (1)	4.63
E-F	-1655 / 0	-91.8	-91.8	0.46 (1)	4.63
F-G	-1772 / 0	-91.8	-91.8	0.34 (1)	4.68
G-H	-1923 / 0	-91.8	-91.8	0.38 (1)	4.52
H-I	0 / 38	-91.8	-91.8	0.12 (1)	10.00
R-B	-1845 / 0	0.0	0.0	0.19 (1)	6.16
J-H	-1845 / 0	0.0	0.0	0.19 (1)	6.16
R-Q	0 / 0	-18.5	-18.5	0.10 (4)	10.00
Q-P	0 / 1564	-18.5	-18.5	0.31 (1)	10.00
P-O	0 / 1391	-18.5	-18.5	0.29 (1)	10.00
O-N	0 / 1391	-18.5	-18.5	0.29 (1)	10.00
N-M	0 / 1391	-18.5	-18.5	0.29 (1)	10.00
M-L	0 / 1391	-18.5	-18.5	0.29 (1)	10.00
L-K	0 / 1564	-18.6	-18.5	0.31 (1)	10.00
K-J	0 / 0	-18.5	-18.5	0.10 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-C	-266 / 0	0.11 (1)
C-P	-249 / 0	0.24 (1)
P-D	0 / 277	0.06 (1)
D-N	0 / 469	0.08 (1)
N-E	-666 / 0	0.35 (1)
N-F	0 / 469	0.08 (1)
L-F	0 / 277	0.06 (1)
L-G	-249 / 0	0.24 (1)
K-G	-266 / 0	0.11 (1)
B-Q	0 / 1606	0.36 (1)
K-H	0 / 1606	0.36 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.13")

CSI: TC=0.46/1.00 (E-F:1) , BC=0.31/1.00 (P-Q:1) , WB=0.36/1.00 (B-Q:1) , SSI=0.26/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (B) (INPUT = 0.90)
JSI METAL= 0.45 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408164	T31	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:37 2020 Page 1
ID:1ebEM4Ce92xn94Zv?jkFPtzmBR3-pZaHEf4WrTXLwVliQJFNLFcsbCaSvO16RJQFIFzMDcK



TOTAL WEIGHT = 56 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	6.0	Edge	
C	TTWW+m	MT20	5.0	6.0	2.25	1.50
D	TTW-m	MT20	4.0	4.0		
E	TMVW+p	MT20	4.0	6.0	Edge	
G	BMV1+p	MT20	3.0	4.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BMWW-t	MT20	4.0	6.0		
J	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE, TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007737

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
J	1153	0	1153	0	0	5-8	5-8
G	1177	0	1177	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
J	813	547 / 0	0 / 0	0 / 0	0 / 0	266 / 0	0 / 0
G	831	556 / 0	0 / 0	0 / 0	0 / 0	275 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J, G

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.63 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 38	-91.8	-91.8	0.14 (1)		10.00
B-C	-982 / 0	-91.8	-91.8	0.30 (1)		5.91
C-K	-785 / 0	-91.8	-91.8	0.63 (1)		5.63
K-L	-785 / 0	-91.8	-91.8	0.63 (1)		5.63
L-D	-785 / 0	-91.8	-91.8	0.63 (1)		5.63
D-E	-987 / 0	-91.8	-91.8	0.30 (1)		5.85
E-F	0 / 38	-91.8	-91.8	0.14 (1)		10.00
J-B	-1113 / 0	0.0	0.0	0.13 (1)		7.48
G-E	-1133 / 0	0.0	0.0	0.13 (1)		7.43
J-M	0 / 0	-18.5	-18.5	0.13 (4)		10.00
M-N	0 / 0	-18.5	-18.5	0.13 (4)		10.00
N-I	0 / 0	-18.5	-18.5	0.13 (4)		10.00
I-O	0 / 766	-18.5	-18.5	0.20 (1)		10.00
O-P	0 / 766	-18.5	-18.5	0.20 (1)		10.00
P-H	0 / 766	-18.5	-18.5	0.20 (1)		10.00
H-Q	0 / 0	-18.5	-18.5	0.13 (4)		10.00
Q-R	0 / 0	-18.5	-18.5	0.13 (4)		10.00
R-G	0 / 0	-18.5	-18.5	0.13 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
I-C	-99 / 64	0.03 (1)
C-H	0 / 25	0.01 (1)
H-D	-117 / 61	0.04 (1)
B-I	0 / 800	0.20 (1)
H-E	0 / 820	0.20 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-0-0	-31	-35	---	FRONT	VERT	DEAD	---	C1
C	4-0-0	-135	-135	---	FRONT	VERT	SNOW	---	C1
D	9-1-0	-31	-35	---	FRONT	VERT	DEAD	---	C1
D	9-1-0	-74	-74	---	BACK	VERT	TOTAL	---	C1
D	9-1-0	-135	-135	---	FRONT	VERT	SNOW	---	C1
H	9-0-12	-13	-13	---	BACK	VERT	TOTAL	---	C1
K	5-0-12	-67	-67	---	BACK	VERT	TOTAL	---	C1
L	7-0-12	-67	-67	---	BACK	VERT	TOTAL	---	C1
M	1-0-12	-13	-13	---	BACK	VERT	TOTAL	---	C1
N	3-0-12	-13	-13	---	BACK	VERT	TOTAL	---	C1
O	5-0-12	-13	-13	---	BACK	VERT	TOTAL	---	C1
P	7-0-12	-13	-13	---	BACK	VERT	TOTAL	---	C1
Q	11-0-12	-13	-13	---	BACK	VERT	TOTAL	---	C1
R	12-0-4	-13	-13	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF SBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.44")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.44")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.63/1.00 (C-D:1) , BC=0.20/1.00 (H-I:1) , WB=0.20/1.00 (E-H:1) , SSI=0.27/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.83 (E) (INPUT = 0.90)
JSI METAL= 0.52 (E) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408164	T32	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:38 2020 Page 1
ID:1ebEM4Ce92xn94Zv?jkFPizmBR3-HI8IS?58cmfCYfKuz0mcuT98kbwteo3Fgz9oHizMDcJ



TOTAL WEIGHT = 70 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESGR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
I - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0		
D	TMTMWm	MT20	4.0	6.0	Edge	
E	TMWW-t	MT20	4.0	4.0		
F	TMV+p	MT20	3.0	4.0		
H	BMVW1-t	MT20	4.0	4.0		
I	BMWWW-t	MT20	4.0	9.0		
J	BMVW1-t	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
J	848	0	848	0	0	5-8	5-8
H	848	0	848	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
J	597	405 / 0	0 / 0	0 / 0	0 / 0	192 / 0	0 / 0
H	597	405 / 0	0 / 0	0 / 0	0 / 0	192 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 39	-91.8	-91.8	0.12 (1)	10.00
B-C	0 / 21	-91.8	-91.8	0.16 (1)	10.00
C-D	-424 / 0	-91.8	-91.8	0.12 (1)	6.25
D-E	-424 / 0	-91.8	-91.8	0.12 (1)	6.25
E-F	0 / 21	-91.8	-91.8	0.16 (1)	10.00
F-G	0 / 39	-91.8	-91.8	0.12 (1)	10.00
J-B	-242 / 0	0.0	0.0	0.04 (1)	7.81
H-F	-242 / 0	0.0	0.0	0.04 (1)	7.81
J-I	0 / 356	-18.5	-18.5	0.26 (4)	10.00
I-H	0 / 356	-18.5	-18.5	0.26 (4)	10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
I-D	0 / 253	0.04 (1)
C-I	-61 / 19	0.04 (1)
I-E	-61 / 19	0.04 (1)
J-C	-663 / 0	0.41 (1)
E-H	-663 / 0	0.41 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.44")
CALCULATED VERT. DEFL.(LL) = L/999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.44")
CALCULATED VERT. DEFL.(TL) = L/999 (0.04")

CSI: TC=0.16/1.00 (E-F:1) , BC=0.26/1.00 (H-I:4) , WB=0.41/1.00 (C-J:1) , SSI=0.12/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.77 (C) (INPUT = 0.90)
JSI METAL= 0.23 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007738

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	T33S	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:25 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-hm2wyD37EMMz4eyUg3D2D3u2Dxgu9ubs85Zl39zPtZK



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
L - B	2x6	DRY	No.2	SPF
G - F	2x6	DRY	No.2	SPF
L - K	2x4	DRY	No.2	SPF
K - C	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	2.00	3.00
C	TMVW+p	MT20	4.0	4.0	1.50	2.00
O	TTWW-m	MT20	5.0	6.0	2.00	2.00
E	TTW-m	MT20	4.0	4.0		
F	TMVW-p	MT20	4.0	6.0	1.00	3.00
G	BMV1+p	MT20	3.0	6.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BMWW-t	MT20	4.0	6.0		
J	BVMWW-t	MT20	6.0	9.0	3.75	6.00
K	BMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	5.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
G	1008	0	1008	0	0	5-8	5-8
L	1158	0	1158	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
G	711	480 / 0	0 / 0	0 / 0	0 / 0	231 / 0	0 / 0
L	814	560 / 0	0 / 0	0 / 0	0 / 0	254 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) G, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.21 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (7)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM (PLF)	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 28	-91.8	-91.8	0.13 (1)	10.00	C-I	-939 / 0	0.20 (1)
B-M	-2420 / 0	-91.8	-91.8	0.21 (1)	4.21	I-D	0 / 396	0.10 (1)
M-C	-2420 / 0	-91.8	-91.8	0.21 (1)	4.21	D-H	-389 / 0	0.16 (1)
C-D	-1595 / 0	-91.8	-91.8	0.18 (1)	5.02	H-E	0 / 77	0.03 (4)
D-N	-1106 / 0	-91.8	-91.8	0.41 (1)	5.41	H-F	0 / 1141	0.28 (1)
N-O	-1106 / 0	-91.8	-91.8	0.41 (1)	5.41	L-J	-143 / 0	0.02 (1)
O-E	-1106 / 0	-91.8	-91.8	0.41 (1)	5.41	B-J	0 / 2178	0.54 (1)
E-F	-1238 / 0	-91.8	-91.8	0.20 (1)	5.51			
L-B	-1077 / 0	0.0	0.0	0.08 (1)	7.81			
G-F	-982 / 0	0.0	0.0	0.07 (1)	7.81			
L-P	0 / 131	-18.5	-18.5	0.05 (4)	10.00			
P-K	0 / 131	-18.5	-18.5	0.05 (4)	10.00			
K-J	0 / 203	0.0	0.0	0.27 (1)	10.00			
J-C	0 / 422	0.0	0.0	0.30 (1)	10.00			
J-Q	0 / 2314	-18.5	-18.5	0.43 (1)	10.00			
Q-I	0 / 2314	-18.5	-18.5	0.43 (1)	10.00			
I-R	0 / 1442	-18.5	-18.5	0.30 (1)	10.00			
R-H	0 / 1442	-18.5	-18.5	0.30 (1)	10.00			
H-S	0 / 0	-18.5	-18.5	0.07 (4)	10.00			
S-G	0 / 0	-18.5	-18.5	0.07 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
D	5-6-0	-178	-178	---	FRONT	VERT	TOTAL	---	C1
E	9-11-0	-154	-154	---	FRONT	VERT	TOTAL	---	C1
H	9-6-12	-7	-7	---	FRONT	VERT	TOTAL	---	C1
I	5-6-12	-7	-7	---	FRONT	VERT	TOTAL	---	C1
K	2-7-12	-184	-184	---	FRONT	VERT	TOTAL	---	C1
M	1-10-4	1	1	104	FRONT	VERT	TOTAL	---	C1
N	7-6-12	-17	-17	---	FRONT	VERT	TOTAL	---	C1
O	9-6-12	-47	-47	---	FRONT	VERT	TOTAL	---	C1
P	1-10-4	7	1	12	FRONT	VERT	TOTAL	---	C1
Q	4-4-12	-3	-4	---	FRONT	VERT	TOTAL	---	C1
R	7-6-12	-7	-7	---	FRONT	VERT	TOTAL	---	C1
S	11-0-4	-3	-4	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) **C1:** A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 54 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.44")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.44")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.10")

CSI: TC=0.41/1.00 (D-E:1) , BC=0.43/1.00 (I-J:1) , WB=0.54/1.00 (B-J:1) , SSI=0.22/1.00 (O-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (J) (INPUT = 0.90)
JSI METAL= 0.49 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/apr/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006495

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	T34	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:28 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-9ycl9Z4l?gUqlnXgEnkHlHQD_K29uO6?MIIFbbzPtZJ



TOTAL WEIGHT = 4 X 52 = 207 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (tablets in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTW-p	MT20	4.0	4.0		
E	TMVW-t	MT20	4.0	4.0	2.00	1.25
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMVW1-t	MT20	4.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	721	0	721	0	0	MECHANICAL	
H	846	0	846	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	510	335 / 0	0 / 0	0 / 0	0 / 0	175 / 0	0 / 0
H	598	404 / 0	0 / 0	0 / 0	0 / 0	192 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 28	-91.8	-91.8	0.12 (1)		10.00
B-C	0 / 18	-91.8	-91.8	0.21 (1)		10.00
C-D	-584 / 0	-91.8	-91.8	0.17 (1)		6.25
D-E	-566 / 0	-91.8	-91.8	0.34 (1)		6.25
H-B	-262 / 0	0.0	0.0	0.03 (1)		7.81
F-E	-690 / 0	0.0	0.0	0.09 (1)		7.81
H-G	0 / 728	-18.5	-18.5	0.30 (4)		10.00
G-F	0 / 0	-18.5	-18.5	0.25 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-G	-275 / 0	0.10 (1)
G-D	0 / 124	0.04 (4)
H-C	-898 / 0	0.33 (1)
G-E	0 / 541	0.12 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF SBCC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.44")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.44")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.10")

CSI: TC=0.34/1.00 (D-E:1) , BC=0.30/1.00 (G-H:4) , WB=0.33/1.00 (C-H:1) , SSI=0.17/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (E) (INPUT = 0.90)
JSI METAL= 0.28 (C) (INPUT = 1.00)

Structural component only
DWG# T-2006496

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408165	T34CP	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:27 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-d8AhNu4NmzchJx6toUFWIUzOkkOOdrM8bP2p71zPtZI



TOTAL WEIGHT = 52 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTW-p	MT20	4.0	6.0		
E	TMVW-t	MT20	4.0	4.0	2.00	1.25
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMVW1-t	MT20	4.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	721	0	721	0	0	MECHANICAL	
H	846	0	846	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	510	335 / 0	0 / 0	0 / 0	0 / 0	175 / 0	0 / 0
H	596	404 / 0	0 / 0	0 / 0	0 / 0	192 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (1)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A- B	0 / 28	-91.8	-91.8	0.12 (1)		10.00	C- G	-275 / 0	0.10 (1)
B- C	0 / 18	-91.8	-91.8	0.21 (1)		10.00	G- D	0 / 124	0.04 (4)
C- D	-584 / 0	-91.8	-91.8	0.17 (1)		6.25	H- C	-698 / 0	0.33 (1)
D- E	-568 / 0	-91.8	-91.8	0.34 (1)		6.25	G- E	0 / 541	0.12 (1)
H- B	-262 / 0	0.0	0.0	0.03 (1)		7.81			
F- E	-690 / 0	0.0	0.0	0.09 (1)		7.81			
H- G	0 / 728	-18.5	-18.5	0.30 (4)		10.00			
G- F	0 / 0	-18.5	-18.5	0.25 (4)		10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.44")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.44")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.10")

CSI: TC=0.34/1.00 (D-E:1) , BC=0.30/1.00 (G-H:4) , WB=0.33/1.00 (C-H:1) , SSI=0.17/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	786	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (E) (INPUT = 0.90)
JSI METAL= 0.28 (C) (INPUT = 1.00)



Structural component only
DWG# T-2006497

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408164	T300	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:39 2020 Page 1
ID:1ebEM4Ce92xn84Zv?jkFPizmBR3-lxi1fL5mM4n3Apv4XkHrQgICR?8hNAmPvdvMp8zMDcI



TOTAL WEIGHT = 165 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x6	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (Table is in Inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	1.25	4.00
C	TTWW+m	MT20	8.0	9.0	Edge	6.25
D	TMWW-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	8.0	9.0	Edge	6.25
I	TMVW-p	MT20	5.0	8.0	1.25	4.00
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.25
M	BMWW-t	MT20	5.0	8.0	2.50	3.25
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	5.0	8.0	2.50	3.25
R	BMWW-t	MT20	5.0	6.0	2.50	2.25
S	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007739

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2105	0	2105	0	0	5-8	5-8
K	2458	0	2458	0	0	3-0	3-0

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1486	990 / 0	0 / 0	0 / 0	0 / 0	496 / 0	0 / 0
K	1734	1153 / 0	0 / 0	0 / 0	0 / 0	581 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.22 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO						FR-TO		
A-B	0 / 39	-91.8	-91.8	0.07 (1)	10.00	R-C	-412 / 0	0.09 (1)
B-C	-2129 / 0	-91.8	-91.8	0.10 (1)	5.46	C-Q	0 / 2844	0.73 (1)
C-D	-4326 / 0	-91.8	-91.8	0.42 (1)	3.80	Q-D	-1203 / 0	0.26 (1)
D-T	-5422 / 0	-91.8	-91.8	0.50 (1)	3.37	D-O	0 / 1227	0.30 (1)
T-E	-5422 / 0	-91.8	-91.8	0.60 (1)	3.37	O-E	-717 / 0	0.15 (1)
E-U	-5422 / 0	-91.8	-91.8	0.61 (1)	3.22	O-G	0 / 730	0.18 (1)
U-F	-5422 / 0	-91.8	-91.8	0.61 (1)	3.22	M-G	-1225 / 0	0.26 (1)
F-V	-5422 / 0	-91.8	-91.8	0.61 (1)	3.22	M-H	0 / 3087	0.76 (1)
V-G	-5422 / 0	-91.8	-91.8	0.61 (1)	3.22	L-H	-477 / 0	0.10 (1)
G-W	-4769 / 0	-91.8	-91.8	0.55 (1)	3.48	B-R	0 / 1786	0.44 (1)
W-X	-4769 / 0	-91.8	-91.8	0.55 (1)	3.48	L-I	0 / 2122	0.53 (1)
X-Y	-4769 / 0	-91.8	-91.8	0.55 (1)	3.48			
Y-H	-4769 / 0	-91.8	-91.8	0.55 (1)	3.48			
H-I	-2529 / 0	-91.8	-91.8	0.11 (1)	5.10			
I-J	0 / 39	-91.8	-91.8	0.07 (1)	10.00			
S-B	-2117 / 0	0.0	0.0	0.15 (1)	6.95			
K-I	-2465 / 0	0.0	0.0	0.18 (1)	6.55			
S-R	0 / 0	-18.5	-18.5	0.09 (1)	10.00			
R-Q	0 / 1682	-18.5	-18.5	0.31 (1)	10.00			
Q-P	0 / 4326	-18.5	-18.5	0.65 (1)	10.00			
P-Z	0 / 4326	-18.5	-18.5	0.65 (1)	10.00			
Z-O	0 / 4326	-18.5	-18.5	0.65 (1)	10.00			
O-AA	0 / 4770	-18.5	-18.5	0.73 (1)	10.00			
AA-AB	0 / 4770	-18.5	-18.5	0.73 (1)	10.00			
AB-N	0 / 4770	-18.5	-18.5	0.73 (1)	10.00			
N-AC	0 / 4770	-18.5	-18.5	0.73 (1)	10.00			
AC-M	0 / 4770	-18.5	-18.5	0.73 (1)	10.00			
M-AD	0 / 1998	-18.5	-18.5	0.36 (1)	10.00			
AD-AE	0 / 1998	-18.5	-18.5	0.36 (1)	10.00			
AE-AF	0 / 1998	-18.5	-18.5	0.36 (1)	10.00			
AF-L	0 / 1998	-18.5	-18.5	0.36 (1)	10.00			
L-AG	0 / 0	-18.5	-18.5	0.11 (4)	10.00			
AG-K	0 / 0	-18.5	-18.5	0.11 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	18-10-4	-67	-67	---	FRONT	VERT	TOTAL	---	C1
H	29-0-0	-19	-21	---	FRONT	VERT	DEAD	---	C1
H	29-0-0	-73	-73	---	FRONT	VERT	TOTAL	---	C1
H	29-0-0	-98	-98	---	FRONT	VERT	SNOW	---	C1
L	28-10-4	-13	-13	---	FRONT	VERT	TOTAL	---	C1
T	14-10-4	-67	-67	---	FRONT	VERT	TOTAL	---	C1

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.06")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.26")
ALLOWABLE DEFL.(TL)= L/360 (1.06")
CALCULATED VERT. DEFL.(TL) = L/ 784 (0.49")

CSI: TC=0.61/1.00 (E-G:1) , BC=0.73/1.00 (M-O:1) , WB=0.76/1.00 (H-M:1) , SSI=0.33/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (Q) (INPUT = 0.90)
JSI METAL= 0.94 (N) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408164	T300	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:1ebEM4Ce92xn94Zv?ikFPizmBR3-lxi1fL5mM4n3Apv4XkHrQqlCR?8hNAmPvdvMp8zMDcI

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
U	16-10-4	-67	-67	--	FRONT	VERT	TOTAL	--	C1
V	20-10-4	-67	-67	--	FRONT	VERT	TOTAL	--	C1
W	22-10-4	-67	-67	--	FRONT	VERT	TOTAL	--	C1
X	24-10-4	-67	-67	--	FRONT	VERT	TOTAL	--	C1
Y	26-10-4	-67	-67	--	FRONT	VERT	TOTAL	--	C1
Z	14-10-4	-13	-13	--	FRONT	VERT	TOTAL	--	C1
AA	16-10-4	-13	-13	--	FRONT	VERT	TOTAL	--	C1
AB	18-10-4	-13	-13	--	FRONT	VERT	TOTAL	--	C1
AC	20-10-4	-13	-13	--	FRONT	VERT	TOTAL	--	C1
AD	22-10-4	-13	-13	--	FRONT	VERT	TOTAL	--	C1
AE	24-10-4	-13	-13	--	FRONT	VERT	TOTAL	--	C1
AF	26-10-4	-13	-13	--	FRONT	VERT	TOTAL	--	C1
AG	30-10-4	-13	-13	--	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) **C1:** A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007739

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC	DRWG NO.
408165	T320	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Mon May 11 09:05:34 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-zQmx4IIMKU4AMj5xgJdW?ca7bd3eIqkAPTPSDzHdvV



TOTAL WEIGHT = 4 X 30 = 119 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
F - A	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBMWm	MT20	6.0	12.0		
B	TMWW-t	MT20	4.0	4.0	2.00	1.75
C	TMV+p	MT20	3.0	4.0		
D	BMVW1-t	MT20	4.0	4.0		
E	BMW+w	MT20	2.0	4.0		
F	BMWM1'+m	MT20	4.0	8.0	3.25	0.50

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	RECRD BRG IN-SX
D	478	0	478	0	0	MECHANICAL	
F	478	0	478	0	0	5-0	5-0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
D	338	222 0	0 0	0 0	0 0	116 0	0 0
F	338	222 0	0 0	0 0	0 0	116 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-H	-831 0	-91.8	-91.8	0.21 (1)	6.25	E-B	0 195	0.04 (1)	
H-B	-627 0	-91.8	-91.8	0.29 (1)	6.25	B-D	-715 0	0.18 (1)	
B-C	-27 0	-91.8	-91.8	0.21 (1)	6.25	G-H	0 281	0.00 (1)	
D-C	-93 0	0.0	0.0	0.02 (1)	7.81				
F-A	0 0	-110.3	-110.3	0.25 (1)	10.00				
A-G	0 602	-18.5	-18.5	0.69 (1)	10.00				
G-E	0 602	-18.5	-18.5	0.47 (1)	10.00				
E-D	0 602	-18.5	-18.5	0.23 (1)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.29")
CALCULATED VERT. DEFL.(LL) = L/999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.29")
CALCULATED VERT. DEFL.(TL) = L/708 (0.15")

CSI: TC=0.29/1.00 (B-H:1) , BC=0.69/1.00 (A-G:1) , WB=0.18/1.00 (B-D:1) , SSI=0.30/1.00 (A-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.65 (D) (INPUT = 0.90)
JSI METAL= 0.26 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/11/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2009109

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408163	PB1	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:48:31 2020 Page 1
ID:KlHNL?klAuBVUgBrpQW7E8zls6y-??fZOla9Z4E5B?bi3XUbJe6cZjnKh?IP6l4NUrzPtXM



TOTAL WEIGHT = 2 X 22 = 44 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TTW-m	MT20	4.0	4.0		
E	TMB1-I	MT20	3.0	4.0		
G	BMWW1-I	MT20	4.0	4.0		
H	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	145	0	145	0	0	6-8-2	6-8-2
E	141	0	141	0	0	6-8-2	6-8-2
H	283	0	283	0	0	6-8-2	6-8-2
G	289	0	289	0	0	6-8-2	6-8-2

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	99	83 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
E	97	81 / 0	0 / 0	0 / 0	0 / 0	16 / 0	0 / 0
H	202	121 / 0	0 / 0	0 / 0	0 / 0	81 / 0	0 / 0
G	206	125 / 0	0 / 0	0 / 0	0 / 0	81 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 15	-91.8	-91.8	0.03 (1)		10.00
B-J	-44 / 0	-91.8	-91.8	0.01 (4)		6.25
J-C	-51 / 0	-91.8	-91.8	0.01 (1)		6.25
C-D	-11 / 0	-91.8	-91.8	0.27 (1)		6.25
D-L	-45 / 0	-91.8	-91.8	0.01 (1)		6.25
L-E	-37 / 2	-91.8	-91.8	0.01 (4)		6.25
E-F	0 / 15	-91.8	-91.8	0.03 (1)		10.00
B-I	0 / 40	-18.5	-18.5	0.03 (1)		10.00
I-H	0 / 40	-18.5	-18.5	0.05 (4)		10.00
H-G	0 / 17	-18.5	-18.5	0.05 (4)		10.00
G-K	0 / 35	-18.5	-18.5	0.05 (4)		10.00
K-E	0 / 35	-18.5	-18.5	0.03 (1)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
H-C	-203 / 0	0.03 (1)
C-G	-6 / 0	0.00 (1)
G-D	-208 / 0	0.03 (1)
I-J	-68 / 0	0.00 (1)
K-L	-69 / 0	0.00 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.27/1.00 (C-D:1) , BC=0.05/1.00 (H-I:4) , WB=0.03/1.00 (D-G:1) , SSI=0.15/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.16 (0) (INPUT = 0.90)
JSI METAL= 0.05 (C) (INPUT = 1.00)

Structural component only
DWG# T-2006466

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	PB2	7	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:32 2020 Page 1
ID:KIHNL?ktAu8VUgBrpQW7E8zls8y-TCDxcebnKNMyp9AudE?qsreqh76RQS7YLMqw0lzPtXL



TOTAL WEIGHT = 7 X 20 = 143 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMB1-I	MT20	3.0	4.0		
F	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	284	0	284	0	0	6-8-2	6-8-2
D	284	0	284	0	0	6-8-2	6-8-2
F	291	0	291	0	0	6-8-2	6-8-2

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	198	142 / 0	0 / 0	0 / 0	0 / 0	56 / 0	0 / 0
D	198	142 / 0	0 / 0	0 / 0	0 / 0	56 / 0	0 / 0
F	208	125 / 0	0 / 0	0 / 0	0 / 0	83 - 0	0 - 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 15	-91.8	-91.8	0.03 (1)	10.00
B-H	-32 / 0	-91.8	-91.8	0.05 (1)	6.25
H-C	-111 / 0	-91.8	-91.8	0.12 (1)	6.25
C-J	-111 / 0	-91.8	-91.8	0.12 (1)	6.25
J-D	-32 / 0	-91.8	-91.8	0.05 (1)	6.25
D-E	0 / 15	-91.8	-91.8	0.03 (1)	10.00
B-G	0 / 86	-18.5	-18.5	0.12 (1)	10.00
G-F	0 / 86	-18.5	-18.5	0.12 (1)	10.00
F-I	0 / 86	-18.5	-18.5	0.12 (1)	10.00
I-D	0 / 86	-18.5	-18.5	0.12 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-C	-138 / 0	0.02 (1)
G-H	-278 / 0	0.00 (1)
I-J	-278 / 0	0.00 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.12/1.00 (C-H:1) , BC=0.12/1.00 (B-G:1) , WB=0.02/1.00 (C-F:1) , SSI=0.21/1.00 (B-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.24 (B) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006467

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	J1	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:21 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zls6y-H43nltTuw?zW?TqnTQIFvXhxOhMTLTkwp8fr7RzPiXW



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (tablels in Inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	274	0	274	0	0	5-8	5-8
C	34	0	34	0	-39	1-8	1-8
D	17	0	19	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS FACTORED UPLIFT

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	190	143 / 0	0 / 0	0 / 0	0 / 0	47 / 0	0 / 0
C	23	19 / -27	0 / 0	0 / 0	0 / 0	4 / 0	0 / 0
D	14	0 / 0	0 / 0	0 / 0	0 / 0	14 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-B	-256 / 0	0.0	0.0	0.03 (1)	7.81	B-E	0 / 0	0.00 (1)
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00			
B-C	-27 / 0	-91.8	-91.8	0.12 (1)	6.25			
F-E	0 / 0	-18.5	-18.5	0.02 (4)	10.00			
E-D	0 / 0	-18.5	-18.5	0.02 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN



TOTAL WEIGHT = 3 X 9 = 27 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(56 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.02/1.00 (E-F:4) , WB=0.00/1.00 (B-E:1) , SSI=0.08/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (B) (INPUT = 0.90)
JSI METAL= 0.05 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006458

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	J2	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:22 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zls6y-IGc9WDTWhJ5NccPz18pUSkE4a5il4w_41oPOgtzPtXV



TOTAL WEIGHT = 3 X 12 = 35 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	317	0	317	0	0	5-8	5-8
C	174	0	174	0	0	1-8	1-8
D	17	0	19	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	220	167 / 0	0 / 0	0 / 0	0 / 0	53 / 0	0 / 0
C	120	97 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
D	14	0 / 0	0 / 0	0 / 0	0 / 0	14 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
F-B	-300 / 0	0.0	0.0	0.03 (1)	7.81
A-B	0 / 35	-91.8	-91.8	0.13 (5)	10.00
B-C	0 / 0	-91.8	-91.8	0.22 (1)	10.00
F-E	0 / 0	-18.5	-18.5	0.02 (4)	10.00
E-D	0 / 0	-18.5	-18.5	0.01 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
B-E	0 / 0	0.00 (1)

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(56 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.02/1.00 (E-F:4) , WB=0.00/1.00 (B-E:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.21 (B) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006459

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	J3	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:24 2020 Page 1
ID:KIHNL?kIAuBVUgBrpQW7E8zIs6y-IfkvwvVmDwM5swZM9ZsyX9JScvMYYqTNV6uVkIzPIXT



TOTAL WEIGHT = 3 X 13 = 40 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	311	0	311	0	0	5-8	5-8
C	34	0	34	0	0	1-8	1-8
D	54	0	61	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	220	143 / 0	0 / 0	0 / 0	0 / 0	77 / 0	0 / 0
C	23	19 / 0	0 / 0	0 / 0	0 / 0	4 / 0	0 / 0
D	43	0 / 0	0 / 0	0 / 0	0 / 0	43 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- B	-256 / 0	0.0	0.0	0.03 (1)	7.81	B- E	0 / 0	0.00 (1)
A- B	0 / 35	-91.8	-91.8	0.13 (1)	10.00			
B- C	-27 / 0	-91.8	-91.8	0.12 (1)	6.25			
F- E	0 / 0	-18.5	-18.5	0.13 (4)	10.00			
E- G	0 / 0	-18.5	-18.5	0.19 (4)	10.00			
G- H	0 / 0	-18.5	-18.5	0.19 (4)	10.00			
H- D	0 / 0	-18.5	-18.5	0.19 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
G	1-11-4	1	1	---	FRONT	VERT	TOTAL	---	C1
H	3-11-4	1	1	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.13/1.00 (A-B:1) , BC=0.19/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.09/1.00 (B-C:1)

DOL LUMBER=0.98 NAIL=0.98 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (B) (INPUT = 0.90)
JSI METAL= 0.05 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006460

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	J4	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:25 2020 Page 1
ID:KIHNL?kIAuBVUgBrpQW7E8zls6y-ArIH8FWO_EUxT47YiGNB4NsbqJlnHHjWkmd2GCzPtXS



TOTAL WEIGHT = 2 X 16 = 33 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	354	0	354	0	0	5-8	5-8
C	174	0	174	0	0	1-8	1-8
D	54	0	61	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	250	167 / 0	0 / 0	0 / 0	0 / 0	83 / 0	0 / 0
C	120	97 / 0	0 / 0	0 / 0	0 / 0	23 / 0	0 / 0
D	43	0 / 0	0 / 0	0 / 0	0 / 0	43 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
F- B	-300 / 0	0.0	0.0	0.03 (1)	7.81
A- B	0 / 35	-91.8	-91.8	0.12 (1)	10.00
B- C	0 / 0	-91.8	-91.8	0.22 (1)	10.00
F- E	0 / 0	-18.5	-18.5	0.14 (4)	10.00
E- D	0 / 0	-18.5	-18.5	0.19 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
B- E	0 / 0	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/999 (0.05")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.19/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.21 (B) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006461

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	J5	11	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:28 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zls6y-e2sgLbX0lXco5EikG_uQcaOhfi100kzgyQNcpezPiXR



TOTAL WEIGHT = 11 X 20 = 215 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (tablels in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	3.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	450	0	450	0	0	5-8	5-8
C	270	0	270	0	0	1-8	1-8
D	54	0	61	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	316	221 / 0	0 / 0	0 / 0	0 / 0	95 / 0	0 / 0
C	186	150 / 0	0 / 0	0 / 0	0 / 0	35 / 0	0 / 0
D	43	0 / 0	0 / 0	0 / 0	0 / 0	43 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
F- B	-395 / 0	0.0	0.0	0.04 (1)	7.81	
A- B	0 / 35	-91.8	-91.8	0.12 (1)	10.00	
B- C	0 / 0	-91.8	-91.8	0.54 (1)	10.00	
F- E	0 / 0	-18.5	-18.5	0.17 (4)	10.00	
E- D	0 / 0	-18.5	-18.5	0.19 (4)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
B- E	0 / 0	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.54/1.00 (B-C:1) , BC=0.19/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.17/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.28 (B) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006462

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	J6	5	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:48:27 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zls6y-6EQ2ZxXfWrkfjOHxqhPf9oxzs6PpIBDpB469L4zPtXQ



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	3.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	241	0	241	0	0	5-8	5-8
C	96	0	96	0	0	1-8	1-8
D	19	0	22	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	168	124 / 0	0 / 0	0 / 0	0 / 0	44 / 0	0 / 0
C	66	53 / 0	0 / 0	0 / 0	0 / 0	13 / 0	0 / 0
D	15	0 / 0	0 / 0	0 / 0	0 / 0	15 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- B	-222 / 0	0.0	0.0		0.02 (1)	7.81	B- E	0 / 0	0.00 (1)
A- B	0 / 35	-91.8	-91.8		0.12 (5)	10.00			
B- C	0 / 0	-91.8	-91.8		0.07 (1)	10.00			
F- E	0 / 0	-18.5	-18.5		0.02 (4)	10.00			
E- D	0 / 0	-18.5	-18.5		0.02 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 5 X 10 = 49 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.12/1.00 (A-B:5) , BC=0.02/1.00 (E-F:4) , WB=0.00/1.00 (B-E:1) , SSI=0.08/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.15 (B) (INPUT = 0.90)
JSI METAL= 0.05 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006463

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	J7	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:26 2020 Page 1
ID:KIHNL?klAuBVUgBrpQW7E8zIs6y-aQ_QmGYHH9sWKXs7OOwui?U5rWimUeTyQksjtXzPtXP



TOTAL WEIGHT = 2 X 15 = 31 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-m	MT20	3.0	10.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
B	409	0	409	0	0	5-8	5-8	2x4 L
E	80	0	80	0	0	5-8	5-8	
C	235	0	235	0	0	5-8	5-8	

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	287	201 / 0	0 / 0	0 / 0	0 / 0	86 / 0	0 / 0
E	59	21 / 0	0 / 0	0 / 0	0 / 0	38 / 0	0 / 0
C	182	126 / 0	0 / 0	0 / 0	0 / 0	36 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 26	-91.8	-91.8	0.12 (1)	10.00	F-G	-191 / 14	0.00 (1)
B-G	-23 / 0	-91.8	-91.8	0.06 (4)	6.25			
G-C	0 / 4	-91.8	-91.8	0.30 (1)	10.00			
C-D	-7 / 0	-91.8	-91.8	0.01 (1)	10.00			
B-F	0 / 0	-18.5	-18.5	0.23 (1)	10.00			
F-E	0 / 0	-18.5	-18.5	0.23 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 664 (0.10")

CSI: TC=0.30/1.00 (C-G:1) , BC=0.23/1.00 (E-F:1) , WB=0.00/1.00 (F-G:1) , SSI=0.16/1.00 (B-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.11 (B) (INPUT = 0.90)
JSI METAL = 0.03 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/20/20
H. J. G ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006464

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408163	J8	8	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:46:30 2020 Page 1
ID:KIHNL?klAuBVUqBrpQW7E8zls6y-Wp5AByaXom6Ear0WVpyMnQZSWKPMyYyFt2LpyPzPtXN



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
C	175	0	175	0	0	5-8 (4-6)	5-8
B	366	0	368	0	0	5-8	5-8
D	66	0	66	0	0	5-8 (5-7)	5-8

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
C	121	94 / 0	0 / 0	0 / 0	0 / 0	27 / 0	0 / 0
B	256	181 / 0	0 / 0	0 / 0	0 / 0	75 / 0	0 / 0
D	49	18 / 0	0 / 0	0 / 0	0 / 0	32 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) C, B, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 26	-91.8	-91.8	0.12 (1)		10.00
B-F	-20 / 37	-91.8	-91.8	0.05 (1)		6.25
F-C	-3 / 2	-91.8	-91.8	0.23 (1)		10.00
B-E	0 / 0	-18.5	-18.5	0.16 (1)		10.00
E-D	0 / 0	-18.5	-18.5	0.16 (1)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-F	-280 / 6	0.00 (1)



TOTAL WEIGHT = 8 X 12 = 99 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.23/1.00 (C-F:1) , BC=0.16/1.00 (D-E:1) , WB=0.00/1.00 (E-F:1) , SSI=0.23/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.29 (B) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006465

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	ORWG NO.
408165	J21	6	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:08 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-gVWVOPsSF8DOX09DB?P30UhD04z4hKoMDyxlyezPtZb



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	271	0	271	0	0	5-8	5-8
C	45	0	45	0	-23	1-8	1-8
D	8	0	17	0	-2	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS FACTORED UPLIFT
PROVIDE ANCHORAGE AT BEARING JOINT D FOR 150 LBS FACTORED UPLIFT

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	188	141 / 0	0 / 0	0 / 0	0 / 0	47 / 0	0 / 0
C	31	24 / -18	0 / 0	0 / 0	0 / 0	7 / 0	0 / 0
D	7	0 / -8	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-244 / 0	0.0	0.0		0.04 (5)	7.81			
A-B	0 / 28	-91.8	-91.8		0.12 (1)	10.00			
B-C	-17 / 0	-91.8	-91.8		0.09 (1)	6.25			
E-D	0 / 0	-18.5	-18.5		0.04 (5)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN



TOTAL WEIGHT = 8 X 7 = 42 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.04/1.00 (D-E:5) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006477

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	J22	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:09 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-9h4tbls50RLE9AkPkixIZhDM8UJeQn2VSchsV4zPtZa



TOTAL WEIGHT = 3 X 10 = 29 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	361	0	361	0	0	5-8	5-8
C	130	0	130	0	0	1-8	1-8
D	16	0	17	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	250	190 / 0	0 / 0	0 / 0	0 / 0	60 / 0	0 / 0
C	90	73 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
D	12	0 / 0	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- B	-342 / 0	0.0	0.0		0.01 (4)	7.81			
A- B	0 / 28	-91.8	-91.8		0.13 (5)	10.00			
B- C	-19 / 0	-91.8	-91.8		0.22 (1)	6.25			
E- D	0 / 0	-18.5	-18.5		0.02 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.02/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006478

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	J23	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:10 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-dteFo4tjnIT5nKJclQSX6vmZVud_8EIehGQP1WzPtZZ



TOTAL WEIGHT = 2 X 12 = 23 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	284	0	284	0	0	5-8	5-8
C	63	0	63	0	0	1-8	1-8
D	44	0	52	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	200	137 / 0	0 / 0	0 / 0	0 / 0	62 / 0	0 / 0
C	46	21 / 0	0 / 0	0 / 0	0 / 0	25 / 0	0 / 0
D	35	0 / -3	0 / 0	0 / 0	0 / 0	37 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (7)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-227 / 0	0.0	0.0	0.11 (4)		7.81			
A-B	0 / 28	-91.8	-91.8	0.12 (1)		10.00			
B-C	-9 / 9	-91.8	-91.8	0.08 (4)		10.00			
E-F	0 / 0	-18.5	-18.5	0.14 (4)		10.00			
F-G	0 / 0	-18.5	-18.5	0.14 (4)		10.00			
G-D	0 / 0	-18.5	-18.5	0.14 (4)		10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	1-11-4	7	1	12	BACK	VERT	TOTAL	--	C1
G	3-11-4	1	1	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.14/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=0.99 NAIL=0.99 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006479

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	J24	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:11 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-53Cd0QuLX3byOUuos7zme6JhelzJuhYowwAzZzzPtZY



TOTAL WEIGHT = 2 X 14 = 28 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	405	0	405	0	0	5-8	5-8
C	130	0	130	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM LIVE	WIND	DEAD	SOIL
E	286	190 / 0	0 / 0	0 / 0	0 / 0	96 / 0	0 / 0
C	90	73 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
D	36	0 / 0	0 / 0	0 / 0	0 / 0	36 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- B	-342 / 0	0.0	0.0	0.13 (4)	7.81			
A- B	0 / 28	-91.8	-91.8	0.12 (1)	10.00			
B- C	-19 / 0	-91.8	-91.8	0.22 (1)	6.25			
E- D	0 / 0	-18.5	-18.5	0.13 (4)	10.00			



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.13/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006480

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	J25	11	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:12 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-ZGm0DmvzlMlp0aT_QqU?BKrnShIYd7ox8avW6PzPlZX



TOTAL WEIGHT = 11 X 17 = 185 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	525	0	525	0	0	5-8	5-8
C	202	0	202	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	369	257 / 0	0 / 0	0 / 0	0 / 0	111 / 0	0 / 0
C	139	113 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
D	36	0 / 0	0 / 0	0 / 0	0 / 0	36 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-461 / 0	0.0	0.0	0.13 (4)		7.81			
A-B	0 / 26	-91.8	-91.8	0.12 (1)		10.00			
B-C	-30 / 0	-91.8	-91.8	0.64 (1)		6.25			
E-D	0 / 0	-18.5	-18.5	0.13 (4)		10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.54/1.00 (B-C:1) , BC=0.13/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.24/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.19 (E) (INPUT = 0.90)
JSI METAL= 0.13 (B) (INPUT = 1.00)



Structural component only
DWG# T-2006481

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408164	J26	9	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:30 2020 Page 1
ID:1ebEM4Ce92xn94Zv?jkFPizmBR3-WDfdmG_7UJfKbQIMVLdkZnqnJND_mHU4qjDN?9zMDcR

Scale = 1:21.2



TOTAL WEIGHT = 9 X 14 = 122 lb

[M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMW+w	MT20	3.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	317	0	317	0	0	7-0	7-0
C	159	0	159	0	0	1-8	1-8
D	32	0	36	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	222	159 / 0	0 / 0	0 / 0	0 / 0	63 / 0	0 / 0
C	109	88 / 0	0 / 0	0 / 0	0 / 0	21 / 0	0 / 0
D	26	0 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-B	-285 / 0	0.0	0.0	0.03 (1)		7.81	B-E	0 / 0	0.00 (1)
A-B	0 / 35	-91.8	-91.8	0.14 (5)		10.00			
B-C	0 / 0	-91.8	-91.8	0.19 (1)		10.00			
F-E	0 / 0	-18.5	-18.5	0.06 (4)		10.00			
E-D	0 / 0	-18.5	-18.5	0.06 (4)		10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.16")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.01")

CSI: TC=0.19/1.00 (B-C:1) , BC=0.06/1.00 (E-F:4) , WB=0.00/1.00 (B-E:1) , SSI=0.10/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1997	1658

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 6.0 Deg.

JSI GRIP= 0.20 (B) (INPUT = 0.80)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007730

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408164	J27	7	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:31 2020 Page 1
ID:1ebEM4Ce92xn94Zv?jkFPizmBR3-_PD?_c?lFdnBCaHY328z5_MuenWoVkjD3NzwXczMDcQ



TOTAL WEIGHT = 7 X 15 = 107 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
C	234	0	234	0	0	5-8	5-8
B	444	0	444	0	0	5-8	5-8
D	88	0	88	0	0	5-8	5-8

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
C	162	126 / 0	0 / 0	0 / 0	0 / 0	36 / 0	0 / 0
B	312	218 / 0	0 / 0	0 / 0	0 / 0	94 / 0	0 / 0
D	66	23 / 0	0 / 0	0 / 0	0 / 0	42 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) C, B, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A- B	0 / 18	-91.8	-91.8	0.11 (1)		10.00
B- F	-20 / 18	-91.8	-91.8	0.07 (4)		6.25
F- C	-2 / 2	-91.8	-91.8	0.41 (1)		10.00
B- E	0 / 0	-18.5	-18.5	0.28 (1)		10.00
E- D	0 / 0	-18.5	-18.5	0.28 (1)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- F	-324 / 12	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 501 (0.14")

CSI: TC=0.41/1.00 (C-F:1) , BC=0.28/1.00 (D-E:1) , WB=0.00/1.00 (E-F:1) , SSI=0.27/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.29 (B) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100090247
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007731

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408164	J28	7	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:55:32 2020 Page 1
ID:1ebEM4Ce92xn94Zv?jkFPizmBR3-SbnOBy0N0wv2qkskdifCeCv7oBvSE8zNI1IU42zMDcP



TOTAL WEIGHT = 7 X 14 = 101 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
E	BMW+w	MT20	3.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	FACTORED GROSS REACTION HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	MAXIMUM FACTORED GROSS REACTION HORZ	MAXIMUM FACTORED GROSS REACTION UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	318	0	318	0	0	5-8	5-8
C	159	0	159	0	0	1-8	1-8
D	32	0	36	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	222	159 / 0	0 / 0	0 / 0	0 / 0	63 / 0	0 / 0
C	109	88 / 0	0 / 0	0 / 0	0 / 0	21 / 0	0 / 0
D	26	0 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F-B	-286 / 0	0.0	0.0	0.03 (1)	7.81	B-E	0 / 0	0.00 (1)
A-B	0 / 41	-91.8	-91.8	0.14 (5)	10.00			
B-C	0 / 0	-91.8	-91.8	0.19 (1)	10.00			
F-E	0 / 0	-16.5	-16.5	0.06 (4)	10.00			
E-D	0 / 0	-16.5	-16.5	0.06 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.19/1.00 (B-C:1) , BC=0.06/1.00 (E-F:4) , WB=0.00/1.00 (B-E:1) , SSI=0.10/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.22 (B) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007732

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408165	J31	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:14 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-VetmeSwDq_zXFxcNXFWTGlxDJV0Q51IEcuOdAlzPtZV

Scale = 1:13.4



TOTAL WEIGHT = 2 X 9 = 17 lb
(M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	264	0	264	0	0	5-8	5-8
C	66	0	66	0	0	1-8	1-8
D	21	0	28	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	185	128 / 0	0 / 0	0 / 0	0 / 0	57 / 0	0 - 0
C	46	37 / 0	0 / 0	0 / 0	0 / 0	9 / 0	0 / 0
19204615967690640075821451&X.... al, @|·/ -4			0 / 0	0 / 0	0 / 0	20 / 0	0 - 0

HORIZONTAL REACTIONS

62051631493824988910208 0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (8)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
E- B	-234 / 0	0.0	0.0	0.03 (4)	7.81
A- B	0 / 28	-91.8	-91.8	0.13 (5)	10.00
B- C	-10 / 0	-91.8	-91.8	0.06 (1)	10.00
E- F	0 / 0	-18.5	-18.5	0.04 (4)	10.00
F- D	0 / 0	-18.5	-18.5	0.04 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	2-0-12	7	1	12	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.13/1.00 (A-B:5) , BC=0.04/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.10/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/20/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2006482

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	J32	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:15 2020 Page 1

ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-zrR8soxrbH5Ol5BZ5z1IpyTOhvMfqUXNqY8AikzPtZU



TOTAL WEIGHT = 3 X 10 = 31 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	339	0	339	0	0	5-8	5-8
C	109	0	109	0	0	1-8	1-8
D	25	0	28	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	237	171 / 0	0 / 0	0 / 0	0 / 0	67 / 0	0 / 0
C	75	61 / 0	0 / 0	0 / 0	0 / 0	14 / 0	0 / 0
D	20	0 / 0	0 / 0	0 / 0	0 / 0	20 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-306 / 0	0.0	0.0	0	0.03 (4)	7.81			
A-B	0 / 28	-91.8	-91.8	0	0.13 (5)	10.00			
B-C	-16 / 0	-91.8	-91.8	0	0.16 (1)	6.25			
E-D	0 / 0	-18.5	-18.5	0	0.04 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	8.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.16/1.00 (B-C:1) , BC=0.04/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.13/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.13 (E) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

Structural component only
DWG# T-2006483

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	J33	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:16 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-R17W38yUMbDFVFmlfgZxLA0YZJgdZxnX3CtkFAzPtZT



TOTAL WEIGHT = 13 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBMH1-m	MT20	3.0	8.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
A	209	0	209	0	0	5-0	5-0	2x4 L
B	166	0	166	0	0	1-8	1-8	
C	60	0	61	0	0	1-8	1-8	

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B , C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	150	89 / 0	0 / 0	0 / 0	0 / 0	61 0	0 / 0
B	118	75 / 0	0 / 0	0 / 0	0 . 0	43 0	0 / 0
C	47	4 / 0	0 / 0	0 / 0	0 0	43 . 0	0 . 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, B

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A- E	-113 / 0	-91.8	-91.8	0.18 (4)	6.25
E- B	0 / 20	-91.8	-91.8	0.21 (4)	10.00
A- D	0 / 0	-18.5	-18.5	0.11 (4)	10.00
D- F	0 / 0	-18.5	-18.5	0.19 (4)	10.00
F- C	0 / 0	-18.5	-18.5	0.19 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
D- E	0 / 163	0.00 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	5-0-4	1	1	--	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.24")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.24")
CALCULATED VERT. DEFL.(TL) = L/ 904 (0.10")

CSI: TC=0.21/1.00 (B-E:4) , BC=0.19/1.00 (C-D:4) , WB=0.00/1.00 (D-E:1) , SSI=0.15/1.00 (A-E:4)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.07 (A) (INPUT = 0.90)
JSI METAL= 0.01 (A) (INPUT = 1.00)

Structural component only
DWG# T-2006484

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	J34	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:17 2020 Page 1
ID:Ovhky48Q0cPQc_Y353NoTWzlcKo-wDZvHUz67vL67PLyCO4AuNZhki?5lO1glsdHndzPtZS



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (Table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBMH1-m	MT20	3.0	8.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
A	314	0	314	0	0	5-0	5-0	2x4 L
B	225	0	225	0	0	1-8	1-8	
C	80	0	80	0	0	1-8	1-8	

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B , C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	223	140 / 0	0 / 0	0 / 0	0 / 0	83 / 0	0 / 0
B	157	117 / 0	0 / 0	0 / 0	0 / 0	40 / 0	0 / 0
C	61	13 / 0	0 / 0	0 / 0	0 / 0	48 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, B

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-E	-73 / 0	-91.8	-91.8	0.12 (4)	6.25		D-E	-143 / 92	0.00 (1)
E-B	0 / 7	-91.8	-91.8	0.38 (1)	10.00				
A-D	0 / 0	-18.5	-18.5	0.17 (1)	10.00				
D-C	0 / 0	-18.5	-18.5	0.23 (1)	10.00				



TOTAL WEIGHT = 16 lb [M][F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.24")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.24")
CALCULATED VERT. DEFL.(TL) = L/ 455 (0.19")

CSI: TC=0.38/1.00 (B-E:1) , BC=0.23/1.00 (C-D:1) , WB=0.00/1.00 (D-E:1) , SSI=0.16/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.15 (A) (INPUT = 0.90)
JSI METAL= 0.02 (A) (INPUT = 1.00)

Structural component only
DWG# T-2006485

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408165	J35	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Fri Apr 17 08:44:18 2020 Page 1
ID:Ovhky48Q0cPQc_Y363NoTWzlcKo-OQ7HUqzkuCUzkZw8m5bPQb5wZ6LI1pBqXWMqJ3zPtZR



TOTAL WEIGHT = 3 X 23 = 68 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBMH1-m	MT20	3.0	8.0		Edge
B	TMWW-t	MT20	4.0	4.0	2.00	1.75
E	BMW+w	MT20	3.0	4.0		
F	BMW+w	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
A	400	0	400	0	0	5-0	5-0	2x4 L
C	125	0	125	0	0	1-8	1-8	
D	275	0	275	0	0	1-8	1-8	

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	283	185 / 0	0 / 0	0 : 0	0 : 0	97 : 0	0 : 0
C	88	69 / 0	0 / 0	0 : 0	0 / 0	17 : 0	0 : 0
D	196	116 / 0	0 / 0	0 : 0	0 / 0	80 : 0	0 : 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- H	-517 / 0	-91.8	-91.8	0.02 (1)	6.25	
H- B	-461 / 0	-91.8	-91.8	0.12 (1)	6.25	
B- C	-14 / 0	-91.8	-91.8	0.11 (1)	6.25	
A- G	0 / 424	-18.5	-18.5	0.13 (1)	10.00	
G- F	0 / 424	-18.5	-18.5	0.14 (1)	10.00	
F- E	0 / 424	-18.5	-18.5	0.24 (1)	10.00	
E- D	0 / 0	-18.5	-18.5	0.17 (1)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- B	0 / 147	0.04 (4)
B- E	-518 / 0	0.13 (1)
G- H	-61 / 16	0.00 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.24")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.24")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.12/1.00 (B-H:1) , BC=0.24/1.00 (E-F:1) , WB=0.13/1.00 (B-E:1) , SSI=0.21/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1907	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.35 (E) (INPUT = 0.90)
JSI METAL= 0.19 (E) (INPUT = 1.00)

Structural component only
DWG# T-2006486

LUL/LUS/LJS/HUS/HHUS/HGUS

Standard and Double-Shear Joist Hangers

This product is preferable to similar connectors because of a) easier installation, b) higher capacities, c) lower installed cost, or a combination of these features.

Most hangers in this series have double-shear nailing — an innovation that distributes the load through two points on each joist nail for greater strength. This allows for fewer nails, faster installation, and the use of all common nails for the same connection. (Do not bend or remove tabs)

Double-shear hangers range from the light capacity LUS hangers to the highest capacity HGUS hangers. For medium load truss applications, the HUS offers a lower cost alternative and easier installation than the HGUS hangers, while providing greater load capacity and bearing than the LUS.

Material: See table on pp. 258–259.

Finish: Galvanized. Some products available in stainless steel or ZMAX® coating; see Corrosion Information, pp. 20–24.

Installation:

- Use all specified fasteners; see General Notes.
- Nails must be driven at an angle through the joist or truss into the header to achieve the tabulated resistances (except LUL).
- Where 16d commons are specified, 10d commons may be used at 0.83 of the tabulated factored resistance.
- Not designed for welded or nailer applications.
- With single ply 2x carrying members, use 10d x 1½" nails into the header and 10d commons into the joist, and reduce the resistance to 0.64 of the table value where 16d nails are specified and 0.77 where 10d nails are specified.

Options:

- LUS, LJS, LUL and HUS hangers cannot be modified.
- Other sizes available; consult your Simpson Strong-Tie representative.
- See Hanger Options information on p. 126.



LUS28



LU26L



HUS210
(HUS26, HUS28, and HHUS similar)



HGUS28-2



HHUS210-2

Double-Shear Nailing Top View



Double-Shear Nailing Side View; Do not bend tab



Dome Double-Shear Nailing Side View *(available on some models)*

U.S. Patent 5,603,580



Typical HUS26 Installation with Reduced Heel Height

(Truss Designer to provide fastener quantity for connecting multiple members together)



LJS26DS

LUL/LUS/LJS/HUS/HHUS/HGUS



HHUS/HGUS

See Hanger Options information on pp. 125–127.

HHUS — Sloped and/or Skewed Seat

- HHUS hangers can be skewed to a maximum of 45° and/or sloped to a maximum of 45°
- For skew only, maximum factored down resistance is 0.85 of the table value
- For sloped only or sloped and skewed hangers, the maximum factored down resistance is 0.72 of the table value
- Uplift resistances for sloped/skewed conditions are 0.62 of the table value
- The joist must be bevel-cut to allow for double-shear nailing

HGUS — Skewed Seat

- HGUS hangers can be skewed only to a maximum of 45°. Factored resistances are:

HGUS Seat Width	Joist	Down Resistance	Uplift
W < 2"	Bevel or square cut	0.62 of table value	0.46 of table value
2" < W < 6"	Bevel cut	0.67 of table value	0.41 of table value
2" < W < 6"	Square cut	0.46 of table value	0.41 of table value
W > 6"	Bevel cut	0.75 of table value	0.41 of table value



Top View HHUS Hanger Skewed Right
(joist must be bevel cut)
All joist nails installed on the outside angle *(non-acute side)*.

Standard and Double-Shear Joist Hangers (cont.)

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Dimensions (in.) W	H	B	d_e[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L Uplift (K_D = 1.15) lb. / kN	D.Fir-L Normal (K_D = 1.00) lb. / kN	S-P-F Uplift (K_D = 1.15) lb. / kN	S-P-F Normal (K_D = 1.00) lb. / kN
Single 2x Sizes											
LUS24	18	1⅜	3⅛	1¾	2¼	(4) 10d	(2) 10d	710 / 3.16	1625 / 7.23	645 / 2.87	1155 / 5.14
LU24L	22	1⅜	3	1⅝	2⅛	(4) 10d	(2) 10d x 1½"	360 / 1.60	1020 / 4.64	320 / 1.42	725 / 3.22
LU26L	22	1⅜	5	1⅝	4⅝	(6) 10d	(4) 10d x 1½"	720 / 3.20	1605 / 7.14	645 / 2.87	1140 / 5.07
LUS26	18	1⅜	4¾	1¾	3¾	(4) 10d	(4) 10d	1420 / 6.32	2170 / 9.65	1290 / 5.74	1630 / 7.25
HUS26	16	1⅝	5⅜	3	3⅛	(14) 16d	(6) 16d	2705 / 11.30	4940 / 21.97	2065 / 9.20	3875 / 17.24
LJS26DS	18	1⅜	5	3½	4⅝	(16) 16d	(6) 16d	2055 / 9.14	4265 / 18.97	1460 / 6.49	4115 / 18.31
HGUS26	12	1⅝	5⅜	5	4⅛	(20) 16d	(8) 16d	2685 / 11.96	6625 / 29.51	2685 / 11.96	5700 / 25.35
LU28L	20	1⅜	6¾	1⅝	5⅞	(8) 10d	(6) 10d x 1½"	1140 / 5.07	2185 / 9.72	1020 / 4.54	1550 / 6.89
LUS28	18	1⅜	6⅝	1¾	3¾	(6) 10d	(4) 10d	1420 / 6.32	2520 / 11.21	1290 / 5.74	1790 / 7.96
HUS28	16	1⅝	7⅛	3	6⅛	(22) 16d	(8) 16d	3605 / 16.04	5365 / 23.86	2675 / 11.90	4345 / 19.33
HGUS28	12	1⅝	7⅛	5	6⅛	(36) 16d	(12) 16d	3310 / 14.74	7675 / 34.19	3310 / 14.74	6900 / 30.73
LU210L	20	1⅜	8	1⅝	7⅝	(10) 10d	(6) 10d x 1½"	1140 / 5.07	2495 / 11.10	1020 / 4.54	1770 / 7.87
LUS210	18	1⅜	7¹⁵⁄₁₆	1¾	3⅛	(8) 10d	(4) 10d	1420 / 6.32	2785 / 12.39	1290 / 5.74	2210 / 9.83

1. Factored uplift resistances have been increased 15% for wind or earthquake loading; no further increase is allowed.
2. Designer must ensure that hanger is compatible with truss when reduced heel height is used.
3. d_e is the distance from the bearing seat to the top joist nail.
4. Resistances shown require a minimum 2-ply girder truss. For fastening to single-ply truss request technical bulletin T-C-N10TRSSCN and/or see installation notes.
5. Nails: 16d = 0.162" dia. x 3½" long. See pp. 27–28 for other nail sizes and information.

SIMPSON Strong-Tie®

Face-Mount Hangers

■ These products are available with additional corrosion protection. For more information, see p. 24.

◤ These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Dimensions (in.) W	H	B	d_b[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L Uplift (K_D = 1.15) lb. kN	D.Fir-L Normal (K_D = 1.00) lb. kN	S-P-F Uplift (K_D = 1.15) lb. kN	S-P-F Normal (K_D = 1.00) lb. kN
Double 2x Sizes											
■ LUS24-2	18	3⅛	3⅛	2	1½	(4) 16d	(2) 16d	835 3.71	2020 8.99	590 2.62	1435 6.38
■ SS LUS26-2	18	3⅛	4⅞	2	4	(4) 16d	(4) 16d	1720 7.65	2595 11.54	1545 6.87	1920 8.54
■ HHUS26-2	14	3⅝	5⅜	3	3⁵⁄₁₆	(14) 16d	(6) 16d	2850 12.68	7335 32.63	2065 9.20	5205 23.15
HGUS26-2	12	3⅝	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
■ SS LUS28-2	18	3⅛	7	2	4	(6) 16d	(4) 16d	1720 7.65	3325 14.79	1545 6.87	2575 11.45
■ HHUS28-2	14	3⅝	7⅝	3	6⅛	(22) 16d	(8) 16d	3765 16.75	8940 39.77	2675 11.90	6345 28.22
HGUS28-2	12	3⅝	7⅜	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ SS LUS210-2	18	3⅛	9	2	6	(8) 16d	(6) 16d	2580 11.48	4500 20.02	2320 10.32	3195 14.21
■ HHUS210-2	14	3⅝	9⅜	3	8	(30) 16d	(10) 16d	4670 20.77	9660 42.97	4235 18.84	7000 31.14
HGUS210-2	12	3⅝	9⅞	4	8⅛	(46) 16d	(16) 16d	6840 30.43	14015 62.34	4855 21.60	10270 45.69
Triple 2x Sizes											
HGUS26-3	12	4⁵⁄₁₆	5½	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
HGUS28-3	12	4⁵⁄₁₆	7¼	4	6⅜	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ HHUS210-3	14	4⅜	9	3	7⁵⁄₁₆	(30) 16d	(10) 16d	4670 20.77	9670 43.02	4235 18.84	6865 30.54
HGUS210-3	12	4⁵⁄₁₆	9¼	4	8⅜	(46) 16d	(16) 16d	6840 30.43	14645 65.14	4855 21.60	10400 46.26
Quadruple 2x Sizes											
HGUS26-4	12	6⅝	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
HGUS28-4	12	6⅝	7⅜	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ HHUS210-4	14	6¼	8⅞	3	7⁵⁄₁₆	(30) 16d	(10) 16d	4670 20.77	10155 45.17	4235 18.84	7210 32.07
HGUS210-4	12	6⅝	9⅜	4	8⅛	(46) 16d	(16) 16d	6840 30.43	14645 65.14	4855 21.60	10400 46.26
HGUS212-4	12	6⅝	10⅝	4	10⅛	(56) 16d	(20) 16d	7640 33.98	14995 66.70	5425 24.13	10645 47.35
HGUS214-4	12	6⅝	12⅝	4	11⅛	(66) 16d	(22) 16d	10130 45.06	16400 72.95	7195 32.00	11645 51.80
4x Sizes											
■ LUS46	18	3⅜	4¾	2	3⅛	(4) 16d	(4) 16d	1720 7.65	2595 11.54	1545 6.87	1920 8.54
■ HHUS46	14	3⅝	5¼	3	3⁵⁄₁₆	(14) 16d	(6) 16d	2540 11.30	7335 32.63	2065 9.20	5205 23.15
HGUS46	12	3⅝	5¼	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
■ LUS48	18	3⅜	6¾	2	3⅛	(6) 16d	(4) 16d	1720 7.65	3325 14.79	1545 6.87	2575 11.45
■ HHUS48	14	3⅝	7⅛	3	6⅛	(22) 16d	(8) 16d	3765 16.75	8940 39.77	2675 11.90	6345 28.22
HGUS48	12	3⅝	7⅛	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ LUS410	18	3⅜	8¾	2	5⅜	(8) 16d	(6) 16d	2580 11.48	4500 20.02	2320 10.32	3195 14.21
HGUS410	12	3⅝	9	4	8⅛	(46) 16d	(16) 16d	6840 30.43	14015 62.34	4855 21.60	10270 45.69
HGUS412	12	3⅝	10⅞	4	10⅛	(56) 16d	(20) 16d	7640 33.98	14995 66.70	5425 24.13	10645 47.35
HGUS414	12	3⅝	12⅞	4	11⅛	(66) 16d	(22) 16d	10130 45.06	16400 72.95	7195 32.00	11645 51.80



See footnotes on p. 258.

ONTARIO WOOD TRUSS FABRICATORS ASSOCIATION

TECH-NOTES

TN 15-001
Piggyback Bracing

Overview:

Where piggybacks are connected overtop of base trusses, 2x4 purlins must be first added to the flat portion of the base truss at a spacing no more than 24" o/c. These purlins not only provide support for the piggyback trusses above, but are required to laterally support the top chord of the base truss which will not have the sheathing directly connected to the flat portion of the base truss. This ensures the top chord, most often in compression, will not buckle laterally.

Further, the purlins in the plane of the flat portion require diagonal bracing to prevent lateral displacement of the purlins themselves where under certain conditions, the trusses may in fact all buckle in the same direction if this additional bracing is not added in the plane of the purlins.

Detail:



NOTE: THE SLOPED PORTION OF THE TOP CHORD OF THE BASE TRUSS AND PIGGYBACK TRUSS IN THIS SKETCH IS ASSUMED TO BE SHEATHED IN ACCORDANCE WITH THE OBC.

SKETCH FROM BCSI-CANADA 2013

BEARING ANCHORAGE BY TOE-NAILS FOR LATERAL CAPACITY

B97791H1

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL LATERAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	132	147
	3.25	0.144	132	147
	3.50	0.160	159	177
COMMON SPIRAL	3.00	0.122	97	108
	3.25	0.122	97	108
	3.50	0.152	145	162

NOTES:

1. Rafter and ceiling members may be anchored to top and bottom chords of girder truss by toe-nailing rafter and ceiling members to girder chords provided the reaction does not exceed the lateral capacities in the table. Hangers (specified by others) are required for reactions higher than the maximum toe-nail capacity. Reactions are based on factored loads.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.4.1.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in tables below.
5. Nail values in table are based on the following relative lumber densities: G = 0.42 (SPF), G = 0.49 (D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See next page for nailing on bearing plate).
7. For loads due to **wind** the nail lateral capacity in this table may be multiplied by 1.15 (K_D factor).
8. Lumber must be dry (< 19% moisture content) at the time of nail installation.
9. Nail values in this table comply with CSA O86-14, section 12.9.4
10. This design is not valid after March 31, 2021.





TOE-NAIL INSTALLATION

Nail type	Common wire	Common spiral	Common wire	Common spiral
Nail dia. (in)	0.160	0.152	0.144	0.122
	(3.5" nail)		(3" and 3.25" nail)	
LUMBER SIZE	MAXIMUM NUMBER OF TOE-NAILS			
2X4 SPF	2	2	3	3
2X4 D. Fir	2	2	2	2
2X6 SPF	4	4	4	5
2X6 D. Fir	3	3	3	4

MiTek®
MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019

BEARING ANCHORAGE BY TOE-NAILS FOR WIND LOADING B97791H2

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL WITHDRAWAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	30	42
	3.25	0.144	32	45
	3.50	0.160	38	52
COMMON SPIRAL	3.00	0.122	26	36
	3.25	0.122	28	40
	3.50	0.152	36	50

Note: If using truss with D. Fir lumber and S-P-F bearing plate, use values in table for S-P-F.

NOTES:

1. Truss chord, rafter, or ceiling members may be anchored to bearing plate by toe-nails, provided that the actual factored uplift force due to **wind** or **earthquake** load does not exceed the withdrawal capacities in the table. Hangers (specified by others) are required for uplift forces that are higher than the maximum toe-nail withdrawal capacity.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.5.2.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in table above.
5. Nail values in table are based on the following relative lumber densities: G = 0.42(SPF), G = 0.49(D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See drawing on detail B37579H1).
7. Lumber must be dry (< 19% moisture content) at the time of nail installation.
8. Nail values in this table comply with CSA O86-14, section 12.9.5
9. This design is not valid after March 31, 2021.

Toe-nailing on 2x6 Bearing Plate



Elevation view





Toe-nailing viewed from end of joist or truss

Toe-nailing on 2x4 Bearing Plate



Elevation view



MiTek® MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019

Symbols

PLATE LOCATION AND ORIENTATION



Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths or mm. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0-1/16" from outside edge of truss.

This symbol indicates the required direction of slots in connector plates.

*Plate location details available in MiTek software or upon request.

PLATE SIZE

4 x 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING LOCATION

Indicated by symbol shown and/or by text in the bracing section of the output. Use T, I or Eliminator bracing if indicated.

BEARING



Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur.

Industry Standards:

TPIC: Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses

DSB-89: Design Standard for Bracing.

BCSI: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

Numbering System



dimensions shown in ft-in-sixteenths or mm (Drawings not to scale)



JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.

CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.

PRODUCT CODE APPROVALS

CCMC Reports:

11996-L, 10319-L, 13270-L, 12691-R

MiTek®

POWER TO PERFORM.™

MiTek Engineering Reference Sheet: MII-7473C rev. 10-'08

⚠ General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury

1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T, I, or Eliminator bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by TPIC.
7. Design assumes trusses will be suitably protected from the environment in accord with TPIC.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with TPIC Quality Criteria.



Alves Engineering Services Inc.
5208 Easton road
Burlington, Ontario L7L 6N6
(289) 259 5455

RESPONSABILITIES

1-Alves Engineering Services Inc. is responsible for the design of trusses as individual components

2-It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities having jurisdictions.

3- All dimensions are to be verified by owner, contractor, architect or other authority before manufacture.

4- Alves Engineering Services Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Alves Engineering Services Inc. drawings is specified for the truss as a single component and forms an integral part of the truss design, but is not meant to represent the only required bracing for that truss when trusses are installed in a series of trusses forming a roof truss system.

5- It is the manufactures responsibility to ensure that the trusses are manufactured in conformance with Alves Engineering Services Inc. specifications outlined below.

SPECIFICATIONS

1-Truss components sealed by Alves Engineering Services Inc. conform to the relevant sections of the current Building Code of Ontario and Canada (part 4 or part 9) or the current Canadian code for Farm Buildings in accordance with the application specified on the sealed truss component drawing. All truss component design procedures must conform to the current design standard issued by the truss plate institute of Canada (TPIC). All lumber and nailing stresses to conform to the current CSA wood design standard identified on the current Building Code and TPIC.

2- Lumber is to be the sizes and grade specified on the truss drawing.

3- Moist content of lumber is not to exceed 19% in service unless otherwise specified.

4- Plates shall be applied to both faces of the each truss joint and shall be positioned as shown on the truss drawings

5- Lumber used on manufacture of trusses is not to be treated with chemicals unless otherwise specified on the truss drawings.

6- The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals specified on the truss drawing but not exceeding 24" c/c for (part 9) and not exceeding 48" for (part 4 or farm design)

7- When rigid ceiling is not attached directly to the bottom chord, lateral bracing is required and it should not exceed more than 3m or 10' intervals.

8-Refer to Mitek sheet MII7473C REV.10-08 attached for information on symbols, numbering system and General Safety notes.

T-1800218 Feb 09, 2018