

ASPHALT SHINGLES
FINISHED OVERHANG: 12"
2x6 EXTERIOR WALLS
2x6 FASCIA BOARD
HEEL: R.T.M.C.

All conventional framing to conform with Part 9 of O.B.C. 2012 (2019 amendment). Roof rafters that cross over or meet trusses to be min. 2x4 SPF #2 @ 24" o/c with a vertical post to the truss at each cross point. Vertical posts longer than 6' to have lateral bracing so that the distance between the post end points and lateral bracing does not exceed 6'.

DESIGN CONFORMS WITH OBC 2012 (2019 amendment) OCCUPANCY: RESIDENTIAL | PART: 9
Ss = 31.35 psf | Sr = 8.4 psf

DESIGN LOADS:
TCSL = 25.6 psf
TCDL = 6.0 psf
BCLL = 0.0 psf
BCDL = 7.4 psf

CITY OF HAMILTON
Building Division
Permit No. 21-107131

HARDWARE:
LUS24 - (O)
LJS26DS - (V)
HGUS26-2 - (XX)
LUS26-2-(VV)

THESE STAMPED DRAWINGS SHALL BE AVAILABLE ON SITE
THE OWNER AND/OR CONTRACTOR SHALL COMPLY WITH THE ONTARIO BUILDING CODE AND ALL OTHER APPLICABLE LAW
These drawings and/or specifications have been reviewed by
FOR CHIEF BUILDING OFFICIAL
JUN 22 2021
DATE

BEAMS:
B40= B41 =
2 - 2x10 SPF #2

DENOTES:
CONVENTIONAL FRAMING

M13138

TAMARACK ROOF TRUSSES INC.

Job Track: 51225	Builder / Location: GREEN PARK HOMES / WATERDOWN
Plan Log: 202419	Model / Elevation: MOUNTAINASH 6/3- STD OR OPT.5 BR
Layout ID: 408224	Mitek ver 8.3.1.215
	Project: RUSSELL GARDENS PH.3
	Date: 2020-04-27 Sales: Mario DiCano Designer: JG

Lot 316

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202419
Project:	RUSSELL GARDENS PH.3	Layout ID:	408224
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 6	Page:	1 of 3
Lot #:	316	Date:	04-27-2020
Elevation:	3- STD OR OPT.5 BR	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1 2-ply	T40 Hip Girder	6 /12	35-02-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 1-02-00	337.56 208.00		
	1 2-ply	T40Z Hip Girder	6 /12	35-02-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 1-02-00	337.56 208.00		
	2	T41 Hip	6 /12	35-02-00	5-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	277.99 174.00		
	2	T42 Hip	6 /12	35-02-00	6-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	277.12 174.67		
	2	T43 Hip	6 /12	35-02-00	7-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	289.07 179.67		
	2	T44 Hip	6 /12	35-02-00	8-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	290.73 183.33		
	2	T45 Hip	6 /12	35-02-00	9-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	301.67 191.33		
	8	T46 Common	6 /12	35-02-00	9-11-08	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	1178.98 725.33		
	2	T47S Roof Special	0 /12	10-06-00	3-06-00	2 x 4		3-06-00 3-06-00	101.09 63.67		
	1	T48 Half Hip	6 /12	10-06-00	2-08-00	2 x 4	1-03-08	1-02-00 2-08-00	39.94 26.67		
	1	T49 Half Hip	6 /12	10-06-00	3-08-00	2 x 4	1-03-08	1-02-00 3-08-00	41.91 27.50		
	2	T50 Flat	0 /12	5-07-00	3-00-00	2 x 4		3-00-00 3-00-00	45.54 30.00		
	1	G50 GABLE	0 /12	5-07-00	3-00-00	2 x 4		3-00-00 3-00-00	22.18 15.00		
	1	T51 Hip Girder	6 /12	10-05-00	3-07-04	2 x 4	1-03-08	1-02-00 1-03-08	43.52 29.67		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202419
Project:	RUSSELL GARDENS PH.3	Layout ID:	408224
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 6	Page:	2 of 3
Lot #:	316	Date:	04-27-2020
Elevation:	3- STD OR OPT.5 BR	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1	T52 Hip	6 /12	10-05-00	4-00-00	2 x 4	1-03-08	2-02-00 2-03-08	45.94 29.83		
	1	T53 Hip Girder	6 /12	10-05-00	3-00-00	2 x 4	1-03-08	2-02-00 2-03-08	46.32 31.83		
	1 2-ply	T54S Roof Special Girder	0 /12	10-06-08	2-02-00	2 x 4 2 x 6		1-02-00 2-02-00	97.7 64.33		
	18	J1 Jack-Open	6 /12	5-10-08	4-01-04	2 x 4	1-03-08	1-02-00 4-01-04	302.3 192.00		
	2	J40 Jack-Open	6 /12	4-10-08	3-07-04	2 x 4	1-03-08	1-02-00 3-07-04	28.76 18.67		
	5	J41 Jack-Open	6 /12	2-06-08	3-00-00	2 x 4		1-08-12 3-00-00	49.19 34.17		
	2	J42 Jack-Open	6 /12	5-05-08	4-01-04	2 x 4		1-04-08 4-01-04	31.44 20.67		
	2	C40 Jack-Open	6 /12	3-09-07	3-00-12	2 x 4	1-03-08 2-01-01	1-02-00 3-00-12	28.26 17.33		
	2	C41 Jack-Open	6 /12	1-09-07	2-00-12	2 x 4	1-03-08 4-01-01	1-02-00 2-00-12	23.16 14.67		
	3	C42 Jack-Open	6 /12	1-10-08	3-00-12	2 x 4	1-03-08 1-10-15	1-02-00 2-01-04	28.71 18.00		
	3	C43 Jack-Open	6 /12	1-09-07	2-00-12	2 x 4	1-03-08 1-01	1-02-00 2-00-12	21.08 14.00		
	2	C44 Jack-Open	6 /12	3-09-07	3-00-12	2 x 4	1-03-08 1-01-01	1-02-00 3-00-12	25.98 16.00		
	2	C45 Jack-Open	6 /12	1-09-07	2-00-12	2 x 4	1-03-08 3-01-01	1-02-00 2-00-12	20.88 13.33		
	1	C46 Jack-Open	6 /12	1-07-08	3-00-12	2 x 4	1-10-15	1-03-08 2-01-04	7.46 5.33		

TAMARACK
ROOF TRUSSES INC.
ALPA LUMBER GROUP

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	51225
Builder:	GREEN PARK HOMES	PlanLog:	202419
Project:	RUSSELL GARDENS PH.3	Layout ID:	408224
Location:	WATERDOWN	Ref #	
Model:	MOUNTAINASH 6	Page:	3 of 3
Lot #:	3/6	Date:	04-27-2020
Elevation:	3- STD OR OPT.5 BR	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1	C47 Jack-Open	6 /12	1-07-08	2-00-12	2 x 4		1-03-08 2-01-04	4.91 3.33		

TOTAL # TRUSS= 77 TOTAL BFT OF ALL TRUSSES= **2730.33** BFT. TOTAL WEIGHT OF ALL TRSSES **4346.93** LBS

HARDWARE

QTY	TYPE	MODEL	LENGTH
1	Hardware	HGUS26-2	
1	Hardware	LJS26DS	
14	Hardware	LUS24	
2	Hardware	LUS26-2	

TOTAL NUMBER OF ITEMS= **18**

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T1	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:04 2020 Page 1

ID:DMCubINVR6TstFoe31v6I znsII-Jm9J91AhZI22g2EEmlNZsEz3HTHi?mEdCAUuvczMFIf



TOTAL WEIGHT = 2 X 161 = 323 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
J - L	2x4	DRY	No.2	SPF
V - B	2x8	DRY	No.2	SPF
M - K	2x6	DRY	No.2	SPF
V - S	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - M	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
C-G	1	12	SIDE(61.0)
G-J	1	12	SIDE(61.0)
J-L	1	12	SIDE(61.0)
V-B	2	12	TOP
M-K	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
V-S	2	12	SIDE(183.1)
S-P	2	12	SIDE(183.1)
P-M	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only

DWG# T-2007602 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BEVERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
V	3393	0	3393	0	0	5-8	5-8
M	3342	0	3342	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
	MAX./MIN. COMPONENT REACTIONS						
V	2397 1585	0	0 0	0 0	0 0	812 0	0 0
M	2363 1555	0	0 0	0 0	0 0	808 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) V, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.11 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
FR-TO								
A-B	0	35	-91.8	-91.8	0.07	(1)		10.00
B-C	-4024	0	-91.8	-91.8	0.22	(1)		4.55
C-W	-6074	0	-91.8	-91.8	0.53	(1)		3.51
W-X	-6074	0	-91.8	-91.8	0.53	(1)		3.51
X-D	-6074	0	-91.8	-91.8	0.53	(1)		3.51
D-Y	-7423	0	-91.8	-91.8	0.63	(1)		3.11
Y-Z	-7423	0	-91.8	-91.8	0.63	(1)		3.11
Z-AA	-7423	0	-91.8	-91.8	0.63	(1)		3.11
AA-E	-7423	0	-91.8	-91.8	0.63	(1)		3.11
E-AB	-7423	0	-91.8	-91.8	0.35	(1)		3.38
AB-F	-7423	0	-91.8	-91.8	0.35	(1)		3.38
F-G	-7410	0	-91.8	-91.8	0.36	(1)		3.38
G-AC	-7410	0	-91.8	-91.8	0.36	(1)		3.38
AC-H	-7410	0	-91.8	-91.8	0.36	(1)		3.38
H-AD	-7410	0	-91.8	-91.8	0.61	(1)		3.14
AD-AE	-7410	0	-91.8	-91.8	0.61	(1)		3.14
AE-I	-7410	0	-91.8	-91.8	0.61	(1)		3.14
I-AF	-6040	0	-91.8	-91.8	0.51	(1)		3.55
AF-AG	-6040	0	-91.8	-91.8	0.51	(1)		3.55
AG-J	-6040	0	-91.8	-91.8	0.51	(1)		3.55
J-K	-3948	0	-91.8	-91.8	0.22	(1)		4.58
K-L	0	35	-91.8	-91.8	0.07	(1)		10.00
V-B	-3355	0	0.0	0.0	0.12	(1)		7.60
M-K	-3296	0	0.0	0.0	0.12	(1)		7.84
V-AH	0	0	-18.5	-18.5	0.04	(4)		10.00
AH-U	0	0	-18.5	-18.5	0.04	(4)		10.00
U-AI	0	3325	-18.5	-18.5	0.25	(1)		10.00
AI-AJ	0	3325	-18.5	-18.5	0.25	(1)		10.00
AJ-T	0	3325	-18.5	-18.5	0.25	(1)		10.00
T-AK	0	6074	-18.5	-18.5	0.45	(1)		10.00
AK-S	0	6074	-18.5	-18.5	0.45	(1)		10.00
S-AL	0	6074	-18.5	-18.5	0.45	(1)		10.00
AL-R	0	6074	-18.5	-18.5	0.45	(1)		10.00
R-AM	0	7613	-18.5	-18.5	0.57	(1)		10.00
AM-AN	0	7613	-18.5	-18.5	0.57	(1)		10.00
AN-AO	0	7613	-18.5	-18.5	0.57	(1)		10.00
AO-Q	0	7613	-18.5	-18.5	0.57	(1)		10.00
Q-AP	0	6040	-18.5	-18.5	0.45	(1)		10.00
AP-P	0	6040	-18.5	-18.5	0.45	(1)		10.00
P-AQ	0	6040	-18.5	-18.5	0.45	(1)		10.00
AQ-O	0	6040	-18.5	-18.5	0.45	(1)		10.00
O-AR	0	3261	-18.5	-18.5	0.25	(1)		10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
FR-TO				
U-C	-820	0	0.08	(1)
C-T	0	3369	0.42	(1)
T-D	-1846	0	0.23	(1)
O-I	-1869	0	0.24	(1)
D-J	0	3425	0.42	(1)
N-J	-601	0	0.08	(1)
B-U	0	3437	0.43	(1)
N-K	0	3371	0.42	(1)
Q-I	0	1704	0.21	(1)
D-R	0	1677	0.21	(1)
Q-H	-595	0	0.08	(1)
R-E	-594	0	0.08	(1)
R-F	-285	0	0.06	(1)
F-Q	-305	0	0.06	(1)

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF SCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L 999 (0.23")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 970 (0.44")

CSI: TC=0.63(1.00 (D-E:1) , BC=0.57 1.00 (Q-R:1) , WB=0.43/1.00 (B-U:1) , SSI=0.19/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (1) (INPUT = 0.80)
JSI METAL= 0.58 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.50	3.00
C	TTWW+m	MT20	7.0	8.0	Edge	2.50
D, F, I						
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMW+w	MT20	2.0	4.0		
J	TTWW+m	MT20	7.0	8.0	Edge	2.50
K	TMVW-p	MT20	5.0	6.0	1.50	3.00
M	BMV1+p	MT20	3.0	6.0		
N, O, T, U						
N	BMWW-t	MT20	5.0	6.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWWW-t	MT20	5.0	8.0		
R	BMWWW-t	MT20	5.0	8.0		
S	BS-t	MT20	5.0	6.0		
V	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF)		MAX CSI (LC)	WEBS MAX. MEMB.	MAX. FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM	TO		UNBRAC LENGTH	FR-TO	
AR-AS	0 3261	-18.5	-18.5	0.25 (1)	10.00		
AS-N	0 3261	-18.5	-18.5	0.25 (1)	10.00		
N-AT	0 0	-18.5	-18.5	0.04 (4)	10.00		
AT-AU	0 0	-18.5	-18.5	0.04 (4)	10.00		
AU-M	0 0	-18.5	-18.5	0.04 (4)	10.00		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-0-10	-49	-55	---	FRONT	VERT	DEAD	---	C1
C	4-0-10	-117	-117	---	FRONT	VERT	TOTAL	---	C1
C	4-0-10	-254	-254	---	FRONT	VERT	SNOW	---	C1
G	17-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
I	25-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
J	31-1-6	-49	-55	---	FRONT	VERT	DEAD	---	C1
J	31-1-6	-254	-254	---	FRONT	VERT	SNOW	---	C1
O	25-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
S	11-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
U	3-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
W	5-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
X	7-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Y	9-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Z	11-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AA	13-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AB	15-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AC	19-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AD	21-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AE	23-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AF	27-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AG	29-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AH	1-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AI	5-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AJ	7-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AK	9-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AL	13-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AM	15-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AN	17-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AO	19-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AP	21-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AQ	23-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AR	27-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AS	29-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AT	31-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AU	33-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. GALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007602 2/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T1Z	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:05 2020 Page 1
ID:DMCubINVR6TstFoe31v6l zns1l-nyjhMNBJKcAvHCpQKTuoORWDoscMkApnRqDRR2zMFle



TOTAL WEIGHT = 2 X 161 = 323 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
J - L	2x4	DRY	No.2	SPF
V - B	2x6	DRY	No.2	SPF
M - K	2x6	DRY	No.2	SPF
V - S	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - M	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
C-G	1	12	SIDE(61.0)
G-J	1	12	TOP
J-L	1	12	TOP
V-B	2	12	TOP
M-K	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
V-S	2	12	SIDE(183.1)
S-P	2	12	TOP
P-M	2	12	TOP
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
D-T	1	4	SIDE(385.4)
I-O	1	4	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only
DWG# T-2007603 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
V	4215	0	4215	0	0	5-8	5-8
M	2722	0	2722	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM LIVE	WIND	DEAD	SOIL
V	2974	1987 0	0 0	0 0	0 0	987 0	0 0
M	1921	1283 0	0 0	0 0	0 0	638 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) V, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (1)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.07	(1)		10.00
B-C	-5115	0	-91.8	-91.8	0.26	(1)		4.07
C-W	-8135	0	-91.8	-91.8	0.64	(1)		3.00
W-X	-8135	0	-91.8	-91.8	0.64	(1)		3.00
X-D	-8135	0	-91.8	-91.8	0.64	(1)		3.00
D-E	-8106	0	-91.8	-91.8	0.59	(1)		3.05
E-F	-8106	0	-91.8	-91.8	0.32	(1)		3.28
F-G	-6926	0	-91.8	-91.8	0.26	(1)		3.57
G-H	-6926	0	-91.8	-91.8	0.26	(1)		3.57
H-I	-6926	0	-91.8	-91.8	0.45	(1)		3.42
I-J	-5210	0	-91.8	-91.8	0.34	(1)		3.99
J-K	-3153	0	-91.8	-91.8	0.19	(1)		5.04
K-L	0	35	-91.8	-91.8	0.07	(1)		10.00
V-B	-4180	0	0.0	0.0	0.15	(1)		8.99
M-K	-2696	0	0.0	0.0	0.10	(1)		7.61
V-Y	0	0	-18.5	-18.5	0.05	(4)		10.00
Y-Z	0	0	-18.5	-18.5	0.05	(4)		10.00
Z-U	0	0	-18.5	-18.5	0.05	(4)		10.00
U-AA	0	4227	-18.5	-18.5	0.35	(1)		10.00
AA-AB	0	4227	-18.5	-18.5	0.35	(1)		10.00
AB-T	0	4227	-18.5	-18.5	0.35	(1)		10.00
T-S	0	8135	-18.5	-18.5	0.61	(1)		10.00
S-R	0	8135	-18.5	-18.5	0.61	(1)		10.00
R-Q	0	7645	-18.5	-18.5	0.55	(1)		10.00
Q-P	0	5210	-18.5	-18.5	0.38	(1)		10.00
P-O	0	5210	-18.5	-18.5	0.38	(1)		10.00
O-N	0	2604	-18.5	-18.5	0.19	(1)		10.00
N-M	0	0	-18.5	-18.5	0.03	(4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
U-C	-783	0	0.10	(1)
T-D	-622	0	0.08	(1)
O-I	-1797	0	0.23	(1)
O-J	0	3211	0.40	(1)
N-J	-512	0	0.06	(1)
B-U	0	4370	0.54	(1)
N-K	0	2693	0.33	(1)
Q-I	0	2133	0.26	(1)
D-R	-37	24	0.01	(1)
Q-H	-385	0	0.05	(1)
R-E	-343	0	0.04	(1)
R-F	0	692	0.09	(1)
F-Q	-1081	0	0.23	(1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-0-10	-49	-55	---	FRONT	VERT	DEAD	---	C1
C	4-0-10	-254	-254	---	FRONT	VERT	SNOW	---	C1
T	9-2-8	-2179	-2179	---	BACK	VERT	TOTAL	---	C1
W	5-3-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
X	7-3-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
Y	1-3-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
Z	3-3-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AA	5-3-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AB	7-3-4	-26	-26	---	BACK	VERT	TOTAL	---	C1

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L 999 (0.24")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 954 (0.44")

CSI: TC=0.64/1.00 (C-D:1) , BC=0.61 1.00 (R-T:1) , WB=0.60/1.00 (C-T:1) , SSI=0.17/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (J) (INPUT = 0.90)
JSI METAL= 0.77 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	T1Z	1	2	TRUSS DESC.	

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	
C	TTWW-m	MT20	6.0	9.0	1.75	3.50
D	TMWW-t	MT20	4.0	6.0		
E	TMW+w	MT20	2.0	4.0		
F	TMWW-t	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMW+w	MT20	2.0	4.0		
I	TMWW-t	MT20	4.0	6.0		
J	TTWW-m	MT20	6.0	9.0	1.75	3.50
K	TMVW-p	MT20	5.0	8.0	Edge	
M	BMV1+p	MT20	3.0	6.0		
N	BMWW-t	MT20	5.0	6.0	2.50	2.25
O	BMWW+t	MT20	6.0	9.0	4.50	2.50
P	BS-t	MT20	5.0	6.0		
Q	BMWWW-t	MT20	5.0	8.0		
R	BMWWW-t	MT20	5.0	8.0		
S	BS-t	MT20	5.0	6.0		
T	BMWW+t	MT20	6.0	9.0	4.50	2.50
U	BMWW-t	MT20	5.0	6.0	2.50	2.25
V	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007603 1/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	T2	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:06 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1l-F8H4ajCx5wlmvMOcuAP1xf2LCGy5TgYwlUz?_UzMFtd



TOTAL WEIGHT = 2 X 140 = 280 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
B - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
S - P	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TTWW-m	MT20	6.0	9.0	Edge	
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	4.0		
H	TTWW-m	MT20	6.0	9.0	Edge	
I	TMVW-p	MT20	5.0	6.0	1.75	2.75
K	BMV1+p	MT20	3.0	4.0		
L	BMWW-t	MT20	4.0	9.0		
M	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	4.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BS-t	MT20	4.0	6.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMWW-t	MT20	4.0	9.0		
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2065	0	2065	0	0	5-8	5-8
K	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	970 / 0	0 / 0	0 0	0 0	488 0	0 0
K	1458	970 / 0	0 / 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.97 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-B	0	35	-91.8	-91.8	0.12 (1)	10.00		R-C	-243	10	0.09 (1)
B-C	-2298	0	-91.8	-91.8	0.70 (1)	3.78		C-Q	0	1670	0.38 (1)
C-D	-3213	0	-91.8	-91.8	0.80 (1)	3.19		Q-D	-929	0	0.36 (1)
D-E	-3594	0	-91.8	-91.8	0.86 (1)	2.97		D-Q	0	490	0.11 (1)
E-F	-3594	0	-91.8	-91.8	0.86 (1)	2.97		Q-E	-505	0	0.19 (1)
F-G	-3594	0	-91.8	-91.8	0.86 (1)	2.97		O-G	0	490	0.11 (1)
G-H	-3213	0	-91.8	-91.8	0.80 (1)	3.19		M-G	-929	0	0.36 (1)
H-I	-2298	0	-91.8	-91.8	0.70 (1)	3.78		M-H	0	1670	0.38 (1)
I-J	0	35	-91.8	-91.8	0.12 (1)	10.00		L-H	-243	10	0.09 (1)
S-B	-2023	0	0.0	0.0	0.21 (1)	5.94		B-R	0	1943	0.44 (1)
K-I	-2023	0	0.0	0.0	0.21 (1)	5.94		L-I	0	1943	0.44 (1)
S-R	0	0	-18.5	-18.5	0.15 (4)	10.00					
R-Q	0	1903	-18.5	-18.5	0.39 (1)	10.00					
O-P	0	3213	-18.5	-18.5	0.58 (1)	10.00					
P-O	0	3213	-18.5	-18.5	0.58 (1)	10.00					
O-N	0	3213	-18.5	-18.5	0.58 (1)	10.00					
N-M	0	3213	-18.5	-18.5	0.58 (1)	10.00					
M-L	0	1903	-18.5	-18.5	0.39 (1)	10.00					
L-K	0	0	-18.5	-18.5	0.15 (4)	10.00					

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=0.86/1.00 (D-E;1) , BC=0.58/1.00 (M-O;1) , WB=0.44/1.00 (I-L;1) , SSI=0.28/1.00 (G-H;1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (1) (INPUT = 0.90)
JSI METAL= 0.74 (P) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007604

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T3	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:06 2020 Page 1

ID:DMCubiNVR6TstFoe31v6l_zns1l-F8H4ajCx5wlmvMOcuAP1xf2QrG_VTXHwlUz7_UzMFlc



TOTAL WEIGHT = 2 X 151 = 303 lb

[M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.50
D	TTWW-m	MT20	5.0	8.0	1.75	3.50
E	TMWW-t	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0		
I	TTWW-m	MT20	5.0	8.0	1.75	3.50
J	TMWW-t	MT20	5.0	6.0	2.50	2.50
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-t	MT20	5.0	6.0	2.50	2.25
N	BMWW-t	MT20	4.0	4.0		
O	BMWW+t	MT20	4.0	6.0		
P	BS-t	MT20	3.0	6.0		
Q	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW+t	MT20	4.0	6.0		
T	BMWW-t	MT20	4.0	4.0		
U	BMVW1-t	MT20	5.0	6.0	2.50	2.25

Structural component only
DWG# T-2007605

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
U	2065	0	2065	0	0	5-8	5-8
M	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	970 0	0 0	0 0	0 0	488 0	0 0
M	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, M

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.53 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)
A-B	0	35	-91.8	-91.8	0.12	(1)	
B-C	0	18	-91.8	-91.8	0.16	(1)	
C-D	-2305	0	-91.8	-91.8	0.23	(1)	
D-E	-2723	0	-91.8	-91.8	0.54	(1)	
E-F	-2966	0	-91.8	-91.8	0.56	(1)	
F-G	-2966	0	-91.8	-91.8	0.56	(1)	
G-H	-2966	0	-91.8	-91.8	0.56	(1)	
H-I	-2723	0	-91.8	-91.8	0.54	(1)	
I-J	-2305	0	-91.8	-91.8	0.23	(1)	
J-K	0	18	-91.8	-91.8	0.16	(1)	
K-L	0	35	-91.8	-91.8	0.12	(1)	
U-B	-255	0	0.0	0.0	0.03	(1)	
M-K	-255	0	0.0	0.0	0.03	(1)	
U-T	0	1801	-18.5	-18.5	0.40	(1)	
T-S	0	1900	-18.5	-18.5	0.41	(1)	
S-R	0	2723	-18.5	-18.5	0.49	(1)	
R-O	0	2723	-18.5	-18.5	0.49	(1)	
O-P	0	2723	-18.5	-18.5	0.49	(1)	
P-O	0	2723	-18.5	-18.5	0.49	(1)	
O-N	0	1900	-18.5	-18.5	0.41	(1)	
N-M	0	1801	-18.5	-18.5	0.40	(1)	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX UNBRAC LENGTH	MAX CSI	(LC)
C-T	0	135	10.00	0.03	(4)
T-D	0	90	10.00	0.03	(4)
D-S	0	1218	4.31	0.27	(1)
S-E	-814	0	3.69	0.48	(1)
E-Q	0	363	3.53	0.08	(1)
Q-F	-440	0	3.53	0.26	(1)
Q-H	0	363	3.53	0.08	(1)
O-H	-814	0	3.69	0.48	(1)
O-I	0	1218	4.31	0.27	(1)
N-I	0	90	10.00	0.03	(4)
N-J	0	135	10.00	0.03	(4)
U-C	-2514	0	7.81	0.97	(1)
J-M	-2514	0	7.81	0.97	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.29")

CSI: TC=0.56/1.00 (E-F;1) , BC=0.49/1.00 (O-Q;1) , WB=0.97/1.00 (J-M;1) , SSI=0.23/1.00 (D-E;1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (M) (INPUT = 0.90)
JSI METAL= 0.84 (P) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T4	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:07 2020 Page 1

ID:DMCubiNVR6TslFoe31v6I_zns1I-jLrSn2CZsDQdXWzpSuwGTsbZlgK2C5T4u8iYWwzMFlc



TOTAL WEIGHT = 2 X 155 = 309 lb

(M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	8.0	Edge	
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	Edge	
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMVW-p	MT20	5.0	6.0	1.75	2.75
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.75
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	6.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	4.0	4.0		
T	BMWW-t	MT20	5.0	6.0	2.50	2.75
U	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007606

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	FACTORED GROSS REACTION HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	MAXIMUM FACTORED GROSS REACTION HORZ	MAXIMUM FACTORED GROSS REACTION UPLIFT	INPUT BRG	REQRD BRG
U	2065	0	2065	0	0	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1458	970 0	0 0	0 0	0 0	488 0	0 0
L	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.72 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1-2 LENGTH OF E-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS FR-TO	MAX. FACTORED MEMB. FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12	(1)		10.00
B-C	-2269	0	-91.8	-91.8	0.37	(1)		4.19
C-D	-2254	0	-91.8	-91.8	0.36	(1)		4.21
D-E	-2485	0	-91.8	-91.8	0.64	(1)		3.72
E-F	-2483	0	-91.8	-91.8	0.64	(1)		3.72
F-G	-2483	0	-91.8	-91.8	0.64	(1)		3.72
G-H	-2483	0	-91.8	-91.8	0.63	(1)		3.74
H-I	-2254	0	-91.8	-91.8	0.36	(1)		4.21
I-J	-2269	0	-91.8	-91.8	0.37	(1)		4.19
J-K	0	35	-91.8	-91.8	0.12	(1)		10.00
U-B	-2027	0	0.0	0.0	0.21	(1)		5.94
L-J	-2026	0	0.0	0.0	0.21	(1)		5.94
U-T	0	0	-18.5	-18.5	0.08	(4)		10.00
T-S	0	1808	-18.5	-18.5	0.37	(1)		10.00
S-R	0	1853	-18.5	-18.5	0.36	(1)		10.00
R-Q	0	1853	-18.5	-18.5	0.36	(1)		10.00
Q-P	0	2485	-18.5	-18.5	0.47	(1)		10.00
P-O	0	1854	-18.5	-18.5	0.36	(1)		10.00
O-N	0	1854	-18.5	-18.5	0.36	(1)		10.00
N-M	0	1908	-18.5	-18.5	0.37	(1)		10.00
M-L	0	0	-18.5	-18.5	0.08	(4)		10.00

WEBS FR-TO	MAX. FACTORED MEMB. FORCE (LBS)		MAX CSI	(LC)
T-C	-397	0	0.11	(1)
S-D	-78	0	0.05	(1)
R-D	0	155	0.04	(4)
D-Q	0	949	0.21	(1)
Q-E	-597	0	0.52	(1)
E-P	-2	0	0.00	(1)
P-G	-597	0	0.52	(1)
P-H	0	947	0.21	(1)
N-H	0	157	0.04	(4)
N-I	-78	0	0.05	(1)
M-I	-397	0	0.11	(1)
B-T	0	1965	0.44	(1)
M-J	0	1965	0.44	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.24")

CSI: TC=0.64/1.00 (D-E:1) , BC=0.47/1.00 (P-Q:1) , WB=0.52/1.00 (E-Q:1) , SSI=0.26/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (D) (INPUT = 0.90)
JSI METAL= 0.62 (D) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T5	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:09 2020 Page 1

ID:DMCubINVR6TslFoe31v6l_zns1I-BXPq_ODBdXYU8fY??bRV048iM4gExZrD7oS52NzMFb

Scale = 1:57.6



TOTAL WEIGHT = 2 X 158 = 317 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	6.0	2.25	1.75
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	1.75
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMW-p	MT20	5.0	6.0	1.75	2.75
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.75
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.75
R	BMV1+p	MT20	3.0	4.0		



Structural component only
DWG# T-2007607

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	2065	0	2065	0	0	5-8	5-8
J	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LOASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1458	970 0	0 0	0 0	0 0	488 0	0 0
J	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.47 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12 (1)		10.00
B-C	-2317	0	-91.8	-91.8	0.38 (1)		4.16
C-D	-2185	0	-91.8	-91.8	0.37 (1)		4.28
D-E	-2274	0	-91.8	-91.8	0.81 (1)		3.47
E-F	-2274	0	-91.8	-91.8	0.81 (1)		3.47
F-G	-2185	0	-91.8	-91.8	0.37 (1)		4.28
G-H	-2317	0	-91.8	-91.8	0.38 (1)		4.16
H-I	0	35	-91.8	-91.8	0.12 (1)		10.00
R-B	-2022	0	0.0	0.0	0.21 (1)		5.94
J-H	-2022	0	0.0	0.0	0.21 (1)		5.94
R-O	0	0	-18.5	-18.5	0.10 (4)		10.00
O-P	0	1953	-18.5	-18.5	0.40 (1)		10.00
P-O	0	1794	-18.5	-18.5	0.41 (1)		10.00
O-N	0	1794	-18.5	-18.5	0.41 (1)		10.00
N-M	0	1794	-18.5	-18.5	0.41 (1)		10.00
M-L	0	1794	-18.5	-18.5	0.41 (1)		10.00
L-K	0	1953	-18.5	-18.5	0.40 (1)		10.00
K-J	0	0	-18.5	-18.5	0.10 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
Q-G	-321 0	0.11 (1)
C-P	-218 0	0.18 (1)
P-D	0 266	0.06 (1)
D-N	0 691	0.11 (1)
N-E	-851 0	0.35 (1)
N-F	0 691	0.11 (1)
L-F	0 266	0.06 (1)
L-G	-218 0	0.18 (1)
K-G	-321 0	0.11 (1)
B-Q	0 1995	0.45 (1)
K-H	0 1995	0.45 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.22")

CSI: TC=0.81/1.00 (E-F:1) , BC=0.41/1.00 (L-N:1) , WB=0.45/1.00 (H-K:1) , SSI=0.34/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (H) (INPUT = 0.90)
JSI METAL= 0.64 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T6	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:09 2020 Page 1

ID:DMCub!NVR6TstFos31v6I_zns1I-fjyCCkEpOrgLmp6BZIykZHgxkU0ng01MLSBfapzMFIa



TOTAL WEIGHT = 2 X 165 = 329 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
D - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.50
H	TMVW-p	MT20	5.0	6.0	1.75	2.75
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	4.0	9.0		
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	4.0	9.0		
R	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT	REQRD
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	BRG	BRG
R	2065	0	2065	0	0	5-8	5-8
J	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1458	970 0	0 0	0 0	0 0	488 0	0 0
J	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.99 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12	(1)		10.00
B-C	-2346	0	-91.8	-91.8	0.52	(1)		3.99
C-D	-2095	0	-91.8	-91.8	0.46	(1)		4.22
D-E	-1985	0	-91.8	-91.8	0.49	(1)		4.26
E-F	-1985	0	-91.8	-91.8	0.49	(1)		4.26
F-G	-2095	0	-91.8	-91.8	0.46	(1)		4.22
G-H	-2346	0	-91.8	-91.8	0.52	(1)		3.99
H-I	0	35	-91.8	-91.8	0.12	(1)		10.00
R-B	-2018	0	0.0	0.0	0.21	(1)		5.94
J-H	-2018	0	0.0	0.0	0.21	(1)		5.94
R-Q	0	0	-18.5	-18.5	0.14	(4)		10.00
Q-P	0	1980	-18.5	-18.5	0.39	(1)		10.00
P-O	0	1716	-18.5	-18.5	0.34	(1)		10.00
O-N	0	1716	-18.5	-18.5	0.34	(1)		10.00
N-M	0	1716	-18.5	-18.5	0.34	(1)		10.00
M-L	0	1716	-18.5	-18.5	0.34	(1)		10.00
L-K	0	1981	-18.5	-18.5	0.39	(1)		10.00
K-J	0	0	-18.5	-18.5	0.14	(4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
Q-C	-249	11	0.11	(1)
C-P	-356	0	0.42	(1)
P-D	0	341	0.08	(1)
D-N	0	477	0.08	(1)
N-E	-678	0	0.37	(1)
N-F	0	477	0.08	(1)
L-F	0	341	0.08	(1)
L-G	-356	0	0.42	(1)
K-G	-249	11	0.11	(1)
B-Q	0	2014	0.45	(1)
K-H	0	2014	0.45	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.10")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.19")

CSI: TC=0.52/1.00 (G-H:1) , BC=0.39/1.00 (K-L:1) , WB=0.45/1.00 (H-K:1) , SSI=0.27 1.00 (D-E:1)

BOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (H) (INPUT = 0.90)
JSI METAL= 0.56 (M) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007608

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T7	6	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:10 2020 Page 1

ID:DMCublNVR6TstFoe31v6l_zns1l-7wWaP4FR88oCOzhO70Uz5VD4qtMXPTGWa6xC7FzMFIZ



TOTAL WEIGHT = 6 X 172 = 1030 lb

(M)(F)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
T - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
T - R	2x4	DRY	No.2	SPF
R - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
E - P	2x4	DRY	No.2	SPF
P - G	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	8.0	2.25	2.00
F	TMW+w	MT20	2.0	4.0		
G	TTWW-m	MT20	5.0	8.0	2.25	2.00
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMW-p	MT20	5.0	6.0	1.75	2.75
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	4.0	9.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	4.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	4.0	9.0		
T	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
T	2065	0	2065	0	0	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

1ST LCASE MAX. MIN. COMPONENT REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1458	970 0	0 0	0 0	0 0	488 0	0 0
L	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.77 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-Q, F-P, I-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12 (1)	10.00	
B-C	-2358	0	-91.8	-91.8	0.69 (1)	3.77	
C-D	-1996	0	-91.8	-91.8	0.62 (1)	4.11	
D-E	-1996	0	-91.8	-91.8	0.62 (1)	4.11	
E-F	-1761	0	-91.8	-91.8	0.27 (1)	4.77	
F-G	-1761	0	-91.8	-91.8	0.27 (1)	4.77	
G-H	-1996	0	-91.8	-91.8	0.62 (1)	4.11	
H-I	-1996	0	-91.8	-91.8	0.62 (1)	4.11	
I-J	-2358	0	-91.8	-91.8	0.69 (1)	3.77	
J-K	0	35	-91.8	-91.8	0.12 (1)	10.00	
T-B	-2014	0	0.0	0.0	0.21 (1)	5.95	
L-J	-2014	0	0.0	0.0	0.21 (1)	5.95	
T-S	0	0	-18.5	-18.5	0.19 (4)	10.00	
S-R	0	1995	-18.5	-18.5	0.42 (1)	10.00	
R-Q	0	1995	-18.5	-18.5	0.42 (1)	10.00	
Q-P	0	1629	-18.5	-18.5	0.32 (1)	10.00	
P-O	0	1629	-18.5	-18.5	0.32 (1)	10.00	
O-N	0	1995	-18.5	-18.5	0.42 (1)	10.00	
N-M	0	1995	-18.5	-18.5	0.42 (1)	10.00	
M-L	0	0	-18.5	-18.5	0.19 (4)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
S-C	-189	46	0.10 (1)
C-Q	-484	0	0.24 (1)
Q-E	0	415	0.09 (1)
E-P	0	315	0.05 (1)
P-F	-502	0	0.35 (1)
P-G	0	315	0.05 (1)
O-G	0	415	0.09 (1)
O-I	-484	0	0.24 (1)
M-I	-189	46	0.10 (1)
B-S	0	2021	0.45 (1)
M-J	0	2021	0.45 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.09")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.18")

CSI: TC=0.69/1.00 (I-J:1) , BC=0.42/1.00 (M-O:1) , WB=0.45/1.00 (J-M:1) , SSI=0.24/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (J) (INPUT = 0.90)
JSI METAL= 0.67 (N) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007609

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	T8	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:10 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I_zns1I-7wWaP4FR98oCOzhO70Uz5VD1gtM2PTGWa6xC7FzMFIZ



TOTAL WEIGHT = 2 X 166 = 333 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
O - E	2x4	DRY	No.2	SPF
E - N	2x4	DRY	No.2	SPF
N - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-t	MT20	4.0	4.0	2.00	1.50
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	8.0	2.00	3.00
F	TTW-m	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW-t	MT20	4.0	4.0	2.00	1.50
I	TMVW-p	MT20	5.0	6.0	1.75	2.75
K	BMV1+p	MT20	3.0	4.0		
L	BMWW-t	MT20	4.0	9.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BMWW-t	MT20	4.0	4.0		
P	BS-t	MT20	3.0	6.0		
Q	BMWW-t	MT20	4.0	9.0		
R	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
R	2065	0	2065	0	0	5-8	5-8
K	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 0	0 0
K	1458	970 0	0 / 0	0 0	0 / 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.45 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-O, H-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS							WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF)		LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
FR-TO			FROM	TO				FR-TO			
A-B	0	35	-91.8	-91.8	0.12 (1)		10.00	Q-C	-140	76	0.09 (1)
B-C	-2357	0	-91.8	-91.8	0.89 (1)		3.45	C-O	-604	0	0.38 (1)
C-D	-1888	0	-91.8	-91.8	0.78 (1)		3.91	O-E	0	499	0.08 (1)
D-E	-1888	0	-91.8	-91.8	0.78 (1)		3.91	E-N	0	0	0.00 (1)
E-F	-1538	0	-91.8	-91.8	0.47 (1)		4.74	N-F	0	500	0.08 (1)
F-G	-1888	0	-91.8	-91.8	0.78 (1)		3.91	N-H	-604	0	0.38 (1)
G-H	-1888	0	-91.8	-91.8	0.78 (1)		3.91	L-H	-140	75	0.09 (1)
H-I	-2357	0	-91.8	-91.8	0.89 (1)		3.45	B-Q	0	2020	0.45 (1)
I-J	0	35	-91.8	-91.8	0.12 (1)		10.00	L-I	0	2019	0.45 (1)
R-B	-2009	0	0.0	0.0	0.21 (1)		5.95				
K-I	-2009	0	0.0	0.0	0.21 (1)		5.95				
R-Q	0	0	-18.5	-18.5	0.25 (4)		10.00				
Q-P	0	1998	-18.5	-18.5	0.45 (1)		10.00				
P-O	0	1998	-18.5	-18.5	0.45 (1)		10.00				
O-N	0	1538	-18.5	-18.5	0.33 (1)		10.00				
N-M	0	1998	-18.5	-18.5	0.45 (1)		10.00				
M-L	0	1998	-18.5	-18.5	0.45 (1)		10.00				
L-K	0	0	-18.5	-18.5	0.24 (4)		10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.09")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.20")

CSI: TC=0.89/1.00 (B-C:1) , BC=0.45/1.00 (O-Q:1) , WB=0.45/1.00 (B-Q:1) , SSI=0.27/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BENO=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (F) (INPUT = 0.90)
JSI METAL= 0.68 (P) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100090247
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007610

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T9	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:11 2020 Page 1

ID:DMCubINVR6TsIFoe31v6l_zns1l-b64ydQG4wSx377Gahj?CeimKBHhB8zlfpmqmfIzMFIY



LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
Q - M	2x6	DRY	No.2	SPF
M - J	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-D	1	12	TOP
D-G	1	12	TOP
G-I	1	12	TOP
Q-B	1	12	TOP
J-H	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
Q-M	2	12	TOP
M-J	2	12	SIDE=183.11
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

Structural component only

DWG# T-2007611 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
Q	2236	0	2236	0	0	5-8	5-8
J	3067	0	3067	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT J. MINIMUM BEARING LENGTH AT JOINT J = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1575	1065 0	0 0	0 0	0 0	510 0	0 0
J	2157	1479 0	0 0	0 0	0 0	678 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.97 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.07 (1)	10.00	
B-C	-2464	0	-91.8	-91.8	0.13 (1)	5.62	
C-D	-2571	0	-91.8	-91.8	0.13 (1)	5.53	
D-E	-3030	0	-91.8	-91.8	0.20 (1)	5.11	
E-F	-3235	0	-91.8	-91.8	0.21 (1)	4.97	
F-G	-3235	0	-91.8	-91.8	0.20 (1)	4.99	
G-H	-2123	0	-91.8	-91.8	0.15 (1)	5.91	
H-I	0	35	-91.8	-91.8	0.07 (1)	10.00	
Q-B	-2186	0	0.0	0.0	0.12 (1)	7.53	
J-H	-2962	0	0.0	0.0	0.33 (1)	6.70	
Q-P	0	0	-18.5	-18.5	0.02 (1)	10.00	
P-O	0	2087	-18.5	-18.5	0.16 (1)	10.00	
O-N	0	2118	-18.5	-18.5	0.22 (1)	10.00	
N-M	0	3030	-18.5	-18.5	0.45 (1)	10.00	
M-R	0	3030	-18.5	-18.5	0.45 (1)	10.00	
R-L	0	3030	-18.5	-18.5	0.45 (1)	10.00	
L-S	0	1746	-18.5	-18.5	0.27 (1)	10.00	
S-T	0	1746	-18.5	-18.5	0.27 (1)	10.00	
T-K	0	1746	-18.5	-18.5	0.27 (1)	10.00	
K-U	0	0	-18.5	-18.5	0.06 (1)	10.00	
U-J	0	0	-18.5	-18.5	0.06 (1)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
P-C	-603	0	0.06 (1)
C-O	0	70	0.01 (1)
O-D	-2	60	0.01 (4)
D-N	0	1433	0.18 (1)
N-E	-738	0	0.22 (1)
E-L	0	327	0.04 (1)
L-F	-469	0	0.14 (1)
L-G	0	2339	0.29 (1)
K-G	-995	0	0.30 (1)
B-P	0	2137	0.26 (1)
K-H	0	2299	0.28 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
K	21-11-4	-187	-187	---	FRONT	VERT	TOTAL	--	C1
L	16-11-4	-187	-187	---	FRONT	VERT	TOTAL	--	C1
R	16-0-0	-1259	-1259	---	FRONT	VERT	TOTAL	--	C1
S	17-11-4	-187	-187	---	FRONT	VERT	TOTAL	--	C1
T	19-11-4	-187	-187	---	FRONT	VERT	TOTAL	--	C1
U	23-11-4	-195	-195	---	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.66")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.66")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.12")

CSI: TC=0.33/1.00 (H-J:1) , BC=0.45/1.00 (L-N:1) , WB=0.30/1.00 (G-K:1) , SSI=0.35/1.00 (L-N:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.81 (H) (INPUT = 0.80)
JSI METAL = 0.53 (H) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	T9	1	2	TRUSS DESC.	

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	Edge	
C	TMVW-t	MT20	4.0	4.0	2.00	1.50
D	TTWW+m	MT20	5.0	6.0	2.00	1.50
E	TMWW-t	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TTWW+m	MT20	5.0	8.0	2.50	1.50
H	TMVW+p	MT20	4.0	6.0	Edge	
J	BMV1+p	MT20	3.0	6.0		
K, N, O, P						
K	BMWW-t	MT20	5.0	6.0		
L	BMWWW-t	MT20	5.0	8.0		
M	BS-t	MT20	5.0	6.0		
Q	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007611

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T10	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:12 2020 Page 1

ID:DjMCubINVR6TsiFoe31v6l_zns1I-4IeLqmGihm3wdHmERWRAwIUKh4GtLtp2QQJB8zMFIX



TOTAL WEIGHT = 118 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
N - B	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
N - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	6.0	Edge	
C	TMWW-t	MT20	5.0	4.0	2.00	1.50
D	TTWW+m	MT20	5.0	6.0	2.00	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.00	1.50
G	TMW+p	MT20	4.0	6.0	Edge	
H	BMV1+p	MT20	3.0	4.0		
I	BMWW-t	MT20	4.0	6.0		
J	BS-t	MT20	3.0	6.0		
K	BMWWW-t	MT20	4.0	9.0		
L	BMWW-t	MT20	4.0	4.0		
M	BMWW-t	MT20	4.0	6.0	2.00	2.50
N	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
N	1550	0	1550	0	0	5-8	5-8
H	1424	0	1424	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
N	1094	731 0	0 0	0 0	0 0	363 0	0 0
H	1007	661 0	0 0	0 0	0 0	346 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.93 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	35	-91.8	-91.8	0.12 (1)	10.00
B-C	-1609	0	-91.8	-91.8	0.29 (1)	4.93
C-D	-1425	0	-91.8	-91.8	0.28 (1)	5.17
D-E	-1272	0	-91.8	-91.8	0.35 (1)	5.30
E-F	-1272	0	-91.8	-91.8	0.35 (1)	5.30
F-G	-1077	0	-91.8	-91.8	0.43 (1)	5.52
N-B	-1511	0	0.0	0.0	0.16 (1)	6.66
H-G	-1360	0	0.0	0.0	0.32 (1)	6.92
N-M	0	0	-18.5	-18.5	0.09 (4)	10.00
M-L	0	1362	-18.5	-18.5	0.27 (1)	10.00
L-K	0	1164	-18.5	-18.5	0.24 (1)	10.00
K-J	0	890	-18.5	-18.5	0.23 (1)	10.00
J-I	0	890	-18.5	-18.5	0.23 (1)	10.00
I-H	0	0	-18.5	-18.5	0.15 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
M-C	-217	3	0.07 (1)
C-L	-273	0	0.20 (1)
L-D	0	280	0.06 (1)
D-K	0	185	0.04 (1)
K-E	-595	0	0.64 (1)
K-F	0	655	0.15 (1)
I-F	-390	0	0.42 (1)
B-M	0	1396	0.31 (1)
I-G	0	1031	0.23 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.86")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.86")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.09")

CSI: TC=0.43/1.00 (F-G:1) , BC=0.27/1.00 (L-M:1) , WB=0.64/1.00 (E-K:1) , SSI=0.23/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.89 (B) (INPUT = 0.90)
JSI METAL = 0.58 (G) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007612.

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	T11A	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:12 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I_zns1I-4IeLqmGIhm3wdHrmERWRAwIXHh2PIN5p2QQJB8zMFIX

Scale = 1:38.5



TOTAL WEIGHT = 2 X 66 = 133 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0		
D	TTW-p	MT20	4.0	4.0	2.25	2.00
E	TMWW-t	MT20	4.0	4.0		
F	TMV+p	MT20	3.0	4.0		
G	BMVW1-I	MT20	4.0	4.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BMVW1-I	MT20	4.0	4.0		

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007613

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
I	1001	0	1001	0	0	5-8	5-8
G	875	0	875	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
		MAX./MIN. COMPONENT REACTIONS					
I	706	476 0	0 0	0 0	0 0	229 0	0 0
G	619	406 0	0 0	0 0	0 0	213 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0	35	-91.8	-91.8	0.12 (1)	10.00
B- C	0	24	-91.8	-91.8	0.24 (1)	10.00
C- D	-691	0	-91.8	-91.8	0.19 (1)	6.25
D- E	-689	0	-91.8	-91.8	0.17 (1)	6.25
E- F	0	24	-91.8	-91.8	0.22 (1)	10.00
I- B	-269	0	0.0	0.0	0.03 (1)	7.81
G- F	-125	0	0.0	0.0	0.01 (1)	7.81
I- H	0	722	-18.5	-18.5	0.39 (4)	10.00
H- G	0	677	-18.5	-18.5	0.39 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
C- H	-228	0	0.12 (1)
H- D	0	449	0.10 (1)
H- E	-166	0	0.09 (1)
I- C	-988	0	0.50 (1)
E- G	-971	0	0.44 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.53")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.53")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.11")

CSI: TC=0.24/1.00 (B-C:1) , BC=0.39/1.00 (H-I:4) , WB=0.50/1.00 (C-I:1) , SSI=0.15/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.64 (E) (INPUT = 0.90)
JSI METAL= 0.35 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T11B	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:01 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-SxVsS1cVyDTdVj3g25iMsNOthBxxWB?PWeSQ4izMEMi



TOTAL WEIGHT = 2 X 69 = 137 lb [M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
K - A	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
K - H	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (Table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.25	2.00
B	TMWW-t	MT20	4.0	4.0	2.00	1.50
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMWW-t	MT20	4.0	4.0	2.00	1.50
E	TMVW+p	MT20	4.0	4.0	1.25	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWW-t	MT20	4.0	6.0		
H	BS-t	MT20	3.0	6.0		
I	BMWWW-t	MT20	4.0	9.0		
J	BMWW-t	MT20	4.0	6.0		
K	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
K	887	0	887	0	0	3-8	3-8
F	887	0	887	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	627	411 0	0 0	0 0	0 0	216 0	0 0
F	627	411 0	0 0	0 0	0 0	216 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	-866	0	-91.8	-91.8	0.19 (1)		6.25
B-C	-687	0	-91.8	-91.8	0.18 (1)		6.25
C-D	-688	0	-91.8	-91.8	0.19 (1)		6.25
D-E	-891	0	-91.8	-91.8	0.20 (1)		6.25
K-A	-855	0	0.0	0.0	0.09 (1)		7.81
F-E	-853	0	0.0	0.0	0.09 (1)		7.81
K-J	0	0	-18.5	-18.5	0.07 (4)		10.00
J-I	0	740	-18.5	-18.5	0.16 (1)		10.00
I-H	0	761	-18.5	-18.5	0.15 (1)		10.00
H-G	0	761	-18.5	-18.5	0.15 (1)		10.00
G-F	0	0	-18.5	-18.5	0.07 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
J-B	-142	18	0.04 (1)
B-I	-263	0	0.13 (1)
I-C	0	461	0.10 (1)
I-D	-292	0	0.15 (1)
G-D	-117	28	0.03 (1)
A-J	0	772	0.17 (1)
G-E	0	787	0.18 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.20/1.00 (D-E:1) , BC=0.15/1.00 (G-I:1) , WB=0.18/1.00 (E-G:1) , SSI=0.15/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.85 (E) (INPUT = 0.90)
JSI METAL = 0.25 (H) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007631

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	T11S	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:13 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I_zns1I-YVCj26HKS3BnFRQzo81gj7reK5PdcqqyG49sjazMFIW



TOTAL WEIGHT = 2 X 67 = 134 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
L - B	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
L - K	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	Edge	
C	TMWW-t	MT20	5.0	6.0		
D	TTW-p	MT20	4.0	4.0	2.25	2.00
E	TMWW-t	MT20	5.0	6.0		
F	TMVW-p	MT20	5.0	6.0	Edge	
H	BMV1+p	MT20	3.0	4.0	Edge	
I	BBWW+m	MT20	5.0	6.0		
J	BMWWW-t	MT20	4.0	9.0		
K	BBWW+m	MT20	5.0	6.0		
L	BMV1+p	MT20	3.0	4.0	Edge	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
L	1022	0	1022	0	0	IN-SX	IN-SX
H	1022	0	1022	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	720	486 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0
H	720	486 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.97 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
L-B	-1004	0	0.0	0.0	0.11 (1)		7.80
A-B	0	35	-91.8	-91.8	0.12 (1)		10.00
B-C	-1508	0	-91.8	-91.8	0.33 (1)		4.97
C-D	-841	0	-91.8	-91.8	0.41 (1)		6.08
D-E	-841	0	-91.8	-91.8	0.42 (1)		6.07
E-F	-1510	0	-91.8	-91.8	0.33 (1)		4.97
F-G	0	35	-91.8	-91.8	0.12 (1)		10.00
H-F	-1004	0	0.0	0.0	0.11 (1)		7.80
L-K	0	0	-18.5	-18.5	0.02 (4)		10.00
K-J	0	1319	-18.5	-18.5	0.33 (1)		10.00
J-I	0	1320	-18.5	-18.5	0.33 (1)		10.00
I-H	0	0	-18.5	-18.5	0.02 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
B-K	0	1321	0.30 (1)
K-C	0	55	0.02 (4)
C-J	-659	0	0.46 (1)
J-D	0	444	0.10 (1)
J-E	-661	0	0.47 (1)
I-E	0	56	0.02 (4)
I-F	0	1323	0.30 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L 999 (0.08")

CSI: TC=0.42/1.00 (D-E:1) , BC=0.33/1.00 (I-J:1) , WB=0.47*1.00 (E-J:1) , SSI=0.21.1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (I) (INPUT = 0.90)
JSI METAL= 0.47 (K) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007614

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	T12S	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:14 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I zns1I-0hm5FSIyDNJdta?9MsYvGLOuJVqYLOs6VkvQG0zMFIV

Scale = 1:27.5



TOTAL WEIGHT = 31 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR
A - C	2x6	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
F - C	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	6.0		
C	TTV-m	MT20	5.0	6.0		
D	TMVW-t	MT20	4.0	4.0		
E	BMVW1-t	MT20	4.0	4.0		
F	BMV+p	MT20	3.0	4.0		
G	BVMWWW-t	MT20	5.0	8.0	2.50	2.50
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
E	214	0	214	0	0	MECHANICAL	
H	344	0	344	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	151	99 0	0 0	0 0	0 0	52 0	0 0
H	241	172 0	0 0	0 0	0 0	69 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 36	-91.8	-91.8	0.07 (5)	10.00
B-C	-105 0	-91.8	-91.8	0.03 (1)	6.25
C-D	-79 0	-91.8	-91.8	0.05 (1)	6.25
E-D	-196 0	0.0	0.0	0.08 (1)	7.81
H-B	-323 0	0.0	0.0	0.03 (1)	7.81
H-G	0 0	-18.5	-18.5	0.03 (4)	10.00
F-G	0 17	0.0	0.0	0.01 (1)	10.00
G-C	-119 0	0.0	0.0	0.01 (1)	7.81
F-E	0 2	-18.5	-18.5	0.01 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
G-D	0 139	0.03 (1)
B-G	0 98	0.02 (1)
G-E	-3 0	0.00 (1)

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 . OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L 999 (0.00")

CSI: TC=0.08/1.00 (D-E:1) , BC=0.03/1.00 (G-H:4) , WB=0.03/1.00 (D-G:1) , SSI=0.07/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.19 (B) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
[illegible]
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007615

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T20	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington — Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:02 2020 Page 1

ID:DMCubINVR6TstFos31v6I znsiI-x73EgNd7jXbU6sescoDbPaw0PaBNFZ7YIIB_c8zMEMh



TOTAL WEIGHT = 2 X 180 = 359 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x6	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	2	12	SIDE(122.0)
C-F	2	12	SIDE(183.1)
F-H	2	12	SIDE(61.0)
H-J	2	12	SIDE(122.0)
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	SIDE(183.1)
P-N	2	12	SIDE(0.0)
N-K	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only

DWG# T-2007632 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	RECMD BRG IN-SX
S	3423	0	3423	0	0	5-8	5-8
K	3365	0	3365	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	2418	1600 0	0 0	0 0	0 0	818 0	0 0
K	2378	1573 0	0 0	0 0	0 0	804 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.03 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-B	0	33	-91.8	-91.8	0.04 (1)		10.00
B-C	-4681	0	-91.8	-91.8	0.13 (1)		5.23
C-T	-7102	0	-91.8	-91.8	0.31 (1)		4.26
T-U	-7102	0	-91.8	-91.8	0.31 (1)		4.26
U-V	-7102	0	-91.8	-91.8	0.31 (1)		4.26
V-D	-7102	0	-91.8	-91.8	0.31 (1)		4.26
D-W	-8010	0	-91.8	-91.8	0.32 (1)		4.05
W-X	-8010	0	-91.8	-91.8	0.32 (1)		4.05
X-Y	-8010	0	-91.8	-91.8	0.32 (1)		4.05
Y-E	-8010	0	-91.8	-91.8	0.32 (1)		4.05
E-F	-8010	0	-91.8	-91.8	0.33 (1)		4.03
F-Z	-8010	0	-91.8	-91.8	0.33 (1)		4.03
Z-AA	-8010	0	-91.8	-91.8	0.33 (1)		4.03
AA-AB	-8010	0	-91.8	-91.8	0.33 (1)		4.03
AB-G	-8010	0	-91.8	-91.8	0.33 (1)		4.03
G-AC	-7070	0	-91.8	-91.8	0.30 (1)		4.27
AC-AD	-7070	0	-91.8	-91.8	0.30 (1)		4.27
AD-AE	-7070	0	-91.8	-91.8	0.30 (1)		4.27
AE-H	-7070	0	-91.8	-91.8	0.30 (1)		4.27
H-I	-4806	0	-91.8	-91.8	0.13 (1)		5.26
I-J	0	33	-91.8	-91.8	0.04 (1)		10.00
S-B	-3367	0	0.0	0.0	0.12 (1)		7.58
K-I	-3318	0	0.0	0.0	0.12 (1)		7.63
S-AF	0	0	-18.5	-18.5	0.08 (4)		10.00
AF-AG	0	0	-18.5	-18.5	0.08 (4)		10.00
AG-R	0	0	-18.5	-18.5	0.08 (4)		10.00
R-AH	0	4024	-18.5	-18.5	0.31 (1)		10.00
AH-AI	0	4024	-18.5	-18.5	0.31 (1)		10.00
AI-Q	0	4024	-18.5	-18.5	0.31 (1)		10.00
Q-AJ	0	7102	-18.5	-18.5	0.52 (1)		10.00
AJ-P	0	7102	-18.5	-18.5	0.52 (1)		10.00
P-AK	0	7102	-18.5	-18.5	0.52 (1)		10.00
AK-AL	0	7102	-18.5	-18.5	0.52 (1)		10.00
AL-O	0	7102	-18.5	-18.5	0.52 (1)		10.00
O-AM	0	7070	-18.5	-18.5	0.52 (1)		10.00
AM-N	0	7070	-18.5	-18.5	0.52 (1)		10.00
N-AN	0	7070	-18.5	-18.5	0.52 (1)		10.00
AN-M	0	7070	-18.5	-18.5	0.52 (1)		10.00
M-AO	0	3960	-18.5	-18.5	0.30 (1)		10.00
AO-AP	0	3960	-18.5	-18.5	0.30 (1)		10.00
AP-AQ	0	3960	-18.5	-18.5	0.30 (1)		10.00
AQ-L	0	3960	-18.5	-18.5	0.30 (1)		10.00

WEBS MEMB.	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
R-C	-431	9	0.05 (1)
C-Q	0	3534	0.44 (1)
Q-D	-1555	0	0.19 (1)
D-O	0	1048	0.13 (1)
O-E	-864	0	0.10 (1)
O-G	0	1085	0.13 (1)
M-G	-1573	0	0.19 (1)
M-H	0	3572	0.44 (1)
L-H	-421	10	0.05 (1)
B-R	0	4088	0.51 (1)
L-I	0	4022	0.50 (1)

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.20")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.37")

CSI: TC=0.33/1.00 (E-G:1) , BC=0.52/1.00 (O-Q:1) , WB=0.51/1.00 (B-R:1) , SSI=0.18/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (Q) (INPUT = 0.90)
JSI METAL= 0.68 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408223	T20	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:DMCubINVR6TslFoa31v6I_zns1I-x73EqNd7jXbU6sescoDbPaw0PaBNFZ7YIIB_c8zMEMh

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TTWW-m	MT20	6.0	9.0	2.75	3.50
D	TMWW-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW-m	MT20	6.0	9.0	2.75	3.50
I	TMVW-p	MT20	5.0	6.0	1.75	2.75
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.75
M	BMWW-t	MT20	5.0	6.0		
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	6.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWW-t	MT20	5.0	6.0		
R	BMWW-t	MT20	5.0	6.0	2.50	2.75
S	BMV1+p	MT20	3.0	6.0		

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI	(LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
L-AR	0	0	-18.5	-18.5	0.06	(4)	10.00				
AR-AS	0	0	-18.5	-18.5	0.06	(4)	10.00				
AS-K	0	0	-18.5	-18.5	0.06	(4)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-10-0	-60	-67	---	FRONT	VERT	DEAD	--	C1
C	4-10-0	-311	-311	---	FRONT	VERT	SNOW	--	C1
D	11-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
H	30-4-0	-60	-67	---	FRONT	VERT	DEAD	--	C1
H	30-4-0	-311	-311	---	FRONT	VERT	SNOW	--	C1
N	21-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
Q	11-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
R	5-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
T	5-2-12	-138	-138	---	FRONT	VERT	TOTAL	--	C1
U	7-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
V	9-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
W	13-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
X	15-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
Y	17-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
Z	19-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
AA	21-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
AB	23-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
AC	25-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
AD	27-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
AE	29-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
AF	1-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AG	3-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AH	7-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AI	9-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AJ	13-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AK	15-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AL	17-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AM	19-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AN	23-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AO	25-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AP	27-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AQ	29-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AR	31-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
AS	33-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007632

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T21	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:03 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns1I-PKdctjelUqjLk0D3AWlqxoT6J_Wk_xSi_yxX9bzMEMg



TOTAL WEIGHT = 142 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-I	MT20	5.0	6.0	2.50	2.50
D	TTWW-m	MT20	5.0	8.0	1.75	3.00
E	TMWW-I	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TS-I	MT20	3.0	6.0		
H	TMWW-I	MT20	4.0	4.0		
I	TTWW-m	MT20	5.0	8.0	1.75	3.00
J	TMWW-I	MT20	5.0	6.0	2.50	2.50
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-I	MT20	5.0	6.0	2.50	2.00
N	BMWW-I	MT20	4.0	4.0		
O	BMWW-I	MT20	5.0	6.0		
P	BS-I	MT20	4.0	6.0		
Q	BMWWW-I	MT20	4.0	9.0		
R	BS-I	MT20	4.0	6.0		
S	BMWW-I	MT20	5.0	6.0		
T	BMWW-I	MT20	4.0	4.0		
U	BMVW1-I	MT20	5.0	6.0	2.50	2.00

Structural component only
DWG# T-2007633

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
U	2064	0	2064	0	0	5-8	5-8
M	2064	0	2064	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1457	970 0	0 / 0	0 0	0 0	488 0	0 0
M	1457	970 0	0 / 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.12 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	32	-91.8	-91.8	0.12 (1)	10.00
B-C	0	13	-91.8	-91.8	0.12 (1)	10.00
C-D	-2527	0	-91.8	-91.8	0.20 (1)	4.18
D-E	-3264	0	-91.8	-91.8	0.66 (1)	3.30
E-F	-3585	0	-91.8	-91.8	0.70 (1)	3.12
F-G	-3585	0	-91.8	-91.8	0.70 (1)	3.12
G-H	-3585	0	-91.8	-91.8	0.70 (1)	3.12
H-I	-3264	0	-91.8	-91.8	0.66 (1)	3.30
I-J	-2527	0	-91.8	-91.8	0.20 (1)	4.18
J-K	0	13	-91.8	-91.8	0.12 (1)	10.00
K-L	0	32	-91.8	-91.8	0.12 (1)	10.00
U-B	-249	0	0.0	0.0	0.03 (1)	7.81
M-K	-249	0	0.0	0.0	0.03 (1)	7.81
U-T	0	2005	-18.5	-18.5	0.42 (1)	10.00
T-S	0	2167	-18.5	-18.5	0.44 (1)	10.00
S-R	0	3264	-18.5	-18.5	0.58 (1)	10.00
R-Q	0	3264	-18.5	-18.5	0.58 (1)	10.00
Q-P	0	3264	-18.5	-18.5	0.58 (1)	10.00
P-O	0	3264	-18.5	-18.5	0.58 (1)	10.00
O-N	0	2167	-18.5	-18.5	0.44 (1)	10.00
N-M	0	2005	-18.5	-18.5	0.42 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
C-T	0	213	0.05 (1)
T-D	-8	69	0.02 (4)
D-S	0	1447	0.33 (1)
S-E	-853	0	0.33 (1)
E-Q	0	428	0.10 (1)
Q-F	-482	0	0.18 (1)
Q-H	0	428	0.10 (1)
O-H	-853	0	0.33 (1)
O-I	0	1447	0.33 (1)
N-I	-8	69	0.02 (4)
N-J	0	213	0.05 (1)
U-C	-2671	0	0.82 (1)
J-M	-2671	0	0.82 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/240 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=0.70/1.00 (E-F:1) , BC=0.58/1.00 (Q-S:1) , WB=0.82/1.00 (J-M:1) , SSI=0.24/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (M) (INPUT = 0.90)
JSI METAL= 0.74 (R) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T22	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:04 2020 Page 1

ID:DMCubINVR6TstFoe31v6I znst!-tWB?43eNF8rCMAoFjDG3U?0GFOtjTlrCcg4h1zMEMf



TOTAL WEIGHT = 146 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
U - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
U - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER

PLATES (Table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	8.0	2.00	3.50
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	2.00	3.50
I	TMWW-t	MT20	4.0	4.0	2.00	1.75
J	TMVW-p	MT20	5.0	8.0	Edge	3.50
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.50
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	6.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	4.0	4.0		
T	BMWW-t	MT20	5.0	6.0	2.50	2.50
U	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007634

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT	REQRD
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	BRG IN-SX	BRG IN-SX
U	2064	0	2064	0	0	5-8	5-8
L	2064	0	2064	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
U	1457	970 0	0 0	0 0	0 0	488 0	0 0
L	1457	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.37 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	32	-91.8	-91.8	0.12 (1)		10.00
B-C	-2468	0	-91.8	-91.8	0.35 (1)		4.07
C-D	-2478	0	-91.8	-91.8	0.34 (1)		4.08
D-E	-2910	0	-91.8	-91.8	0.75 (1)		3.37
E-F	-2909	0	-91.8	-91.8	0.74 (1)		3.38
F-G	-2909	0	-91.8	-91.8	0.74 (1)		3.38
G-H	-2909	0	-91.8	-91.8	0.75 (1)		3.38
H-I	-2478	0	-91.8	-91.8	0.34 (1)		4.08
I-J	-2468	0	-91.8	-91.8	0.35 (1)		4.07
J-K	0	32	-91.8	-91.8	0.12 (1)		10.00
U-B	-2025	0	0.0	0.0	0.21 (1)		5.94
L-J	-2025	0	0.0	0.0	0.21 (1)		5.94
U-T	0	0	-18.5	-18.5	0.07 (4)		10.00
T-S	0	2149	-18.5	-18.5	0.41 (1)		10.00
S-R	0	2122	-18.5	-18.5	0.41 (1)		10.00
R-Q	0	2122	-18.5	-18.5	0.41 (1)		10.00
Q-P	0	2910	-18.5	-18.5	0.54 (1)		10.00
P-O	0	2122	-18.5	-18.5	0.41 (1)		10.00
O-N	0	2122	-18.5	-18.5	0.41 (1)		10.00
N-M	0	2149	-18.5	-18.5	0.41 (1)		10.00
M-L	0	0	-18.5	-18.5	0.07 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
T-C	-426	0	0.10 (1)
C-S	-39	0	0.02 (1)
S-D	0	131	0.04 (4)
D-Q	0	1076	0.24 (1)
Q-E	-817	0	0.36 (1)
E-P	-2	0	0.00 (1)
P-G	-617	0	0.36 (1)
P-H	0	1073	0.24 (1)
N-H	0	132	0.04 (4)
N-I	-39	0	0.02 (1)
M-I	-426	0	0.10 (1)
B-T	0	2205	0.50 (1)
M-J	0	2205	0.50 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.30")

CSI: TC=0.75/1.00 (D-E:1) , BC=0.54/1.00 (P-Q:1) , WB=0.50/1.00 (B-T:1) , SSI=0.27/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.69 (T) (INPUT = 0.90)
JSI METAL = 0.70 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T23	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:08 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1l-pvJlVkgeml5wbUyereIXZQ5aqCaVBJG8gw9BlvzMEMd



TOTAL WEIGHT = 145 lb

(M)(F)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.00	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.00	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMW-p	MT20	5.0	8.0	Edge	3.50
J	BMVt+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.50
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.50
R	BMVt+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007635

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
R	2084	0	2064	0	0	5-8	5-8
J	2084	0	2064	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX./MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	970 / 0	0 0	0 0	0 0	488 0	0 0
J	1457	970 / 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.16 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	32	-91.8	-91.8	0.12	(1)		10.00
B-C	-2537	0	-91.8	-91.8	0.39	(1)		4.00
C-D	-2398	0	-91.8	-91.8	0.37	(1)		4.11
D-E	-2609	0	-91.8	-91.8	0.88	(1)		3.16
E-F	-2609	0	-91.8	-91.8	0.88	(1)		3.16
F-G	-2396	0	-91.8	-91.8	0.37	(1)		4.11
G-H	-2537	0	-91.8	-91.8	0.39	(1)		4.00
H-I	0	32	-91.8	-91.8	0.12	(1)		10.00
R-B	-2020	0	0.0	0.0	0.21	(1)		5.94
J-H	-2020	0	0.0	0.0	0.21	(1)		5.94
R-Q	0	0	-18.5	-18.5	0.10	(4)		10.00
Q-P	0	2213	-18.5	-18.5	0.45	(1)		10.00
P-Q	0	2048	-18.5	-18.5	0.44	(1)		10.00
Q-N	0	2048	-18.5	-18.5	0.44	(1)		10.00
N-M	0	2048	-18.5	-18.5	0.44	(1)		10.00
M-L	0	2048	-18.5	-18.5	0.44	(1)		10.00
L-K	0	2213	-18.5	-18.5	0.45	(1)		10.00
K-J	0	0	-18.5	-18.5	0.10	(4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
Q-C	-335	0	0.09	(1)
C-P	-216	0	0.16	(1)
P-D	0	256	0.06	(4)
D-N	0	752	0.17	(1)
N-E	-860	0	0.75	(1)
N-F	0	752	0.17	(1)
L-F	0	256	0.06	(4)
L-G	-216	0	0.16	(1)
K-G	-335	0	0.09	(1)
B-Q	0	2253	0.51	(1)
K-H	0	2253	0.51	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF SCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.13")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.27")

CSI: TC=0.88/1.00 (E-F:1) , BC=0.45/1.00 (K-L:1) , WB=0.75/1.00 (E-N:1) , SSI=0.34/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (K) (INPUT = 0.90)
JSI METAL= 0.72 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408223	T24	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington — Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:07 2020 Page 1
ID:DMCubINVR6TsIFoe31v6l_zns1I-H5s7j4hGX3DnDeWqPLpm8eepobw_wk8HuavkIMzMEMc



TOTAL WEIGHT = 151 lb (M)(F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.50
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.50
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
R	2064	0	2064	0	0	5-8	5-8
J	2064	0	2064	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	970 0	0 0	0 0	0 0	488 0	0 0
J	1457	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.81 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-B	0	32	-91.8	-91.8	0.12 (1)		10.00
B-C	-2575	0	-91.8	-91.8	0.54 (1)		3.81
C-D	-2283	0	-91.8	-91.8	0.50 (1)		4.05
D-E	-2236	0	-91.8	-91.8	0.49 (1)		4.06
E-F	-2236	0	-91.8	-91.8	0.49 (1)		4.06
F-G	-2263	0	-91.8	-91.8	0.50 (1)		4.05
G-H	-2575	0	-91.8	-91.8	0.54 (1)		3.81
H-I	0	32	-91.8	-91.8	0.12 (1)		10.00
R-B	-2016	0	0.0	0.0	0.21 (1)		5.94
J-H	-2016	0	0.0	0.0	0.21 (1)		5.94
R-Q	0	0	-18.5	-18.5	0.14 (4)		10.00
Q-P	0	2251	-18.5	-18.5	0.43 (1)		10.00
P-O	0	1947	-18.5	-18.5	0.38 (1)		10.00
O-N	0	1947	-18.5	-18.5	0.38 (1)		10.00
N-M	0	1947	-18.5	-18.5	0.38 (1)		10.00
M-L	0	1947	-18.5	-18.5	0.38 (1)		10.00
L-K	0	2251	-18.5	-18.5	0.43 (1)		10.00
K-J	0	0	-18.5	-18.5	0.14 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
Q-C	-252	12	0.08 (1)
C-P	-388	0	0.41 (1)
P-D	0	345	0.08 (1)
D-N	0	460	0.11 (1)
N-E	-662	0	0.84 (1)
N-F	0	460	0.11 (1)
L-F	0	345	0.08 (1)
L-G	-388	0	0.41 (1)
K-G	-252	12	0.08 (1)
B-Q	0	2281	0.51 (1)
K-H	0	2281	0.51 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.22")

CSI: TC=0.54/1.00 (B-C:1) , BC=0.43/1.00 (P-Q:1) , WB=0.84/1.00 (E-N:1) , SSI=0.26/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (Q) (INPUT = 0.90)
JSI METAL= 0.61 (M) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007636

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T25	4	1	GREEN PARK HOMES TRUSS DESC.	

Tagarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:08 2020 Page 1
ID:DMCubNVR6TstFoe31v6l_zns1I-IHQVwQhulNMdrn50y3K?erAxP?FlfGSR7DelqozMEMb



TOTAL WEIGHT = 4 X 158 = 632 lb

[M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
T - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
T - R	2x4	DRY	No.2	SPF
R - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TS-t	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TMW+w	MT20	2.0	4.0		
G	TTWW-m	MT20	5.0	6.0	2.25	2.00
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.75
J	TMW-p	MT20	5.0	8.0	Edge	3.50
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.50
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	4.0	4.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BMWW-t	MT20	4.0	4.0		
R	BS-t	MT20	3.0	6.0		
S	BMWW-t	MT20	5.0	6.0	2.50	2.50
T	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007637

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
T	2064	0	2064	0	0	5-8	5-8
L	2064	0	2064	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LOAD COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
T	1457	970 0	0 0	0 0	0 0	488 0	0 0
L	1457	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.54 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF C-Q, F-P, I-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	32	-91.8	-91.8	0.12	(1)		10.00
B-C	-2590	0	-91.8	-91.8	0.74	(1)		3.54
C-D	-2156	0	-91.8	-91.8	0.66	(1)		3.91
D-E	-2156	0	-91.8	-91.8	0.66	(1)		3.91
E-F	-1956	0	-91.8	-91.8	0.24	(1)		4.61
F-G	-1956	0	-91.8	-91.8	0.24	(1)		4.61
G-H	-2156	0	-91.8	-91.8	0.66	(1)		3.91
H-I	-2156	0	-91.8	-91.8	0.66	(1)		3.91
I-J	-2590	0	-91.8	-91.8	0.74	(1)		3.54
J-K	0	32	-91.8	-91.8	0.12	(1)		10.00
T-B	-2011	0	0.0	0.0	0.20	(1)		5.95
L-J	-2011	0	0.0	0.0	0.20	(1)		5.95
T-S	0	0	-18.5	-18.5	0.20	(4)		10.00
S-R	0	2269	-18.5	-18.5	0.46	(1)		10.00
R-Q	0	2269	-18.5	-18.5	0.46	(1)		10.00
Q-P	0	1833	-18.5	-18.5	0.36	(1)		10.00
P-O	0	1833	-18.5	-18.5	0.36	(1)		10.00
O-N	0	2269	-18.5	-18.5	0.46	(1)		10.00
N-M	0	2269	-18.5	-18.5	0.46	(1)		10.00
M-L	0	0	-18.5	-18.5	0.20	(4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
S-C	-185	51	0.08 (1)
C-Q	-548	0	0.26 (1)
Q-E	0	431	0.10 (1)
E-P	0	286	0.06 (1)
P-F	-460	0	0.25 (1)
P-G	0	286	0.06 (1)
O-G	0	431	0.10 (1)
O-I	-548	0	0.26 (1)
M-I	-185	51	0.08 (1)
B-S	0	2292	0.52 (1)
M-J	0	2292	0.52 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.22")

CSI: TC=0.74(1.00 (I-J:1) , BC=0.46/1.00 (M-O:1) , WB=0.52/1.00 (J-M:1) , SSI=0.26/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (S) (INPUT = 0.90)
JSI METAL= 0.89 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T25A	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:09 2020 Page 1
ID:DMCubINVR6TsiFoe31v6I_zns1I-DU_u8miW3gUUSxgCWmsEB3j6iPbBOjwaMtOrMEzMEMa



TOTAL WEIGHT = 3 X 154 = 462 lb (MiTek)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
P - A	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - J	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-p	MT20	5.0	8.0	2.00	Edge
B	TMWW-t	MT20	4.0	4.0	2.00	1.75
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TMW+w	MT20	2.0	4.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TMWW-t	MT20	4.0	4.0	2.00	1.75
G	TMVW-p	MT20	5.0	8.0	Edge	3.50
H	BMV14+p	MT20	3.0	4.0		
I	BMWW-t	MT20	5.0	6.0	2.50	2.50
J	BS-t	MT20	3.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BMWW-t	MT20	4.0	4.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	5.0	6.0	2.50	2.50
P	BMV14+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
P	1920	0	1920	0	0	3-8	3-8
H	1920	0	1920	0	0	3-8	3-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	MAX. MIN. COMPONENT REACTIONS LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1358	891 0	0 0	0 0	0 0	467 0	0 0
H	1358	891 0	0 0	0 0	0 0	467 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.64 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF B-M, D-L, F-K.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	LC	MAX. UNBRAC LENGTH
A-B	-2510	0	-91.8	-91.8	0.71	(1)		3.64
B-C	-2113	0	-91.8	-91.8	0.83	(1)		3.99
C-D	-1918	0	-91.8	-91.8	0.24	(1)		4.64
D-E	-1918	0	-91.8	-91.8	0.24	(1)		4.64
E-F	-2113	0	-91.8	-91.8	0.83	(1)		3.99
F-G	-2510	0	-91.8	-91.8	0.71	(1)		3.64
P-A	-1868	0	0.0	0.0	0.19	(1)		6.13
H-G	-1868	0	0.0	0.0	0.19	(1)		6.13
P-O	0	0	-18.5	-18.5	0.20	(4)		10.00
O-N	0	2199	-18.5	-18.5	0.45	(1)		10.00
N-M	0	2199	-18.5	-18.5	0.45	(1)		10.00
M-L	0	1797	-18.5	-18.5	0.35	(1)		10.00
L-K	0	1797	-18.5	-18.5	0.35	(1)		10.00
K-J	0	2199	-18.5	-18.5	0.45	(1)		10.00
J-I	0	2199	-18.5	-18.5	0.45	(1)		10.00
I-H	0	0	-18.5	-18.5	0.20	(4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	LC
O-B	-212	40	0.09	(1)
B-M	-510	0	0.24	(1)
M-C	0	412	0.09	(1)
C-L	0	287	0.06	(1)
L-D	-461	0	0.25	(1)
L-E	0	287	0.06	(1)
K-E	0	412	0.09	(1)
K-F	-510	0	0.24	(1)
I-F	-212	40	0.09	(1)
A-O	0	2227	0.50	(1)
I-G	0	2227	0.50	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.21")

CSI: TC=0.71 1.00 (A-B:1) , BC=0.45/1.00 (M-O:1) , WB=0.50/1.00 (A-O:1) , SSI=0.26/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.84 (1) (INPUT = 0.90)
JSI METAL= 0.66 (N) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007638

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T28	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:10 2020 Page 1

ID:DMCubINVR6TslFoe31v6I_zns1I-igYGL6j8q_cL45FP4UNTkGGKlpt777_kbX7PuhzMEMZ



TOTAL WEIGHT = 2 X 183 = 366 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
R - A	2x4	DRY	No.2	SPF
A - C	2x6	DRY	No.2	SPF
C - G	2x6	DRY	No.2	SPF
G - I	2x6	DRY	No.2	SPF
J - I	2x4	DRY	No.2	SPF
R - O	2x8	DRY	No.2	SPF
O - M	2x6	DRY	No.2	SPF
M - J	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
R-A	1	12	TOP
I-J	1	12	TOP
A-C	2	12	TOP
C-G	2	12	SIDE(0.0)
G-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
R-O	2	12	SIDE(0.0)
O-M	2	12	SIDE(0.0)
M-J	2	12	TOP
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.



Structural component only

DWG# T-2007639 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
R	3373	0	3373	0	0	3-8	3-8
J	3103	0	3103	0	0	3-8	3-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	2380	1591 / 0	0 / 0	0 / 0	0 / 0	789 / 0	0 / 0
J	2190	1459 / 0	0 / 0	0 / 0	0 / 0	731 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.03 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
R-A	-3316	0	0.0	0.0	0.56 (1)	6.39	
A-B	-4149	0	-91.8	-91.8	0.14 (1)	5.47	
B-C	-7288	0	-91.8	-91.8	0.20 (1)	4.33	
C-D	-7288	0	-91.8	-91.8	0.20 (1)	4.33	
D-S	-8278	0	-91.8	-91.8	0.28 (1)	4.03	
S-T	-8278	0	-91.8	-91.8	0.28 (1)	4.03	
T-U	-8278	0	-91.8	-91.8	0.28 (1)	4.03	
U-E	-8278	0	-91.8	-91.8	0.28 (1)	4.03	
E-F	-8278	0	-91.8	-91.8	0.21 (1)	4.11	
F-G	-6586	0	-91.8	-91.8	0.19 (1)	4.52	
G-H	-6586	0	-91.8	-91.8	0.19 (1)	4.52	
H-I	-3787	0	-91.8	-91.8	0.13 (1)	5.66	
J-I	-3042	0	0.0	0.0	0.51 (1)	6.62	
R-Q	0	0	-18.5	-18.5	0.04 (4)	10.00	
Q-P	0	4149	-18.5	-18.5	0.30 (1)	10.00	
P-V	0	7288	-18.5	-18.5	0.67 (1)	10.00	
V-W	0	7288	-18.5	-18.5	0.67 (1)	10.00	
W-O	0	7288	-18.5	-18.5	0.67 (1)	10.00	
O-X	0	7288	-18.5	-18.5	0.67 (1)	10.00	
X-Y	0	7288	-18.5	-18.5	0.67 (1)	10.00	
Y-N	0	7288	-18.5	-18.5	0.67 (1)	10.00	
N-Z	0	6586	-18.5	-18.5	0.72 (1)	10.00	
Z-M	0	6586	-18.5	-18.5	0.72 (1)	10.00	
M-L	0	6586	-18.5	-18.5	0.72 (1)	10.00	
L-K	0	3787	-18.5	-18.5	0.32 (1)	10.00	
K-J	0	0	-18.5	-18.5	0.04 (4)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
K-I	0	4719	0.58 (1)
A-Q	0	5171	0.84 (1)
K-H	-2757	0	0.44 (1)
Q-B	-2997	0	0.48 (1)
L-H	0	3530	0.44 (1)
B-P	0	3956	0.49 (1)
L-F	-1791	0	0.28 (1)
P-D	-1403	0	0.22 (1)
N-F	0	2134	0.26 (1)
D-N	0	1249	0.15 (1)
N-E	-673	0	0.11 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
S	12-8-4	-88	-88	---	BACK	VERT	TOTAL	---	C1
T	14-8-4	-86	-86	---	BACK	VERT	TOTAL	---	C1
U	16-8-4	-86	-86	---	BACK	VERT	TOTAL	---	C1
V	12-3-8	-1052	-1052	---	BACK	VERT	TOTAL	---	C1
W	12-8-4	-17	-17	---	BACK	VERT	TOTAL	---	C1
X	14-8-4	-17	-17	---	BACK	VERT	TOTAL	---	C1
Y	16-8-4	-17	-17	---	BACK	VERT	TOTAL	---	C1
Z	18-7-8	-1273	-1273	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=0.56/1.00 (A-R:1) , BC=0.72/1.00 (L-N:1) , WB=0.64/1.00 (A-Q:1) , SSI=0.37/1.00 (L-N:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.69 (I) (INPUT = 0.90)
JSI METAL= 0.73 (M) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408223	T28	1	2	TRUSS DESC.	

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMW-t	MT20	5.0	8.0	2.50	3.25
B	TMWW-t	MT20	5.0	8.0	2.50	2.75
C	TS-t	MT20	5.0	8.0		
D	TMWW-t	MT20	5.0	8.0		
E	TMW+w	MT20	3.0	8.0		
F	TMWW-t	MT20	5.0	8.0		
G	TS-t	MT20	5.0	8.0		
H	TMWW-t	MT20	5.0	8.0	2.50	2.75
I	TMW-t	MT20	5.0	8.0	2.50	3.25
J	BMV1+p	MT20	3.0	8.0		
K	BMWW-t	MT20	5.0	8.0	2.50	3.25
L	BMWW-t	MT20	5.0	8.0	2.50	2.75
M	BS-t	MT20	5.0	8.0		
N	BMWWW-t	MT20	5.0	8.0		
O	BS-t	MT20	5.0	8.0		
P	BMWW-t	MT20	5.0	8.0	2.50	2.75
Q	BMWW-t	MT20	5.0	8.0	2.50	3.25
R	BMV1+p	MT20	3.0	8.0		

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007639 #2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408223	T29	2	1	TRUSS DESC.	

Tamarack Roof Truss. Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:11 2020 Page 1

ID:DMCublNVR6TstFoe31v6l zns1l-As6eYSkmblkCiFqbeBuiGUoUPDljsbAtpBtyR7zMEMY



TOTAL WEIGHT = 2 X 157 = 314 lb

(M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
R - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
C - G	2x4	DRY	No.2	SPF
G - I	2x4	DRY	No.2	SPF
J - I	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	5.0	6.0	2.00	2.50
B	TMWW+t	MT20	4.0	6.0		
C	TS-t	MT20	3.0	6.0		
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TMWW-t	MT20	4.0	4.0		
G	TS-t	MT20	3.0	6.0		
H	TMWW+t	MT20	4.0	6.0		
I	TMVW-t	MT20	5.0	6.0	2.00	2.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.00	2.50
L	BMWW+t	MT20	4.0	6.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW+t	MT20	4.0	6.0		
Q	BMWW-t	MT20	5.0	6.0	2.00	2.50
R	BMV1+p	MT20	3.0	4.0		

LICENSED PROFESSIONAL ENGINEER

04/28/20

H. J. G. ALVES

100009024

PROVINCE OF ONTARIO

Structural component only

DWG# T-2007640

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
R	1920	0	1920	0	0	3-8	3-8
J	1920	0	1920	0	0	3-8	3-8

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1358	891 0	0 0	0 0	0 0	467 0	0 0
J	1358	891 0	0 0	0 0	0 0	467 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.72 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF A-R, I-J, B-Q, H-K.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
R- A	-1876 0	0.0	0.0	0.37 (1)	4.90
A- B	-1563 0	-91.8	-91.8	0.53 (1)	4.61
B- C	-2426 0	-91.8	-91.8	0.63 (1)	3.77
C- D	-2426 0	-91.8	-91.8	0.63 (1)	3.77
D- E	-2725 0	-91.8	-91.8	0.56 (1)	3.72
E- F	-2725 0	-91.8	-91.8	0.56 (1)	3.72
F- G	-2426 0	-91.8	-91.8	0.63 (1)	3.77
G- H	-2426 0	-91.8	-91.8	0.63 (1)	3.77
H- I	-1563 0	-91.8	-91.8	0.53 (1)	4.61
J- I	-1876 0	0.0	0.0	0.37 (1)	4.90
R- Q	0 0	-18.5	-18.5	0.15 (4)	10.00
Q- P	0 1563	-18.5	-18.5	0.33 (1)	10.00
P- O	0 2426	-18.5	-18.5	0.44 (1)	10.00
O- N	0 2426	-18.5	-18.5	0.44 (1)	10.00
N- M	0 2426	-18.5	-18.5	0.44 (1)	10.00
M- L	0 2426	-18.5	-18.5	0.44 (1)	10.00
L- K	0 1563	-18.5	-18.5	0.33 (1)	10.00
K- J	0 0	-18.5	-18.5	0.15 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A- Q	0 2281	0.51 (1)
Q- B	-1540 0	0.43 (1)
B- P	0 1272	0.29 (1)
P- D	-831 0	0.58 (1)
D- N	0 440	0.10 (1)
N- E	-539 0	0.38 (1)
N- F	0 440	0.10 (1)
L- F	-831 0	0.58 (1)
L- H	0 1272	0.29 (1)
K- H	-1540 0	0.43 (1)
K- I	0 2281	0.51 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.31")

CSI: TC=0.63/1.00 (F-H:1) , BC=0.44/1.00 (N-P:1) , WB=0.58/1.00 (F-L:1) , SSI=0.25/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (A) (INPUT = 0.90)
JSI METAL= 0.78 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T30	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:12 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1l-e3g0mokOMbs3JPPnBvPxphLb5cdJb?s02rcVzZzMEMX



TOTAL WEIGHT = 2 X 179 = 359 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
P - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
O - B	2x3	DRY	No.2	SPF
M - D	2x3	DRY	No.2	SPF
L - E	2x3	DRY	No.2	SPF
J - G	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (Table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	5.0	6.0	2.50	2.50
B	TMWW-t	MT20	4.0	6.0		
C	TS-t	MT20	3.0	6.0		
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	4.0	6.0		
H	TMVW-t	MT20	5.0	6.0	2.50	2.50
I	BMV1+p	MT20	3.0	4.0		
J	BMWW-t	MT20	5.0	6.0	2.50	2.50
K	BS-t	MT20	3.0	6.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BMWW-t	MT20	4.0	6.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW-t	MT20	5.0	6.0	2.50	2.50
P	BMV1+p	MT20	3.0	4.0		



Structural component only
DWG# T-2007641

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
P	1920	0	1920	0	0	3-8	3-8
I	1920	0	1920	0	0	3-8	3-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1358	891 0	0 0	0 0	0 0	467 0	0 0
I	1358	891 0	0 0	0 0	0 0	467 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.60 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1, 2 LENGTH OF A-P, H-I, B-O, D-L, G-J.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
P-A	-1868	0	0.0	0.0	0.57	(1)	4.91
A-B	-1432	0	-91.8	-91.8	0.78	(1)	4.31
B-C	-2081	0	-91.8	-91.8	0.89	(1)	3.60
C-D	-2081	0	-91.8	-91.8	0.89	(1)	3.60
D-E	-2080	0	-91.8	-91.8	0.68	(1)	4.00
E-F	-2080	0	-91.8	-91.8	0.89	(1)	3.60
F-G	-2080	0	-91.8	-91.8	0.89	(1)	3.60
G-H	-1432	0	-91.8	-91.8	0.78	(1)	4.31
I-H	-1668	0	0.0	0.0	0.57	(1)	4.91
P-O	0	0	-18.5	-18.5	0.22	(4)	10.00
O-N	0	1432	-18.5	-18.5	0.35	(1)	10.00
N-M	0	1432	-18.5	-18.5	0.35	(1)	10.00
M-L	0	2081	-18.5	-18.5	0.42	(1)	10.00
L-K	0	1432	-18.5	-18.5	0.35	(1)	10.00
K-J	0	1432	-18.5	-18.5	0.35	(1)	10.00
J-I	0	0	-18.5	-18.5	0.22	(4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-O	0	2158	0.35 (1)
O-B	-1466	0	0.62 (1)
B-M	0	986	0.16 (1)
M-D	-617	0	0.81 (1)
D-L	-2	0	0.00 (1)
L-E	-616	0	0.81 (1)
L-G	0	984	0.16 (1)
J-G	-1465	0	0.62 (1)
J-H	0	2156	0.35 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.24")

CSI: TC=0.89/1.00 (E-G:1) , BC=0.42/1.00 (L-M:1) , WB=0.81/1.00 (D-M:1) , SSI=0.30/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (H) (INPUT = 0.90)
JSI METAL= 0.48 (K) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T31	5	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:14 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I_znsiI-aRomBTmfuD6nZiZAJKRPu6QxnQKq3sxJV95c1SzMEMV



TOTAL WEIGHT = 5 X 196 = 981 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
P - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
P - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
O - B	2x3	DRY	No.2	SPF
M - D	2x3	DRY	No.2	SPF
L - E	2x3	DRY	No.2	SPF
J - G	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMWW+p	MT20	5.0	8.0		
B	TMWW+t	MT20	4.0	8.0		
C	TS-I	MT20	3.0	6.0		
D	TMWW-I	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-I	MT20	3.0	6.0		
G	TMWW-I	MT20	4.0	8.0		
H	TMWW+p	MT20	5.0	6.0		
I	BMV1+p	MT20	3.0	4.0		
J	BMWW+t	MT20	5.0	6.0		
K	BS-t	MT20	3.0	6.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BMWW-t	MT20	4.0	6.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW+t	MT20	5.0	6.0		
P	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
P	1920	0	1920	0	0	3-8	3-8
I	1920	0	1920	0	0	3-8	3-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1358	891 0	0 0	0 0	0 0	467 0	0 0
I	1358	891 0	0 0	0 0	0 0	467 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.96 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF A-P, H-I, B-O, D-M, D-L, E-L, G-J.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
P-A	-1868	0	0.0	0.0	0.88 (1)	4.91	A-O	0	1999	0.32 (1)
A-B	-1183	0	-91.8	-91.8	0.75 (1)	4.89	O-B	-1468	0	0.96 (1)
B-C	-1719	0	-91.8	-91.8	0.82 (1)	3.96	B-M	0	916	0.15 (1)
C-D	-1719	0	-91.8	-91.8	0.82 (1)	3.96	M-D	-817	0	0.41 (1)
D-E	-1718	0	-91.8	-91.8	0.83 (1)	4.37	D-L	-2	0	0.00 (1)
E-F	-1718	0	-91.8	-91.8	0.83 (1)	3.96	L-E	-816	0	0.41 (1)
F-G	-1718	0	-91.8	-91.8	0.83 (1)	3.96	L-G	0	913	0.15 (1)
G-H	-1183	0	-91.8	-91.8	0.75 (1)	4.69	J-G	-1465	0	0.96 (1)
I-H	-1868	0	0.0	0.0	0.88 (1)	4.91	J-H	0	2000	0.32 (1)
P-O	0	0	-18.5	-18.5	0.22 (4)	10.00				
O-N	0	1183	-18.5	-18.5	0.32 (4)	10.00				
N-M	0	1183	-18.5	-18.5	0.32 (4)	10.00				
M-L	0	1719	-18.5	-18.5	0.36 (1)	10.00				
L-K	0	1183	-18.5	-18.5	0.32 (4)	10.00				
K-J	0	1183	-18.5	-18.5	0.32 (4)	10.00				
J-I	0	0	-18.5	-18.5	0.22 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.22")

CSI: TC=0.88/1.00 (H-I:1) , BC=0.36/1.00 (L-M:1) , WB=0.96/1.00 (B-O:1) , SSI=0.30/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (H) (INPUT = 0.90)
JSI METAL= 0.43 (H) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007642

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T32	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:15 2020 Page 1

ID:DMCubINVR8TsiFoe31v6I_zns1I-2dL9OpnHWEeAs8Mt1yeRKzCFqhAoVATkprAauzMEMU



TOTAL WEIGHT = 66 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
H - A	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
H - E	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.25	2.00
B	TTWW-m	MT20	5.0	6.0	2.00	2.25
C	TTW-m	MT20	4.0	4.0		
D	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMV1+p	MT20	3.0	6.0		
F	BMWWW-t	MT20	5.0	8.0		
G	BMWW-t	MT20	5.0	6.0		
H	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT	REQRD
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	BRG	BRG
H	1233	0	1233	0	0	3-8	3-8
E	1218	0	1218	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 3-8.

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	867	596 0	0 0	0 0	0 0	271 0	0 0
E	856	586 0	0 0	0 0	0 0	268 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.77 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS						WEBS			
MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	-853	0	-91.8	-91.8	0.48 (1)	5.88	G-B	0 122	0.03 (1)
B-C	-721	0	-91.8	-91.8	0.07 (1)	6.25	B-F	0 34	0.01 (1)
C-D	-864	0	-91.8	-91.8	0.51 (1)	5.77	F-C	0 154	0.04 (1)
H-A	-1065	0	0.0	0.0	0.17 (1)	7.60	A-G	0 795	0.20 (1)
E-D	-1057	0	0.0	0.0	0.16 (1)	7.63	F-D	0 794	0.20 (1)
H-I	0	0	-18.5	-18.5	0.20 (1)	10.00			
I-J	0	0	-18.5	-18.5	0.20 (1)	10.00			
J-G	0	0	-18.5	-18.5	0.20 (1)	10.00			
G-K	0	711	-18.5	-18.5	0.28 (1)	10.00			
K-L	0	711	-18.5	-18.5	0.28 (1)	10.00			
L-F	0	711	-18.5	-18.5	0.28 (1)	10.00			
F-M	0	0	-18.5	-18.5	0.20 (1)	10.00			
M-N	0	0	-18.5	-18.5	0.20 (1)	10.00			
N-E	0	0	-18.5	-18.5	0.20 (1)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
I	1-9-4	-172	-172	---	BACK	VERT	TOTAL	---	C1
J	3-9-4	-195	-195	---	BACK	VERT	TOTAL	---	C1
K	5-9-4	-187	-187	---	BACK	VERT	TOTAL	---	C1
L	6-2-12	-187	-187	---	BACK	VERT	TOTAL	---	C1
M	8-2-12	-195	-195	---	BACK	VERT	TOTAL	---	C1
N	10-2-12	-172	-172	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2018 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.41")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.41")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.51 1.00 (C-D:1) , BC=0.28/1.00 (F-G:1) , WB=0.20/1.00 (A-G:1) , SSI=0.20/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.78 (D) (INPUT = 0.90)
JSI METAL= 0.23 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007643

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T34S	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:16 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1l-WqvXc9ovQqMVo0lZQkUtzXVSlE5FX?ycz Taj6KzMEMT

Scale = 1:30.1



TOTAL WEIGHT = 2 X 32 = 64 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x6	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
F - C	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
B - G	2x3	DRY	No.2	SPF
G - D	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTV-m	MT20	5.0	6.0		
D	TMVW+p	MT20	4.0	6.0		
E	BMVW1-1	MT20	4.0	4.0		
F	BMV+p	MT20	3.0	4.0		
G	BVMWWW-I	MT20	6.0	9.0	2.50	3.00
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	214	0	214	0	0	MECHANICAL	
H	341	0	341	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

1ST LCASE MAX./MIN. COMPONENT REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	151	99 / 0	0 / 0	0 0	0 0	52 0	0 0
H	239	170 / 0	0 / 0	0 0	0 0	69 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	-41	-91.8	-91.8	0.14 (5)		10.00
B-C	-62	0	-91.8	-91.8	0.12 (1)		8.25
C-D	-51	0	-91.8	-91.8	0.01 (1)		8.25
E-D	-197	0	0.0	0.0	0.10 (1)		7.81
H-B	-317	0	0.0	0.0	0.03 (1)		7.81
H-G	0	0	-18.5	-18.5	0.04 (4)		10.00
F-G	0	13	0.0	0.0	0.01 (1)		10.00
G-C	-138	0	0.0	0.0	0.01 (1)		7.81
F-E	0	4	-18.5	-18.5	0.01 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
G-E	-6	0	0.00 (1)
B-G	0	53	0.01 (1)
G-D	0	154	0.03 (1)

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.14/1.00 (A-B:5) , BC=0.04/1.00 (G-H:4) , WB=0.03/1.00 (D-G:1) , SSI=0.09/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1997	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.24 (B) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007644

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T35S	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:17 2020 Page 1

ID:DMCubINVR6TstFos31v6l_zns1l-_0TvpVoXB8UMQAHl_S?6Wl2dVdRQGSEmC7KGenzMEMS



TOTAL WEIGHT = 2 X 29 = 57 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
G - D	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TTWW+m	MT20	5.0	6.0	2.50	2.25
D	TMV+p	MT20	3.0	4.0		
E	TMVW-t	MT20	4.0	4.0		
F	BMVW1-t	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWWW-t	MT20	7.0	8.0	3.25	2.25
I	BMVW1-t	MT20	4.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	191	0	191	0	0	MECHANICAL	
I	363	0	363	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	135	86 -13	0 0	0 0	0 0	49 0	0 0
I	254	163 0	0 0	0 0	0 0	72 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC(MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-B	0	41	-91.8	-91.8	0.14 (5)	10.00	H-F	-6	0	0.00 (1)
B-C	-45	0	-91.8	-91.8	0.14 (5)	6.25	H-E	0	141	0.03 (1)
C-D	-69	0	-91.8	-91.8	0.02 (1)	6.25	C-H	0	48	0.01 (1)
D-E	-67	0	-91.8	-91.8	0.02 (1)	6.25	I-C	-96	28	0.02 (1)
F-E	-175	0	0.0	0.0	0.05 (1)	7.81				
I-B	-255	0	0.0	0.0	0.03 (1)	7.81				
I-H	-13	45	-18.5	-18.5	0.04 (4)	6.25				
G-H	0	13	0.0	0.0	0.01 (1)	10.00				
H-D	-135	0	0.0	0.0	0.01 (1)	7.81				
G-F	0	4	-18.5	-18.5	0.01 (4)	10.00				

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L 999 (0.00")

CSI: TC=0.14/1.00 (A-B:5) , BC=0.04/1.00 (H-I:4) , WB=0.03/1.00 (E-H:1) , SSI=0.09/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

Structural component only
DWG# T-2007645

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	T36	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington — Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:18 2020 Page 1

ID:DMCubiNVR6TslFoe31v6l_zns1l-TC1H0rp9yRcD1KsxY9WL2ybo51j2?vNvQn3qBDzMEMR



TOTAL WEIGHT = 3 X 27 = 80 lb (M)(F)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-m	MT20	3.0	8.0	1.50	3.75
C	TTW-p	MT20	4.0	4.0		
D	TMBH1-m	MT20	3.0	8.0	1.50	3.75
F	BMW+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
B	582	0	582	0	0	5-8	5-8	2x4 L
D	582	0	582	0	0	5-8	5-8	2x4 R

UNFACTORED REACTIONS

1ST LCASE — MAX./MIN. COMPONENT REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	409	282 0	0 0	0 0	0 0	127 0	0 0
D	409	282 0	0 0	0 0	0 0	127 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)
A-B	0	23	-91.8	-91.8	0.12	(1)	
B-H	-539	0	-91.8	-91.8	0.04	(1)	
H-C	-525	0	-91.8	-91.8	0.15	(1)	
C-J	-525	0	-91.8	-91.8	0.15	(1)	
J-D	-539	0	-91.8	-91.8	0.04	(1)	
D-E	0	23	-91.8	-91.8	0.12	(1)	
B-G	0	465	-18.5	-18.5	0.21	(1)	
G-F	0	465	-18.5	-18.5	0.21	(1)	
F-I	0	465	-18.5	-18.5	0.21	(1)	
I-D	0	465	-18.5	-18.5	0.21	(1)	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)	MAX. UNBRAC LENGTH
F-C	0	170	0.04	(1)	10.00
G-H	-158	3	0.00	(1)	6.25
I-J	-158	3	0.00	(1)	6.25

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.28")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.28")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.15(1.00 (C-J:1) , BC=0.21-1.00 (F-I:1) , WB=0.04(1.00 (C-F:1) , SSI=0.12(1.00 (C-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.25 (B) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007646

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	G36	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington — Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:49 2020 Page 1

ID:DMCubINVR6TslFoe31v6l_zns1l-pdnKxwTznXyK3l8MLaVXNrurbLt5ioKemmYnfPzMEMu



TOTAL WEIGHT = 27 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
B - F	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		Edge
C	TMW+w	MT20	2.0	4.0		
D	TTW-p	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TMB1-I	MT20	3.0	4.0		Edge
H, I, J						
H	BMW1+w	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FORCE (LBS)	MAX CSI	LC
A-B	0 23	-91.8	-91.8	0.12	(1)	10.00	I-O	-115 0	0.02	(1)
B-L	-61 0	-91.8	-91.8	0.01	(4)	6.25	J-C	-218 0	0.03	(1)
L-C	-39 0	-91.8	-91.8	0.06	(1)	6.25	H-E	-218 0	0.03	(1)
C-D	-45 0	-91.8	-91.8	0.06	(1)	6.25	K-L	-52 7	0.00	(1)
D-E	-45 0	-91.8	-91.8	0.06	(1)	6.25	M-N	-52 7	0.00	(1)
E-N	-39 0	-91.8	-91.8	0.06	(1)	6.25				
N-F	-61 0	-91.8	-91.8	0.01	(4)	6.25				
F-G	0 25	-91.8	-91.8	0.14	(1)	10.00				
B-K	0 44	-18.5	-18.5	0.03	(1)	10.00				
K-J	0 44	-18.5	-18.5	0.03	(1)	10.00				
J-I	0 32	-18.5	-18.5	0.02	(1)	10.00				
I-H	0 32	-18.5	-18.5	0.02	(1)	10.00				
H-M	0 44	-18.5	-18.5	0.03	(1)	10.00				
M-F	0 44	-18.5	-18.5	0.03	(1)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.14/1.00 (F-G:1) , BC=0.03/1.00 (H-M:1) , WB=0.03/1.00 (E-H:1) , SSI=0.10/1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.21 (B) (INPUT = 0.90)
JSI METAL= 0.09 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/26/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007621

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408223	T37	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:04:19 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns1I-xPbfEBqnjlk4fUR76I1abA7yUR47kI72IRpNjfzMEMQ



TOTAL WEIGHT = 37 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
B - F	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (tablets in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-I	MT20	5.0	6.0		Edge
C	TTWW-m	MT20	5.0	6.0	2.00	2.00
D	TMW+w	MT20	2.0	4.0		
E	TMWW-I	MT20	4.0	6.0		
F	BMV1+p	MT20	3.0	6.0		
G	BMWWW-I	MT20	5.0	8.0		
H	BMW+w	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
F	760	0	760	0	0	5-8	5-8	
B	823	0	823	0	0	5-8	5-8	2x4 L

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	537	352 0	0 0	0 0	0 0	185 0	0 0
B	560	392 0	0 0	0 0	0 0	168 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, B

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.99 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
A-B	0	26	-91.8	-91.8	0	0.13	(1)	10.00	H-C	0	73	0.02	(4)
B-J	-1068	0	-91.8	-91.8	0	0.08	(1)	5.99	C-G	0	252	0.06	(1)
J-C	-860	0	-91.8	-91.8	0	0.08	(1)	6.25	G-D	-528	0	0.09	(1)
C-K	-923	0	-91.8	-91.8	0	0.24	(1)	6.09	G-E	0	1062	0.28	(1)
K-D	-923	0	-91.8	-91.8	0	0.24	(1)	6.09	I-J	0	207	0.00	(1)
D-L	-924	0	-91.8	-91.8	0	0.24	(1)	6.09					
L-M	-924	0	-91.8	-91.8	0	0.24	(1)	6.09					
M-E	-924	0	-91.8	-91.8	0	0.24	(1)	6.09					
F-E	-882	0	0.0	0.0	0	0.08	(1)	7.81					
B-I	0	701	-18.5	-18.5	0	0.14	(1)	10.00					
I-N	0	701	-18.5	-18.5	0	0.14	(1)	10.00					
N-H	0	701	-18.5	-18.5	0	0.14	(1)	10.00					
H-O	0	705	-18.5	-18.5	0	0.15	(1)	10.00					
O-G	0	705	-18.5	-18.5	0	0.15	(1)	10.00					
G-P	0	0	-18.5	-18.5	0	0.07	(1)	10.00					
P-Q	0	0	-18.5	-18.5	0	0.07	(1)	10.00					
Q-F	0	0	-18.5	-18.5	0	0.07	(1)	10.00					

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	2-2-7	-88	-88	---	FRONT	VERT	TOTAL	---	C1
K	3-11-4	-83	-83	---	FRONT	VERT	TOTAL	---	C1
L	5-11-4	-83	-83	---	FRONT	VERT	TOTAL	---	C1
M	6-11-4	-83	-83	---	FRONT	VERT	TOTAL	---	C1
N	1-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1
O	3-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1
P	5-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1
Q	8-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.28")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.28")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.24/1.00 (D-E:1) , BC=0.15/1.00 (G-H:1) , WB=0.28/1.00 (E-G:1) , SSI=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.61 (E) (INPUT = 0.90)
JSI METAL= 0.24 (E) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007647

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	G39	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:50 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1I-HqLi8GTbYr4Bg0jZvH0mw2R1alDRRBmn_QHLBrzMEMt



[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
AG - B	2x4	DRY	No.2	SPF
A - G	2x4	DRY	No.2	SPF
G - K	2x4	DRY	No.2	SPF
K - O	2x4	DRY	No.2	SPF
R - P	2x4	DRY	No.2	SPF
AG - X	2x4	DRY	No.2	SPF
X - R	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C, D, E, F, H, I, J, L, M, N, O						
C	TMW+w	MT20	2.0	4.0		
G	TTW-m	MT20	4.0	4.0		
K	TTW-m	MT20	4.0	4.0		
P	TMVW+p	MT20	4.0	4.0	1.00	2.00
R	BMV1+p	MT20	3.0	4.0		
S	BMWW1+t	MT20	4.0	4.0		
T, U, V, W, Y, Z, AA, AB, AC, AD, AE						
T	BMW1+w	MT20	2.0	4.0		
X	BS-1	MT20	3.0	6.0		
AF	BMWW1-t	MT20	4.0	4.0		
AG	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007622

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF K-W, J-Y, I-Z, H-AA, G-AB.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX UNBRAC LENGTH
AG-B	-292	0	0.0	0.0	0.03 (1)	7.81	
A-B	0	41	-91.8	-91.8	0.13 (1)	10.00	
B-C	-60	0	-91.8	-91.8	0.12 (1)	6.25	
C-D	-23	0	-91.8	-91.8	0.05 (1)	6.25	
D-E	-26	0	-91.8	-91.8	0.05 (1)	6.25	
E-F	-19	0	-91.8	-91.8	0.05 (1)	6.25	
F-G	-29	0	-91.8	-91.8	0.05 (1)	6.25	
G-H	-12	0	-91.8	-91.8	0.04 (1)	6.25	
H-I	-12	0	-91.8	-91.8	0.04 (1)	6.25	
I-J	-12	0	-91.8	-91.8	0.05 (1)	6.25	
J-K	-12	0	-91.8	-91.8	0.05 (1)	6.25	
K-L	-30	0	-91.8	-91.8	0.05 (1)	6.25	
L-M	-19	0	-91.8	-91.8	0.05 (1)	6.25	
M-N	-26	0	-91.8	-91.8	0.05 (1)	6.25	
N-O	-24	0	-91.8	-91.8	0.05 (1)	6.25	
O-P	-60	0	-91.8	-91.8	0.12 (1)	6.25	
P-Q	0	41	-91.8	-91.8	0.13 (1)	10.00	
R-P	-293	0	0.0	0.0	0.03 (1)	7.81	
AG-AF	0	0	-18.5	-18.5	0.02 (4)	10.00	
AF-AE	0	23	-18.5	-18.5	0.02 (4)	10.00	
AE-AD	0	19	-18.5	-18.5	0.02 (4)	10.00	
AD-AC	0	16	-18.5	-18.5	0.02 (4)	10.00	
AC-AB	0	14	-18.5	-18.5	0.02 (4)	10.00	
AB-AA	0	12	-18.5	-18.5	0.01 (4)	10.00	
AA-Z	0	12	-18.5	-18.5	0.02 (4)	10.00	
Z-Y	0	12	-18.5	-18.5	0.02 (4)	10.00	
Y-X	0	12	-18.5	-18.5	0.02 (4)	10.00	
X-W	0	12	-18.5	-18.5	0.02 (4)	10.00	
W-V	0	14	-18.5	-18.5	0.02 (4)	10.00	
V-U	0	16	-18.5	-18.5	0.02 (4)	10.00	
U-T	0	19	-18.5	-18.5	0.02 (4)	10.00	
T-S	0	23	-18.5	-18.5	0.02 (4)	10.00	
S-R	0	0	-18.5	-18.5	0.02 (4)	10.00	

WEBS MEMB.	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
W-K	-140	0	0.09 (1)
Y-J	-210	0	0.14 (1)
Z-I	-181	0	0.12 (1)
AA-H	-182	0	0.12 (1)
V-L	-203	0	0.27 (1)
U-M	-175	0	0.13 (1)
T-N	-192	0	0.07 (1)
S-O	-126	0	0.02 (1)
AB-G	-121	0	0.08 (1)
AC-F	-202	0	0.27 (1)
AD-E	-176	0	0.13 (1)
AE-D	-192	0	0.07 (1)
AF-C	-126	0	0.02 (1)
B-AF	0	32	0.01 (1)
S-P	0	32	0.01 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (P-Q:1) , BC=0.02/1.00 (S-T:4) , WB=0.27 1.00 (L-V:1) , SSI=0.09/1.00 (J-K:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.62 (K) (INPUT = 0.90)
JSI METAL= 0.11 (L) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T40	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:57 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1l-TsGG5wA8pyw_Bd8P2lsXcz_APYAiVTa7LN10dIzME7m



Scale = 1:57.6





TOTAL WEIGHT = 2 X 169 = 338 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	1650F 1.5E	SPF
P - N	2x6	DRY	1650F 1.5E	SPF
N - K	2x6	DRY	1650F 1.5E	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
H-J	1	12	SIDE(61.0)
C-F	2	12	SIDE(183.1)
F-H	2	12	SIDE(183.1)
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	SIDE(183.1)
P-N	2	12	SIDE(183.1)
N-K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

Structural component only
DWG# T-2007660 1/2

DIMENSIONS, SUPPORTS, AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	3323	0	3323	0	0	5-8	5-8
K	3323	0	3323	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	2350	1539 0	0 0	0 0	0 0	811 0	0 0
K	2350	1539 0	0 0	0 0	0 0	811 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.87 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	FORCE (LBS)		FACTORED VERT. LOAD LC FROM	TO	MAX (PLF)	CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.07 (1)		10.00
B-C	-5066	0	-91.8	-91.8	0.52 (1)		3.87
C-T	-7264	0	-91.8	-91.8	0.27 (1)		4.26
T-U	-7264	0	-91.8	-91.8	0.27 (1)		4.26
U-D	-7264	0	-91.8	-91.8	0.27 (1)		4.26
D-V	-8084	0	-91.8	-91.8	0.27 (1)		4.08
V-W	-8084	0	-91.8	-91.8	0.27 (1)		4.08
W-E	-8084	0	-91.8	-91.8	0.27 (1)		4.08
E-X	-8084	0	-91.8	-91.8	0.27 (1)		4.08
X-F	-8084	0	-91.8	-91.8	0.27 (1)		4.08
F-Y	-8084	0	-91.8	-91.8	0.27 (1)		4.08
Y-G	-8084	0	-91.8	-91.8	0.27 (1)		4.08
G-Z	-7264	0	-91.8	-91.8	0.27 (1)		4.26
Z-AA	-7264	0	-91.8	-91.8	0.27 (1)		4.26
AA-H	-7264	0	-91.8	-91.8	0.27 (1)		4.26
H-I	-5065	0	-91.8	-91.8	0.52 (1)		3.87
I-J	0	28	-91.8	-91.8	0.07 (1)		10.00
S-B	-3248	0	0.0	0.0	0.11 (1)		7.69
K-I	-3248	0	0.0	0.0	0.11 (1)		7.69
S-AB	0	0	-18.5	-18.5	0.04 (4)		10.00
AB-AC	0	0	-18.5	-18.5	0.04 (4)		10.00
AC-R	0	0	-18.5	-18.5	0.04 (4)		10.00
R-AD	0	4553	-18.5	-18.5	0.22 (1)		10.00
AD-AE	0	4553	-18.5	-18.5	0.22 (1)		10.00
AE-O	0	4553	-18.5	-18.5	0.22 (1)		10.00
O-P	0	7263	-18.5	-18.5	0.34 (1)		10.00
P-AF	0	7263	-18.5	-18.5	0.34 (1)		10.00
AF-O	0	7263	-18.5	-18.5	0.34 (1)		10.00
O-AG	0	7263	-18.5	-18.5	0.34 (1)		10.00
AG-N	0	7263	-18.5	-18.5	0.34 (1)		10.00
N-M	0	7263	-18.5	-18.5	0.34 (1)		10.00
M-AH	0	4553	-18.5	-18.5	0.22 (1)		10.00
AH-AI	0	4553	-18.5	-18.5	0.22 (1)		10.00
AI-L	0	4553	-18.5	-18.5	0.22 (1)		10.00
L-AJ	0	0	-18.5	-18.5	0.04 (4)		10.00
AJ-AK	0	0	-18.5	-18.5	0.04 (4)		10.00
AK-K	0	0	-18.5	-18.5	0.04 (4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX (LC)
R-C	-413	20	0.05 (1)
C-O	0	3193	0.40 (1)
O-D	-1500	0	0.18 (1)
D-O	0	946	0.12 (1)
O-E	-830	0	0.10 (1)
O-G	0	946	0.12 (1)
M-G	-1500	0	0.18 (1)
M-H	0	3193	0.40 (1)
L-H	-413	20	0.05 (1)
B-R	0	4582	0.57 (1)
L-I	0	4582	0.57 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-429	-429	---	FRONT	VERT	TOTAL	---	C1
D	11-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.39")

CSI: TC=0.52/1.00 (B-C:1) , BC=0.34/1.00 (O-Q:1) , WB=0.57/1.00 (B-R:1) , SSI=0.15/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.56 (R) (INPUT = 0.90)
JSI METAL= 0.56 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T40	1	2	TRUSS DESC.	

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	4.0	12.0	1.00	5.50
C	TTWW+m	MT20	7.0	8.0	Edge	
D	TMWW-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	7.0	8.0	Edge	
I	TMW-p	MT20	4.0	12.0	1.00	5.50
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	8.0	2.50	3.00
M	BMWW-t	MT20	5.0	8.0	2.50	3.25
N	BS-t	MT20	6.0	9.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BS-t	MT20	6.0	9.0		
Q	BMWW-t	MT20	5.0	8.0	2.50	3.25
R	BMWW-t	MT20	5.0	8.0	2.50	3.00
S	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	17-7-0	-110	-110	---	FRONT	VERT	TOTAL	--	C1
G	23-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
H	29-3-8	-429	-429	---	FRONT	VERT	TOTAL	--	C1
L	29-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
M	23-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
N	21-2-12	-26	-26	---	FRONT	VERT	TOTAL	--	C1
O	17-7-0	-26	-26	---	FRONT	VERT	TOTAL	--	C1
P	13-11-4	-26	-26	---	FRONT	VERT	TOTAL	--	C1
Q	11-11-4	-26	-26	---	FRONT	VERT	TOTAL	--	C1
R	5-11-4	-26	-26	---	FRONT	VERT	TOTAL	--	C1
T	7-11-4	-110	-110	---	FRONT	VERT	TOTAL	--	C1
U	9-11-4	-110	-110	---	FRONT	VERT	TOTAL	--	C1
V	13-11-4	-110	-110	---	FRONT	VERT	TOTAL	--	C1
W	15-11-4	-110	-110	---	FRONT	VERT	TOTAL	--	C1
X	19-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
Y	21-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
Z	25-2-12	-110	-110	---	FRONT	VERT	TOTAL	--	C1
AA	27-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AB	1-11-4	-25	-26	---	FRONT	VERT	TOTAL	---	C1
AC	3-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AD	7-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AE	9-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AF	15-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AG	19-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AH	25-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AI	27-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AJ	31-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AK	33-2-12	-25	-26	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007660 2/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T40Z	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:58 2020 Page 1
ID:DMCubINVR6TstFoe31v6I zns1I-x2qeJGBoaF2rpnjbcaNm9BWHeyQ8EpcGa1mZAkzME7I



TOTAL WEIGHT = 2 X 169 = 338 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	1650F 1.5E	SPF
P - N	2x6	DRY	1650F 1.5E	SPF
N - K	2x6	DRY	1650F 1.5E	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	TOP
H-J	1	12	TOP
C-F	2	12	SIDE(183.1)
F-H	2	12	SIDE(0.0)
S-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
S-P	2	12	SIDE(183.1)
P-N	2	12	SIDE(183.1)
N-K	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007661 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	4161	0	4161	0	0	5-8	5-8
K	5042	0	5042	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	2936	1965 0	0 0	0 0	0 0	970 0	0 0
K	3552	2409 0	0 0	0 0	0 0	1143 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.95 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.07 (1)	10.00
B-C	-8650	0	-91.8	-91.8	0.66 (1)	3.34
C-D	-10735	0	-91.8	-91.8	0.33 (1)	3.55
D-T	-12119	0	-91.8	-91.8	0.40 (1)	3.30
T-U	-12119	0	-91.8	-91.8	0.40 (1)	3.30
U-E	-12119	0	-91.8	-91.8	0.40 (1)	3.30
E-V	-12119	0	-91.8	-91.8	0.45 (1)	3.23
V-F	-12119	0	-91.8	-91.8	0.45 (1)	3.23
F-W	-12119	0	-91.8	-91.8	0.45 (1)	3.23
W-X	-12119	0	-91.8	-91.8	0.45 (1)	3.23
X-G	-12119	0	-91.8	-91.8	0.45 (1)	3.23
G-H	-12159	0	-91.8	-91.8	0.39 (1)	3.30
H-I	-8042	0	-91.8	-91.8	0.81 (1)	2.95
I-J	0	28	-91.8	-91.8	0.07 (1)	10.00
S-B	-4141	0	0.0	0.0	0.15 (1)	7.00
K-I	-4926	0	0.0	0.0	0.17 (1)	6.55
S-R	0	0	-18.5	-18.5	0.05 (1)	10.00
R-Y	0	5974	-18.5	-18.5	0.44 (1)	10.00
Y-Q	0	5974	-18.5	-18.5	0.44 (1)	10.00
Q-P	0	10734	-18.5	-18.5	0.54 (1)	10.00
P-Z	0	10734	-18.5	-18.5	0.54 (1)	10.00
Z-O	0	10734	-18.5	-18.5	0.54 (1)	10.00
O-AA	0	12159	-18.5	-18.5	0.71 (1)	10.00
AA-AB	0	12159	-18.5	-18.5	0.71 (1)	10.00
AB-N	0	12159	-18.5	-18.5	0.71 (1)	10.00
N-AC	0	12159	-18.5	-18.5	0.71 (1)	10.00
AC-M	0	12159	-18.5	-18.5	0.71 (1)	10.00
M-AD	0	7208	-18.5	-18.5	0.69 (1)	10.00
AD-AE	0	7208	-18.5	-18.5	0.69 (1)	10.00
AE-AF	0	7208	-18.5	-18.5	0.69 (1)	10.00
AF-L	0	7208	-18.5	-18.5	0.69 (1)	10.00
L-AG	0	0	-18.5	-18.5	0.16 (1)	10.00
AG-AH	0	0	-18.5	-18.5	0.16 (1)	10.00
AH-AI	0	0	-18.5	-18.5	0.16 (1)	10.00
AI-K	0	0	-18.5	-18.5	0.16 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
R-C	-470	0	0.06 (1)
C-Q	0	5608	0.69 (1)
Q-D	-1678	0	0.20 (1)
D-O	0	1638	0.20 (1)
O-E	-1004	0	0.12 (1)
O-G	-46	33	0.02 (1)
M-G	-826	0	0.10 (1)
M-H	0	5832	0.72 (1)
L-H	0	57	0.01 (4)
B-R	0	8014	0.74 (1)
L-I	0	7274	0.90 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
D	11-11-4	-110	-110	...	BACK	VERT	TOTAL	...	C1
E	17-7-0	-110	-110	...	BACK	VERT	TOTAL	...	C1
O	17-7-0	-26	-26	...	BACK	VERT	TOTAL	...	C1
P	13-11-4	-26	-26	...	BACK	VERT	TOTAL	...	C1

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.32")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/718 (0.59")

CSI: TC=0.81/1.00 (H-I:1) , BC=0.71/1.00 (M-O:1) , WB=0.90/1.00 (I-L:1) , SSI=0.64/1.00 (L-M:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (R) (INPUT = 0.90)
JSI METAL= 0.93 (P) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T40Z	1	2	TRUSS DESC.	

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	4.0	12.0	1.00	5.50
C	TTWW+m	MT20	7.0	8.0	Edge	
D	TMWW-t	MT20	5.0	6.0		
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	7.0	8.0	Edge	
I	TMVW-p	MT20	4.0	12.0	1.00	5.50
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	8.0	2.50	3.00
M	BMWW-t	MT20	5.0	8.0	2.50	3.25
N	BS-t	MT20	6.0	9.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BS-t	MT20	6.0	9.0		
Q	BMWW-t	MT20	5.0	8.0	2.50	3.25
R	BMWW-t	MT20	5.0	8.0	2.50	3.00
S	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
Q	11-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
T	13-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
U	15-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
V	18-8-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
W	20-8-4	-159	-159	---	BACK	VERT	TOTAL	---	C1
X	22-8-4	-159	-159	---	BACK	VERT	TOTAL	---	C1
Y	10-7-8	-1171	-1171	---	BACK	VERT	TOTAL	---	C1
Z	15-11-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AA	18-8-4	-26	-26	---	BACK	VERT	TOTAL	---	C1
AB	20-8-4	-32	-32	---	BACK	VERT	TOTAL	---	C1
AC	22-8-4	-32	-32	---	BACK	VERT	TOTAL	---	C1
AD	24-7-8	-2237	-2237	---	BACK	VERT	TOTAL	---	C1
AE	26-8-12	-121	-121	---	BACK	VERT	TOTAL	---	C1
AF	28-8-12	-121	-121	---	BACK	VERT	TOTAL	---	C1
AG	30-8-12	-121	-121	---	BACK	VERT	TOTAL	---	C1
AH	32-8-12	-121	-121	---	BACK	VERT	TOTAL	---	C1
AI	33-5-4	-121	-121	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

Structural component only
DWG# T-2007661

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T41	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:59 2020 Page 1

ID:DMCubINVR6TstFoe31v6I zns1I-PFO0WcCQLZAiQxIoAHu?hO3QDMnRzI?PphW7iAzME7k



TOTAL WEIGHT = 2 X 139 = 278 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
EXCEPT				
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.75
D	TTWW-m	MT20	5.0	8.0	2.25	2.75
E	TMWW-t	MT20	4.0	4.0		
F	TS-t	MT20	3.0	8.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW-m	MT20	5.0	8.0	2.25	2.75
I	TMWW-t	MT20	5.0	6.0	2.50	2.75
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	4.0	9.0		Edge
M	BMWW-t	MT20	4.0	4.0		
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWW-t	MT20	4.0	6.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	4.0	4.0		
S	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007662

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 0	0 0	0 0	0 0	488 0	0 0
L	1457	969 0	0 0	0 . 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.94 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0	28	-91.8	-91.8	0.12 (1)	10.00
B- C	0	16	-91.8	-91.8	0.20 (1)	10.00
C- D	-2799	0	-91.8	-91.8	0.32 (1)	3.88
D- E	-3508	0	-91.8	-91.8	0.95 (1)	2.94
E- F	-3507	0	-91.8	-91.8	0.93 (1)	2.94
F- G	-3507	0	-91.8	-91.8	0.93 (1)	2.94
G- H	-3507	0	-91.8	-91.8	0.94 (1)	2.95
H- I	-2799	0	-91.8	-91.8	0.32 (1)	3.88
I- J	0	16	-91.8	-91.8	0.20 (1)	10.00
J- K	0	28	-91.8	-91.8	0.12 (1)	10.00
S- B	-270	0	0.0	0.0	0.03 (1)	7.81
L- J	-270	0	0.0	0.0	0.03 (1)	7.81
S- R	0	2417	-18.5	-18.5	0.53 (1)	10.00
R- Q	0	2489	-18.5	-18.5	0.54 (1)	10.00
Q- P	0	2489	-18.5	-18.5	0.54 (1)	10.00
P- O	0	3509	-18.5	-18.5	0.64 (1)	10.00
O- N	0	2489	-18.5	-18.5	0.54 (1)	10.00
N- M	0	2489	-18.5	-18.5	0.54 (1)	10.00
M- L	0	2417	-18.5	-18.5	0.53 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
C- R	0	93	0.03 (4)
R- D	0	121	0.04 (4)
D- P	0	1267	0.29 (1)
P- E	-643	0	0.25 (1)
E- O	-2	0	0.00 (1)
O- G	-643	0	0.25 (1)
O- H	0	1268	0.28 (1)
M- H	0	121	0.04 (4)
M- I	0	93	0.03 (4)
S- C	-2974	0	0.83 (1)
I- L	-2974	0	0.83 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.41")

CSI: TC=0.95/1.00 (D-E:1) , BC=0.64/1.00 (O-P:1) ,
WB=0.83/1.00 (I-L:1) , SSI=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	.354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (L) (INPUT = 0.90)
JSI METAL= 0.77 (N) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T42	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington — Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:01 2020 Page 1
ID:DMCubINVR8TstFoe31v6I_zns1I-LdWnxHEgtAQPgFSAHixTmp8lJ9V?RFJIG??En3zME7i



TOTAL WEIGHT = 2 X 139 = 277 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	8.0	2.25	3.75
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	8.0	2.25	3.75
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	8.0	2.50	2.00
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	8.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	8.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	8.0	2.50	2.00
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007663

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	RECORD BRG
						IN-SX	IN-SX
R	2063	0	2063	0	0	5-8	5-8
J	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	969 0	0 0	0 0	0 0	488 0	0 0
J	1457	969 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.78 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12	(1)		10.00
B-C	-2834	0	-91.8	-91.8	0.39	(1)		3.81
C-D	-2687	0	-91.8	-91.8	0.37	(1)		3.91
D-E	-3060	0	-91.8	-91.8	0.97	(1)		2.78
E-F	-3060	0	-91.8	-91.8	0.97	(1)		2.78
F-G	-2687	0	-91.8	-91.8	0.37	(1)		3.91
G-H	-2834	0	-91.8	-91.8	0.39	(1)		3.81
H-I	0	28	-91.8	-91.8	0.12	(1)		10.00
R-B	-2018	0	0.0	0.0	0.20	(1)		5.94
J-H	-2018	0	0.0	0.0	0.20	(1)		5.94
R-Q	0	0	-18.5	-18.5	0.10	(4)		10.00
Q-P	0	2555	-18.5	-18.5	0.51	(1)		10.00
P-O	0	2386	-18.5	-18.5	0.49	(1)		10.00
O-N	0	2386	-18.5	-18.5	0.49	(1)		10.00
N-M	0	2386	-18.5	-18.5	0.49	(1)		10.00
M-L	0	2386	-18.5	-18.5	0.49	(1)		10.00
L-K	0	2555	-18.5	-18.5	0.51	(1)		10.00
K-J	0	0	-18.5	-18.5	0.10	(4)		10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
C-O	-353	0	0.08	(1)
C-P	-210	0	0.13	(1)
P-D	0	246	0.08	(4)
O-N	0	844	0.19	(1)
N-E	-872	0	0.51	(1)
N-F	0	844	0.19	(1)
L-F	0	246	0.06	(4)
L-G	-210	0	0.13	(1)
K-G	-353	0	0.08	(1)
B-Q	0	2591	0.58	(1)
K-H	0	2591	0.58	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011 , TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L 999 (0.17")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 999 (0.34")

CSI: TC=0.97 1.00 (D-E:1) , BC=0.51 1.00 (P-Q:1) , WB=0.58/1.00 (B-Q:1) , SSI=0.34/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (FI (INPUT = 0.90)
JSI METAL= 0.75 (M) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T43	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:02 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1l-qp498dEfeUYGHO1NrQSiJ1h?BZrVAiQsVfknJVzME7h



TOTAL WEIGHT = 2 X 145 = 289 lb [M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (tablets in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.25
L	BMWW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BS-t	MT20	3.0	6.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.25
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
R	2063	0	2063	0	0	5-8	5-8
J	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

1ST LCASE MAX./MIN. COMPONENT REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1457	969 0	0 0	0 0	0 0	488 0	0 0
J	1457	969 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12 (1)		10.00
B-C	-2889	0	-91.8	-91.8	0.58 (1)		3.58
C-D	-2539	0	-91.8	-91.8	0.52 (1)		3.83
D-E	-2559	0	-91.8	-91.8	0.48 (1)		3.85
E-F	-2559	0	-91.8	-91.8	0.48 (1)		3.85
F-G	-2539	0	-91.8	-91.8	0.52 (1)		3.83
G-H	-2889	0	-91.8	-91.8	0.58 (1)		3.58
H-I	0	28	-91.8	-91.8	0.12 (1)		10.00
R-B	-2014	0	0.0	0.0	0.20 (1)		5.95
J-H	-2014	0	0.0	0.0	0.20 (1)		5.95
R-O	0	0	-18.5	-18.5	0.15 (4)		10.00
Q-P	0	2609	-18.5	-18.5	0.49 (1)		10.00
P-O	0	2249	-18.5	-18.5	0.43 (1)		10.00
O-N	0	2249	-18.5	-18.5	0.43 (1)		10.00
N-M	0	2249	-18.5	-18.5	0.43 (1)		10.00
M-L	0	2249	-18.5	-18.5	0.43 (1)		10.00
L-K	0	2609	-18.5	-18.5	0.49 (1)		10.00
K-J	0	0	-18.5	-18.5	0.15 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
Q-C	-255	12	0.07 (1)
C-P	-435	0	0.42 (1)
P-D	0	350	0.08 (1)
D-N	0	482	0.11 (1)
N-E	-841	0	0.56 (1)
N-F	0	482	0.11 (1)
L-F	0	350	0.08 (1)
L-G	-435	0	0.42 (1)
K-G	-255	12	0.07 (1)
B-Q	0	2635	0.59 (1)
K-H	0	2635	0.59 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	OL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. O/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD .

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.28")

CSI: TC=0.58/1.00 (G-H:1) , BC=0.49/1.00 (K-L:1) , WB=0.59/1.00 (H-K:1) , SSI=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.69 (Q) (INPUT = 0.90)
JSI METAL = 0.69 (M) (INPUT = 1.00)



Structural component only
DWG# T-2007664

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T44	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:03 2020 Page 1
ID:DMCubINVR6TstFoe31v6I zns1J-I0dXMzFwOog7vYcZP7zxsEE72zACv9c?kJUKrxzME7g



TOTAL WEIGHT = 2 X 145 = 291 lb

(M)(F)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TS-t	MT20	3.0	6.0		
E	TTW-m	MT20	4.0	6.0		
F	TMWW-t	MT20	4.0	4.0		
G	TTW-m	MT20	4.0	6.0		
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.75
J	TMVW-p	MT20	5.0	8.0	Edge	3.50
L	BMV1+p	MT20	3.0	4.0		
M	BMWW-t	MT20	5.0	6.0	2.50	2.25
N	BS-t	MT20	3.0	6.0		
O	BMWWW-t	MT20	4.0	9.0		
P	BMWWW-t	MT20	4.0	9.0		
Q	BS-t	MT20	3.0	6.0		
R	BMWW-t	MT20	5.0	6.0	2.50	2.25
S	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO
[illegible]

Structural component only
DWG# T-2007665

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 / 0	0 / 0	0 0	0 0	488 0	0 0
L	1457	969 / 0	0 / 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-P, F-P, F-O, I-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A - B	0	28	-91.8	-91.8	0.12 (1)	10.00
B - C	-2906	0	-91.8	-91.8	0.83 (1)	3.25
C - D	-2373	0	-91.8	-91.8	0.72 (1)	3.66
D - E	-2373	0	-91.8	-91.8	0.72 (1)	3.66
E - F	-2100	0	-91.8	-91.8	0.19 (1)	4.53
F - G	-2100	0	-91.8	-91.8	0.19 (1)	4.53
G - H	-2373	0	-91.8	-91.8	0.72 (1)	3.66
H - I	-2373	0	-91.8	-91.8	0.72 (1)	3.66
I - J	-2906	0	-91.8	-91.8	0.83 (1)	3.25
J - K	0	28	-91.8	-91.8	0.12 (1)	10.00
S - B	-2008	0	0.0	0.0	0.20 (1)	5.96
L - J	-2008	0	0.0	0.0	0.20 (1)	5.96
S - R	0	0	-18.5	-18.5	0.20 (4)	10.00
R - Q	0	2630	-18.5	-18.5	0.52 (1)	10.00
Q - P	0	2630	-18.5	-18.5	0.52 (1)	10.00
P - O	0	2193	-18.5	-18.5	0.45 (1)	10.00
O - N	0	2630	-18.5	-18.5	0.52 (1)	10.00
N - M	0	2630	-18.5	-18.5	0.52 (1)	10.00
M - L	0	0	-18.5	-18.5	0.20 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
R - C	-182	52	0.06 (1)
C - P	-637	0	0.29 (1)
P - E	0	674	0.15 (1)
P - F	-222	0	0.11 (1)
F - O	-222	0	0.11 (1)
O - G	0	674	0.15 (1)
O - I	-637	0	0.29 (1)
M - I	-182	52	0.06 (1)
B - R	0	2649	0.60 (1)
M - J	0	2649	0.60 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP	CH.	LL	=	25.6	PSF
		DL	=	6.0	PSF
BOT	CH.	LL	=	0.0	PSF
		DL	=	7.4	PSF
TOTAL	LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.30")

CSI: TC=0.83/1.00 (I-J:1) , BC=0.52/1.00 (M-O:1) , WB=0.60/1.00 (J-M:1) , SSI=0.28/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (M) (INPUT = 0.90)
JSI METAL= 0.79 (Q) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T45	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:04 2020 Page 1

ID:DMCublNVR6TslFos3fv6l_zns1l-mCBvZJGY95o_XiBlzrUBOSmOWNWqecd9yyDuNOzME7l



TOTAL WEIGHT = 2 X 155 = 310 lb (M)(F)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - G	2x4	DRY	No.2	SPF
G - H	2x4	DRY	No.2	SPF
H - L	2x4	DRY	No.2	SPF
T - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
T - R	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
T - C	2x4	DRY	No.2	SPF
J - M	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.25
D	TMWW-t	MT20	4.0	4.0	2.00	1.50
E	TS-t	MT20	3.0	6.0		
F	TTW-h	MT20	4.0	4.0	2.00	1.75
G	TTWW-m	MT20	5.0	6.0	2.00	2.00
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	4.0	4.0	2.00	1.50
J	TMWW-t	MT20	5.0	6.0	2.50	2.25
K	TMV+p	MT20	3.0	4.0		
M	BMVW1-t	MT20	4.0	9.0		Edge
N, P, S						
N	BMWW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	6.0		
Q	BMWWW-t	MT20	4.0	9.0		
R	BS-t	MT20	3.0	6.0		
T	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007666

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
T	2063	0	2063	0	0	5-8	5-8
M	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
	MAX.MIN. COMPONENT REACTIONS						
T	1457	969 0	0 0	0 0	0 0	488 0	0 0
M	1457	969 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.86 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF D-Q, I-P, C-T, J-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00		C-S	-110	37	0.04 (1)
B-C	0	20	-91.8	-91.8	0.32 (1)	10.00		S-D	0	276	0.08 (1)
C-D	-2760	0	-91.8	-91.8	0.40 (1)	3.86		D-Q	-682	0	0.31 (1)
D-E	-2167	0	-91.8	-91.8	0.36 (1)	4.30		Q-F	0	614	0.14 (1)
E-F	-2167	0	-91.8	-91.8	0.36 (1)	4.30		Q-G	0	4	0.00 (1)
F-G	-1925	0	-91.8	-91.8	0.18 (1)	4.71		P-G	0	609	0.14 (1)
G-H	-2165	0	-91.8	-91.8	0.36 (1)	4.30		P-I	-683	0	0.31 (1)
H-I	-2165	0	-91.8	-91.8	0.36 (1)	4.30		I-N	0	279	0.06 (1)
I-J	-2761	0	-91.8	-91.8	0.40 (1)	3.86		N-J	-110	37	0.04 (1)
J-K	0	20	-91.8	-91.8	0.32 (1)	10.00		T-C	-3042	0	0.61 (1)
K-L	0	28	-91.8	-91.8	0.12 (1)	10.00		J-M	-3043	0	0.61 (1)
T-B	-325	0	0.0	0.0	0.03 (1)	7.81					
M-K	-325	0	0.0	0.0	0.03 (1)	7.81					
T-S	0	2537	-18.5	-18.5	0.56 (1)	10.00					
S-R	0	2363	-18.5	-18.5	0.53 (1)	10.00					
R-Q	0	2363	-18.5	-18.5	0.53 (1)	10.00					
Q-P	0	1924	-18.5	-18.5	0.40 (1)	10.00					
P-O	0	2362	-18.5	-18.5	0.53 (1)	10.00					
O-N	0	2362	-18.5	-18.5	0.53 (1)	10.00					
N-M	0	2538	-18.5	-18.5	0.56 (1)	10.00					

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	8.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2018
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L 999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 999 (0.29")

CSI: TC=0.40/1.00 (J-J:1) , BC=0.56/1.00 (M-N:1) , WB=0.61 1.00 (J-M:1) , SSI=0.20/1.00 (G-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (F) (INPUT = 0.90)
JSI METAL= 0.83 (O) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T46	8	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:05 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns1I-EOlInfHBwPwr9smyWY?QxfJYonsaN17IBczRwqzME7e



TOTAL WEIGHT = 8 X 152 = 1213 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - K	2x4	DRY	No.2	SPF
S - B	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
EXCEPT				
S - C	2x4	DRY	No.2	SPF
I - L	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.25	2.00
D	TS-t	MT20	3.0	6.0		
E	TMWW+t	MT20	5.0	6.0		
F	TTWW+p	MT20	4.0	6.0	Edge	
G	TMWW+t	MT20	5.0	6.0		
H	TS-t	MT20	3.0	6.0		
I	TMWW-t	MT20	5.0	6.0	2.25	2.00
J	TMV+p	MT20	3.0	4.0		
L	BMVW1-t	MT20	4.0	9.0		Edge
M, O, P, R						
M	BMWW+t	MT20	4.0	6.0		
N	BS-t	MT20	3.0	6.0		
Q	BS-t	MT20	3.0	6.0		
S	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007667

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
S	2063	0	2063	0	0	5-8	5-8
L	2063	0	2063	0	0	5-8	5-8

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1457	969 0	0 0	0 0	0 0	488 0	0 0
L	1457	969 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.75 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-S, I-L.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00
B-C	0	22	-91.8	-91.8	0.40 (1)	10.00
C-D	-2808	0	-91.8	-91.8	0.49 (1)	3.75
D-E	-2808	0	-91.8	-91.8	0.49 (1)	3.75
E-F	-2322	0	-91.8	-91.8	0.46 (1)	4.07
F-G	-2322	0	-91.8	-91.8	0.46 (1)	4.07
G-H	-2808	0	-91.8	-91.8	0.49 (1)	3.75
H-I	-2808	0	-91.8	-91.8	0.49 (1)	3.75
I-J	0	22	-91.8	-91.8	0.40 (1)	10.00
J-K	0	28	-91.8	-91.8	0.12 (1)	10.00
S-B	-344	0	0.0	0.0	0.03 (1)	7.81
L-J	-344	0	0.0	0.0	0.03 (1)	7.81
S-R	0	2574	-18.5	-18.5	0.53 (1)	10.00
R-Q	0	2291	-18.5	-18.5	0.47 (1)	10.00
Q-P	0	2291	-18.5	-18.5	0.47 (1)	10.00
P-O	0	1762	-18.5	-18.5	0.38 (1)	10.00
O-N	0	2291	-18.5	-18.5	0.47 (1)	10.00
N-M	0	2291	-18.5	-18.5	0.47 (1)	10.00
M-L	0	2574	-18.5	-18.5	0.53 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
F-O	0	866	0.19 (1)
O-G	-726	0	0.72 (1)
G-M	0	391	0.09 (1)
M-I	-192	18	0.05 (1)
P-F	0	866	0.19 (1)
E-P	-726	0	0.72 (1)
R-E	0	391	0.09 (1)
C-R	-192	18	0.05 (1)
S-C	-3064	0	0.72 (1)
I-L	-3064	0	0.72 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.14")
ALLOWABLE DEFL.(TL)= L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.28")

CSI: TC=0.49/1.00 (C-E:1) , BC=0.53/1.00 (L-M:1) , WB=0.72/1.00 (E-P:1) , SSI=0.22/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (C) (INPUT = 0.90)
JSI METAL= 0.77 (I) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T47S	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:06 2020 Page 1
ID:DMCublNVR6TstFoe31v6l_zns1l-ibJq_?Hphj2im0K84GWfTtsnqADw6c_RQGi_SGzME7d



TOTAL WEIGHT = 2 X 51 = 102 lb

[M|R]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
K - A	2x4	DRY	No.2	SPF
A - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
K - J	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
G - D	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	6.0		
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0		
D	TMV+p	MT20	3.0	4.0		
E	TMVW+p	MT20	4.0	6.0		
F	BMVW1-t	MT20	4.0	4.0		
G	BMV+p	MT20	3.0	4.0		
H	BVMWWW-t	MT20	6.0	9.0	3.00	3.50
I	BVMWWW-t	MT20	6.0	9.0	3.00	3.50
J	BMV+p	MT20	3.0	4.0		
K	BMW1-t	MT20	4.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER
PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING.

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
K	697	0	697	0	0	5-8	5-8
F	697	0	697	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	504	269 0	0 0	0 0	0 0	235 0	0 0
F	504	269 0	0 0	0 0	0 0	235 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB.	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
FR-TO								FR-TO			
K-A	-667	0	0.0	0.0	0.17 (1)	7.81		K-I	-28	0	0.00 (1)
A-B	-497	0	-114.3	-114.3	0.14 (1)	6.25		A-I	0	783	0.24 (1)
B-C	-508	0	-114.3	-114.3	0.22 (1)	6.25		H-F	-28	0	0.00 (1)
C-D	-508	0	-114.3	-114.3	0.22 (1)	6.25		H-E	0	783	0.24 (1)
D-E	-497	0	-114.3	-114.3	0.14 (1)	6.25		I-C	-384	0	0.15 (1)
F-E	-667	0	0.0	0.0	0.17 (1)	7.81		C-H	-384	0	0.15 (1)
K-J	0	25	-18.5	-18.5	0.03 (4)	10.00					
J-I	0	19	0.0	0.0	0.05 (1)	10.00					
I-B	-331	0	0.0	0.0	0.05 (1)	7.81					
I-H	0	832	-18.5	-18.5	0.46 (4)	10.00					
G-H	0	19	0.0	0.0	0.05 (1)	10.00					
H-D	-331	0	0.0	0.0	0.05 (1)	7.81					
G-F	0	25	-18.5	-18.5	0.03 (4)	10.00					

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	15.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	48.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.12")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.46/1.00 (H-I:4) , WB=0.24/1.00 (E-H:1) , SSI=0.22/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.77 (H) (INPUT = 0.90)
JSI METAL= 0.30 (E) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04 / 28 / 20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007668

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T48	1	1	TRUSS DESC.	

Tamarack Roof Truss. Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:07 2020 Page 1

ID:DMCublNVR6TslFoe31v6l znsl1-Ant2CLIRS0AZOAvKez1u04OyjadNr3HbfwSY jzME7c



TOTAL WEIGHT = 40 lb

[M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.50	2.00
C	TTW-m	MT20	4.0	4.0		
D	TMWW-t	MT20	4.0	4.0		
E	TMV+p	MT20	3.0	4.0		
F	BMVW1-t	MT20	4.0	4.0		
G	BMWWW-I	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007669

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	579	0	579	0	0	MECHANICAL	
H	703	0	703	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	409	269 0	0 - 0	0 - 0	0 - 0	141 0	0 0
H	495	338 0	0 0	0 0	0 - 0	157 0	0 0

(MAX./MIN. COMPONENT REACTIONS)

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0	28	-91.8	-91.8	0.12 (1)	10.00
B- C	-635	0	-91.8	-91.8	0.15 (1)	6.25
C- D	-569	0	-91.8	-91.8	0.21 (1)	6.25
D- E	0	0	-91.8	-91.6	0.20 (1)	10.00
F- E	-135	0	0.0	0.0	0.02 (1)	7.81
H- B	-699	0	0.0	0.0	0.07 (1)	7.81
H- G	0	0	-18.5	-18.5	0.21 (4)	10.00
G- F	0	619	-18.5	-18.5	0.25 (4)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
G- C	0	61	0.02 (4)
G- D	-61	60	0.02 (4)
D- F	-731	0	0.23 (1)
B- G	0	587	0.13 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010. NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.09")

CSI: TC=0.21/1.00 (C-D:1) , BC=0.25/1.00 (F-G:4) , WB=0.23/1.00 (D-F:1) , SSI=0.17/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.68 (B) (INPUT = 0.90)
JSI METAL= 0.23 (F) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T49	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:08 2020 Page 1

ID:DMCubiNVR6TstFoe31v6l_zns1l-ezRQPhJ3DKIQ0JUWCqZ7Zlx3M_zfaUMktaB5W9zME7b



TOTAL WEIGHT = 42 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
G - B	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (tablets in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TMV+p	MT20	3.0	4.0		
E	BMVW1-t	MT20	4.0	4.0		
F	BMWW-t	MT20	4.0	4.0		
G	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	579	0	579	0	0	MECHANICAL	
G	703	0	703	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	409	269 0	0 0	0 0	0 0	141 0	0 0
G	495	338 0	0 0	0 0	0 0	157 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LCI	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00		F-C	0	108	0.04 (4)
B-C	-523	0	-91.8	-91.8	0.41 (1)	6.25		C-E	-549	0	0.37 (1)
C-D	0	0	-91.8	-91.8	0.47 (1)	10.00		B-F	0	474	0.11 (1)
E-D	-252	0	0.0	0.0	0.05 (1)	7.81					
G-B	-667	0	0.0	0.0	0.07 (1)	7.81					
G-F	0	0	-18.5	-18.5	0.14 (4)	10.00					
F-E	0	468	-18.5	-18.5	0.19 (4)	10.00					

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.47 1.00 (C-D:1) , BC=0.19/1.00 (E-F:4) , WB=0.37 1.00 (C-E:1) , SSI=0.20/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	786	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (B) (INPUT = 0.90)
JSI METAL= 0.28 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007670

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T50	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:10 2020 Page 1
ID:DMCubINVR6TslFos31v8l_zns1l-bMYBqMKJlxY8FdevJ5bbej0KcoeV2Tf1LugCb2zME7Z



Scale = 1:18.4

TOTAL WEIGHT = 2 X 23 = 46 lb

[M][R]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
D - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
C - B	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
A	TMVW1	MT20	4.0	4.0	
B	TMV+p	MT20	3.0	4.0	
C	BMVW1+1	MT20	4.0	4.0	
D	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
D	371	0	371	0	0	5-8	5-8
C	371	0	371	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT C. MINIMUM BEARING LENGTH AT JOINT C = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
D	268	143 / 0	0 / 0	0 / 0	0 / 0	125 / 0	0 / 0
C	268	143 / 0	0 / 0	0 / 0	0 / 0	125 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
D-A	-319	0	0.0	0.0	0.06 (1)		7.81
A-B	0	0	-114.3	-114.3	0.81 (1)		10.00
C-B	-319	0	0.0	0.0	0.06 (1)		7.81
D-C	0	0	-18.5	-18.5	0.23 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-C	0	0	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	15.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	48.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF SCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.81 1.00 (A-B:1) , BC=0.23/1.00 (C-D:4) , WB=0.00/1.00 (A-C:1) , SSI=0.33/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.25 (A) (INPUT = 0.90)
JSI METAL= 0.07 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J.G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007671

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	G50	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 3.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:51 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns1l-eiv?rl6OD69qTihFicI7MikFo7CC5t2EzRaiQezME7s



Scale = 1:18.1

TOTAL WEIGHT = 22 lb

[M][R]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
H - A	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
H - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMV+p	MT20	3.0	4.0		
B	TMW+w	MT20	2.0	4.0		
C	TMW+w	MT20	2.0	4.0		
D	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		
F	BMW1+w	MT20	2.0	4.0		
G	BMW1+w	MT20	2.0	4.0		
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
H-A	-101	0	0.0	0.0	0.03 (1)	7.81	G-B	-248	0	0.06 (1)
A-B	-8	0	-114.3	-114.3	0.08 (1)	10.00	F-C	-209	0	0.05 (1)
B-C	-8	0	-114.3	-114.3	0.08 (1)	10.00				
C-D	-8	0	-114.3	-114.3	0.06 (1)	10.00				
E-D	-80	0	0.0	0.0	0.03 (1)	7.81				
H-G	0	8	-18.5	-18.5	0.02 (4)	10.00				
G-F	0	8	-18.5	-18.5	0.02 (4)	10.00				
F-E	0	8	-18.5	-18.5	0.02 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	15.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	48.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.08/1.00 (A-B:1) , BC=0.02/1.00 (G-H:4) , WB=0.06/1.00 (B-G:1) , SSI=0.13/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.17 (G) (INPUT = 0.90)
JSI METAL= 0.07 (G) (INPUT = 1.00)



Structural component only
DWG# T-2007656

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T51	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:11 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns1I-3Y6Z1iLxWFg?tnD5tp8qAwZamBzqnsmAZYQI7UzME7Y



TOTAL WEIGHT = 44 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
I - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	6.0	2.00	3.00
C	TTW-m	MT20	4.0	4.0		
D	TTWW-m	MT20	5.0	6.0	2.25	2.25
E	TMVW-t	MT20	4.0	6.0		Edge
F	BMV1+p	MT20	3.0	4.0		
G	BMWW-t	MT20	4.0	6.0		
H	BMWWW-t	MT20	4.0	9.0		
I	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
I	1104	0	1104	0	0	5-8	5-8
F	1000	0	1000	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
I	778	525 0	0 0	0 0	0 0	253 0	0 0
F	707	465 0	0 0	0 0	0 0	242 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.22 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
A-B	0	28	-91.8	-91.8	0.13	(1)		10.00	H-C	-99	54	0.02	(1)
B-C	-1177	0	-91.8	-91.8	0.46	(1)		5.22	H-D	0	30	0.01	(4)
C-D	-1045	0	-91.8	-91.8	0.03	(1)		6.11	G-D	-120	24	0.03	(1)
D-E	-1167	0	-91.8	-91.8	0.41	(1)		5.32	B-H	0	1067	0.26	(1)
I-B	-1053	0	0.0	0.0	0.12	(1)		7.64	G-E	0	1068	0.28	(1)
F-E	-953	0	0.0	0.0	0.11	(1)		7.81					
I-J	0	0	-18.5	-18.5	0.19	(4)		10.00					
J-K	0	0	-18.5	-18.5	0.19	(4)		10.00					
K-H	0	0	-18.5	-18.5	0.19	(4)		10.00					
H-G	0	1039	-18.5	-18.5	0.28	(4)		10.00					
G-L	0	0	-18.5	-18.5	0.16	(4)		10.00					
L-M	0	0	-18.5	-18.5	0.16	(4)		10.00					
M-F	0	0	-18.5	-18.5	0.16	(4)		10.00					

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-10-8	-361	-361	---	FRONT	VERT	TOTAL	---	C1
D	5-9-8	-361	-361	---	FRONT	VERT	TOTAL	---	C1
G	5-8-12	-19	-19	---	FRONT	VERT	TOTAL	---	C1
H	4-11-4	-19	-19	---	FRONT	VERT	TOTAL	---	C1
J	1-11-4	-17	-18	---	FRONT	VERT	TOTAL	---	C1
K	3-11-4	-19	-19	---	FRONT	VERT	TOTAL	---	C1
L	6-8-12	-19	-19	---	FRONT	VERT	TOTAL	---	C1
M	8-8-12	-17	-18	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.46/1.00 (B-C:1) , BC=0.28/1.00 (G-H:4) , WB=0.25/1.00 (B-H:1) , SSI=0.17/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.71 (G) (INPUT = 0.90)
JSI METAL= 0.33 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007672

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T52	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:12 2020 Page 1

ID:DMCubINVR6TsFoe31v6I_zns1I-XlgxF2MaHZpsUxoIRWd3j86qEbM8WMqKoC9JtwzME7X



TOTAL WEIGHT = 48 lb

M(F)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
I - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TTW-m	MT20	4.0	4.0		
E	TMVW-t	MT20	4.0	4.0	2.00	1.25
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMWW-t	MT20	4.0	4.0		
I	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
I	699	0	699	0	0	5-8	5-8
F	574	0	574	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
I	492	336 0	0 0	0 0	0 0	156 0	0 0
F	406	267 0	0 0	0 0	0 0	140 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00	H-C	-116	14	0.03 (1)
B-C	-423	0	-91.8	-91.8	0.16 (1)	6.25	C-G	-20	0	0.01 (1)
C-D	-382	0	-91.8	-91.8	0.13 (1)	6.25	G-D	-126	8	0.03 (1)
D-E	-409	0	-91.8	-91.8	0.14 (1)	6.25	B-H	0	422	0.09 (1)
I-B	-669	0	0.0	0.0	0.08 (1)	7.81	G-E	0	419	0.09 (1)
F-E	-548	0	0.0	0.0	0.07 (1)	7.81				
I-H	0	0	-18.5	-18.5	0.05 (4)	10.00				
H-G	0	375	-18.5	-18.5	0.09 (1)	10.00				
G-F	0	0	-18.5	-18.5	0.05 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.16/1.00 (B-C:1) , BC=0.09/1.00 (G-H:1) , WB=0.09/1.00 (B-H:1) , SSI=0.12/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.65 (B) (INPUT = 0.90)
JSI METAL= 0.21 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J.G. ALVES
100090247
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007673

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T53	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:13 2020 Page 1

ID:DMCubINVR6TstFoe31v6I zns1I-?xEJSONC2sxi65NU_E8IGLezS?IHFoFT1svsCMzME7W



TOTAL WEIGHT = 46 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
K - G	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TMW+w	MT20	2.0	4.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TMVW-t	MT20	4.0	4.0	2.00	1.25
G	BMV1+p	MT20	3.0	4.0		
H	BMWW-t	MT20	4.0	4.0		
I	BMWWW-t	MT20	4.0	9.0		
J	BMWW-t	MT20	4.0	4.0		
K	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
K	818	0	818	0	0	5-8	5-8
G	679	0	679	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 1-8.

UNFACTORED REACTIONS

	1ST LCASE	MAX.-MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	578	393 0	0 0	0 0	0 0	183 0	0 0
G	480	317 0	0 0	0 0	0 0	162 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	28	-91.8	-91.8	0.13 (1)		10.00
B-C	-427	0	-91.8	-91.8	0.13 (1)		6.25
C-L	-702	0	-91.8	-91.8	0.26 (1)		6.25
L-M	-702	0	-91.8	-91.8	0.26 (1)		6.25
M-D	-702	0	-91.8	-91.8	0.26 (1)		6.25
D-N	-702	0	-91.8	-91.8	0.26 (1)		6.25
N-O	-702	0	-91.8	-91.8	0.26 (1)		6.25
O-E	-702	0	-91.8	-91.8	0.26 (1)		6.25
E-F	-379	0	-91.8	-91.8	0.04 (1)		6.25
K-B	-812	0	0.0	0.0	0.10 (1)		7.81
G-F	-677	0	0.0	0.0	0.09 (1)		7.81
K-J	0	0	-18.5	-18.5	0.04 (4)		10.00
J-P	0	349	-18.5	-18.5	0.09 (1)		10.00
P-Q	0	349	-18.5	-18.5	0.09 (1)		10.00
Q-I	0	349	-18.5	-18.5	0.09 (1)		10.00
I-R	0	324	-18.5	-18.5	0.09 (1)		10.00
R-H	0	324	-18.5	-18.5	0.09 (1)		10.00
H-G	0	0	-18.5	-18.5	0.04 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
J-C	-307	0	0.06 (1)
C-I	0	438	0.11 (1)
I-D	-472	0	0.09 (1)
I-E	0	469	0.12 (1)
H-E	-373	0	0.07 (1)
B-J	0	523	0.13 (1)
H-F	0	556	0.14 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	1-8-0	-53	-53	---	BACK	VERT	TOTAL	---	C1
E	9-0-0	-21	-21	---	FRONT	VERT	TOTAL	---	C1
H	8-7-4	-4	-4	---	BACK	VERT	TOTAL	---	C1
J	1-8-12	-4	-4	---	BACK	VERT	TOTAL	---	C1
L	2-7-4	-28	-28	---	BACK	VERT	TOTAL	---	C1
M	4-7-4	-25	-25	---	BACK	VERT	TOTAL	---	C1
N	6-7-4	-25	-25	---	BACK	VERT	TOTAL	---	C1
O	8-7-4	-53	-53	---	BACK	VERT	TOTAL	---	C1
P	2-7-4	-4	-4	---	BACK	VERT	TOTAL	---	C1
Q	4-7-4	-4	-4	---	BACK	VERT	TOTAL	---	C1
R	6-7-4	-4	-4	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/240 (0.35")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.26/1.00 (D-E:1) , BC=0.09/1.00 (I-J:1) , WB=0.14/1.00 (F-H:1) , SSI=0.21/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1887	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.77 (F) (INPUT = 0.90)
JSI METAL= 0.22 (F) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007674

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T54S	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:20:14 2020 Page 1
ID:DMCubINVR6TslFoe31v6I_zns1I-T7ohqkOqpA3ZkEyqYxqXoZB2uPsf_43dGWeOkpzME7V



LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
K - A	2x4	DRY	No.2	SPF
A - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
H - C	2x4	DRY	No.2	SPF
H - F	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
I - G	2x6	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
K-A	1	12	TOP
A-E	1	12	TOP
E-F	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
K-I	2	12	SIDE(61.0)
H-F	2	12	SIDE(183.1)
C-H	1	5	SIDE(89.6)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
2x6	2	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

Structural component only
DWG# T-2007675 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
K	2604	0	2604	0	0	5-8	5-8
F	2255	0	2255	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F MINIMUM BEARING LENGTH AT JOINT F = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	1841	1212 / 0	0 0	0 / 0	0 0	628 0	0 0
F	1592	1061 / 0	0 0	0 / 0	0 0	531 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.36 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
K-A	-2274	0	0.0	0.0	0.13 (1)		7.42
A-B	-6694	0	-91.8	-91.8	0.22 (1)		3.63
B-C	-10298	0	-91.8	-91.8	0.66 (1)		2.36
C-D	-9247	0	-91.8	-91.8	0.61 (1)		2.62
D-E	-3416	0	-91.8	-91.8	0.16 (1)		4.91
F-E	-2242	0	0.0	0.0	0.13 (1)		7.46
K-L	0	0	-18.5	-18.5	0.21 (1)		10.00
L-M	0	0	-18.5	-18.5	0.21 (1)		10.00
M-J	0	0	-18.5	-18.5	0.21 (1)		10.00
J-N	0	6694	-18.5	-18.5	0.79 (1)		10.00
N-O	0	6694	-18.5	-18.5	0.79 (1)		10.00
O-I	0	6694	-18.5	-18.5	0.79 (1)		10.00
H-I	0	354	0.0	0.0	0.65 (1)		10.00
I-C	0	128	0.0	0.0	0.63 (1)		10.00
H-P	0	832	-18.5	-18.5	0.20 (1)		10.00
P-G	0	832	-18.5	-18.5	0.20 (1)		10.00
G-F	0	0	-18.5	-18.5	0.01 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
I-G	0	2889	0.19 (1)
I-D	0	5928	0.73 (1)
G-D	-2148	0	0.17 (1)
G-E	0	4043	0.50 (1)
J-B	-1577	0	0.12 (1)
A-J	0	7027	0.87 (1)
B-I	0	3806	0.47 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
G	7-11-4	-661	-661	---	BACK	VERT	TOTAL	---	C1
I	4-9-12	-577	-577	---	FRONT	VERT	TOTAL	---	C1
L	11-4	-72	-72	---	BACK	VERT	TOTAL	---	C1
M	2-0-12	-352	-352	---	FRONT	VERT	TOTAL	---	C1
N	2-11-4	-142	-142	---	BACK	VERT	TOTAL	---	C1
O	3-11-4	-983	-983	---	BACK	VERT	TOTAL	---	C1
O	4-0-12	-354	-354	---	FRONT	VERT	TOTAL	---	C1
P	5-11-4	-556	-556	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 49 = 98 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/ 862 (0.15")
ALLOWABLE DEFL.(TL)= L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/ 469 (0.27")

CSI: TC=0.66/1.00 (B-C:1) , BC=0.79/1.00 (I-J:1) , WB=0.87/1.00 (A-J:1) , SSI=0.45/1.00 (C-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (EI (INPUT = 0.90)
JSI METAL= 0.73 (D) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	T54S	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

ID:DMCublNVR6TstFoe31v6I_zns1I-T7ohgkOqpA3ZkEyqYxqXoZB2uPsf_43dGWeQkozME7V

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	5.0	8.0	2.50	3.00
B	TMWW-t	MT20	5.0	6.0		
C	TMV+p	MT20	3.0	4.0		
D	TMWW-t	MT20	5.0	6.0	2.25	2.00
E	TMVW-t	MT20	4.0	6.0	2.00	2.00
F	BMV1+p	MT20	3.0	6.0		
G	BMWWW-t	MT20	6.0	9.0	2.75	4.50
H	BMV+p	MT20	3.0	10.0		
I	BVMWWW-t	MT20	7.0	12.0	4.50	3.75
J	BMWW-t	MT20	5.0	8.0	2.50	3.00
K	BMV1+p	MT20	3.0	6.0	3.50	1.50

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007675

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	V1	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington — Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:14 2020 Page 1

ID:DMCubINVR6TsiFoe31v6I znsiI-0hm5FSIyDNJdta?9MsYvGLOsMVq3LML8VkvQG0zMFIV



TOTAL WEIGHT = 63 lb

(M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
A - J	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B, D, F						
B	TMW+w	MT20	2.0	4.0		
C	TTW-m	MT20	4.0	4.0		
E	TTW-m	MT20	4.0	4.0		
G	TBM1-h	MT20	3.0	4.0		
H, I, K, L, M						
H	BMW1+w	MT20	2.0	4.0		
J	BS-I	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	128	0	128	0	0	21-0-7 (11-11/20-7	
G	128	0	128	0	0	21-0-7 (11-11/20-7	
I	330	0	330	0	0	21-0-7 (11-11/20-7	
L	330	0	330	0	0	21-0-7 (11-11/20-7	
K	433	0	433	0	0	21-0-7 (11-11/20-7	
H	485	0	485	0	0	21-0-7 (11-11/20-7	
M	485	0	485	0	0	21-0-7 (11-11/20-7	

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	90	61 0	0 0	0 0	0 0	29 0	0 0
G	90	61 0	0 0	0 0	0 0	29 0	0 0
I	235	143 0	0 0	0 0	0 0	93 0	0 0
L	235	143 0	0 0	0 0	0 0	93 0	0 0
K	304	212 0	0 0	0 0	0 0	92 0	0 0
H	342	228 0	0 0	0 0	0 0	114 0	0 0
M	342	228 0	0 0	0 0	0 0	114 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, G, I, L, K, H, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-O	-23	2	-91.8	-91.8	0.04 (1)	6.25
O-B	0	33	-91.8	-91.8	0.21 (1)	10.00
B-C	-8	8	-91.8	-91.8	0.20 (1)	10.00
C-D	0	17	-91.8	-91.8	0.17 (1)	10.00
D-E	0	17	-91.8	-91.8	0.17 (1)	10.00
E-F	-8	8	-91.8	-91.8	0.20 (1)	10.00
F-O	0	33	-91.8	-91.8	0.21 (1)	10.00
Q-G	-23	2	-91.8	-91.8	0.04 (1)	6.25
A-N	-9	0	-18.5	-18.5	0.05 (1)	10.00
N-M	-7	7	-18.5	-18.5	0.06 (4)	10.00
M-L	-11	0	-18.5	-18.5	0.06 (4)	6.25
L-K	-17	0	-18.5	-18.5	0.05 (4)	6.25
K-J	-17	0	-18.5	-18.5	0.05 (4)	6.25
J-I	-17	0	-18.5	-18.5	0.05 (4)	6.25
I-H	-11	0	-18.5	-18.5	0.06 (4)	6.25
H-P	-7	7	-18.5	-18.5	0.06 (4)	10.00
P-G	-9	0	-18.5	-18.5	0.05 (1)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
I-E	-266	0	0.09 (1)
L-C	-266	0	0.09 (1)
K-D	-377	0	0.13 (1)
H-F	-393	0	0.06 (1)
M-B	-393	0	0.06 (1)
N-O	-39	5	0.00 (1)
P-O	-39	5	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN, C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.21 1.00 (B-O:1) , BC=0.06/1.00 (L-M:4) , WB=0.13/1.00 (D-K:1) , SSI=0.15/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.61 (C) (INPUT = 0.90)
JSI METAL= 0.20 (F) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/2020
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007616

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	V2	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:15 2020 Page 1

ID:DMCublNVR6TstFoe31v6l_zns1l-UtKTTnJa_hRUUkaLwZ38oYw1qu824qpFkOezoTzMFlU



TOTAL WEIGHT = 54 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
A - H	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (Table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TMW+w	MT20	2.0	4.0		
C	TTW-m	MT20	4.0	4.0		
D	TTW-m	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TBM1-h	MT20	3.0	4.0		
G, I, J, K						
G	BMW1+w	MT20	2.0	4.0		
H	BS-t	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	136	0	136	0	0	17-11-11 (11-11-12-11	
F	135	0	135	0	0	17-11-11 (11-11-12-11	
I	344	0	344	0	0	17-11-11 (11-11-12-11	
G	513	0	513	0	0	17-11-11 (11-11-12-11	
J	342	0	342	0	0	17-11-11 (11-11-12-11	
K	513	0	513	0	0	17-11-11 (11-11-12-11	

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	96	65 0	0 0	0 0	0 0	30 0	0 0
F	95	65 0	0 0	0 0	0 0	30 0	0 0
I	244	155 0	0 0	0 0	0 0	89 0	0 0
G	362	240 0	0 0	0 0	0 0	122 0	0 0
J	242	154 0	0 0	0 0	0 0	88 0	0 0
K	362	240 0	0 0	0 0	0 0	122 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, F, I, G, J, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-M	0	20	-91.8	-91.8	0.04 (1)	10.00	I-D	-292	0	0.11 (1)
M-B	0	71	-91.8	-91.8	0.22 (1)	10.00	G-E	-408	0	0.07 (1)
B-C	0	33	-91.8	-91.8	0.22 (1)	10.00	J-C	-291	0	0.11 (1)
C-D	0	52	-91.8	-91.8	0.11 (1)	10.00	K-B	-408	0	0.07 (1)
D-E	0	33	-91.8	-91.8	0.22 (1)	10.00	L-M	-71	4	0.00 (1)
E-O	0	71	-91.8	-91.8	0.22 (1)	10.00	N-O	-89	5	0.00 (1)
O-F	0	19	-91.8	-91.8	0.04 (1)	10.00				
A-L	-43	0	-18.5	-18.5	0.07 (1)	6.25				
L-K	-30	0	-18.5	-18.5	0.07 (1)	6.25				
K-J	-45	0	-18.5	-18.5	0.07 (4)	6.25				
J-I	-52	0	-18.5	-18.5	0.04 (4)	6.25				
I-H	-45	0	-18.5	-18.5	0.07 (4)	6.25				
H-G	-45	0	-18.5	-18.5	0.07 (4)	6.25				
G-N	-30	0	-18.5	-18.5	0.07 (1)	6.25				
N-F	-43	0	-18.5	-18.5	0.07 (1)	6.25				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.22/1.00 (E-O:1) , BC=0.07/1.00 (K-L:1) , WB=0.11/1.00 (D-I:1) , SSI=0.14/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.61 (C) (INPUT = 0.90)
JSI METAL= 0.21 (E) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007617

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	V3	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington — Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:16 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-y4trg7JCI_ZL6u9XTGaNLmTCIIVXpH4Oy2OWKvzMFIT



TOTAL WEIGHT = 43 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
A - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TMW+w	MT20	2.0	4.0		
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMW+w	MT20	2.0	4.0		
E	TBM1-h	MT20	3.0	4.0		
F, G, H						
F	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	134	0	134	0	0	14-11-11	14-11-11
E	134	0	134	0	0	14-11-11	14-11-11
G	381	0	381	0	0	14-11-11	14-11-11
H	501	0	501	0	0	14-11-11	14-11-11
F	501	0	501	0	0	14-11-11	14-11-11

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	95	65 0	0 0	0 0	0 0	30 0	0 0
E	95	65 0	0 0	0 0	0 0	30 0	0 0
G	272	162 0	0 0	0 0	0 0	118 0	0 0
H	353	237 0	0 0	0 0	0 0	116 0	0 0
F	353	237 0	0 0	0 0	0 0	116 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, E, G, H, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (1)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-J	-20	4	-91.8	-91.8	0.04 (1)		6.25
J-B	0	38	-91.8	-91.8	0.22 (1)		10.00
B-C	-5	12	-91.8	-91.8	0.21 (1)		10.00
C-D	-5	12	-91.8	-91.8	0.21 (1)		10.00
D-L	0	36	-91.8	-91.8	0.22 (1)		10.00
L-E	-20	4	-91.8	-91.8	0.04 (1)		6.25
A-I	-13	0	-18.5	-18.5	0.08 (1)		6.25
I-H	-10	3	-18.5	-18.5	0.08 (4)		6.25
H-G	-13	0	-18.5	-18.5	0.08 (4)		6.25
G-F	-13	0	-18.5	-18.5	0.08 (4)		6.25
F-K	-10	3	-18.5	-18.5	0.08 (4)		6.25
K-E	-13	0	-18.5	-18.5	0.08 (1)		6.25

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
G-C	-316	0	0.11 (1)
H-B	-408	0	0.06 (1)
F-D	-408	0	0.06 (1)
I-J	-46	6	0.00 (1)
K-L	-46	6	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.22/1.00 (B-J:1) , BC=0.06/1.00 (G-H:4) , WB=0.11/1.00 (C-G:1) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.28 (D) (INPUT = 0.90)
JSI METAL= 0.21 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. GALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007618

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	V4	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 11:37:42 2020 Page 1

ID:DMCubINVR6TsiFoe31v6l_zns1I-NKeqA2eMCGf4MYH_q62VAkhU92Pb0QNm3fZNsPzMD_I



TOTAL WEIGHT = 34 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
A - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TMW+w	MT20	2.0	4.0		
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMW+w	MT20	2.0	4.0		
E	TBM1-h	MT20	3.0	4.0		
F, G, H						
F	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	117	0	117	0	0	11-11-11	11-11-11
E	117	0	117	0	0	11-11-11	11-11-11
G	290	0	290	0	0	11-11-11	11-11-11
F	398	0	398	0	0	11-11-11	11-11-11
H	398	0	398	0	0	11-11-11	11-11-11

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	83	56 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
E	83	56 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
G	207	125 / 0	0 / 0	0 / 0	0 / 0	82 / 0	0 / 0
F	281	188 / 0	0 / 0	0 / 0	0 / 0	93 / 0	0 / 0
H	281	188 / 0	0 / 0	0 / 0	0 / 0	93 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, E, G, F, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 8.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-J	-8 / 5	-91.8	-91.8	0.03 (1)	10.00	G-C	-246 / 0	0.06 (1)
J-B	0 / 36	-91.8	-91.8	0.13 (1)	10.00	F-D	-314 / 0	0.05 (1)
B-C	0 / 12	-91.8	-91.8	0.13 (1)	10.00	H-B	-314 / 0	0.05 (1)
C-D	0 / 12	-91.8	-91.8	0.13 (1)	10.00	I-J	-47 / 4	0.00 (1)
D-L	0 / 36	-91.8	-91.8	0.13 (1)	10.00	K-L	-47 / 4	0.00 (1)
L-E	-8 / 5	-91.8	-91.8	0.03 (1)	10.00			
A-I	-13 / 0	-18.5	-18.5	0.05 (1)	8.25			
I-H	-10 / 0	-18.5	-18.5	0.05 (1)	10.00			
H-G	-20 / 0	-18.5	-18.5	0.04 (4)	8.25			
G-F	-20 / 0	-18.5	-18.5	0.04 (4)	8.25			
F-K	-10 / 0	-18.5	-18.5	0.05 (1)	10.00			
K-E	-13 / 0	-18.5	-18.5	0.05 (1)	8.25			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	8.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (B-J:1) , BC=0.05/1.00 (A-I:1) , WB=0.06/1.00 (C-G:1) , SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.22 (D) (INPUT = 0.90)
JSI METAL= 0.16 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007619

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	V5	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:17 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-QGREtTKqWlhCk2kk1_6otz?N9ip5YjBYBi74lLzMFIS



TOTAL WEIGHT = 23 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	T6MI-h	MT20	3.0	4.0		
B	TTW-p	MT20	4.0	4.0	2.25	2.00
C	T6MI-h	MT20	3.0	4.0		
D	BMW14w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	49	0	49	0	0	8-11-11	8-11-11
C	49	0	49	0	0	8-11-11	8-11-11
D	893	0	893	0	0	8-11-11	8-11-11

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	34	22 / 0	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0
C	34	22 / 0	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0
D	631	415 / 0	0 / 0	0 / 0	0 / 0	216 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, C, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 8.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-F	0	347	-91.8	-91.8	0.12 (1)		10.00	D-B	-698	0	0.12 (1)
F-B	0	341	-91.8	-91.8	0.23 (1)		10.00	E-F	-225	0	0.00 (1)
B-H	0	341	-91.8	-91.8	0.23 (1)		10.00	G-H	-225	0	0.00 (1)
H-C	0	347	-91.8	-91.8	0.12 (1)		10.00				
A-E	-321	0	-18.5	-18.5	0.16 (1)		6.25				
E-D	-290	0	-18.5	-18.5	0.17 (1)		6.25				
D-G	-290	0	-18.5	-18.5	0.17 (1)		6.25				
G-C	-321	0	-18.5	-18.5	0.16 (1)		6.25				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.23/1.00 (B-F:1) , BC=0.17/1.00 (D-E:1) , WB=0.12/1.00 (B-D:1) , SSI=0.12/1.00 (A-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1967	1658

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.59 (B) (INPUT = 0.90)
JSI METAL= 0.20 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007620

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	PB1	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:02 2020 Page 1
ID:DMCubINVR6TslFoe31v6l_zns1I-MN1ZkL9Q2hoKQk4rfKK5mpuqJfjFXyxLks?nrjzMFIh



TOTAL WEIGHT = 2 X 25 = 50 lb

(M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		
C	TTWW-m	MT20	5.0	6.0	2.00	2.00
D	TTW-m	MT20	4.0	4.0		
E	TMB1-I	MT20	3.0	4.0		
G	BMWW1-t	MT20	4.0	4.0		
H	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	221	0	221	0	0	7-6-14	7-6-14
E	209	0	209	0	0	7-6-14	7-6-14
H	248	0	248	0	0	7-6-14	7-6-14
G	280	0	280	0	0	7-6-14	7-6-14

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	154	113 0	0 0	0 0	0 0	41 0	0 0
E	146	105 0	0 0	0 0	0 0	39 0	0 0
H	176	109 0	0 0	0 0	0 0	67 0	0 0
G	198	127 0	0 0	0 0	0 0	71 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
A-B	0	15	-91.8	-91.8	0.03	(1)	10.00
B-J	-63	0	-91.8	-91.8	0.01	(1)	6.25
J-C	-75	0	-91.8	-91.8	0.05	(1)	6.25
C-D	-30	0	-91.8	-91.8	0.15	(1)	6.25
D-L	-54	0	-91.8	-91.8	0.05	(1)	8.25
L-E	-41	0	-91.8	-91.8	0.01	(1)	6.25
E-F	0	15	-91.8	-91.8	0.03	(1)	10.00
B-I	0	60	-18.5	-18.5	0.06	(1)	10.00
I-H	0	60	-18.5	-18.5	0.06	(1)	10.00
H-G	0	48	-18.5	-18.5	0.03	(1)	10.00
G-K	0	43	-18.5	-18.5	0.06	(1)	10.00
K-E	0	43	-18.5	-18.5	0.06	(1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	LC
H-C	-176	0	0.03	(1)
C-G	-21	0	0.00	(1)
G-D	-198	0	0.03	(1)
I-J	-121	0	0.00	(1)
K-L	-123	0	0.00	(1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.15(1.00 (C-D:1) , BC=0.06/1.00 (B-I:1) , WB=0.03/1.00 (D-G:1) , SSI=0.11 1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1667	786	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (B) (INPUT = 0.90)
JSI METAL= 0.04 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007600

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	PB2	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:03 2020 Page 1

ID:DMCubiNVR6TslFoe31v6l_zns1l-qabxxh92p?wB2ul2D2sKJ0Q?w31_GPEUzWkKN9zMFlp



Scale = 1:16.4

TOTAL WEIGHT = 2 X 23 = 46 lb

(M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMB1-I	MT20	3.0	4.0		
F	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	318	0	318	0	0	7-6-14	7-6-14
D	318	0	318	0	0	7-6-14	7-6-14
F	320	0	320	0	0	7-6-14	7-6-14

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	223	159 0	0 0	0 0	0 0	63 0	0 0
D	223	159 0	0 0	0 0	0 0	63 0	0 0
F	229	137 0	0 0	0 0	0 0	92 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	15	-91.8	-91.8	0.03 (1)		10.00
B-H	-31	0	-91.8	-91.8	0.07 (1)		6.25
H-C	-135	0	-91.8	-91.8	0.16 (1)		6.25
C-J	-135	0	-91.8	-91.8	0.16 (1)		6.25
J-D	-31	0	-91.8	-91.8	0.07 (1)		6.25
D-E	0	15	-91.8	-91.8	0.03 (1)		10.00
B-G	0	105	-18.5	-18.5	0.15 (1)		10.00
G-F	0	105	-18.5	-18.5	0.15 (1)		10.00
F-I	0	105	-18.5	-18.5	0.15 (1)		10.00
I-D	0	105	-18.5	-18.5	0.15 (1)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
F-C	-148	0	0.03 (1)
G-H	-349	0	0.00 (1)
I-J	-349	0	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.16(1.00 (C-J:1) , BC=0.15(1.00 (F-I:1) , WB=0.03(1.00 (C-F:1) , SSI=0.26(1.00 (D-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.28 (D) (INPUT = 0.90)
JSI METAL= 0.07 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007601

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408223	PB20	4	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:56 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns1I-8_izPKYM7hrKOxBjFY7B9Jg2AAFEry9gNMkfPVzMEMn



TOTAL WEIGHT = 4 X 20 = 80 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TM81-I	MT20	3.0	4.0		
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TM81-I	MT20	3.0	4.0		
F	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	RECMD BRG IN-SX
B	281	0	281	0	0	6-8-6	6-8-6
D	281	0	281	0	0	6-8-6	6-8-6
F	314	0	314	0	0	6-8-6	6-8-6

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	197	141 0	0 0	0 0	0 0	55 0	0 0
D	197	141 0	0 0	0 0	0 0	55 0	0 0
F	224	137 0	0 0	0 0	0 0	87 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
A-B	0	16	-91.8	-91.8	0.04 (1)	10.00	F-C	-159	0	0.02 (1)
B-H	-44	0	-91.8	-91.8	0.05 (1)	6.25	G-H	-250	0	0.00 (1)
H-C	-99	0	-91.8	-91.8	0.12 (1)	6.25	I-J	-250	0	0.00 (1)
C-J	-99	0	-91.8	-91.8	0.12 (1)	6.25				
J-D	-44	0	-91.8	-91.8	0.05 (1)	6.25				
D-E	0	16	-91.8	-91.8	0.04 (1)	10.00				
B-G	0	81	-18.5	-18.5	0.12 (1)	10.00				
G-F	0	81	-18.5	-18.5	0.12 (1)	10.00				
F-I	0	81	-18.5	-18.5	0.12 (1)	10.00				
I-D	0	81	-18.5	-18.5	0.12 (1)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.12/1.00 (C-H:1) , BC=0.12/1.00 (B-G:1) , WB=0.02/1.00 (C-F:1) , SSI=0.18/1.00 (D-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.24 (D) (INPUT = 0.90)
JSI METAL = 0.06 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007627

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408223	PB21	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:57 2020 Page 1

ID:DMCublNVR6TslFoe31v6l znsl1-aAGLcfZ u zB05lvpFeQiXDDeZbFaPRpb0UDxxzMEMm

Scale = 1:15.2



TOTAL WEIGHT = 22 lb
(M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TTW-m	MT20	4.0	4.0		
E	TMB1-I	MT20	3.0	4.0		
G	BMWW1-t	MT20	4.0	4.0		
H	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
B	241	0	241	0	0	6-8-6	6-8-6
E	228	0	228	0	0	6-8-6	6-8-6
H	170	0	170	0	0	6-8-6	6-8-6
G	238	0	238	0	0	6-8-6	6-8-6

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	169	121 0	0 / 0	0 0	0 0	48 0	0 0
E	160	114 0	0 / 0	0 / 0	0 / 0	46 0	0 0
H	122	74 0	0 0	0 0	0 0	48 0	0 0
G	168	111 0	0 0	0 0	0 0	57 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	16	-91.8	-91.8	0.04 (1)	10.00
B-J	-59	0	-91.8	-91.8	0.01 (1)	6.25
J-C	-71	0	-91.8	-91.8	0.07 (1)	6.26
C-D	-28	0	-91.8	-91.8	0.04 (1)	6.25
D-L	-46	0	-91.8	-91.8	0.07 (1)	6.25
L-E	-33	0	-91.8	-91.8	0.01 (1)	6.25
E-F	0	16	-91.8	-91.8	0.04 (1)	10.00
B-I	0	59	-18.5	-18.5	0.07 (1)	10.00
I-H	0	59	-18.5	-18.5	0.07 (1)	10.00
H-G	0	52	-18.5	-18.5	0.04 (1)	10.00
G-K	0	38	-18.5	-18.5	0.07 (1)	10.00
K-E	0	38	-18.5	-18.5	0.07 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
H-C	-107	0	0.02 (1)
C-G	-36	0	0.01 (1)
G-D	-147	0	0.02 (1)
I-J	-139	0	0.00 (1)
K-L	-141	0	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 : ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.07/1.00 (D-L:1) , BC=0.07/1.00 (B-I:1) , WB=0.02/1.00 (D-G:1) , SSI=0.11/1.00 (E-K:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.19 (B) (INPUT = 0.90)
JSI METAL= 0.05 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
[illegible]
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007628

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408223	PB22	1	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:58 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns1I-2Mqjq?acfI52eFK5Nz9fEkmO2zyGJsPzqqDmTNzMEMI



TOTAL WEIGHT = 18 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
B - F	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		
C, D, E, H, I, J						
C	TTBW1*+h	MT20	3.0	8.0	2.25	1.25
D	TMBMW1-I	MT20	8.0	9.0		
E	TTBW1*+h	MT20	3.0	8.0	2.25	1.25
F	TMB1-I	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
B	151	0	151	0	0	6-8-6	6-8-6
F	152	0	152	0	0	6-8-6	6-8-6
J	126	0	125	0	0	6-8-6	6-8-6
H	120	0	120	0	0	6-8-6	6-8-6
I	330	0	330	0	0	6-8-6	6-8-6

UNFACTORED REACTIONS

JT	1ST LOASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	105	83 0	0 0	0 0	0 0	21 0	0 0
F	105	83 0	0 0	0 0	0 0	22 0	0 0
J	90	49 0	0 0	0 0	0 0	41 0	0 0
H	86	47 0	0 0	0 0	0 0	39 0	0 0
I	232	158 0	0 0	0 0	0 0	74 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, F, J, H, I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0	16	-91.8	-91.8	0.04 (1)		10.00
B-L	-53	0	-91.8	-91.8	0.04 (1)		6.25
L-C	-22	0	-91.8	-91.8	0.01 (1)		6.25
C-D	0	3	-91.8	-91.8	0.09 (1)		10.00
D-E	0	3	-91.8	-91.8	0.09 (1)		10.00
E-N	-21	0	-91.8	-91.8	0.01 (1)		6.25
N-F	-52	0	-91.8	-91.8	0.04 (1)		6.25
F-G	0	16	-91.8	-91.8	0.04 (1)		10.00
B-K	0	14	-18.5	-18.5	0.01 (1)		10.00
K-J	0	14	-18.5	-18.5	0.02 (4)		10.00
J-I	-3	0	-18.5	-18.5	0.02 (4)		10.00
I-H	-3	0	-18.5	-18.5	0.02 (4)		10.00
H-M	0	14	-18.5	-18.5	0.01 (1)		10.00
M-F	0	14	-18.5	-18.5	0.01 (1)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
J-C	-95	0	0.01 (1)
H-E	-92	0	0.01 (1)
I-D	-282	0	0.04 (1)
K-L	-1	12	0.00 (1)
M-N	0	13	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

-55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.09(1.00 (D-E:1) , BC=0.02(1.00 (I-J:4) , WB=0.04(1.00 (D-I:1) , SSI=0.11 1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.13 (C) (INPUT = 0.90)
JSI METAL= 0.04 (C) (INPUT = 1.00)



Structural component only
DWG# T-2007629

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	P20	17	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:55 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-en8bC_XkMNjUnocWiqbyd68sgmus6UhWBi?6t2zMEMo



Scale = 1:20.4

TOTAL WEIGHT = 17 X 21 = 363 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TBMI-h	MT20	3.0	4.0		
B	TTW+p	MT20	4.0	6.0	Edge	
C	TBMI-h	MT20	3.0	4.0		
D	BMW1+w	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
A	60	0	60	0	0	7-8-14	7-8-14
C	60	0	60	0	0	7-8-14	7-8-14
D	733	0	733	0	0	7-8-14	7-8-14

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	43	28 0	0 0	0 0	0 0	14 0	0 0
C	42	28 0	0 0	0 0	0 0	14 0	0 0
D	518	339 0	0 0	0 0	0 0	179 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, C, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 8.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	(LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	(LC)
A-F	0	227	-91.8	-91.8	0	0.09	(1)	10.00	D-B	-558	0	0.10	(1)
F-B	0	219	-91.8	-91.8	0	0.17	(1)	10.00	E-F	-199	0	0.00	(1)
B-H	0	219	-91.8	-91.8	0	0.17	(1)	10.00	G-H	-199	0	0.00	(1)
H-C	0	226	-91.8	-91.8	0	0.09	(1)	10.00					
A-E	-207	0	-18.5	-18.5	0	0.13	(1)	6.25					
E-D	-174	0	-18.5	-18.5	0	0.13	(1)	6.25					
D-G	-174	0	-18.5	-18.5	0	0.13	(1)	6.25					
G-C	-207	0	-18.5	-18.5	0	0.13	(1)	6.25					

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.17 1.00 (B-F:1) , BC=0.13/1.00 (D-E:1) , WB=0.10/1.00 (B-D:1) , SSI=0.11-1.00 (C-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1657	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.29 (D) (INPUT = 0.90)
JSI METAL= 0.12 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007626

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	PG20	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:59 2020 Page 1
ID:DMCubINVR6TslFoe31v6l_zns1l-WYO61LaEQcDvFPvHxggunyIaUNHa2Js83KzJ0pzMEMk



TOTAL WEIGHT = 2 X 22 = 45 lb

[M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
B - F	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0	1.50	2.00
C	TMW+w	MT20	2.0	4.0		
D	TTW+p	MT20	4.0	8.0	Edge	
E	TMW+w	MT20	2.0	4.0		
F	TMB1-I	MT20	3.0	4.0	1.50	2.00
H, I, J						
H	BMW1+w	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC FROM	TO	MAX (PLF)	CSI (LC)	MAX. UNBRAC LENGTH
A - B	0	14	-91.8	-91.8	0.02	(1)	10.00
B - L	-71	0	-91.8	-91.8	0.00	(1)	6.25
L - C	-30	0	-91.8	-91.8	0.05	(1)	6.25
C - D	-47	0	-91.8	-91.8	0.05	(1)	6.25
D - E	-47	0	-91.8	-91.8	0.05	(1)	6.25
E - N	-30	0	-91.8	-91.8	0.05	(1)	6.25
N - F	-71	0	-91.8	-91.8	0.00	(1)	6.25
F - G	0	14	-91.8	-91.8	0.02	(1)	10.00
B - K	0	44	-18.5	-18.5	0.01	(1)	10.00
K - J	0	44	-18.5	-18.5	0.01	(4)	10.00
J - I	0	27	-18.5	-18.5	0.02	(4)	10.00
I - H	0	27	-18.5	-18.5	0.02	(4)	10.00
H - M	0	44	-18.5	-18.5	0.01	(4)	10.00
M - F	0	44	-18.5	-18.5	0.01	(1)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
I - D	-111	0	0.02 (1)
J - C	-185	0	0.03 (1)
H - E	-185	0	0.03 (1)
K - L	0	9	0.00 (1)
M - N	0	9	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010; NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.05/1.00 (C-D:1) , BC=0.02/1.00 (H-I:4) , WB=0.03/1.00 (C-J:1) , SSI=0.07/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.10 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007630

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	J1	21	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:01 2020 Page 1
ID:DMCubINVR6TstFae31v6I_zns1I-uBTBW?8oHNqUpbVI5dpsEbLZQFMuoV7BWCFEIHzMFI



TOTAL WEIGHT = 21 X 17 = 353 lb

[M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	525	0	525	0	0	5-8	5-8
C	202	0	202	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C ,D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	389	257 0	0 0	0 0	0 0	111 0	0 0
C	139	113 0	0 0	0 0	0 0	26 0	0 0
D	36	0 0	0 0	0 0	0 0	36 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-161	0	0.0	0.0	0	0.13 (4)	7.81			
A-B	0	28	-91.8	-91.8	0	0.12 (1)	10.00			
B-C	-30	0	-91.8	-91.8	0	0.54 (1)	6.25			
E-D	0	0	-18.5	-18.5	0	0.13 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.54(1.00 (B-C:1) , BC=0.13(1.00 (D-E:4) , WB=0.00(1.00 (n/a:0) , SSI=0.24(1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1657	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.19 (E) (INPUT = 0.90)
JSI METAL= 0.13 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007598

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408222	J2S	4	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 09:00:01 2020 Page 1

ID:DMCubINVR6TslFoe31v6l_zns1l-uBTBW?8oHNgUpbVl5dpsEbLlhFOVoUrBWCFEtHzMFli



TOTAL WEIGHT = 4 X 31 = 125 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
H - B	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
F - C	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.25	2.00
C	TMV+p	MT20	3.0	4.0		
D	TMVW-t	MT20	4.0	6.0	2.00	2.75
E	BMWW1-t	MT20	4.0	4.0		
F	BMV+p	MT20	3.0	4.0		
G	BVMWWW-t	MT20	6.0	9.0	3.25	3.50
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
H	332	0	332	0	0	5-8	5-8
E	208	0	208	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	232	166 0	0 0	0 0	0 0	66 0	0 0
E	145	95 0	0 0	0 0	0 0	50 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	LC	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI	LC
H-B	-311	0	0.0	0.0	0.03	(1)		7.81	B-G	0	97	0.02	(1)
A-B	0	35	-91.8	-91.8	0.14	(5)		10.00	E-D	-186	0	0.08	(1)
B-C	-96	0	-91.8	-91.8	0.05	(1)		6.25	G-E	-7	0	0.00	(1)
C-D	-105	0	-91.8	-91.8	0.05	(1)		6.25	G-D	0	204	0.05	(1)
H-G	0	0	-18.5	-18.5	0.03	(4)		10.00					
F-G	0	15	0.0	0.0	0.01	(1)		10.00					
G-C	-202	0	0.0	0.0	0.01	(1)		7.81					
F-E	0	4	-18.5	-18.5	0.01	(4)		10.00					

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.14-1.00 (A-B:5) , BC=0.03/1.00 (G-H:4) , WB=0.08/1.00 (D-E:1) , SSI=0.09/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.22 (B) (INPUT = 0.90)
JSI METAL= 0.07 (C) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007599

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	J20S	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:51 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-I0v4McUDJ8C2IAIT_X?SGzA59ZPAg_xD41uHzMEMs



TOTAL WEIGHT = 2 X 33 = 65 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
H - B	2x4	DRY	No.2	SPF
A - D	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
F - C	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TMV+p	MT20	3.0	4.0		
D	TMWW-I	MT20	4.0	6.0	2.00	2.00
E	BMWW I-I	MT20	4.0	4.0		
F	BMV+p	MT20	3.0	4.0		
G	BVMWWW-I	MT20	6.0	9.0	3.25	3.50
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
H	333	0	333	0	0	IN-SX	IN-SX
E	208	0	208	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	233	166 0	0 0	0 0	0 0	67 0	0 0
E	145	95 0	0 0	0 0	0 0	50 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
H-B	-309	0	0.0	0.0	0.03	(1)	7.81	B-G	0	70	0.02 (1)
A-B	0	41	-91.8	-91.8	0.14	(5)	10.00	E-D	-185	0	0.08 (1)
B-C	-70	0	-91.8	-91.8	0.07	(1)	6.25	G-E	-13	0	0.00 (1)
C-D	-92	0	-91.8	-91.8	0.06	(1)	6.25	G-D	0	215	0.05 (1)
H-G	0	0	-18.5	-18.5	0.04	(4)	10.00				
F-G	0	12	0.0	0.0	0.02	(1)	10.00				
G-C	-216	0	0.0	0.0	0.02	(1)	7.81				
F-E	0	8	-18.5	-18.5	0.01	(4)	10.00				

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.14/1.00 (A-B:5) , BC=0.04/1.00 (G-H:4) , WB=0.08/1.00 (D-E:11 , SSI=0.09/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	768	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.24 (B) (INPUT = 0.90)
JSI METAL= 0.08 (C) (INPUT = 1.00)

Structural component only
DWG# T-2007623

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408223	J21	4	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:53 2020 Page 1

ID:DMCubINVR6TstFos31v6l_zns1l-hP0qnlWUqmTmXUS8aPZUYh3VGyCuebnDgOW?oAzMEMq



TOTAL WEIGHT = 4 X 12 = 49 lb (M)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
C	175	0	175	0	0	1-8	1-8
B	365	0	365	0	0	5-8	5-8
D	67	0	67	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
C	121	94 0	0 0	0 0	0 0	27 0	0 0
B	256	161 0	0 0	0 0	0 0	75 0	0 0
D	50	18 0	0 0	0 0	0 0	32 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) C, B

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 23	-91.8	-91.8	0.12 (1)	10.00	E-F	-235 7	0.00 (1)
B-F	-17 13	-91.8	-91.8	0.04 (4)	6.25			
F-C	-1 2	-91.8	-91.8	0.23 (1)	10.00			
B-E	0 0	-18.5	-18.5	0.16 (1)	10.00			
E-D	0 0	-18.5	-18.5	0.16 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.02")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.23/1.00 (C-F:1) , BC=0.16/1.00 (D-E:1) , WB=0.00/1.00 (E-F:1) , SSI=0.19/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.26 (B) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007624

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408223	J22	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:03:54 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-AbaD_eX6b3bd9e1K874j4ubgIMZPN21Nv2FYKczMEMp



TOTAL WEIGHT = 3 X 15 = 46 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	341	0	341	0	0	5-8	5-8
C	178	0	178	0	0	1-8	1-8
D	36	0	40	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97781H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.-MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	239	170 0	0 0	0 0	0 0	69 0	0 0
C	122	99 0	0 0	0 0	0 0	23 0	0 0
D	29	0 0	0 0	0 0	0 0	29 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)
F-B	-305	0	0.0	0.0	0.03 (1)
A-B	0	41	-91.8	-91.8	0.14 (5)
B-C	0	0	-91.8	-91.8	0.23 (1)
F-E	0	0	-18.5	-18.5	0.08 (4)
E-D	0	0	-18.5	-18.5	0.08 (4)

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
B-E	0 0	0.00 (1)

MAX. UNBRAC LENGTH	FR-TO
7.81	
10.00	
10.00	
10.00	
10.00	

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L 999 (0.01")

CSI: TC=0.23/1.00 (B-C:1) , BC=0.08/1.00 (D-E:4) , WB=0.00/1.00 (B-E:1) , SSI=0.11 1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP= 0.24 (B) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007625

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	J40	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:52 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1I-6uTN2C71_PHh5sGSGJGMvwHM_XXOqKBNC5JFy4zME7r

Scale = 1:20.5



TOTAL WEIGHT = 2 X 14 = 29 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

Structural component only
DWG# T-2007657

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
E	456	0	456	0	0	5-8	5-8
C	168	0	168	0	0	1-8	1-8
D	38	0	42	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	320	225 0	0 0	0 0	0 0	95 0	0 0
C	116	94 0	0 0	0 0	0 0	22 0	0 0
D	30	0 0	0 0	0 0	0 0	30 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS / WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-404 0	0.0	0.0	0.08 (4)	7.81			
A-B	0 28	-91.8	-91.8	0.12 (1)	10.00			
B-C	-25 0	-91.8	-91.8	0.37 (1)	6.25			
E-D	0 0	-18.5	-18.5	0.09 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.37/1.00 (B-C:1) , BC=0.09/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.20/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.17 (E) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	J41	5	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:54 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I_zns1I-3Hb7Tu8HW1XPKAQqNkJq_LMmiLEmIEhgfPoM1zzME7p

Scale = 1:17.8



TOTAL WEIGHT = 5 X 10 = 49 lb (M)(F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
D - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	4.0	4.0	2.00	1.25
C	BMW1-t	MT20	4.0	4.0	2.00	Edge
D	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
D	139	0	139	0	0	MECHANICAL	
B	117	0	117	0	0	1-8	1-8
C	23	0	25	0	0	1-8	1-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B , C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
D	98	65 0	0 / 0	0 0	0 0	33 0	0 0
B	80	65 0	0 0	0 0	0 0	15 0	0 0
C	18	0 0	0 0	0 0	0 0	18 0	0 0

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	LC	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	LC
D-A	-117 0	0.0	0.0	(1)	0.01	(1)	7.81	A-C	0 0	0.00	(1)
A-B	0 0	-91.8	-91.8	(1)	0.10	(1)	10.00				
D-C	0 0	-18.5	-18.5	(4)	0.03	(4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.10/1.00 (A-B:1) , BC=0.03/1.00 (C-D:4) , WB=0.00/1.00 (A-C:1) , SSI=0.08/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.07 (A) (INPUT = 0.90)
JSI METAL= 0.02 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007658

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
408224	U42	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:55 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I zns1I-XT8WgE9vHKlGyK?1xSq3XYurmlX 1hxqu3YvZPzME7c



TOTAL WEIGHT = 2 X 16 = 31 lb (M)(F)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
E - C	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMW-I	MT20	4.0	4.0	2.00	1.25
D	BMW+w	MT20	2.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	301	0	301	0	0	MECHANICAL	
B	250	0	250	0	0	1-8	1-8
C	50	0	57	0	0	1-8	1-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B , C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	213	140 / 0	0 / 0	0 / 0	0 / 0	73 / 0	0 / 0
B	172	140 / 0	0 / 0	0 / 0	0 / 0	33 / 0	0 / 0
C	40	0 / 0	0 / 0	0 / 0	0 / 0	40 / 0	0 / 0

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)
E-A	-250	0	0.0	0.0	0.03	(1)	7.81	A-D	0	0	0.00 (1)
A-B	0	0	-91.8	-91.8	0.46	(1)	10.00				
E-D	0	0	-18.5	-18.5	0.13	(4)	10.00				
D-C	0	0	-18.5	-18.5	0.16	(4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.48/1.00 (A-B:1) , BC=0.16/1.00 (C-D:4) , WB=0.00/1.00 (A-D:1) , SSI=0.17/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.15 (A) (INPUT = 0.90)
JSI METAL= 0.04 (A) (INPUT = 1.00)

Structural component only
DWG# T-2007659

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C40	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:42 2020 Page 1

ID:DMCubiNVR6TstFoe31v6I_zns1I-Pzsbyo?iLL16uKVXgD50VpshpV5QUojvvXujdfzME8?



TOTAL WEIGHT = 2 X 14 = 28 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	405	0	405	0	0	5-8	5-8
C	130	0	130	0	0	1-8	1-8
D	45	0	50	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX.MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	286	190 0	0 0	0 0	0 0	96 0	0 0
C	90	73 0	0 0	0 0	0 0	17 0	0 0
D	36	0 0	0 0	0 0	0 0	36 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-342	0	0.0	0.0	0	0.13 (4)	7.81			
A-B	0	28	-91.8	-91.8	0	0.12 (1)	10.00			
B-C	-19	0	-91.8	-91.8	0	0.22 (1)	6.25			
E-D	0	0	-18.5	-18.5	0	0.13 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L 999 (0.03")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.13/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007648

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C41	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:44 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I zns1I-LM MNT0?tyHq7dfvoe7UaEx3uJnoyiDCMrNqgYzME7z



TOTAL WEIGHT = 2 X 12 = 23 lb [M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	284	0	284	0	0	5-8	5-8
C	63	0	63	0	0	1-8	1-8
D	44	0	52	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	200	137 0	0 0	0 0	0 0	62 0	0 0
C	46	21 0	0 0	0 0	0 0	25 0	0 0
D	35	0 -3	0 0	0 0	0 0	37 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (7)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	CSI	MAX (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
E-B	-227	0.0	0.0	0	0.11	(4)	7.81				
A-B	0	-91.8	-91.8	28	0.12	(1)	10.00				
B-C	-9	-91.8	-91.8	9	0.08	(4)	10.00				
E-F	0	-18.5	-18.5	0	0.14	(4)	10.00				
F-G	0	-18.5	-18.5	0	0.14	(4)	10.00				
G-D	0	-18.5	-18.5	0	0.14	(4)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	1-11-4	7	1	12	BACK	VERT	TOTAL	---	C1
G	3-11-4	1	1	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 . ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.12:1.00 (A-B:1) , BC=0.14:1.00 (D-E:4) , WB=0.00:1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=0.98 NAIL=0.98 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J.G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007649

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C42	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:45 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-pYYkap1eeGPhtnE6LLej7RUC2j9wh9SMbV7NC_zME7y



TOTAL WEIGHT = 3 X 10 = 28 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	361	0	361	0	0	5-8	5-8
C	130	0	130	0	0	1-8	1-8
D	16	0	17	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	250	190 0	0 0	0 0	0 0	60 0	0 0
C	90	73 0	0 0	0 0	0 0	17 0	0 0
D	12	0 0	0 0	0 0	0 0	12 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- B	-342	0	0.0	0.0	0	0.01 (4)	7.81			
A- B	0	28	-91.8	-91.8	0	0.13 (5)	10.00			
B- C	-19	0	-91.8	-91.8	0	0.22 (1)	6.25			
E- D	0	0	-18.5	-18.5	0	0.02 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2018
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.02/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/6/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007650

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C43	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:46 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1l-Ik66o92GPaXYNxplv39yff1OQ6VqQciVq9sxlRzME7x



TOTAL WEIGHT = 3 X 7 = 21 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	271	0	271	0	0	5-8	5-8
C	45	0	45	0	-23	1-8	1-8
D	8	0	17	0	-2	1-8	1-8

* SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS FACTORED UPLIFT
PROVIDE ANCHORAGE AT BEARING JOINT D FOR 150 LBS FACTORED UPLIFT

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	186	141 0	0 0	0 0	0 0	47 0	0 0
C	31	24 -18	0 0	0 0	0 0	7 0	0 0
D	7	0 -8	0 0	0 0	0 0	12 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	WEBS MAX, UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-244	0	0.0	0.0	0	0.04 (5)	7.81			
A-B	0	26	-91.8	-91.8	0	0.12 (1)	10.00			
B-C	-17	0	-91.8	-91.8	0	0.09 (1)	6.25			
E-D	0	0	-18.5	-18.5	0	0.04 (5)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.04/1.00 (D-E:5) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007651

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C44	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:47 2020 Page 1
ID:DMCubINVR6TsIFoe31v6I_zns1I-mxgU?V3uAtfP_5OUTmhBCsZXYWqD93ye2pcUHIzME7w



TOTAL WEIGHT = 2 X 13 = 26 lb (M)

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	394	0	394	0	0	5-8	5-8
C	130	0	130	0	0	1-8	1-8
D	38	0	42	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	277	190 0	0 0	0 0	0 0	87 0	0 0
C	90	73 0	0 0	0 0	0 0	17 0	0 0
D	30	0 0	0 0	0 0	0 0	30 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI	MAX. UNBRAC LENGTH
E-B	-342	0	0.0	0.0	0.08 (4)		7.81
A-B	0	28	-91.8	-91.8	0.12 (1)		10.00
B-C	-19	0	-91.8	-91.8	0.22 (1)		6.25
E-D	0	0	-18.5	-18.5	0.09 (4)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L 999 (0.02")

CSI: TC=0.22/1.00 (B-C:1) , BC=0.09/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	818	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007652

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C45	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:48 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns1l-E7DsCr3WxBnFcFyg1UCQl46kwwAMuWCoHTL1pJzME7v



TOTAL WEIGHT = 2 X 10 = 21 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	282	0	282	0	0	5-8	5-8
C	55	0	55	0	0	1-8	1-8
D	35	0	44	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	198	137 0	0 0	0 0	0 0	61 0	0 0
C	39	21 0	0 0	0 0	0 0	18 0	0 0
D	29	0 -4	0 0	0 0	0 0	31 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (7)

CHORDS MEMB. FR-TO	MAX. FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FORCE (LBS)	MAX CSI (LC)
E-B	-235 0	0.0	0.0	0	0.07 (4)	7.81			
A-B	0 28	-91.8	-91.8	0	0.12 (1)	10.00			
B-C	-13 5	-91.8	-91.8	0	0.07 (5)	6.25			
E-F	0 0	-18.5	-18.5	0	0.10 (4)	10.00			
F-G	0 0	-18.5	-18.5	0	0.10 (4)	10.00			
G-D	0 0	-18.5	-18.5	0	0.10 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	1-11-4	7	1	12	BACK	VERT	TOTAL	---	C1
G	3-11-4	1	1	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.12/1.00 (A-B:1) , BC=0.10/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1867	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007653

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C46	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:49 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I zns1I-iJnEQB48hUv6EPXta8jIHHfuKKVjdzSxW75bLlzME7u



TOTAL WEIGHT = 7 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
D - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMV+p	MT20	3.0	4.0		
D	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
D	156	0	156	0	0	MECHANICAL	
B	144	0	144	0	0	1-8	1-8
C	55	0	55	0	0	1-8	1-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

SEE MiTek STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B ,C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
D	109	78 0	0 0	0 0	0 0	31 0	0 0
B	99	80 0	0 0	0 0	0 0	19 0	0 0
C	40	23 0	0 0	0 0	0 0	17 0	0 0

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD LC (PLF) FROM	TO	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
D-A	-181	0	0.0	0.0	0.08 (1)	7.81			
A-B	-8	0	-91.8	-91.8	0.14 (1)	10.00			
D-C	0	0	-18.5	-18.5	0.09 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.14/1.00 (A-B:1) , BC=0.09/1.00 (C-D:1) , WB=0.00/1.00 (n/a:0) , SSI=0.13/1.00 (A-B:1) .

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY)		SHEAR (PSI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	818	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.08 (D) (INPUT = 0.90)
JSI METAL = 0.05 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J/G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007654

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C47	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MiTek Industries, Inc. Tue Apr 28 10:19:50 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns1I-AWLddX5mSo1zrY638uEuqVB5sks7MQI5knq8uCzME7t



TOTAL WEIGHT = 5 lb (M)[F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
D - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMV+p	MT20	3.0	4.0		
D	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
D	86	0	86	0	0	MECHANICAL	
B	67	0	67	0	0	1-8	1-8
C	19	0	19	0	0	1-8	1-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

SEE MiTek STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B ,C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX. MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
D	61	39 0	0 0	0 0	0 0	21 0	0 0
B	46	37 0	0 0	0 0	0 0	9 0	0 0
C	14	2 0	0 0	0 0	0 0	12 0	0 0

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
D-A	-74 0	0.0	0.0		0.01 (1)	7.81			
A-B	-2 0	-91.8	-91.8		0.03 (1)	10.00			
D-C	0 0	-18.5	-18.5		0.01 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.03/1.00 (A-B:1) , BC=0.01/1.00 (C-D:4) , WB=0.00/1.00 (n/a:0) , SSI=0.05/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	816	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.03 (D) (INPUT = 0.90)
JSI METAL= 0.02 (A) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
04/28/20
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

Structural component only
DWG# T-2007655

LUL/LUS/LJS/HUS/HHUS/HGUS

SIMPSON Strong-Tie®

Standard and Double-Shear Joist Hangers

VALUE ENGINEERED

This product is preferable to similar connectors because of a) easier installation, b) higher capacities, c) lower installed cost, or a combination of these features.

Most hangers in this series have double-shear nailing — an innovation that distributes the load through two points on each joist nail for greater strength. This allows for fewer nails, faster installation, and the use of all common nails for the same connection. (Do not bend or remove tabs)

Double-shear hangers range from the light capacity LUS hangers to the highest capacity HGUS hangers. For medium load truss applications, the HUS offers a lower cost alternative and easier installation than the HGUS hangers, while providing greater load capacity and bearing than the LUS.

Material: See table on pp. 258–259.

Finish: Galvanized. Some products available in stainless steel or ZMAX® coating; see Corrosion Information, pp. 20–24.

Installation:

- Use all specified fasteners; see General Notes.
- Nails must be driven at an angle through the joist or truss into the header to achieve the tabulated resistances (except LUL).
- Where 16d commons are specified, 10d commons may be used at 0.83 of the tabulated factored resistance.
- Not designed for welded or nailer applications.
- With single ply 2x carrying members, use 10d x 1½" nails into the header and 10d commons into the joist, and reduce the resistance to 0.64 of the table value where 16d nails are specified and 0.77 where 10d nails are specified.

Options:

- LUS, LJS, LUL and HUS hangers cannot be modified.
- Other sizes available; consult your Simpson Strong-Tie representative.
- See Hanger Options Information on p. 126.



Double-Shear Nailing Top View



Double-Shear Nailing Side View; Do not bend tab

Dome Double-Shear Nailing Side View *(available on some models)*

U.S. Patent 5,603,580



LUS28



LU26L



HUS210
(HUS26, HUS28, and HHUS similar)



HGUS28-2



HHUS210-2

Typical HUS26 Installation with Reduced Heel Height
(Truss Designer to provide fastener quantity for connecting multiple members together)





LJS26DS

LUL/LUS/LJS/HUS/HHUS/HGUS



SIMPSON Strong-Tie

HHUS/HGUS

See Hanger Options information on pp. 125–127.

HHUS — Sloped and/or Skewed Seat

- HHUS hangers can be skewed to a maximum of 45° and/or sloped to a maximum of 45°
- For skew only, maximum factored down resistance is 0.85 of the table value
- For sloped only or sloped and skewed hangers, the maximum factored down resistance is 0.72 of the table value
- Uplift resistances for sloped/skewed conditions are 0.62 of the table value
- The joist must be bevel-cut to allow for double-shear nailing

HGUS — Skewed Seat

- HGUS hangers can be skewed only to a maximum of 45°. Factored resistances are:

HGUS Seat Width	Joist	Down Resistance	Uplift
W < 2"	Bevel or square cut	0.62 of table value	0.46 of table value
2" < W < 6"	Bevel cut	0.67 of table value	0.41 of table value
2" < W < 6"	Square cut	0.46 of table value	0.41 of table value
W > 6"	Bevel cut	0.75 of table value	0.41 of table value



Top View HHUS Hanger Skewed Right
(joist must be bevel cut)
All joist nails installed on the outside angle *(non-acute side)*.

Standard and Double-Shear Joist Hangers (cont.)

■ These products are available with additional corrosion protection. For more information, see p. 24.

◤ These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

	Model No.	Ga.	Dimensions (in.) W	H	B	d_e[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L Uplift (K_D = 1.15) lb. / kN	D.Fir-L Normal (K_D = 1.00) lb. / kN	S-P-F Uplift (K_D = 1.15) lb. / kN	S-P-F Normal (K_D = 1.00) lb. / kN
	Single 2x Sizes											
■	LUS24	18	1⅜	3⅛	1¾	2¼	(4) 10d	(2) 10d	710 / 3.16	1625 / 7.23	645 / 2.87	1155 / 5.14
	LU24L	22	1⅜	3	1⅜	2⅛	(4) 10d	(2) 10d x 1½"	360 / 1.60	1020 / 4.54	320 / 1.42	726 / 3.22
	LU26L	22	1⅜	5	1⅝	4⅝	(6) 10d	(4) 10d x 1½"	720 / 3.20	1605 / 7.14	645 / 2.87	1140 / 5.07
SS	LUS26	18	1⅜	4¾	1¾	3¾	(4) 10d	(4) 10d	1420 / 6.32	2170 / 9.65	1290 / 5.74	1630 / 7.25
■	HUS26	18	1⅝	5⅝	3	3⅛	(14) 16d	(6) 16d	2705 / 11.30	4940 / 21.97	2065 / 9.20	3875 / 17.24
	LJS26DS	18	1⅜	5	3½	4⅝	(16) 16d	(6) 16d	2055 / 9.14	4265 / 18.97	1460 / 6.49	4115 / 18.31
	HGUS26	12	1⅝	5⅜	5	4⅛	(20) 16d	(8) 16d	2685 / 11.96	6625 / 29.51	2685 / 11.96	5700 / 25.35
	LU28L	20	1⅜	6¾	1⅝	5⅞	(8) 10d	(6) 10d x 1½"	1140 / 5.07	2185 / 9.72	1020 / 4.54	1550 / 6.89
SS	LUS28	18	1⅜	6⅝	1¾	3¾	(6) 10d	(4) 10d	1420 / 6.32	2520 / 11.21	1290 / 5.74	1790 / 7.96
■	HUS28	16	1⅝	7⅛	3	6⅛	(22) 16d	(8) 16d	3605 / 16.04	5385 / 23.96	2675 / 11.90	4345 / 19.33
	HGUS28	12	1⅝	7⅛	5	6⅛	(36) 16d	(12) 16d	3310 / 14.74	7675 / 34.19	3310 / 14.74	6900 / 30.73
	LU210L	20	1⅜	8	1⅝	7⅛	(10) 10d	(6) 10d x 1½"	1140 / 5.07	2495 / 11.10	1020 / 4.54	1770 / 7.87
SS	LUS210	18	1⅜	7⅞	1¾	3⅞	(8) 10d	(4) 10d	1420 / 6.32	2785 / 12.39	1290 / 5.74	2210 / 9.83

1. Factored uplift resistances have been increased 15% for wind or earthquake loading; no further increase is allowed.
2. Designer must ensure that hanger is compatible with truss when reduced heel height is used.
3. d_e is the distance from the bearing seat to the top joist nail.
4. Resistances shown require a minimum 2-ply girder truss. For fastening to single-ply truss request technical bulletin T-C-N10TRSSCN and/or see installation notes.
5. Nails: 16d = 0.162" dia. x 3½" long. See pp. 27–28 for other nail sizes and information.

Face-Mount Hangers

SIMPSON Strong-Tie®

■ These products are available with additional corrosion protection. For more information, see p. 24.

◤ These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Dimensions (in.) W	H	B	d_a[3]	Fasteners Header	Joist	Factored Resistance D.Fir-L Uplift (K_D = 1.15) lb. / kN	D.Fir-L Normal (K_D = 1.00) lb. / kN	S-P-F Uplift (K_D = 1.15) lb. / kN	S-P-F Normal (K_D = 1.00) lb. / kN
Double 2x Sizes											
■ LUS24-2	18	3⅛	3⅛	2	1½	(4) 16d	(2) 16d	835 3.71	2020 8.99	590 2.62	1435 6.38
SS ■ LUS26-2	18	3⅛	4⅛	2	4	(4) 16d	(4) 16d	1720 7.65	2595 11.54	1545 6.87	1920 8.54
■ HHUS26-2	14	3⁹⁄₁₆	5⅜	3	3¹⁵⁄₁₆	(14) 16d	(6) 16d	2850 12.68	7335 32.63	2065 9.20	5205 23.15
HGUS26-2	12	3⁹⁄₁₆	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
SS LUS28-2	18	3⅛	7	2	4	(6) 16d	(4) 16d	1720 7.65	3325 14.79	1545 6.87	2575 11.45
■ HHUS28-2	14	3⁹⁄₁₆	7⅝	3	6⅛	(22) 16d	(8) 16d	3765 16.75	8940 39.77	2675 11.90	6345 28.22
HGUS28-2	12	3⁹⁄₁₆	7⅞	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
SS ■ LUS210-2	18	3⅛	9	2	6	(8) 16d	(6) 16d	2580 11.48	4500 20.02	2320 10.32	3195 14.21
■ HHUS210-2	14	3⁹⁄₁₆	9⅜	3	8	(30) 16d	(10) 16d	4670 20.77	9660 42.97	4235 18.84	7000 31.14
HGUS210-2	12	3⁹⁄₁₆	9⅞	4	8⅛	(46) 16d	(16) 16d	6840 30.43	14015 62.34	4855 21.60	10270 45.69
Triple 2x Sizes											
HGUS26-3	12	4¹⁵⁄₁₆	5½	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
HGUS28-3	12	4¹⁵⁄₁₆	7¼	4	6⅜	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ HHUS210-3	14	4¹⁵⁄₁₆	9	3	7¹⁵⁄₁₆	(30) 16d	(10) 16d	4670 20.77	9670 43.02	4235 18.84	6865 30.54
HGUS210-3	12	4¹⁵⁄₁₆	9¼	4	8⅜	(46) 16d	(16) 16d	6840 30.43	14645 65.14	4855 21.60	10400 46.26
Quadruple 2x Sizes											
HGUS26-4	12	6⁹⁄₁₆	5⅞	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
HGUS28-4	12	6⁹⁄₁₆	7⅞	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ HHUS210-4	14	6⅛	8⅞	3	7¹⁵⁄₁₆	(30) 16d	(10) 16d	4670 20.77	10155 45.17	4235 18.84	7210 32.07
HGUS210-4	12	6⁹⁄₁₆	9⅜	4	8⅛	(46) 16d	(16) 16d	6840 30.43	14645 65.14	4855 21.60	10400 46.26
HGUS212-4	12	6⁹⁄₁₆	10⅝	4	10⅛	(56) 16d	(20) 16d	7640 33.98	14995 66.70	5425 24.13	10645 47.35
HGUS214-4	12	6⁹⁄₁₆	12⅝	4	11⅞	(66) 16d	(22) 16d	10130 45.06	16400 72.95	7195 32.00	11645 51.80
4x Sizes											
■ LUS46	18	3⁹⁄₁₆	4¾	2	3⅞	(4) 16d	(4) 16d	1720 7.65	2595 11.54	1545 6.87	1920 8.54
■ HHUS46	14	3⅝	5¼	3	3¹⁵⁄₁₆	(14) 16d	(6) 16d	2540 11.30	7335 32.63	2065 9.20	5205 23.15
HGUS46	12	3⅝	5¼	4	4⅛	(20) 16d	(8) 16d	4385 19.51	8950 39.81	3110 13.83	6355 28.27
■ LUS48	18	3⁹⁄₁₆	6¾	2	3⅞	(6) 16d	(4) 16d	1720 7.65	3325 14.79	1545 6.87	2575 11.45
■ HHUS48	14	3⅝	7⅛	3	6⅛	(22) 16d	(8) 16d	3765 16.75	8940 39.77	2675 11.90	6345 28.22
HGUS48	12	3⅝	7⅛	4	6⅛	(36) 16d	(12) 16d	6070 27.00	12980 57.74	4310 19.17	9215 40.99
■ LUS410	18	3⁹⁄₁₆	8¾	2	5⅞	(8) 16d	(6) 16d	2580 11.48	4500 20.02	2320 10.32	3195 14.21
HGUS410	12	3⅝	9	4	8⅛	(46) 16d	(16) 16d	6840 30.43	14015 62.34	4855 21.60	10270 45.69
HGUS412	12	3⅝	10⅞	4	10⅛	(56) 16d	(20) 16d	7640 33.98	14995 66.70	5425 24.13	10645 47.35
HGUS414	12	3⅝	12⅝	4	11⅞	(66) 16d	(22) 16d	10130 45.06	16400 72.95	7195 32.00	11645 51.80

See footnotes on p. 258.

TC – Truss Connectors

SIMPSON Strong-Tie®

The TC truss connector is an ideal connector for scissor trusses and can allow horizontal movement up to 1¼". The TC also attaches plated trusses to top plates or sill plates to resist uplift forces. Typically used on one or both ends of truss as determined by the building designer.

Material: 16 gauge

Finish: G90 galvanized

Design: Factored resistances are in accordance with CSA 086-14

Installation:

- Use all specified fasteners.
- Nails: 10d = 0.148" dia. x 3" long common wire, 10d x 1½ = 0.148" dia. x 1½" long.
- Drive 10d nails into the truss at the inside end of the slotted holes (inside end is towards the centre of the truss) and clinch on the back side. Do not seat these nails into the truss–allow room under the nail head for movement of the truss with respect to the wall.

Optional TC Installation:

- Bend one flange up 90°. Drive specified nails into the top and face of the top plates or install Titen® screws into the top and face of masonry wall. See optional load tables and installation details.



TC24
U.S. Patent 4,932,173



Typical TC24 Installation



TC26
(TC28 Similar)



Optional TC26 Installation for Grouted Concrete Block using a Wood Nailer
(8", 10", 12" Wall Installation Similar)



Optional TC26 Installation for Grouted Concrete Block using Titen Screws

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K_D=1.15)	Uplift (K_D=1.15)
			lb.	lb.
TC24	(4) 10d	(4) 10d	605	430
TC26	(5) 10d	(6) 10d	1015	720
TC28	(5) 10d	(6) 10d	1015	720

Optional TC Installation Table

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K_D=1.15)	Uplift (K_D=1.15)
			lb.	lb.
TC26	(5) 10d	(6) 10d x 1½"	810	660
	(5) 10d	(6) 10d	930	660

1. Factored resistances have been increased 15% for earthquake or wind loading; no further increase allowed; reduce where other loads govern.
2. Grout strength is 15 MPa minimum.
3. Optional TC26 installation with 10d nails requires minimum 3" top plate thickness.
4. TC26 fastened to grouted concrete block with (6) – ¼" x 2¼" Titen screws has a factored uplift resistance of 275 lb.



Seismic and Hurricane Ties (cont.)

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Fasteners			Factored Resistance (K_D = 1.15)					
					D.Fir-L			S-P-F		
		To Rafters/ Truss	To Plates	To Studs	Uplift	Lateral		Uplift	Lateral	
						F_1	F_2		F_1	F_2
					lb.	lb.	lb.	lb.	lb.	lb.
					kN	kN	kN	kN	kN	kN
H1	18	(6) 8d x 1½"	(4) 8d	—	740	685	300	680	485	215
					3.29	3.05	1.33	3.02	2.16	0.96
SS H2A	18	(5) 8d x 1½"	(2) 8d x 1½"	(5) 8d x 1½"	830	220	75	590	155	55
					3.69	0.98	0.33	2.62	0.69	0.24
SS H2.5A	18	(5) 8d	(5) 8d	—	805	160	160	755	160	160
					3.58	0.71	0.71	3.36	0.71	0.71
H2.5T	18	(5) 8d	(5) 8d	—	935	175	210	740	160	210
					3.71	0.78	0.93	3.29	0.71	0.93
SS H3	18	(4) 8d	(4) 8d	—	740	180	265	615	125	190
					3.29	0.80	1.18	2.74	0.56	0.85
H6	16	—	(8) 8d	(8) 8d	1585	1085	—	1125	770	—
					7.05	4.83	—	5.00	3.43	—
H7Z	16	(4) 8d	(2) 8d	(8) 8d	1390	670	—	990	475	—
					6.18	2.98	—	4.40	2.11	—
SS H8[3]	18	(5) 10d x 1½"	(5) 10d x 1½"	—	1120	—	—	1025	—	—
					4.98	—	—	4.56	—	—
SS H10A[9]	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1735	795	410	1505	565	290
					7.72	3.54	1.82	6.69	2.51	1.29
H10AR	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1485	690	430	1220	570	305
					6.61	3.07	1.91	5.43	2.54	1.36
H10A-2	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1835	1275	430	1645	880	305
					8.16	5.67	1.91	7.32	3.91	1.36
H10S[7,9]	18	(8) 8d x 1½"	(8) 8d x 1½"	(8) 8d	1465	795	315	1040	565	225
					6.52	3.54	1.40	4.63	2.51	1.00
H11Z	18	(6) 16d x 2½"	(6) 16d x 2½"	—	1095	920	545	780	655	390
					4.87	4.09	2.42	3.47	2.91	1.73
H14	18	[1] (12) 8d x 1½"	(13) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
		[2] (12) 8d x 1½"	(15) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
TSP	16	(9) 10d x 1½"	(6) 10d x 1½"	—	1295	440	—	920	310	—
					5.76	1.96	—	4.09	1.38	—
		(9) 10d x 1½"	(6) 10d	—	1560	440	—	1105	310	—
					6.94	1.96	—	4.92	1.38	—

1. Factored resistances have been increased 15% for short term loading; no further increase is allowed.
2. Factored resistances are for one anchor. A minimum rafter thickness of 2½" must be used when framing anchors are installed on the same side of the plate (exception: H2.5A).
3. H8 factored uplift resistances for stud-to-bottom plate installations are 595 lb. (2.65 kN) for D.Fir-L and 390 lb. (1.74 kN) for S-P-F.
4. When cross-grain bending or cross-grain tension cannot be avoided, mechanical reinforcement to resist such forces should be considered.
5. Hurricane ties are shown installed on the outside of the wall for clarity. Installation on the inside of the wall is acceptable. For a continuous load path, connections at the top and bottom of the wall must be on the same side of the wall (see technical bulletin T-HTIECONPATH).
6. Factored resistances in the F_1 direction are not intended to replace diaphragm boundary members or prevent cross grain bending of the truss or rafter members. Additional shear transfer elements shall be considered where there may be effects of cross grain bending or tension.
7. H10S can have the stud offset a maximum of 1" from the rafter (centre to centre) for a reduced uplift of 1435 lb. (6.38 kN) D.Fir-L and 1015 lb. (4.51 kN) S-P-F.
8. H10S nails to plates are optional for uplift but required for lateral loads.
9. H10A may be field-bent up to a slope of 6/12. Multiply the tabulated uplift value x 0.75. Full tabulated lateral resistances apply.
10. The factored resistances of stainless-steel connectors match carbon-steel connectors when installed with Simpson Strong-Tie® stainless-steel, SCNR ring-shank nails. For more information, refer to engineering letter L-F-SSNAILS at strongtie.com.
11. D.Fir-L/S-P-F factored uplift resistances for the H2.5A fastened to a 2x4 truss bottom chord and double top plates using (5) 8d x 1½" nails into the top plates and (3) 8d x 1½" nails into the lowest three flange holes into the truss bottom chord is 495 lb. (2.20 kN).
12. Nails: 16d x 2½" = 0.162" dia. x 2½" long, 10d = 0.148" dia. x 3" long, 10d x 1½" = 0.148" dia. x 1½" long, 8d = 0.131" dia. x 2½" long, 8d x 1½" = 0.131" dia. x 1½" long. See pp. 27–28 for other nail sizes and information.

BEARING ANCHORAGE BY TOE-NAILS FOR LATERAL CAPACITY

B97791H1

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL LATERAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	132	147
	3.25	0.144	132	147
	3.50	0.160	159	177
COMMON SPIRAL	3.00	0.122	97	108
	3.25	0.122	97	108
	3.50	0.152	145	162

NOTES:

1. Rafter and ceiling members may be anchored to top and bottom chords of girder truss by toe-nailing rafter and ceiling members to girder chords provided the reaction does not exceed the lateral capacities in the table. Hangers (specified by others) are required for reactions higher than the maximum toe-nail capacity. Reactions are based on factored loads.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.4.1.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in tables below.
5. Nail values in table are based on the following relative lumber densities: G = 0.42 (SPF), G = 0.49 (D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See next page for nailing on bearing plate).
7. For loads due to **wind** the nail lateral capacity in this table may be multiplied by 1.15 (K_D factor).
8. Lumber must be dry (< 19% moisture content) at the time of nail installation.
9. Nail values in this table comply with CSA O86-14, section 12.9.4
10. This design is not valid after March 31, 2021.





TOE-NAIL INSTALLATION

Nail type	Common wire	Common spiral	Common wire	Common spiral
Nail dia. (in)	0.160	0.152	0.144	0.122
	(3.5" nail)		**(3" and 3.25" nail)**	
LUMBER SIZE	**MAXIMUM NUMBER OF TOE-NAILS**			
2X4 SPF	2	2	3	3
2X4 D. Fir	2	2	2	2
2X6 SPF	4	4	4	5
2X6 D. Fir	3	3	3	4

MiTek®
MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

PEO
Certificate No. 10889486

LICENSED PROFESSIONAL ENGINEER
C. Cordogiannis
90553736
PROVINCE OF ONTARIO

December 2, 2019

BEARING ANCHORAGE BY TOE-NAILS FOR WIND LOADING

B97791H2

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL WITHDRAWAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	30	42
	3.25	0.144	32	45
	3.50	0.160	38	52
COMMON SPIRAL	3.00	0.122	26	36
	3.25	0.122	28	40
	3.50	0.152	36	50

Note: If using truss with D. Fir lumber and S-P-F bearing plate, use values in table for S-P-F.

NOTES:

1. Truss chord, rafter, or ceiling members may be anchored to bearing plate by toe-nails, provided that the actual factored uplift force due to **wind** or **earthquake** load does not exceed the withdrawal capacities in the table. Hangers (specified by others) are required for uplift forces that are higher than the maximum toe-nail withdrawal capacity.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.5.2.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in table above.
5. Nail values in table are based on the following relative lumber densities: G = 0.42(SPF), G = 0.49(D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See drawing on detail B37579H1).
7. Lumber must be dry (< 19% moisture content) at the time of nail installation.
8. Nail values in this table comply with CSA O86-14, section 12.9.5
9. This design is not valid after March 31, 2021.

Toe-nailing on 2x6 Bearing Plate



Elevation view





Toe-nailing viewed from end of joist or truss

Toe-nailing on 2x4 Bearing Plate



Elevation view



PEO
Certificate No. 10088486

MiTek®
MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019

Symbols

PLATE LOCATION AND ORIENTATION



Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths or mm. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0-1/16" from outside edge of truss.

This symbol indicates the required direction of slots in connector plates.

*Plate location details available in MiTek software or upon request.

PLATE SIZE

4 x 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING LOCATION

Indicated by symbol shown and/or by text in the bracing section of the output. Use T, I or Eliminator bracing if indicated.

BEARING



Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur.

Industry Standards:

TPIC: Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses

DSB-89: Design Standard for Bracing.

BCSI: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

Numbering System



dimensions shown in ft-in-sixteenths or mm (Drawings not to scale)



JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.

CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.

PRODUCT CODE APPROVALS

CCMC Reports:

11996-L, 10319-L, 13270-L, 12691-R

MiTek®

POWER TO PERFORM.™

MiTek Engineering Reference Sheet: MII-7473C rev. 10-'08

⚠ General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury

1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T, I, or Eliminator bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by TPIC.
7. Design assumes trusses will be suitably protected from the environment in accord with TPIC.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with TPIC Quality Criteria.

ONTARIO WOOD TRUSS FABRICATORS ASSOCIATION

TECH-NOTES

TN 15-001
Piggyback Bracing

Overview:

Where piggybacks are connected overtop of base trusses, 2x4 purlins must be first added to the flat portion of the base truss at a spacing no more than 24" o/c. These purlins not only provide support for the piggyback trusses above, but are required to laterally support the top chord of the base truss which will not have the sheathing directly connected to the flat portion of the base truss. This ensures the top chord, most often in compression, will not buckle laterally.

Further, the purlins in the plane of the flat portion require diagonal bracing to prevent lateral displacement of the purlins themselves where under certain conditions, the trusses may in fact all buckle in the same direction if this additional bracing is not added in the plane of the purlins.

Detail:



NOTE: THE SLOPED PORTION OF THE TOP CHORD OF THE BASE TRUSS AND PIGGYBACK TRUSS IN THIS SKETCH IS ASSUMED TO BE SHEATHED IN ACCORDANCE WITH THE OBC.

SKETCH FROM BCSI-CANADA 2013



Alves Engineering Services Inc.
5208 Easton road
Burlington, Ontario L7L 6N6
(289) 259 5455

RESPONSABILITIES

1-Alves Engineering Services Inc. is responsible for the design of trusses as individual components

2-It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities having jurisdictions.

3- All dimensions are to be verified by owner, contractor, architect or other authority before manufacture.

4- Alves Engineering Services Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Alves Engineering Services Inc. drawings is specified for the truss as a single component and forms an integral part of the truss design, but is not meant to represent the only required bracing for that truss when trusses are installed in a series of trusses forming a roof truss system.

5- It is the manufactures responsibility to ensure that the trusses are manufactured in conformance with Alves Engineering Services Inc. specifications outlined below.

SPECIFICATIONS

1-Truss components sealed by Alves Engineering Services Inc. conform to the relevant sections of the current Building Code of Ontario and Canada (part 4 or part 9) or the current Canadian code for Farm Buildings in accordance with the application specified on the sealed truss component drawing. All truss component design procedures must conform to the current design standard issued by the truss plate institute of Canada (TPIC). All lumber and nailing stresses to conform to the current CSA wood design standard identified on the current Building Code and TPIC.

2- Lumber is to be the sizes and grade specified on the truss drawing.

3- Moist content of lumber is not to exceed 19% in service unless otherwise specified.

4- Plates shall be applied to both faces of the each truss joint and shall be positioned as shown on the truss drawings

5- Lumber used on manufacture of trusses is not to be treated with chemicals unless otherwise specified on the truss drawings.

6- The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals specified on the truss drawing but not exceeding 24" c/c for (part 9) and not exceeding 48" for (part 4 or farm design)

7- When rigid ceiling is not attached directly to the bottom chord, lateral bracing is required and it should not exceed more than 3m or 10' intervals.

8-Refer to Mitek sheet MII7473C REV.10-08 attached for information on symbols, numbering system and General Safety notes.

T-1800218 Feb 09, 2018