

COLOUR SELECTION

UNIT: 306
ADDRESS: 430 Square One Drive

MODEL TYPE: 1B + D
KITCHEN TYPE Galley

PURCHASER: Vishal Gupta & 2691123 Ontario Inc.

BOCATON	DESCRIPTION	ISDC CAC				
LOCATION		UPGRAD				
ITCHEN: CABINETS	Shorewood H3090. Flot Panel (Slandord Package ABOVE)					
AAIN BATH: VANITY CABINETS	Shorewood H3090, Flat Panel (Standard Package ABOVE)					
AAIN BATH: MEDICINE CABINET*	Shorewood H3090, Flat Panel (Standard Package ABOVE)					
MASTER ENSUITE: VANITY CABINETS	N/A					
MASTER ENSUITE: MEDICINE CABINET*	N/A	<u></u>				
	THE STATE OF THE S					
LOCATION	DESCRIPTION	UPGRAD				
KITCHEN BACKSPLASH	Colours & Dimensions, Colour: Dave Grey Bright. Chevron 2 x 9 (Standard Package ABOVE)					
MAIN BATH: FLOOR TILE	Rhyme, Colour: Stone Chamber, 12" x 24" (Standard Package ABOVE)					
MAIN BATH: TUB SURROUND TILE	Colours & Dimensions, Arctic White, Bright Finish 4'x16" (Standard Package ABOVE)					
MASTER ENSUITE: FLOOR TILE	N/A					
MASTER ENSUITE: SHOWER SURROUND TILE	NA					
AUNDRY	Rhyme, Colour, Stone Chamber, 12" x 24" (Standard Package ABOVE)	1				
	COUNTERTOPS	s ili Validati s				
LOCATION	DESCRIPTION	UPGRAI				
KITCHEN COUNTERTOP	Nordic Laft, 6041, Classico Une, (Standard Package ABOVE)	UI GRAL				
· · · · · · · · · · · · · · · · · · ·		 				
KITCHEN WATERFAUL*	N/A Salas 24th (Chandrail)	ļ				
KITCHEN BUILD UP	Edge 3/4" (Standard)	-				
MAIN BATH COUNTERTOP	Nordic Lofi. 6041. Classico Line. (Standard Package ABOVE)	 				
MAIN BATH BUILD UP	Edge 3/4" (Standard)					
MASTER ENSUITE COUNTERTOP	WA					
MASTER ENSUITE BUILD UP	N/A					
	FLOORING	PAGE 1				
	DESCRIPTION Solo Laminate 7", Urban Grey (Standard Package ABOVE)	UPGRA				
LOCATION ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION		UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(s)*	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES					
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION	Solo Laminate 7", Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stolniess Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stalniess Steel (Galley and L-Shape Standard)					
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR	Solo Laminate 7", Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231Y - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stolniess Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stolniess Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stolniess Steel (Galley and L-Shape Standard)					
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR	Solo Laminate 7", Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stolniess Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stalniess Steel (Galley and L-Shape Standard)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(s)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSS430SMSS - 30" - Stalniess Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(s)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN; SINK	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSS6305MSS - 30" - Stalniess Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(s)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSS6305MSS - 30" - Stalniess Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Palish Chrome (Standard)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(s)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSSG305MSS - 30" - Stalniess Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Palish Chrome (Standard) Single Handle Balthroom Sink Faucet K-99760-4, Polished Chrome (Standard)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu./t1 Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSSG305MSS - 30" - Stalniess Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Palish Chrome (Standard) Single Handle Balthroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu./t1 Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSSG30SMSS - 30" - Stolniess Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stalniess Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stalniess Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Palish Chrome (Standard) Single Handle Balhroom Sink Faucet K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOLLET MAIN BATH: ACCESSORIES	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu./tt Bottom Freezer Depth Refrigerator - Stainless Steel (Galley and L-Shape Standard) GE Stove - JCSSG30SMSS - 30" - Stoinless Steel (Galley and L-Shape Standard) GE Dishwasher - GBt632SSMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Balhroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rile-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bor 02-D8424 and Tollet Paper Holder. Palished Chrome (Standard)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSSG30SMSS - 30" - Stoinless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Palish Chrome (Standard) Single Handle Balhroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rile-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bor 02-D8424 and Tollet Paper Holder. Palished Chrome (Standard) N/A	UPGR/				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steel (Galley and L-Shape Standard) GE Stove - JCSSG305MSS - 30" - Stoinless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series - 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Palish Chrome (Standard) Single Handle Balhroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rile-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toliet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toliet Paper Halder. Polished Chrome (Standard) N/A N/A	UPGR/				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stalniess Steel (Galley and L-Shape Standard) GE Stove - JCSSG30SMSS - 30" - Stoinless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Palish Chrome (Standard) Single Handle Balhroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rile-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bor 02-D8424 and Tollet Paper Holder. Palished Chrome (Standard) N/A	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steel (Galley and L-Shape Standard) GE Stove - JCSSG305MSS - 30" - Stoinless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series - 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Palish Chrome (Standard) Single Handle Balhroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rile-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toliet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toliet Paper Halder. Polished Chrome (Standard) N/A N/A	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steel (Galley and L-Shape Standard) GE Stove - JCSS6305MSS - 30" - Stoinless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stoinless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stoinless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series - 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Balhroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toliet K-3946-RA (Standard) Infinity Series 24" Towel Bor 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard) N/A N/A N/A	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steel (Galley and L-Shape Standard) GE Stove - JCSSG305MSS - 30" - Stoinless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series - 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Palish Chrome (Standard) Single Handle Balhroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rile-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toliet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toliet Paper Halder. Palished Chrome (Standard) N/A N/A N/A N/A					
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steel (Galley and L-Shape Standard) GE Stove - JCSSc305MS3 - 30" - Stoinless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMS5 - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series - 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Palish Chrome (Standard) Single Handle Balhroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toliet K-3946-RA (Standard) Infinity Series 24" Towel Bor 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A N/A EXTRAS	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TOILET MAIN BATH: TOILET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES MASTER ENSUITE: ACCESSORIES MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steel (Galley and L-Shape Standard) GE Strove - JCSS630SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series - 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Bathroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder, Palished Chrome (Standard) N/A N/A N/A DESCRIPTION DESCRIPTION	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TOILET MAIN BATH: TOILET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS INTERIOR DOORS	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu./t Bottom Freezer Depth Refrigerator - Stanliess Steel (Galley and L-Shape Standard) GE Stove - JC556305M35 - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT63255M55 - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Sertes. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-996. Polish Chrome (Standard) Single Handle Balthroom Sink Faucet K-997-60-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-397-63-4. Polished Chrome [Standard] Elongated 1.28 GPF Tollet K-397-64-R (Standard) Infinity Series 24" Towel Bar 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A N/A N/A PLATAS DESCRIPTION Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Flat Stab Hollow Core (Standard)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MASTER ENSUITE: ANITY FAUCET MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS INTERIOR DOORS INTERIOR DOORS HEIGHT	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu./1 Bottom Freezer Depth Refrigerator - Stahless Steel (Galley and L-Shape Standard) GE Stove - JCS54308MSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632358MSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Golley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Bathroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Halder. Polished Chrome (Standard) N/A N/A N/A N/A N/A PLATAS DESCRIPTION Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Flat Stab Hollow Core (Standard) 7 Feet (Standard)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: TANITY FAUCET MAIN BATH: TOILET MAIN BATH: TOILET MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS INTERIOR DOORS HEIGHT INTERIOR DOORS HEIGHT INTERIOR DOORS HEIGHT INTERIOR DOORS	APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu./t Bottom Freezer Depth Refrigerator - Stainless Steel (Galley and L-Shape Standard) GE Stove - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cobinet Range - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard) PILMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kilchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Bathroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rile-Temp 2.0 GPM Bath K-799763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toliet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A PILA - 1/2" Baseboard / 2-3/4" Casing (Standard) Flat 1-4 1/2" Baseboard / 2-3/4" Casing (Standard) Flat Islab Hollow Core (Standard) 7 Feet (Standard) 2000 Series Lalchset LH201R Logan. Flat. Solin Nickle (Standard)	UPGRA				
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(5)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MASTER ENSUITE: ANITY FAUCET MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS INTERIOR DOORS INTERIOR DOORS HEIGHT	Solo Laminate 7". Urban Grey (Standard Package ABOVE) APPLIANCES DESCRIPTION LG Refrigerator - LBNC15231V - 28" - 14.7 cu./1 Bottom Freezer Depth Refrigerator - Stahless Steel (Galley and L-Shape Standard) GE Stove - JCS54308MSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632358MSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steel (Golley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Bathroom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Halder. Polished Chrome (Standard) N/A N/A N/A N/A N/A PLATAS DESCRIPTION Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Flat Stab Hollow Core (Standard) 7 Feet (Standard)	UPGR/				

Purchaser's Signature:

Pg 1/3



UPGRADE SELECTION

UNIT: 306

ADDRESS: 430 Square One Drive

MODEL TYPE: 1B + D
KITCHEN TYPE Galley

PURCHASER: Vishal Gupta & 2691123 Ontario Inc.

UPGRADES SUBTOTAL: \$... HST \$... The following are the terms for the payment of the above extras: 1. Cheque payable to Abd & Bedis LLP in Trust OR via Credit Card Payment 1. Cheque payable to Abd & Bedis LLP in Trust OR via Credit Card Payment 2. Full payment via Visa, Mastercard, or Cheque(s) for upgrades below Five Thousand (\$5000.00) VISA \$... 3. Twenty Percent (25%) Deposit via Visa, Mastercard or Cheque(s) for upgrades above Five Thousand (\$5000.01) BALANCE DUE ON OCCUPANCY: \$...

Purchaser(s) is responsible for verifying the occuracy of the information contained within this Upgrade Agreement

Purchaser has been advised of available Upgrades affered by the Builder, and has declined any additional upgrades. Purchaser acknowledges and accepts that any further request for Upgrades at a later date may not be possible due to construction scheduling and shall remain subject to Vendor's complete discretion. All requests for Upgrades from and after the date hereof, if accepted and approved by the Vendor, shall be subject to an administration fee.. The Builder reserves the right in its sole and unfettered discretion at any time, whether before or after acceptance of a request to Upgrade, to decline to accommodate any requested Upgrade. Purchaser also acknowledges and accepts that all Upgrades charges are subject to increase based on availability and/or time of order. All Upgrade and/or change requests are final and binding on the Purchaser once approved and accepted by the Builder. No credit is any deletion of selected Upgrades charge request, once approved by the Builder. Payment of deposit is to be made at time of order by way of either valid credit cord transaction or personal cheque made poyable to Aird & Berlis LIP in Trust. All Upgrade deposits will be held in Irust with Builder's solicitor pending completion, permitted release to the Builder or termination of the transaction as contemplated by the Agreement of Purchase and Sale.

Vender

Purchaser's Signature:

Purchaser's Signature:

Pg 2/3



TERMS AND CONDITIONS

UNIT: 306

ADDRESS: 430 Square One Drive

PURCHASER: Vishai Gupta & 2691123 Ontario Inc.

The Purchaser acknowledges and agrees that the Vendor's obligation to install the chosen finishing selections is conditional and subject to the following terms and conditions.

1. Finishing choices are from Vendor's samples. Colour, texture, appearance, grain, etc. of all installed materials may vary from Vendor's samples due to manufacturing, natural variations in colour, product and installation process. The Purchaser acknowledges that the Vendor accepts no responsibility in the event that a chosen selection becomes subsequently unavailable for any reason whatsoever. If the Vendor is unable or unwilling to supply any of the Purchaser's selections, the Purchaser will, at the request of the Vendor, choose an alternate selection from the Vendor's samples within five (5) business days of being notified by the Vendor to do so. If the Purchaser does not re-select within five (5) business days, the Vendor will make such selections, which selections shall be final and binding on the Purchaser.

2. Where the Purchaser has made Upgrade selections or requested changes that are subject to additional charge, and provided the Vendor or its Sales Representative has notified the Purchaser of its agreement to complete same and the cost(s) for such Upgrade or change request, the Purchaser shall pay the total amount owing by certified cheque to the Vendor within seven (7) business days from being so notified. All cheques are to be made payable to Aird & Berlis LLP, in Trust. Failure to pay the Upgrade or change request fees within the permitted time shall constitute a default under the Agreement of Purchase and Sale and, in such event, the Vendor may, at its option and without further notice, complete the unit to its original specifications.

3.The value of any credit(s) issued to the Purchaser for incomplete or deleted items, where applicable, shall be calculated by the Vendor in its sole and unfettered discretion and shall be non-negotiable. Credit(s), where applicable, shall be adjusted on the final closing Statement of Adjustments.

4. The Purchaser acknowledges and agrees that there shall be no change, alteration or deletion from this finishing selections sheet after acceptance by the Vendor,

5.If any Upgrade or item of finishing remains incomplete in whole or in part on the Occupancy Date, the Purchaser shall accept, without holdback, the Vendor's undertaking to complete such upgrade or item of finishing as soon as possible following occupancy closing. In the event the Vendor elects not to provide or install any selected upgrade or item of finishing that is at additional cost, the Vendor shall refund to the Purchaser by way of an adjustment on the final Statement of Adjustments that portion of the amount poid by the Purchaser allocated to the particular Upgrade or item of finishing not provided. The value of such adjustment to be determined by the Vendor in its sole and unfettered discretion. The said adjustment shall be accepted by the Purchaser as full and final settlement of any claim the Purchaser may have with respect to the said Upgrade or item of finishing and the Purchaser shall complete the closing (whether occupancy or final) without delay, condition or holdback.

6.In the event the purchase and sale transaction is not completed for any reason, the Vendor shall be entitled to retain the full payment for any Upgrade or change request. All sums so paid are acknowledged by the purchaser to be non-refundable.

ALL OTHER TERMS AND CONDITIONS OF THE AGREEMENT OF PURCHASE AND SALE TO REMAIN THE SAME AND CONTINUE IN FULL FORCE AND EFFECT, AND TIME REMAINS OF THE ESSENCE

D/	ATED of MUSSISSYL	uga mis 20t	of	January	, 2022
Witness Signature:	A	Purchaser Signature:		_Purchaser Signature:	

THE UNDERSIGNED hereby accepts this offer.

DATED OF TURNS 4 OF FEBRUARY, 202

AMACON DEVELOPMENT (CITY CENTRE) CORP.

have the authority to bind the corporation