

COLOUR SELECTION

UNIT: 317

ADDRESS: 430 Square One Drive MODEL TYPE: 2B KITCHEN TYPE Linear PURCHASER: VISHAL GUPTA

	CABINETRY	0.00000 Buck Br	
LOCATION	DESCRIPTION	UPGRADE	
ITCHEN: CABINETS	Shorewood H3090. Flat Panel [Slandard Package ABOVE]		
AAIN BATH: VANITY CABINETS	Shorewood H3090. Flat Panel (Standard Package ABOVE)		
MAIN BATH: MEDICINE CABINET*	N/A		
MASTER ENSUITE: VANITY CABINETS	Shorewood H3090, Flai Panel (Standard Package ABOVE)		
MASTER ENSUITE: MEDICINE CABINET*	Shorewood H3090. Fial Panel (Standard Package A8OVE)		
	TILE		
LOCATION	DESCRIPTION	UPGRADE	
KITCHEN BACKSPLASH	Colours & Dimensions. Colour: Dove Grey Bright. Chevron 2 x 9 [Standard Package ABOVE]		
MAIN BATH: FLOOR TILE	Rhyme. Colour. Stone Chamber. 12" x 24" (Standard Package ABOVE)		
MAIN BATH: TUB SURROUND TILE	Colours & Dimensions, Arctic White, Bright Finish 4'X16" (Standard Package ABOVE)		
WASTER ENSUITE: FLOOR TILE	Rhyme. Colour: Stone Chamber, 12" x 24" (Standard Package ABOVE)		
MASTER ENSUITE: SHOWER SURROUND TILE	Colours & Dimensions, Arctic White, Bright Finish 4"x16" [Standard Package ABOVE]		
AUNDRY	Rhyme, Colour: Stone Chamber, 12" x 24" (Standard Package ABOVE)		
	COUNTERTOPS	30400 Fig. 63	
LOCATION	DESCRIPTION	UPGRADE	
KITCHEN COUNTERTOP	Nordic Laff, 6041, Classico (Ine. (Standard Package ABOVE)		
KITCHEN WATERFALL*	N/A		
KITCHEN BUILD UP	Edge 3/4" (Standard)		
MAIN BATH COUNTERTOP	Nordic Loft, 6041, Classico Line, (Standard Package ABOVE)		
MAIN BATH BUILD UP	Edge 3/4" (Standard)	 	
MASTER ENSUITE COUNTERTOP	Nordic Loft, 6041, Classico Line, (Standard Package ABOVE)		
MASTER ENSUITE BUILD UP	Edge 3/4" (Standard)		
	FLOORING		
LOCATION	DESCRIPTION	UPGRADI	
ENTRY, KITCHEN, HALLWAY, LIVING ROOM,		1	
DINNING ROOM, DEN, BEDROOM(s)"	Solo Laminale 7". Urban Grey (Standard Package ABOVE)		
DINNING ROOM, DEN, BEDROOM(s)*	APPLIANCES		
	APPLIANCES DESCRIPTION	UPGRAD	
DINNING ROOM, DEN, BEDROOM(s)*	APPLIANCES	UPGRAD	
DINNING ROOM, DEN, BEDROOM(s)* LOCATION	APPUANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wilde Built in Boltom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCAS640RMSS - 24" - Panel Ready (Linear Standard)	UPGRAD	
DINNING ROOM, DEN, BEDROOM(s)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wilde Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCAS640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GB1412SIMB - 24" - Pull BP321320170 - Panel Ready (Linear Standard)	UPGRAD	
DINNING ROOM, DEN, BEDROOM(s)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER	APPUANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wilde Built In Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCAS640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GB1412SIMB - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hood Cabinet Range - SC-32224 - 24" - Stainless Steel (Linear Standard)		
DINNING ROOM, DEN, BEDROOM(s)* LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: O'IR	APPLIANCES DESCRIPTION LG Refrigerator-LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCASS40RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabinet Range - SC-32224 - 24" - Stainless Steel (Linear Standard) PLUMBING AND ACCESSORIES		
LOCATION LICHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION	APPLIANCES DESCRIPTION LG Refrigerator-LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Slove - JCASS40RMSS - 24" - Panel Ready (Linear Standard) GE Distiwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabinet Range - SC-32224 - 24" - Stainless Steel (Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION		
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: O'IR LOCATION KITCHEN: SINK	APPLIANCES DESCRIPTION LG Refrigerator-LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCASS40RMSS - 24" - Panel Ready (Linear Standard) GE Distwasher - GBT412SIMI - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabinet Range - SC-32224 - 24" - Stainless Steel (Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 24" UDF-23181018 (Standard Unear)		
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET	APPLIANCES DESCRIPTION LG Refrigerator-LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCAS640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabinet Range - SC-32224 - 24" - Stainless Steel (Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 24" UDF-23181018 (Standard Linear) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard)		
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET	APPLIANCES DESCRIPTION LG Refrigerator-LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCASS40RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabine! Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 24" UDF-23181018 [Standard Unear] Pull dawn Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-99760-4, Polished Chrome (Standard)		
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wide Built in Bottom Freezer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCASS40RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabine! Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 24" UDF-23181018 [Standard Unear] Pull dawn Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-99760-4, Pofished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4, Polished Chrome (Standard) Elongated 1,28 GPF Totlet K-3946-RA (Standard)		
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TOILET MAIN BATH: ACCESSORIES	APPLIANCES DESCRIPTION LG Refrigerator-LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pulli BP321320170 - Panel Ready (Linear Standard) GE Stove - JCASS40RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pulli BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabine! Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 24" UDF-23181018 [Standard Unear] Pull dawn Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4, Polished Chrome (Standard) Etangated 1,28 GPF Totlet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder, Polished Chrome (Standard)		
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wide Built in Bottom Freezer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCASS40RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabine! Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 24" UDF-23181018 [Standard Unear] Pull dawn Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-99760-4, Pofished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4, Polished Chrome (Standard) Elongated 1,28 GPF Totlet K-3946-RA (Standard)		
LOCATION LICATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: O'IR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wide Built in Bottom Freezer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCA5640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabine! Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 24" UDF-23181018 [Standard Unear] Pull down Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4, Polished Chrome (Standard) Elongated 1, 28 GPF Totlet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-08424 and Toilet Paper Holder, Polished Chrome (Standard) Single Handle Bathroom Sink Faucel K-99760-4, Polished Chrome (Standard)		
LOCATION LICATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: O'IR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TULE CONTROLS MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: SHOWER CONTROLS	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCASS40RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabine! Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 24" UDF-23181018 [Standard Unear] Pull down Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4, Polished Chrome (Standard) Elongated 1, 28 GPF Tottet K-3946-RA (Standard) Single Handle Bothroom Sink Faucel K-99760-4, Polished Chrome (Standard) Single Handle Bothroom Sink Faucel K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-199763-4, Polished Chrome (Standard)		
LOCATION LICATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: O'IR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wide Built in Bottom Freezer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCASS40RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabine! Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 24" UDF-23181018 [Standard Unear] Pull down Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-59760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Tirm K-179763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Tirm K-179763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Tirm K-179763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Tirm K-179763-4. Polished Chrome (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard)		
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: OILET	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wide Built in Bottom Freezer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCA5640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabinet Range - SC-32224 - 24" - Stainless Steel (Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 24" UDF-23181018 (Standard Unear) Pull down Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-59760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Totel K-3946-RA (Standard) infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Extras	UPGRAD	
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: OILET MASTER ENSUITE: ACCESSORIES MASTER ENSUITE: ACCESSORIES	APPLIANCES DESCRIPTION LG Refrigerator-LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCA5640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabinet Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 24" UDF-23181018 [Standard Unear] Pull down Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-59760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPT Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Tim K-199763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Tim K-199763-4. Polished Chrome (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) ENGRET Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) EXTRAS DESCRIPTION	UPGRAD	
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: OILET MASTER ENSUITE: ACCESSORIES MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS	APPLIANCES DESCRIPTION LG Refrigerator-LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCA5640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hoad Cabinet Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 24" UDF-23181018 [Standard Unear] Pull down Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-59760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-199760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-199760-4. Polished Chrome (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) EXTRAS DESCRIPTION Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)	UPGRAD	
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: OILET MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS INTERIOR DOORS	APPLIANCES DESCRIPTION LG Refrigerator-LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator-Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCA5640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GBT412SIMIR - 24" - Pull BP321320170 - Panel Ready (Linear Standard) Cyclone Under Hood Cabinet Range - SC-32224 - 24" - Stainless Steel [Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 24" UDF-23181018 [Standard Unear] Pull down Kitchen Sink Faucel K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-59760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Tirm K-199760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Tirm K-199760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Tirm K-199760-4. Polished Chrome (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) EXTRAS DESCRIPTION Flat - 4 1 / 2" Baseboard / 2-3/4" Casing (Standard) Flat Slab Hollow Core (Standard)	UPGRAD	
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS INTERIOR DOORS INTERIOR DOORS	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wide Built in Bottom Freazer Refridgerator -Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCAS640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GB1412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) GE Under Hood Cabinel Range - SC-32224 - 24" - Stainless Steel (Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermaunt Series. 24" UDF-23181018 [Standard Linear] Pull down Kitchen Sink Faucel K-996. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-179763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-179763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-179763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) EXTRAS DESCRIPTION Fial - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Fial Slab Hollow Core (Standard) Fial Slab Hollow Core (Standard)	UPGRAD	
LOCATION LICATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: O'IR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOLLET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: TOLLET MASTER ENSUITE: TOLLET MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS INTERIOR DOORS INTERIOR DOORS HEIGHT INTERIOR DOOR HARDWARE	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wide Built in Bottom Freozer Refridgerator -Puli BP321320170 - Panel Ready (Unear Standard) GE Stove - JCAS640RMSS - 24" - Panel Ready (Unear Standard) (GE Distrussher - GBT412SIMBI - 24" - Puli BP321320170 - Panel Ready (Unear Standard) Cyclone Under Hood Cabinet Range - SC-32224 - 24" - Staintess Steel (Unear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 24" UDF-23181018 [Standard Unear) Pull down Klichen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Bothroom Sink Faucet K-99760-4. Palshed Chrome (Standard) Rite-Temp 2.0 GPM Bath K-799763-4. Palshed Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Palshed Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-799763-4. Palshed Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-799763-4. Palshed Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-799763-4. Palshed Chrome (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Palshed Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Palshed Chrome (Standard) EXTRAS DESCRIPTION Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Flat Slab Hollow Core (Slandard) 7 Feet (Slandard) 2000 Series Latchset LH201R Logan. Flat. Satin Nickle (Standard)	UPGRAD	
LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: ACCESSORIES LOCATION BASEGOARDS/CASINGS INTERIOR DOORS HEIGHT	APPLIANCES DESCRIPTION LG Refrigerator- LSBNC1021P- 22" Wide Built in Bottom Freazer Refridgerator -Pull BP321320170 - Panel Ready (Linear Standard) GE Stove - JCAS640RMSS - 24" - Panel Ready (Linear Standard) GE Dishwasher - GB1412SIMII - 24" - Pull BP321320170 - Panel Ready (Linear Standard) GE Under Hood Cabinel Range - SC-32224 - 24" - Stainless Steel (Linear Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermaunt Series. 24" UDF-23181018 [Standard Linear] Pull down Kitchen Sink Faucel K-996. Polish Chrome (Standard) Single Handle Bothroom Sink Faucel K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-179763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-179763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-179763-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Shower Trim K-179763-4. Polished Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) EXTRAS DESCRIPTION Fial - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Fial Slab Hollow Core (Standard) Fial Slab Hollow Core (Standard)	UPGRAD	

Pg 1/3



UPGRADE SELECTION

UNIT: 317

ADDRESS: 430 Square One Drive

MODEL TYPE: 2B
KITCHEN TYPE Linear
PURCHASER: VISHAL GUPTA

UPGRADES			2000 p. 1
	SUBTOTAL:	\$	-
	HST	\$	-
The following are the terms for the payment of the above extras:	DÉCOR CREDIT		
1. Cheque payable to Akd & Berlis LLP in Trust OR via Credit Card Payment	TOTAL	\$	•
2. Full payment via Visa, Mastercard, or Cheque(s) for upgrades below Five Thousand Five Thousand (\$5000.00)	VISA	5	-
3. Twenty Percent (25%) Deposit via Visa, Mastercard or Cheque(s) for upgrades above Five Thousand (\$5000.01) with the remaining balance due on Occupancy	BALANCE DUE ON OCCUPANCY:	5	

Purchaser(s) is responsible for verifying the accuracy of the information contained within this Upgrade Agreemen

Purchaser has been advised of available Upgrades offered by the Builder, and has declined any additional upgrades. Purchaser acknowledges and accepts that any further request for Upgrades at a later date may not be possible due to construction scheduling and shall remain subject to Vendor's complete discretion. All requests for Upgrades from and after the date hereof, if accepted and approved by the Vendor, shall be subject to an administration fee., The Builder reserves the right in its sole and unfettered discretion at any time, whether before or after acceptance of a request to Upgrade, to decline to accommodate any requested Upgrade. Purchaser also acknowledges and accepts that all Upgrades charges are subject to increase based on availability and/or time of order. All Upgrade and/or change requests are find and binding on the Purchaser once approved and accepted by the Builder. No credit is available for any deletion of selected Upgrade or change request, once approved by the Builder. Payment of deposit is to be made at time of order by way of either valid aredit card transaction or personal cheque made payable to Aird & Berlis LLP in Trust. All Upgrade deposits will be held in trust with Builder's solicitor pending completion, permitted release to the Builder or termination of the fransaction as contemplated by the Agreement of Purchase and Sale.

Vendo:

Purchaser's Signature:

Purchaser's Signature:

Pg 2/3



TERMS AND CONDITIONS

UNIT: 317

ADDRESS: **430 Square One Drive** PURCHASER: **VISHAL GUPTA**

The Purchaser acknowledges and agrees that the Vendor's obligation to install the chosen finishing selections is conditional and subject to the following terms and conditions.

1. Finishing choices are from Vendor's samples. Colour, texture, appearance, grain, etc. of all installed materials may vary from Vendor's samples due to manufacturing, natural variations in colour, product and installation process. The Purchaser acknowledges that the Vendor accepts no responsibility in the event that a chosen selection becomes subsequently unavailable for any reason whatsoever. If the Vendor is unable or unwilling to supply any of the Purchaser's selections, the Purchaser will, at the request of the Vendor, choose an alternate selection from the Vendor's samples within five (5) business days of being notified by the Vendor to do so. If the Purchaser does not re-select within five (5) business days, the Vendor will make such selections, which selections shall be final and binding on the Purchaser.

2. Where the Purchaser has made Upgrade selections or requested changes that are subject to additional charge, and provided the Vendor or its Sales Representative has notified the Purchaser of its agreement to complete same and the cost(s) for such Upgrade or change request, the Purchaser shall pay the total amount owing by certified cheque to the Vendor within seven (7) business days from being so notified. All cheques are to be made payable to Aird & Berlis LLP, in Trust, Failure to pay the Upgrade or change request fees within the permitted time shall constitute a default under the Agreement of Purchase and Sale and, in such event, the Vendor may, at its option and without further notice, complete the unit to its original specifications.

3.The value of any credit(s) issued to the Purchaser for incomplete or deleted items, where opplicable, shall be calculated by the Vendor in its sole and unfettered discretion and shall be non-negotiable. Credit(s), where applicable, shall be adjusted on the final closing Statement of Adjustments.

4.The Purchaser acknowledges and agrees that there shall be no change, atteration or deletion from this finishing selections sheet after acceptance by the Vendor,

5. If any Upgrade or item of finishing remains incomplete in whole or in part on the Occupancy Date, the Purchaser shall accept, wilhout holdback, the Vendor's undertaking to complete such upgrade or item of finishing as soon as possible following occupancy closing. In the event the Vendor elects not to provide or install any selected upgrade or item of finishing that is at additional cost, the Vendor shall refund to the Purchaser by way of an adjustment on the final Statement of Adjustments that portion of the amount paid by the Purchaser allocated to the particular Upgrade or item of finishing not provided. The value of such adjustment to be determined by the Vendor in its sole and unfettered discretion. The said adjustment shall be accepted by the Purchaser as full and final settlement of any claim the Purchaser may have with respect to the said Upgrade or item of finishing and the Purchaser shall complete the closing (whether occupancy or final) without delay, condition or holdback.

6.In the event the purchase and sale transaction is not completed for any reason, the Vendor shall be entitled to retain the full payment for any Upgrade or change request. All sums so paid are acknowledged by the purchaser to be non-refundable.

ALL OTHER TERMS AND CONDITIONS OF THE AGREEMENT OF PURCHASE AND SALE TO REMAIN THE SAME AND CONTINUE IN FULL FORCE AND EFFECT, AND TIME REMAINS OF THE

20th

DATED OF MUSSISSAUGE, TH	isof	- Landy 2022
Ú		
Witness Signature:Purchaser Si	gnature:	Purchaser Signature:
۷.	_/	
THE	UNDERSIGNED hereby accepts this offer.	
DATED OF TURNED	nis c	tebray 2022
AM/	CON DEVELOPMENT (CITY CENTRE) CORF	,

authority to bind the corporation



Appointment of Designate for Colour Selection

This form is to be filled out by the Purchaser(s) indicated on the Agreement of Purchase and Sale (APS).

By completing and signing this form, the Purchaser is indicating that they intend to send a designate, in their place, to pick the Colour Selection scheme for their new home. This form authorizes the designate to sign and deliver certain documents on the Purchaser's behalf.

The completed authorization form should be provided to the Vendor/ Builder at the Colour Selection appointment time or in advance.

To Amacon Development (City Centre) Corp.

I/we will not personally be able attend our Colour Selection appointment, t/we appoint the designate named below to attend the Colour Selection appointment, and have him/her select and sign off on the Colour Selection Agreement on my/ our own behatf:

odion concentration and the man are	
Rost Gupta.	
Name of Purchaser	Name of Purchaser
Signiture of Furchaser	Signature of Purchaser
Significial di Volcasci	-
Day 20, 2522	Date
1.63661.14	Tower: 319
New Home Address	market at ready.
Vishal Goda	
Name of Designate	Signature of Disignate
Phantonada IPM	Designate Contact # <u>447-808-938</u>
Designate ID# (Dostgnate will be asked to show ID before the Colour S	
(DB2Blitto with the sevent to make up person and access to	