

272L

CYE22TSH


GE Cafe™ Series ENERGY STAR® 22.2 Cu. Ft. Counter-Depth French-Door Refrigerator

DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

OVERALL DIMENSIONS	
Height to top of door (in.) A	70-1/2
Height to top of hinge (in.) B	69-7/8
Height to top of case (in.) C	69
Case depth without door (in.) D**	24-3/8
Case depth less door handle (in.) E**	30-1/4*
Case depth with door handle (in.) F**	31-1/4
Depth with fresh food door open 90° (in.) G**	43-3/8
Width (in.) H	35-3/4
Width with door open 90° inc. door handle (in.) I	44-3/4
AIR CLEARANCES	
Each side (in.)	1/8
Top (in.)	1
Back (in.)	2

*Includes hot water knob.

**Water hookup fits in back air clearance when calculating installation depth.



For answers to your Monogram, GE Cafe® Series, GE Profile® Series or GE Appliances product questions, visit our website at proappliances.com or call GE Answer Center Service, 800.639.2000.



As an ENERGY STAR® partner, GE has demonstrated that this product meets the ENERGY STAR® guidelines for energy efficiency.

Specifications Subject to Change

CYE22TSH

GE Cafe™ Series ENERGY STAR® 22.2 Cu. Ft. Counter-Depth French-Door Refrigerator

FEATURES AND BENEFITS

Counter-depth design - Offers a built-in look by fitting nearly flush with surrounding cabinetry

Hot water dispenser - Lets you choose your own temperature or from one of the 4 pre-programmed settings to simply hot food and drink preparation

Precise Fill - Dispenses filtered water in accurate measurements for easy food and drink preparation

TwinChill™ evaporators - Separate climates in the fresh food and freezer sections help keep foods fresh

Full-width electronic temperature-controlled drawer with colored LED lights - 3 accurate settings deliver the optimal temperature for your favorite foods


Showcase LED lighting - Positioned throughout the interior and under fresh food doors to spotlight foods inside the refrigerator and in the freezer

Advanced water filtration uses RWT® replacement filter - Reduces trace pharmaceuticals from water and ice* († Removes 98% of Ibuprofen, acetaminophen, progesterone and timololiprim. These pharmaceuticals are not necessarily in all users' water)

Drop-down tray - Allows for extra door storage when you need it and tucks away when you don't

Color LCD screen with photo upload - Add a personal touch when you upload photos to the color LCD display from your flash drive

Model CYE22TSHSS - Stainless steel




As an ENERGY STAR® product, this refrigerator has been certified to meet the ENERGY STAR guidelines for energy efficiency.

Specifications Revised 4/15

*G.E. Café™ Series Slide-In Front Control Dual-Fuel Range
with Baking Drawer*

ELECTRICAL REQUIREMENTS: 240V/208V, 60Hz, 40A

INSTALLATION INFORMATION: Before installing, consult installation instructions packed with product for current dimensional data.



*Dimensions are referenced from the point at the back of the range that will contact the rear wall first.




For answers to your Monogram, GE Logo, Series GE Profile, Series or GE Appliances product questions, visit our website at appliances.com or call GE Answer Center, Service, 800-626-3440.


Gas Pipe and Electrical Outlet Locations

NOTE: Make gas connections on the left side and electrical connections on the right side of the control operating

Recommended acceptable electrical outlet area. Orient the electrical receptacle so the length is parallel to the floor.



Product is shipped with 4 grams
plus. Recommended outlet is
a NEMA 14-50R receptacle.

[illegible]

Specimens Dried 5.10

C2S985SETSS

GE Cafe™ Series Slide-In Front Control Dual-Fuel Range with Baking Drawer

FEATURES AND BENEFITS

Convection Bake - This setting is optimal for baking casseroles or lasagnas, yeast breads, pies and pizzas with no need to turn the pan

5.4 cu. ft. Oven Capacity - Enough room to cook an entire meal at once

Baking Drawer - Offers an additional 1.0 cu. ft. of capacity for convenient baking from 140° to 450°

Self-Clean Oven - Conveniently cleans the oven cavity without the need for scrubbing

Non-Stick Griddle - Provides a flat, non-stick surface for cooking and warming all types of foods


20,000 BTU tri-ring burner - Three-in-one burner is designed for accelerated boiling and gentle simmering

Center oval burner - Oval fifth burner in the center of the cooktop is large to accommodate odd-sized cookware or griddles

Precise Simmer - Simmer burners allows for low, even heat distribution that is ideal for delicate foods and sauces

Black glass oven interior - Black oven interior adds a stylish touch to any kitchen

Model C2S985SETSS - Stainless steel



CDT725SSF



GE Cafe™ Series Stainless Steel Interior Dishwasher with Hidden Controls

Dimensions and Installation Information (in inches)

Electrical Rating	
Voltage AC	120
Hertz	60
Total connected load amperage	7.1
Corded heater watts max.	415/800

For use on adequately wired 120-volt, 15-amp circuit having 2-wire service with a separate ground wire. This appliance must be grounded for safe operation.

Installation Information: Before installing, consult installation instructions packed with product for current dimensional data.



For answers to your Monogram® Cafe® Series, Profile® Series or GE® appliance questions, visit our website at geappliances.com or call GE Answer Center® service, 800.626.2700.



Specification Revised 8/13


350799

CDT725SSF

GE Cafe™ Series Stainless Steel Interior Dishwasher with Hidden Controls

Features and Benefits

- Full stainless steel interior - Enjoy an attractive appearance and long-lasting durability
- GE's most advanced wash system with 102 cleaning jets - Achieve the ultimate clean from an industry-leading number of jets that deliver complete washing coverage to every corner of the dishwasher
- Reversing Quad Blade Wash Arm - Dishes come out impressively clean thanks to this revolutionary lower wash arm, with 25 spray jets reversing direction to hit items from every angle
- Bottle Wash Jets - Hard-to-reach areas inside tall items get completely clean with four dedicated jets integrated into the upper rack that shower water deep inside for the ultimate clean
- Side Jets - Cascading water fills the dishwasher while hydrating soils
- Easy Touch Adjustable Upper Rack with 2 Stem Safe - Quickly adjust the upper rack 2 inches up or down to accommodate tall glassware and 10 ½" plates with plenty of room in the bottom rack for large platters and cookie sheets
- 46 dBA with status light on door - A dishwasher this quiet has a status light to let you know it is running
- Model CDT725SSFSS - Stainless steel



imagination at work

5.0 cu.ft. MEGA Capacity TurboWash™ Washer with Steam

WT5680HWA/HVA



BIGGER, FASTER, QUIETER.

Think big loads mean big noise? Think again—at 5.0 cu. ft., LG's mega capacity washer is one of its quietest. LG TrueBalance™ ensures even your largest loads are smooth and quiet. From the time-saving performance of TurboWash™ to the gentle cleaning power of steam, you've got the capacity to wash more than ever—while hearing less in the next room.

SPECIFICATIONS


- 5.0 cu. ft. Mega Capacity with NeverRust™ Stainless Steel Drum
- Direct Drive Motor with 10-Year Limited Warranty
- 1,100 RPM
- 14 Washing Programs
- 5 Temperature Settings (All Cold Rinses)

STYLISH DESIGN

- Electronic Control Panel with LED Display and Dial-A-Cycle™
- Touch Buttons
- Chrome Edged Diamond Glass Lid

INNOVATIONS

- TurboWash™ Technology
- Steam Technology
- AAFA Certified Allergene™ Cycle
- NSF Certified Sanitary Cycle
- ColdWash™ Option
- SmartRinse™ Jet Spray System
- SmartDiagnosis™
- SteamProof™ Lid
- TrueBalance™ Anti-Vibration System
- ENERGY STAR Certified
- CEETier 1
- 60Decibel™ Quiet Operation
- SenseClean™
- Delay Wash (Up to 19 Hours)



Steam

TurboWash™

MOTION DD™

COLDWASH™

TrueBalance™

SMART DIAGNOSIS™

Mega Capacity

When it comes to laundry capacity, big is good, bigger is better, but biggest is best. With the largest capacity washer available, now you can wash a king-size comforter and full set of bedding in a single load! At 5.0 cu. ft. of mega capacity, you'll definitely have more room to clean.

TurboWash™ Technology

Tired of spending hours on and finishing your family's laundry? Now, those days are gone. LG's revolutionary TurboWash™ technology allows you to save up to 20 minutes on larger loads*, with outstanding cleaning performance! It's like pressing the fast forward button on your laundry.

Steam Technology

There's no clean like a steam clean. Our steam technology gently but powerfully penetrates fabrics to virtually eliminate dirt, odors and wrinkles.

*Compared to standard top load washers without TurboWash. Based on 60°C/140°F, 1:2017 test protocol. Cycle is compared to cycle at default settings. Up to 20 min. Includes quick wash or expedite cycle (up to 10 min) and 10 min. delay.

5.0 cuft. MEGA Capacity TurboWash™ Washer with Steam

WT5680HWA/HVA



LG

Life's Good

CAPACITY

Capacity 5.0 cu. ft.

APPEARANCE

Design Link Face Control
 Intelligent Electronic Controls with Dual LED Display
 Touch Buttons
 Steam Cycle

ENERGY

Energy Star
 Lin. Fit

WASH PROGRAMS

No. of Programs 18
 Wash Programs: *Cotton/Normal, Bulky/Bedding, Perm Press/Casual, Speed Wash, Heavy Duty, BrightWash™, Power Clean, All-in-One™, Sports Wear, Sensitive Delicates, Tub Clean*
 No. of Options 14
 Options: *IntellWash™, Steam Wash, Spin Link, SteamCare™, Soak, ColdWash™, Extra Rinse, Fabric Softener, Delay Wash, Child Lock, Custom Program, SuperDrum™, Water Plus*
 No. of Wash/Wipe Temp. 5
 Spin Speeds: *Extra Hot, Hot, Warm, Cold, Top Cold (All Cold Rinses)*
 Max. Water Level: *Extra High (7.00 max.), High, Medium, Low, No Spin*
 No. of Soil Levels: *A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z*

FABRIC CARE FEATURES

LeakAlert™ Technology
 Steam Technology
 All-in-One™ Cycle
 Steam Cycle
 WashCare™ Technology
 SmartSense™ Jet Spray System
 ColdWash™ Option
 SmartClean™ System

CONVENIENCE FEATURES

2 + 1 Dispenser Warm Wash, Fabric Softener + Liquid Bleach
 DirectBalance™ Anti-Vibration System
 Smart Load™
 LinerSense
 Status Indicator LED

CONVENIENCE FEATURES CONT.

End of Cycle Signal
 Child Lock
 Area Safe Remount
 Forward Drive System
 Inlet Hot Water Heater
 Lockable™ Coin Operated
 Locking Legs 4 Adjustable Legs

MOTOR AND AGITATOR

Motor Type Direct Drive Motor
 Motor Speed Variable
 Max. RPM 1,000
 Amp Variable

MATERIALS AND FINISHES

Inner Basket Stainless Steel Drum
 Cabinet PCM
 Control Panel PCM
 Top Cover Painted
 Drum and Glass Lid Transparent (White), Dark Gray/Tint (Graphite Steel)
 Available Colors White (W), Graphite Steel (G)

POWER SOURCE

Rating 15A/120V
 Electrical Requirements 120V, 10 Amps
 Type Electric

DIMENSIONS



Product (WxHxD) 27" x 45 3/8" x 26 3/8"
 (S) 34" H with full space
 Carton (WxHxD) 29 1/2" x 48" x 31 3/4"
 Weight (Product/ Carton) 165 lb/166 lb

LIMITED WARRANTY

1 Year Parts and Labor
 10 Year Motor
 Lifetime on Drum

UPC CODES

WT5680HVA Washer (Graphite Steel) 048231 013303
 WT5680HVA Washer (White) 048231 014144
 DLEX5680V Electric Dryer (Graphite Steel) 048231 013312
 DLEX5680V Gas Dryer (Graphite Steel) 048231 013324
 DLEX5680V Electric Dryer with EasyLoad™ Door (Graphite Steel) 048231 013547
 DLEX5680V Gas Dryer with EasyLoad™ Door (Graphite Steel) 048231 013554
 DLEX5680V Electric Dryer (White) 048231 013547
 DLEX5680V Gas Dryer (White) 048231 013554
 DLEX5680V Electric Dryer with EasyLoad™ Door (White) 048231 013547
 DLEX5680V Gas Dryer with EasyLoad™ Door (White) 048231 013554



LG Electronics U.S.A., Inc.

1000 Sylvan Avenue Englewood Cliffs, NJ 07632

Customer Service and Technical Support: (800) 243-0000

LG.com

Design, features and specifications are subject to change without notice. Please refer to the user's manual for details.

© 2013 LG Electronics U.S.A., Inc. All rights reserved. "Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective companies. E12C7/13

LAUNDRY


DLEX5780_E / DLGX5781_E

7.3 cu.ft. Ultra Large SteamDryer™ with EasyLoad™ Door



INTRODUCING EASYLOAD™. EASY IN. EASY OUT.

Introducing a new way to do laundry... your way! Choose to open the door hamper style to load wet clothes or swing the door to the side for unloading dry clothes. With TrueSteam® the LG SteamFresh™ cycle refreshes clothes and reduces wrinkles in just 20 minutes, so your favorite outfit is always ready—and you can give the iron a rest. And with SteamSanitary™ cycle, you can safely sanitize throw pillows, toys and other delicates with the touch of a button.



SPECIFICATIONS

- 7.3 cu. ft. Ultra Large Capacity with NeveRust™ Stainless Steel Drum
- 14 Drying Programs
- 5 Temperature Settings

STYLISH DESIGN

- EasyLoad™ Door
- Electronic Control Panel with LED Display and Dial-A-Cycle™
- Touch Buttons
- Chrome Edged Diamond Glass Door

INNOVATIONS

- TrueSteam™ Technology
- SteamFresh™ Cycle
- SteamSanitary™ Cycle
- ReduceStatic™ Option
- EasyIron™ Option
- Sensor Dry System
- Precise Temperature Control with Variable Heat Source
- NFC Tag On Technology
- LoDecibel™ Quiet Operation
- SmartDiagnosis™
- 3 Minute Installation Check
- FlowSense™ Duct Clogging Indicator
- Wrinkle Care Option
- Rack Dry Option
- Damp Dry Signal



LG EasyLoad™



True Steam®



Tag On



**SMART
DIAGNOSIS™**

EasyLoad™ Door

Introducing a new way to do laundry... your way! Choose to open the dual-opening dryer door either vertically or horizontally, depending on load type, size or convenience. Easy In. Easy Out.

Ultra Large Capacity

Do laundry a little less often. With 7.3 cubic feet of capacity, this dryer handles really large loads, saving you time and energy.

TrueSteam™ Technology

A lot of those crying headaches can be a thing of the past. Our TrueSteam™ Technology generates real steam to reduce wrinkles and odors, and practically eliminates the need for ironing.

LAUNDRY

DLEX5780_E / DLGX5781_E

7.3 cu.ft. Ultra Large SteamDryer™ with EasyLoad™ Door



CAPACITY

Capacity 7.3 cu. ft.

APPEARANCE

EasyLoad™ Door
Design Look
Intelligent Electronic Controls with Digital LCD Display
Touch Buttons
Real-A-Color™

Real Control

DRYER PROGRAMS

No. of Programs 14

Programs (Sensor Dry) Cotton/Normal, Perm. Press/Catal, Heavy/Dry, Baby-Bulking, Delicates, Air-Sensitized, Towels, SensiLoad, Sports Wear, SteamWash™, SteamSanitize™

Programs (Manual Dry) Speed Dry, Air Dry, Freshen Up

No. of Options 10

Options More Time, Less Time, Washable Care, Care and Frequency, Child Lock, Baby's Choice™, EasyIron™, Sleep Dry Signal, End of Cycle Signal, Rack Dry

Temperature Settings High, Medium-High, Medium, Low, Ultra-Low

Drying Levels Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry

Manual Dry Times 60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time

FABRIC CARE FEATURES

Sensor™ Dry Cycle
SteamSanitize™ Cycle
ReduceStarch™ Option
EasyIron™ Option
Sleep Dry
Real-A-Color™ Temperature Control and Variable Heater

CONVENIENCE FEATURES

Self-Diagnostic™ Door Operation
SmartD™ Ignition™
NewSense™ Smart Chugging Indicator
Anti-Startle™ Cycle
Wrinkle Care Option
Remaining Time Display/Status Indicator
Set of 4 to 6 Signal
Child Lock
Sleeping Back
Drum Light
Accessable Door
Leveling Legs
Venting Option
7 Minute Installation Check
NFC Tag On Technology

4 Adjustable Legs

Start for 40 min. Venting 1 Option 3 20 min. Venting

MATERIALS AND FINISHES

NeverRust™ Stainless Steel Drum
Control
Control Panel
Top Cover
Diamond Glass Door
Available Colors
Painted Steel
Plastic
Painted Steel
Thermoplastic (White), Dark Grey Steel (Graphite Steel)
White (W), Graphite Steel (G)

POWER SOURCE

Range
Electrical Requirements
Type
Gas Listed
120V, 15 Amps (Gas) / 240V, 30 Amps (Electric)
Gas/Electric

OPTIONS

LP Conversion Kit
Side Venting Kit
4340EL40020
3636EL90018

DIMENSIONS




Product (WxHxD)
Carbon (WxHxD)
Weight (Product/Category) Electric
Weight (Product/Carbon) Gas
27" x 45 3/8" x 26 3/8"
(50 1/4" H with door open)
29 1/2" x 46" x 31 1/4"
134 lbs/155 lbs
138 lbs/159 lbs

LIMITED WARRANTY

1 Year Parts and Labor

UPC CODES

DLEX5780E Electric Dryer (Graphite Steel) 048231 015547
DLGX5781E Gas Dryer (Graphite Steel) 048231 015548
DLEX5780E Electric Dryer (White) 048231 015549
DLGX5781E Gas Dryer (White) 048231 015550
WT5580WVA Washer (Graphite Steel) 048231 015551
WT5580WVA Washer (White) 048231 015552



LG Electronics U.S.A., Inc.

1000 Sylvan Avenue Englewood Cliffs, NJ 07632

Customer Service and Technical Support: (800) 243-0000

LG.com

Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate.

© 2013 LG Electronics U.S.A., Inc. All rights reserved. "Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective companies. 12/13/13