

GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993 WWW.GOEMANS.COM
Find us on Facebook at www.facebook.com/GoemansAppliances

PACKING SLIP

HB00012935-1

Salesperson: JASON NG
Purchase Date: 10/29/16
Invoice Finished Date:
Delivery/Pickup Date: Dec 07, 2016
Invoice Type: VBL
Date Printed: Nov 02, 2016
Page: 1

ONLINE BANKING ACCOUNT

BILL TO: 4169182805

BURKE, RON & DONYA
2 RIMROCK CRES
LOT 1
WHITBY, ON L1N 7H9

TEL# (416) 918-2805 BUS# (954) 482-2815

Directions: ROSSLAND & BROCK ST

SHIP TO: 4169182805

BURKE, RON & DONYA
2 RIMROCK CRES
LOT 1
WHITBY, ON L1N 7H9

TEL# (416) 918-2805 BUS# (954) 482-2815

QTY	LOC	MODEL #	SERIAL #	COLOUR	BRAND - DESCRIPTION
1		RF23HCEDBSR/AA		STAINLES	SAM, REBC3: REFRIGERATOR, FRENCH 3-DOOR, C 23 CU.FT BM FD FRIDGE, IW DISP, COUNTER DEPTH
-1		P-GPS1016-SAMTAX			
1		NE58F9710WS/AC		STAINLES	SAM, RAES: RANGE, ELECTRIC, SLIDE-IN 30W,5B,5.8CUFT,DUAL CNV,GUIDE LT CTRL,FLEX DUO,W/D
-1		P-GPS1016-SAMTAX			
1		DW80K7050US/AC		STAINLES	SAM, DIS: DISHWASHER 44 DBA, 239 KWH ENERGY CONSUMPTION (E-STAR QUALIFI
-1		P-GPS1016-SAMTAX			
1		MG14J3020CM/AC		STAINLES	SAM, MICT: MICROWAVE, COUNTER-TOP 1.4CU.FT,GRILL ELMT,CER PLT,2STG,LED
1		P-GPS1016-SAMCMO			
1		PRH9-130SS		STAINLES	VEN, HOUN: HOOD, UNDER-CABINET PRO,30WX21DX9H,300CFM,HAL LGHTS
1		P-GPS1016-VEN50			
-1		P-GPS1016-VENTAX			
1		FFFH17F2QW		WHITE	FRI, FRUF: FREEZER, UPRIGHT, FROST FREE UPRIGHT,17CUFT,FROSTPROOF,4SHLVS,PWR LGHT,HNDL,LCK
-1		P-GPS1016-FRITAX			
1		KCSS10LS		STAINLES	KITC, COUN: COUNTER-TOP APPLIANCES 10 PIECE SET (8,10,1.5,3.0, 3.5, 8.0)
This special order product requires a 50% deposit & is considered FINAL SALE. x_____ PLEASE ALLOW UP TO 4-12 WEEKS FOR DELIVERY OF THIS PIECE.					

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY

PINK GOEMANS COPY

GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993 WWW.GOEMANS.COM
Find us on Facebook at www.facebook.com/GoemansAppliances

PACKING SLIP

HB00012935-1

Salesperson: JASON NG
Purchase Date: 10/29/16
Invoice Finished Date:
Delivery/Pickup Date: Dec 07, 2016
Invoice Type: VBL
Date Printed: Nov 02, 2016
Page: 2

ONLINE BANKING ACCOUNT

BILL TO: 4169182805

BURKE, RON & DONYA
2 RIMROCK CRES
LOT 1
WHITBY, ON L1N 7H9

TEL# (416) 918-2805 BUS# (954) 482-2815

Directions: ROSSLAND & BROCK ST

SHIP TO: 4169182805

BURKE, RON & DONYA
2 RIMROCK CRES
LOT 1
WHITBY, ON L1N 7H9

TEL# (416) 918-2805 BUS# (954) 482-2815

QTY	LOC	MODEL #	SERIAL #	COLOUR	BRAND - DESCRIPTION								
1		P-GPS1016-GIVCOO											
1		DISHN	UNASSIGNED		New home dishwasher install								
			INSTALLER										
		Hook-up of waterline, drain and power connection. Drain and water supply must be present and ready or subject to additional cost. BREAKER NOT INCLUDED											
		SPP 4 YR EXT GOLD - 4 APP - \$5000-7499.99											
		<table><tr><th>Model #</th><th>Mfg Wty # of Months</th></tr><tr><td>RF23HCEDBSR/AA</td><td>12</td></tr><tr><td>NE58F9710WS/AC</td><td>12</td></tr><tr><td>DW80K7050US/AC</td><td>0</td></tr></table>	Model #	Mfg Wty # of Months	RF23HCEDBSR/AA	12	NE58F9710WS/AC	12	DW80K7050US/AC	0			
Model #	Mfg Wty # of Months												
RF23HCEDBSR/AA	12												
NE58F9710WS/AC	12												
DW80K7050US/AC	0												
1		PENNY ADJUSTMENT											
		Payment			CASH								

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY

PINK GOEMANS COPY

GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993 WWW.GOEMANS.COM
Find us on Facebook at: www.facebook.com/GoemansAppliances

PACKING SLIP

HB00012935-1

Salesperson: JASON NG
Purchase Date: 10/29/16
Invoice Finished Date:
Delivery/Pickup Date: Dec 07, 2016
Invoice Type: VBL
Date Printed: Nov 02, 2016
Page: 1

ONLINE BANKING ACCOUNT

BILL TO: 4169182805

BURKE, RON & DONYA
2 RIMROCK CRES
LOT 1
WHITBY, ON LIN 7H9

TEL# (416) 918-2805 BUS# (954) 482-2815

SHIP TO: 4169182805

BURKE, RON & DONYA
2 RIMROCK CRES
LOT 1
WHITBY, ON LIN 7H9

TEL# (416) 918-2805 BUS# (954) 482-2815

Directions: ROSSLAND & BROCK ST

QTY	LOC	MODEL #	SERIAL #	COLOUR	BRAND - DESCRIPTION
1		RF23HCEDBSR/AA		STAINLES	SAM, REBC3: REFRIGERATOR, FRENCH 3-DOOR, C 23 CU.FT BM FD FRIDGE, IW DISP, COUNTER DEPTH
-1		P-GPS1016-SAMTAX			
1		NE58F9710WS/AC		STAINLES	SAM, RAES: RANGE, ELECTRIC, SLIDE-IN 30W,5B,5.8CUFT,DUAL CNV,GUIDE LT CTRL,FLEX DUO,W/D
-1		P-GPS1016-SAMTAX			
1		DW80K7050US/AC		STAINLES	SAM, DIS: DISHWASHER 44 DBA, 239 KWH ENERGY CONSUMPTION (E-STAR QUALIFI
-1		P-GPS1016-SAMTAX			
1		MGI4J3020CM/AC		STAINLES	SAM, MICT: MICROWAVE, COUNTER-TOP 1.4CU.FT,GRILL ELMT,CER PLT,2STG,LED
1		P-GPS1016-SAMCMO			
1		PRH9-130SS		STAINLES	VEN, HOUN: HOOD, UNDER-CABINET PRO,30WX21DX9H,300CFM,HAL LGHTS
1		P-GPS1016-VEN50			
-1		P-GPS1016-VENTAX			
1		FFFH17F2QW		WHITE	FRI, FRUF: FREEZER, UPRIGHT, FROST FREE UPRIGHT,17CUFT,FROSTPROOF,4SHLV,S,PWR LGHT,HNDL,LCK
-1		P-GPS1016-FRITAX			
1		KCSS10LS		STAINLES	KITC, COUN: COUNTER-TOP APPLIANCES 10 PIECE SET (8,10,1.5,3.0, 3.5, 8.0)
This special order product requires a 50% deposit & is considered FINAL SALE. x PLEASE ALLOW UP TO 4-12 WEEKS FOR DELIVERY OF THIS PIECE.					

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY

PINK GOEMANS COPY

GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993 WWW.GOEMANS.COM
Find us on Facebook at www.facebook.com/GoemansAppliances

PACKING SLIP

HB00012935-1

Salesperson: JASON NG
Purchase Date: 10/29/16
Invoice Finished Date:
Delivery/Pickup Date: Dec 07, 2016
Invoice Type: VBL
Date Printed: Nov 02, 2016
Page: 2

ONLINE BANKING ACCOUNT

BILL TO: 4169182805

BURKE, RON & DONYA
2 RIMROCK CRES

LOT 1

WHITBY, ON L1N 7H9

TEL# (416) 918-2805 BUS# (954) 482-2815

SHIP TO: 4169182805

BURKE, RON & DONYA
2 RIMROCK CRES

LOT 1

WHITBY, ON L1N 7H9

TEL# (416) 918-2805 BUS# (954) 482-2815

Directions: ROSSLAND & BROCK ST

QTY	LOC	MODEL #	SERIAL #	COLOUR	BRAND - DESCRIPTION
1		P-GPS1016-GIVCOO			
1		DISHN	UNASSIGNED INSTALLER		New home dishwasher install
		Hook-up of waterline, drain and power connection. Drain and water supply must be present and ready or subject to additional cost. BREAKER NOT INCLUDED			
		SPP 4 YR EXT GOLD - 4 APP - \$5000-7499.99			
		Model #	Mfg Wty # of Months		
		RF23HCEDBSR/AA	12		
		NES8F9710WS/AC	12		
		DW80K7050LS/AC	0		
1		PENNY ADJUSTMENT			
		Payment:			CASH

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY

PINK GOEMANS COPY

RF23HCEDBSR

22.5 cu. ft. Counter-Depth French Door Refrigerator with CoolSelect Pantry

Features


- 3-Door Counter-Depth Design
- Large Capacity – 22.5 cu. ft.
- Twin Cooling Plus® System
- ENERGY STAR® Compliant
- Ice Master Ice Maker in the Refrigerator
- CoolSelect Pantry® with Temperature Control
- Premium External Filtered Water and Ice Dispenser
- High-Efficiency LED Lighting
- EZ-Open Handle on Freezer Door
- Adjustable Shelf for Tall, Oversized Items
- Two Humidity-Controlled Crispers
- Tempered Glass Spill-Proof Shelves
- Auto Pull-Out Upper Freezer Drawer
- Easy-to-Access Water Filter

Convenience

- Door Alarm
- Water Filter Indicator
- Child Lock



Ice Master



CoolSelect Pantry with Temperature Control

Available Colour:



Stainless Steel

Signature Features

SLEEK, BUILT-IN LOOK

- Stylish, counter-depth design allows for more work space in the kitchen.
- Sleek, built-in look enhances overall kitchen design.

TWIN COOLING PLUS

- Refrigerator is kept at higher humidity levels to keep perishable fruits and vegetables fresher longer.*
- Freezer air is kept drier for less freezer burn and better tasting frozen foods.
- Fruits and veggies are no longer limited to the crispers. Produce can be placed anywhere in the fresh food compartment and retain ultimate freshness.

*When compared to Samsung fridge models that do not have triple cooling.

ICE MASTER

- Produces up to 10 lbs. of ice per day and stores 4.2 lbs.
- Space-saving design leaves more room in the refrigerator.

COOLSELECT PANTRY

- Provides additional temperature control for your food storage needs with Deli, Fresh and Chilled options.



Ranked **"Highest in Customer Satisfaction with French door Refrigerators"** in 2014 by J.D. Power and Associates.

SAMSUNG


RF23HCEDBSR

22.5 cu. ft. Counter-Depth French Door Refrigerator with CoolSelect Pantry


Installing Your Refrigerator

1. Measure the height, width and depth of the opening, making sure to include baseboards, moulding, tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entry way in the home is wide enough for the refrigerator to be moved through easily.

Please note: The following dimension and cut-out information is for planning purposes only. For complete installation details consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 22.5 cu. ft.

Refrigerator: 15.7 cu. ft.

- Premium External Filtered Water and Ice Dispenser
- Ice Master Ice Maker
- CoolSelect Pantry with Temperature Control – Deli (41°F), Fresh (38°F) and Chilled (32°F) options
- 2 Humidity-Controlled Crispers
- 5 Tempered Glass Spill-Proof Shelves
- Adjustable Shelf for Tall, Oversized Items
- 6 Door Bins
 - Right Door: 3 Gallon Bins
 - Left Door: 3 Regular Bins
- High-Efficiency LED Lighting

Freezer: 6.8 cu. ft.

- EZ-Open Handle
- 1 Drawer Divider
- High-Efficiency LED Lighting

Accessories

Water Filter: HAF-CIN

Warranty

One (1) Year Parts and Labour on Refrigerator

Five (5) Years Parts and Labour on Sealed Refrigeration System Only*

Ten (10) Years Parts and Five (5) Years Labour on Digital Inverter Compressor

*Compressor, evaporator, condenser, drier, connecting tubing

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors):

35 3/4" x 70" x 31"

Dimensions (WxHxD without hinges and door):

35 3/4" x 68 7/8" x 24"

Dimensions (WxHxD with hinge and door, no handle):

35 3/4" x 70" x 28 1/2"

Weight: 297.62 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 38 1/4" x 76 5/8" x 31 1/4"

Weight: 321.87 lbs.

Colour	Model #	UPC Code
Stainless Steel	RF23HCEDBSR	887276966106

SAMSUNG

Samsung received the highest numerical score for ranges/cooktops/ovens, microwaves, and french door refrigerators (3-way tie) in the proprietary J.D. Power and Associates 2014 Kitchen Appliance Study. The 2014 Kitchen Appliance Satisfaction Study is based on more than 3,200 evaluations from customers who purchased cooktops/ranges/ovens; more than 2,100 evaluations from customers who purchased over-the-range microwaves; and more than 6,400 evaluations from customers who purchased refrigerators during the past 24 months. The study was fielded from January through March 2014. Actual colour may vary. Design, specifications, and colour availability are subject to change without notice. Non-metric weights and measurements are approximate.

© 2014 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.

NE58F9710WS


Flex Duo™ Slide-in Electric Range

Features

- Premium Slide-in Design
- Flex Duo™ Technology – traditional single cavity range and double oven in one; unique design easily switches from single cavity to two smaller cavities
- Five Electric Cooktop Elements, including a Triple and Bridge Burner
- Glass Touch Controls with Guiding Light System
- Dual Convection for Even Cooking
- Gliding Rack for Simplest Access to Food in the Oven
- Temperature Probe Ensures Best Cooking Results
- Large Oven Capacity—5.8 cu. ft.
- Warming Drawer: High, Medium, Low
- SteamQuick™ (20 min. oven cleaning) and Self Clean

Convenience

- Hot Surface Indicator Lights
- Auto Oven Light
- Proofing
- Sabbath Mode
- Kitchen Timer
- Delay Start
- Auto Shut-Off Option
- Child Safety Lock
- 5 Healthy Cook Presets



Five Burner Cooktop



Guiding Light Controls

Available Color



Stainless Steel

Signature Features



Slide-in Design

GET A SLEEK, CUSTOMIZED, BUILT-IN LOOK FOR YOUR KITCHEN

- Sleek, slide-in design appears customized with cabinetry.
- Get a high end look for your kitchen without having to remodel.
- Install easily and replace your freestanding range.



Guiding Light Controls

PREMIUM DESIGN WITH ILLUMINATED CONTROLS

- Intuitive controls offer simple, step-by-step instructions for choosing cooking options.
- Only illuminates cooking options that are able to be selected and goes from left to right eliminating back and forth.
- Control temperature and time settings, select cooking functions and program your favorite recipes.



Flex Duo Oven

SINGLE OVEN CAPACITY. DOUBLE OVEN EFFICIENCY

- Space-saving design leaves more room in the refrigerator.
- 5.8 cu. ft. oven splits into two ovens (2.6 cu. ft. and 3.1 cu. ft.) with the Smart Divider.
- Two temperature controls cook dishes at different temperatures.
- No noticeable transfer of aroma.

SAMSUNG


NE58F9710WS

Flex Duo™ Slide-in Electric Range

Installing Your Range



30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame retardant millboard covered with not less than no.28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.

** 18" minimum between the counter top and the adjacent cabinet bottom.




IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

Dimensions



Glass cooktop overlaps and sits on top of your kitchen countertop to give a built-in look. Cut out space for the range is 29 13/16".



Electric Ceramic Cooktop

- Right Front: 6/9/12", 3.0 KW
- Left Front: 7", 1.8 KW (bridge)
- Right Rear: 6", 1.2 KW
- Left Rear: 7", 1.8 KW (bridge)
- Center: 7", 100 W

Dual Oven (with Divider)

- Hidden Bake Element: 3000 W
- Bake: 175°F - 550°F
- Convection Bake: 175°F - 480°F
- Convection Roast: 175°F - 480°F
- Variable Broil (Low - High)
- Convection Element/Heater: 1250 W
- Proofing
- Sabbath Mode

Warming Drawer

- Capacity - 0.7 cu. ft.
- Heating Performance: 600 W (4 pass)
- Temperature Settings: High, Medium, Low

Warranty

One (1) Year All Parts and Labor
Five (5) Years Electric Cooktop

Product Dimensions & Weight (WxHxD)

Outside Dimensions:
31" x 34-36 13/16" (Adjustable) x 26 9/16"

Weight: 209 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:
32 7/8" x 43 45/64" x 30 1/8"

Weight: 234 lbs.

Color

Stainless Steel

Model

NE58F9710WS

UPC Code

887276988153

SAMSUNG

Always consult the user manual for detailed information regarding the use of this product. For more information, please visit the Samsung website at www.samsung.com. ©2011 Samsung Electronics America, Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics America, Inc. All other trademarks are the property of their respective owners.

DW80K7050US


Samsung Dishwasher

Features


- StormWash™ Heavy Duty Wash System
- AutoRelease™ Door
- Third Rack
- Light Indicator
- Five-Layer, Insulated Door
- Digital Leakage Sensor
- FlexLoad™ Racking System
- Touch Control
- ENERGY STAR® rated: 239 kWh/Year
- Half-Load Cycle
- One-Touch Adjustable Racking System
- Quiet Operation – 44 dBA
- Full Stainless Steel Interior
- Hidden Heating Element
- 15 Place Settings
- Filtration System
- Electronic Touch Sensor
- 3 Spray Wash Arms (Upper, Middle, Lower)
- 6 Wash Cycles and 6 Wash Options
- 2 Silverware Baskets

Convenience

- Control Lock
- Rinse Refill Indicator
- Cycle Progress Indicator
- Last Cycle Memory
- Five Sensors (Digital Water Leakage, Rinse Refill, Water Temperature, Turbidity, Water Fill)



AutoRelease™ Door



StormWash™

Available Colors



Stainless Steel
(shown)



Black Stainless Steel

Signature Features

STORMWASH™

- Heavy-duty wash system makes pre-rinsing unnecessary.
- Powerful rotating spray jets positioned to clean dishes at every angle.
- Simply place hard-to-clean items above the StormWash™ wheel on the bottom rack and it scrubs them for you.

AUTORELEASE™ DOOR

- Door opens automatically to dry dishes faster*

*Improvement versus drying performance of the placemat.

THIRD RACK


- Dedicated space for cutlery and utensils adds 30% more usable space to your dishwasher.

SAMSUNG


DW80K7050US

Samsung Dishwasher

Installing Your Dishwasher



Dimensions



Features

- 6 Wash Cycles: Auto, Heavy, Normal, Express 60, Delicate, Rinse Only
- 6 Options: StormWash™, Lower Rack Wash, Sanitize (Anti-Bacterial-NSF), Hi-Temp Wash, Delay Start, Control Lock
- Manual Filtration System
- Hidden Heat Element
- Stainless Steel Interior Tub

Convenience

- Control Lock
- Digital Water Leakage Sensor: Detects Water Leaks Before They Happen and Shuts Off the Dishwasher to Prevent Water Damage.
- Nylon Racking
- Upper Rack: 2 Cup Shelves, Adjustable Tines
- Lower Rack: Adjustable Tines
- 2 Silverware Baskets

Warranty

One (1) Year All Parts and Labor

Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks

Lifetime Limited Warranty on Stainless Steel Door Liner and Tub for Leakage

Product Dimensions & Weight (WxHxD)

Dimensions (height is adjustable):

23 7/8" x 33 7/8" - 35 1/8" x 24 1/4"

Weight: 97 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 26" x 35" x 29 1/2"

Weight: 108 lbs.

Color

Stainless Steel

Black Stainless Steel

Model

DW80K7050US

DW80K7050UG

UPC Code

887276166452

887276166438

SAMSUNG

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2016 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.


FRIGIDAIRE



Freezer

FFFH17F2QW

Frost-Free
17 Cu. Ft. Upright



Product Dimensions

Height (including Hinges)	67-11/16"
Width	34"
Depth (including Door)	28-1/2"

More Easy-To-Use Features

ENERGY STAR®-Qualified

Save money on your utility bills with Energy Star Qualified appliances.

Power-On Indicator Light

Know at a glance that your freezer is working.

Adjustable Temperature Control

Select the correct temperature for your needs.

ENERGY STAR®



Available In:



White
(W)

*Compared to incandescent, 25W and 40W bulbs.

Signature Features

Built with American Pride

Appliances that are high-performing, more accessible, and more innovative than ever — designed, built, and engineered in the U.S.A.

Bright LED Lighting

Brighter LED theatre lighting so you can spend less time digging through your freezer for items.¹

Frost-Free Operation

Never defrost your freezer again so you can spend time on more important things.



Lock with Pop-Out Key

The freezer key automatically ejects after locking the door so you won't leave it in the door.

frigidaire.com

Features	
Door Handle Design	Reach-Through
Reversible Door	
Automatic Door Closer	Yes
Leveling Legs	Yes
Lock with Pop-Out Key	Yes
Defrost	Frost-Free
Adjustable Temperature Control	Mechanical Dial
Front Digital Display	
Temp Display Mode	1-7
High-Temp Duration Readout	
High-Temp Alarm	
Door Ajar Alarm	
Airflow Ports	1
Interior Lighting	LED
Full-Width Adjustable Shelves	4 Wire
Full-Width Fixed Shelves	
Removable Trivet	1
SpaceWise® Shelf Rackend	
Mid-Level Baskets	
Lower Storage Basket	
Basket Dividers	
Retractable Pizza Shelf	
Soft Freeze™ Zone	
SpaceWise® Adjustable Door Bins	
Full-Width Door Bins	
Store-More™ Tilt-Out Wire Door Bins	
Fixed Door Racks	5
Defrost Drain	
Power-On Light	Yes
Certifications	
ENERGY STAR®	Yes
CSA Rating	Household
Specifications	
Total Capacity (Cu. Ft.)	16.63
Shelf Area (Sq. Ft.)	11.6
Annual Energy (kWh)	431
Annual Energy Cost (12/kWh)	\$52
Power Supply Connection Location	Lower Right Rear
Voltage Rating	115V, 60Hz
Connected Load (kW rating) @ 115 Volts†	.6
Amps @ 115 Volts	5
Minimum Circuit Required (Amps)	15
Shipping Weight (Approx.)	193 Lbs.

†An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of National Electrical Code (NFPA 70) and local codes & ordinances.



* When installing freezer adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 140° door swing, providing complete basket access and removal. (Absolute 3" minimum clearance will ONLY allow for 90° door swing which will provide limited basket access with restricted removal.)

NOTE: For planning purposes only. Always consult local and national electric codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.



Product Dimensions	
A - Height (Including Hinges)	67-1/16"
B - Width	34"
C - Depth (Including Door)	26-1/2"
Depth with Door Open 90°	60-1/4"

Accessories information available on the web at frigidaire.com


FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8552 • frigidaire.ca

FFFH17F2Q 03/14

© 2014 Electrolux Home Products, Inc.

Specifications subject to change



* When installing freezer adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 140° door swing, providing complete basket access and removal. (Absolute 3" minimum clearance will ONLY allow for 90° door swing which will provide limited basket access with restricted removal.)

Upright Freezer Specifications

- Product Shipping Weight (approx.) = 193 Lbs.
- An electrical supply with grounded three-prong receptacle is required. The power supply circuit must be installed in accordance with current edition of *National Electrical Code (NFPA 70)* and local codes & ordinances.
- Voltage Rating = 115V, 60Hz
- Connected Load (kW Rating) @ 115 Volts = 0.6 kW
- Amps @ 115 Volts = 5 Amps
- Always consult local and national electric codes.
- For adequate air circulation, allow 3" minimum clearance on all sides and top with 1" at bottom.

- When installing freezer adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 140° door swing, providing complete basket access and removal. (Absolute 3" minimum clearance will ONLY allow for 90° door swing which will provide limited basket access with restricted removal.)
- Locate where surrounding air temperature will not exceed 110° F, to ensure optimum performance. (Temperatures 32° F and below will NOT affect operation.)
- All bottom corners of unit MUST rest firmly on solid level surface of hard material, same height as flooring. Surface must be strong and stable enough to support unit when fully loaded.
- Equipped with adjustable leveling legs to ensure unit is level, which is required in order to function properly.

Note: For planning purposes only. Refer to Product Installation Guide on the web at frigidaire.com for detailed instructions.

FRIGIDAIRE


USA • 10700 David Taylor Drive • Charlotte, NC 28267 • 1-800-FRIGIDAIRE • frigidaire.com
 CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca
 FFFH17F2QW 09/14

© 2014 Electrolux Home Products, Inc.




Specification
subject to change

WIDTH:	30"
DEPTH:	21"
HEIGHT:	9"
CFM:	300
SONES:	5.4
AMPS:	2.5
# LIGHTS:	2




CONNECTION DIAGRAM



300 CFM B100 Single Blower (Top View)

REC. MOUNTING HEIGHT*



* Exceeding recommended mounting height may compromise performance.

ELECTRICAL/MECHANICAL SPECIFICATIONS FOR BLOWER UNIT

MODEL	VOLTS	AMPS*	HZ	RPM	CFM SP@0.0"	EQUIV CFM\$	CFM SP@0.1"	CFM SP@0.2"	CFM SP@0.3"	MIN. ROUND DUCT SIZE	SONES#
B100 Single	115	2.5	60	1550	300	450	273	245	225	6" (28 sq. in.)	5.4

+ Add 2.5 amps for each warming light. This model is equipped with LED lighting: (2 lights: 30" - 41", 3 lights: 42" - 48").

\$ Because the Magic Lung blower uses centrifugal filtration rather than conventional baffle or mesh filters, the Magic Lung blower can handle cooking equipment with higher cubic feet per minute (CFM) requirements and can deliver equivalent CFM much more efficiently than other filtration systems. When comparing the Magic Lung with other blower units made by other manufacturers, use the "Equivalent CFM".

Ratings in accordance with the Standard Test Code by the Energy Systems Laboratory of the Texas Engineering Experiment Station.