

GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993 WWW.GOEMANS.COM

Find us on Facebook at www.facebook.com/GoemansAppliances

PACKING SLIP

HB00012974-1

Salesperson: MIKE ALBANESE
Purchase Date: 11/26/16
Invoice Finished Date:
Delivery/Pickup Date: Mar 01, 2017
Invoice Type: VBL
Date Printed: Nov 26, 2016
Page: 1



ONLINE BANKING ACCOUNT

BILL TO: 6472874914

IGBON, AHMAD
24 RIMROCK CRES
LOT 12
WHITBY, ON LIN 7H9

TEL# (647) 287-4914 BUS#

SHIP TO: 6472874914

IGBON, AHMAD
24 RIMROCK CRES
LOT 12
WHITBY, ON LIN 7H9

TEL# (647) 287-4914 BUS#

SPECS

Directions:

QTY	LOC	MODEL #	SERIAL #	COLOUR	BRAND - DESCRIPTION
1		PCGS950SEFSS		STAINLES	GEP, RAGS: RANGE, GAS, SLIDE-IN
1		RF23HCEDBSR/AA		STAINLES	S/L, 6.8CF, S/C CONV, 20K, S/C EXT RKS, CAST IRON GRDLE
1		ZK5600AS		STAINLES	SAM, REBC3: REFRIGERATOR, FRENCH 3-DOOR, C
1		WM3670HVA		GRAPHITE	23 CU.FT BM FD FRIDGE, IW DISP, COUNTER DEPTH
1		P-DRIVER BASIC F/L OR T/L H/U			ZEP, HOUN: HOOD, UNDER-CABINET
		DRIVER/BASIC STANDARD WASHER AND ELECTRIC DRYER HOOKUP TO EXISTING			EURO DESIGN, 30W, 600CFM, 3SP, INCANDESCENT
		VENTING ONLY & IF OLD UNITS ARE DISCONNECTED PRIOR BY CUSTOMER***ANY			LGE, WAFL: WASHER, FRONT LOAD, LARGE CAPA
		SITUATION ARISING THAT PREVENTS A HOOKUP AT TIME OF DELIVERY SUCH AS			FNT CNTRL, 27W, 5.2CUFT, 9CYC, DIRECT DRIVE, STEAM
		SITE NOT BEING READY ie: WASHER HOSES TOO SHORT, N			
		O WASHER HOSES, NO METAL VENTING OR CLAMPS, VENTING NOT IN PLACE, OR			
		IMPROPER DRAINING WILL NOT BE INSTALLED***			
1		DLEX3370V		GRAPHITE	LGE, DREFL: DRYER, ELECTRIC - TO MATCH LAR
2		HOSE LNDRY 6FT 48			FNT CNTRL, 27W, 7.3CUFT, 9CYC, STEAM
1		WATR1	UNASSIGNED		REL, AWA: ACCESSORY WASHER
			INSTALLER		1X 6 FT WASH HOSE, 3/4, STAINLESS STEEL BRAID
		Hook-up of existing waterline. Will include handle install, levelling & unpacking if required			

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY


PINK GOEMANS COPY

PGS950SEF

GE Profile™ Series 30" Slide-In Double Oven Gas Range

Features and Benefits

- Double Oven 6.8 cu. ft. Total Capacity - Large capacity is ideal for big meals
- 20,000 BTU Tri-Ring Burner - Offers the flexibility of three different burners
- Center Oval Burner - Large oval fifth burner is ideal for griddle or odd-size cookware
- Reversible Cast-Iron Griddle/Grill - Two great ways to cook
- Precise Simmer Burner - Delicate foods don't burn with low, even heat
- Stainless Steel, Deep-Recessed Cooktop - Contains spills for quick and easy cleaning
- Gas Convection Oven - Circulates heat for high-quality results
- Heavy-Duty Self-Clean Roller Rack - Easily access items with racks that glide smoothly
- Dual Broil - Meats and veggies broil evenly
- Black Gloss Oven Interior - Enjoy a clean and sleek appearance
- Model PGS950SEFSS - Stainless steel



imagination at work


RF23HCEDBSR

22.5 cu. ft. Counter-Depth French Door Refrigerator with Cool Select Pantry™


Installing Your Refrigerator

1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entry way in the home is wide enough for the refrigerator to be moved through easily.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details consult manual packed with product, or download manual on-line at samsung.com.



Dimensions



Total Capacity: 22.5 cu. ft.

Refrigerator: 15.7 cu. ft.

- Premium External Filtered Water and Ice Dispenser
- Ice Master Ice Maker
- CoolSelect Pantry™ with Temperature Control – Deli (41°C), Fresh (38°F) and Chilled (32°F) options
- 2 Humidity-Controlled Crispers
- 5 Tempered Glass Spill-Proof Shelves
- Adjustable Shelf for Tall oversized Items
- 6 Door Bins
 - Right Door: 3 Gallon Bins
 - Left Door: 3 Regular Bins
- High-Efficiency Top and Side LED Lighting

Freezer: 6.8 cu. ft.

- EZ-Open Handle™
- 1 Drawer Divider
- High-Efficiency LED Lighting

Accessories

Water Filter: HAF-CIN

Warranty

One (1) Year All Parts and Labor
Five (5) Years Sealed System Parts and Labor
Ten (10) Years Compressor Parts Only

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors):
35 3/4" x 70" x 31"

Dimensions (WxHxD without hinges and door):
35 3/4" x 68 7/8" x 24"

Dimensions (WxHxD with hinge and door, no handle):
35 3/4" x 70" x 28 1/2"

Weight: 297.62 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 38 1/4" x 76 5/8" x 31 1/4"

Weight: 321.87 lbs.

Color	Model #	UPC Code
Stainless Steel	RF23HCEDBSR	887276966106
White	RF23HCEDBWW	887276967646
Black	RF23HCEDBBC	887276967660

SAMSUNG

Samsung received the highest numerical score for refrigerators in the proprietary J.D. Power and Associates 2012 Kitchen Appliance Study.™ Study based on 12,615 total responses measuring 17 brands and measures opinions of consumers about their refrigerator obtained new in the past 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in January-February 2012. Your experiences may vary. Visit jdpower.com.

Actual color may vary. Design, specifications, and color availability are subject to change without notice.

Non-metric weights and measurements are approximate.

©2013 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com.

Samsung is a registered trademark of Samsung Electronics Co., Ltd.




EuroDesign

ZEPHYR

UNDER CABINET HOOD

MODEL	ZK5600
SIZE	30"
PERFORMANCE	
Internal Blower	325 - 650 cfm
Noise Level	Up to 5 sones
COLOR	
Black, White, Stainless Steel	B, W, SS
FEATURES	
Controls	Electronic Touch
Speed Levels	3
Auto Delay-Off	No
Lighting	Halogen Lights
Dual-Level Lighting	Yes
Filters	N/A
Removable Safety Grilles	2
Recirculating	No
Duct Cover Extension	N/A
Self Cleaning	Yes
DUCT SPECIFICATIONS	
Internal Blower - Vertical	6" or 3-1/4" x 10"
Internal Blower - Horizontal	3-1/4" x 10"
AC INPUT	120V - 60Hz
AC POWER	Max. 240W - 2.12 Amps



MOUNTING HEIGHTS
Minimum height 26" from cooking surface.
Hood mounted 60" from floor.

GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993 WWW.GOEMANS.COM

Find us on Facebook at www.facebook.com/GoemansAppliances

PACKING SLIP

HB00012974-1

Salesperson: MIKE ALBANESE
Purchase Date: 11/26/16
Invoice Finished Date:
Delivery/Pickup Date: Mar 01, 2017
Invoice Type: VBL
Date Printed: Nov 26, 2016
Page: 1



ONLINE BANKING ACCOUNT

BILL TO: 6472874914

IGBON, AHMAD
24 RIMROCK CRES
LOT 12
WHITBY, ON L1N 7H9

TEL# (647) 287-4914 BUS#

SHIP TO: 6472874914

IGBON, AHMAD
24 RIMROCK CRES
LOT 12
WHITBY, ON L1N 7H9

TEL# (647) 287-4914 BUS#

Directions:

SPECS

QTY	LOC	MODEL #	SERIAL #	COLOUR	BRAND - DESCRIPTION
1		PCGS950SEFSS		STAINLES	GEP, RAGS: RANGE, GAS, SLIDE-IN
1		RF23HCEDBSR/AA		STAINLES	S/I, 6.8CF, S/C CONV, 20K, S/C EXT RKS, CAST IRON GRDLE
1		ZK5600AS		STAINLES	SAM, REBC3: REFRIGERATOR, FRENCH 3-DOOR, C
1		WM3670HVA		GRAPHITE	23 CU.FT BM FD FRIDGE, IW DISP, COUNTER DEPTH
1		P-DRIVER BASIC F/L OR T/L H/U			ZEP, HOUN: HOOD, UNDER-CABINET
		DRIVER/BASIC STANDARD WASHER AND ELECTRIC DRYER HOOKUP TO EXISTING			EURO DESIGN, 30W, 600CFM, 3SP, INCANDESCENT
		VENTING ONLY & IF OLD UNITS ARE DISCONNECTED PRIOR BY CUSTOMER***ANY			LGE, WAFL: WASHER, FRONT LOAD, LARGE CAPA
		SITUATION ARISING THAT PREVENTS A HOOKUP AT TIME OF DELIVERY SUCH AS			FNT CNTRL, 27W, 5.2CUFT, 9CYC, DIRECT DRIVE, STEAM
		SITE NOT BEING READY ie: WASHER HOSES TOO SHORT, N			
		O WASHER HOSES, NO METAL VENTING OR CLAMPS, VENTING NOT IN PLACE, OR			
		IMPROPER DRAINING WILL NOT BE INSTALLED***			
1		MUST ADD WASHER HOSES			
1		DLEX3370V		GRAPHITE	LGE, DREFL: DRYER, ELECTRIC - TO MATCH LAR
2		HOSE LNDRY 6FT 48			FNT CNTRL, 27W, 7.3CUFT, 9CYC, STEAM
1		WATR1	UNASSIGNED		REL, AWA: ACCESSORY WASHER
		Hook-up of existing water line. Will include handle install, levelling & unpacking if required	INSTALLER		1X 6 FT WASH HOSE, 3/4, STAINLESS STEEL BRAID
					Water short connect

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY


PINK GOEMANS COPY

PGS950SEF

GE Profile™ Series 30" Slide-In Double Oven Gas Range

Features and Benefits

- Double Oven 6.8 cu. ft. Total Capacity - Large capacity is ideal for big meals
- 20,000 BTU Tri-Ring Burner - Offers the flexibility of three different burners
- Center Oval Burner - Large oval fifth burner is ideal for griddle or odd-size cookware
- Reversible Cast-Iron Griddle/Grill - Two great ways to cook
- Precise Simmer Burner - Delicate foods don't burn with low, even heat
- Stainless Steel, Deep-Recessed Cooktop - Contains spills for quick and easy cleaning
- Gas Convection Oven - Circulates heat for high-quality results
- Heavy-Duty Self-Clean Roller Rack - Easily access items with racks that glide smoothly
- Dual Broil - Meats and veggies broil evenly
- Black Gloss Oven Interior - Enjoy a clean and sleek appearance
- Model PGS950SEFSS - Stainless steel



imagination at work

22.5 cu. ft. Counter-Depth French Door Refrigerator with Cool Select Pantry™

1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to Illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entry way in the home is wide enough for the refrigerator to be moved through easily.


Measure height including flooring. Be sure to allow for hinge clearance height if needed.

Measure width including countertop overhang.

Measure depth including molding or trim.

Color	Model #	UPC Code
Stainless Steel	RF23HCEDBSR	887276966106
White	RF23HCEDBWW	887276967646
Black	RF23HCEDBBC	887276967660

©2012 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com
Samsung is a registered trademark of Samsung Electronics Co. Ltd.




EuroDesign

ZEPHYR

UNDER CABINET HOOD

MODEL	ZK5600
SIZE	30"
PERFORMANCE	
Internal Blower	325 - 650 cfm
Noise Level	Up to 5 sones
COLOR	
Black, White, Stainless Steel	B, W, SS
FEATURES	
Controls	Electronic Touch
Speed Levels	3
Auto Delay-Off	No
Lighting	Halogen Lights
Dual-Level Lighting	Yes
Filters	N/A
Removable Safety Grilles	2
Recirculating	No
Duct Cover Extension	N/A
Self Cleaning	Yes
DUCT SPECIFICATIONS	
Internal Blower - Vertical	6" or 3-1/4" x 10"
Internal Blower - Horizontal	3-1/4" x 10"
AC INPUT	120V - 60Hz
AC POWER	Max. 240W - 2.12 Amps



MOUNTING HEIGHTS
Minimum height 26" from cooking surface.
Hood mounted 60" from floor.