


Cooktops

36" Electric Cooktop Benchmark® Series - Black with Stainless Steel Frame NETP668SUC









The Benchmark® Series Electric Cooktop Is Sleek in Design, and Features AutoChef® Technology to Maintain Precise Cooking Temperatures

- Bridge Element Accommodates Oblong Pans and Many Diameters of Cookware
- AutoChef® Maintains Exact Cooking Temperatures for Consistent Results
- Three-zone 11" Heating Element Features 3,080 Watts of Power for Fast Heating
- Each Zone's Timer Automatically Shuts Off When Cooking is Done
- PreciseSelect[™] Offers 17 Different Direct Cooking Level Settings

Technical Data

Sealed Burners :	No
Dimension of 1st heating element (in)	: 7"
Power of 1st heating element (W):	1.8;4
Dimension of 2nd heating element (in): 7"
Power of 2nd heating element (W):	1.8
Dimension of 3rd heating element (in)	: 11", 8", 6"
Power of 3rd heating element (W):	1.05; 2.2; 3.08
Dimension of 4th heating element (in)	: 6"
Power of 4th heating element (W):	1.2
UPC code:	825225920199
Variant color :	Black
Energy source :	Electric
Watts (W):	9700
Current (A):	40/40
Volts (V):	240/208
Frequency (Hz) :	60
Approval certificates:	CSA
Power cord length (cm):	96
Plug type:	no plug
Required cutout size (HxWxD) (in):	4" x 34 7/8" x 20"
Required cutout size (HxWxD) (mm):	102 x 883-883 x 505-505
Minimum distance from counter front	(in): 2 1/4"
Minimum distance from rear wall (in)	: 2"
Overall appliance dimensions (HxWxD) (in) :
1/4"+4" x 37" x 21 1/4"	
Overall appliance dimensions (HxWxD)	(mm): 102 x 940 x 540
Product packaging dimensions (HxWx	
	7 7/8" x 43 5/16" x 24"
Net weight (lbs) :	33
Net weight (kg) :	15.0
Gross weight (lbs) :	43
Gross weight (kg) :	19.0
Total number of cooktop burners :	5

Optional accessories

HEZ390210 : System pan Ø 15cm HEZ390220 : System pan Ø 19cm HEZ390230 : System pan dlameter 21cm



Cooktops

36" Electric Cooktop Benchmark® Series - Black with Stainless Steel Frame NETP668SUC

The Benchmark® Series Electric Cooktop Is Sleek in Design, and Features AutoChef® Technology to Maintain Precise Cooking Temperatures

Design

- Front and Back Stainless Steel Strip for a Premium Look
- Cooktop Design Coordinates with Bosch Ovens and Ventilation

Performance

- AutoChef[™] Sensor A Bosch Exclusive. Maintains Exact Frying Temperature for Perfect Results and Convenient, Healthy, Nutritional Cooking.
- PowerStart™ Initial Maximum Power Output, Then Automatic Decrease to Pre-Selected Temperature. Avoids Boil Overs,
- Three-Zone 11" Heating Element with Powerful 3080 Watt Element. Three Heating Zone Sizes in One. Accomodates a Variety of Pan Sizes.
- Dual Element Offers the Capability to use Multiple Pan Sizes

Convenience

- PreciseSelect® Direct Cooking Level Selection 17 Settings for Precise Control
- CountDown Timer Built-In Timers for Each Element. Doubles as General-Purpose Kitchen Timer.
- Count Up Timer Stopwatch Function That Enables Close Monitoring of the Progress of Each Dish
- Clean Lock Prevents Unwanted Changing of Settings while Cleaning Spill-Overs.
- Keep Warm Function Allows Meals to Remain Ready to Serve


Safety

- 2-Level Heat Indicator Warns if Cooktop is Warm or Hot
- ChildLock Prevents the Cooktop from Being Accidentially Switched on. Locks Temperature Settings if in Use.




Cooktops

36" Electric Cooktop Benchmark® Series - Black with Stainless Steel Frame NETP668SUC



measurement in Inches (mm)



Dimensions based on standard countertop height §36° with 497° top kick including base plate).

The light in even can be installed below the electric cocatop as long as there is no contact between the become of the excellop and the top of the even.

measuransents in loches (ava)

