

### FRENCH DOOR







## 

20.9 Cuft. Large Capacity 3 Door French Door Refrigerator

### Style and Design

- Promium Fresh in Stainless Steel
- · Counter Depth
- · Contoured Doors with Metching Handles
- Helden Hinges
- Premium LED Interior Light

### Organization

- 4 Full (3, 1 Stide-in) Tempored Glass Showes
- Gilde N. Serve<sup>\*\*</sup> Pantry Crawer
- 2 Humidity Crispers / 1 Bornes Devices
- 8 Door Bins (S Ad), Gallon Size)

#### Performance

- Invertor Linear Compressor, 10 Year Warranty
- Smart Cooling System
- Electronic Temperature Controls
- SmartDiagnosis\*\*
- InDachel<sup>to</sup> Quiet Operation
- Door Alarm
- Energy Star<sup>®</sup> Certified
- Factory Installed ice Maker









APCZYY768T

### FRENCH DOOR

Counter Depth


Designed to match the depth of your kitchen cabinets, so it'll fit right in!

10 Year Warranty on Linear Compressor When you buy a refrigerator, you don't want to worry that it won't last, Because the Linear Compressor motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10 year warranty.

Multi-Air Flow Cooling Multiple air vents along with deluxe shelving ensure an equal amount of chilled air reaches each shelf for quick and uniform cooling.

Sophisticated Design, Inside & Out Contoured doors, hidden fringes, and a host of great interior features give your refrigerator a look as sophisticated as it is functional.

Energy Star Rated When your refrigerator uses at least 30% loss energy than required by federal standards you're going to make an impact – on your energy bill, your energy consumption, and most importantly, the environment.





LO PLUCTRONICS CANADA INC. 20 December Delwy, Words Forth, Ontower \$198, 200 19: 647-353-6380 | **16:60**m Customer Service & Pages 1 A85-542-8532

完實務原式員本 如此本本本本本本本本本本本本本本本本本本本本本本本本本本本本本本本本本本本	er formatische besteht et de kant for de termen verberg stehen de stehen besteht bestehen bestehen der beschen de stehen besche de stehen beschen de stehen besch de stehen besc	en-chini
enter profes segues services and management of the services and the services of the services and the services are the services and the services and the services are the service	14.7 Ke/K	(Alexandre
den transferiorie anteriorie in propria provincia in personata se se consecuta de mesos personatos de mande co En <mark>especial</mark>	6.2 86.51	* 10 <sup>40</sup> 0 <sup>7</sup> 0.74
ers and a second a companies and a second particular test and a second particular particular second pa	sa para mana mana mana mana mana mana mana m	entropy.
TEATURETHERE	ن به در	er-insen
kan kali da kan kan kan kan kan kan kan kan kan ka	et men en e	-
e contrata de servicio de la companio de la compan La companio de la co	TO ESTADO DE SANCIA DE CARROL DE SANCIA DE SAN	
- marrier at 2 mg and and an design control of the State	<del>manderia de la compositione del</del>	11,00
Energy Community (NASA) and	April 1006 The Administration of the Control of the	
Habita har history	<del>, and the last security to the terminal and the last to the property to the state of the last to the </del>	· · · · · ·
<ul> <li>- in the control of the</li></ul>	And the standard of the stan	
হুবিন্ধানী কৰি বিশ্বস্থান কৰিছে কৰিছিল। সংগ্ৰহিত কৰিছে বিশ্বস্থানী কৰিছে কৰিছে কৰিছে কৰিছে কৰিছে কৰিছে কৰিছে ক বিশ্বস্থানী কৰিছে কৰ	ATTENTION AND THE PARTY TO SERVE AND A	gers (see
Contract of A. Contracting. The contract of the contraction of the con	A SA	wa naga
Chipped Temperature Services		te see
1.කට්සේමල් <del>ව්යුක්කර</del> ය		
Green Marti	•	
িলার চেবের বিশার চাবের	A CONTRACTOR OF THE PROPERTY O	
A Section of the Comment of the Section of the Comment of the Comm	a militar (in final in a bestern fina e s <del>ammen</del> som er efte her stad for de staden i freger och florin i kregter (in s <b>amm</b> en 1.00 met). 🛊	*
Management of the state of th	anyaé kan magantan sa managsapi pa kan samuna managsagagaga kan punum man 🖦 punum mangsaga musan sa 🔉	•
BANKE CAGANIA	ністину і приняння вистиністи в приняни на виденти на вистина на вистина на вистину на постратиться на нада на В	esua micro S
tier te generalisment beste gemeint generalisment regelekkel in generaliset in de demokratiek in met den de me Entre beste Chilliage bestelligtet	4. Militar para menerala popular a con numero supra perandente por perandente per	
新春年新年中世界のManagement Andrews	s <mark>Amagan</mark> et and State Commentary (Agent Comment Comme	
CONTRACTOR	etaritarian antaria etaritaria etaria etaria eta eta eta eta eta eta eta eta eta et	سديدوي
The of Statement of the second	4 Sept 13 1 Sept 1813	-
CARRESPONDED STREET, CONTRACTOR OF THE PROPERTY OF THE PROPERT	and the commence of the commen	ļ., <u>.</u> .
Single Contract sections	Spirit Printer for Temperal Cours	ļ
Literate films  consideration to the consideration of the consideration	Transfer Content 14 final Source	ļ
Code to Server Fredry Street	de Spirit de dels sels i s <mark>i mande</mark> sel med spirit de medigen en de benegen de de benegen egen en de de grego (per fin fen fen fen	] 30.000
Application ( ) pilled to the control of the contro	File to the first (ED). Company to the control of the first production of the control of the con	Transport
TO THE TOTAL TOTAL TO THE TO	Simplement was stage in the control and the property of the control of the property of the control of the contr	er reserva
The of Date East	BUS AND GROWN SERVICES	***, *****
Down the Construction	2 Fet + (Ceir + Gaspa)	
予算を受けます。 Seed and the seed an	$\frac{1}{2}$	
The first fig. (1) the second of the second	alourismente et la tratora egorisma raportation biologipia de metrològica et a venet, moto astilero mo	en en en en en
But dispet d <sup>e la</sup> Solini Mespata Bapa But managaman de la managaman managaman de la m	tago esta comerca son mesma entenganten es con premio a manten en existencia o mesmo enten en	
	terminans com <del>une en e</del> e se tremi mital ou rocasas em sucrous mes men estruman la destragramatica inclusivada de co	pr. 1, 111 may
$\frac{1}{2} (2 + \frac{1}{2})^{\frac{1}{2}} \frac{1}{2} \frac{1}$	Exercises Sentalizati for Macro	
The Pate was a superior of the	<ul> <li>A superprint of a superprint of the superprint of the</li></ul>	
Francisco Lugar Albantini programma	Program (E)	***
ELATERIALS / FIRST MAR / STYLE		designation)
Found Design translation	Cycle Perture (No.CFC, No.HCFC)	
Contain their	•	
Profesion Principals		
Resident	Cooper Metal, Sessions Steel	2000000
erimonde de grande antigen i de la destinación de processor de montre antigen de la destinación de destinación de la destinación de la destinación de la destinación de la deliminación deliminación deliminación de la deliminación de la deliminación deliminación de la deliminación de la deliminación delim		(500 <b>14</b> 0
Application of the control of the co	Science Steel (87)	
The state of the s	Angering Control of the second	diam me
的数据表现是否的概念。文化产品与基础的表现是,或是是这种主义。 TOTAL TOTAL TO	分子,我们就是我们的一个人,我们就是我们的一个人,我们就是我们的,我们就是我们的一个人,我们就是我们的一个人,我们就会会会会会会会会会会会会会会会会会会会会会会	Alexandre
CARTIES WILL HARRINGS TO THE STATE OF ESTATE STATE OF THE	المسترات والمسترات والمسترات والمسترات والمستران والمستر	د داد برد اداد اداد اداد اداد اداد اداد
<ul> <li>Serfengengegen personale mit er er er en en</li></ul>	er i en en en <del>en en e</del>	4
Chaptells with the field historical and the common transfer of the common terms of the		<u>,</u>
Copple on book Desir	23 5/8°.	e
(Inter (Internet line (pen)	and a second control of the second control o	ì
Timing to Import Case	· <b>基本</b> (基達) con secondament and a <del>n arrange s</del> ection of the contract of the c	1 2
And the second s		1
	15.164	1
Valid (Diger Cove 90" with Harste)	44 3/4	1
Viden Shore Dean 90" waters, Handa i	78 (94	1
See Sen Character vich Heads	e per en la companya de marco de la <del>marco</del> la companya de la companya de la companya de la companya de la companya La companya de la companya del companya de la companya de la companya del companya de la companya del la companya del la companya de la companya del la companya de la companya de la companya del la companya de la companya del la compa	1
Steer Edge Commune authors Marake	una en la productione de la completa de la completa de production de la completa del la completa de la completa del la completa de la completa del la completa	Auror.
A STATE OF THE PROPERTY OF THE	Sign 970°, Zop 1° Bara 5°	÷ ,
the conference of the conferen	274 for / 122 Se	ets op ges
	28, 38, 38, 38, 38, 38, 38, 38, 38, 38, 3	<del></del> ,
Cartini (Internationa (Ministra))  magneticamente consecutario (ministrational magneticamente ma	A B W M CANADA CONTRACTOR CONTRAC	it and
Security Construction of the Construction of t	y nagy gygyn yn mew yn coas fersiaeth ar gellyn y sawn y synnyn hawnlad fersiaeth feligiaeth best fel fel fel s Hen a fel yn 1800 an 1	in the state of th
The second secon	ASST \$ 178:381 5	>: 0 <b></b>
WARRARTY	1 years Plants & Labour, Typeste on Smales Systems.	

ProBake Convection™

EasyClean®

Slide-in Design

Large Capacity (6.3 cu ft.)

UltraHeat™ 3.2kW Power Burner



KAPACITE	
Oven Capacity (ea. ft.)	£3
Storage Drawer (mothers handle)	10:04
CARNELATURES	
Configurations	Than-In Electric Range
Rest Cement (Watto)	Sheath 4,2000V / 6 Pass
Oven Cockery	People Compromis
Davis Crashing Modes	Baile, Britil, Convention Balve, Convention Acam, families Music-Back Convention Baking, Delay Bake, Delay Cono., Proof, Visco, Fizzi, Speed Robs
Overn Control Features	Gives Spurin
Consention Botter (Wests)	Sherith 2500V
Crawactica Cornection	The state of the s
EasyClear*	Yes
Success Sourt Coan Light	*65 (7 Light)
New of Flack Powerors	*** *** *** *** *** *** *** *** *** **
Decrease	The state of the s
Automatic Salary Study Citi	in the contract of the contrac
COOCTOP	
Blamart Szaf Westagn	
Left Rear	CTD 2004
Rayler Resse	671.2000
Left Front .	5' 5' / 3.235% 1,450%
Right Frees	The state of the s
Center (Warrages Care)	7.188
Lacktop Firish	Grey Patterned on Bisch Consum State
tion Surface (LT) bedrates	Vega
COUTROL	
Cooktop Corstell Type	From Tito-Cooped House
Corte Control Type	Glass South
Theplay	VED
Language	English
Senset Function	NFC / Screen Buses
Clear	12 hr or 24 hr (option)
lemperature that of Meaning	** T
Cooking Complete Remader Volume	1. High 7. Loss 1. Mate
Certified Salicanti Mode	As a second seco
	•


Carriers Steel (ST)   Carriers Steel (ST)   Carriers Steel (ST)   Carriers Steel (ST)   Carriers
98   64   65   66   66   66   66   66   66
64 67 8 'Syle' 8 'Syle' 7 34** 9 15/16* 4 13/16* × 21 5/16* × 19 3/8** 6* 6* 6*
64 67 8 'Syle' 8 'Syle' 7 34** 9 15/16* 4 13/16* × 21 5/16* × 19 3/8** 6* 6* 6*
6 55/16 2 3/16 2
E 155/16*  7 346* 9 15/16* 9 15/16* 9 15/16* 9 15/16* × 21 5/16* × 19 3/4*  6* 6* 7 37/16* × 4 1/2* × 16 3/6*
7 24° 9 15/16° 4 13/16° × 21 5/16° × 19 3/4° 6° 2 3/16° × 4 1/2° ± 16 3/8°
9 15/16* [ 1 13/16* × 21 5/16* × 19 3/4* 6* 2 3/16* × 4 1/2* ± 16 3/8*
4 13/16" x 21 5/16" x 19 3/4" 6 2 3/16" x 4 1/2" x 16 3/8"
6 2 3/16 x 4 1/2" x 16 2/6"
2 3/16/ x 4 1/2/ x 16 3/8 <sup>2</sup>
Commission of the Commission o
Control of the Control of the Section of the Control of the Contro
1 31/32" × 51" x 30 17/32"
en de la company de la com La company de la company d
atara mengan ang teorita sa arawa na pagantan araban mangantan ang ang arawa ang arawa ang arawa. A
ENV
apara managana ya ya managana managana ana managana ya kasa ka managan ka
Statement of the statem
erten harrinten til av stokken, er amför kom för av skom på av manden ga men enn af av men kallen fra en av sa E
referència (none fortica) como la como porta facilizado estable o tradesca en escuelar que que como establección establección en establección de establección en establección
internation of the contract of
Yaca Parts & Labor

25/03/2017

LG LDF5545ST | LG Electronics CA\_EN

# 48 dB Front Control Dishwasher with QuadWash™ and Inverter DirectDrive™ Motor

LDF5545ST | Stainless Steel



# Key Features QuadWash™ System | Inverter DirectOrive™ Motor with 10 Year Warranty | EasyRack™ Plus | SmartThinQ™ AVAILABLE COLOURS: Stainless Steel White

\$1099.99

Suggested retail price

विकास का चेर

→ Add to Compare | PRINT | SHARE 🎺

\*\*\*\* 45 (3) William and American

25/	ነገን	ハク	4	7
4.11	vv	باسر	1	ı

### Maytag® Bravos® High Efficiency Electric Dryer with Steam Refresh Cycle - 7.0 cu. ft. (YMEDX6STBW White) |

PROFES A PROSPER NOW AND COMMENTS OF THE

FRANÇAIS : SIGH IN OR CREATE ACCOUNT - FAVOURITES

CAMBINEY

PRITERLA ACCESSIONES


SERVICE A BUPRORT

34884015

to 4 items

Print 🦚

No. 电通知程度中域从有效发生



MAYTAG® BRAVOS® HIGH EFFICIENCY ELECTRIC DRYER WITH STEAM REFRESH CYCLE - 7.0 CU, FT.

3.7

Le Reviews Write a Review

Available Color Options



White - YMEDX6STBW

BASE MSRP \$899.99

Choose A Color

Vinte

Add to Compare



OVERVIEW | PROGRESS | SPECIFICATIONS | REALIZABLE AND SERVER | MARGINES

Overview

MAYTAG® BRAVOS® HIGH EFFICIENCY ELECTRIC DRYER WITH STEAM REFRESH GYCLE - 7.0 CU, FT,

Count on your clothes looking their best with this dependable Bravos® electric dryer. With enough space to evenly dry your largest loads, this 7.0 cu, ft. dryer also uses IntelliDry® sensors to help eliminate overdrying. You'll rest easy knowing that the Sanitzze cycle removes 98.9%11 of three common bacteria from clothing and fabrics. This electric dryer even features a Wrinkle Control option that helps prevent wrinkles by intermittently sumbling clothes after the cycle has ended without adding heat. Best of all, this dryer is Better Built with long-lasting Maytage Commercial Technology, so you can count on high-performance drying for many years to come.





MEET THE MAYTAG MAN He's the heart and soul of Maytag dependability. SEE HIM IN ACTION

SHARE

**TOP FEATURES** 

13) Dectric models only. Based on testing of a 13-16 load. (4) Based on testing of a 13-16 load. (2) Visit maytag.com for warronly details. (1) Basteria

### 25/03/2017

### Maytag® 5.0 Cu. Ft. Top Load Washer with Optimal Dispensers (MVWX655DW) ]

POPER A RETAIL CO. THE CALLS CONSTANT SE

Francais: Sign in on Cheate account. Favolinities in



SAUNDAY

14478, 24<u>8</u>16.

· TERS 医动态方面保险的联络系

SERVICE & SUPPORT

to 4 items

Print 🕮



MAYTAG® 5.0 CU. FT. TOP LOAD WASHER WITH OPTIMAL DISPENSERS

Available Color Options

BASE MSRP

Choose A Color

Quantity:

Add to Compare

SHARE

ø



OVERVIEW WITH STANDARD A SALES ASSESSED.

Overview

MAYTAG® 5.0 CU. FT. TOP LOAD WASHER WITH OPTIMAL DISPENSERS

Maytage washers are Better Built to deliver all kinds of clean for all kinds of clothes and it starts with this \$.0 cu. ft. top load washer. We combined the Best Cleaning in its class driven by the PowerWash\* cycle2\* with the steel rod construction of the Smooth Glide drawer. The Power™ impeller uses a reverse wash motion and triple action spray to get the deep cleaning you expect from a Maytag\* high capacity washer. Plus, this washing machine is built to last thanks to the sturdy Maytag\* Commercial Technology we put under the hood, and the 10-year limited parts warranty! on the drive motor and wash basket.\*\*



This top load washer qualifies for the Maytag# 30-Day Wash Performance Guarantee, Click here for details.





MEET THE MAYTAB MAN He's the heart and soul of Maytag dependability. SEC HIM IN ACTION