



lot 190

NE58K9850WS


5.8 cu. ft. Flex Duo™ Slide-In Electric Range with Dual Door and WiFi Connectivity

Features

- * Flex Duo™ with Dual Door
- * Blue Illuminated LED Knobs
- * WiFi Connectivity
- * Slide-In Design
- * Soft Close Door
- * Guiding Light Controls
- * Dual Convection Oven
 - Top: Fan Convection
 - Bottom: True Convection
- * Large Oven Capacity – 5.8 cu. ft.
 - 2.4 cu. ft. upper
 - 3.3 cu. ft. lower
- * Flexible Cooktop – 5 Electric Elements
 - One Triple Burner (6"/9"/12")
 - Two Bridged (7")
 - One Single Burner (6")
 - Warming Center (7")
- * Wide View Window
- * Gliding Rack
- * Warming Drawer: High, Medium, Low



Flex Duo™ Oven




WiFi Connectivity

Convenience

- * Self + Steam Clean
- * Temperature Probe
- * Auto Oven Light
- * Proofing
- * Sabbath Mode
- * Kitchen Timer
- * Delay Start
- * Child Safety Lock

Available Colors



Stainless Steel (shown)

Black Stainless

Signature Features

FLEX DUO™ WITH DUAL DOOR

- * Flex Duo™ with Dual Door design provides ultimate cooking flexibility.
- * Includes two independent temperature controls and convection systems, separated by a removable Smart Divider, so you can cook multiple dishes simultaneously. Plus, you can access just the top compartment or the full oven with the hinged door.

BLUE ILLUMINATED LED KNOBS

- * Visually lets you know if your cooktop is on
- * Distinctive blue light can be seen from a distance.

WiFi CONNECTIVITY

- * Remotely monitor your cooktop and control your oven with WiFi capability.
- * Cook from anywhere: Use your smart phone to remotely monitor for safety, turn the oven on* or off, and adjust the time and temperature.

*As a safety precaution, remote start function only available on the Electric Range.

SAMSUNG


NE58K9850WS

5.8 cu. ft. Flex Duo™ Slide-In Electric Range with Dual Door and WiFi Connectivity

INSTALLING YOUR RANGE

30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame retardant millboard covered with not less than no.28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.

** 18" minimum between the countertop and the adjacent cabinet bottom.



Radiant Ceramic Cooktop

- Right Front: 6/9/12", 3.0kW
- Left Front: 7", 1.8kW (bridge)
- Right Rear: 6", 1.2kW
- Left Rear: 7", 1.8kW (bridge)
- Center Rear: Warming Center, 7"

Dual Oven with Smart Divider

- Upper Capacity: 2.4 cu. ft.
- Lower Capacity: 3.3 cu. ft.
- Hidden Bake Element: 3000W
- Bake: 175°F–550°F
- Convection Bake: 175°F–550°F
- Convection Roast: 175°F–550°F
- Variable Broil: Low/High
- Convection Element/Heater: 1250W
- Proofing
- Sabbath Mode

IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.



Warming Drawer

- Capacity: 0.7 cu. ft.
- Heating Performance: 600W (4 pass)
- Temperature Settings: High, Medium, Low


Warranty

One (1) Year All Parts and Labor
Five (5) Years Electric Cooktop

DIMENSIONS



Glass cooktop overlaps and sits on top of your kitchen countertop to give a built-in look.
Cutout space for the range is 29 13/16."



Product Dimensions & Weight (WxHxD)

Outside Net Dimensions:
31" x 36-37 1/8" (Adjustable) x 26 5/16"

Weight: 220.9 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:
33 1/16" x 41 3/4" x 30 5/16"

Weight: 245.2 lbs.

Color	Model #	UPC Code
Stainless Steel	NE58K9850WS	887276132143
Black Stainless	NE58K9850WG	887276144351

SAMSUNG

Actual color may vary. Design, specifications, and color availability are subject to change without notice.
Nomnetic weights and measurements are approximate.
©2014 Samsung Electronics America, Inc. 163 Challenger Road, Basking Ridge, NJ 07007. Tel: 800-SAMSUNG, samsung.com.
Samsung is a registered trademark of Samsung Electronics Co., Ltd.

RF28K9070SR

28 cu. ft. 4-Door Flex™ Refrigerator



Stainless Steel
(Shown)

Features


- * FlexZone™
- * Large Capacity – 28 cu. ft.
- * Triple Cooling System
- * Ice Master Ice Maker in the Refrigerator
- * Surface LED Lighting
- * Fingerprint-Proof Coating
- * ENERGY STAR®-Compliant
- * Stainless-Look Display
- * Stainless Steel Accents on Interior Shelving and Door Bins
- * Tempered Glass Spill-Proof Shelves
- * EZ Slide-Out Shelves in Freezer and FlexZone™
- * Flip-Up Shelf
- * Gallon Door Bins

Convenience

- * Door Alarm
- * Water Filter Indicator



FlexZone™



Triple Cooling System

Signature Features

FlexZone™

- * Flexible, bottom-right door changes to a fridge or freezer, maximizing fresh food storage space.
- * Four customizable fridge temperature settings: Cool at 5°C, Chill at -1°C, Soft Freeze at -5°C, and Frozen at -15°C to -23°C.

Triple Cooling

- * Premium cooling system provides precise temperature control in all three zones using three evaporators.

²Among consumer-grade freestanding refrigerators.

Large Capacity

- * Our 28 cu. ft. large-capacity Flex™ Refrigerator has enough room to fit up to 28 bags of groceries.¹

¹Grocery comparison based on each cubic foot of usable space equaling one paper bag.



ENERGY STAR®

SAMSUNG


RF28K9070SR

28 cu. ft. 4-Door Flex™ Refrigerator

Installing Your Refrigerator

1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily. Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.

Dimensions



Total Capacity: 28.1 cu. ft.

Refrigerator: 16.6 cu. ft.

- Premium External Filtered Water and Ice Dispenser (Crushed or Cubed Ice)
- Ice Master Ice Maker
- 2 Clear Crispers
- Gallon Door Bins
- 5 Tempered Glass Spill-Proof Shelves
 - 1 Slide-In
 - 1 Flip-Up
 - 3 Fixed
- Surface LED Lighting

FlexZone™: 5.75 cu. ft.

- 1 EZ Slide-Out Shelf
- 2 Drawers
- 4 Temperature Zones:
 - Cool at 5°C
 - Chill at -1°C
 - Soft Freeze at -5°C
 - Frozen at -15°C ~ 23°C
- Surface LED Lighting

Freezer: 5.75 cu. ft.

- 1 EZ Slide-Out Shelf
- 2 Freezer Drawers
- Surface LED Lighting

Accessories

Water Filter: HAF-CIN/EXP

NET DIMENSIONS (W x H x D)			WEIGHT	
	Imperial (inches)	Metric (mm)	(lbs)	(kg)
With hinges, handles and doors	35.75 * 71.87 * 34.25	908.05 * 1825.49 * 869.95	337.3	152.99
Without hinges and door	35.75 * 70.75 * 29.37	908.05 * 1797.05 * 745.99		
With hinge and door, no handle	35.75 * 77.87 * 34.25	908.05 * 1977.89 * 869.95		
SHIPPING DIMENSIONS (W x H x D)			WEIGHT	
	Imperial (inches)	Metric (mm)	(lbs)	(kg)
Package Dimensions	38.31 * 78 * 36.25	973.07 * 1981.2 * 920.75	361.5	163.97

COLOUR	MODEL #	UPC CODE
Stainless Steel	RF28K9070SR	887276134758

Warranty

One (1) Year Parts and Labour on Refrigerator
Ten (10) Years Parts on Digital Inverter Compressor

PLEASE VISIT SAMSUNG.COM FOR OUR LATEST UPDATES.

Actual colour may vary. Design, specifications, and colour availability are subject to change without notice.
Non-metric weights and measurements are approximate.
© 2016 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.

SAMSUNG

DW80M9960

Samsung WaterWall™ Dishwasher

SAMSUNG



Signature Features

WaterWall™ Linear Wash System

- A powerful, streaming wall of water delivers remarkable cleaning results. Maintains maximum pressure from corner to corner.

AutoRelease™ Door

- At the end of a cycle, the door automatically pops open to circulate air and accelerate drying time.

Zone Booster™

- Target different zones of your dishwasher with custom settings.


Available Colors




Stainless Steel (shown)



Black Stainless Steel



WaterWall™ Linear Wash System



Zone Booster

Features

- Third Rack with FlexTray™
- Quiet Operation: 38 dBA
- Wi-Fi Connectivity
- 7 Wash Cycles
- 8 Options
- ENERGY STAR® rated: 239 kWh/Year
- Express Cycle: 60 Minutes
- One-Touch Adjustable Racking System
- 15 Place Settings
- Digital Leak Sensor
- Indicator Light

Convenience


- Child Lock
- Delay Start

DW80M9960

Samsung WaterWall™ Dishwasher

SAMSUNG

Installation Specifications



Features

- 7 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60, Rinse Only, Self Clean
 - 8 Options: Half-Load Wash (Lower Rack), Zone Booster (Left), Speed Booster, Hi-Temp Wash, Sanitize (Anti-bacterial – NSF), Delay Start, Control Lock, Smart Control (Wi-Fi App)
 - AutoRelease™ Door
 - Hidden Heat Element
 - Stainless Steel Interior Tub
- ### Convenience
- Child Lock
 - Digital Water Leakage Sensor
 - Third Rack with FlexTray™
 - One-Touch Adjustable Racking System
 - Silverware Basket
 - Upper Rack: 2 Cup Shelves, 2 Adjustable Tines
 - Lower Rack: Fold-Down Tines

Warranty

One (1) Year All Parts and Labor
Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks

Lifetime Limited Warranty on Stainless Steel Door Liner and Tub for Leakage

Product Dimensions & Weight (WxHxD)

Dimensions:
23⁷/₈" x 33⁷/₈" x 25"

Weight: 95 lbs.

Shipping Dimensions & Weight (WxHxD)


Dimensions:
26" x 34³/₄" x 29³/₄"

Weight: 101 lbs.

Color	Model #	UPC Code
Stainless Steel	DW80M9960US	887276194172
Black Stainless Steel	DW80M9960UG	887276197838

Dimensions

Side View



Rear View

