

RF23M8090SG

SAMSUNG

Samsung Counter-Depth, 4-Door Refrigerator

23 cu. ft. Capacity



Signature Features

FlexZone™

- Versatile, mid drawer fridge compartment with 4 Temperature Control Settings and Smart Divider.

Auto Water Fill

- Easily create delicious, refreshing flavored water right from your refrigerator.

Built-In Look

- Sleek, built-in design.


Available Colors




Stainless Steel



Black Stainless Steel (shown)



FlexZone™ Drawer



Auto Water Fill

Features

- 4-Door Counter-Depth Design
- 4-Step Metal Cooling FlexZone™ Drawer
- Large Capacity – 23 cu. ft.
- Twin Cooling Plus®
- WiFi Ready
- External Filtered Water and Ice Dispenser
- Touch Button Display
- High-Efficiency LED Lighting
- ENERGY STAR® Compliant
- Tempered Glass Shelves
- Gallon Door Bins
- Two Clear Crispers
- Take Out Box

Convenience

- Door Alarm
- Water Filter Indicator
- Dispenser Lock
- Energy Saver

Rating



ENERGY STAR®-rated:
CEE Tier 1
633 kWh/yr

RF23M8090SG

SAMSUNG

Samsung Counter-Depth, 4-Door Refrigerator


23 cu. ft. Capacity

Installation Specifications


1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 22.60 cu. ft.

Refrigerator: 12.9 cu. ft.

- Premium External Filtered Water and Ice Dispenser (Crushed or Cubed Ice)
- High-Efficiency LED Lighting
- 2 Crispers
- 5 Tempered Glass Shelves
 - 1 Slide-In
 - 1 Foldable Half
 - 2 Fixed
 - 1 Full Width Metal Shelf on Crisper
- 7 Door Bins
 - Right Door: 3 Gallon Bins
 - Left Door: 4 Regular Bins

FlexZone™ Drawer: 3.1 cu. ft.

- Metal Cooling Plate
- 4 Temperature Zones with Smart Divider:
 - Meat/Fish (29°F)
 - Cold Drinks (33°F)
 - Deli/Snacks (37°F)
 - Wine/Party Dishes (42°F)

Freezer: 6.6 cu. ft.

- EZ-Open Handle™
- Take Out Box
- 1 Drawer Divider
- High-Efficiency LED Lighting

Warranty

One (1) Year Parts and Labor on Refrigerator

Five (5) Years Parts and Labor on Sealed Refrigeration System Only*

Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor, evaporator, condenser, drier and connecting tubing

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors): 35 1/4" x 70" x 31 1/4"

Dimensions (WxHxD without hinges and door): 35 1/4" x 68 7/8" x 24"

Dimensions (WxHxD with hinge and door, no handle): 35 1/4" x 70" x 28 7/8"

Weight: 330.6 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 38 1/4" x 77 1/2" x 31 1/4"

Weight: 354.9 lbs.

Color	Model #	UPC Code
Stainless Steel	RF23M8090SR	887276192628
Black Stainless Steel	RF23M8090SG	887276192611

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2017 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

NA36K7750TS



36" Gas Cooktop

Features


- Bluetooth Connected to Hood
- Blue LED Lights
- WiFi Connectivity
- Powerful Cooktop
 - Right Front: 13K BTU
 - Left Front: 9.5K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: Dual, 22K BTU (Oval)
- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On/Off Monitoring

Convenience

- Wok Grate
- Dishwasher Safe Grates
- LP Conversion Kit



22K True Dual Power Burner



Cast Iron Griddle

Available Colors



Stainless Steel (shown)



Black Stainless Steel

Signature Features

22K BTU TRUE DUAL POWER BURNER

- Two independent heating elements offer intense heat and precise control to quickly boil water or temper chocolate.

ANALOG CONTROLS WITH DIGITAL WIFI AND BLUETOOTH TECHNOLOGY

- The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

CAST IRON GRIDDLE

- Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

SAMSUNG


NA36K7750TS

36" Gas Cooktop

Installing Your Cooktop


Can be installed over a single oven.

All horizontal clearances must be maintained for a minimum of 18" above the cooking surface.




Allow $\frac{1}{4}$ " minimum vertical clearance from the cooktop bottom (or $3\frac{1}{4}$ " minimum depth from the countertop) to any combustible surfaces, including the upper edge of a drawer installed below the cooktop.

Maintain the following minimum clearance dimensions.



See built-in oven installation for complete installation instructions.



Total Power (BTU)

59K

Power Source

120V/60Hz

Gas Cooktop (BTU)

- Right Front: 13K
- Left Front: 9.5K
- Right Rear: 5K Simmer
- Left Rear: 9.5K
- Center: 22K (Dual)

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Cooktop Dimensions:

36" x 3 $\frac{1}{8}$ " x 21"

Cooktop Cut-Out Dimensions:

33 $\frac{7}{8}$ " x 3 $\frac{1}{8}$ " x 19 $\frac{1}{8}$ "

Weight: 31.3 lbs. (31.7 lbs. Black Stainless Steel)

Shipping Dimensions & Weight (WxHxD)

Dimensions:

40 $\frac{5}{16}$ " x 10 $\frac{3}{8}$ " x 25 $\frac{1}{8}$ "

Weight: 94.4 lbs. (94.8 lbs. Black Stainless Steel)

Color

Stainless Steel

Black Stainless Steel

Model #

NA36K7550TS


NA36K7550TG

UPC Code


887276183572

887276183503

Cooktop Dimensions



Cutout Dimensions of Countertop



SAMSUNG

Actual color may vary. Design, specifications, and color availability are subject to change without notice.

Non-metric weights and measurements are approximate.

© 2016 Samsung Electronics America, Inc. 85 Challenger Road, Ridgecroft Park, NJ 07640. Tel: 800-SAMSUNG, samsung.com.

Samsung is a registered trademark of Samsung Electronics Co., Ltd.

WHIRLPOOL® 6.4 CU. FT. SMART COMBINATION WALL OVEN WITH TOUCHSCREEN

WOC75EC0HS

Whirlpool® 6.4 cu. ft. Smart Combination Wall Oven with Touchscreen

MAJOR APPLIANCE

Email these product details: | Print product details

Specifications | Product Literature | Electrical Requirements

Available Colors

- ☒ Black
Model WOC75EC0HB
MAJOR APPLIANCE
- ☐ Black-on-Stainless
Model WOC75EC0HS
MAJOR APPLIANCE
- ☐ Black Stainless
Model WOC75EC0HV
MAJOR APPLIANCE
- ☐ White
Model WOC75EC0HW
MAJOR APPLIANCE


Related Products

No Image Available

W10536339
30" Warming Drawer Heat Deflector - Stainless

+ Larger View

AVAILABLE IMAGES 1



Dimensions

Height	42 9/16 inches	Dimensions shown are for planning purposes only. For complete information, see installation instructions packed with product.	Depth	26 1/2 inches
Width	30 inches			
Gross Weight	134 LB			

Key Features

- Smart Appliance [More](#)
- Scan-to-Cook Technology [More](#)
- Touchscreen [More](#)
- Voice Control [More](#)
- Multi-Step Cooking [More](#)
- Frozen Bake™ Technology [More](#)
- True Convection Cooking [More](#)
- Convection Conversion [More](#)
- Next Learning Thermostat™ Integration [More](#)

Flush Installation Approved	No
Handle Color	Black-on-Stainless
Handle Material	Stainless Steel
Oven Window Size	Extra Large
ADA Compliant	No
Dimensions	
Depth	26 1/2 inches
Height	42 9/16 inches
Width	30 inches
Cutout Depth	24 inches
Cutout Height	41 5/16 inches
Cutout Width	28 1/2 inches

DW80K5050US


Samsung Dishwasher

Features


- StormWash™ Heavy Duty Wash System
- AutoRelease™ Door
- Light Indicator
- Digital Leakage Sensor
- Four-Layer, Insulated Door
- FlexLoad™ Racking System
- Touch Control
- Half-Load Cycle
- ENERGY STAR® rated: 265 kWh/Year
- One-Touch Adjustable Racking System
- Quiet Operation – 48 dBA
- Full Stainless Steel Interior
- Hidden Heating Element
- 15 Place Settings
- Hard Food Disposer Cleaning System
- 3 Spray Wash Arms (Upper, Middle, Lower)
- 6 Wash Cycles and 6 Wash Options
- 2 Silverware Baskets

Convenience

- Control Lock
- Rinse Refill Indicator
- Cycle Progress Indicator
- Last Cycle Memory
- Self-Cleaning Filtration System
- Six Sensors (Digital Water Leakage, Overflow, Sanitize, Turbidity, Water Fill, Rinse Refill)



AutoRelease™ Door



StormWash™

Available Colors



Stainless Steel
(shown)



White



Black

Signature Features

STORMWASH™

- Heavy-duty wash system makes pre-rinsing unnecessary.
- Powerful rotating spray jets positioned to clean dishes at every angle.
- Simply place hard-to-clean items above the StormWash™ wheel on the bottom rack and it scrubs them for you.

AUTORELEASE™ DOOR

- Door opens automatically to dry dishes faster.*

*Improvements versus drying performance of the DW80P600.

LIGHT INDICATOR


- Indicates whether it's running and can be seen from across the room.

SAMSUNG


DW80K5050US

Samsung Dishwasher

Installing Your Dishwasher



Dimensions



Features

- 6 Wash Cycles: Auto, Heavy, Normal, Express 60
- Delicate, Rinse Only
- 6 Options: StormWash™, Lower Rack Wash, Sanitize (Anti-Bacterial NSF), Hi-Temp Wash, Delay Start, Control Lock
- 2-Stage Filtration
- Hidden Heat Element
- Stainless Steel Interior Tub
- Convenience
- Control Lock
- Digital Water Leakage Sensor: Detects Water Leaks Before They Happen and Shuts Off the Dishwasher to Prevent Water Damage.
- Nylon Racking
- Upper Rack: 2 Cup Shelves, Adjustable Tines
- Lower Rack: Removable Tines
- 2 Silverware Baskets

Warranty

- One (1) Year All Parts and Labor
- Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks
- Lifetime Limited Warranty on Stainless Steel Door Liner and Tub for Leakage

Product Dimensions & Weight (WXHXD)

Dimensions (height is adjustable): 23 7/8" x 33 7/8" - 35 7/8" x 24 1/2"

Weight: 95 lbs.

Shipping Dimensions & Weight (WXHXD)

Dimensions: 26" x 35" x 29 1/2"

Weight: 106 lbs.

Color

Stainless Steel

White

Black

Model

DW80K5050US

DW80K5050UW

DW80K5050UB

UPC Code

887276166391

887276166414

887276166377

SAMSUNG

Actual color may vary. Design, specifications and color availability are subject to change without notice. Samsung Electronics America, Inc. 4800 Westpark Drive, Suite 200, Austin, TX 78739. ©2011 Samsung Electronics America, Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd.




Home / Kitchen / Ventilation

36-Inch Wall Mount Range Hood

Samsung
Model: NK36K7000WS / SKU #: NK36K7000WS/AA

Price
\$1,699



Description & Features

Description



Samsung 36" wall-mounted chimney style, range hood features 600 CFM, 3 fan speeds including booster, digital touch controls and baffle filter.

Features

BLUETOOTH CONNECTED HOOD

Automatically sync the fans and the lights with the burners through Bluetooth.

Dishwasher-safe metal filters help keep the air clean by drawing grease and odor through the hood.



WIFI MONITORING

Control the connected hood vent and LED lights remotely from your smartphone.

IMPORTANT: Images may not reflect actual product..

Specifications

General

Blower Included	Yes
Air Flow	600 CFM
Style	Chimney
Installation	Wall Mount
Basic Color	Stainless Steel

Features

Ducting Information	Round
Speeds	3
Additional Information	• ADA Compliant • 3 Fan Speeds including Booster • Digital Touch Control • 74.3 dB Noise Level • LED Lighting • Bluetooth Connected Hood • WiFi Monitoring • Removable Baffle Filter

Electrical Information

Weight

Net	48.5 lb(s) / 22 kg
Shipping	60.41 lb(s) / 27.4 kg

Warranty

Warranty	1 year(s)
Additional Information	Limited 1 Year Parts and Labor

UPC

UPC#	887276182988
------	--------------

Dimensions

Dimensions

Width Class	36"
Width	36 inch(es) / 91.44 cm
Height (Minimum)	25.44 inch(es) / 64.61 cm
Depth	19.69 inch(es) / 50.0 cm
Additional Dimensions	• Shipping Dimensions (WxHxD): 40 3/16" x 26 1/2" x 18 1/16" • Outside (Max) Hood Dimensions (W x H x D): 35 8/9" x 15 1/2" x 19 7/10" • For more information refer to dimension manual

"While we place great care into preparing product descriptions and prices, sometimes technical and typographical errors or omissions may occur. Goemans Appliances cannot be held responsible for such errors and we apologize for any inconvenience this may cause."

© Goemans Appliances 2017 | All rights reserved.





LAWYER INFORMATION SHEET

8400 Jane St. #9
Vaughan, On.
L4K 4L8

DATE: NOV 1/2017
SITE: Bradford Capital Holdings Inc. - BAYVIEW WELLINGTON
PLAN#: LOT 206 RIDEAU ST.
ADDRESS / LOT #: 206
PURCHASER(S): Touch Proulx
SOLICITOR'S NAME: EVANS DE VRIES HIGGINS LLP
SOLICITOR'S FIRM NAME: "
ADDRESS: 21 HOLLAND ST WEST
BRADFORD, ON L3Z 2A8
PHONE #: 905-775-3381 FAX #: 905-775-8835
EMAIL:

INITIAL KP

I hereby acknowledge of a copy of Agreement of Purchase and Sale for my solicitor and agree to deliver same.

INITIAL S

Spectrum Realty Services Inc. to mail copy to the Purchaser's solicitor.

In the event that I should change solicitor, I agree to advise the above named solicitor and Spectrum Realty Services Inc. of said change. I understand that my costs incurred by not advising my original solicitor shall be payable by me.

Sales Representative's Signature

Purchaser's Signature

on behalf of Touch Proulx