


Lot 37N

☐ COMPARE



22 Cu.Ft. 36-Inch Width Countertop Interior Dispense

Model: KRFC302ESS



3.8 (630) Write a review

Key Features

- ExtendFresh™ Plus Temperature Management System
- Interior Water Dispenser
- Produce Preserver
- Humidity Controlled Crispers
- FreshChill™ Temperature-Controlled Full-Width Pantry

Color





Produce Preserver

Absorbs ethylene gas emitted by many fruits and vegetables, causing them to over ripen. By removing ethylene, the produce preserver helps extend freshness.

Additional Features

FRESHCHILL™ TEMPERATURE-CONTROLLED FULL-WIDTH PANTRY

Lets you properly store everything from meats to produce with a manual temperature setting. It gives you total control over of the amount of cool air that enters the drawer.

PULL-OUT TRI-LEVEL FREEZER DRAWER

Features slide-out baskets with mats to help keep the freezer clean and organized.

VIEW MORE



Specifications

Height:
18288.00, 72.0"
Centimeters, Inches

Width:
9080.50, 35-3/4"
Centimeters, Inches

Depth:
7683.50, 30-1/4"





ADA Compliant

No

Energy Star® Qualified

No

Prop 65



CALIFORNIA RESIDENTS ONLY -
WARNING: Cancer and Reproductive
Harm - www.P65Warnings.ca.gov

ULe Environmentally Preferred Certified

Passed 60 point AHAM (Association of Home
Appliance Manufacturers) Sustainability Standards

Dimensions

Capacity

21-47/50

Depth

7683.50 cm, 30-1/4 in

Freezer Volume

1581.97 l, 5.59 cu. ft.

Height

18288.00 cm, 72.0 in

Net Weight

144695848.00 kg, 319 lbs

Refrigerator Volume

4627.05 l, 16.35 cu. ft.

Width

9080.50 cm, 35-3/4 in

Configuration and Overview

Advance Foam Insulation

99.9% lower Global Warming Potential and Better
Energy Performance

Counter Depth



Cabinet Finish	Textured
Door Style	Flat
Handle Material	Metal
Hidden Hinge	Yes
LCD Touch Screen	No

Controls

Air Filter Indicator/Reset	No
Automatic Defrost	Yes
Control Location	Interior Up Front
Control Lockout	No
Door Ajar/Open Alarm	Yes

Filter Details

Produce Preserver	Yes
Water Filter Indicator/Reset	Yes
Water Filter Location	Interior

Refrigerator Details



Number of Interior Shelves	5
Pantry Drawer	Yes
Supplementary Containers	Yes

Freezer Details

Freezer Number of Shelves	0
---------------------------	---

Dispenser Details

Dispenser Options	Filtered Water
Dispenser Type	Interior Water Only
Types of Ice	Cubed

Icemaker Details

Icemaker Location	Freezer
-------------------	---------

Refinements

Features	ExtendFresh Temperature Management System, Produce Preserver, FreshChill™ Temperature Controlled Full-Width Pantry, LED Lighting Automatic Ice Maker, Interior Water Dispenser
----------	---

Electrical



ExtendFresh Temperature Management System	ExtendFresh Temperature Management System
FreshChill™ Temperature Controlled Full-Width Pantry	FreshChill™ Temperature Controlled Full-Width Pantry
LED Lighting	LED Lighting

Details

Cooling Type	Single Evaporator
Handle Type	Reach-Through Handle

Freezer Compartment

Freezer Type	3 Tier
Light	LED
Shelves	No

Compatibility

Connectivity	No
Works With	No

Description



Door Style Configuration

French Door

Installation Configuration

Freestanding

Refrigeration Configuration

Refrigerator

EndecaProps

Status Badge Esport CA

New

Icemaker

Icemaker

Factory Installed


HIDE MORE SPECS

Reviews



DS

☐ COMPARE



30" Double Wall Oven With Even-Heat™ True Convection

Model: KODE500ESS



4.4 (1751) Write a review

Key Features

- Even-Heat™ True Convection Oven (both ovens)
- Temperature Probe (both ovens)
- EasyConvect™ Conversion System
- 5.0 Cu. Ft. Capacity (each oven)
- Even-Heat™ Preheat

Color

Stainless Steel



EASYCONNECT™ CONVERSION SYSTEM

Takes the guesswork out of convection cooking by ensuring exceptional results when experimenting with new recipes or familiar favorites.

5.0 CU. FT. CAPACITY (EACH OVEN)

Provides an extra-large cooking capacity that's unsurpassed among 30" wall ovens and is perfect for large turkeys and roasts. It can even make multiple dishes at once.

VIEW MORE

Specifications

DOWNLOAD SPECS SHEET

DOWNLOAD DIMENSION GUIDE

Height:
13017.50, 51-1/4"
Centimeters, Inches

Width:
7620.00, 30.0"
Centimeters, Inches

Depth:
6889.75, 27-1/8"
Centimeters, Inches

Certifications

Energy Rating



Dimensions

Capacity	10.00
Depth	6889.75 cm, 27-1/8 in
Height	13017.50 cm, 51-1/4 in
Lower Oven Capacity	1415.00 l, 5.0 cu. ft.
Net Weight	136984784.00 kg, 302 lbs
Upper Oven Capacity	1415.00 l, 5.0 cu. ft.
Width	7620.00 cm, 30.0 in

Configuration and Overview

Fuel Type	Electric
Installable Under Cooktop	No
LP Convertible	No
Oven Type	Double
Size	7620.00 cm, 30 in

Features

Automatic Shut-Off	
Broiler Location	Top of Oven



Door Broil Position	Closed
Door Lock	Yes
Door Removable	Yes
Hidden Bake Element	Yes
Interior Coating	Porcelain
Interior Color	Blue
Language Conversion	English/French
Light Control	Oven Light Touch Pad
Light Type	Halogen
Lower Oven Interior Depth	4826.00 cm, 19.0 in
Lower Oven Interior Height	4572.00 cm, 18.0 in
Lower Oven Interior Width	6350.00 cm, 25.0 in
Lower Oven Number of Oven Lights	2
Number of Bake Elements	1
Number of Broil Elements	.
Number of Lower Oven Racks	3
Number of Lower Rack Guides	^

Self-Cleaning Oven Racks	No
Temperature Conversion	Yes
Upper Oven Interior Depth	4826.00 cm, 19.0 in
Upper Oven Interior Height	4572.00 cm, 18.0 in
Upper Oven Interior Width	6350.00 cm, 25.0 in
Upper Oven Number of Oven Lights	2

Appearance

Flush Installation Approved	Yes
Handle Material	Metal

Details


Convection Element Power	3200
Oven Rack 1 Type	Heavy Duty
Oven Rack 2 Type	Heavy Duty
Oven Rack 3 Type	Gliding Roll-Out

Refinements

Features	EasyConvect™ Conversion, Even-Heat™ Prel Even-Heat™ True Convection, FIT System,
----------	---



☐ COMPARE



36" Electric Cooktop With 5 Elements And Knob Controls

Model: KCES556HBL

★★★★☆ 4.3 (34) [Write a review](#)

Key Features

- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- 12"/9"/6" Triple-Ring Round Element
- Two 6" 1200-Watt Round Elements
- Hot Surface Indicator

Color
Black



VIEW MORE

Specifications

- Height:

1333.50, 5-1/4"

Centimeters, Inches
- Width:

9223.38, 36-5/16"

Centimeters, Inches
- Depth:

5524.50, 21-3/4"

Centimeters, Inches

Certifications

ADA Compliant	ADA Height and Operation Compliant
Energy Rating	258
Prop 65	



CALIFORNIA RESIDENTS ONLY -
WARNING: Cancer and Reproductive
Harm - www.P65Warnings.ca.gov.

Dimensions

Depth	5524.50 cm, 21-3/4 in
Height	1333.50 cm, 5-1

DS

MLM

ML

Configuration and Overview

Cooktop Type	Standard
Fuel Type	Electric
Installs Over Built-In Oven	Yes

VIEW MORE SPECS

Revs

★★★★ 4.3 84 Reviews

65 out of 81 (80%) reviewers recommend this product

Search topics and reviews	84 Reviews	2 Questions	0 Answers
---------------------------	------------	-------------	-----------

Reviews


Rating Snapshot

Select a row below to filter reviews.

5 ★ 55



☐ COMPARE



39 DBA Dishwasher In PrintShield™ Rack

Model: KDFE204KPS



4.5 (1165) Write a review

Key Features

- 39 dBA
- Third Level Utensil Rack
- ProWash™ Cycle
- PrintShield™ Finish
- Adjustable Middle Rack

Color



DOWNLOAD DIMENSION GUIDE

Height:
8540.75, 33-5/8"
Centimeters, Inches

Width:
6065.52, 23-22/25"
Centimeters, Inches

Depth:
6223.00, 24-1/2"
Centimeters, Inches

Certifications


ADA Compliant	No
Energy Star® Qualified	ENERGY STAR® Qualified
Kosher Consumer Friendly	Kosher Consumer Friendly
NSF® Certified	
Prop 65	Yes




CALIFORNIA RESIDENTS ONLY -
WARNING: Cancer and Reproductive
Harm - www.P65Warnings.ca.gov.


Dimensions

Depth	6223.00 cm, 24-1/2 in
Height	8540.75 cm, 33-5 


 ^{DS}



GET DETAILS





GET DETAILS



GET DETAILS

DIMENSIONS



SUMMARY

CAPACITY
5.2 cu.ft.

EXTERIOR DIMENSIONS (H x W x D)
27" x 39" x 30 1/4" (55"
with door open)

COMPARTMENT TYPE
Yes


TEMPERATURE
Yes






27" x 39" x 30 1/8"
W x D x H

GET DETAILS




27" x 39" x 30 1/8"
W x D x H

GET DETAILS




GET DETAILS

DIMENSIONS



30 1/8"



SUMMARY

CAPACITY
7.4 cu.ft.

SIZE (W x D x H)
27" x 39" x 30 1/8" (51 3/8" D with door open)

STEAM CONTROL
Yes

Yes



Certificate Of Completion

Envelope Id: 6D29C9F6F9874404A7D9A376FC59C7BD
Subject: Please DocuSign: S22071717240.pdf LOT 37 - DECOR FINAL
Source Envelope:
Document Pages: 35
Certificate Pages: 5
AutoNav: Enabled
EnvelopeId Stamping: Enabled
Time Zone: (UTC-05:00) Eastern Time (US & Canada)

Status: Completed

Envelope Originator:
Inna Semikolenniha, Ranjit Kaur and Maria Addante
220-145 Chadwick Court
North Vancouver, BC V7M 3K1
greenvalley@spectrumnewhomes.ca
IP Address: 173.33.151.144

Record Tracking

Status: Original
7/17/2022 5:22:56 PM
Holder: Inna Semikolenniha, Ranjit Kaur and Maria Addante
greenvalley@spectrumnewhomes.ca

Location: DocuSign

Signer Events

JESSICA, MARIE Cozza,
JESSMCOZZ@GMAIL.COM
Security Level: Email, Account Authentication
(None)

Signature

DocuSigned by:
JESSICA, MARIE Cozza,
41720871A234404

Timestamp

Sent: 7/17/2022 5:34:31 PM
Viewed: 7/17/2022 5:41:59 PM
Signed: 7/18/2022 11:25:48 AM

Signature Adoption: Pre-selected Style
Using IP Address: 99.249.72.55

Electronic Record and Signature Disclosure:

Accepted: 7/17/2022 5:41:59 PM
ID: 55b75e85-b866-44b3-ae02-011a1d2c117d

MATTHEW ALEXANDER MIELE

matthewamiele@gmail.com
Security Level: Email, Account Authentication
(None)

Signature

DocuSigned by:
MATTHEW ALEXANDER MIELE
0113623201E7419

Sent: 7/17/2022 5:34:30 PM
Viewed: 7/17/2022 5:51:02 PM
Signed: 7/17/2022 5:52:14 PM

Signature Adoption: Pre-selected Style
Using IP Address: 174.119.216.136
Signed using mobile

Electronic Record and Signature Disclosure:

Accepted: 7/17/2022 5:51:02 PM
ID: 66e098f2-9320-42d0-8cf4-bca50d73ff3e

In Person Signer Events

Signature

Timestamp

Editor Delivery Events

Status

Timestamp

Agent Delivery Events

Status

Timestamp

Intermediary Delivery Events

Status

Timestamp

Certified Delivery Events

Status

Timestamp

Carbon Copy Events

Status

Timestamp

Witness Events

Signature

Timestamp

Notary Events

Signature

Timestamp

Envelope Summary Events

Status

Timestamps

Envelope Sent
Hashed/Encrypted
7/17/2022 5:34:31 PM

Envelope Summary Events

	Status	Timestamps
Certified Delivered	Security Checked	7/17/2022 5:51:02 PM
Signing Complete	Security Checked	7/17/2022 5:52:14 PM
Completed	Security Checked	7/18/2022 11:25:49 AM

Payment Events

Status	Timestamps
--------	------------

Electronic Record and Signature Disclosure