

# Arbor

Traditional | Transitional | Modern



**Single Handle Pull-Down Kitchen Faucet\***

Model 7594†

Chrome:	<del>\$ 499.70</del>
BL:	<del>\$ 559.28</del>
SRS & ORB:	<del>\$ 637.37</del>



**Single Handle Kitchen Faucet with Side Spray\***

Model 7790†

(Use model number only for Chrome finish)

- Not available in BL finish

Chrome:	<del>\$ 413.32</del>
Other:	<del>\$ 534.48</del>



**Single Handle Pullout Kitchen Faucet±**

Model 7294†

Chrome:	<del>\$ 487.53</del>
BL:	<del>\$ 546.12</del>
SRS & ORB:	<del>\$ 622.80</del>




**Single Handle Pull-Down Bar/Prep Faucet±**

Model 5995†

Chrome:	<del>\$ 475.72</del>
BL:	<del>\$ 533.07</del>
SRS & ORB:	<del>\$ 608.22</del>

† To order, combine the model number with one of these finish letters:



\* Single or Three Hole Installation  
± Single Hole Installation Only



**MOEN**  
Buy it for looks. Buy it for life.®

JAN 11 2016

Lot 37A-6  
Sutton



LP

MM





**QDLF2233/8** cUPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount mod  
 Outside sink dimensions  
 22" FB x 33 1/4" LR  
 Equal size bowl dimensions  
 17" FB x 15" LR x 8" DP  
 36" cabinet - recommended minimum  
 for Kindred topmount method  
 39" cabinet - recommended minimum  
 for Kindred undermount method  
 33" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)



BLK 37A-6





**QDLF2031/8** cUPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount mod  
 Outside sink dimensions  
 20 9/16" FB x 31 1/4" LR  
 Equal size bowl dimensions  
 16" FB x 14" LR x 8" DP  
 33" cabinet - recommended minimum  
 for Kindred topmount method  
 36" cabinet - recommended minimum  
 for Kindred undermount method  
 33" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)



**QCLF2031R/8** cUPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount mode  
 Outside sink dimensions  
 20 9/16" FB x 31 1/4" LR  
 Large bowl dimensions  
 16" FB x 18" LR x 8" DP  
 Small bowl dimensions  
 16" FB x 10" LR x 8" DP  
 33" cabinet - recommended minimum  
 for Kindred topmount method  
 36" cabinet - recommended minimum  
 for Kindred undermount method  
 33" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)



**QCLF2027R/8** cUPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount mode  
 Outside sink dimensions  
 20 9/16" FB x 27 1/4" LR  
 Large bowl dimensions  
 16" FB x 14" LR x 8" DP  
 Small bowl dimensions  
 16" FB x 10" LR x 8" DP  
 30" cabinet - recommended minimum  
 for Kindred topmount method  
 33" cabinet - recommended minimum  
 for Kindred undermount method  
 27" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)



**QCLF2039DBR/8** cUPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount model  
 Outside sink dimensions  
 20 9/16" FB x 39 3/8" LR  
 Large bowl dimensions  
 16" FB x 14" LR x 8" DP  
 Small bowl dimensions  
 16" FB x 10" LR x 8" DP  
 30" cabinet - recommended minimum  
 for Kindred topmount method  
 45" cabinet - recommended minimum  
 for Kindred undermount method  
 27" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)

## EDGE PROFILE VERIFICATION FORM

### STANDARD EDGE PROFILES

2 cm

STRAIGHT POLISH

### UPGRADED EDGE PROFILES

4 cm

3/4" BEVEL

HALF BULLNOSE

FULL BULLNOSE

OGEE

DOUBLE OGEE

JAN 11 2016

Lot # 37A-6  
Sutton

LP

MM