

EDGE PROFILE VERIFICATION FORM

STANDARD EDGE PROFILES

2 cm

STRAIGHT POLISH

UPGRADED EDGE PROFILES

4 cm

1/2" BEVEL

HALF BULLNOSE

FULL BULLNOSE

OGEE

DOUBLE OGEE

straight

JUN 17 2021

Millwood
Lot 7 Ph1

54

S.P.



contrac

21½" RECTANGULAR UNDERMOUNT SINK

□ 4220CIY

Undermount Sink

Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 545mm(21½") x 355mm(14") x 190mm(7½")

(ID): 485mm(19") x 295mm(11½") x 140mm(5½")


Compliance Certifications:

Meets or exceeds the following:

- IAPMO cUPC
- ASME A112.19.2 / CSA B45.1-2008

Shipping:

Cube 1.64
GW 25 lbs




Colours To Be Specified:

Colour: ☐ Soft White

Notes:




Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

Detail of Mounting Clip



Note:

▲ Dimensions shown for location of supplies and "P" trap are suggested.



BLANCO

Sink Specifications

Colour SKU
refined brushed finish 401234

Design and planning tips


- Min cabinet size: 8 in (840 mm)
- Bowl Depth: 8 in (205.0 mm)

Specifications:

Sink template, Installation instructions and clips, 3
1/2" (90 mm) stainless steel strainer, Limited Lifetime
Warranty

Depending on cabinet construction, a different cabinet
size may be required. Consult the cabinet manufacturer.

HORIZON U 2



Millwood
Lot 7 Phi