



EDGE PROFILE VERIFICATION FORM



Kitchen
Master Ensuite
Main Bathroom

UPGRADED EDGE PROFILES



JUL 22 2015

Lot # 9B

Sutton

Kajendaran & Siddalingam

BLANCO

Sink Specifications

QUATRUS R15 U 2

Colour SKU
brushed finish 401519


Design and planning tips

- Min cabinet size: 915 mm
- Bowl Depth: 9 in (230.0 mm)

Specifications:

Sink template, Mounting clips, Installation instructions, 3 1/2" (90 mm) stainless steel strainers

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.



Optional Accessories

Cutting Board 406345
Workstation 406344
CapFlow 517666
Sink Grid 406454

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos:
<https://www.blanco.com/ca-en/support/how-to-videos/>



BLANCO Canada Inc
100 Corporation Drive
Brampton ON L6S 6B5

Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626
Fax: 905-494-2425 Toll free: 1-877-825-2626


While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.

Cedar Ridge
Lot 9 B

Riobel

DELPARK
HOMES

Kitchen Faucet - OPTION 5



MIZO Single Hole Pull Out Dual Spray Kitchen Faucet

MZ101C
MZ101SS

Riobel Inc. - 11 Cidermill Ave. Unit # 5 - Concord, Ontario - L4K 4B6 - PH:905-760-9009

JUL 22 2015

Lot 9B
Sutton
Kejandran/Siddalingam

Sip™ Beverage Faucets

Traditional Transitional Modern

*Having a cold water tap at your kitchen sink has never been easier –
or more stylish. Add the optional filtration system (S5500)
to get clean drinking water when desired.*



**Modern Single Handle
Beverage Faucet ±**

Model S5530 / S5500
Available in BG & BL*
Not available in ORB


Chrome -
Other - \$



**Transitional Single Handle
Beverage Faucet ±**

Model S5520 / S5500
Available in BG & BL*


Chrome -
Other -



**Traditional Single Handle
Beverage Faucet ±**

Model S5510 / S5500
Available in BG, BL & NL*

Chrome -
Other -



FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s):
Spot Resist™ Stainless (SRS), Polished Nickel (NL), Oil Rubbed Bronze (ORB),
Brushed Gold (BG) & Matte Black (BL)

To order Chrome (C) model, use model number only.

To order faucet ONLY, do not add S5500 to order

± Single hole installation only


* NL Finish Ships in Q2

*Cedar Ridge
Lot 9B*

Soap or Lotion Dispensers

Traditional | Transitional | Modern

However you define your faucet's style,
you can assure a coordinated look with Moen soap dispensers.



Modern Soap or Lotion Dispenser

Model S3947

Available in BG & BL

Not available in ORB or NL

Chrome

Other




Transitional Soap or Lotion Dispenser

Model S3946

Available in BG

Chrome

Other



Transitional Soap or Lotion Dispenser

Model S3948

Available in BL

Not available in BG

Chrome

Other



Traditional Soap or Lotion Dispenser


Model S3945

Available in BG, BL & NL*

Chrome

Other

FINISH OPTIONS:



To order, combine the model number with one of these finish letter(s):
Spot Resist™ Stainless (SRS), Polished Nickel (NL), Oil Rubbed Bronze (ORB),
Brushed Gold (BG) & Matte Black (BL)

To order Chrome (C) model, use model number only

* NL Finish Ships in Q2

Cedar Ridge
Lot 9B



contrac

21½" RECTANGULAR UNDERMOUNT SINK

4220CIY Undermount Sink

Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

Overall Dimensions (W x D x H):


(OD): 545mm(21½") x 355mm(14") x 190mm(7½")
(ID): 485mm(19") x 295mm(11½") x 140mm(5½")

Compliance Certifications:

- Meets or exceeds the following:
- IAPMO cUPC
 - ASME A112.19.2 / CSA B45.1-2008

Shipping:


Cube 1.64
GW 25 lbs





Colours To Be Specified:
Colour: ☐ Soft White

Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



Note:
▲ Dimensions shown for location of supplies and "P" trap are suggested.



LOT 9B
SUTTON