

Kleinburg Glen - 75 - 1 - 38-6 Elev.A WYNDHAM CENTRAL VAC AND WIRING

1 - GREAT ROOM: CONDUIT PIPE - FOR TELEVISION - ABOVE FIREPLACE APPROX 66" AFF. NEXT TO CABLE. PLEASE SEE FLOORPLAN FOR LOCATION. TERMINATING ON RIGHT SIDE OF FIREPLACE
Note:
1 - PLEASE RELOCATING CAT 5 TELEPHONE WIRE FROM BEDROOM 4 TO GREAT ROOM. RIGHT SIDE OF FIREPLACE. PLEASE SEE FLOORPLAN FOR LOCATION.
Note:

CERAMIC

Inv.1,084	1 - MAIN FLOOR TILE: UPG 2 Foyer / Powder Room / Kitchen
Line15931	Note:
101 17/61 17	
10Jan17/6Apr17	
Inv.1,084	1 - MAIN FLOOR LAUNDRY TILE: UPG 2
Line15932	Note:
10Jan17 / 6Apr17	
Inv.1,084	1 - MASTER ENSUITE FLOOR TILE: UPG 2 12X24
Line15939	Note: Floor / Tub Skirt / Tub Splash / Tub Deck
10Jan17/6Apr17	į
Inv.1,084	1 - MASTER ENSUITE SHOWER Wall Tile: UPG 1
Line16762	Note:
10Jan17/6Apr17	

ELECTRICAL

Inv. 670	1 - 200 AMP ELECTRICAL SERVICE
Line8713	Note:
15Jul16 / 11Nov16	
Inv.1,084	1 - STRUCTURAL***KITCHEN: UPG - RELOCATE KITCHEN CEILING LIGHT TO CENTRE OVER ISLAND.
Line 16754	Note: * New
10Jan17/6Apr17	
Inv.1,084	1 - STRUCTURAL**KITCHEN: RELOCATE BREAKFAST CEILING LIGHT OVER FUTURE Extended Island. In line with new island light location, approx 6ft towards sliding door.
Line16755	Note: Please see floorplan for location
10Jan17/6Apr17	* New

EXTERIOR COLOURS

Inv. 670	1 - EXTERIOR COLOUR PACKAGE 10
Line13852	Note:
15Jul16 / 11Nov16	

FRAMING

Inv.1,084	1 - STRUCTURAL*****MAIN FLOOR: STANDARD DOOR EXTENDED HEIGHT 96 INCH (PRICE PER DOOR) - GROUND FLOOR 2 STOREY MODELS*****
Line20548	Note:
10Jan17 / 6Apr17	



	Kleinburg Glen - 75 - 1 - 38-6 Elev.A WYNDHAM
Inv. 1,084	1 - STRUCTURAL****MAIN FLOOR: EXTENDED HEIGHT ARCHWAY (PRICE PER DOORWAY) - INCLUDE FRAMING NOTE****
Line20549	Note:
10Jan17 / 6Apr17	
	GRANITE MARBLE QUARTZ
Inv.1,084	1 - KITCHEN COUNTERTOP EDGE: 4CM UPG 1 - FE40
Line 15929	Note:
10Jan17 / 6Apr17	
	HARDWOOD
Inv.1,084	1 - MAIN FLOOR HARDWOOD: UPG 1 Main Hall / Den / Dining Room / Great Room / Landings
Line 15926	Note:
10Jan17 / 6Apr17	
	HVAC
Inv.670	1 - KITCHEN: PLEASE CONFIRM 6" EXHAUST PIPE IS CENTERED ABOVE OVEN TO
7	ACCOMMODATE FOR FUTURE CHIMMNEY STYLE EXHAUST FAN
Line8719	Note:
15Jul16 / 11Nov16	
Inv. 1,084	1 - ******KITCHEN: UPGRADE VENTING FOR STOVE TO 10 INCH PIPE EXTERIOR WALL******
Line 15938	Note: SEE FAN SPEC SHEET ATTACHED
10Jan17 / 6Apr17	
	INTERIOR TRIM AND DOORS
Inv. 1,084	6 - *****MAIN FLOOR: STANDARD DOOR EXTENDED HEIGHT 96 INCH (PRICE PER DOOR) - GROUND FLOOR 2 STOREY MODELS*****
Line 16757	Note: Please see floorplan for locations
10Jan17/6Apr17	
Inv.1,084	1 - ****MAIN FLOOR: EXTENDED HEIGHT ARCHWAY (PRICE PER DOORWAY) - INCLUDE FRAMING NOTE****
Line 16758	Note: Please see floorplan for locations
10Jan17 / 6Apr17	
	KITCHEN AND BATH CABINETRY
Inv.1,084	1 - KITCHEN: UPG Add light valance to upper cabinets
Line 16752	Note:
10Jan17 / 6Apr17	
Inv.1,084	1 - KITCHEN: Adjust upper cabinets to accommodate 36" Hoodfan. See spec sheet attached
Line15930	Note:
10Jan17 / 6Apr17	
Inv.1,084	1 - KITCHEN: UPG - Add Base Bi-Fold Cabinets
Line 15935	Note:
10Jan17 / 6Apr17	
Inv. 1,084	1 - KITCHEN: UPG - Add Furring Panel & Crown Moulding
Line15940	Note:
Las	

10Jan17/6Apr17



lnv.1,084	1 - KITCHEN: UPG - Kitchen Island to be a different colour, Toscana PVC Choc Maple
Line 16753	Note:
10Jan17 / 6Apr17	
nv. 1, 084	1 - KITCHEN: Move island and wall cabinets left of oven over 6" (towards sliding door) to accommodate for 36" slide in stove.
Line 16769	Note: See spec sheet & kitchen drawing attached.
0Jan17/6Apr17	
	MISC.
nv.670	1 - Purchaser has attended a Structural appointment at the Decor Centre & has DECLINED any additional
	upgrades and accepts and acknowledges that there will be no further structural changes/additions/deletions to be made upon signing on July 15, 2016.
Line 8715	Note:
5Jul16 / 11Nov16	
nv.670	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee of \$500. PLUS a 10% holdback fee.
Line 8716	Note:
5Jul16 / 11Nov16	
nv.670	1 - BONUS PACKAGE: \$7500.00 (INCLUDING TAXES) WORTH OF UPGRADES FROM GOLD PARK HOMES DÉCOR CENTRE IS NOT BEING APPLIED TOWARD THE STRUCTURAL APPOINTMENT. PURCHASER HAS A REMAINING AMOUNT OF \$7500.00 (INCLUDING TAXES)
ine 8717	TO BE USED TOWARD THE COLOUR APPOINTMENT. Note:
5Jul16 / 11Nov16	
nv. 67 0	1 - TOTAL \$1,627.20 PAID CHEQUE
ine 8718	Note:
5Jul16 / 11Nov16	
nv. 1,084	1 - Purchaser has attended a Colour appointment at the Decor Centre & has DECLINED any additional
,	upgrades and accepts and acknowledges that there will be no further structural changes/additions/deletions to be made upon signing.
Line 16763	Note:
0Jan17 / 6Apr17	
nv. 1,084	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee of \$500. PLUS a 10% holdback fee.
ine 16764	Note:
0Jan17 / 6Apr17	
nv.1,084	1 - BONUS PACKAGE: \$7,500.00 (INCLUDING TAXES) WORTH OF UPGRADES FROM GOLD PARK HOMES DÉCOR CENTRE IS BEING APPLIED TOWARD THE STRUCTURAL APPOINTMENT. PURCHASER HAS A REMAINING AMOUNT OF \$00 (INCLUDING TAXES)
ine 16765	Note:
0Jan17/6Apr17	
nv. 1,084	1 - Purchaser request that all upgrades from this purchaser's extras form to be added to the purchase price. Purchaser is aware that upgrades will be processed only after the builder receives approval letter from the bank.
ine 16766	Note:
0Jan17/6Apr17	
nv.1,084	1 - KITCHEN - Purchasers request to NOT INSTALL builder's standard hood fan. DELETE. Do not supply, install, and/or credit. Purchasers are installing their own hood fan after closing.
ine 16767	Note: Purchasers accept and acknowledge that the exhaust fan duct hole may be off-centered with stove in kitchen due to purchasers installing their own hood fan after closing. The vendor is exempt.
0Jan17/6Apr17	and to positive and the control of the state

10Jan17/6Apr17



Kleinburg Glen - 75 - 1 - 38-6 Elev.A WYNDHAM

k 100.	Kleinburg Glen - 75 - 1 - 38-6 Elev.A WYNDHAM						
Inv. 1,084	1 - Purchaser Accepts Standard Appliance Openings:						
	Fridge - 37-1/2"W x 73-1/2" High Approx.						
	Range - 30-1/2"D x 31-1/2"W Approx.						
	Dishwasher - 24" W Approx						
Line 16768	Note:						
10Jan17/6Apr17							
Inv. 1,084	1 - THROUGHOUT - PURCHASER requesting to NOT install any mirrors throughout the bathrooms.						
	Purchaser to supply & install at own expense and warranty after closing						
Line 16770	Note:						
10Jan17 / 6Apr17							
Inv. 1,084	1 - Total after Bonus: \$17,393.98						
	Deposit of \$10,000.00						
	Remaining on closing: \$7,393.98						
Line 1677 1	Note:						
10Jan17 / 6Apr17							
	PAINTING						
Inv.1,084	1 - STAIRS & RAILINGS: UPG Stain Colour to Match Hardwood floor - Santa Fe						
Line 15927	Note:						
10Jan17/6Apr17							
	PLUMBING FIXTURES						
Inv. 1,084	1 - MASTER ENSUITE TUB Faucet - Delta Innovations Roman Tub 4-Piece #T4716-LHP / H20 / R4716						
Line 16759	Note:						
10Jan17 / 6Apr17							
	STAIRS AND RAILINGS						
Inv. 1,084	1 - STAIRS & RAILINGS: UPG to Euroline 1 with V-Groove handrail						
Line 16760	Note:						

TRIM AND DOORS

Inv.1,084	1 - MAIN FLOOR: UPG 1 Trim & Baseboard
Line 16761	Note:
10Jan17/6Apr17	

Page 4 of 4

10Jan17 / 6Apr17



INTERIOR COLOUR SCHEME

HOMES *** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: February-01-17

elephone Res. / Bus: (289) Decor Advisor: Laura	553-0289 Lofaro	Project: Burksh Model and Elevation: 38-6 El	
ayout Changes: O Yes	No Sketch Attached:	: Yes No Exterior Co	lour Scheme:
1. Cabinetry	Style and Colour	Counter	Hardware
Kitchen / Breakfast	Toscana PVC AntWhite	GranitePol Crema Caramel *E	
Laundry Room	N/A		901-10
Powder Room	N/A		
		-	
Master Ensuite Bathroom	Venice PVC ChocMple	Formica Portico Marble 7735	CS1-21
Second Ensuite Bathroom (If Applicable)	Venice PVC Mystic	Formica Argento Romano 669	7-46 CS1-21
Twin Bath	Venice PVC ItalWalnut	Wilsonart White Juparana 493	1K-52 CS1-21
Dishwasher Cabinet	N/A].	00121
Comment KITCHEN: Perimeter cabinets Toso	cana PVC Antique White / Island Tos	scana PVC Chocolate Maple	
2. Floor Tile		74.	
F.()/ (9)	Selection	Grout	Threshold
Entrance Vestibule	*12x24 Antikas Series Beig	e	
Main Hall	N/A		
Kitchen / Breakfast	*12x24 Antikas Series Beig	e	
Laundry Room	*12x24 Antikas Series Beige	e	
Powder Room	*12x24 Antikas Series Beige	e	
Master Ensuite Bathroom	*17.7x17.7 ChampionsSerie	es White	
Second Ensuite Bathroom (If Applicable)	13x13 Costa Matte White		
Lower Landing (If Applicable)	*12x24 Antikas Series Beige	е	
Twin	13x13 Costa Matte White		
	/ Tub Splash / Tub Deck: UPG 2 *17	7.7x17.7 ChampionsSeries White	
3. Wall Tile	Selection	Listello/Inserts Desc	cribe
		Yes No	
Master Ensuite Bathroom			
	ck *See Floor Tile		
	all *4x12 Chess Tender Grey		
Bathroom Wa	lls	Yes No	
Second Ensuite Bathroom (If Applicable)	8x10 Weave Tender Grey	Yes No	730
Twin Bath	8x10 Weave Tender Grey	/ O Yes O No	
Kitchen Backsplash	◯ Yes ◯ No	Backsplash Beh	ind Fridge

INTERIOR COLOUR SCHEME

PARK *** NOTE: This is not an approved document. Document must be locked ***

Purchasers:	Vincenzo	Galea & B	So Brigitte Pilato	cheduled Closing Da Prone	erty: 75	•
Telephone Res. / Bus:			J	-	_	rkshire Holdings Inc.
Decor Advisor:	Laura Lofa					-6 Elev.A WYNDHAM
4. Plumbing Fixtu	ıres					
	[Second Ens	uite		Powder Room
Master Ensuite Batl	nroom		Other Room	- Specify		
Comment						Other Washroom
STD Throughout - Expect	for Master En	suite TUB Fa	aucet - Delta Innov	ations Roman Tub 4-Piece	ce #T4716	-LHP / H20 / R4716
5. Hardwood Floo	orina					
	Type and S					Type and Stain
Main Hall		RedOak S	SanteFePro	Upper Landing		*Preverco RedOak SanteFePro
Kitchen / Breakfast	N/A			Upper Hall		N/A
Living Room	N/A			Master Bedroor	m	N/A
Dining Room	*Preverco	RedOak S	SanteFePro	Bedroom #2		N/A
Family Room	N/A	****		Bedroom #3		N/A
Den/Library	*Preverco	RedOak S	SanteFePro	Bedroom #4		N/A
Entrance Vestibule	N/A			Bedroom #5		N/A
Lower Landing				Other Room - S		
(If Applicable)	N/A			Great Room	peony	*Preverco RedOak SanteFePro
Comment *Preverco RedOak SanteF						
6. Carpeting		Jpgrade	D			
Main Hall		pgrade	Description N/A			V41
Living Room			N/A	187. 6		
Dining Room			N/A			
Family Room			N/A			
Den/Library			N/A			
Upper Hall			T07			
Master Bedroom			Т07		···	
Bedroom #2			T07			
Bedroom #3			T07			
Bedroom #4			T07	7 %	*****	
Bedroom #5			N/A			
Upper Landing (If A	•		N/A	- 187		
Lower Landing (If A	pplicable)		N/A		<u> </u>	
Umania da III. I I.		Туре		Area	3	
Upgrade Underpad		N/A				
Carpet on Stairs		Capped N/A	- 1841	Runr	ner - *Up	grade
		LW/A				
Comment						Añ.
						pi dy



INTERIOR COLOUR SCHEME

MES *** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: February-01-17

Purchasers:

Decor Advisor:

Vincenzo Galea & Brigitte Pilato

Property: 75

Telephone Res. / Bus: (289) 553-0289

Laura Lofaro

Project: Burkshire Holdings Inc. Model and Elevation: 38-6 Elev.A WYNDHAM

7. Fireplace Living Room	Family Room	Other Room - Specify Great Room
Purchased As Per Plan N/A	Purchased As Per Plan N/A	Purchased As Per Plan N/A
0 0 0		
Fireplace Type		STD Gas
Mantle Type		STD Cast Stone
Colour / Stain		STD
Surround		STD
Hearth		DECLINED
Comment	100	DEOCHALD
9 Tring Company	- And the second	
8. Trim Carpentry		
Interior Doors UPG Front Door Gla	iss Inserts STD De	oor Handles STD
Interior Trim UPG 1 on 1st Floor / STD 2nd Floor		
Comment MAIN FLOOR - UPG TO 96" HEIGHT DOORS		
THE STATE OF THE S		
9. Plaster Mouldings and Medallions		
Entrance Vestibule N/A	Kitchen/Breakfast N	/A
Main Hall N/A	Den/Library N	
Living Room N/A	Lower Landing N	
Dining Room N/A		/A
	Other Room - Specify	/A
Family Room N/A		
Comment		
10. Railings and Spindles		
Railing Package *Euroline 1 with V-Groove handrail		
Railing Colour *Santa Fe	Spindle Colour	Black
Stringer / Riser *Santa Fe	Treads	*Santa Fe
	Oak Stairs	Yes No
Comment	- Jan	110
	· · · · · · · · · · · · · · · · · · ·	
11. Wall Paint	TOTAL CONTRACTOR OF THE CONTRA	
Main & Upper Hall	Master Bedroom	
Living Room	Bedroom #2	
Dining Room	Bedroom #3	
Kitchen / Breakfast		
	Bedroom #4	
Family Room	Bedroom #5	
Powder Room	Master Ensuite	
Laundry Room		
Den/Library	Second Ensuite	
Trim Paint White		
Comment Smooth Ceilings First Floor	Thru-Out	Warm Grey
		8
Local Control		Page 3 of 4

COUPARK.

INTERIOR COLOUR SCHEME

*** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: February-01-17


Purchasers:


Vincenzo Galea & Brigitte Pilato

Property: 75

Decor Advisor: Laura Lofaro Model and Elevation: 38-6 Elev.A WYNDHAM				
	Project: Burkshire Holdings Inc. Model and Elevation: 38-6 Elev.A WYNDHAM			
12. Electrical				
	() NI			
The state of the s	-			
And linear B. 1911 C. 141	_			
Yes No Yes No Yes No Yes	ave No			
Comment	J 140			
Homeowner suppling and installing own stainless steel hood fan at own expense and warranty after closing	,			
12 Heating and Air O. Print				
13. Heating and Air Conditioning Air Conditioning Gas Provisions Stove				
Gas Provisions Dryer Comment Gas Provisions Barbecue				
	- 04-			
-14. Additional Comments				
15. Disclaimers and Notes				
1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.				
2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.				
3) The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. Purchaser's Initials				
4) The Purchaser acknowledges reading and accepting the "Gold Park Homes Decor Centre Disclaimers" form. This document contains other miscellaneous disclaimers.				
This Interior Colour Selection is final and approved by:				
Signature: Date: Jau2917 Signature: Date:	to 29/12			

Page 4 of 4








metallic rotating knob controls



professional stainless steel baffle filters



For homeowners who are passionate about the culinary arts, the seamless welded corner craftsmanship, traditional styling and gleaming stainless steel of Calabria, provides the look and performance you expect from a professional-grade range expect from a professional-grade range hood plus it comes unbranded for easy coordination with other appliances. Calabria is available in 30", 36", 42", and 48" width a equipped with a 600 CFM (30") (4 1200 GFM blower (36", 42", 48") to support all cooking needs.

Calabria is designed for standard ducted ventilation only.

≱elica ...

K6-LOT7S JAN 29, 2017

CALABRIA

EATURES

Size (in) & Type Finish

36", 36" 42" or Wide Wall-Mount

Stainless Steel

Controls

Metallic Rotating Knob

Illumination

2, 40 Watt Halogen Lamps, 4 Light Intensities (30" & 36") (bulbs included) 3, 40 Watt Halogen Lamps, 4 Light Intensities (42" & 48") (bulbs included)

Installation Type

Ducted Installation Only

Blower Type

600 CFM, 4-Speed Internal_(3<u>0" Unit)</u>

200 CFM, 4-Speed Internal (36", 42", 48" Units)

Blower Performance

Speed 1, 205 CFM, 1.9 Sones / 375 CFM, 2.1 Sones Speed 2, 350 CFM, 3.4 Sones / 640 CFM, 4.7 Sones Speed 3, 510 CFM, 6.0 Sones / 940 CFM, 8.1 Sones Speed 4, 600 CFM, 8.0 Sones / 1200 CFM, 10.3 Sones

Filter Type

Dishwasher-Safe, Professional Stainless Steel Baffle

(2 w/ 30", 36", & 42"; 3 w/ 48" Units)

Duct Transition

10" Round with Back Draft Damper (top)

Electrical

550 Watts at 4.6 Amps (600 CFM Blower) 800 Watts at 6.7 Amps (1200 CFM Blower)

Warranty

2 Year Parts & Labor, In-Home Service

ACCESSORIES

Optional 6" Chimney Extension

CODE: KITO2159 / MODEL: EXXCEKO1 (30") CODE: KITO2158 / MODEL: EXXCEKO2 (36") CODE: KITO2622 / MODEL: EXXCEKO7 (42") CODE: KITO2164 / MODEL: ECLCEKO5 (48")



Optional 12" Chimney Extension

CODE: KITO2160 / MODEL: EXXCEKO3 (30") CODE: KITO2161 / MODEL: EXXCEKO4 (36") CODE: KIT02623 / MODEL: EXXCEK08 (42")

CODE: KITO2165 / MODEL: EXXCEKO6 (48")



Optional Stainless Steel Back Splash & Warming Racks

CODE: KIT02162 / MODEL: EXXBSK30 (30") CODE: KIT02163 / MODEL: EXXBSK36 (36") CODE: KITO2624 / MODEL: ECLBSK42 (42")

CODE: KITO2166 / MODEL: ECLBSK48 (48")



Optional Heat Lamp Kit (bulbs included)

CODE: KITO2745 / MODEL: ECLHLK30 (30") CODE: KITO2746 / MODEL: ECLHLK36 (36") CODE: KITO2621 / MODEL: ECLHLK42 (42")

CODE: KITO2747 / MODEL: ECLHLK48 (48")

CONSUMABLE PARTS

Replacement Grease Filter (1)

CODE: GF09EA (30") CODE: GF09FA (36" & 42") CODE: GF09GA (48")


Version 03152016 - Specifications subject to change without notice

Replacement Light Bulb (1)

CODE: 2006BH

Consumable parts are sold in units of one (1). Order accordingly.

LINE DRAWING




CALABRIA Wall-Mount Hood. 🔰 EliCa

36"

PRODUCT DIMENSIONS CONTINUED


36" (91.4 cm) models



- Optional backguard may be installed.
- B. 273/4" (70.5 cm) depth with control panel (See NOTE)
- C. 353/4" (90.8 cm) cooktop height when sitting on the wheels
- D. 36" (91.4 cm) width
- E. Model/serial/rating plate location

48" (121.9 cm) models

NOTE: The following illustration is for dimension planning purposes only, and the locations and appearances of the features shown may not match those of your model.




- A. Opţibnai backguard may be installed.
- B. 27⁶/₄* (70.5 cm) depth with control panel (See NOTE)
- C. 353/4" (90.8 cm) cooktop height when sitting on the wheel
- D. 48" (121.9 cm) width
- E. Model/serial/rating plate location

NOTE: When installed in a 24" (61.0 cm) base cabinet with 25" (63.5 cm) countertop, front of oven door protrudes 17/s" (4.8 cm) beyond 24" (61.0 cm) base cabinet.

CABINET DIMENSIONS

Cabinet opening dimensions shown are for 25" (64.0 cm) countertop depth, 24" (61.0 cm) base cabinet depth, and 36" (91.4 cm) countertop height. Dimensions must be met in order to ensure a flush fit to back wall.

IMPORTANT: If installing a range hood or hood liner above the range, follow the range hood or hood liner installation instructions for dimensional clearances above the cooktop surface.



- A. 18" (45.7 cm) upper cabinet to countertop
- B. 30" (76.2 cm) model: 30" (76.2 cm) min. upper cabinet width 36" (91.4 cm) model: 36" (91.4 cm) min. upper cabinet width 48" (121.9 cm) model: 48" (121.9 cm) min. upper cabinet width
- C. 13" (33 cm) max. upper cabinet depth
- D. For minimum clearance to top of range*
- E. 30¹/₄" (76.8 cm) on 30" (76.2 cm) models
 36¹/₄" (92.1 cm) on 36" (91.4 cm) models
 48¹/₄" (122.6 cm) on 48" (121.9 cm) models
 F. 6" (15.2 cm) min. clearance from both sides of range to side wall or other combustible material
- G. 15" (38.1 cm)
 H. 22" (55.9 cm) on 30" (76.2 cm) models
 28" (71.1 cm) on 36" (91.4 cm) models
 40" (101.6 cm) on 48" (121.9 cm) models
- 11/2" (3.8 cm)

- 1. 172 (3.6 cm) J. 3" (7.6 cm) K. 5" (12.7 cm) L. 6" (15.2 cm) on 30" (76.2 cm) models 14" (35.5 cm) on 36" (91.4 cm) models 24" (61.0 cm) on 48" (121.9 cm) models
- M. 101/2" (26.7 cm)
- N. 6" (15.2 cm) O. 6" (15.2 cm)***
- Receptacle must be rotated 90° for Canadian installation.

** Minimum Clearances

30" (76.2 cm) models: 30" (76.2 cm) minimum clearance between the top of the cooking platform and the bottom of an uncovered wood or metal cabinet

36" (91.4 cm) models: 42" (106.7 cm) minimum clearance between the top of the cooking platform and the bottom of an uncovered wood or metal cabinet

48" (121.9 cm) models: 42" (106.7 cm) minimum clearance between the top of the cooking platform and the bottom of an uncovered wood or metal cabinet

***If the surface of the back wall is constructed of a combustible material and a backguard is not installed, a 6" (15.2 cm) minimum clearance is required for all models.

Page 2 of 2

Because Whirlpool Corporation includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.

Ref. W10896182A 09/21/2016

30" (76.2 cm), 36" (91.4 cm), and 48" (121.9 cm) Commercial-Style Dual Fuel Convection Ranges KitchenAid®

PRODUCT MODEL NUMBERS

KDRS407V KDRS483V KDRU767V KDRS463V KDRU763V KDRU783V KDRS467V

ELECTRICAL CONNECTION

To properly install your range, you must determine the type of electrical connection you will be using and follow the instructions provided for it

- Range must be connected to the proper electrical voltage and frequency as specified on the model/serial/rating plate. The model/serial/rating plate is located on the right vertical surface of the oven door frame. Refer to the illustrations in "Product Dimensions" of the "Location Requirements" section.
- This range may be manufactured with a 4-wire power supply cord or may not include a power supply cord. If your range does not include a power supply cord, use a 4-wire power supply cord rated at 250 volts, 40 or 50 amps, and investigated for use with ranges

Specified Rating of Power

Range Rating*		Supply Cord Kit and Circuit Protection	
120/240 Volts	120/208 Volts	Amps	Range Size
8.8–16.5 kW	7.8–12.5 kW	40 or 50**	30" (76.2 cm) 36" (91.4 cm)
16.6-22.5 kW	12.6-18.5 kW	50	48" (121.9 cm)
*The NEC calcu	lated load is less t	han the total cor	nected load listed

- on the model/serial/rating plate.
- * If connecting to a 50-amp circuit, use a 50-amp rated cord with kit. For 50-amp rated cord kits, use kits that specify use with a nominal 13/8" (34.9 mm) diameter connection opening.
- A circuit breaker is recommended.
- Wire sizes and connections must conform with the rating of the range.
- The Tech Sheet is located behind the kick plate in a clear plastic bag.

TYPE OF GAS

Natural Gas:

This range is factory set for use with Natural gas. The model/serial/rating plate located on the right vertical surface of the oven door frame has information on the types of gas that can be used. If the types of gas listed do not include the type of gas available, check with the local gas supplier

LP Gas Conversion:

Conversion must be done by a qualified service technician.

No attempt shall be made to convert the range cooktop from the gas specified on the model/serial/rating plate for use with a different gas without consulting the serving gas supplier. To convert to LP gas, use the LP gas conversion kit provided with your range and see the "Gas Conversions" section. The parts for this kit are in the literature package supplied with the range.

GAS SUPPLY LINE

Provide a gas supply line of \$/4" (1.9 cm) rigid pipe to the range location. A smaller size pipe on longer runs may result in insufficient gas supply. With LP gas, piping or tubing size can be 1/2" (1.3 cm) minimum. Usually, LP gas suppliers determine the size and materials used in the system.

NOTE: Pipe-joint compounds that resist the action of LP gas must be used. Do not use TEFLON^{®†} tape.

†*TEFLON is a registered trademark of Chemours.

Flexible metal appliance connector:

■ If local codes permit, a new CSA design-certified, 4-5 ft (122-152.4 cm) long, ⁵/₉" (1.6 cm) or ³/₄" (1.9 cm) I.D. flexible metal appliance connector may be used for connecting range to the gas supply line.




- A ¹/₂" (1.3 cm) male pipe thread is needed for connection to the female pipe threads of the inlet to the range pressure regulator.
- Do not kink or damage the flexible metal tubing when moving the

IMPORTANT: All connections must be wrench-tightened. Do not make connections to the gas regulator too tight. Making the connections too tight may crack the regulator and cause a gas leak. Do not allow the regulator to turn or move when tightening fittings.


Must include a shut-off valve:

The supply line must be equipped with a manual shut-off valve. This valve should be located in the same room but external to the range opening such as an adjacent cabinet. It should be in a location that allows ease of opening and closing. Do not block access to shut-off valve. The valve is for turning on or shutting off gas to the range.



- A. Gas supply line
- B. Shut-off valve "open" position
- C. To range

PRODUCT DIMENSIONS




Page 1 of 2

Because Whirlpool Corporation includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice

Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.

Ref. W10896182A 09/21/2016



Innovations Roman Tub – 4 piece # T4716-LHP / H20 / R4716 \$ 820.07

Shown in Chrome

ODELTA

3

Pricing subject to change without notice.

LOT No.: 75

ROOM: MASTER ENSUINE - TUB

DATE: (AN. 29, 2017

SIGNATURE: A Sell Hate

Kleinburg

GOLDPARK WORTH MORE



Attention: Building Department		
Re: Lot # <u>75</u>		
This is to acknowledge that as the per Homes not to install the standard bu unit after closing.	urchaser of the above noted lo uilder's kitchen exhaust hood,	t, I have asked Gold Park as I will be installing my own
Dugath tale Purchaser		
Purchaser		Vendor
Dated this 29	_day of <u>January</u>	,20 <u>/</u>

ومرطوههد



Granite, Markle, Engineered Syrfaces

0 8 **⊕** | 54 | 14 Standard 2CM& 3CM
Upgrade 1 2CM & 3CM
Upgrade 1 4 CM OR40 VX30 T30 H20 **()** _____**0** Z40 8 20 mm (3 /4") Profiles 20mm (1-1/4") Profiles FE 20 H40 0 0 VB30 FE40 KUCHEN (STD KUCHEN SINK)

KG-75

JAN. 29, 2817

B

*Mitre edge is available in Upgrade 1 for an overall thickness of 2". All other Mitre edge options will be an Upgrade 2 Edge.

Note: All colours may not be available in 30mm at time ordered. Vendor reserves the right to use

40 mm edges (by lamination process).


CSI-6




CSI-10




CSI-14



CSI-18



CSI-19






CSI- 20





CSI-22



CSI- 23



CSI- 24



CSI-25

K6-75

JAN 29,2017

- IMAGES ARE FOR QUICK REFERENCE PURPOSES ONLY - ACTUAL SIZES AND FINISHES AS PER HARDWARE SAMPLE BOARD PROVIDED TO DECOR CENTRE



70 Regina Road Woodbridge ON L4L 8L6 905-264-6464

INFORMATION - PVC DOORS

Builder Gold Park Homes Project KLEN	Bull 64 Lot # 75					
All cabinets with PVC (Thermofoil) Doors come were doors, crown moulding and light value incorporated in design will only be available variations in colour shades between the PVC parthe melamine parts (open shelves, Gables, Pamaterial.	with melamine interiors. There will be					
Furring Panel with crown moulding to the ceiling is not available on all PVC door styles due to subtle variations in colour shades between the PVC parts (moulding) and the melamine parts (furring panel) due to the difference in material. Grain directions in wood grain pattern melamine, vary between the furring panel, crown moulding (horizontal) and the PVC doors (vertical). Thank you for your understanding.						
am well informed of this information, and agree to	o the purchase of the above.					
Purchaser Dregathhlad	Date: Jan. 29/17 Date: Join 29/17					
Concorder.	Date: Join 29/17					


CORTINA
TO Recipie Road Monthlyton Control M. C.

0 Regina Road, Woodbridge, Ontario L4L 8L8 Tel: 905-264-6464 Fax: 905-264-6664 www.CortinaKitcheris.com **QUOTATION**

Date: 28/06/16

Trade Name: Gold Park Homes Site location: Model: 38-6
Address: Project: Kleinburg Glen Phase:

This layout has been explained to the purchaser by Cortina Kitchens Inc. and is understood by the purchaser.



All prices subject to confirmation from head office.
This quotation is subject to the terms & conditions set out

10170

All agreements are contingent upon strikes, accidents, and delays beyond our control. Please provide our installer with template for sinkholes or \$150.00 will be charged for callback.


Item A. Wood grain and colour are characteristics of the product. We cannot guarantee that such grain and colour will always match. Item B. Corlina Kitchens Inc. reserves the right to alter dimensions and make technical changes without notice.


QUOTATION


Date: 28/06/16


Trade Name: Gold Park Homes Site location: Model: 38-6 Address: Project: Kleinburg Glen Phase:

This layout has been explained to the purchaser by Cortina Kitchens Inc. and is understood by the purchaser.










OPT. 5 BED. SECOND FLOOR



All prices subject to confirmation from head office. This quotation is subject to the terms & conditions set out

All agreements are contingent upon strikes, accidents and delays beyond our control. Please provide our installer with template for sinkholes or \$159.80 will be charged for caliback. will be charged for caliback.


ACCEPTED DATE

Item A. Wood grain and colour are characteristics of the product. We cannot guarantee that such grain and colour will always match. item B. Cortina Kitchens Inc. reserves the right to alter dimensions and make technical changes without notice.



the Wyndham


Elevation A • 2,951 sq.ft. Elevation B • 2,954 sq.ft.






the Wyndham

Elevation A • 2,951 sq.ft. Elevation B • 2,954 sq.ft.





OPT. ENSUITE ELEVATION A & B

JAN. ZA, 2017
STRUCTURAL
LOT 75




FIAT ROOF

RAILING

SECOND FLOOR ELEVATION B



the Wyndham Elevation A • 2,951 sq.ft. Elevation B • 2,954 sq.ft.



JAN 29,2817

STEUCHERAC

July 15,2016

