

Lot: 103

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

CERAMIC

Invoice		Description
2357	1	.**CUSTOM LAYOUT** ADD 1 ADDITIONAL SHOWER FAUCET IN MASTER ENSUITE SHOWER - TOTAL OF 2 SEPARATE SHOWER SYSTEMS
10Nov20 NoCat		
2357	1	.**CUSTOM LAYOUT** MASTER ENSUITE: DELETE DOUBLE SINK, DELETE LINEN SHELVES AND ADD VANITY TO MATCH. WITH STANDARD ELECTRICAL FIXTURE- [APS ITEM]
10Nov20 NoCat		
2226 35	1	FOYER: TILE, FLOOR , LEVEL 3 - FRONT FOYER - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
25Nov20		
2226 37	1	POWDER ROOM: TILE, FLOOR , LEVEL 5 - POWDER ROOM - 3X12"
25Nov20		Please fully tile below vanity
2226 32 25Nov20	1	MUD ROOM: TILE, FLOOR , LEVEL 1 - MUD ROOM - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2226 25 25Nov20	1	POWDER ROOM: TILE INSTALLATION UPGRADE, FLOOR , HERRINGBONE
2226 37 25Nov20	1	MASTER ENSUITE: TILE, FLOOR , LEVEL 5 - MASTER ENSUITE - HEX
2226 50 25Nov20	1	MASTER ENSUITE: TILE, WALL, LEVEL 4 - MASTER ENSUITE - 10X30" LAID IN VERTICAL STACKED PATTERN
2226	1	MASTER ENSUITE: ADD WALL TILE TO CEILING OF SHOWER (LEVEL 4)
25Nov20 NoCat		
2226 32 25Nov20	1	LAUNDRY ROOM: TILE, FLOOR , LEVEL 1 - LAUNDRY - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
23110120		
2226 35 25Nov20	1	ENSUITE 2: TILE, FLOOR, LEVEL 3 - ENSUITE # 2 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2226 43 25Nov20	1	ENSUITE 2: TILE, SHOWER FLOOR, LEVEL 2 - ENSUITE # 2 - 2" HEX
2226 35 25Nov20	1	ENSUITE 3: TILE, FLOOR, LEVEL 3 - ENSUITE # 3 - 12X24" LAID IN STRAIGHT STACKED PATTERN. SEE PLAN FOR TILE DIRECTION

DisciplineMS.rpt 23feb21



Lot: 103

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

CERAMIC					
Invoice	Qty.	Description			

Invoice	Qty.	Description
2226 35 25Nov20	1	ENSUITE 4: TILE, FLOOR , LEVEL 3 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2226 43 25Nov20	1	ENSUITE 4: TILE, SHOWER FLOOR, LEVEL 2 - 2" HEX
2226 43 25Nov20	1	MASTER ENSUITE: TILE, SHOWER FLOOR, LEVEL 2 - 2" HEX
2226 46 25Nov20	1	ENSUITE 2: TILE, WALL, LEVEL 1 - ENSUITE # 2 - 4X12" LAID IN VERTICAL STACKED PATTERN
2226 46 25Nov20	1	ENSUITE 3: TILE, WALL, LEVEL 1 - 4X12" LAID IN VERTICAL STACKED PATTERN
2226 50 25Nov20	1	ENSUITE 4: TILE, WALL, LEVEL 4 - ENSUITE # 4 - 12X24" LAID VERTICAL STACKED

DRYWALL

DRYWALL			
Invoice	Qty.	Description	
2357	1	.UPGRADE REAR GARDEN DOOR ASSEMBLY TO 8' HEIGHT	
10Nov20 NoCat			
2357	7	.MAIN FLOOR: UPGRADE TO 9' SOLID-CORE DOORS ON MAIN FLOOR	
10Nov20 NoCat			
2357	1	.**CUSTOM LAYOUT** FOYER: DELETE DOORS TO LIBRARY	
10Nov20 NoCat			

DisciplineMS.rpt 23feb21 Page 2 of 7



Lot: 103

Model: 50.04 C BEAUMONT

 $\label{project/Phase: Pine Valley Forevergreen / 1} Project/Phase: Pine Valley Forevergreen / 1$

FT	Æ	$\neg \tau$	וסי		٨	T
P. I	7 P.A		ĸ	и.	\boldsymbol{A}	

Invoice	Qty.	Description
2357 72,281 10Nov20	1	.GREAT ROOM: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT FOR WALL MOUNTED TV - LOCATE ABOVE FIREPLACE, APPROX 66" A.F.F.
2357 72,289 10Nov20	6	.MAIN HALL & HALL AT MUDROOM: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH (IN LIEU OF STANDARD CEILING LIGHTS) INCLUDED IN APS - USE STANDARD SWITCHES
2357 10Nov20 NoCat	1	.SERVERY: ADD DISHWASHER ROUGH-IN - SEE PLAN FOR LOCATION
2357 10Nov20 NoCat	1	.**CUSTOM LAYOUT** MASTER ENSUITE: DELETE DOUBLE SINK, DELETE LINEN SHELVES AND ADD VANITY TO MATCH. WITH STANDARD ELECTRICAL FIXTURE- [APS ITEM]
2418 72,272 05Feb21	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - FOR WINE FRIDGE - APPLIANCE NOT INCLUDED
EXTER Invoice		COLOURS Description
2357 10Nov20 NoCat	1	EXTERIOR COLOUR PACKAGE # C.8

FORMI	FORMING				
Invoice	Qty.	Description			
2357	1	.UPGRADE REAR GARDEN DOOR ASSEMBLY TO 8' HEIGHT			
10Nov20					
NoCat					

DisciplineMS.rpt 23feb21 Page 3 of 7



Lot: 103

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

\mathbf{F}	RA	N	IT	N	C
١,		A I V		, T	lΤ

Invoice	Qty.	Description
2357	1	.UPGRADE REAR GARDEN DOOR ASSEMBLY TO 8' HEIGHT
10Nov20 NoCat		
2357	7	.MAIN FLOOR: UPGRADE TO 9' SOLID-CORE DOORS ON MAIN FLOOR
10Nov20 NoCat		
2357	1	.**CUSTOM LAYOUT** FOYER: DELETE DOORS TO LIBRARY
10Nov20 NoCat		
2357	1	**CUSTOM LAYOUT** MAIN HALL: ADD SINGLE DOOR CLOSET (COMPLETE WITH STANDARD ROD/SHELF)
10Nov20 NoCat		INCLUDED IN APS
2357	1	.**CUSTOM LAYOUT** ADD 1 ADDITIONAL SHOWER FAUCET IN MASTER ENSUITE SHOWER - TOTAL OF 2 SEPARATE SHOWER SYSTEMS
10Nov20 NoCat		
2357	1	.**CUSTOM LAYOUT** MASTER ENSUITE: DELETE DOUBLE SINK, DELETE LINEN SHELVES AND ADD VANITY TO MATCH. WITH STANDARD ELECTRICAL FIXTURE- [APS ITEM]
10Nov20 NoCat		

GLASS AND MIRROR

_			
Invoice		Qty.	Description
22	26	_	MASTER ENSUITE & ENSUITE 4: UPGRADE SHOWER HARDWARE TO MATTE BLACK SHOWER DOOR HINGES + SQ6X6 SHOWER HANDLE - MATTE BLACK
25Nc	ov20		
	NoCat		

GRANITE MARBLE QUARTZ

Invoice		Description
2357	1	.**CUSTOM LAYOUT** MASTER ENSUITE: DELETE DOUBLE SINK, DELETE LINEN SHELVES AND ADD VANITY TO MATCH. WITH STANDARD ELECTRICAL FIXTURE- [APS ITEM]
10Nov20 NoCat		
2226	1	KITCHEN: UPGRADE 3 QUARTZ COUNTER TOP
25Nov20 NoCat		

DisciplineMS.rpt 23feb21 Page 4 of 7



Lot: 103

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

HARDWOOD

Invoice	Qty.	Description
2226 4 25Nov20	1	THRU OUT STANDARD AREAS: LIBRARY/MAIN HALL/DINING ROOM/GREAT ROOM/UPPER HALL/MASTER BEDROOM/BEDROOM 2/BEDROOM 3/BEDROOM 4: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3
2226 25Nov20	1	KITCHEN/BREAKFAST: LAY HARDWOOD FLOORS IN HERRINGBONE PATTERN (NO BORDER) - 3/4X5X30" WHITE OAK WIRE BRUSHED NOT SERVERY
NoCat		NOI SERVERI
2226 4 25Nov20	1	KITCHEN/BREAKFAST/SERVERY: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3
2226	1	MAIN STAIRS: STAIN STAIRS AND LANDINGS
25Nov20 NoCat		STAIRS AND LANDINGS WILL BE STAINED SAME & WILL COORDINATE WITH HARDWOOD FLOORS, NOT MATCH IN COLOUR/TEXTURE/SPECIES

INTERIOR TRIM AND DOORS

Invoice	Qty.	Description
2357	1	.UPGRADE REAR GARDEN DOOR ASSEMBLY TO 8' HEIGHT
10Nov20 NoCat		
2357	7	.MAIN FLOOR: UPGRADE TO 9' SOLID-CORE DOORS ON MAIN FLOOR
10Nov20 NoCat		
2357	1	.**CUSTOM LAYOUT** FOYER: DELETE DOORS TO LIBRARY
10Nov20 NoCat		
2226	-7	**DELETE** 9' SOLID-CORE DOORS ON MAIN FLOOR (from order pe#2375) - install 8' doors on main floor
25Nov20 NoCat		SITE CONDITION DOESN'T ALLOW
2226 155,410	1	THRU OUT: UPGRADE INTERIOR DOORS TO LINCOLN PARK
25Nov20		UPGRADE

DisciplineMS.rpt 23feb21 Page 5 of 7



Lot: 103

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

KITCHEN AND BATH CABINETRY

Invoice	Qty.	Description
2357	1	.**CUSTOM LAYOUT** MASTER ENSUITE: DELETE DOUBLE SINK, DELETE LINEN SHELVES AND ADD VANITY TO MATCH. WITH STANDARD ELECTRICAL FIXTURE- [APS ITEM]
10Nov20 NoCat		
2357	1	.**CUSTOM LAYOUT** MASTER ENSUITE: DELETE DOUBLE SINK, DELETE LINEN SHELVES AND ADD VANITY TO MATCH. WITH STANDARD ELECTRICAL FIXTURE- [APS ITEM]
10Nov20 NoCat		
2226	1	THRU OUT: UPGRADED CABINETRY - SEE SCHEDULE ATTACHED
25Nov20 NoCat		

PAINT

Invoice	Qty.	Description
2357	7	.MAIN FLOOR: UPGRADE TO 9' SOLID-CORE DOORS ON MAIN FLOOR
10Nov20 NoCat		
2226	2	MAIN STAIRS: STAIN STAIRS AND LANDINGS
25Nov20 NoCat		STAIRS AND LANDINGS WILL BE STAINED SAME & WILL COORDINATE WITH HARDWOOD FLOORS, NOT MATCH IN COLOUR/TEXTURE/SPECIES

PLUMBING

Invoice	Qty.	Description
2357	1	.**CUSTOM LAYOUT** MASTER ENSUITE: DELETE DOUBLE SINK, DELETE LINEN SHELVES AND ADD VANITY TO MATCH. WITH STANDARD ELECTRICAL FIXTURE- [APS ITEM]
10Nov20 NoCat		
2357	1	.**CUSTOM LAYOUT** ADD 1 ADDITIONAL SHOWER FAUCET IN MASTER ENSUITE SHOWER - TOTAL OF 2 SEPARATE SHOWER SYSTEMS
10Nov20 NoCat		
2226	1	KITCHEN SINK: BLANCO SILGRANIT PRECIS CASCADE #401445 'ANTHRACITE' SERVERY SINK: BLANCO SILGRANIT PRECIS U 3/4 #400827 'ANTHRACITE'
25Nov20 NoCat		BOTTOM GRID NOT INCLUDED
2226	1	KITCHEN SINK: BLANCO SILGRANIT PRECIS CASCADE #401445 'ANTHRACITE' SERVERY SINK: BLANCO SILGRANIT PRECIS U 3/4 #400827 'ANTHRACITE'
25Nov20 NoCat		BOTTOM GRID NOT INCLUDED
2617	1	1 - SERVERY: ADD DISHWASHER ROUGH-IN - SEE PLAN FOR LOCATION
04Mar21 NoCat		REF: ITEM FROM INVOICE 2357

PLUMBING FIXTURES

LECTIL	LOWER OF THE CREE		
Invoice	Qty.	Description	
2357	1	.**CUSTOM LAYOUT** ADD 1 ADDITIONAL SHOWER FAUCET IN MASTER ENSUITE SHOWER - TOTAL OF 2 SEPARATE SHOWER SYSTEMS	
10Nov20 NoCat		BASED ON STANDARD FINISHES	

DisciplineMS.rpt 23feb21 Page 6 of 7



Lot: 103

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

STAIR AND RAILINGS

Invoice	Qty.	Description
2226 100,252 25Nov20	1	MAIN STAIRS: ADD FOR GLASS PANEL IN LIEU OF PICKETS - UPG - GLASS PANEL PACKAGE G WITH METAL SUPPORTS MAIN FLOOR TO 2ND FLOOR ONLY (NOT BASEMENT)
2226 93,814 25Nov20	1	BASEMENT STAIRS (MAIN FLOOR DOWN TO BASEMENT): UPGRADE - EURONLINE (ALL PLAIN) PICKET, 3" HALF-ROUND W/V-GROOVE HANDRAIL, 3 1/2" ALL SQUARE POST WITH PYRAMID TOP POST CAP - PACKAGE A-2

STAIRS AND RAILINGS

Invoice	Qty.	Description	
2226	1	MAIN STAIRS: STAIN STAIRS AND LANDINGS	
25Nov20		STAIRS AND LANDINGS WILL BE STAINED SAME & WILL COORDINATE WITH HARDWOOD FLOORS,	
NoCat		NOT MATCH IN COLOUR/TEXTURE/SPECIES	

WINDO	WINDOWS AND DOORS				
Invoice	Qty.	Description			
2357	1	.UPGRADE REAR GARDEN DOOR ASSEMBLY TO 8' HEIGHT			
10Nov20 NoCat					

DisciplineMS.rpt 23feb21 Page 7 of 7



PV-103 Cabinetry Schedule

ROOM	DESCRIPTION	PRICE	QTY		TOTAL
MUDROOM	CONVERT STANDARD CABINETRY INTO TALL PANTRY UNITS		1		
			-	-	
		1. 4 4 5			
ENSUITE 4	UPGRADE FROM SERIES 2 TO SERIES 6 - MEDIO 6 SHALE		1	-	
MASTER ENSUITE	UPGRADE HER VANITY FROM SERIES 2 TO SERIES 6 - MEDIO 6 SHALE				
THE TEN ENGINE	UPGRADE HIS VANITY FROM SERIES 2 TO SERIES 6 - MEDIO 6 SHALE		1		
	CONVERT STD VANITY FULL HEIGHT DOOR SINK CABINET INTO SINK DRAWER CABINET WITH STD				
	WHITE DRAWERS	1.00	1		
CITCHEN	UPGRADE FROM SERIES 2 TO SERIES 5 - LONDON FOG		1		
	CONVERT STD HEIGHT DOOR CABINETS INTO POTS & PANS DRAWERS		1	7	
	CONVERT STD DEPTH UPPER CABINET TO FRIDGE DEPTH		1		
	ADD DÉCOR PANELS FOR A 48" COLUMN STYLE FRIDGE/FREEZER		1		
	CONVERT DEEP FRIDGE UPPER CABINETS TO FLIP UP CABINETS		1		
	ADD 18" PANTRY		1		
	LEAVE 60" SPACE FOR FUTURE HOOD FAN		1	200	
	LEAVE SPACE FOR WINE FRIDGE		1	22	
	INDUCTION - 36" RANGE		1		
	LEAVE SPACE FOR TWO D/W - STAINLESS		1	-	
KITCHEN BAR	ADD STD 45"H UPPERS				
UTCHEN BAN	ADD STO 45 H OPPERS ADD CONTEMPORARY MOULDING AND CROWN MOULDING TO NEW UPPER CABINETS		1		
	ADD CONTENTIONANT MODELLING AND ENOWIN MODELLING TO NEW OPPER CABINETS		1	-	
SLAND	UPGRADE FROM SERIES 2 TO SERIES 6 - MEDIO 6 SHALE		1		
SERVERY	UPGRADE FROM SERIES 2 TO SERIES 5 - LONDON FOG		1		
	ADD SPACE FOR DISHWASHER		1		
	ADD STD 45"H UPPERS		1	-	
	CAB	INETRY TOTAL:		\$	26,885.25

LOT #: PV-103 DATE: WOVEMBER 23, 2020	
SIGNATURE:	
SIGNATURE:	

GOLDPARK

INTERIOR COLOUR SCHEINE

*** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: Thursday, November 19, 2020

Purchasers:

DOMENICO CASUCELLI & PAULA A. FERREIR. Property: 103 of Plan -

	nde Somerville	Model and Elevation: 50.04 C BEAUMO	DNT 			
rout Changes: Yes	No Sketch Attached:	Yes No Exterior Colour Schel	ne:			
Cabinetry	Style and Colour	Counter	Hardward			
Kitchen / Breakfast	2-tone see below	*Quartz: 'Desert Silver'	*none			
Laundry Room	Bowery 'Ello'	P-Lam 'White'	*none			
Powder Room	Bowery 'Fabro'	Quartz: 'Ice Snow'	*none			
Mud room	Bowery 'Ello'	P-Lam 'White'	*none			
Master Ensuite Bathroom	*Medio 6 'Shale'	Quartz: 'Ice Snow'	*none			
Second Ensuite Bathroom (If Applicable)	Bowery 'Fabro'	Quartz 'Nordic Loft'	*none			
Ensuite 3	Bowery 'Fabro'	Quartz 'Nordic Loft'	*none			
Floor Tile	Selection					
Entrance Vestibule		ahad Ilmaarial Cray!				
Main Hall	*12x24" Eterna London poli	sned Imperial Grey				
Kitchen / Breakfast	n/a n/a *12x24" Combridge "White"					
Laundry Room						
Powder Room	*12x24" Cambridge 'White' *3X12" Roma 'Statuario' *12x24" Cambridge 'White' *Hex Roma 'Statuario' *12x24" Eterna polished 'London Grey' 13x13" Sempre 'White' (basement foyer) *12x24" Eterna polished 'London Grey'					
Mud Room						
Master Ensuite Bathroom						
Second Ensuite Bathroom (If Applicable)						
Lower Landing (If Applicable)						
Ensuite 3						
Comment Ensuite 4 - Tile: *12x24" Eterna Lo + Ensuite 4	ondon polished 'Imperial Grey' / Show	er Floor thru out: 2" Quebec Hex matte 'dark grey' - N	laster Ensuite, Ensuite 2			
Wall Tile	Selection	Listello/Inserts Describe				
Ensuite 3	*4X12" Chess 'Tender Gr	1				
Master Ensuite Bathroom						
	eck n/a	○ Yes ● No				
	Stall *10x30" Roma Filo decor					
Bathroom W Second Ensuite		Yes No				
	*4x12" Chess 'Tender Gre	ey' Yes No				
Bathroom (If Applicable)	*12X24"Arkistone mt.dec	orLT.GREY Yes No				
Bathroom (If Applicable) Ensuite 4	*12X24"Arkistone mt.dec	orLT.GREY ○ Yes ● No │ Backsplash Behind Fridg	e			
Bathroom (If Applicable) Ensuite 4 Kitchen Backsplash Comment			е			

GOLDPARK INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, November 19, 2020 Purchasers: DOMENICO CASUCELLI & PAULA A. FERREIR. Property: 103 of Plan -Telephone Res. / Bus: Project: Pine Valley Forevergreen - Phase 1 **Decor Advisor:** Yolande Somerville Model and Elevation: 50.04 C BEAUMONT 4. Plumbing Fixtures Second Ensuite **Powder Room** Master Ensuite Bathroom Other Room - Specify Other Washroom Comment Standard thru out 5. Hardwood Flooring Type and Stain Type and Stain Main Hall **Upper Landing** Kitchen / Breakfast | *5" white oak wirebrush 'Atlantis' **Upper Hall** Living Room **Master Bedroom Dining Room** Bedroom #2 **Family Room** Bedroom #3 Den/Library Bedroom #4 **Entrance Vestibule** Bedroom #5 Lower Landing Other Room - Specify *5" white oak wirebrush 'Atlantis' (If Applicable) Thru out Standard Area Comment *3/4 x 5" Vintage white oak wirebrush 'Atlantis' // **herringbone pattern in kitchen/breakfast (*NOT* servery)- 3/4x5x30" Vintage white oak wirebrush 6. Carpeting Upgrade Description **Ground Floor** Second Floor Type Area **Upgrade Underpad** Capped Runner - *Upgrade **Carpet on Stairs** Comment 7. Fireplace Living Room Family Room Other Room - Specify Purchased As Per Plan N/A Purchased As Per Plan N/A Purchased As Per Plan N/A Fireplace Type Standard Gas Mantle Type Mediterranean Colour / Stain Arctic White Surround n/a Hearth n/a

NOV. 23, 2020 Page 2 of 4

Comment

GOLDPAR INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, November 19, 2020 DOMENICO CASUCELLI & PAULA A. FERREIR. Property: 103 of Plan -Purchasers: Telephone Res. / Bus: / Project: Pine Valley Forevergreen - Phase 1 Decor Advisor: Model and Elevation: 50.04 C BEAUMONT Yolande Somerville 8. Trim Carpentry Interior Doors *Lincoln Park Front Door Glass Inserts standard Door Handles standard Standard **Interior Trim** Comment 9. Plaster Mouldings and Medallions Standard Throughout Yes N/A **Entrance Vestibule** Kitchen/Breakfast Main Hall Den/Library Living Room **Lower Landing Dining Room** Other Room - Specify **Family Room** Comment 10. Railings and Spindles Railing Package "Glass Railing +3" rectangular hand rail +3-1/2" all square post w band post cap main floor to 2nd floor ONLY **Railing Colour** *Hopscotch Spindle Colour *stainless steel (black @basmt) Stringer / Riser *Hopscotch **Treads** *Hopscotch **Oak Stairs** Yes O No \bigcirc N/A Comment

basement to main floor: euroline 0 - t	ласк
11. Wall Paint / Ceilings Throughout Finished Areas	Warm Grey
Trim Paint White	
Smooth Ceilings Ground Floor Second Floor Note	
Comment	PV-103 PS Nov.23,2020
	1404-129-11020

GOLDPARK INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, November 19, 2020 Purchasers: DOMENICO CASUCELLI & PAULA A. FERREIR, Property: 103 of Plan -Project: Pine Valley Forevergreen - Phase 1 Telephone Res. / Bus: / **Decor Advisor:** Model and Elevation: 50.04 C BEAUMONT Yolande Somerville 12. Electrical Hood Fan White Stainless () N/A Above Kitchen Cabinet Light Yes No Below Kitchen Cabinet Light Yes No **Standard Appliances** Over The Range Microwave Chimney Style Fan Comment 13. Heating and Air Conditioning Air Conditioning no **Gas Provisions Stove** no **Gas Provisions Dryer Gas Provisions Barbecue** no std Comment 14. Additional Comments 15. Disclaimers and Notes 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing. 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full. The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other

Purchaser's Initials The Purchaser acknowledges reading and accepting the "Gold Park Homes Decor Centre Disclaimers" form. This document contains

Date: NOV. 23, 2020


Signature:

than re-selection due to unavailability.

This Interior Colour Selection is final and approved by:

other miscellaneous disclaimers.

SCHEDULE'F'



PURCHASER PURCHASER


VENDOR

GOLDPARK

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 5004

SCHEDULE'F'





PV-103 November 23, 2020. (2)


The Beaumont

50' SERIES

Elevation A • 4,170 sq.ft. 4,315 sq.ft. Opt. Elevator

Elevation B • 4,165 sq.ft. 4,315 sq.ft. Opt. Elevator

Elevation C • 4,250 sq.ft. 4,400 sq.ft. Opt. Elevator



PURCHASER PURCHASER


GOLDPARK

WORTH MORI

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 5004

SCHEDULE'F'





The Beaumont


50' SERIES

Elevation A • 4,170 sq.ft. 4,315 sq.ft. Opt. Elevator

Elevation B • 4,165 sq.ft. 4,315 sq.ft. Opt. Elevator

Elevation C • 4,250 sq.ft. 4,400 sq.ft. Opt. Elevator

Lot



BASEMENT | ELEV. A

VENDOR
PURCHASER
PURCHASER

GOLDPARK

WORTH MORE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 5004



STONE COUNTERTOP EDGE PROFILES


	2CM EASED EDGE	LOCATION: THRU-OUT
	3CM EASED EDGE	LOCATION:
	4CM MITRED EDGE	LOCATION:
	2CM OGEE EDGE	LOCATION:
OT#: PV - LO.3 GNATURE: GNATURE:	DATE: Wovember 23,	2020





BLANCO - PRECIS CASCADE

Silgranit - Undermount Sink 28" x 18" x 7 7/8" - 5 1/2"






Anthracite

Concrete Grey







White

ANTHRACITE	GRID
CONCRETE GREY	
METALLIC GREY	
WHITE	
MODEL 401445 Anthracite / 402268 Concrete Grey / 401482 White / 406532 Grid	/ 401684 Metallic Grey /
Lot# PY-103	•
Room: Kitchen	Signature:
Date: Nov. 23, 2020	Signature:




BLANCO - PRECIS U 3/4

Silgranit - Undermount Sink 13 3/4" x 18 1/8" x 7 1/2"



Anthracite



Concrete Grey



Metallic Grey




White

ANTHRACITE	GRID
CONCRETE GREY	
METALLIC GREY	
WHITE	
MODEL 400827 Anthracite / 402270 Concrete Grey / 401679 N 406444 Grid	1etallic Grey / 401703 White /
LOT # PV-103 ROOM: Servery	DATE: Nov. 23, 2020
SIGNATURE:	
SIGNATURE:	



SDK106

Shower Door Knob



SDK106 Shower Door Knob

1-3/16" dia. Contemporary Style (Also available single sided)


CHROME

Lot# PY-L03	Date: Navember 23, 2020.	Room: Z.
Signature:		
Signature:	9	



SQ6X6

Shower Door Handle



SQ6X6 Shower Door Handle

6" x 6" back-to-back 3/4" square tube (Also available single sided) CHROME

MATTE BLACK


Lot# PV-103 Date: Nov. 23, 2020	Room: Ensuite 4 + MASTER.
Signature:	
Signature:	,



*PLEASE SELECT ONE OF THE FOLLOWING:

+ towel bar				THRU-OUT (tis	ssue holder
DO NOT *tissue holde	INSTALL	STANDARD	BATHROOM provided*	ACCESSORIES	THRU-OUT






LOT#	DATE: November 23, 2020.	
SIGNATURE:		
SIGNATURE:		d U




Project	Pine Valley	L	ot: 103
Purchaser	(s): <u>Domenies Casucelli</u>	3 Paula A. Ferreiva	
Standard F	lood Fan Deletion		
We acknow Do not sup	vledge that the builder's standar ply, install and/or credit. We wil	d hood fan will not be installed I install our own hood fan after	l. · closing.
Signature:			
Signature:	PY-		
Date:	November 23, 2020.		




PV-103 © OC Nov. 23, 2020

Please switch panel doors.




Nov. 23, 2020.



SHATE

PV-103 Nov. 23, 2020.

* switch placement of B4D



PV-103 November 23, 2020.

Pif

0.0

MASTER





LAUNDRY ROOM


pv-LO3

November 23, 2020.


PV-LO3 November 23, 2020.



Mudroom.



too uppers.




SHALE

PERSPECTIVE VIEW

Nov. 23, 2020.


FULGOR




PRO-RANGE 30" - 36" ELECTRIC INDUCTION

4)(5)

INSTALLATION INSTRUCTIONS





The surface of the entire back wall above the range and below the hood must be covered with a noncombustible material. *Consult local code for exact location requirements.

	OPENING WIDTH	A&C		В	
	Range 30"	30"	(76.2)	6"	(15.2)
*	Range 36"	36"	(91.4)	7"	(17.8)

Note: Clearances to non-combustible materials must conform with local codes or, in the absence of local codes, with the National Fuel Gas Code, ANSI Z223.1/NFPA 54.


Minimum clearances:

Above cooking surface (above 36" [91.4 cm])

- Sides 3" (7.6 cm)
- Within 3" (7.6 cm) side clearance, wall cabinets no deeper than 13" (33.0 cm) must be minimum 18" (45.7 cm) above cooking surface.
- Wall cabinets directly above product must be a minimum of 30" (76.2 cm) above cooking surface.
- Rear 0" with 3" (7.6 cm) backguard.

ADDITIONAL CLEARANCES:

For island installation, maintain $2-\frac{1}{2}$ in. minimum from cutout to back edge of countertop and 3 in. minimum from cutout to side edges of countertop (see top view).



*48" FULLY INTEGRATED SIDE-BY-SIDE REFRIGERATOR


(BASE UNIT REQUIRES SUITE-COORDINATING PANEL KIT OR CUSTOM PANELS AND HANDLES)

JS48NXFXDE - 473/4" x 831/8" x 24" (without door/handles)


Panel-ready

PRODUCT DIMENSIONS (including stainless steel door panel kit dimensions)





FRONT VIEW



MODEL #		JS48NXFXDE		
		in	cm	
Α*	Width of freezer door	201//8	51.2	
В*	Width of refrigerator door	271/8	68.9	
С	Space between doors	1/8	0.3	
D	Overall width (including vinyl side trim)	473/4	121.3	
E	Height of top grille (including top grille filler)	6½	16.5	
F	Space between doors and top grille	1/8	0.3	
G	Height of door handles Pro-Style® Stainless	63	160	
	Euro-Style Stainless	50	127.1	
Н	Height to top of door handles Pro-Style® Stainless	67	170.3	
	Euro-Style Stainless	66%	169.1	
I	Height of doors	741/4	188.6	
J	Height of bottom grille	3	7.6	
K	Width of recessed refrigerator	471/8	121.6	
L	Width from side of refrigerator to freezer door handle – door fully open 110° Pro-Style® Stainless	83/8	21.3	
	Euro-Style Stainless	8	20,3	
М	Width from side of refrigerator to handle – doors open 90° Pro-Style® Stainless	2	5.1	
	Euro-Style Stainless	11/2	3.9	
N	Width from side of refrigerator to refrigerator door handle – door fully open 110°		550 00 260	
	Pro-Style® Stainless	95/8	24.4	
	Euro-Style Stainless	91/8	23.1	
0	Depth without door panel kit	24	61.0	
P	Depth with doors Pro-Style® Stainless panel kit	243/4	62.9	
Р	Euro-Style Stainless panel kit	243/4	62.9	
	Custom panel (¾"/1.9 cm)	24¾	62.9	
Q	Depth with handles Pro-Style® Stainless	273/8	69.5	
	Euro-Style Stainless	261/8	68.3	
R	Depth with refrigerator door open 90°	501/4	127.6	

^{*} Door width dimensions are for stainless steel panel kit only.




48" FULLY INTEGRATED SIDE-BY-SIDE REFRIGERATOR


(BASE UNIT REQUIRES SUITE-COORDINATING PANEL KIT OR CUSTOM PANELS AND HANDLES)

JS48NXFXDE - 473/4" x 831/6" x 24" (without door/handles)

3 STYLES FOR DOOR PANEL INSTALLATION








SIDE VIEW – STAINLESS STEEL PANEL KIT







SIDE VIEW – CUSTOM PANEL

- Attach the standard custom grille with the standard grille bracket provided with the refrigerator.
- The standard grille panel height allows for an air gap critical to refrigerator performance.


FULLY INTEGRATED GRILLE INSTALLATION



FRONT VIEW – OPEN TO CEILING (OPTION 1)




FRONT VIEW – FALSE FRONT (OPTION 2)




SIDE VIEW – CUSTOM PANEL

- Attach the full-height grille with the integrated grille bracket provided with the refrigerator.
- Requires a minimum of 6" (15.2 cm) of open space above the refrigerator, which must not be blocked in any way, including soffits.


ARMOIRE-STYLE INSTALLATION*



FRONT VIEW – OPEN TO CEILING (OPTION 1)



FRONT VIEW – FALSE FRONT (OPTION 2)



SIDE VIEW - CUSTOM PANEL

- Attach the grille bracket assembly and grille panel provided in the armoire-style panel kit.
- Requires a minimum of 6" (15.2 cm) of open space above the refrigerator, which must not be blocked in any way, including soffits.
 - * Refer to the Armoire Kit installation instructions for additional dimensions and installation details.

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to the Installation or Use & Care Guide *before* selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All Jenn-Air* appliances are appropriately UL, CUL or CSA approved.




48" FULLY INTEGRATED SIDE-BY-SIDE REFRIGERATOR

(BASE UNIT REQUIRES SUITE-COORDINATING PANEL KIT OR CUSTOM PANELS AND HANDLES)

JS48NXFXDE - 473/4" x 831/8" x 24" (without door/handles)

DIMENSIONS AS INSTALLED



PV-103 Nov. 18,2020. Q	(x)
---------------------------	-----

MODEL #		JS48N	JS48NXFXDE	
		in	cm	
A *	Height without compressor (min.)	743/8	188.9	
В*	Height of recessed refrigerator (min.)	831/8	211.1	
С	Depth with refrigerator door open 90° (min.)	50¾	128.8	
	Depth with handles (min.)	273/8	60.5	
D	Pro-Style® Stainless Euro-Style Stainless	267/8	69.5 68.3	
	Depth with doors (min.)			
-	Pro-Style® Stainless panel kit	243/4	62.9	
E	Euro-Style Stainless panel kit	243/4	62.9	
	Custom panel (¾"/1.9 cm)	243/4	62.9	
F	Depth without door panel kit (min.)	24	61.0	
G	Depth of compressor (min.)	19%	50.5	


^{*}Add $1\frac{1}{4}$ " (3.2 cm) to the height dimension when leveling legs are fully extended.


48" FULLY INTEGRATED SIDE-BY-SIDE REFRIGERATOR

(BASE UNIT REQUIRES SUITE-COORDINATING PANEL KIT OR CUSTOM PANELS AND HANDLES)

JS48NXFXDE - 473/4" x 831/8" x 24" (without door/handles)

OPENING/CLEARANCE DIMENSIONS







MODEL #		JS48NXFXDE	
		in	cm
Α*	Width (min.)	48	121.9
В	Width of recommended electrical location	13½	34.3
С	Distance from side of cabinet to recommended water connection location	6	15.2
D	Height (min.)	84	213.4
E	Height to recommended electrical location	77	195.6
F	Depth of recommended water connection location (max.)	1	2.5
e	Recommended electrical connection location		
w	Recommended water connection location		

^{*}Minimum width must extend behind the face of the cabinet for at least 2" (5.1 cm).

ELECTRICAL REQUIREMENTS

115 volt, 60 Hz, AC only, 15- or 20-amp fused, grounded circuit is required. A dedicated circuit is recommended. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.

WATER PRESSURE REQUIREMENTS

A cold water supply with water pressure between 30 and 120 psi (207 and 827 kPa) is required to operate the ice maker. Call a licensed, qualified plumber with any questions about the water pressure.

Reverse Osmosis Water Supply

IMPORTANT: The pressure of the water coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 30 and 120 psi (207 and 827 kPa).


If a reverse osmosis water filtration system is connected to the cold water supply, the water pressure to the reverse osmosis system needs to be a minimum of 40 to 60 psi (276 to 414 kPa).

LOCATION REQUIREMENTS


Floor must be able to support refrigerator (more than 600 lb [272 kg]), door panels and contents of the refrigerator and must be at the same level as flooring in the room.



Product and Cabinet Opening Dimensions



For 4" (100 mm) toe kick, height of cabinet opening is 341/2" (863 mm).



- A. Insulation may be compressed (not used on all models).
- B. For panel-ready models, dishwasher depth is 24" (610 mm), not including the ³/₄" (19 mm) custom door panel.
- C. Door handles may protrude forward of the face of the dishwasher, varies by model.

Check that all surfaces have no protrusions that would prohibit dishwasher installation. NOTE: Shaded areas of cabinet walls show where utility connections may 101/2" be installed. 34" (267 mm) (864 mm) 63/4" (102 mm) (172 mm) 3" 61/4" (76 mm) (159 mm) 21/4" (64 mm) 24" (620 mm) (44 mm) (51 mm) 24" (620 mm) E D. Measured from the lowest point on the underside of the countertop. May be reduced to 331/2" (851 mm) by removing the wheels and perforated area of insulation (blanket) on dishwasher. E. Minimum, measured from narrowest point of opening