

APPLIANCES

| Invoice                         | Qty. | Description                                                                |
|---------------------------------|------|----------------------------------------------------------------------------|
| 2524<br>72,217<br>14Jan21<br>** | 1    | KITCHEN - UPGRADE TO 8" DUCT ( EXTERIOR WALL) IN LIEU OF STANDARD OFFERING |
| 2636<br><br>11Mar21<br>NoCat    | 1    | KITCHEN: UPDA TED DW SPECIFICATIONS - SIGNED/APPROVED                      |
| 2667<br><br>30Mar21<br>NoCat    | 1    | KITCHEN: UPDA TED FRIDGE SPEC ATTACHED - SIGNED COPY                       |

CERAMIC

| Invoice                      | Qty. | Description                                                                                                                                        |
|------------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| 2326<br><br>03Nov20<br>NoCat | 1    | MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY |
| 2524<br>37<br>14Jan21        | 1    | FRONT FOYER: TILE, FLOOR, LEVEL 3 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION                                          |
| 2524<br>37<br>14Jan21        | 1    | POWDER ROOM: TILE, FLOOR, LEVEL 3 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION                                          |
| 2524<br>34<br>14Jan21        | 1    | LAUNDRY: TILE, FLOOR, LEVEL 2 - LAUNDRY - 8X8" LAID IN STRAIGHT, STACKED TO CREATE PATTERN                                                         |
| 2524<br>43<br>14Jan21        | 1    | MASTER ENSUITE: TILE, SHOWER FLOOR, LEVEL 4 - 2" HEX<br>***ALSO ADD SAME 2" HEX TO BACK OF SHOWER NICHE**                                          |
| 2524<br><br>14Jan21<br>NoCat | 1    | MASTER ENSUITE: ADD TILE TO SHOWER CEILING (SAME AS WALL TILE) - UPGRADE 2                                                                         |
| 2524<br>46<br>14Jan21        | 1    | ENSUITE 2: TILE, WALL, LEVEL 1 - 3X6" LAID IN HORIZONTAL, STACKED PATTERN                                                                          |
| 2524<br><br>14Jan21<br>NoCat | 1    | SHARED BATH: UPGRADE 1 WALL TILE - 3X6" LAID IN HORIZONTAL, STACKED PATTERN                                                                        |
| 2524<br><br>14Jan21<br>NoCat | 1    | SHARED BATH: ADD TILE TO SHOWER CEILING - LEVEL 1                                                                                                  |

CERAMIC

| Invoice               | Qty. | Description                                                                                 |
|-----------------------|------|---------------------------------------------------------------------------------------------|
| 2524<br>37<br>14Jan21 | 1    | MASTER ENSUITE: TILE, FLOOR , LEVEL 5 - HEX                                                 |
| 2524<br>50<br>14Jan21 | 1    | MASTER ENSUITE: TILE, WALL, LEVEL 2 - 4x12" - LAID IN HORIZONTAL BRICK PATTERN              |
| 2524<br>27<br>14Jan21 | 1    | MASTER ENSUITE: TILE INSTALLATION UPGRADE, WALL & CEILING- LAY IN HORIZONTAL, BRICK PATTERN |

CONCRETE AND DRAIN

| Invoice                      | Qty. | Description                |
|------------------------------|------|----------------------------|
| 2203<br><br>03Nov20<br>NoCat | 1    | .BACK-FLOW PREVENTER VALVE |

CROWN MOULDING

| Invoice                      | Qty. | Description                                         |
|------------------------------|------|-----------------------------------------------------|
| 2326<br><br>03Nov20<br>NoCat | 1    | .GREAT ROOM - OPT. COFFERED CEILING - AS PER PLAN   |
| 2326<br><br>03Nov20<br>NoCat | 1    | .BREAKFAST ROOM OPT. COFFERED CEILING - AS PER PLAN |

DRYWALL

| Invoice                      | Qty. | Description                                                                               |
|------------------------------|------|-------------------------------------------------------------------------------------------|
| 2326<br><br>03Nov20<br>NoCat | 1    | .GREAT ROOM: DO *NOT* INSTALL STANDARD CAST STONE MANTLE - LEAVE JUST PAINTED DRYWALL     |
| 2326<br><br>03Nov20<br>NoCat | 1    | .GREAT ROOM - OPT. COFFERED CEILING - AS PER PLAN                                         |
| 2326<br><br>03Nov20<br>NoCat | 1    | .GREAT ROOM - OPT. WAFFLE CEILING, BEAM DETAIL AS PER PLAN (6 BOXES) OPTION # 1 - CTR-B07 |
| 2326<br><br>03Nov20<br>NoCat | 1    | .BREAKFAST ROOM OPT. COFFERED CEILING - AS PER PLAN                                       |
| 2326<br><br>03Nov20<br>NoCat | 1    | .**CUSTOM LAYOUT** DELETE CLOSET AT LAUNDRY ROOM - LEAVE OPEN SPACE                       |

ELECTRICAL

| Invoice Qty. Description  |   |                                                                                                                                                                 |
|---------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2326<br>72,281<br>03Nov20 | 1 | .GREAT ROOM: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT FOR WALL MOUNTED TV - LOCATE APPROX. 66" A.F.F. ABOVE FIREPLACE |
| 2326<br>72,289<br>03Nov20 | 6 | .GREAT ROOM: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH<br>INCLUDES 1 SWITCH                                                                           |
| 2326<br>72,303<br>03Nov20 | 1 | .KITCHEN: FIXTURE: UNDER CABINET FLUORESCENT LIGHT FIXTURES - DOES NOT INCLUDE (AND REQUIRES) LIGHT VALANCE                                                     |
| 2326<br>72,307<br>03Nov20 | 2 | .KITCHEN *AND* GREAT ROOM: FIXTURE: RELOCATE STANDARD CEILING MOUNT FIXTURES TO APPROX. CENTER ABOVE ISLAND<br>USE STANDARD SWITCH                              |
| 2326<br>72,291<br>03Nov20 | 2 | .FRONT PORCH: EXTERIOR LED SOFFIT POT LIGHT - EACH *IN LIEU OF STANDARD COACH LIGHT* - USE STANDARD SWITCH<br>SEE PLAN FOR APPROX LOCATION                      |
| 2326<br>72,307<br>03Nov20 | 1 | .MASTER ENSUITE: FIXTURE: RELOCATE STANDARD CEILING MOUNT FIXTURE - LOCATE APPROX CENTER ABOVE TUB                                                              |
| 2524<br>72,272<br>14Jan21 | 1 | KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - FOR MICROWAVE - MICROWAVE NOT INCLUDED<br>SEE PLAN FOR LOCATION                                             |

EXTERIOR COLOURS

| Invoice Qty. Description |   |                              |
|--------------------------|---|------------------------------|
| 2326<br>03Nov20<br>NoCat | 1 | EXTERIOR COLOUR PKG # BR. 11 |

FIREPLACE

| Invoice Qty. Description |   |                                                                                       |
|--------------------------|---|---------------------------------------------------------------------------------------|
| 2326<br>03Nov20<br>NoCat | 1 | .GREAT ROOM: DO *NOT* INSTALL STANDARD CAST STONE MANTLE - LEAVE JUST PAINTED DRYWALL |

FRAMING

| Invoice                   | Qty. | Description                                                                                                                                        |
|---------------------------|------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| 2326<br>72,631<br>03Nov20 | 1    | MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY |
| 2326<br>72,385<br>03Nov20 | 1    | .GREAT ROOM - OPT. COFFERED CEILING - AS PER PLAN                                                                                                  |
| 2326<br>72,387<br>03Nov20 | 1    | .GREAT ROOM - OPT. WAFFLE CEILING, BEAM DETAIL AS PER PLAN (6 BOXES) OPTION # 1 - CTR-B07                                                          |
| 2326<br>72,384<br>03Nov20 | 1    | .BREAKFAST ROOM OPT. COFFERED CEILING - AS PER PLAN                                                                                                |
| 2326<br>03Nov20<br>NoCat  | 1    | .**CUSTOM LAYOUT** DELETE CLOSET AT LAUNDRY ROOM - LEAVE OPEN SPACE                                                                                |
| 2326<br>03Nov20<br>NoCat  | 1    | .GREAT ROOM: DO *NOT* INSTALL STANDARD CAST STONE MANTLE - LEAVE JUST PAINTED DRYWALL                                                              |

GLASS AND MIRROR

| Invoice                  | Qty. | Description                                                          |
|--------------------------|------|----------------------------------------------------------------------|
| 2524<br>14Jan21<br>NoCat | 1    | THRU OUT: DO NOT SUPPLY OR INSTALL MIRRORS                           |
| 2524<br>14Jan21<br>NoCat | 1    | MASTER ENSUITE: ADD MATTE BLACK MT6X6 DOOR HARDWARE AND BLACK HINGES |

GRANITE MARBLE QUARTZ

| Invoice                  | Qty. | Description                                                                         |
|--------------------------|------|-------------------------------------------------------------------------------------|
| 2524<br>14Jan21<br>NoCat | 1    | POWDER ROOM: UPGRADE 5 QUARTZ COUNTER TOP                                           |
| 2524<br>14Jan21<br>NoCat | 1    | KITCHEN: UPGRADE 5 QUARTZ COUNTER TOP                                               |
| 2524<br>14Jan21<br>NoCat | 1    | KITCHEN: WATERFALL LEG AT ISLAND - LEVEL 5<br>ONE SIDE ONLY - SEE PLAN FOR LOCATION |
| 2524<br>14Jan21<br>NoCat | 1    | KITCHEN: SLAB - FULL HEIGHT BACKSPLASH LEVEL 5                                      |
| 2524<br>14Jan21<br>NoCat | 1    | SHARED BATH: UPGRADE 3 QUARTZ COUNTER TOP                                           |
| 2524<br>14Jan21<br>NoCat | 1    | MASTER ENSUITE: UPGRADE QUARTZ LEVEL 3                                              |
| 2524<br>14Jan21<br>NoCat | 1    | ENSUITE 2: QUARTZ COUNTER TOP LEVEL 3                                               |

HARDWOOD

| Invoice              | Qty. | Description                                                                                                                                                                                                                                     |
|----------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2524<br>4<br>14Jan21 | 1    | THRU OUT ALL STANDARD AREAS- MAIN HALL/ GREAT ROOM/ BREAKFAST/ DINING/ UPPER HALL/ MASTER BEDROOM/ BEDROOM 2/ BEDROOM 3/ BEDROOM 4: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3 |
| 2524<br>4<br>14Jan21 | 1    | KITCHEN: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - KITCHEN - LEVEL 3                                                                                                                  |

HVAC

| Invoice                   | Qty. | Description                                                                |
|---------------------------|------|----------------------------------------------------------------------------|
| 2524<br>72,217<br>14Jan21 | 1    | KITCHEN - UPGRADE TO 8" DUCT ( EXTERIOR WALL) IN LIEU OF STANDARD OFFERING |

INTERIOR TRIM AND DOORS

| Invoice                    | Qty. | Description                                                                               |
|----------------------------|------|-------------------------------------------------------------------------------------------|
| 2326<br>03Nov20<br>NoCat   | 1    | .GREAT ROOM: DO *NOT* INSTALL STANDARD CAST STONE MANTLE - LEAVE JUST PAINTED DRYWALL     |
| 2326<br>03Nov20<br>NoCat   | 1    | .GREAT ROOM - OPT. COFFERED CEILING - AS PER PLAN                                         |
| 2326<br>03Nov20<br>NoCat   | 1    | .GREAT ROOM - OPT. WAFFLE CEILING, BEAM DETAIL AS PER PLAN (6 BOXES) OPTION # 1 - CTR-B07 |
| 2326<br>03Nov20<br>NoCat   | 1    | .BREAKFAST ROOM OPT. COFFERED CEILING - AS PER PLAN                                       |
| 2326<br>03Nov20<br>NoCat   | 1    | .**CUSTOM LAYOUT** DELETE CLOSET AT LAUNDRY ROOM - LEAVE OPEN SPACE                       |
| 2524<br>153,783<br>14Jan21 | 1    | HALIFAX LEVER, IRON BLACK INTERIOR DOOR HARDWARE<br><br>UPGRADE                           |
| 2524<br>155,861<br>14Jan21 | 1    | ADD FOR HINGES 3X3 SQUARE FLAT TIP THROUGHOUT<br><br>UPGRADE                              |
| 2524<br>153,243<br>14Jan21 | 1    | THRU OUT: UPGRADE 3 1/2" STEP BEVEL CASING, 7 1/4" BASE BOARD<br><br>UPGRADE              |
| 2524<br>155,213<br>14Jan21 | 1    | THRU OUT: UPGRADE INTERIOR DOORS TO LOGAN,<br><br>UPGRADE                                 |

GOLDPARK

WORTH MORE™

CONSTRUCTION SUMMARY

Lot: 129

Model: 40.02 B VALLEYVIEW

Project/Phase: Pine Valley Forevergreen / 1

| KITCHEN AND BATH CABINETRY      |      |                                                                            |
|---------------------------------|------|----------------------------------------------------------------------------|
| Invoice                         | Qty. | Description                                                                |
| 2524<br>72,217<br>14Jan21<br>** | 1    | KITCHEN - UPGRADE TO 8" DUCT ( EXTERIOR WALL) IN LIEU OF STANDARD OFFERING |
| 2524<br>14Jan21<br>NoCat        | 1    | THRU OUT: SEE ATTACHED SCHEDULE                                            |
| 2566<br>01Feb21<br>NoCat        | 1    | KITCHEN: SEE AMENDED CABINETRY SCHEDULE (pots and pans drawers)            |
| 2667<br>101,930<br>30Mar21      | 1    | KITCHEN: SEE REVISED CABINETRY SCHEDULE                                    |

| MISC.   |      |             |
|---------|------|-------------|
| Invoice | Qty. | Description |

| NETWORK AND WIRING        |      |                                                                                                                                                                    |
|---------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Invoice                   | Qty. | Description                                                                                                                                                        |
| 2326<br>72,259<br>03Nov20 | 1    | .GREAT ROOM: CONDUIT PIPE - FOR WALL MOUNT TV LOCATE ABOVE FIREPLACE, APPROX. 66" A.F.F., THRU BASEMENT, AND TERMINATING AT CABLE LOCATION - SEE PLAN FOR LOCATION |
| 2326<br>72,258<br>03Nov20 | 1    | .GREAT ROOM / MASTER BEDROOM / BEDROOM 2 / BEDROOM 3 / BEDROOM 4: ADDITIONAL CAT6 ETHERNET OUTLET - EACH SEE PLAN FOR LOCATION<br>PACKAGE PRICE                    |
| 2326<br>03Nov20<br>NoCat  | 1    | .BEDROOM 2, BEDROOM 3 AND BEDROOM 4: DO NOT INSTALL STANDARD PHONE LINE                                                                                            |
| 2326<br>72,264<br>03Nov20 | 1    | .LAUNDRY: ROUGH - IN FOR EXTRA SECURITY KEY PAD                                                                                                                    |
| 2326<br>72,261<br>03Nov20 | 1    | .KITCHEN: INSTALL VAC PAN UNDER KITCHEN SINK                                                                                                                       |
| 2326<br>72,260<br>03Nov20 | 1    | .CONDUIT PIPE - FROM ATTIC TO BASEMENT - FROM ELECTRICAL PANET TO APPROX CENTER OF ATTIC                                                                           |

| PAINT                    |      |                                                                                           |
|--------------------------|------|-------------------------------------------------------------------------------------------|
| Invoice                  | Qty. | Description                                                                               |
| 2326<br>03Nov20<br>NoCat | 1    | .GREAT ROOM: DO *NOT* INSTALL STANDARD CAST STONE MANTLE - LEAVE JUST PAINTED DRYWALL     |
| 2326<br>03Nov20<br>NoCat | 1    | .GREAT ROOM - OPT. COFFERED CEILING - AS PER PLAN                                         |
| 2326<br>03Nov20<br>NoCat | 1    | .GREAT ROOM - OPT. WAFFLE CEILING, BEAM DETAIL AS PER PLAN (6 BOXES) OPTION # 1 - CTR-B07 |
| 2326<br>03Nov20<br>NoCat | 1    | .BREAKFAST ROOM OPT. COFFERED CEILING - AS PER PLAN                                       |
| 2326<br>03Nov20<br>NoCat | 1    | .**CUSTOM LAYOUT** DELETE CLOSET AT LAUNDRY ROOM - LEAVE OPEN SPACE                       |
| 2524<br>14Jan21<br>NoCat | 2    | MAIN STAIRS TO BASEMENT: PAINT RISERS AND STRINGERS WHITE                                 |

| PAINTING                 |      |                                                                                |
|--------------------------|------|--------------------------------------------------------------------------------|
| Invoice                  | Qty. | Description                                                                    |
| 2524<br>14Jan21<br>NoCat | 2    | MAIN STAIRS: 2ND FLOOR TO BASEMENT: STAIN POSTS, HANDRAIL, TREADS AND LANDINGS |

PLUMBING

| Invoice                  | Qty. | Description                                                                                                                       |
|--------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------|
| 2203<br>03Nov20<br>NoCat | 1    | .BACK-FLOW PREVENTER VALVE                                                                                                        |
| 2524<br>14Jan21<br>NoCat | 1    | POWDER ROOM: MOEN ALIGN 8" CC MATTE BLACK FAUCET<br><br>SEE ATTACHED SPEC                                                         |
| 2524<br>14Jan21<br>NoCat | 1    | MASTER ENSUITE: UPGRADE RAINSHOWER + HAND SHOWER TO MOEN 'ALIGN' MATTE BLACK **DIFFERENCE IN PRICE FROM '90*' IN STRUCTURAL ORDER |
| 2524<br>14Jan21<br>NoCat | 2    | MASTER ENSUITE: MOEN ALIGN 8" CC LAV FAUCET - MATTE BLACK                                                                         |
| 2524<br>14Jan21<br>NoCat | 1    | MASTER ENSUITE: 4 PC TUB FILLER WITH H.S. MOEN ALIGN MATTE BLACK                                                                  |
| 2524<br>14Jan21<br>NoCat | 1    | KITCHEN: MOEN 'NIO' PULL DOWN FAUCET -BLACK WITH GOLD HANDLE                                                                      |
| 2524<br>14Jan21<br>NoCat | 1    | KITCHEN: BLANCO PRECIS U SUPER SINGLE                                                                                             |
| 2636<br>11Mar21<br>NoCat | 1    | FYI - KITCHEN: UPDATED DW SPECIFICATIONS - SIGNED/APPROVED                                                                        |

PLUMBING FIXTURES

| Invoice                    | Qty. | Description                                                                                                                                                                                                           |
|----------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2326<br>03Nov20<br>NoCat   | 1    | .MASTER ENSUITE: UPGRADE TO MOEN '90*' POSI-TEMP 3-FUNCTION RAIN SHOWER (from ceiling) + HAND SHOWER AND SLIDE BAR - CHROME #7S2712EP/3372/TS4172/62320/S3879EP/A721                                                  |
| 2586<br>101,930<br>10Feb21 | 1    | MASTER ENSUITE: REVISED UPGRADE PLUMBING SELECTIONS TO: 'MOEN - ARRIS - LAV FAUCET (x2), RAINSHOWER + HANDSHOWER SYSTEM, TUB FAUCET WITH HANDSHOWER - MATTE BLACK'<br><br>IN LIEU OF PREVIOUS SELECTIONS FROM PE#2524 |

STAIR AND RAILINGS

| Invoice                    | Qty. | Description                                                                                                                                                                    |
|----------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2524<br>100,275<br>14Jan21 | 2    | MAIN STAIRS - 2ND FLOOR TO BASEMENT: ADD FOR PAINT GRADE MATERIAL (RISERS + STRINGERS) - UPG - PAINT GRADE<br>SPLIT FINISH                                                     |
| 2524<br>93,780<br>14Jan21  | 2    | MAIN STAIRS - 2ND FLOOR TO BASEMENT: UPGRADE - EURONLINE (ALL PLAIN) PICKET, 3" HALF-ROUND W/V-GROOVE HANDRAIL, 3 1/2" ALL SQUARE POST WITH PYRAMID TOP POST CAP - PACKAGE A-2 |

TRIM AND DOORS

| Invoice                  | Qty. | Description                                                                                   |
|--------------------------|------|-----------------------------------------------------------------------------------------------|
| 2524<br>14Jan21<br>NoCat | 1    | SHARED ENSUITE: DO NOT INSTALL STANDARD WIRE "TOWEL SHELVES" - LEAVE OPEN FOR FUTURE SHELVING |


PV-129 ~~add~~  
Mark 30, 2021



42" FULLY INTEGRATED BOTTOM  
FREEZER REFRIGERATORS

DETAILED PLANNING DIMENSIONS GUIDE  
(BASE UNIT REQUIRES SUITE-COORDINATING FULL HEIGHT PANEL KIT OR CUSTOM  
PANELS AND HANDLES)  
JF42NXXFXDE - 41<sup>3</sup>/<sub>4</sub>" (W) x 82<sup>7</sup>/<sub>8</sub>" (H) x 24" (depth without door panels/handles)

PRODUCT DIMENSIONS



| DIMENSION | DESCRIPTION                                                      | JF42NXXFXDE                                   |
|-----------|------------------------------------------------------------------|-----------------------------------------------|
| A         | Width of each door                                               | 20 <sup>1</sup> / <sub>16</sub> " (52.9 cm)   |
| B         | Space between doors                                              | 1/8" (0.3 cm)                                 |
| C         | Overall width (including vinyl side trims)                       | 41 <sup>3</sup> / <sub>4</sub> " (106 cm)     |
| D         | Height of door handle                                            |                                               |
|           | RISE™ Stainless                                                  | 40 <sup>7</sup> / <sub>8</sub> " (103.8 cm)   |
|           | NOIR™ Stainless                                                  | 40 <sup>5</sup> / <sub>8</sub> " (103.2 cm)   |
| E         | Height to top of door handle                                     |                                               |
|           | RISE™ Stainless                                                  | 49 <sup>7</sup> / <sub>8</sub> " (126.6 cm)   |
|           | NOIR™ Stainless                                                  | 47 <sup>15</sup> / <sub>16</sub> " (121.8 cm) |
| F         | Height of door                                                   | 59 <sup>1</sup> / <sub>4</sub> " (150.5 cm)   |
| G         | Space between door and drawer                                    | 1/8" (0.3 cm)                                 |
| H         | Height to top of drawer handle                                   |                                               |
|           | RISE™ Stainless                                                  | 19 <sup>5</sup> / <sub>16</sub> " (49.1 cm)   |
|           | NOIR™ Stainless                                                  | 19 <sup>3</sup> / <sub>8</sub> " (49.2 cm)    |
| I         | Height of drawer                                                 | 20 <sup>1</sup> / <sub>2</sub> " (52.1 cm)    |
| J         | Height of bottom grille                                          | 3" (7.6 cm)                                   |
| K         | Width from side of refrigerator to handle - door fully open 110° |                                               |
|           | RISE™ Stainless                                                  | 8 <sup>3</sup> / <sub>4</sub> " (21 cm)       |
|           | NOIR™ Stainless                                                  | 7 <sup>3</sup> / <sub>4</sub> " (19.7 cm)     |
| L         | Width from side of refrigerator to handle - door open 90°        |                                               |
|           | RISE™ Stainless                                                  | 2 <sup>3</sup> / <sub>8</sub> " (6.1 cm)      |
|           | NOIR™ Stainless                                                  | 1 <sup>5</sup> / <sub>8</sub> " (4.1 cm)      |


Because V/hirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

PV-129 ~~attach~~  
March 30, 2021

**JENNAIR®**

**42" FULLY INTEGRATED BOTTOM  
FREEZER REFRIGERATORS**  
**DETAILED PLANNING DIMENSIONS GUIDE**  
(BASE UNIT REQUIRES SUITE-COORDINATING FULL HEIGHT PANEL KIT OR CUSTOM  
PANELS AND HANDLES)  
JF42NXXFXDE – 41<sup>3</sup>/<sub>8</sub>" (W) x 82<sup>7</sup>/<sub>8</sub>" (H) x 24" (depth without door panels/handles)



SIDE VIEW

| DIMENSION | DESCRIPTION                                  | JF42NXXFXDE                                 |
|-----------|----------------------------------------------|---------------------------------------------|
| A*        | Height to top of drawer (min.)               | 23 <sup>3</sup> / <sub>2</sub> " (59.7 cm)  |
| B*        | <b>Height to top of drawer handle (min.)</b> |                                             |
|           | RISE™ Stainless                              | 22 <sup>5</sup> / <sub>16</sub> " (56.7 cm) |
| C*        | NOIR™ Stainless                              | 22 <sup>3</sup> / <sub>8</sub> " (56.8 cm)  |
|           | Height to top of door (min.)                 | 82 <sup>7</sup> / <sub>8</sub> " (210.5 cm) |
| D         | Depth with door open 90° (min.)              | 43 <sup>3</sup> / <sub>4</sub> " (111.1 cm) |
|           | <b>Depth with handle (min.)</b>              |                                             |
| E         | RISE™ Stainless                              | 27 <sup>1</sup> / <sub>16</sub> " (70.2 cm) |
|           | NOIR™ Stainless                              | 26 <sup>7</sup> / <sub>8</sub> " (68.2 cm)  |
| F         | <b>Depth with door (min.)</b>                |                                             |
|           | RISE™ Stainless                              | 24 <sup>3</sup> / <sub>4</sub> " (62.9 cm)  |
|           | NOIR™ Stainless                              | 24 <sup>3</sup> / <sub>4</sub> " (62.9 cm)  |
|           | Custom panel (3/4"/1.9 cm)                   | 24 <sup>3</sup> / <sub>4</sub> " (62.9 cm)  |
| G         | Depth without door panel kit (min.)          |                                             |
|           | Depth of compressor cover (min.)             | 24" (61 cm)                                 |
| H         |                                              | 19 <sup>7</sup> / <sub>8</sub> " (50.5 cm)  |

\*Add 1<sup>1</sup>/<sub>4</sub>" (3.2 cm) to the height dimension when leveling legs are fully extended.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

PV-129 ~~Atad~~  
March 30, 2021



# 42" FULLY INTEGRATED BOTTOM FREEZER REFRIGERATORS



**JENNAIR® DETAILED PLANNING DIMENSIONS GUIDE**  
(BASE UNIT REQUIRES SUITE-COORDINATING FULL HEIGHT PANEL KIT OR CUSTOM  
PANELS AND HANDLES)

JF42NXXFXDE - 41 $\frac{3}{4}$ " (W) x 82 $\frac{7}{8}$ " (H) x 24" (depth without door panels/handles)

## AIRFLOW VENTING RECOMMENDATIONS

### CLOSED SOFFIT CABINET

- Depth of cabinet must be less than 25" (63.5 cm).
- Height of soffit must not exceed 84" (213.3 cm).
- Following illustrations explain the cabinet construction (soffit and rear wall positions) required for optimum ventilation and airflow.



Top View

Front View

Grey arrow = ambient air;

Cabinet depth 25" and soffit located at 84", provides proper airflow/ventilation to the refrigerator. Efficient cooling is achieved.

Black arrow = warm air

Cabinet depth more than 25" and/or soffit located at more than 84", causes air gap at back and/or top of the refrigerator. Air gap allows warm air recirculation causing less in cooling efficiency.

- If your opening does not meet these requirements, you will need to make modifications.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

PV-129 ~~attach~~  
March 30, 2021




42" FULLY INTEGRATED BOTTOM  
FREEZER REFRIGERATORS


DETAILED PLANNING DIMENSIONS GUIDE  
(BASE UNIT REQUIRES SUITE-COORDINATING FULL HEIGHT PANEL KIT OR CUSTOM  
PANELS AND HANDLES)

JF42NXXFXDE - 41<sup>3</sup>/<sub>8</sub>" (W) x 82<sup>7</sup>/<sub>8</sub>" (H) x 24" (depth without door panels/handles)

CLEARANCE DIMENSIONS



| DIMENSION | DESCRIPTION                                                            | JF42NXXFXDE    |
|-----------|------------------------------------------------------------------------|----------------|
| A         | Width of recommended electrical location                               | 7½" (19.1 cm)  |
| B         | Height to recommended electrical location                              | 77" (195.6 cm) |
| C         | Distance from side of cabinet to recommended water connection location | 6½" (16.5 cm)  |
| D         | Width of recommended water connection location                         | 1½" (3.81 cm)  |
| E         | Depth of recommended water connection location (max.)                  | 2" (5 cm)      |
| F         | Height of recommended water connection location (behind the unit)      | 2½" (6.35 cm)  |
| e         | Recommended electrical connection location                             |                |
| w         | Recommended water connection location                                  |                |



BACK VIEW

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.


Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.

# JENN-AIR®

BUILT-IN REFRIGERATOR ARMOIRE-STYLE DOOR  
PANEL KIT INSTALLATION INSTRUCTIONS

REFRIGERADOR EMPOTRADO JUEGO DE PANELES  
PARA LA PUERTA ESTILO ARMARIO  
INSTRUCCIONES DE INSTALACIÓN

RÉFRIGÉRATEUR ENCASTRÉ ENSEMBLE DE  
Panneaux pour porte de style armoire -  
INSTRUCTIONS D'INSTALLATION



PV-12g  
OK

March 30, 2021

W10295557D

## Plan the Installation

Plan your installation using these instructions in conjunction with the Installation Instructions provided with the refrigerator. Modifications must be made to the refrigerator to accommodate the armoire cabinet.

### Required parts

- One of the following built-in refrigerator models:  
Side-by-Side: JS42NXFXDW, JS42NXFXDE, JS48NXFXDE, JS48NXFXDW  
36" Bottom Mount: JB36NXFXLW, JB36NXFXRW, JB36NXFXLE, JB36NXFXRE  
36" French Door Bottom Mount: JF36NXFXDE  
42" French Door Bottom Mount: JF42NXFXDW, JF42NXFXDE
- Accessory Armoire-Style Door Panel Kit which includes (Grille Assembly and Grille Bracket Assembly)
- Custom Panels

## Opening Requirements


### IMPORTANT:

- An Armoire installation requires an open soffit. For a fully integrated installation, a minimum of 6" (15.24 cm) of open space above the refrigerator is required. The open space must also extend the width and depth of the unit. See "Fully Integrated Installation," Anti-tip boards are required. See "Install Anti-Tip Boards" in the Installation Instructions provided with the refrigerator for more information.
- The width of the opening, from side to side, must be as specified for your model, for at least 3" (7.62 cm) back from the face of the cabinet. If your opening does not meet this requirement, you will need to make modifications.
- The depth of the opening from the front of the cabinet to the back wall must be 25" (63.5 cm) minimum to achieve a flush installation.
- A grounded 3 prong electrical outlet should be placed within 4" (10.2 cm) of the right side cabinets or end panel. See "Electrical Requirements" in the Installation Instructions provided with the refrigerator.
- The water shutoff should be located in the base cabinets on either side of the refrigerator or some other easily accessible area. If the water shutoff valve is not in the cabinets, the plumbing for the water line can come through the floor. See "Water Supply Requirements" in the Installation Instructions provided with the refrigerator.

## Cabinet and Panel Installation Options


Cabinet Depth - 25" (63.5 cm)

### Framed Cabinetry Top View - Overlay




A. Refrigerator door  
B. Overlay panel  
C. Side trim  
D. Adjacent cabinet  
E. Grille bracket

### Top View - Inset



A. Refrigerator door  
B. Overlay panel  
C. Side trim  
D. Adjacent cabinet  
E. Grille bracket

### Frameless Cabinetry



A. Refrigerator door  
B. Overlay panel  
C. Side trim  
D. Adjacent cabinet  
E. Grille bracket


PV-129 ~~attach~~

March 30, 2024


# Armoire Style Installation Requirements

Top Grille - Side View


Option 1 - Open to Ceiling (all models)



6" (15.24 cm)  
min.



Option 2 - False Front (cabinet face only) (all models)




## Airflow Venting Requirements

### IMPORTANT:

- Armoire style installations require a minimum of 6" (15.24 cm) of open space above the refrigerator. This space must not be blocked in any way, including soffits.
- Models may be installed using either Option 1 or Option 2.

PR-129  
attach  
March 30, 2021


36" (91.4 cm) French Door and 42" (106.7 cm) French Door Model - Door and Drawer Panels



| 36" French Door Bottom Mount |          |            |                      |
|------------------------------|----------|------------|----------------------|
| Model                        | Reveal   | 3/8"       | 1/8"                 |
| A                            | 17 9/16" | (44.61 cm) | 17 13/16" (45.24 cm) |
| B                            | 35 1/4"  | (89.54cm)  | 35 3/4" (90.81cm)    |

| 42" French Door Bottom Mount |          |             |                      |
|------------------------------|----------|-------------|----------------------|
| Model                        | Reveal   |             |                      |
|                              |          | 3/8"        | 1/8"                 |
| A                            | 20 9/16" | (52.23 cm)  | 20 13/16" (52.86 cm) |
| B                            | 41 1/4"  | (104.76 cm) | 41 3/4" (106.05 cm)  |

Side-by-Side - Door Panels



| Model  |  | 42                     |                         | 48                     |                        |
|--------|--|------------------------|-------------------------|------------------------|------------------------|
| Reveal |  | 3/8"                   | 1/8"                    | 3/8"                   | 1/8"                   |
| A      |  | 17 9/16"<br>(44.61 cm) | 17 13/16"<br>(45.24 cm) | 20 1/16"<br>(50.96 cm) | 20 5/16"<br>(50.17 cm) |
| B      |  | 23 9/16"<br>(59.85 cm) | 23 13/16"<br>(60.48 cm) | 27 1/16"<br>(68.74 cm) | 27 5/16"<br>(69.37 cm) |

PR-129  
March 30, 2021  
attach

## Prepare Custom Wood Door Panels


**IMPORTANT:** For an armoire installation, instead of drilling holes along the top edge(s) of the custom door panel(s), you must adjust the placement of the drilling template (provided with the refrigerator).

### NOTES:

- No template adjustment is needed for the bottom edge of the door panel(s).
- No template adjustment is needed for the custom freezer drawer panel.

1. Align the drilling template on the back of the custom refrigerator door panel so that the top of the template is offset  $6\frac{3}{4}"$  (17.2 cm) from the top of the refrigerator door panel.

**NOTE:** The only offset dimension is the  $6\frac{3}{4}"$  (17.2 cm) offset from the top of the door panel.



- A. Top of custom refrigerator door panel
- B. Drilling template
- C. Bottom of custom refrigerator door panel

2. Continue to use the template as you normally would along the bottom, handle side of the door panel.

## Complete Installation

**IMPORTANT:** Return to the instructions provided with your refrigerator to complete the installation. See "Prepare Custom Overlay Panels" in the Installation Guide.

PV-129  
March 30, 2021  
attach

## Yolande Somerville

---

**From:** Erika Guida <[erika.guida18@gmail.com](mailto:erika.guida18@gmail.com)>  
**Sent:** March 15, 2021 4:44 PM  
**To:** Yolande Somerville  
**Subject:** Re: PV-129 URGENT - fridge

Hello,

Here is the model we are going with for the fridge with the armoire kit.

Thank you,  
Erika

### Fridge

<https://www.jennair.ca/appliance/refrigerators/JF42NXFXDE-jennair-42inch-builtin-french-door-refrigerator/>

### Armoire Kit

<https://www.jennair.ca/appliance/accessories/W10663564/>

On Fri., Mar. 12, 2021, 6:52 p.m. Erika Guida, <[erika.guida18@gmail.com](mailto:erika.guida18@gmail.com)> wrote:  
Hi Yolande,

Sorry it took so long to get back to you. We are going with the Jenn Air 42" french door bottom mount freezer. I have attached the specs. Please confirm if this will work. Let us know if there is anything else you need. We appreciate everything you are doing to help us coordinate these changes.

Erika

On Fri., Mar. 12, 2021, 9:32 a.m. Erika Guida, <[erika.guida18@gmail.com](mailto:erika.guida18@gmail.com)> wrote:

Thank you. I am trying to deal with the appliance company now to get it straightened out. I told him we need it today. I will let you know as soon as I hear back.

On Fri., Mar. 12, 2021, 9:26 a.m. Yolande Somerville, <[YSomerville@goldparkhomes.com](mailto:YSomerville@goldparkhomes.com)> wrote:

Hi Erika,

Ok, I'll let the kitchen company know right now.

Can you send specs for a new one ASAP?

Thanks!

Yola

---

**From:** Erika Guida <[erika.guida18@gmail.com](mailto:erika.guida18@gmail.com)>  
**Sent:** Friday, March 12, 2021 9:24 AM  
**To:** Stephen P Guida <[steve\\_g77@rogers.com](mailto:steve_g77@rogers.com)>  
**Cc:** Yolande Somerville <[YSomerville@goldparkhomes.com](mailto:YSomerville@goldparkhomes.com)>  
**Subject:** URGENT - fridge

Hi Yolande,

# 24" Custom Panel Dishwasher

300 Series DLX – Custom Panel SHV863WD3N



**SHV863WD3N**  
Custom Panel

**The 3rd rack provides the perfect space for silverware and large utensils while its V shape leaves room below for taller items.**

## Features & Benefits

44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

With PrecisionWash<sup>®</sup>, intelligent sensors and precision spray arms target every item of every load, so dishes come out sparkling clean every time.

The AquaStop<sup>®</sup> leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

| General Properties                           |                                           |
|----------------------------------------------|-------------------------------------------|
| Number of wash cycles                        | 5                                         |
| Number of options                            | 5                                         |
| dBA                                          | 44                                        |
| Drying system                                | PureDry                                   |
| Third rack                                   | Standard 3rd Rack                         |
| Rack adjustability                           | Rackmatic <sup>®</sup>                    |
| Tub material                                 | Stainless Steel                           |
| Control type                                 | Buttons                                   |
| Concealed water heating element              | Yes                                       |
| Leak protection system                       | 24/7 AquaStop <sup>®</sup>                |
| NSF <sup>®</sup> -certified* sanitize option | Yes                                       |
| Water softener                               | No                                        |
| Five-level wash                              | Yes                                       |
| ChildLock                                    | No                                        |
| Special features                             | InfoLight <sup>®</sup> , Extra Dry Option |

## Efficiency

|                                       |        |
|---------------------------------------|--------|
| Water usage per cycle                 | 3.5    |
| Energy efficiency class               | Tier 1 |
| ENERGY STAR <sup>®</sup> qualified    | Yes    |
| Total annual energy consumption (kWh) | 269    |
| Total annual water consumption (g)    | 623.5  |

## Capacity

|                          |    |
|--------------------------|----|
| Number of place settings | 16 |
|--------------------------|----|

| Technical Details                                                       |                           |
|-------------------------------------------------------------------------|---------------------------|
| Watts (W)                                                               | 1440 W                    |
| Current (A)                                                             | 12 Amps                   |
| Volts (V)                                                               | 120 V                     |
| Frequency (Hz)                                                          | 60 Hz                     |
| Power cord full length                                                  | 67"                       |
| Power cord install length from edge of unit when facing the door (in)** | Left – 45"<br>Right – 56" |
| Minimum water pressure (lb/sin)                                         | 14                        |
| Length outlet hose (in)                                                 | 79"                       |

## Dimensions & Weight

|                                           |                               |
|-------------------------------------------|-------------------------------|
| Overall appliance dimensions (HxWxD) (in) | 33 7/8" x 23 9/16" x 23 1/16" |
| Required cutout size (HxWxD) (in)         | 33 7/8" x 23 5/8" x 24"       |
| Adjustable feet                           | Yes                           |
| Net weight (lbs)                          | 88 lbs                        |

## Accessories—Optional

|                                              |            |
|----------------------------------------------|------------|
| Junction Box                                 | SMZPCJB1UC |
| Bosch Dishwasher Water Supply Hose           | SMZSH002UC |
| Drain Hose Extension Kit                     | SGZ1010UC  |
| Stainless Steel Straight Bosch Bar Handle    | SMZ1007UC  |
| Dishwasher Accessory Kit                     | SMZ5000    |
| Anti-Tarnish Silverware Cassette             | SMZ5002UC  |
| Edge Protector + Power Cord Clip Install Kit | SMZEPCC1UC |



\* Certification to NSF/ANSI Standard 184 for residential dishwashers

\*\*September 2020 running production change to remove adhesive routing clips for power cord. These clips and the edge protector are now included in the dishwasher accessory kit # SMZEPCC1UC.

**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.




# 24" Custom Panel Dishwasher

300 Series DLX – Custom Panel SHV863WD3N



## Installation Details





\* measured from the bottom edge of the countertop panel thickness recommended 3/4" (20 mm).

This dishwasher can accept custom door panel weights ranging from 7 to 24 lbs; however, the dishwasher comes from the factory ready for custom panel door weights from 11 to 18 lbs.

If you plan on using a door panel that is not 11 to 18 lbs. please contact customer service at (800) 944-2904.


\*\* 24" (610 mm) wide panel may be used depending on cabinet design

Note: Refer to installation template for mounting hardware locations measurements in inches (mm)




All connections are at the rear of the appliance. Extension for drain hose available as accessory. Junction Box for hard wired connection available as an accessory.

Measurements in inches (mm)



Note: Cutout required on left or right cabinet wall, depending on location of water inlet, drain and electrical connection

Example of Hardwire Installation



Note: Cutout required on left or right cabinet wall, depending on location of water inlet, drain and electrical connection

Example of an Electrical Receptacle Installation

**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).  
**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



# 24" Custom Panel Dishwasher

300 Series DLX – Custom Panel SHV863WD3N



**BOSCH**  
Invented for life

## Installation Details



Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).  
**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



PV - 129 Cabinetry Schedule

| ROOM           | DESCRIPTION                                                         | PRICE | QTY | TOTAL |
|----------------|---------------------------------------------------------------------|-------|-----|-------|
| POWDER ROOM    | UPGRADE FROM S2-S6: WINSETT 'PITCH BLACK'                           |       | 1   |       |
|                | STANDARD HARDWARE: 'K002-05'                                        |       | 1   |       |
| MASTER ENSUITE | UPGRADE FROM S2-S4: MANHATTAN WHITE OAK 'NATURAL'                   |       | 1   |       |
|                | UPGRADE HARDWARE: 'BH-081-03'                                       |       | 1   |       |
| KITCHEN        | UPGRADE FROM S2-S6: MEDIO 6 'OYSTER'                                |       | 1   |       |
|                | UPGRADE HARDWARE PACKAGE: 'BH-081-03' *IN BLACK                     |       | 1   |       |
|                | UPGRADE HARDWARE PACKAGE: 'BAH-083-03' *IN BLACK                    |       | 1   |       |
|                | LIGHT VALANCE BUNDLE                                                |       | 1   |       |
|                | CONVERT STD UPPER AND BASE CABINETS INTO A TALL DEEP PANTRY         |       | 1   |       |
|                | ADD DECOR PANELS FOR COLUMN STYLE FRIDGE/FREEZER                    |       | 1   |       |
|                | CONVERT STD FULL HEIGHT DOOR CABINET TO BASE MICROWAVE DRAWER CABIN |       | 1   |       |
|                | WITH STD WHITE DRAWER                                               |       | 1   |       |
|                | ADD DECORATIVE RANGE HOOD CABINET - 'ASPEN MODERN HOOD' + INCLUDES  |       | 1   |       |
|                | 'CIRRUS' TRIM AT BASE                                               |       | 1   |       |
|                | CONVERT STD UPERS TO 49-1/2" UPERS + STANDARD CROWN MOULDING +      |       | 1   |       |
|                | FURRING NAIL                                                        |       | 1   |       |
| ISLAND         | UPGRADE FROM S2-S4: MANHATTAN WHITE OAK 'NATURAL'                   |       | 1   |       |
|                | ADD DISHWASHER DECOR PANEL                                          |       | 1   |       |
|                | ADD PULL-OUT 2-BIN BASE RECYCLING CENTER TO A FULL HEIGHT DOOR BASE |       | 1   |       |
|                | CABINET                                                             |       | 1   |       |
|                | ADD TOUCH LATCH AT THE REAR OF THE ISLAND CABINETS                  |       | 1   |       |
|                | RETURN TRIP FOR HARDWOOD                                            |       | 1   |       |
|                | ADD CAMDEN - PROUD FURNITURE KICK AT THE REAR OF THE ISLAND + SIDES |       | 1   |       |

JK

CABINERY TOTAL:

|               |                       |
|---------------|-----------------------|
| LOT #: PV-129 | DATE: January 8, 2021 |
| SIGNATURE:    |                       |
| SIGNATURE:    |                       |

GOLD PARK  
WORTH WORK

REVISED:  
1/8/2021 13:56

Amended January 27th, 2021  
PV - 129 Cabinetry Schedule

| ROOM             | DESCRIPTION                                                   | PRICE  | QTY | TOTAL       |
|------------------|---------------------------------------------------------------|--------|-----|-------------|
| KITCHEN          | ADD ITEM: CONVERT BASE CABINET INTO BASE POTS AND PANS DRAWER | 990.00 | 2   | \$ 1,980.00 |
| CABINETRY TOTAL: |                                                               |        |     | \$ 1,980.00 |

LOT #:

PV-129

DATE:

Jan. 27, 2021

SIGNATURE:

See attached

SIGNATURE:

Purchaser: Stephen P Guida

Property: 129 of Plan -

Telephone Res. / Bus: /

Project: Pine Valley Forevergreen - Phase 1

Decor Advisor: Yolande Somerville

Model and Elevation: 40.02 B VALLEYVIEW

Layout Changes: ☐ Yes ☒ No Sketch Attached: ☐ Yes ☒ No Exterior Colour Scheme: 

## 1. Cabinetry

|                                         | Style and Colour              | Counter                    | Hardware |
|-----------------------------------------|-------------------------------|----------------------------|----------|
| Kitchen / Breakfast                     | 2-tone                        | *Quartz: Eternal Statuario | attached |
| Laundry Room                            | Chesapeake 'Classic White'    | P-Lam: Std White           | attached |
| Powder Room                             | *Winset 'Pitch Black'         | *Quartz: Eternal Statuario | attached |
|                                         |                               |                            |          |
| Master Ensuite Bathroom                 | *Manhattan 'White oak natural | *Quartz: Pure White        | attached |
| Second Ensuite Bathroom (If Applicable) | Chesapeake 'Classic White'    | *Quartz: Pure White        | attached |
| Shared Ensuite                          | Chesapeake 'Classic White'    | *Quartz: Pure White        | attached |

## Comment

\*Kitchen perimeter: Medio 6 'Oyster' // \*Island: Manhattan 'White oak natural'

## 2. Floor Tile

|                                         | Selection                                                      |
|-----------------------------------------|----------------------------------------------------------------|
| Entrance Vestibule                      | *12x24" Calacatta X polished 'White'                           |
| Main Hall                               |                                                                |
| Kitchen / Breakfast                     | see hardwood                                                   |
| Laundry Room                            | *8x8" Marakesh Decor 'Mix 2' matte                             |
| Powder Room                             | *12x24" Calacatta X polished 'White'                           |
|                                         |                                                                |
| Master Ensuite Bathroom                 | *Roma Hex 'Statuario'                                          |
| Second Ensuite Bathroom (If Applicable) | *13x13" Sempre 'White' - 13 x 13" Carrara 'White / Grey' Matte |
| Lower Landing (If Applicable)           | *13x13" Sempre 'White' - 13 x 13" Carrara 'White / Grey' Matte |
| Shared Ensuite                          | *13x13" Sempre 'White' - 13 x 13" Carrara 'White / Grey' Matte |

## Comment

Master ensuite shower floor: 2" Hex Eterna 'Calacatta Grey' \*\*\*\*AND\*\*\*\* AT BACK OF SHOWER NICHE

see attach  
\* Reselection \*  
PV - 129  
Feb. 2, 2021

## 3. Wall Tile

|                                         | Selection                                                     | Listello/Inserts                                              | Describe                 |
|-----------------------------------------|---------------------------------------------------------------|---------------------------------------------------------------|--------------------------|
| Master Ensuite Bathroom                 |                                                               | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Tub Deck                                |                                                               | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Shower Stall                            | *4X12" Picadilly 'Bianco' glossy                              | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Bathroom Walls                          |                                                               | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Second Ensuite Bathroom (If Applicable) | *3x6" Chess 'Arctic White' polished                           | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Shared Ensuite                          | *3x6" Chess 'Arctic White' polished                           | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Kitchen Backsplash                      | <input checked="" type="radio"/> Yes <input type="radio"/> No |                                                               | Backsplash Behind Fridge |
| Comment                                 | *Quartz:slab FHBS, same as countr                             |                                                               |                          |

A B

Feb 2, 2021

Printed 1/8/2021 14:54:40

Purchaser: Stephen P Guida

Telephone Res. / Bus: /

Property: 129 of Plan -

Decor Advisor: Yolande Somerville

Project: Pine Valley Forevergreen - Phase 1

Model and Elevation: 40.02 B VALLEYVIEW

## 4. Plumbing Fixtures

|                         |                          |                      |                          |                |                          |
|-------------------------|--------------------------|----------------------|--------------------------|----------------|--------------------------|
| Master Ensuite Bathroom | <input type="checkbox"/> | Second Ensuite       | <input type="checkbox"/> | Powder Room    | <input type="checkbox"/> |
| Other Room - Specify    | <input type="checkbox"/> | Other Room - Specify | <input type="checkbox"/> | Other Washroom | <input type="checkbox"/> |

Comment

Upgraded, see extras

## 5. Hardwood Flooring

|                               | Type and Stain                     |                         | Type and Stain                     |
|-------------------------------|------------------------------------|-------------------------|------------------------------------|
| Main Hall                     | <input type="checkbox"/>           | Upper Landing           | <input type="checkbox"/>           |
| Kitchen / Breakfast           | *3/4x5" wht oak wire brush 'Orion' | Upper Hall              | <input type="checkbox"/>           |
| Living Room                   | <input type="checkbox"/>           | Master Bedroom          | <input type="checkbox"/>           |
| Dining Room                   | <input type="checkbox"/>           | Bedroom #2              | <input type="checkbox"/>           |
| Family Room                   | <input type="checkbox"/>           | Bedroom #3              | <input type="checkbox"/>           |
| Den/Library                   | <input type="checkbox"/>           | Bedroom #4              | <input type="checkbox"/>           |
| Entrance Vestibule            | <input type="checkbox"/>           | Bedroom #5              | <input type="checkbox"/>           |
| Lower Landing (If Applicable) | <input type="checkbox"/>           | Other Room - Specify    | <input type="checkbox"/>           |
|                               |                                    | Thru out standard areas | *3/4x5" wht oak wire brush 'Orion' |

Comment

## 6. Carpeting

|                  |                                  |                   |                          |
|------------------|----------------------------------|-------------------|--------------------------|
| Ground Floor     | Upgrade <input type="checkbox"/> | Description       | <input type="checkbox"/> |
| Second Floor     | <input type="checkbox"/>         |                   | <input type="checkbox"/> |
|                  | <input type="checkbox"/>         |                   | <input type="checkbox"/> |
| Upgrade Underpad | Type <input type="checkbox"/>    | Area              | <input type="checkbox"/> |
| Carpet on Stairs | Capped <input type="checkbox"/>  | Runner - *Upgrade | <input type="checkbox"/> |

Comment

## 7. Fireplace

|                | Living Room              | Family Room  | Other Room - Specify     |
|----------------|--------------------------|--------------|--------------------------|
|                | Purchased                | Purchased    | Purchased                |
|                | As Per Plan              | As Per Plan  | As Per Plan              |
| Fireplace Type | <input type="checkbox"/> | Standard Gas | <input type="checkbox"/> |
| Mantle Type    | <input type="checkbox"/> | **NONE**     | <input type="checkbox"/> |
| Colour / Stain | <input type="checkbox"/> | n/a          | <input type="checkbox"/> |
| Surround       | <input type="checkbox"/> | n/a          | <input type="checkbox"/> |
| Hearth         | <input type="checkbox"/> | none         | <input type="checkbox"/> |

Comment

124 26

Purchaser: Stephen P Guida

Telephone Res. / Bus: /

Decor Advisor: Yolande Somerville

Property: 129 of Plan -

Project: Pine Valley Forevergreen - Phase 1

Model and Elevation: 40.02 B VALLEYVIEW

## 8. Trim Carpentry

|                |          |                          |          |              |                  |
|----------------|----------|--------------------------|----------|--------------|------------------|
| Interior Doors | *Logan   | Front Door Glass Inserts | standard | Door Handles | *Halifax blk+hng |
| Interior Trim  | *Board 4 |                          |          |              |                  |
| Comment        |          |                          |          |              |                  |

## 9. Plaster Mouldings and Medallions

Standard Throughout ☐ Yes ☐ No ☒ N/A

|                    |  |  |  |                      |  |
|--------------------|--|--|--|----------------------|--|
| Entrance Vestibule |  |  |  | Kitchen/Breakfast    |  |
| Main Hall          |  |  |  | Den/Library          |  |
| Living Room        |  |  |  | Lower Landing        |  |
| Dining Room        |  |  |  | Other Room - Specify |  |
| Family Room        |  |  |  |                      |  |

Comment

## 10. Railings and Spindles

|                  |              |                                                                                                    |
|------------------|--------------|----------------------------------------------------------------------------------------------------|
| Railing Package  | *Package A-2 |                                                                                                    |
| Railing Colour   | *Treasure    | Spindle Colour *Black                                                                              |
| Stringer / Riser | *White       | Treads *Treasure                                                                                   |
| Comment          |              | Oak Stairs <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A |

## 11. Wall Paint / Ceilings

|                           |                                     |
|---------------------------|-------------------------------------|
| Throughout Finished Areas | Cool White                          |
| Trim Paint                | White                               |
| Smooth Ceilings           |                                     |
| Ground Floor              | <input checked="" type="checkbox"/> |
| Second Floor              | <input checked="" type="checkbox"/> |
| Note                      |                                     |

Comment

Scheduled Closing Date: Thursday, April 8, 2021

Purchaser: Stephen P Guida

Telephone Res. / Bus: /

Property: 129 of Plan -

Decor Advisor: Yolande Somerville

Project: Pine Valley Forevergreen - Phase 1

Model and Elevation: 40.02 B VALLEYVIEW

## 12. Electrical

Hood Fan ☐ White ☐ Stainless ☐ N/AAbove Kitchen Cabinet Light ☐ Yes ☒ NoBelow Kitchen Cabinet Light ☒ Yes ☐ NoStandard Appliances ☐Over The Range Microwave ☐Chimney Style Fan ☐

Comment

## 13. Heating and Air Conditioning

Air Conditioning

no

Gas Provisions Dryer

no

Gas Provisions Stove

no

Gas Provisions Barbecue

Comment

## 14. Additional Comments

## 15. Disclaimers and Notes

- 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- 3) The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. \_\_\_\_\_ Purchaser's Initials
- 4) The Purchaser acknowledges reading and accepting the "Gold Park Homes Decor Centre Disclaimers" form. This document contains other miscellaneous disclaimers.

This Interior Colour Selection is final and approved by:

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

R. E. Cull

# GOLDPARK

WORTH MORE

## INTERIOR COLOUR SCHEME

\*\*\* NOTE: This is not an approved document. Document must be locked \*\*\*

Scheduled Closing Date: Thursday, April 8, 2021

Purchaser: Stephen P Guida

Telephone Res. / Bus: /

Decor Advisor: Yolande Somerville

Property: 129 of Plan -

Project: Pine Valley Forevergreen - Phase 1

Model and Elevation: 40 02 B VALLEYVIEW

Layout Changes: ☐ Yes ☒ No Sketch Attached: ☐ Yes ☒ No Exterior Colour Scheme:

### 1. Cabinetry

|                                         | Style and Colour               | Counter                    | Hardware |
|-----------------------------------------|--------------------------------|----------------------------|----------|
| Kitchen / Breakfast                     | 2-tone                         | Quartz: Eternal Statuario  | etched   |
| Laundry Room                            | Chesapeake 'Classic White'     | P-Lam: Sid White           | etched   |
| Powder Room                             | *Winset 'Pitch Black'          | *Quartz: Eternal Statuario | etched   |
| Master Ensuite Bathroom                 | *Manhattan 'White oak natural' | *Quartz: Pure White        | etched   |
| Second Ensuite Bathroom (if Applicable) | Chesapeake 'Classic White'     | *Quartz: Pure White        | etched   |
| Shared Ensuite                          | Chesapeake 'Classic White'     | *Quartz: Pure White        | etched   |
| Comment                                 |                                |                            |          |

\*Kitchen perimeter: Medio 6 'Oyster' // \*Island: Manhattan 'White oak natural'

### 2. Floor Tile

|                                         | Selection                                                   |
|-----------------------------------------|-------------------------------------------------------------|
| Entrance Vestibule                      | *12x24" Calacatta X polished 'White'                        |
| Main Hall                               |                                                             |
| Kitchen / Breakfast                     | see hardwood                                                |
| Laundry Room                            | *6x8" Marakesh Decor 'Mix 2' matte                          |
| Powder Room                             | *12x24" Calacatta X polished 'White'                        |
| Master Ensuite Bathroom                 | *Roma Hex 'Statuario'                                       |
| Second Ensuite Bathroom (If Applicable) | *13x19" Sempre-White- 13 x 13" Carrara 'White / Grey' Matte |
| Lower Landing (If Applicable)           | *13x19" Sempre-White- 13 x 13" Carrara 'White / Grey' Matte |
| Shared Ensuite                          | *13x19" Sempre-White- 13 x 13" Carrara 'White / Grey' Matte |
| Comment                                 |                                                             |

Master ensuite shower floor: 2" Hex Elena 'Calacatta Grey' \*\*\* AND \*\*\* AT BACK OF SHOWER NICHE

*[Signature]*  
\*Reselection\*  
PV-129  
Feb 2, 2021

### 3. Wall Tile

|                                         | Selection                           | Listello/Inserts                                              | Describe |
|-----------------------------------------|-------------------------------------|---------------------------------------------------------------|----------|
| Master Ensuite Bathroom                 |                                     | <input type="radio"/> Yes <input checked="" type="radio"/> No |          |
| Tub Deck                                |                                     | <input type="radio"/> Yes <input checked="" type="radio"/> No |          |
| Shower Stall                            |                                     | <input type="radio"/> Yes <input checked="" type="radio"/> No |          |
| Bathroom Walls                          | *4X12" Picadilly 'Blanco' glossy    | <input type="radio"/> Yes <input checked="" type="radio"/> No |          |
| Second Ensuite Bathroom (if Applicable) | *3x6" Chess 'Arctic White' polished | <input type="radio"/> Yes <input checked="" type="radio"/> No |          |
| Shared Ensuite                          | *3x6" Chess 'Arctic White' polished | <input type="radio"/> Yes <input checked="" type="radio"/> No |          |
| Kitchen Backsplash                      | *3x6" Chess 'Arctic White' polished | <input type="radio"/> Yes <input checked="" type="radio"/> No |          |
| Comment                                 |                                     |                                                               |          |

\*Quartz: slab FHBS, same as count

Backsplash Behind Fridge

Feb 2, 2021

Printed 1/8/2021 14:54:40

# GOLDPARK

WORTH MORE

## INTERIOR COLOUR SCHEME

\*\*\* NOTE: This is not an approved document. Document must be locked \*\*\*

Scheduled Closing Date: Thursday, April 8, 2021

Property: 129 of Plan -

Project: Pine Valley Forevergreen - Phase 1

Model and Elevation: 40.02 B VALLEYVIEW

Purchaser:

Stephen P Guida

Telephone Res. / Bus: /

Yolande Somerville

Decor Advisor:

### 4. Plumbing Fixtures

|                         |                      |                |
|-------------------------|----------------------|----------------|
| Master Ensuite Bathroom | Second Ensuite       | Powder Room    |
| Other Room - Specify    | Other Room - Specify | Other Washroom |

Comment

Upgraded, see extras

### 5. Hardwood Flooring

| Type and Stain                | Type and Stain                     |
|-------------------------------|------------------------------------|
| Main Hall                     | Upper Landing                      |
| Kitchen / Breakfast           | Upper Hall                         |
| Living Room                   | Master Bedroom                     |
| Dining Room                   | Bedroom #2                         |
| Family Room                   | Bedroom #3                         |
| Den/Library                   | Bedroom #4                         |
| Entrance Vestibule            | Bedroom #5                         |
| Lower Landing (If Applicable) | Other Room - Specify               |
| Comment                       | *3/4x5" wht oak wire brush 'Orion' |

### 6. Carpeting

| Upgrade      | Description |
|--------------|-------------|
| Ground Floor |             |
| Second Floor |             |

| Type             | Area              |
|------------------|-------------------|
| Upgrade Underpad |                   |
| Carpet on Stairs | Runner - *Upgrade |
| Comment          |                   |

### 7. Fireplace

| Living Room | Family Room | Other Room - Specify |
|-------------|-------------|----------------------|
| Purchased   | Purchased   | Purchased            |
| As Per Plan | As Per Plan | As Per Plan          |
| N/A         | N/A         | N/A                  |

| Fireplace Type | Standard Gas |
|----------------|--------------|
| Mantle Type    | **NONE**     |
| Colour / Stain | n/a          |
| Surround       | n/a          |
| Hearth         | none         |
| Comment        |              |

Feb 2, 2021

Printed 1/8/2021 14:54:40

# GOLDPARK

WORTH MORE

## INTERIOR COLOUR SCHEME

\*\*\* NOTE: This is not an approved document. Document must be locked \*\*\*  
Purchaser: Stephen P Guida  
Telephone Res. / Bus: /  
Decor Advisor: Yolande Somerville  
Scheduled Closing Date: Thursday, April 8, 2021  
Property: 129 of Plan -  
Project: Pine Valley Forevergreen - Phase 1  
Model and Elevation: 40.02 B VALLEYVIEW

### 8. Trim Carpentry

Interior Doors  Logan  
Interior Trim  Board 4  
Comment  
Front Door Glass Inserts  standard  
Door Handles  Halifax blk+hng

### 9. Plaster Mouldings and Medallions

Standard Throughout ☐ Yes ☐ No ☒ N/A

|                    |                      |                      |                      |                      |
|--------------------|----------------------|----------------------|----------------------|----------------------|
| Entrance Vestibule | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Main Hall          | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Living Room        | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Dining Room        | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Family Room        | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Comment            | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

|                      |                      |                      |                      |                      |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| Kitchen/Breakfast    | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Den/Library          | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Lower Landing        | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| Other Room - Specify | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

### 10. Railings and Spindles

Railing Package  Package A-2  
Railing Colour  Treasure  
Stringer / Riser  White  
Comment  
Spindle Colour  Black  
Treads  Treasure  
Oak Stairs ☒ Yes ☐ No ☐ N/A

### 11. Wall Paint / Ceilings

Throughout Finished Areas  Cool White  
Trim Paint  White  
Smooth Ceilings  
Ground Floor ☒  
Second Floor ☒  
Note

Feb 2, 2021  
Printed 1/8/2021 14:54:40

# GOLDPARK

WORTH MORE

## INTERIOR COLOUR SCHEME

\*\*\* NOTE: This is not an approved document. Document must be locked \*\*\*

Purchaser: Stephen P Guida  
Telephone Res. / Bus: /  
Decor Advisor: Yolande Somerville  
Scheduled Closing Date: Thursday, April 8, 2021  
Property: 129 of Plan -  
Project: Pine Valley Forevergreen - Phase 1  
Model and Elevation: 40.02 B VALLEYVIEW

### 12. Electrical

Hood Fan ☐ White ☐ Stainless ☐ N/A

Standard Appliances ☐

Over The Range Microwave ☐

Chimney Style Fan ☐

Comment

Above Kitchen Cabinet Light ☐ Yes ☒ No  
Below Kitchen Cabinet Light ☒ Yes ☐ No

### 13. Heating and Air Conditioning

Air Conditioning

Gas Provisions Dryer

Comment

no  
no

Gas Provisions Stove  
Gas Provisions Barbecue

no  
no

### 14. Additional Comments

### 15. Disclaimers and Notes

- 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- 3) The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. Purchaser's initials
- 4) The Purchaser acknowledges reading and accepting the "Gold Park Homes Decor Centre Disclaimers" form. This document contains other miscellaneous disclaimers.

This Interior Colour Selection is final and approved by:

Signature: [Signature] Date: \_\_\_\_\_

Printed 1/8/2021 14:54:40 Feb 2, 2021.

\*\*\* NOTE: This is not an approved document. Document must be locked \*\*\*

Scheduled Closing Date: Thursday, April 8, 2021

Purchaser: Stephen P Guida

Property: 129 of Plan -

Telephone Res. / Bus: /

Project: Pine Valley Forevergreen - Phase 1

Decor Advisor: Yolande Somerville

Model and Elevation: 40.02 B VALLEYVIEW

Layout Changes: ☐ Yes ☒ No Sketch Attached: ☐ Yes ☒ No Exterior Colour Scheme: 

## 1. Cabinetry

|                                         | Style and Colour               | Counter                    | Hardware |
|-----------------------------------------|--------------------------------|----------------------------|----------|
| Kitchen / Breakfast                     | 2-tone                         | *Quartz: Eternal Statuario | attached |
| Laundry Room                            | Chesapeake 'Classic White'     | P-Lam: Std White           | attached |
| Powder Room                             | *Winset 'Pitch Black'          | *Quartz: Eternal Statuario | attached |
|                                         |                                |                            |          |
| Master Ensuite Bathroom                 | *Manhattan 'White oak natural' | *Quartz: Pure White        | attached |
| Second Ensuite Bathroom (If Applicable) | Chesapeake 'Classic White'     | *Quartz: Pure White        | attached |
| Shared Ensuite                          | Chesapeake 'Classic White'     | *Quartz: Pure White        | attached |

## Comment

\*Kitchen perimeter: Medio 6 'Oyster' // \*Island: Manhattan 'White oak natural'

## 2. Floor Tile

|                                         | Selection                            |
|-----------------------------------------|--------------------------------------|
| Entrance Vestibule                      | *12x24" Calacatta X polished 'White' |
| Main Hall                               |                                      |
| Kitchen / Breakfast                     | see hardwood                         |
| Laundry Room                            | *8x8" Marakesh Decor 'Mix 2' matte   |
| Powder Room                             | *12x24" Calacatta X polished 'White' |
|                                         |                                      |
| Master Ensuite Bathroom                 | *Roma Hex 'Statuario'                |
| Second Ensuite Bathroom (If Applicable) | *13x13" Sempre 'White'               |
| Lower Landing (If Applicable)           | *13x13" Sempre 'White'               |
| Shared Ensuite                          | *13x13" Sempre 'White'               |

## Comment

Master ensuite shower floor: 2" Hex Eterna 'Calacatta Grey' \*\*\*\*AND\*\*\* AT BACK OF SHOWER NICHE

## 3. Wall Tile

|                                         | Selection                                                     | Listello/Inserts                                              | Describe                 |
|-----------------------------------------|---------------------------------------------------------------|---------------------------------------------------------------|--------------------------|
| Master Ensuite Bathroom                 |                                                               | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Tub Deck                                |                                                               | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Shower Stall                            | *4X12" Picadilly 'Bianco' glossy                              | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Bathroom Walls                          |                                                               | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Second Ensuite Bathroom (If Applicable) | *3x6" Chess 'Arctic White' polished                           | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Shared Ensuite                          | *3x6" Chess 'Arctic White' polished                           | <input type="radio"/> Yes <input checked="" type="radio"/> No |                          |
| Kitchen Backsplash                      | <input checked="" type="radio"/> Yes <input type="radio"/> No |                                                               | Backsplash Behind Fridge |
|                                         | *Quartz:slab FHBS, same as countir                            |                                                               |                          |

## Comment

Purchaser: Stephen P Guida

Property: 129 of Plan -

Telephone Res. / Bus: / Project: Pine Valley Forevergreen - Phase 1

Decor Advisor: Yolande Somerville

Model and Elevation: 40.02 B VALLEYVIEW

## 4. Plumbing Fixtures

|                         |                          |                      |                          |                |                          |
|-------------------------|--------------------------|----------------------|--------------------------|----------------|--------------------------|
| Master Ensuite Bathroom | <input type="checkbox"/> | Second Ensuite       | <input type="checkbox"/> | Powder Room    | <input type="checkbox"/> |
|                         | <input type="checkbox"/> | Other Room - Specify | <input type="checkbox"/> | Other Washroom | <input type="checkbox"/> |

Comment

Upgraded, see extras

## 5. Hardwood Flooring

|                               | Type and Stain                     | Type and Stain          |                                    |
|-------------------------------|------------------------------------|-------------------------|------------------------------------|
| Main Hall                     | <input type="checkbox"/>           | Upper Landing           | <input type="checkbox"/>           |
| Kitchen / Breakfast           | *3/4x5" wht oak wire brush 'Orion' | Upper Hall              | <input type="checkbox"/>           |
| Living Room                   | <input type="checkbox"/>           | Master Bedroom          | <input type="checkbox"/>           |
| Dining Room                   | <input type="checkbox"/>           | Bedroom #2              | <input type="checkbox"/>           |
| Family Room                   | <input type="checkbox"/>           | Bedroom #3              | <input type="checkbox"/>           |
| Den/Library                   | <input type="checkbox"/>           | Bedroom #4              | <input type="checkbox"/>           |
| Entrance Vestibule            | <input type="checkbox"/>           | Bedroom #5              | <input type="checkbox"/>           |
| Lower Landing (If Applicable) | <input type="checkbox"/>           | Other Room - Specify    | *3/4x5" wht oak wire brush 'Orion' |
|                               |                                    | Thru out standard areas | <input type="checkbox"/>           |

Comment

## 6. Carpeting

|              |                                  |             |                          |
|--------------|----------------------------------|-------------|--------------------------|
| Ground Floor | Upgrade <input type="checkbox"/> | Description | <input type="checkbox"/> |
| Second Floor | <input type="checkbox"/>         |             | <input type="checkbox"/> |
|              | <input type="checkbox"/>         |             | <input type="checkbox"/> |

Type

Area

Upgrade Underpad

Capped

Runner - \*Upgrade

Carpet on Stairs

Comment

## 7. Fireplace

|                | Living Room           | Family Room           | Other Room - Specify  |
|----------------|-----------------------|-----------------------|-----------------------|
|                | Purchased             | Purchased             | Purchased             |
| Fireplace Type | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Mantle Type    | <input type="radio"/> | Standard Gas          | <input type="radio"/> |
| Colour / Stain | <input type="radio"/> | **NONE**              | <input type="radio"/> |
| Surround       | <input type="radio"/> | n/a                   | <input type="radio"/> |
| Hearth         | <input type="radio"/> | n/a                   | <input type="radio"/> |
|                | <input type="radio"/> | none                  | <input type="radio"/> |

Comment

1/24 26

## INTERIOR COLOUR SCHEME

\*\*\* NOTE: This is not an approved document. Document must be locked \*\*\*

Scheduled Closing Date: Thursday, April 8, 2021

Purchaser: Stephen P Guida

Property: 129 of Plan -

Telephone Res. / Bus: /

Project: Pine Valley Forevergreen - Phase 1

Decor Advisor: Yolande Somerville

Model and Elevation: 40.02 B VALLEYVIEW

## 8. Trim Carpentry

|                |          |                          |          |              |                  |
|----------------|----------|--------------------------|----------|--------------|------------------|
| Interior Doors | *Logan   | Front Door Glass Inserts | standard | Door Handles | *Halifax blk+hng |
| Interior Trim  | *Board 4 |                          |          |              |                  |
| Comment        |          |                          |          |              |                  |

## 9. Plaster Mouldings and Medallions

Standard Throughout ☐ Yes ☐ No ☒ N/A

|                    |  |  |                      |  |  |
|--------------------|--|--|----------------------|--|--|
| Entrance Vestibule |  |  | Kitchen/Breakfast    |  |  |
| Main Hall          |  |  | Den/Library          |  |  |
| Living Room        |  |  | Lower Landing        |  |  |
| Dining Room        |  |  | Other Room - Specify |  |  |
| Family Room        |  |  |                      |  |  |
| Comment            |  |  |                      |  |  |

## 10. Railings and Spindles

|                  |              |                |                                                                                         |
|------------------|--------------|----------------|-----------------------------------------------------------------------------------------|
| Railing Package  | *Package A-2 |                |                                                                                         |
| Railing Colour   | *Treasure    | Spindle Colour | *Black                                                                                  |
| Stringer / Riser | *White       | Treads         | *Treasure                                                                               |
| Comment          |              | Oak Stairs     | <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> N/A |

## 11. Wall Paint / Ceilings

|                           |                                     |  |
|---------------------------|-------------------------------------|--|
| Throughout Finished Areas | Cool White                          |  |
| Trim Paint                | White                               |  |
| Smooth Ceilings           |                                     |  |
| Ground Floor              | <input checked="" type="checkbox"/> |  |
| Second Floor              | <input checked="" type="checkbox"/> |  |
| Note                      |                                     |  |
| Comment                   |                                     |  |

\*\*\* NOTE: This is not an approved document. Document must be locked \*\*\*

Scheduled Closing Date: Thursday, April 8, 2021

Purchaser: Stephen P Guida

Property: 129 of Plan -

Telephone Res. / Bus: /

Project: Pine Valley Forevergreen - Phase 1

Decor Advisor: Yolande Somerville

Model and Elevation: 40.02 B VALLEYVIEW

12. Electrical

Hood Fan ☐ White ☐ Stainless ☐ N/A

Above Kitchen Cabinet Light ☐ Yes ☒ No  
Below Kitchen Cabinet Light ☒ Yes ☐ No

Standard Appliances ☐

Over The Range Microwave ☐

Chimney Style Fan ☐

Comment

13. Heating and Air Conditioning

Air Conditioning ☐ no ☐

Gas Provisions Stove ☐ no ☐

Gas Provisions Dryer ☐ no ☐

Gas Provisions Barbecue ☐

Comment

14. Additional Comments

15. Disclaimers and Notes

- 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- 3) The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. \_\_\_\_\_ Purchaser's Initials
- 4) The Purchaser acknowledges reading and accepting the "Gold Park Homes Decor Centre Disclaimers" form. This document contains other miscellaneous disclaimers.

This Interior Colour Selection is final and approved by:

Signature:  Date: \_\_\_\_\_





PV-129

Jan. 8 2021

PINE VALLEY  
CONSTRUCTION

PV-129  
MAY 5 2020




## SCHEDULE 'F'

PV-129 *see email*  
MAY 16 2020

# The Valleyview 40' SERIES

Elevation A • 3,145 sq.ft.  
→ Elevation B • 3,170 sq.ft.



VENDOR

PURCHASER

PURCHASER

GOLDPARK  
WORTH MORE™

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4002



PINE VALLEY  
FORESTRY

*[Signature]*

PV-129

Jan 8 2021..

*See Encl.*  
PV-129  
March 16 2020

PV-129 MAY 5 2020

# The Valleyview


40' SERIES

Elevation A • 3,145 sq.ft.

Elevation B • 3,170 sq.ft.

## SCHEDULE 'F'

RAIN SHOWER.



SECOND FLOOR | ELEV. A

|           |  |
|-----------|--|
| VENDOR    |  |
| PURCHASER |  |
| PURCHASER |  |

GOLDPARK  
WORTH MORE™

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4002



SCHEDULE 'F'

The Valleyview  
40' SERIES

Elevation A • 3,145 sq.ft.  
→ Elevation B • 3,170 sq.ft.

PV-129 *see May*  
MAR 16 2020

PV-129  
MAY 5 2020


PV-129  
Jan. 8 2021

STD  
16x30"

STD  
16x30"

STD  
16x30"

STD  
16x30"



BACK-FLOW  
PREVENTER VALVE

VENDOR

PURCHASER

PURCHASER

GOLDPARK  
WORTH MORE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4002

PR-129  
Jan 8, 2021

\*Updated\*  
PR-129  
Jan 27, 2021

See attached

Perimeter: Medico to 'Oyster'

Island: Manhattan 'Natural White Oak'

Hardware: 'BH-081-03' → \*Black.

'BAH-083-03' → \*Black.

→ on TALL PANTRY \* as well.

'Aspen Modern' Decorative Hood Cabinet  
(+ CIRCUS TRIM at bottom of canopy).


\*NOTE: Please have pantry  
swing towards the wall.



\* Switch  
location

\*See attach-\*

PR-129  
Feb 3, 2021  
\*Revised\*



GOLDPARK HOMES  
PINE VALLEY  
VAUGHAN, ONTARIO  
MODEL: (4002)  
VALLEYVIEW

SITE STANDARD: WHITE 3/4" EXTENSION  
SOFT-CLOSE DRAWERS & SOFT-CLOSE  
HINGES TO KITCHEN AREA

10' CEILING - 12"H COFFERED CEILING -  
M.H. = 102" + 3/4"H CONTEMPORARY  
MOLDING + 5 1/4"H FURRING RAIL  
+ LARGE CORNICE MOLDING TO  
UNDERSIDE OF BOX



PLAN VIEW

\*NOTE: Please have pantry  
swing towards the wall.




\* Switch  
location

tall pantry  
42" Panel-Ready  
Fridge + Freezer

PT-129  
Feb 3, 2021  
\* Revised \*



PLAN VIEW



PT-129  
Jan 8, 2021  
\* Updated \*  
PT-129  
Jan 27, 2021  
See attached

Perimeter: Medium to 'Oyster'

Island: Manhattan 'Natural White Oak'

Hardware: 'BH-081-03' → \* Black.  
'BAH-083-03' → \* Black.  
↳ on TALL PANTRY \* as well.

**GOLDPARK HOMES**  
**PINE VALLEY**  
**VAUGHAN, ONTARIO**  
**MODEL: (4002)**  
**VALLEYVIEW**


SITE STANDARD: WHITE 3/4" EXTENSION  
SOFT-CLOSE DRAWERS & SOFT-CLOSE  
HINGES TO KITCHEN AREA

10' CEILING - 12" H COFFERED CEILING -  
M.H. = 107" + 3/4" H CONTEMPORARY  
MOLDING + 5 1/4" H FURRING RAIL  
+ LARGE CORNICE MOLDING TO  
UNDERSIDE OF BOX


**GOLDPARK HOMES  
PINE VALLEY  
VAUGHAN, ONTARIO  
MODEL: (4002) VALLEYVIEW**

**SITE STANDARD: WHITE 3/4" EXTENSION  
SOFT-CLOSE DRAWERS & STANDARD SLAM DOOR HINGES  
TO VANITIES**


**ONE TOP DRAWER WHERE POSSIBLE THROUGHOUT EACH  
VANITY, ONE BANK OF DRAWERS WHERE POSSIBLE  
THROUGHOUT EACH MASTER ENSUITE VANITY**




Manhattan 'White Oak Natural'




Chesapeake 'Classic White'



Chesapeake 'Classic White'



Chesapeake 'Classic White'




Winset 'Pitch Black'

Handwritten notes: PV-129, Jan 8, 2021, \*Updated\* PV-129, Jan 27, 2020, and 'See attached'.

Feb 3, 2021




PLAN VIEW



GOLDPARK HOMES  
PINE VALLEY  
VAUGHAN, ONTARIO  
MODEL: (4002)  
VALLEYVIEW  
SITE STANDARD: WHITE 3/4" EXTENSION  
SOFT-CLOSE DRAWERS & SOFT-CLOSE  
HINGES TO KITCHEN AREA  
10' CEILING - 12" H COFFERED CEILING -  
M.H. = 102" + 3/4" H CONTINGUARY  
MOLDING + 5 1/4" H FURRING RAIL  
+ LARGE CORNICE MOLDING TO  
UNDERSIDE OF BOX


Island: Manhattan 'Natural White Oak'  
Hardware: 'BH-081-03' → \*black.  
Hardware: 'BH-083-03' → \*black.  
Refrigerator: 'Medio to 'Oyster'

PR-129  
Jan 8, 2021  
\*Updated\*  
PR-129  
Jan 27, 2021  
See attached  
see attached



SITE STANDARD: WHITE 3/4" EXTENSION  
SOFT-CLOSE DRAWERS & STANDARD SLAM DOOR HINGES  
TO VANITIES  
ONE TOP DRAWER WHERE POSSIBLE THROUGHOUT EACH  
Vanity, ONE BANK OF DRAWERS WHERE POSSIBLE  
THROUGHOUT EACH MASTER ENSUITE VANITY

GOLDPARK HOMES  
PINE VALLEY  
VAUGHAN, ONTARIO  
MODEL: (4002) VALLEYVIEW



Chesapeake 'Classic White'

RV-129  
Jan 8, 2021  
\*updated\*  
RV-129  
Jan 27, 2020

VOID



PINE VALLEY  
FOREVERGREEN

STONE COUNTERTOP EDGE PROFILES



STANDARD 2CM EASED EDGE



LOCATION:

THRU OUT


UPGRADE 3CM EASED EDGE



LOCATION:



UPGRADE 4CM MITRED EDGE



LOCATION:



UPGRADE 2CM OGEE EDGE

LOCATION:

LOT #:

PV-129

DATE:

Jan 8, 2021

SIGNATURE:

*[Signature]*

SIGNATURE:

*G. Gude*



STANDARD HARDWARE / KNOBS

PINE VALLEY  
FOREVERGREEN

☐

K002-02

☐

K002-03

☐

K002-04

☐

K002-06

☒

K002-05

→ Laundry Room  
→ Powder Room  
→ Ensuite 2

☐

K024-03

☐

\*NO HARDWARE

☒

K008-14

→ Shared Bath

LOT # PV-129

DATE: Jan 8, 2021

SIGNATURE:

SIGNATURE:

UPGRADE HARDWARE



PINE VALLEY  
FOREVERGREEN

BH-081-03

PULL HARDWARE - BRUSHED-NICKEL BLACK  
160mm C/C



LOCATION:

|   |                |
|---|----------------|
| → | Kitchen        |
| → | Master Ensuite |

|              |                   |
|--------------|-------------------|
| LOT # PV-129 | DATE: Jan 8, 2021 |
|--------------|-------------------|

|            |  |
|------------|--|
| SIGNATURE: |  |
|------------|--|

|            |  |
|------------|--|
| SIGNATURE: |  |
|------------|--|

GOLDPARK  
WESTERN MOUNTAIN



PINE VALLEY  
FOREVERGREEN

UPGRADE HARDWARE

BAH-083-03

PULL HARDWARE - BRUSHED-NICKEL BLACK  
320mm C/C



LOCATION:

Kitchen

LOT # PV-129

DATE: Jan , 2021

SIGNATURE: *[Signature]*

SIGNATURE: *[Signature]*

GOLDPARK




PINE VALLEY  
FOREVERGREEN

UPGRADE KITCHEN SINK

BLANCO - PRECIS U SUPER SINGLE

Silgranit - Undermount Sink  
32" x 19" x 9 1/2"



Anthracite



Concrete Grey



Metallic Grey



White

☒ ANTHRACITE

☐ CONCRETE GREY

☐ METALLIC GREY

☐ WHITE

☐ GRID

MODEL 400890 Anthracite / 402266 Concrete Grey / 401683 Metallic Grey /  
401820 White / 406746 Grid

Lot# PV-129

Room: kitchen

Signature:

Date: Jan 8, 2021

Signature:

GOLDPARK  
WORTH MORE




PINE VALLEY  
FOREVERGREEN

UPGRADE KITCHEN FAUCET

MOEN - NIO

One-Handle Pulldown Kitchen Faucet



- ☐ CHROME
- ☒ MATTE BLACK / BRUSHED GOLD (BL)
- ☐ SPOT RESIST STAINLESS (SRS)

MODEL: S75005 Chrome / S75005BL Matte Black / S75005SRS Spot Resist Stainless

|                |                      |                  |
|----------------|----------------------|------------------|
| Lot#<br>PY-129 | Date:<br>Jan 8, 2021 | Room:<br>Kitchen |
| Signature:     |                      |                  |
| Signature:     |                      |                  |

GOLDPARK  
WORTH MORE




PINE VALLEY  
FOREVERGREEN

PLUMBING UPGRADES

MOEN - ALIGN

Two-Handle Adjustable Widespread Lav Faucet with Lift Rod Drain



- ☐ CHROME (C)  
☐ BRUSHED NICKEL (BN)  
☒ MATTE BLACK (BL)  
☐ BRUSHED GOLD (BG)

MODEL: T6193 Lav Faucet / 69000 1/2" IPS Valve

|                |                      |                      |
|----------------|----------------------|----------------------|
| Lot#<br>PV-129 | Date:<br>Jan 8, 2021 | Room:<br>Powder Room |
| Signature:     |                      |                      |
| Signature:     |                      |                      |

GOLD PARK  
WORTH, MOET


PLUMBING UPGRADES



PINE VALLEY  
FOREVERGREEN

MOEN - ALIGN

Two-Handle Adjustable Widespread Lav Faucet with Lift Rod Drain



- ☐ CHROME (C)  
☐ BRUSHED NICKEL (BN)  
☒ MATTE BLACK (BL)  
☐ BRUSHED GOLD (BG)

MODEL: T6193 Lav Faucet / 69000 1/2" IPS Valve

Lot# PV-129

Date: Jan 8, 2021

Room: Master Ensuite

Signature: *[Signature]*

Signature: *[Signature]*




PINE VALLEY  
FOREVERGREEN

PLUMBING UPGRADES

MOEN - ALIGN

Two-Handle Roman Tub Faucet with Hand Shower



- ☐ CHROME
- ☐ BRUSHED NICKEL (BN)
- ☐ BRUSHED GOLD (BG)
- ☒ MATTE BLACK (BL)

MODEL: T394 Tub Faucet / 9796 Valve / T90331 + 140680 Tub Drain Half Kit

|                                                                                                  |                   |                      |
|--------------------------------------------------------------------------------------------------|-------------------|----------------------|
| Lot# PV-129                                                                                      | Date: Jan 8, 2021 | Room: Master Ensuite |
| Signature:  |                   |                      |
| Signature:   |                   |                      |

GOLDPARK  
WORTH NOTE



PINE VALLEY  
FOREVERGREEN

PLUMBING UPGRADES

MOEN - ALIGN

Posi-Temp SHOWER ONLY\* with 3 Function Transfer Valve/Trim and Slide Bar  
with Handshower



☐ CHROME

☐ from WALL

☐ BRUSHED NICKEL (BN)

☐ from CEILING

☒ MATTE BLACK (BL)

☐ BRUSHED GOLD (BG)

MODEL: T2192EP Shower ONLY\* Trim / U361CI + UT4191 Transfer Valve / 62320 1/2" CC Valve / 3887EP Handshower +  
A725 Drop El / \*If selected: 226651 Shower Arm (from Ceiling)

Lot# PV-129

Date: Jan 8, 2021

Room: Master Ensuite

Signature:

Signature:




PINE VALLEY  
FOREVERGREEN

UPGRADE SHOWER HARDWARE

MT6X6

Shower Door Handle



MT6X6

Shower Door Handle

6" x 6" back-to-back  
3/4" dia. tube

Cut and mitred corners with  
washers

(Also available single sided)

☐ CHROME

☒ MATTE BLACK

☐ BRUSHED GOLD

Lot# PV-129

Date: Jan 8, 2021

Room: Master Ensuite

Signature:

Signature:

GOLDPARK  
YOUR HOME


BATHROOM ACCESSORIES



PINE VALLEY  
FOREVERGREEN



Tissue Holder  
Mason - Chrome



Towel Bar  
Mason - Chrome

Please select one of the following:

- ☐ INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT  
(tissue holder + towel bar) *\*location as per vendors discretion\**
- ☒ **\*DO NOT\*** INSTALL STANDARD BATHROOM ACCESSORIES  
THRU OUT *\*tissue holder + towel bar will not be provided\**

LOT # PV-129

DATE: Jan 8, 2021

SIGNATURE:

SIGNATURE:



Project: Pine Valley

Lot: 129

Purchaser(s): Stephen Guida

Standard Hood Fan Deletion

We acknowledge that the builder's standard hood fan will not be installed.  
Do not supply, install and/or credit. We will install our own hood fan after closing.

Signature: 

Signature: 

Date: January 8, 2021




PINE VALLEY  
FOREVERGREEN

UPGRADE KITCHEN EXTRA

ASPEN MODERN HOOD

(Insert fan not included)



LOT # PV-129

ROOM: Kitchen

DATE: Jan 8, 2021

SIGNATURE:

*[Signature]*

SIGNATURE:

*[Signature]*

GOLDPARK  
WORTHMORE

Café™ 36" All Gas Professional Range  
with 6 Burners (Natural Gas)  
CGY366P4MW2 /CGY366P2MS1 / CGY366P3MD1



FEATURES & BENEFITS

Whip up an unforgettable meal with a **professional oven system** that combines reverse-air convection technology with an infrared broil and gas burner to provide superb baking results and fast preheating.

Enjoy a full range of heat settings from ultra-low simmers to intense boils, with **six sealed 18K BTU dual stack burners**.

Experiment with every cuisine with reversible burner grates that are flat on one side and contoured on the other to accommodate round-bottom cookware like woks.

Bake more batches at once with a **6.2 cu. ft. capacity caterer's oven** that can fit up to three full-size sheet trays.

Smoothly slide heavy roasts in and out of the oven with **full-extension, heavy-duty roller racks** that can also stay in the oven during self-cleaning cycles.

Confidently cook over a steady flame with the **electronic ignition's automatic reignition** feature that instantly revives any accidentally extinguished flames.

Observe sacred days with **Star-K certification**.

APPEARANCE

|                            |                                     |
|----------------------------|-------------------------------------|
| Color Appearance           | Matte White                         |
| Cooktop Burner Grate Color | Matte Black                         |
| Oven Door Features         | Big Clear View Oven Window          |
| Handle Design              | GE Café                             |
| Control Knobs              | Dishwasher Safe, Professional-Style |

FEATURES

|                               |                                                                                                                                                                                                                         |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Configuration                 | 6 Burners                                                                                                                                                                                                               |
| Cooking Technology            | Convection                                                                                                                                                                                                              |
| Oven Cleaning Type            | Self-Clean                                                                                                                                                                                                              |
| Burner - Left Front           | 18,000 BTU                                                                                                                                                                                                              |
| Burner - Left Rear            | 18,000 BTU                                                                                                                                                                                                              |
| Burner - Right Front          | 18,000 BTU                                                                                                                                                                                                              |
| Burner - Right Rear           | 18,000 BTU                                                                                                                                                                                                              |
| Burner - Center               | 18,000 BTU Front / 18,000 BTU Rear                                                                                                                                                                                      |
| Cooktop Burner Type           | Sealed                                                                                                                                                                                                                  |
| Cooktop Surface               | Porcelain-Enamel, Gray                                                                                                                                                                                                  |
| Dishwasher Safe Knobs         | Yes                                                                                                                                                                                                                     |
| Control Location              | Front controls                                                                                                                                                                                                          |
| Control Type                  | Digital Temperature Display with Timer Display                                                                                                                                                                          |
| Valves (Degree of Turn)       | 270                                                                                                                                                                                                                     |
| Oven Control Features         | Audible Preheat Signal; Auto Oven Shut-Off with Override; Auto Self Clean; Certified Sabbath Mode; Electronic Timer; Front Controls; In-Oven Broiling; Temperature Probe; Proof Mode; Self-Clean Cool Down Time Display |
| Oven Cooking Modes            | Convection Bake; Convection Broil; Convection Roast                                                                                                                                                                     |
| Temperature Management System | True Temp System                                                                                                                                                                                                        |
| Cooktop Burner Grate Features | Heavy-Cast Edge-to-Edge Grates                                                                                                                                                                                          |
| Cooktop Burner Grate Material | Heavy Cast                                                                                                                                                                                                              |
| Cleaning Time                 | Variable                                                                                                                                                                                                                |
| Oven Rack Features            | 1 Self-Clean Roller Rack; 2 Self-Clean Flat Oven Racks; 5 Rack Positions                                                                                                                                                |
| Fuel Type                     | Natural Gas (factory set)                                                                                                                                                                                               |
| Ignition System               | Electronic w/Auto Reignition                                                                                                                                                                                            |
| Leveling System               | 4 Leveling Legs                                                                                                                                                                                                         |
| Style                         | Commercial                                                                                                                                                                                                              |
| Oven Interior                 | 6 Halogen; Blue                                                                                                                                                                                                         |
| Cooking System                | Reverse Air Convection                                                                                                                                                                                                  |

CAPACITY

|                             |            |
|-----------------------------|------------|
| Total Capacity (cubic feet) | 6.2 cu ft. |
|-----------------------------|------------|

ACCESSORIES

|                   |          |
|-------------------|----------|
| LP Conversion Kit | Included |
|-------------------|----------|

WEIGHTS & DIMENSIONS

|                                               |                      |
|-----------------------------------------------|----------------------|
| Depth with Door Open                          | 43 7/8 in            |
| Approximate Shipping Weight                   | 462 lb               |
| Net Weight                                    | 417 lb               |
| Overall Height                                | 35-1/4 in            |
| Height to Cooking Surface (in.)               | 35-3/4 - 36 1/2      |
| Overall Width                                 | 35-7/8 in            |
| Cabinet Width                                 | 36 in                |
| Overall Depth                                 | 30-3/4 in            |
| Depth Without Handle                          | 26-7/8 in            |
| Oven Interior Dimensions<br>(W x H x D) (in.) | 28-1/4 x 16-3/8 x 19 |

Pr-129  
Jan. 8 2021

C A F É

DISTINCT BY DESIGN™

Handwritten notes:  
PV-129  
Jan. 8, 2021  
Handwritten initials: JH, G

Café™ 36" All Gas Professional Range  
with 6 Burners (Natural Gas)  
CGY366P4MW2 /CGY366P2MS1 / CGY366P3MD1



POWER / RATINGS

|                                                  |                        |
|--------------------------------------------------|------------------------|
| Top Burner BTU Rating - LP (000's BTU's)         | (6) 15.0               |
| Top Burner BTU Rating - Nat. Gas (000's BTU's)   | (6) 18.0               |
| Volts/Hertz/Amps                                 | 120v, 60Hz, 15A        |
| Bake/Broiler BTU Rating - LP (000's BTU's)       | 23.0 Bake / 15.0 Broil |
| Bake/Broiler BTU Rating - Nat. Gas (000's BTU's) | 24.5 Bake / 17.0 Broil |

WARRANTY

|                |                                       |
|----------------|---------------------------------------|
| Parts warranty | Limited 1-year entire appliance       |
| Labor warranty | Limited 1-year entire appliance       |
| Warranty notes | See written warranty for full details |

DIMENSIONS AND INSTALLATION

**Electrical Requirements:** Ranges must be hooked up to a 120V, 60-Hz properly grounded dedicated circuit protected by a 15-amp circuit breaker or time-delay fuse.

**GAS SUPPLY:** The natural gas models are designed to operate at 5" water column pressure. For proper operation, the pressure of the natural gas supplied to the regulator must be between 7" and 13" water column.

The LP models are designed to operate at 10" water column pressure. For proper operation, the pressure of the LP gas supplied to the regulator must be between 11" and 13" water column.

**Optional Backsplash Accessories:** The range requires a 12" minimum clearance to a vertical combustible surface at the rear. A backsplash is required for installations with less than 12" clearance. The following backsplash accessories are available, or a custom, non-combustible backsplash can be used.

Order one with a 36"-wide range backsplash  
UX12B36PSS – 12" backsplash  
UXADJB36PSS – 30"-36" adjustable-height  
backsplash with warming shelf

**NOTE:** Professional ranges offer a number of choices in size and cooktop configurations. All Professional Ranges are factory set for natural gas. Conversion kits are included with the range. High Altitude kit, WB28K10553 for operation above 6,000 feet (for Natural and LP gas models), is also available. The kits must be installed by a qualified service technician at additional cost.

**Installation Information:** Before installing, consult installation instructions packed with product or online at [geappliances.com](http://geappliances.com) for current dimensional data.

A suitable 36" or wider vent hood is required for installation over ranges with a grill and recommended for all other ranges.

**Advance Planning:** Refer to dimensional drawings for appropriate placement and necessary clearances when planning the installation.


- Working areas adjacent to the range should have 18" minimum clearance between countertop and cabinet bottom.

- Clearance between range and side wall or combustible material must be at least 12" on each side.

- Installation must conform with local codes. In the absence of local codes, the range must comply with the National Fuel Gas Code, ANSI Z223.1-1990.

**WARNING:** Installations without a hood require 48" minimum to combustibles. A custom hood installation with exposed horizontal combustible surfaces must have an Auto-On feature. Refer to hood installation instructions for specific hood clearances.

The surface of the entire back wall above the range and below the hood must be covered with a non-combustible material such as metal, ceramic tile, brick, marble or other stone.



PV-129   
Jan. 8 2021



## Café™ 36" All Gas Professional Range with 6 Burners (Natural Gas)

CGY366P4MW2 / CGY366P2MS1 / CGY366P3MD1


# CAFÉ

DISTINCT BY DESIGN™

### UNIVERSAL UTILITY LOCATIONS



### SIDE VIEW WITH BACKSPLASH



### ADDITIONAL CLEARANCES

Allow 12" minimum clearance to an adjacent wall on each side.  
Working areas adjacent to the rangetop should have 18" minimum clearance between countertop and the bottom of the wall cabinet.

### ADDITIONAL ACCESSORIES



CXPR6HKPMBZ  
Brushed Bronze  
1 handle, 8 knobs  
(standard on Matte White)



CXPR6HKPMSS  
Brushed Stainless  
1 handle, 8 knobs  
(standard on Matte Black)



UXADJB36PSS  
30"-36"H Stainless Steel  
Adjustable Height  
Backsplash with Shelf



CXPR6HKPMBT  
Brushed Black  
1 handle, 8 knobs



CXPR6HKPMCU  
Brushed Copper  
1 handle, 8 knobs



UX12B36PSS  
12"H Stainless Steel  
Backsplash



CXPR6TKPMDS  
Matte Black Toe Kick

CXPR6TKPMWS  
Matte White Toe Kick



CXPR6TKPMSS  
Stainless Steel Toe Kick

For answers to your Café™ product questions, visit our website at [cafearpliances.com](https://www.cafearpliances.com).

**KitchenAid®**

## 44 dBA\* Top Control Dishwasher

KDTM504E



Panel Ready  
KDTM504EPA

| Capacity                                                 | Technical Details                                          |
|----------------------------------------------------------|------------------------------------------------------------|
| Total Place Settings 16                                  | Dishwasher Type Built-In                                   |
| General Features & Properties                            | Control Location Hidden                                    |
| ProScrub® Option                                         | Control Type Tap Touch                                     |
| ProScrub™ Upper (was Trio)                               | Number of Wash Cycles 6                                    |
| Third Level Rack                                         | Number of Options 7                                        |
| Advanced ProDry™ System                                  | dBA 44                                                     |
| ProWash™ Cycle                                           | Number of Racks 3                                          |
| SatinGlide® Max Rails (Upper and Lower Racks)            | Tub Material Stainless Steel                               |
| 2 Rows Fold-Down Times in Upper Rack                     | Wash System Filter                                         |
| Fold-Down Times in the Lower Rack                        | Wash System Type Maintenance Free Microfilter              |
| 2 Fold-Down Cup Shelves with Integrated Stemware Holders | Number of Wash Arms 3                                      |
| Electrical Details                                       | Dimensions                                                 |
| Amps 15 or 20                                            | Product Dimensions (H x W x D) 34-1/2" x 23-7/8" x 24-3/4" |
| Volts 120                                                | Depth with Door Open 90° 49-1/2"                           |
| Hz 60                                                    | Reference Material                                         |
| Certifications                                           | <a href="#">Dimension Guide</a>                            |
| ADA Compliant No                                         | <a href="#">Install Guide</a>                              |
| ENERGY STAR® Certified Yes                               | <a href="#">Use &amp; Care Guide</a>                       |
| Connected/Smart Appliance No                             | <a href="#">Energy Guide</a>                               |
|                                                          | <a href="#">Warranty</a>                                   |

### Key Features & Benefits

#### Panel-Ready Design


Allows you to match your dishwasher to your kitchen cabinets for a high-end look, seamless look. A custom front panel and handle (not included) can be affixed to the dishwasher.

#### Dynamic Wash Arm

Features nine wash arms in one for 3 times better coverage. This unique design directly sprays water everywhere in the dishwasher, including hard to reach places. This means dishes get a powerful clean no matter where they are placed in the rack.

#### Clean Water Wash System

Continuously removes food particles from the wash water. The result of this advanced technology is clean wash water for excellent performance. Plus, the filter requires no routine maintenance.




\*Per IEC standards. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.  
©/™ © 2020. All rights reserved. Printed in the U.S.A. D200052XXX, KDTM504ESPECSHEETV01.

PV-129 (Y) R  
Jun 8 2021

PV-129   
Jan. 8, 2021

# Product and Cabinet Opening Dimensions



PV-129   
Jan 8 2021

# KitchenAid® Bottom Mount Built-in Refrigerator

FOR THE WAY IT'S MADE.®

## PRODUCT MODEL NUMBERS

|          |          |          |
|----------|----------|----------|
| KBBL206E | KBBR306E | KBFN502E |
| KBBL306E | KBFN402E | KBFN506E |
| KBBR206E | KBFN406E |          |

**IMPORTANT:** Observe all governing codes and ordinances.

**Electrical:** A 115 Volt, 60 Hz., AC only 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.

A grounded 3 prong electrical outlet should be placed within 4" (10.2 cm) of the right side cabinets or end panel.

**Location:** Do not install in a location where the temperature will fall below 55°F (13°C). It is recommended that you do not install the refrigerator near an oven, radiator, or other heat source.

■ Floor must support the refrigerator weight, more than 600 lbs. (272 kg), door panels, and contents of the refrigerator.

■ Ceiling height must allow for side tipping radius. See "Tipping Radius."

■ Location should permit door to open fully. See "Door Swing Dimensions."

■ Location must permit top grille removal. See "Opening Dimensions."

## Water Supply:

A cold water supply with water pressure between 30 and 120 psi (207 and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, qualified plumber.


## Reverse Osmosis Water Supply

**IMPORTANT:** The pressure of the water supply coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 30 and 120 psi (207 and 827 kPa).

■ All installations must meet local plumbing code requirements.

■ The water shutoff should be located in the base cabinet on either side of the refrigerator or some other easily accessible area. The right-hand side is recommended. The access hole through the cabinet must be within 1/2" (12.7 mm) of the rear wall.

**NOTE:** If the water shutoff valve is in the back wall behind the refrigerator, it must be at an angle so that the tube is not kinked when the refrigerator is pushed into its final location.




## DOOR SWING DIMENSIONS


The location must permit the door to open a minimum of 90°. Allow 4 1/2" (11.4 cm) minimum space between the side of the refrigerator and a corner wall.

**NOTE:** More clearance may be required if you are using overlay panels or custom handles.


36" (91.4 cm) Single Door Models



36" (91.4 cm) French Door Models




42" (106.7 cm) Models




## PRODUCT DIMENSIONS

- Height dimensions are shown with the leveling legs extended to 1/2" (3 mm) below the rollers.
- Width dimensions were measured from trim edge to trim edge.




• When leveling legs are fully extended to 1 1/4" (3.2 cm) below rollers, add 1 1/8" (2.9 cm) to the height dimensions.

## SIDE VIEW



## TOP VIEW



■ The water line attached to the back of the refrigerator is 5' (1.5 m) long.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.


PV-129    
Jan. 8 2021

OPENING DIMENSIONS


To avoid tipping during use, the solid soffit must be within 1" (2.5 cm) maximum above the refrigerator, if the solid soffit is higher than 1" (2.5 cm) or one is not available, then the refrigerator must be braced.

If anti-tip boards are needed, they must be installed to the rear wall studs so that the bottom of the anti-tip board is 84" (213.4 cm) from the floor.

**NOTE:** Do not remove the foam gasket on top of the compressor cover unless removal is necessary to fit the unit under a soffit. Removal of the gasket will cause loss in cooling efficiency.



**NOTE:** If installing under a solid soffit, after installation raise the leveling legs so that the gasket is pressed snugly against the soffit.




TIPPING RADIUS


Be sure there is adequate ceiling height to stand the refrigerator upright when it is moved into place.

- The dolly wheel height must be added to the tipping radius when a dolly is used.
- If needed, the tipping radius can be reduced. See "Reduce Tipping Radius."

Side Tipping Radius (36" [91.4 cm] Models)




Side Tipping Radius (42" [106.7 cm] Models)




PV-179   
Jan. 8, 2024

## ELICA PRO SERIES TRENTO




Trento provides professional grade performance, while being discreetly mounted inside the cabinetry. It is available with a 600 CFM or 1200 CFM blower for extraordinary ventilating power. Plus the All-In-One design avoids the need to purchase a stainless liner. Hidden metallic in/out knob controls operate the 4-speed blower and LED lighting. A cleaner kitchen is ensured by Elica's patented angled baffle filters, which capture a higher percentage of contaminants and hold larger volumes of grease than traditional baffle filters.




|   | ETR634SS            | ETR134SI |
|---|---------------------|----------|
| A | 34 1/2" (87.6 cm)   |          |
| B | 18" (45.7 cm)       |          |
| C | 5 7/8" (13.8 cm)    |          |
| D | 6 1/2" (16.4 cm)    |          |
| E | 27 3/8" (70 cm)     |          |
| F | 12 7/8" (31.6 cm)   |          |
| G | 29 13/16" (75.7 cm) |          |
| H | 10 1/8" (25.7 cm)   |          |
| I | 10" (25.4 cm)       |          |
| J | 3/4" (1.9 cm)       |          |

\* using reducer  
cuff for 8" duct  
size



PV-129   
Jan. 8, 2021

# ELICA PRO SERIES TRENTO



## SPECIFICATIONS

|                                 | 34" Unit (600 CFM)                                                                                      | 34" Unit (1200 CFM)                                     |
|---------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| Model:                          | ETR634SS                                                                                                | ETR134S1                                                |
| Dimensions:                     | 34 1/2"W x 18"D x 11 1/2"H                                                                              | 34 1/2"W x 18"D x 11 1/2"H                              |
| Blower Type (internal):         | 600 CFM (4-speed)                                                                                       | 1200 CFM (4-speed)                                      |
| Blower Performance:             |                                                                                                         |                                                         |
| Speed 1                         | 90 CFM                                                                                                  | 380 CFM                                                 |
| Speed 2                         | 330 CFM                                                                                                 | 660 CFM                                                 |
| Speed 3                         | 490 CFM                                                                                                 | 950 CFM                                                 |
| Speed 4                         | 600 CFM                                                                                                 | 1200 CFM                                                |
| Noise (sones):                  | Min:2 , Max:9.5                                                                                         | Min:2.05, Max:7.5                                       |
| Working Speed                   |                                                                                                         |                                                         |
| Finish:                         |                                                                                                         | Stainless Steel                                         |
| Controls:                       |                                                                                                         | Fully retractable rotating knobs with blue backlighting |
| Illumination:                   |                                                                                                         | 2 LED, 7.5 W                                            |
| (replaceable lamps 1 intensify) |                                                                                                         |                                                         |
| Filter Type:                    |                                                                                                         | Dishwasher-Safe, Professional Stainless Steel           |
| Angled Baffle Filters:          |                                                                                                         | 2                                                       |
| Duct Transition:                |                                                                                                         | 10" Round with BackDraft Damper (top only)              |
| Installation Type:              |                                                                                                         | Ducted Installation Only                                |
| Electrical:                     |                                                                                                         | 120V - 60 Hz                                            |
| CONSUMABLE PARTS:               |                                                                                                         |                                                         |
| Replacement Grease Filter (1):  | LMP0131098A                                                                                             | GRI0140692A                                             |
| Replacement Light Bulb (1):     |                                                                                                         | LMP0131098                                              |
| WARRANTY:                       | 2 YEARS PARTS AND LABOR, EARN A 3RD YEAR OF FULL FACTORY WARRANTY REGISTERING YOUR PRODUCT ON ELICA.COM |                                                         |

\*Consumable parts are sold in units of one (1). Order accordingly

\*\* For valid warranty extension, register within 3 months from purchase. For USA & Canada Users only

\*The product images shown are for illustration purposes only and may not be an exact representation of the product.

## PLUS FEATURES

- 

**HUSH SYSTEM** - An exclusive sound deadening technology that effectively reduces sound levels by over 35%
- 

**LED CONSUMER REPLACEABLE BULB** - High quality LED lighting usually requires a skilled technician to replace lamps. Avoid this expense with Elica's new LED lamps that enable homeowners to replace in seconds
- 

**SEAMLESS CRAFTSMANSHIP** - Heavy gauge stainless steel "Seamless" construction that delivers refined elegance.
- 

**STAINLESS STEEL BAFFLE FILTERS WITH GREASE COLLECTORS** - Designed for high airflow cooking, the "S" shape design traps high volumes of grease
- 

**PROFESSIONAL PERFORMANCE** - Special features and high performances for models with aspiration capacity between 600 and 1200 CFM's
- 

**HEAT GUARD** - Senses extreme temperatures (>158 degrees) and automatically adjusts the blower speed to HIGH

PR-129  E  
Jan. 8 2021



### Dimension Guide


Whirlpool® Top Load Washer with  
Load & Go™, Built-In Water Faucet  
and Stain Brush - 4.8 cu. ft.



White Available WTW6120HW



Chrome Shadow Available WTW6120HC




W11412605A

PV-129   
Jan. 8 2024

DETAILED PLANNING DIMENSIONS

**WARNING:** To reduce the risk of fire, electric shock, or injury to persons, read the IMPORTANT SAFETY INSTRUCTIONS and INSTALLATION INSTRUCTIONS, located in your appliance's Owner's Manual, before installing and operating this appliance.


| Electrical Requirements            |                      |                       |
|------------------------------------|----------------------|-----------------------|
| WTW6120HW<br>WTW6120HC             | 4.8 cu. ft. DOE (US) | 5.5 cu. ft. IEC (CAN) |
| Minimum Circuit<br>Amperage Rating | 15 A                 |                       |
| Maximum AMP Draw                   | 10.36 A              |                       |
| Operating Voltage                  | 120 V - AC only      |                       |
| Operating Frequency                | 60 Hz                |                       |



| Product Dimensions     |                               |                                 |          |                                 |          |
|------------------------|-------------------------------|---------------------------------|----------|---------------------------------|----------|
| WTW6120HW<br>WTW6120HC |                               | 4.8 cu. ft. DOE (US)            |          | 5.5 cu. ft. IEC (CAN)           |          |
|                        |                               | in (min)                        | mm (min) | in (max)                        | mm (max) |
| A                      | Height (with feet)            | 41 <sup>3</sup> / <sub>16</sub> | 1046.42  | 41 <sup>3</sup> / <sub>16</sub> | 1061.82  |
| B                      | Width                         | 27 <sup>1</sup> / <sub>4</sub>  | 692.5    | -                               | -        |
| C                      | Top of Lid Height (with feet) | 38 <sup>1</sup> / <sub>8</sub>  | 968.12   | 38 <sup>3</sup> / <sub>8</sub>  | 983.52   |
| D                      | Depth                         | 27 <sup>7</sup> / <sub>8</sub>  | 708      | -                               | -        |

PV-129  25  
Jan. 8 2021

DETAILED PLANNING DIMENSIONS




| Product Dimensions     |                              |                      |          |                       |          |
|------------------------|------------------------------|----------------------|----------|-----------------------|----------|
| WTW6120HW<br>WTW6120HC |                              | 4.8 cu. ft. DOE (US) |          | 5.5 cu. ft. IEC (CAN) |          |
|                        |                              | in (min)             | mm (min) | in (max)              | mm (max) |
| E                      | Height with Lid Open         | 57 1/4               | 1454.62  | 57 7/8                | 1470.02  |
| F                      | Height of Lid                | 19 1/8               | 485.61   | -                     | -        |
| G                      | Width of Lid                 | 26 3/16              | 664.65   | -                     | -        |
| H                      | Water Inlet Valves Height    | 38 3/16              | 970.44   | 38 13/16              | 985.84   |
| I                      | Water Inlet Valves from Side | 5 3/4                | 146.75   | -                     | -        |
| J                      | Power Cord from Side         | 9 1/2                | 241.68   | -                     | -        |
| K                      | Power Cord Height            | 37 7/16              | 950.88   | 38 1/16               | 966.28   |
| L                      | Power Cord Length            | 62 7/16              | 1586     | -                     | -        |
| M                      | Drain Hose Outlet Height     | 19 3/16              | 487.62   | 19 13/16              | 503.02   |
|                        | Drain Hose Outlet from Side  | 2 13/16              | 71.3     | -                     | -        |
|                        | Drain Hose Length            | 40 15/16             | 1040     | -                     | -        |
|                        | Diameter of Drain Hose       | 1                    | 25       | -                     | -        |

PV-129   
Jan. 8 2021

DETAILED PLANNING DIMENSIONS

Recessed area or closet installation



Dimensions show recommended spacing allowed, except for closet door ventilation openings which are minimum required. This washer has been tested for installation with spacing of 0" (0 mm) clearance on the sides. Consider allowing more space for ease of installation and servicing, and spacing for companion appliances and clearances for walls, doors, and floor moldings. Add spacing of 1" (25 mm) on all sides of washer to reduce noise transfer. If a closet door or louvered door is installed, top and bottom air openings in door are required.