



CONSTRUCTION SUMMARY

Lot: 9
Model: 42.02 B ROSEDALE
Project/Phase: Pine Valley Forevergreen / 1

APPLIANCES

Invoice	Qty.	Description
2819 16Jun21 NoCat	1	KITCHEN: APPLIANCE SPECIFICATIONS - SIGNED COPY ATTACHED

BASEMENT WINDOWS

Invoice	Qty.	Description
2484 72,351 21Oct20	3	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME

CERAMIC

Invoice	Qty.	Description
2530 13Jan21 NoCat	1	MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY - SEE PLAN FOR LOCATION
2730 32 21May21	1	FRONT FOYER: TILE, FLOOR , LEVEL 1 - 12X24 LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2730 32 21May21	1	MUD ROOM: TILE, FLOOR , LEVEL 1 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2730 32 21May21	1	POWDER ROOM: TILE, FLOOR , LEVEL 1 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2730 36 21May21	1	MASTER ENSUITE: TILE, FLOOR , LEVEL 4 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2730 50 21May21	1	MASTER ENSUITE: TILE, SHOWER WALL, LEVEL 4 - 10X30" VERTICAL STACKED PATTERN
2730 43 21May21	1	MASTER ENSUITE: TILE, SHOWER FLOOR, LEVEL 2 - HEX
2730 32 21May21	1	ENSUITE 2: TILE, FLOOR , LEVEL 1 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2730 32 21May21	1	ENSUITE 3: TILE, FLOOR , LEVEL 1 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2730 32 21May21	1	ENSUITE 4: TILE, FLOOR , LEVEL 1 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION



CONSTRUCTION SUMMARY

Lot: 9
Model: 42.02 B ROSEDALE
Project/Phase: Pine Valley Forevergreen / 1

CERAMIC

Invoice	Qty.	Description
2730 49 21May21	1	ENSUITE 3: TILE, TUB WALL, LEVEL 3 - 8X24" LAID HORIZONTAL STACKED
2730 21May21 NoCat	1	KITCHEN/BREAKFAST: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3

CONCRETE AND DRAIN

Invoice	Qty.	Description
2484 21Oct20 NoCat	1	BACK-FLOW PREVENTER VALVE

CROWN MOULDING

Invoice	Qty.	Description
2530 13Jan21 NoCat	1	GREAT ROOM: MODEL OPTIONS 42.02 - GREAT ROOM - OPT. WAFFLE CEILING, BEAM DETAIL AS PER PLAN (9 BOXES) OPTION # 1 CTR-B07

DRYWALL

Invoice	Qty.	Description
2484 72,351 21Oct20 **	3	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME
2530 72,464 13Jan21	1	GREAT ROOM: MODEL OPTIONS 42.02 - GREAT ROOM - OPT. COFFERED CEILING AS PER PLAN
2530 72,465 13Jan21	1	GREAT ROOM: MODEL OPTIONS 42.02 - GREAT ROOM - OPT. WAFFLE CEILING, BEAM DETAIL AS PER PLAN (9 BOXES) OPTION # 1 CTR-B07
2530 72,644 13Jan21	20	THRU OUT 2ND FLOOR: INCREASE HEIGHT OF DOOR TO 8FT SECOND FLOOR - PER DOOR
2530 13Jan21 NoCat	1	BREAKFAST: UPGRADE TO 96" GARDEN DOOR ASSEMBLY
2530 13Jan21 NoCat	1	MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY - SEE PLAN FOR LOCATION
2530 13Jan21 NoCat	1	THRU OUT 2ND FLOOR: INCREASE HEIGHT OF DOOR TO 8FT SECOND FLOOR - PER DOOR



CONSTRUCTION SUMMARY

Lot: 9
Model: 42.02 B ROSEDALE
Project/Phase: Pine Valley Forevergreen / 1

ELECTRICAL

Invoice	Qty.	Description
2484 72,351 21Oct20 **	3	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME
2530 72,282 13Jan21	1	KITCHEN: ADDITIONAL 220V RECEPTACLE ON A SEPARATE CIRCUIT - FOR BUILT-IN WALL OVEN - APPLIANCE NOT INCLUDED - DOES NOT INCLUDE BREAKER THAT IS TO BE INSTALLED BY LICENSED ELECTRICIAN AND ARRANGED BY HOMEOWNER AFTER CLOSING
2530 72,307 13Jan21	1	KITCHEN: FIXTURE: RELOCATE STANDARD CEILING MOUNT FIXTURE - LOCATE APPROX CENTERED ABOVE ISLAND - SEE ATTACHED FLOOR PLAN
2530 72,280 13Jan21	1	KITCHEN: CEILING OUTLET: ADDITIONAL REINFORCED CEILING OUTLET - LOCATE APPROX CENTERED ABOVE ISLAND, USE SAME SWITCH AS STANDARD
2530 72,306 13Jan21	1	KITCHEN: RELOCATE KITCHEN FRIDGE FROM STANDARD LOCATION - APPROX. "NEW" LOCATION AS PER ATTACHED DRAWINGS
2530 72,273 13Jan21	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - GAS FIRED APPLIANCE - FOR AUX. EQUIPMENT - NOT A STOVE PLUG
2530 72,303 13Jan21	1	KITCHEN: FIXTURE: UNDER CABINET FLUORESCENT LIGHT FIXTURES - DOES NOT INCLUDE (AND REQUIRES) LIGHT VALANCE
2530 72,289 13Jan21	6	MAIN HALL: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH - USE STANDARD SWITCHES INCLUDED IN APS
2530 72,289 13Jan21	1	MAIN HALL: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH USE STANDARD SWITCHES
2530 72,278 13Jan21	1	DINING ROOM: ADDITIONAL INTERIOR SWITCH FOR POTLIGHTS
2530 72,289 13Jan21	4	DINING ROOM: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH
2530 72,289 13Jan21	9	GREAT ROOM: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH SEE PLAN FOR LOCATION AND SWITCHING
2530 72,278 13Jan21	2	GREAT ROOM: ADDITIONAL INTERIOR SWITCH FOR POTLIGHTS



CONSTRUCTION SUMMARY

Lot: 9
Model: 42.02 B ROSEDALE
Project/Phase: Pine Valley Forevergreen / 1

ELECTRICAL

Invoice	Qty.	Description
2530 72,289 13Jan21	8	KITCHEN: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH - SEE PLAN FOR LOCATION
2530 72,278 13Jan21	1	KITCHEN: ADDITIONAL INTERIOR SWITCH FOR POTLIGHTS
2530 72,281 13Jan21	1	GREAT ROOM: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT FOR WALL MOUNTED TV - LOCATE APPROX 66" A.F.F. ABOVE FIREPLACE
2530 72,289 13Jan21	1	BREAKFAST: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH SEE PLAN FOR LOCATION
2530 72,278 13Jan21	1	BREAKFAST: ADDITIONAL INTERIOR SWITCH FOR POTLIGHTS
2530 72,290 13Jan21	8	UPPER HALL: 4" E/S LED INTERIOR POT LIGHT (INSULATED CEILING) - SECOND FLOOR - EACH USE STANDARD SWITCHES - IN LIEU OF STANDARD CEILING LIGHTS
2530 72,290 13Jan21	4	MASTER BEDROOM: 4" E/S LED INTERIOR POT LIGHT (INSULATED CEILING) - SECOND FLOOR - EACH SEE PLAN FOR LOCATION
2530 72,278 13Jan21	1	MASTER BEDROOM: ADDITIONAL INTERIOR SWITCH FOR POTLIGHTS
2530 72,290 13Jan21	4	MASTER ENSUITE: 4" E/S LED INTERIOR POT LIGHT (INSULATED CEILING) - SECOND FLOOR - EACH IN LIEU OF STANDARD CEILING LIGHT, USE STANDARD SWITCH
2530 72,290 13Jan21	6	DRESSING ROOM: 4" E/S LED INTERIOR POT LIGHT (INSULATED CEILING) - SECOND FLOOR - EACH IN LIEU OF STANDARD CEILING LIGHT, USE STANDARD SWITCH
2530 72,280 13Jan21	1	MASTER ENSUITE: CEILING OUTLET: ADDITIONAL REINFORCED CEILING OUTLET - APPROX CENTER ABOVE TUB USE SAME SWITCH AS VANITY LIGHTS
2730 72,282 21May21	1	GARAGE: ADDITIONAL 220V RECEPTACLE ON A SEPARATE CIRCUIT - FOR FUTURE ELECTRIC CAR CHARGER - FINISHING NOT INCLUDED - DOES NOT INCLUDE BREAKER THAT IS TO BE INSTALLED BY LICENSED ELECTRICIAN AND ARRANGED BY HOMEOWNER AFTER CLOSING
2730 21May21 NoCat	1	KITCHEN: FULL HEIGHT SLAB BACK SPLASH - LEVEL 4 QUARTZ



CONSTRUCTION SUMMARY

Lot: 9
Model: 42.02 B ROSEDALE
Project/Phase: Pine Valley Forevergreen / 1

GRANITE MARBLE QUARTZ

Invoice	Qty.	Description
2730 21May21 NoCat	1	KITCHEN: UPGRADE 4 QUARTZ COUNTER TOP
2730 21May21 NoCat	2	KITCHEN: WATERFALL LEG - UPGRADE 4 QUARTZ
2730 21May21 NoCat	1	KITCHEN: FULL HEIGHT SLAB BACK SPLASH - LEVEL 4 QUARTZ

HARDWOOD

Invoice	Qty.	Description
2730 4 21May21	1	THRU OUT STANDARD AREAS - MAIN HALL/LIVING/ GREAT ROOM/ DINING/ UPPER HALL/LOFT/ MASTER BEDROOM/ BEDROOM 2/ BEDROOM 3/ BEDROOM 4: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3
2730 4 21May21	1	KITCHEN/BREAKFAST: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3

HVAC

Invoice	Qty.	Description
2530 72,224 13Jan21	1	KITCHEN: GAS LINE ROUGH-IN - MAIN FLOOR FOR APPLIANCE - FOR GAS COOKTOP

INTERIOR TRIM AND DOORS

Invoice	Qty.	Description
2530 13Jan21 NoCat	1	THRU OUT 2ND FLOOR: INCREASE HEIGHT OF DOOR TO 8FT SECOND FLOOR - PER DOOR
2530 13Jan21 NoCat	1	BREAKFAST: UPGRADE TO 96" GARDEN DOOR ASSEMBLY
2730 153,405 21May21	1	THRU OUT: UPGRADE 3 1/2" STEP BEVEL CASING, 7 1/4" BASE BOARD UPGRADE



CONSTRUCTION SUMMARY

Lot: 9
Model: 42.02 B ROSEDALE
Project/Phase: Pine Valley Forevergreen / 1

KITCHEN AND BATH CABINETRY

Invoice	Qty.	Description
2530 13Jan21 NoCat	1	KITCHEN: RELOCATE KITCHEN FRIDGE FROM STANDARD LOCATION - APPROX. "NEW" LOCATION AS PER ATTACHED DRAWINGS
2530 13Jan21 NoCat	1	KITCHEN: FIXTURE: UNDER CABINET FLUORESCENT LIGHT FIXTURES - DOES NOT INCLUDE (AND REQUIRES) LIGHT VALANCE
2530 13Jan21 NoCat	1	KITCHEN: GAS LINE ROUGH-IN - MAIN FLOOR FOR APPLIANCE - FOR GAS COOKTOP
2730 21May21 NoCat	1	THRU OUT: SEE ATTACHED CABINETRY SCHEDULE
2730 21May21 NoCat	1	KITCHEN: WATERFALL LEG - UPGRADE 4 QUARTZ
2730 21May21 NoCat	1	KITCHEN: FULL HEIGHT SLAB BACK SPLASH - LEVEL 4 QUARTZ
2819 16Jun21 NoCat	1	KITCHEN: APPLIANCE SPECIFICATIONS - SIGNED COPY ATTACHED

MASONRY

Invoice	Qty.	Description
2530 13Jan21 NoCat	1	BREAKFAST: UPGRADE TO 96" GARDEN DOOR ASSEMBLY

NETWORK AND WIRING

Invoice	Qty.	Description
2530 72,259 13Jan21	1	GREAT ROOM: CONDUIT PIPE - FOR WALL MOUNT TV - LOCATE APPROX 66" A.F.F. TERMINATING AT CABLE LOCATION - SEE PLAN
2530 72,258 13Jan21	1	GREAT ROOM: ADDITIONAL CAT6 ETHERNET OUTLET - EACH SEE PLAN



CONSTRUCTION SUMMARY

Lot: 9
Model: 42.02 B ROSEDALE
Project/Phase: Pine Valley Forevergreen / 1

PAINT

Invoice	Qty.	Description
2530 13Jan21 NoCat	1	GREAT ROOM: MODEL OPTIONS 42.02 - GREAT ROOM - OPT. COFFERED CEILING AS PER PLAN
2530 13Jan21 NoCat	1	GREAT ROOM: MODEL OPTIONS 42.02 - GREAT ROOM - OPT. WAFFLE CEILING, BEAM DETAIL AS PER PLAN (9 BOXES) OPTION # 1 CTR-B07
2530 13Jan21 NoCat	1	BREAKFAST: UPGRADE TO 96" GARDEN DOOR ASSEMBLY
2530 13Jan21 NoCat	1	THRU OUT 2ND FLOOR: INCREASE HEIGHT OF DOOR TO 8FT SECOND FLOOR - PER DOOR
2730 21May21 NoCat	2	MAIN STAIRS: STAIN STAIRS AND LANDINGS STAIRS AND LANDINGS WILL NOT MATCH HARDWOOD FLOORS IN COLOUR/TEXTURE/SPECIES



CONSTRUCTION SUMMARY

Lot: 9
Model: 42.02 B ROSEDALE
Project/Phase: Pine Valley Forevergreen / 1

PLUMBING

Invoice	Qty.	Description
2530 13Jan21 NoCat	1	MASTER ENSUITE: UPGRADE SHOWER SYSTEM TO MOEN 'ALIGN' RAIN SHOWER (from ceiling) + HAND SHOWER w/ SLIDE BAR - CHROME
2530 72,346 13Jan21	1	KITCHEN: ADD POT FILLER - MOEN 'MODERN' - CHROME ROUGH-IN INCLUDED
2730 21May21 NoCat	1	KITCHEN: UPGRADE SINK TO BLANCO QUATRUS U2 - STAINLESS STEEL
2730 21May21 NoCat	1	KITCHEN: UPGRADE FAUCET TO MOEN 'NIO' - STAINLESS
2730 21May21 NoCat	1	MASTER ENSUITE: UPGRADE TO MOEN 'ALIGN' SHOWER SYSTEM - BRUSHED GOLD (difference in price from chrome in aps) + ADD TUB FILLER w/ HS - BRUSHED GOLD + 8" CC LAV FAUCETS (x2) - BRUSHED GOLD
2730 21May21 NoCat	1	KITCHEN: CHANGE FINISH OF POT-FILLER TO BRUSHED GOLD DIFFERENCE IN PRICE FROM CHROME (IN APS)
2781 27May21 NoCat	1	MASTER ENSUITE: FIXTURE RE-SELECTION, 8" VELOCITY RAIN SHOWER MOEN (SHOWER HEAD) IN BRUSHED GOLD - MODEL: 56320 SEE ATTACHED CUT SHEET WITH DETAILS PERTAINING TO RE-SELECTION

STAIR AND RAILINGS

Invoice	Qty.	Description
2730 93,855 21May21	2	MAIN STAIRS: UPGRADE - 1 3/4" SQUARE CHAMFERED PICKET, 3" HALF-ROUND W/V-GROOVE HANDRAIL, 3 1/2" ALL SQUARE CHAMFERED POST WITH PYRAMID TOP - PACKAGE B



CONSTRUCTION SUMMARY

Lot: 9
Model: 42.02 B ROSEDALE
Project/Phase: Pine Valley Forevergreen / 1


WINDOWS AND DOORS

Invoice	Qty.	Description
2530	1	BREAKFAST: UPGRADE TO 96" GARDEN DOOR ASSEMBLY
13Jan21 NoCat		

PV-9
June 16, 2021
See attached

30" Speed Combination Oven

800 Series – Stainless Steel HBL8753UC



HBL8753UC
Stainless Steel

Also available in:
Black HBL8743UC
Stainless Steel

Bosch speed combination ovens create an all-in-one cooking center with an upper speed oven and a Genuine European Convection oven below.

Features & Benefits

2-in-1 microwave and convection oven with 9 SpeedChef® programs to simplify cooking with fast results.

Lower oven’s convection multi-rack mode gives uniform baking results even when using all 3 racks simultaneously.

Oven is equipped with a self-cleaning cycle that easily cleans itself via 2, 3, and 4 hour cycle options.

Download the Home Connect app to remotely monitor and control your Bosch wall oven with your smart phone or tablet.

General Properties	
Home Connect™ – lower cavity (WiFi enabled)	Yes
Cooking modes – upper cavity	Speed oven; 12 Auto Programs (including Auto Defrost, Melt Butter, Soften Ice Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedChef® Programs, Hi & Lo Broil, European Convection, Keep Warm, Frozen Foods
Cooking modes – lower cavity	Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast Preheat
Cleaning type – lower	Self Clean
Telescopic rack	1
Illumination type	LED (Upper) / Halogen (Lower)
Interior lights	1 Upper / 2 Lower
Oven Performance	
Microwave power – upper cavity	1000 W
Bake / broil element wattages – upper cavity	600 / 1,750 W
Convection element wattages – upper cavity	1,700 W
Bake / broil element wattages – lower cavity	2,400 / 3,800 W
Convection element wattages – lower cavity	2,000 W
Technical Details	
Watts (W)	9,600 W
Circuit breaker (A)	40 A
Volts (V); Frequency (Hz)	240 / 208 V, 60 Hz
Power cord length (in)	50"
Plug type	Fixed Connection, No Plug
Energy source	Electric

Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in)	49" x 29 3/4" x 24 1/2"
Required cutout size – Standard (HxWxD) (in)	48 5/8" x 28 1/2" x 23 1/2"
Required cutout size – Flush (HxWxD) (in)	49 1/8" x 30" x 24 1/2"
Speed oven cavity size – upper	1.6 cu. ft.
Overall upper speed oven interior dimensions (HxWxD) (in.)	9 7/8" x 16 1/2" x 16 1/2"
Metal turntable diameter (in)	14 1/8" dia.
Ceramic tray diameter (in)	13 3/4" dia.
Rack – rectangular cookware max. – upper	15" x 12"
Oven cavity size – lower	4.6 cu. ft.
Overall lower oven interior dimensions (HxWxD) (in)	17 13/16" x 24 1/8" x 18"
Usable lower oven interior dimensions (HxWxD) (in)	12 1/4" x 23 1/4" x 15 1/4"
Net weight (lbs)	259 lbs

Accessories – Included	
Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Meat Probe	
Accessories – Optional	



HEZTR301
30" Telescopic Rack



Home Connect*

*Lower wall oven only

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904
© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



PV-9
June 16, 2021
See attached

30" Speed Combination Oven

800 Series – Stainless Steel HBL8753UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


pv-9 ~~see attached~~
June 16, 2021

30" Speed Combination Oven

800 Series – Stainless Steel HBL8753UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

PV-9 See attached
June 16, 2021

24" Recessed Handle Dishwasher

300 Series – Stainless Steel SHEM63W55N



SHEM63W55N
Stainless Steel

Also available in:

White SHEM63W52N
Black SHEM63W56N

The 3rd rack provides the perfect space for silverware and large utensils while its V shape leaves room below for taller items.

Features & Benefits

44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

With PrecisionWash®, intelligent sensors and precision spray arms target every item of every load, so dishes come out sparkling clean every time.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

General Properties	
Number of wash cycles	5
Number of options	4
dBA	44
Drying system	PureDry
Third rack	Standard 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Buttons
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
NSF®-certified* sanitize option	Yes
Water softener	No
Five-level wash	Yes
ChildLock	Yes
Special features	Extra Dry Option
Efficiency	
Water usage per cycle	3.5
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5
Capacity	
Number of place settings	16

Technical Details	
Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door (in)**	Left – 45" Right – 56"
Minimum water pressure (lb/sin)	14
Length outlet hose (in)	79"
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 3/4"
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8" x 24"
Adjustable feet	Yes
Net weight (lbs)	91 lbs
Accessories—Optional	
Junction Box	SMZPCJB1UC
Bosch Dishwasher Water Supply Hose	SMZSH002UC
Drain Hose Extension Kit	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Anti-Tarnish Silverware Cassette	SMZ5002UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC



*Certification to NSF/ANSI Standard 184 for residential dishwashers

**September 2020 running production change to remove adhesive routing clips for power cord. These clips and the edge protector are now included in the dishwasher accessory kit # SMZEPCC1UC.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.






PV-9 See attached
June 16, 2021

24" Recessed Handle Dishwasher

300 Series – Stainless Steel SHEM63W55N



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

PV-9 ~~See attached~~
June 16, 2021

24" Recessed Handle Dishwasher

300 Series – Stainless Steel SHEM63W55N



Installation Details

Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

PV-9
June 16, 2021

FULGOR

MILANO

600 Series 36" Gas Range Top

F6GRT366S1



Series

600

GAS

Size

36"

Main Colour

SS

Logo

•

Stainless Steel Aesthetics

Professional

Type

GAS

Cooking Surface

Black Enameled

Gas Type

NG (5") or LP (10")

Knobs

•

Gas Cooktop Features

Electric Flame Ignition and Re-ignition

•

Flame out sensing

•

Top Mount Injectors

•

L.P. Conversion Kit

•

Dual Flame Brass Burner

•

Wok Ring

OPTIONAL

Simmer Plate

OPTIONAL

Heavy Duty Cast Iron Grates

3

Pressure Regulator

•

Cooking Zones

6

Front Left

Dual Flame Burner

Power (Max/ Min) Natural Gas

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W

Power (Max/ Min) Propane

15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Rear Left

Dual Flame Burner

Power (Max/ Min) Natural Gas

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W

Power (Max/ Min) Propane

15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Front Middle

Dual Flame Burner

Power (Max/ Min) Natural Gas

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W

Power (Max/ Min) Propane

15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Rear Middle

Dual Flame Burner

Power (Max/ Min) Natural Gas

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W

Power (Max/ Min) Propane

15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Front Right

Dual Flame Burner

Power (Max/ Min) Natural Gas

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W

Power (Max/ Min) Propane

15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Rear Right

Dual Flame Burner

Power (Max/ Min) Natural Gas

18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W

Power (Max/ Min) Propane

15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W

Dimensions

Overall dim - width

35 3/4" (910mm)

Overall dim - height

7" (179mm)

Overall dim - depth

29 3/4" (756mm)

Cutout - width

36" (916mm)

Cutout - height (min)

7" (179mm)

Cutout - depth (min-max)

24"- 25 1/2" (610-650mm)

Power / Ratings (120V, 60 Hz)

Amps rating at 120V, 60Hz

0.1A

Cable + Plug

Nema 5-15P

INSTRUCTIONS FOR USE

Use & Care Manual

EN, SP, FR

Installation Manual


EN, SP, FR

PR-9 ~~See attached~~
June 16, 2021

FULGOR MILANO

36" Gas Ranges Top 600 SERIES

Weight & Dimensions



CUTOUT REQUIREMENTS

The surface of the entire back wall above the range and below the hood must be covered with a noncombustible material.
*Consult local code for exact location requirements.

OPENING WIDTH	A	B
Range top 36"	36" (91.4)	30 3/8" (77.1)

Note: Clearances from non-combustible materials are not part of the ANSI Z21.1 scope and not certified. Clearances to non-combustible materials must conform with local codes or, in the absence of local codes, with the National Fuel Gas Code, ANSI Z223.1/NFPA 54.

ADDITIONAL CLEARANCES:

For island installation, maintain 2-1/2 in. minimum from cutout to back edge of countertop and 3 in. minimum from cutout to side edges of countertop (see top view).
For island installation, 12" (30.5 cm) minimum clearance back of range top to combustible rear wall above countertop. The island installation is not part of the ANSI Z21.1 scope and not certified.



Minimum clearances:

Above cooking surface (above 36" (91.4 cm))

- Sides - 6" (15.2 cm)
- Within 6" (15.2 cm) side clearance, wall cabinets no deeper than 13" (33.0 cm) must be minimum 18" (45.7 cm) above cooking surface
- Wall cabinets directly above product must be a minimum of 48" (122 cm) above product
- Rear - 0" with 9" backguard; 0" with non-combustible rear wall.

Below cooking surface (36" (91.4 cm) and below)

Install with zero clearance between adjacent combustible construction below the cooking surface and the back and sides of the appliance.



PACKAGING 36"		Lb / Inch	Kg / mm
GROSS WEIGHT		122 lb	55 Kg
DIMENSION	W	38" 3/4	984
	D	32" 1/8	817
	H	13" 3/8	340


PV-9 ~~see attached~~
June 16, 2021

36" Gas Ranges Top 600 SERIES




FULGOR
MILANO

Weight & Dimensions

INSTALLATION WITH SEPARATOR SHEET




INSTALLATION WITHOUT SEPARATOR SHEET



AVG

PR-9 ~~See~~ attached
June 14, 2021

AVM-368PS
36" Insert hood




Model		AVM-368PS
Features		
Control	Mechanical push buttons	
Lighting	2 bulbs, 2W LED (bulbs included)	
Blower type	860 CFM, 3-Speed	
Blower performance	Speed 1, 0.7 sones	
	Speed 3, 4.0 sones	
Filter type	3 aluminium micro hole filters (included)	
	3 filters chicane (inox)	
Duct transition	6" Round (Top)	
Ducting	Ducted	
Exterior Appearance		
Stainless steel grade	201	
Electrical Requirements		
Electrical requirements	120V / 60Hz / 2.7 Amps	
Dimensions		
Dimensions	35 1/2" (L) x 11 3/8" (P) x 11" (H)	
Warranty		
1-year Warranty	Parts and labour, in-home service	

The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete or may change without notice


PV-9 ~~See attached~~
June 16, 2021

AVM-368PS

Dimensions




Installation




A	Minimum height of the cabinet	12"
B	Width of the opening of the cabinet	36"
C	Recommended Height between cooking surface and bottom of the hood	26" min. - 30" max
D	Minimum suggested distance	30"
E	Cabinet Depth	12"

Duct transition

6" Round (Top)



Opening dimensions



The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete or may change without notice

Need technical assistance ? 1(888) 651-2534


PR-9 ~~see attached~~
June 16, 2021

KBSD608ESS

KitchenAid®

29.5 cu. ft 48-Inch Width Built-In Side by Side
Refrigerator with PrintShield™ Finish

<http://www.kitchenaid.com>



Key Features:

- ExtendFresh™ Plus Temperature Management System
- Produce Preserver
- SatinGlide® Crispers
- PrintShield™ Finish
- Professionally-Inspired Design
- Automatic Ice Maker
- ENERGY STAR® Qualified
- LED Lighting
- Adjustable Spill-Resistant Glass Shelves
- Intuitive Controls

Product Dimensions:

Height: 83 3/8

Width: 48 1/4

Depth: 27 3/4

Electrical Requirements:

15.

Additional Information:

[Use And Care Guide](#)

[Dimension Guide](#)

[Installation Guide](#)

[Energy Guide](#)

[Warranty Certificate](#)

Available in:

PrintShield Stain-
less

INVESTED
IN
AMERICA



©Registered trademark/TM Trademark of Whirlpool, U.S.A. © 2016 Whirlpool Corporation. All Rights Reserved.
All other trademarks are owned by their respective companies.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice.

Manufacturer's Suggested Retail Price (MSRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer alone determines advertised and retail prices.

Created On: Friday, March 03, 2017 07:54:43

PV-9
June 16, 2021
See attached

KitchenAid®
FOR THE WAY IT'S MADE.®

Side By Side Built-In Refrigerator

PRODUCT MODEL NUMBERS

KBSD602E KBSD606E KBSD608E KBSN602E KBSN608E
KBSD612E KBSD618E

Electrical: A 115 volt, 60 Hz., AC only, 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.

Water Pressure: A cold water supply with water pressure between 30 and 120 psi (207 and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, qualified plumber.

Reverse Osmosis Water Supply:

IMPORTANT: The pressure of the water supply coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 30 and 120 psi (207 and 827 kPa).


IMPORTANT:

- It is recommended that you do not install the refrigerator near an oven, radiator, or other heat source.
- Do not install in a location where the temperature will fall below 55°F (13°C).
- Floor must support the refrigerator weight, more than 600 lbs (272 kg), door panels and contents of the refrigerator.

PRODUCT DIMENSIONS

- The depth from the front of the top grille to the back of the refrigerator cabinet is 5³/₈" (64.5 cm).
- The power cord is 84" (213 cm) long.
- Height dimensions are shown with leveling legs extended 1⁸/₁₆" (3 mm) below the rollers.

SIDE VIEW




*When leveling legs are fully extended to 1¹/₄" (3.2 cm) below rollers, add 1¹/₈" (2.9 cm) to the height dimensions.

OPENING DIMENSIONS

To avoid tipping during use, the solid soffit must be within 1" (2.5 cm) maximum above the refrigerator. If the solid soffit is higher than 1" (2.5 cm) or one is not available, then the refrigerator must be braced. If the anti-tip boards are needed, they must be attached to the rear wall studs 80" to 90" (203 cm to 229 cm) above the floor. See "Install Anti-Tip Boards" for more information.

NOTE: A clearance of 1/2" (1.3 cm) above the top grille must be maintained in order for the top grille to be removed.




Model	Width A (as shown above)	Dimension B (as shown above)
36	35 ¹ / ₂ " to 35 ³ / ₄ " (90.2 cm to 90.8 cm)	4" (10.2 cm)
42	41 ¹ / ₂ " to 41 ³ / ₄ " (105.4 cm to 106.1 cm)	7 ¹ / ₂ " (19.1 cm)
48	47 ¹ / ₂ " to 47 ³ / ₄ " (120.7 cm to 121.3 cm)	13 ¹ / ₂ " (34.3 cm)

NOTE: Flooring under refrigerator must be at same level as the room. Face of cabinetry must be plumb.

PV-9 ~~see attached~~
June 16, 2021


TOP VIEW



Model	Width A
36	35" (88.9 cm)
42	41" (104.1 cm)
48	47" (119.4 cm)

FRONT VIEW

- Width dimensions were measured from trim edge to trim edge.
- Height dimensions are shown with leveling legs extended $\frac{1}{8}"$ (3 mm) below the rollers.



Model	Width A (Trim edge to trim edge)
36	$36\frac{1}{32}"$ (92.3 cm)
42	$42\frac{11}{32}"$ (107.5 cm)
48	$48\frac{1}{32}"$ (122.8 cm)

*When leveling legs are fully extended to $1\frac{1}{4}"$ (3.2 cm) below rollers, add $1\frac{1}{8}"$ (2.9 cm) to the height dimensions.


DOOR SWING DIMENSIONS

The location must permit both doors to open to a minimum of 90°. Allow 5" (12.7 cm) minimum space between the side of the refrigerator and a corner wall.


NOTE: More clearance may be required if you are using overlay panels, custom handles, or extended handles on a Classic model.

To adjust the door swings, see "Adjust Doors."


36" (91.4 cm) Models



42" (106.7 cm) Models




48" (121.9 cm) Models



PV-9
June 16, 2021

30" Speed Combination Oven

800 Series – Stainless Steel HBL8753UC



HBL8753UC
Stainless Steel

Also available in:

Black HBL8743UC
Stainless Steel

Bosch speed combination ovens create an all-in-one cooking center with an upper speed oven and a Genuine European Convection oven below.

Features & Benefits

2-in-1 microwave and convection oven with 9 SpeedChef® programs to simplify cooking with fast results.

Lower oven's convection multi-rack mode gives uniform baking results even when using all 3 racks simultaneously.

Oven is equipped with a self-cleaning cycle that easily cleans itself via 2, 3, and 4 hour cycle options.

Download the Home Connect app to remotely monitor and control your Bosch wall oven with your smart phone or tablet.

General Properties

Home Connect™ – lower cavity (WiFi enabled) Yes

Cooking modes – upper cavity Speed oven, 12 Auto Programs (including Auto Defrost, Melt Butter, Soften Ice Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedChef® Programs, Hi & Lo Broil, European Convection, Keep Warm, Frozen Foods

Cooking modes – lower cavity Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast Preheat

Cleaning type – lower Self Clean

Telescopic rack 1

Illumination type LED (Upper) / Halogen (Lower)

Interior lights 1 Upper / 2 Lower

Oven Performance

Microwave power – upper cavity 1000 W

Bake / broil element wattages – upper cavity 600 / 1,750 W

Convection element wattages – upper cavity 1,700 W

Bake / broil element wattages – lower cavity 2,400 / 3,800 W

Convection element wattages – lower cavity 2,000 W

Convection element wattages – lower cavity 2,000 W

Convection element wattages – lower cavity 2,000 W

Technical Details

Watts (W) 9,600 W

Circuit breaker (A) 40 A

Volts (V); Frequency (Hz) 240 / 208 V, 60 Hz

Power cord length (in) 50"

Plug type Fixed Connection, No Plug

Energy source Electric

Dimensions & Weight

Overall appliance dimensions (HxWxD)(in) 49" x 29 3/4" x 24 1/2"

Required cutout size – Standard (HxWxD) (in) 48 5/8" x 28 1/2" x 23 1/2"

Required cutout size – Flush (HxWxD) (in) 49 1/8" x 30" x 24 1/2"

Speed oven cavity size – upper 1.6 cu. ft.

Overall upper speed oven interior dimensions (HxWxD) (in.) 9 7/8" x 16 1/2" x 16 1/2"

Metal turntable diameter (in) 14 1/8" dia.

Ceramic tray diameter (in) 13 3/4" dia.

Rack – rectangular cookware max. – upper 15" x 12"

Oven cavity size – lower 4.6 cu. ft.

Overall lower oven interior dimensions (HxWxD) (in) 17 13/16" x 24 1/8" x 18"

Usable lower oven interior dimensions (HxWxD) (in) 12 1/4" x 23 1/4" x 15 1/4"

Net weight (lbs) 259 lbs

Accessories – Included

Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray

Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Meat Probe

Accessories – Optional



HEZTR301
30" Telescopic Rack



HomeConnect™

*Lower oven only

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/Accessories or call 1-800-944-2504 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. Bosch reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other data is subject to making cutout.

Warranty: Please see the User's Manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2504.
© 2021 Bosch Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



PV-9
June 16, 2021

30" Speed Combination Oven

800 Series - Stainless Steel HBL8753UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2624 (Mon to Fri 9 am to 6 pm PST, Sat 9 am to 3 pm PST).

Notes: All heights, widths and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making a cutout.

Warranties: Please see the User manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2624.

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


Pr-9
June 16, 2021

30" Speed Combination Oven

800 Series – Stainless Steel HBL8753UC



Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/en or call 1-800-944-2904 (Mon to Fri 9 am to 6 pm PST, Sat 9 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. HBL reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

PR-9
June 16, 2021

24" Recessed Handle Dishwasher

300 Series – Stainless Steel SHEM63W55N



SHEM63W55N
Stainless Steel

Also available in:

White SHEM63W52N
Black SHEM63W56N

The 3rd rack provides the perfect space for silverware and large utensils while its V shape leaves room below for taller items.

For Quiet & Benefits



44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

With PrecisionWash®, intelligent sensors and precision spray arms target every inch of every load, so dishes come out sparkling clean every time.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

General Properties	
Number of wash cycles	5
Number of options	4
dBA	44
Drying system	PureDry
Third rack	Standard 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Buttons
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
NSF®-certified* sanitize option	Yes
Water softener	No
Five level wash	Yes
ChildLock	Yes
Special features	Extra Dry Option
Efficiency	
Water usage per cycle	3.5
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5
Capacity	
Number of place settings	15

Technical Details	
Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door (in)**	Left ~ 45" Right ~ 56"
Minimum water pressure (lb/in)	14
Length outlet hose (in)	73"
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 3/4"
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8" x 24"
Adjustable feet	Yes
Net weight (lbs)	91 lbs
Accessories-Optional	
Junction Box	SMZPCJ81UC
Bosch Dishwasher Water Supply Hose	SMZSH002UC
Drain Hose Extension Kit	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Anti-Tarnish Silverware Cassette	SMZ5002UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC



* Certified according to NSF/ANSI Standard 184 for residential dishwashers.

** September 2020: routing change to remove adhesive routing clip for power cord. These clips and the edge protector are now included in the dishwasher accessory kit 4 SMZ5000UC.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/home or call 1-800-944-9904 (open to Fri 9 am to 6 pm PST, Sat 9 am to 3 pm PST).
Notes: All heights, widths and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications. At any time, without notice. Please refer to the product installation instructions for final dimensional data and other details prior to making a cutout.
Warranty: Please see the User Manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-9904.
© 2021 Robert Bosch GmbH. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.






pv-a
June 16, 2021

24" Recessed Handle Dishwasher

300 Series - Stainless Steel SDEM63W55N



Installation Details



Accessories To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2906 (Mon to Fri 9 am to 6 pm PST, Sat 9 am to 3 pm PST).
Notes: All length, width and depth dimensions are shown in inches. Bosch reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.
Warranty: Please see the User's Guide manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2906.
© 2019 Bosch Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



PV-9
June 16, 2021

24" Recessed Handle Dishwasher

300 Series - Stainless Steel SHEM63W55N



Installation Details



Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1C10UC).


Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

PV-9 *St*
June 16, 2021

FULGOR
MILANO

600 Series 36" Gas Range Top

F6GRT366S1



Series	600
Size	GAS
Main Colour	36"
Logo	SS
Stainless Steel / Aesthetics	Professional
Type	GAS
Cooking Surface	Black Enameled
Gas Type	NG (5") or LP (10")
Knobs	•
Gas Cooktop Features	•
Electric Flame Ignition and Re-ignition	•
Flame out sensing	•
Top Mount Controls	•
L.P. Conversion Kit	•
Dual Flame Brass Burner	•
Wax Ring	•
Simmer Plate	OPTIONAL
Heavy Duty Cast Iron Grates	OPTIONAL
Pressure Regulator	3
Cooking Zones	•
Front Left	6
Power (Max/Min) Natural Gas	Dual Flame Burner
Power (Max/Min) Propane	18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
Rear Left	15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W
Power (Max/Min) Natural Gas	Dual Flame Burner
Power (Max/Min) Propane	18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
Front Middle	15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W
Power (Max/Min) Natural Gas	Dual Flame Burner
Power (Max/Min) Propane	18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
Rear Middle	15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W
Power (Max/Min) Natural Gas	Dual Flame Burner
Power (Max/Min) Propane	18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
Front Right	15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W
Power (Max/Min) Natural Gas	Dual Flame Burner
Power (Max/Min) Propane	18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
Rear Right	15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W
Power (Max/Min) Natural Gas	Dual Flame Burner
Power (Max/Min) Propane	18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W
Dimensions	15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W
Overall front width	35 3/4" (910mm)
Overall front height	7" (179mm)
Overall front depth	20 3/4" (758mm)
Cutout - width	36" (916mm)
Cutout - height (min)	7" (179mm)
Cutout - depth (min-max)	24" - 25 1/2" (610-650mm)
Power / Ratings (120V, 60 Hz)	•
Amperage at 120V, 60Hz	0.1A
Cable - Type	Nema 5-15P
INSTRUCTIONS FOR USE	•
Use & Care Manual	EN, SP, FR
Installation Manual	EN, SP, FR


PV-9 *[Signature]*
June 16, 2021

[illegible]



PV-9 *PK*
June 16, 2021



INSTALLATION WITH SEPARATOR SHEET



INSTALLATION WITHOUT SEPARATOR SHEET



AVG

PY-9
June 14, 2021

AVM-368PS
36" Insert hood




Model	AVM-368PS
Features	
Control	Mechanical push buttons
Lighting	2 bulbs, 2W LED (bulbs included)
Blower type	850 CFM, 3-Speed
Blower performance	Speed 1, 0.7 sones
	Speed 3, 4.0 sones
Filter type	3 aluminium micro hole filters (included)
	3 filters chicane (inox)
Duct transition	6" Round (Top)
Ducting	Ducted
Exterior Appearance	
Stainless steel grade	201
Electrical Requirements	
Voltage and requirements	120V / 60Hz / 2.7 Amps
Dimensions	
	35 1/2" (L) x 11 3/8" (P) x 11" (H)
Warranty	
1-year Warranty	Parts and labour, in-home service

The information provided herein is based on sources that we believe to be reliable, but is not guaranteed by us. May be subject to change without notice.

PV-9 *MA*
June 16, 2021

AVM-368PS

Dimensions




Installation




A	Minimum height of the cabinet	32"
B	Width of the opening of the cabinet	36"
C	Recommended height from the cooking surface and bottom of the hood	25" min., 32" max.
D	Minimum suggested distance	20"
E	Cabinet Depth	12"

Duct transition

6" Round (Top)



Opening dimensions



The information contained herein is based on sources that we believe to be reliable.
It is not guaranteed by us, may be incomplete or may change without notice.

Need technical assistance ? 1(888) 651-2534


PR-9 *M*
June 16, 2021

KBSD608ESS

29.5 cu. ft 48-Inch Width Built-In Side by Side
Refrigerator with PrintShield™ Finish

KitchenAid®

<http://www.kitchenaid.com>



Key Features:

- ExtendFresh™ Plus Temperature Management System
- Produce Preserver
- SarinGlide® Crispers
- PrintShield™ Finish
- Professionally-Inspired Design
- Automatic Ice Maker
- ENERGY STAR® Qualified
- LED Lighting
- Adjustable Spill-Resistant Glass Shelves
- Intuitive Controls

Product Dimensions:

Height: 83 3/8

Width: 48 1/4

Depth: 27 3/4

Electrical Requirements:

15

Additional Information:

[Use And Care Guide](#)

[Dimension Guide](#)

[Installation Guide](#)

[Energy Guide](#)

[Warranty Certificate](#)

Available in:

PrintShield™ stain-
less

INVENTED
IN
AMERICA



®Registered trademark/™ Trademark of Whirlpool, U.S.A. ©2016 Whirlpool Corporation. All Rights Reserved.
All other trademarks are owned by their respective companies.
Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. We also reserve the right to discontinue or transition products without notice.
Whirlpool's Suggested Retail Price (SRP) and Minimum Advertised Price (MAP) provided for reference purposes only. Dealer price determines advertised and retail prices.
Created On: Friday, March 03, 2017 07:54:42

PV-9
June 16, 2021

KitchenAid
FOR THE WAY IT'S MADE®

Side By Side Built-In Refrigerator

PRODUCT MODEL NUMBERS

KBSD602E KBSD605E KBSD608E KBSN602E KBSN608E
KBSD612E KBSD615E

Electrical: A 115 volt, 60 Hz, AC only, 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.

Water Pressure: A cold water supply with water pressure between 30 and 120 psi (207 and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed plumber.

Reverse Osmosis Water Supply:

IMPORTANT: The pressure of the water supply coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 30 and 120 psi (207 and 827 kPa).


IMPORTANT:

- It is recommended that you do not install the refrigerator near an oven, radiator, or other heat source.
- Do not install in a location where the temperature will fall below 55°F (13°C).
- Floor must support the refrigerator weight, more than 600 lbs (272 kg); door panels and contents of the refrigerator.

PRODUCT DIMENSIONS

- The depth from the front of the top grille to the back of the refrigerator cabinet is 55" (140 cm).
- The power cord is 64" (163 cm) long.
- Height dimensions are given with leveling legs extended 3/4" (3 mm) below the rollers.

SIDE VIEW




*When leveling legs are extended to 1 1/4" (32 mm) below rollers, add 1 1/4" (32 mm) to height dimensions.

OPENING DIMENSIONS

To avoid tipping during use, the solid soffit must be within 1" (2.5 cm) maximum above the refrigerator. If the solid soffit is higher than 1" (2.5 cm) or one is not available, then the refrigerator must be braced. If the anti-tip boards are needed, they must be attached to the rear wall studs 60" to 90" (203 cm to 228 cm) above the floor. See "Install Anti-Tip Boards" for more information.

NOTE: A clearance of 1/2" (1.3 cm) above the top grille must be maintained in order for the top grille to be removed.




Model	Width A (as shown above)	Dimension B (as shown above)
35	55 1/2" to 57 1/2" (140.2 cm to 146.1 cm)	4" (10.2 cm)
42	61 1/2" to 63 1/2" (156.1 cm to 161.3 cm)	7 1/4" (19.1 cm)
43	67 1/2" to 69 1/2" (171.5 cm to 176.8 cm)	13 1/2" (34.3 cm)

NOTE: Finishing under refrigerator must be at same level as the room floor of cabinetry must be plane.


PV-9
June 16, 2021

TOP VIEW



FRONT VIEW

- Width dimensions are measured from trim edge to trim edge.
- Height dimensions are shown with leveling legs extended 1/4" (0.6 cm) below rollers.




Model	Width A (trim edge to trim edge)
36	37 1/4" (95.3 cm)
42	47 1/4" (120.5 cm)
48	47 1/4" (120.8 cm)

*When leveling legs are fully extended to 1/4" (0.6 cm) below rollers, add 1 1/4" (3.2 cm) to height dimensions.


DOOR SWING DIMENSIONS

This location must permit both doors to open to a minimum of 90°. Allow 5" (12.7 cm) minimum space between the side of the refrigerator and a corner wall.
NOTE: More clearance may be required if you are using overlay panels, custom handles, or extended handles on a Classic model.
To adjust the door swings, see "Adjust Doors."


36" (91.4 cm) Models



42" (106.7 cm) Models



48" (121.9 cm) Models



8" VELOCITY RAIN SHOWER
MOEN

Shower Head



- ☐ CHROME
- ☐ BRUSHED NICKEL (BN)
- ☒ BRUSHED GOLD (BG)

MODEL: S6320 Shower Head


Lot# PV-9	Date: May 26, 2021	Room: Master Ensuite
Signature: *See attach-*		
Signature:		

UPGRADE PLUMBING



8" VELOCITY RAIN SHOWER
MOEN

Shower Head



- ☐ CHROME
☐ BRUSHED NICKEL (BN)
☒ BRUSHED GOLD (BG)

MODEL: S6320 Shower Head

Lot# PV-9	Date: May 26, 2021	Room: Master Ensuite
Signature: 		
Signature:		

PV - 9 Cabinetry Schedule

ROOM	DESCRIPTION	PRICE	QTY	TOTAL
KITCHEN	UPGRADE PERIMETER FROM SERIES 2 TO SERIES 6 - WILLIS 'FOG'			
	RETURN TRIP FOR HARDWOOD			
	ADD CABINETRY VALANCE ONLY (ELECTRICAL PURCHASED ON STRUCTURAL)			
	ADJUST CABINETRY FOR 36"W RANGETOP (N/C)			
	ADD DECORATIVE HOOD CANOPY - ASPEN MODERN			
	LEAVE 3" GAP ON EITHER SIDE OF HOOD CANOPY (N/C)			
	ADD POTS AND PANS DRAWERS BELOW RANGETOP			
	CONVERT STD CABINETRY TO TALL DEEP BUILT IN OVEN UNIT WITH DRAWER BELOW			
	ADJUST CABINETRY FOR 48" FRIDGE/FREEZER (N/C)			
ADD FLIP UPS ABOVE FRIDGE/FREEZER				
ISLAND	UPGRADE FROM SERIES 2 TO SERIES 6 - WILLIS 'FOG'			
	ADD TWO BIN RECYCLE CENTRE TO ISLAND			
	RELOCATE STANDARD BANK OF 4 DRAWERS TO ISLAND (N/C)			
	SWAP SINK AND DISHWASHER LOCATIONS (N/C)			
	ADD OVERSIZED DECORATIVE DUMMY PANELS TO SIDES OF ISLAND			
ADD PROUD KICK TO SIDES + REAR ISLAND				
LAUNDRY ROOM	ADD OPTIONAL UPPERS - BOWERY 'ELLO'			
		CABINETRY		

HANDLE PLACEMENT: AT INSTALLERS DISCRETION

LOT #:

9

DATE:

MAY 6 2021

SIGNATURE:

attached

SIGNATURE:

Purchaser: BO CAO
Telephone Res. / Bus: /
Decor Advisor: Amanda Ceresino
Property: 9 of Plan -
Project: Pine Valley Forevergreen - Phase 1
Model and Elevation: 42.02 B ROSEDALE

Layout Changes: Yes No
Sketch Attached: Yes No
Exterior Colour Scheme:

1. Cabinetry
Kitchen / Breakfast
Laundry Room
Powder Room
Ensuite 3
Master Ensuite Bathroom
Second Ensuite Bathroom (If Applicable)
Ensuite 4
Comment

2. Floor Tile
Entrance Vestibule
Main Hall
Kitchen / Breakfast
Laundry Room
Powder Room
Mud Room
Master Ensuite Bathroom
Second Ensuite Bathroom (If Applicable)
Lower Landing (If Applicable)
Ensuite 3
Comment

3. Wall Tile
Ensuite 4
Master Ensuite Bathroom
Tub Deck
Shower Stall
Bathroom Walls
Second Ensuite Bathroom (If Applicable)
Ensuite 3
Kitchen Backsplash
Comment

Purchaser: BO CAO
Telephone Res. / Bus: /
Decor Advisor: Amanda Ceresino
Property: 9 of Plan -
Project: Pine Valley Forevergreen - Phase 1
Model and Elevation: 42.02 B ROSEDALE

4. Plumbing Fixtures

Master Ensuite Bathroom
Second Ensuite
Powder Room
Other Room - Specify
Other Washroom

Comment
see extras

5. Hardwood Flooring

Main Hall
Kitchen / Breakfast
Living Room
Dining Room
Family Room
Den/Library
Entrance Vestibule
Lower Landing (If Applicable)
Upper Landing
Upper Hall
Master Bedroom
Bedroom #2
Bedroom #3
Bedroom #4
Bedroom #5
Other Room - Specify

Comment

6. Carpeting

Ground Floor
Second Floor
Upgrade
Description

Upgrade Underpad
Carpet on Stairs
Type
Area
Capped
Runner - *Upgrade

Comment

7. Fireplace

Living Room
Family Room
Other Room - Specify
Fireplace Type
Mantle Type
Colour / Stain
Surround
Hearth

Comment
attached

Purchaser: BO CAO

Property: 9 of Plan -

Telephone Res. / Bus: /

Project: Pine Valley Forevergreen - Phase 1

Decor Advisor: Amanda Ceresino

Model and Elevation: 42.02 B ROSEDALE

8. Trim Carpentry

Interior Doors Front Door Glass Inserts Door Handles

Interior Trim

Comment

9. Plaster Mouldings and Medallions

Standard Throughout ☐ Yes ☐ No ☐ N/A

Entrance Vestibule Kitchen/Breakfast

Main Hall Den/Library

Living Room Lower Landing

Dining Room Other Room - Specify

Family Room

Comment

10. Railings and Spindles

Railing Package

Railing Colour

Stringer / Riser

Comment

Spindle Colour

Treads

Oak Stairs ☒ Yes ☐ No ☐ N/A

11. Wall Paint / Ceilings

Throughout Finished Areas

Trim Paint

Smooth Ceilings

Ground Floor ☒

Second Floor ☒

Note

Comment

attached

Scheduled Closing Date: September 28, 2021

Purchaser: BO CAO

Property: 9 of Plan -

Telephone Res. / Bus: /

Project: Pine Valley Forevergreen - Phase 1

Decor Advisor: Amanda Ceresino

Model and Elevation: 42.02 B ROSEDALE

12. Electrical

Hood Fan ☐ White ☐ Stainless ☒ N/A

Above Kitchen Cabinet Light ☐ Yes ☒ No

Below Kitchen Cabinet Light ☒ Yes ☐ No

Standard Appliances ☐

Over The Range Microwave ☐

Chimney Style Fan ☐

Comment

13. Heating and Air Conditioning

Air Conditioning

Gas Provisions Stove

Gas Provisions Dryer

Gas Provisions Barbecue

Comment

14. Additional Comments

15. Disclaimers and Notes

- 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- 3) The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. _____ Purchaser's Initials
- 4) The Purchaser acknowledges reading and accepting the "Gold Park Homes Decor Centre Disclaimers" form. This document contains other miscellaneous disclaimers.

This Interior Colour Selection is final and approved by:

Signature: attached Date: _____


SCHEDULE 'F'



PV-9
OCT 19 2020
DEC 11 2020
MAY 6 2022 attached

The Rosedale 42' SERIES

Elevation A • 3,655 sq.ft.
→ Elevation B • 3,605 sq.ft.
Elevation C • 3,590 sq.ft.



VENDOR

PURCHASER

PURCHASER

GOLDPARK
WORTH MORE™

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4202


SCHEDULE 'F'



PV-9
OCT 19 2020
DEC 11 2020
MAY 6 2021 attached

The Rosedale 42' SERIES

Elevation A • 3,655 sq.ft.
Elevation B • 3,605 sq.ft.
Elevation C • 3,590 sq.ft.



SECOND FLOOR | ELEV. A

VENDOR

PURCHASER

PURCHASER

GOLDPARK
WORTH MORE™

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4202


SCHEDULE 'F'




PV-9
OCT 19 2020
DEC 11 2020
MAY 6 2021 *attached*

The
Rosedale
42' SERIES


Elevation A • 3,655 sq.ft.
→ Elevation B • 3,605 sq.ft.
Elevation C • 3,590 sq.ft.




OPT. PART. GROUND FLOOR (LIBRARY)




PART. OPT. SECOND FLOOR | ELEV. B
5 BEDROOM




PART. OPT. SECOND FLOOR | ELEV. C
5 BEDROOM




OPT. PART. SERVICE STAIRS




PART. SECOND FLOOR | ELEV. B




PART. SECOND FLOOR | ELEV. C




OPT. PART. SERVICE STAIRS




PART. GROUND FLOOR | ELEV. B



PART. GROUND FLOOR | ELEV. C



PART. BASEMENT | ELEV. B



PART. BASEMENT | ELEV. C

VENDOR
PURCHASER
PURCHASER

GOLDPARK
WORTH MORE™

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4202


SCHEDULE 'F'



PV-9
Oct 19 2020
DEC 11 2020
MAY 6 2021 *attached*

The
Rosedale
42' SERIES

- Elevation A • 3,655 sq.ft.
- Elevation B • 3,605 sq.ft.
- Elevation C • 3,590 sq.ft.




VENDOR

PURCHASER


PURCHASER

GOLDPARK
WORTH MORE™

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4202



PI-9 attached
MAY 6 2021



GOLDPARK HOMES
PINE VALLEY
VAUGHAN, ONTARIO
MODEL: (4202) ROSEDALE

SITE STANDARD: WHITE 3/4" EXTENSION
SOFT-CLOSE DRAWERS & SOFT-CLOSE
HINGES TO KITCHEN AREA
10' CEILING - 12" H COFFERED CEILING -
M.H. = 102" + 3/4" H CONTEMPORARY
MOLDING + 5 1/4" H FURRING RAIL
+ LARGE CORNICE MOLDING TO
UNDERSIDE OF BOX

FRONT
FURNITURE
KICK.

WATERFALL (EG
(BOTH SIDES)



PLAN VIEW




PINE VALLEY
FOREVERGREEN

UPGRADE DECORATIVE HOOD CABINET

ASPEN MODERN HOOD

(Insert fan not included)



Lot# <i>PV-9</i>	Date: <i>MAY 6 2021</i>	Room: <i>Kitchen</i>
Signature: <i>attached</i>		
Signature:		



PINE VALLEY

FOREVERGREEN

STONE COUNTERTOP EDGE PROFILES



STANDARD 2CM EASED EDGE



LOCATION:

THRU OUT




UPGRADE 3CM EASED EDGE


LOCATION:



UPGRADE 4CM MITRED EDGE



LOCATION:



UPGRADE 2CM OGEE EDGE

LOCATION:

LOT #: PV-9

DATE: MAY 6 2021

SIGNATURE: attached

SIGNATURE:



PINE VALLEY
FOREVERGREEN

STANDARD HARDWARE / HANDLES

☐

H001-02

☐

H001-03

☐

H001-04

☐

H009-03

☐

H009-09

☐


H011-03

☐

H011-05

☐

H011-06

☐

H033-01

☒

H039-03

→ Powder Room

☐

*NO HARDWARE

LOT # PV-9

DATE: MAY 6 2021

SIGNATURE:

attached

SIGNATURE:



PINE VALLEY

FOREVERGREEN

STANDARD HARDWARE / KNOBS



K002-02



K002-03



K002-04



K002-06



K002-05



K008-14



K024-03



*NO HARDWARE



*TOUCH-LATCH

LOT # PV-9

DATE: MAY 6 2021

SIGNATURE: attached

SIGNATURE:




PINE VALLEY

FOREVERGREEN

UPGRADE KITCHEN EXTRA

MOEN - MODERN

Pot Filler



☐ CHROME

☒ STAINLESS (SRS)

← ~~REVISED~~ MAY 6 2021 attached

☐ BRUSHED GOLD (BG)

☐ MATTE BLACK (BL)

MODEL: S665 (SRS, BG, BL) Pot Filler

Lot# PV-9

Date: Dec. 11, 2020.

Room: Kitchen

Signature:

Signature:




PINE VALLEY
FOREVERGREEN

UPGRADE KITCHEN FAUCET

MOEN - NIO

One-Handle Pulldown Kitchen Faucet



- ☐ CHROME
- ☐ MATTE BLACK / BRUSHED GOLD (BL)
- ☒ SPOT RESIST STAINLESS (SRS)

MODEL: S75005 Chrome / S75005BL Matte Black / S75005SRS Spot Resist Stainless




Lot# PV-9	Date: MAY 6 2021	Room: Kitchen
Signature: attached		
Signature:		



PINE VALLEY
FOREVERGREEN

UPGRADE KITCHEN SINK

BLANCO - QUATRUS R15 U 2
Stainless Steel - Undermount
32" x 18" x 9"



Stainless Steel

☐ GRID

MODEL 401519 Stainless Steel / 406454 Grid

Lot# PV-9

Room: Kitchen

Signature: attached

Date: MAY 6 2021


Signature:

GOLDPARK
WORTH MORE™

UPGRADE PLUMBING

MOEN - ALIGN

3 Function SHOWER ONLY* Rain Shower and Handshower



* CHANGE to
BRUSHED GOLD - MAY 6 2021 attached

MODEL: T2192EP Shower Trim Only* / T4191 Transfer Trim + 3372 Transfer Valve / 62920 1/2" CC Valve / 3887EP Handshower + A725 Drop El / 226651 Shower Arm (from ceiling) / S6360 Showerhead

LOT #: PV-9	DATE: Dec. 11, 2020	ROOM: Master Ensuite
SIGNATURE:		
SIGNATURE:		




PINE VALLEY
FOREVERGREEN

PLUMBING UPGRADES

MOEN - ALIGN

Two-Handle Adjustable Widespread Lav Faucet with Lift Rod Drain




- ☐ CHROME
- ☐ BRUSHED NICKEL (BN)
- ☒ BRUSHED GOLD (BG)
- ☐ MATTE BLACK (BL)

MODEL: T6193 / 69000

Lot# <i>PV-9</i>	Date: <i>MAY 6 2021</i>	Room: <i>Master Ensuite x2</i>
Signature: <i>attached</i>		
Signature:		

MOEN - ALIGN

Two-Handle Roman Tub Faucet with Hand Shower



☐ CHROME

☐ BRUSHED NICKEL (BN)

☒ BRUSHED GOLD (BG)

*includes TUB DRAIN HALF KIT

MODEL: T394 / 9796 / T90331 / 140680

Lot# PV-9

Date: MAY 6 2021

Room: Master Ensuite

Signature:

attached

Signature:




PINE VALLEY
FOREVERGREEN

UPGRADE SHOWER HARDWARE

SQ6X6

Shower Door Handle + *HINGE*



SQ6X6
Shower Door Handle

6" x 6" back-to-back
3/4" square tube
(Also available single sided)

☐ CHROME

☐ MATTE BLACK

☒ *BRUSHED GOLD + HINGES*

Lot# *PV- 9*

Date: *MAY 6 2021*

Room: *Master Ensuite*

Signature: *attached*

Signature:




PINE VALLEY
FOREVERGREEN

UPGRADE SHOWER HARDWARE

SQ6X6

Shower Door Handle



SQ6X6
Shower Door Handle

6" x 6" back-to-back
3/4" square tube
(Also available single sided)

☒ CHROME

☐ MATTE BLACK

Lot# PV-9

Date: MAY 6 2021

Room: Ensuite 2, Ensuite 4

Signature:


attached

Signature:




PINE VALLEY
FOREVERGREEN

BATHROOM ACCESSORIES



Tissue Holder
Mason - Chrome



Towel Bar
Mason - Chrome

Please select one of the following:

- ☐ INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT
(tissue holder + towel bar) **location as per vendors discretion**
- ☐ ***DO NOT*** INSTALL STANDARD BATHROOM ACCESSORIES
THRU OUT **tissue holder + towel bar will not be provided**

LOT # PV-9

DATE: MAY 6 2021

SIGNATURE:

attached

SIGNATURE:



Project: Pine Valley

Lot: 9

Purchaser(s): Bo Cao

Standard Hood Fan Deletion

We acknowledge that the builder's standard hood fan will not be installed.
Do not supply, install and/or credit. We will install our own hood fan after closing.

Signature: attached

Signature: _____

Date: MAY 6 2021