

Lot: 32

Model: 40.03 A BROOKSIDE

Project/Phase: Pine Valley Forevergreen / 1

٨	DDI	TA	NI	CES
А	PPI	JΑ	JV	

Invoice	Qty.	Description
2674	1	ATTACHED APPLIANCE SPECIFICATIOS - SIGNED COPY
29Mar21 NoCat		
2713	1	APPLIANCE SPECIFICATIONS UPDATED - SIGNED COPY ATTACHED
30Apr21 NoCat		PREVIOUS APPLIANCE SPECIFICATOINS PROVIDED DO NOT APPLY

_	CERAMIC				
Invoice	Qty.	Description			
2816 35 17Jun21	1	FRONT FOYER: TILE, FLOOR , LEVEL 3 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION			
2816 35 17Jun21	1	POWDER ROOM: TILE, FLOOR , LEVEL 3 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION			
2816 35 17Jun21	1	MUD ROOM: TILE, FLOOR , LEVEL 3 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION			
2816 32 17Jun21	1	MASTER ENSUITE: TILE, FLOOR , LEVEL 1 - 18X18" LAID IN STRAIGHT, STACKED PATTERN.			
2816 46 17Jun21	1	MASTER ENSUITE: TILE, WALL, LEVEL 1 - 18X18" LAID IN STRAIGHT, STACKED PATTERN.			
2816 17Jun21	1	KITCHEN: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - KITCHEN - LEVEL 3 KITCHEN: DO NOT SUPPLY / INSTALL CERAMIC - CREDIT			
NoCat					

DisciplineMS.rpt 23feb21

Page 1 of 8



Lot: 32

Model: 40.03 A BROOKSIDE

Project/Phase: Pine Valley Forevergreen / 1

DRYWALL

Invoice	Qty.	Description
2713 72,690	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
30Apr21		A GAP ABOVE CABINETS WILL BE PRESENT UNLESS ADDITIONAL CABINETS ARE PURCHASED AT COLOUR APPOINTMENT
2816	1	KITCHEN **REVISED** - JUNE 16 2021 - *****LEAVE STANDARD BULKHEAD IN KITCHEN*****
17Jun21 NoCat		REVISED FROM STRUCTURAL ORDER

DisciplineMS.rpt 23feb21 Page 2 of 8



Lot: 32

Model: 40.03 A BROOKSIDE

Project/Phase: Pine Valley Forevergreen / 1

ELECTRICAL

Invoice	Qty.	Description
2713 72,280 30Apr21	1	FRONT EXTERIOR: INSTALL CAPPED CEILING LIGHT FIXTURE IN APPROX. CENTRE OF CEILING IN PORTICO - ON EXISTING SWITCH
2713 72,292 30Apr21	1	FRONT EXTERIOR: ADDITIONAL COACH LIGHT - SAME HEIGHT AND SWITCH AS STANDARD - SEE PLAN
2713 72,280 30Apr21	1	POWDER ROOM: IN ADDITION TO STANDARD VANITY LIGHT, ADD A CAPPED CEILING LIGHT FIXTURE APPROX. CENTRE ON CEILING ON EXISTING SWITCH
2713 72,289 30Apr21	1	LOWER LANDING AT MUD ROOM: 4" E/S LED INTERIOR POT LIGHT - INSTALL APPROX. CENTRE ON CEILING OF NICHE + ADDITIONAL SWITCH - SEE PLAN
2713 72,307 30Apr21	1	KITCHEN: RELOCATE STANDARD CEILING LIGHT FIXTURE TO APPROX. CENTRE ON CEILING ABOVE ISLAND - SEE PLAN
2713 72,281 30Apr21	1	MEDIA ROOM: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT FOR WALL MOUNTED TV - APPROX. 54" A.F.F SEE PLAN
2713 72,273 30Apr21	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - GAS FIRED APPLIANCE - FOR AUX. EQUIPMENT - NOT A STOVE PLUG
2713 72,289 30Apr21	6	KITCHEN: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH - INCLUDES ONE SWITCH INCLUDED IN APS
2816 17Jun21 NoCat	1	KITCHEN: ELECTRICAL FOR APPLIANCE SPECS NOT PURCHASED PURCHASER WILL ADD OWN ELECTRICAL AFTER CLOSING AT OWN EXPENSE AND WARRANTY

DisciplineMS.rpt 23feb21 Page 3 of 8



Lot: 32

Model: 40.03 A BROOKSIDE

Project/Phase: Pine Valley Forevergreen / 1

FRAMING

Invoice	Qty.	Description
2713 72,690	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
30Apr21		A GAP ABOVE CABINETS WILL BE PRESENT UNLESS ADDITIONAL CABINETS ARE PURCHASED AT COLOUR APPOINTMENT
2713	1	FRONT EXTERIOR: INSTALL CAPPED CEILING LIGHT FIXTURE IN APPROX. CENTRE OF CEILING IN PORTICO - ON EXISTING SWITCH
30Apr21 NoCat		
2713	1	FRONT EXTERIOR: ADDITIONAL COACH LIGHT - SAME HEIGHT AND SWITCH AS STANDARD - SEE PLAN
30Apr21 NoCat		
2713	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
30Apr21 ** NoCat		FINAL LOCATION, ORIENTATION AND CONNECTION TO BE COMPLETED BY A LICENSED GAS FITTER AND ARRANGED BY HOME OWNER AFTER CLOSING
2713	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
30Apr21 ** NoCat		FINAL LOCATION, ORIENTATION AND CONNECTION TO BE COMPLETED BY A LICENSED GAS FITTER AND ARRANGED BY HOME OWNER AFTER CLOSING
2713	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
30Apr21 ** NoCat		FINAL LOCATION, ORIENTATION AND CONNECTION TO BE COMPLETED BY A LICENSED GAS FITTER AND ARRANGED BY HOME OWNER AFTER CLOSING
2713	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
30Apr21 ** NoCat		FINAL LOCATION, ORIENTATION AND CONNECTION TO BE COMPLETED BY A LICENSED GAS FITTER AND ARRANGED BY HOME OWNER AFTER CLOSING
2816	1	KITCHEN **REVISED** - JUNE 16 2021 - ******LEAVE STANDARD BULKHEAD IN KITCHEN*****
17Jun21 NoCat		REVISED FROM STRUCTURAL ORDER

GLASS AND MIRROR

GLASS.	GLASS AND MIKKUK		
Invoice	Qty.	Description	
2816	2	MASTER ENSUITE + SHARED ENSUITE: UPGRADE SHOWER DOOR HANDLE	
17Jun21 NoCat			
2816	1	PLEASE DO **not** SUPPLY MIRRORS THRU OUT	
17Jun21 NoCat			

DisciplineMS.rpt 23feb21 Page 4 of 8



Lot: 32

Model: 40.03 A BROOKSIDE

Project/Phase: Pine Valley Forevergreen / 1

GRANITE MARBLE QUARTZ

Invoice	Qty.	Description
2816	1	KITCHEN: UPGRADE 2 QUARTZ COUNTER
17Jun21 NoCat		
2816	1	MASTER ENSUITE: UPGRADE 2 QUARTZ COUNTER TOP
17Jun21 NoCat		
2816	1	KITCHEN: COOKTOP CUT OUT
17Jun21 NoCat		

HARDWOOD

Invoice	Qty.	Description
2816 4 17Jun21	1	KITCHEN: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - KITCHEN - LEVEL 3
2816 4 17Jun21	1	THRU OUT - MAIN HALL/ GREAT ROOM/ STUDY/ DINING ROOM/ UPPER HALL/ MEDIA ROOM/ MASTER BEDROOM/ BEDROOM 3/ BEDROOM 4/ MEDIA: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3

HVAC

Invoice	Qty.	Description
2713 72,224	1	KITCHEN: GAS LINE ROUGH-IN - MAIN FLOOR - SEE PLAN FOR APPROX. LOCATION.
30Apr21		FINAL LOCATION, ORIENTATION AND CONNECTION TO BE COMPLETED BY A LICENSED GAS FITTER AND ARRANGED BY HOME OWNER AFTER CLOSING
2713 72,690	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
30Apr21 **		A GAP ABOVE CABINETS WILL BE PRESENT UNLESS ADDITIONAL CABINETS ARE PURCHASED AT COLOUR APPOINTMENT
2816	1	KITCHEN **REVISED** - JUNE 16 2021 - ******LEAVE STANDARD BULKHEAD IN KITCHEN*****
17Jun21 NoCat		REVISED FROM STRUCTURAL ORDER

DisciplineMS.rpt 23feb21 Page 5 of 8



Lot: 32

Model: 40.03 A BROOKSIDE

Project/Phase: Pine Valley Forevergreen / 1

KITCHEN AND BATH CABINETRY

Invoice	Qty.	Description
2713 72,690	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
30Apr21 **		A GAP ABOVE CABINETS WILL BE PRESENT UNLESS ADDITIONAL CABINETS ARE PURCHASED AT COLOUR APPOINTMENT
2816	1	KITCHEN **REVISED** - JUNE 16 2021 - ******LEAVE STANDARD BULKHEAD IN KITCHEN*****
17Jun21 NoCat		REVISED FROM STRUCTURAL ORDER
2816	1	THRU OUT: SEE ATTACHED CABINETRY SCHEDULE
17Jun21 NoCat		

MASONRY

-			
I	nvoice	Qty.	Description
	2713	1	FRONT EXTERIOR: ADDITIONAL COACH LIGHT - SAME HEIGHT AND SWITCH AS STANDARD - SEE PLAN
	2816 30Apr21 NoCat		

NETWORK AND WIRING

INE I WC	M	AND WIKING
Invoice	Qty.	Description
2713 72,259 30Apr21	1	MEDIA ROOM: CONDUIT PIPE - FOR WALL MOUNT TV - APPROX. 54" A.F.F., TERMINATE AT CABLE LOCATION
2713 72,258 30Apr21	1	MEDIA ROOM: ADDITIONAL CAT6 ETHERNET OUTLET - EACH - SEE PLAN FOR LOCATION
2713 72,258 30Apr21	1	STUDY: ADDITIONAL CAT6 ETHERNET OUTLET - EACH - SEE PLAN FOR LOCATION

DisciplineMS.rpt 23feb21

Page 6 of 8



Lot: 32

Model: 40.03 A BROOKSIDE

Project/Phase: Pine Valley Forevergreen / 1

P	٨	т	V	Г
r	\boldsymbol{A}		N	

Invoice	Qty.	Description
2816	2	MAIN STAIRS: STAIN STAIRS AND LANDINGS
17Jun21 NoCat		STAIRS AND LANDINGS WILL NOT MATCH HARDWOOD FLOORS IN COLOUR/ TEXTURE/ SPECIES
2713 72,690	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
30Apr21 **		A GAP ABOVE CABINETS WILL BE PRESENT UNLESS ADDITIONAL CABINETS ARE PURCHASED AT COLOUR APPOINTMENT
2816	1	KITCHEN **REVISED** - JUNE 16 2021 - ******LEAVE STANDARD BULKHEAD IN KITCHEN*****
17Jun21 NoCat		REVISED FROM STRUCTURAL ORDER

DisciplineMS.rpt 23feb21 Page 7 of 8



Lot: 32

Model: 40.03 A BROOKSIDE

Project/Phase: Pine Valley Forevergreen / 1

DТ	TIN	MB	TIME	
$\boldsymbol{\nu}$		// K		_
	/ L / L	V I I J		

Invoice	Qty.	Description
2713 72,332 30Apr21	1	KITCHEN: ROUGH-IN 1/4" COLD WATER LINE TO FRIDGE
2713 75,841 30Apr21	1	SHARED ENSUITE: INSTALL MOEN TOE TESTER TO STANDARD SHOWER FAUCET PACKAGE - CHROME
2713 75,841 30Apr21	1	MASTER ENSUITE: INSTALL MOEN TOE TESTER TO STANDARD SHOWER FAUCET PACKAGE - CHROME

DisciplineMS.rpt 23feb21 Page 8 of 8



PV - 32 Cabinetry Schedule

ROOM	DESCRIPTION	PRIC	E QTY	 TOTAL
KITCHEN	UPGRADE PERIMETER FROM SERIES 2 TO SERIES 5 - BEDFORD 'FOG'		1	\$ 100
	RETURN TRIP FOR HARDWOOD		1	\$
	ADJUST BASE CABINETRY FOR 36" COOKTOP (N/C)		1	\$ 2
	ADD POTS AND PANS DRAWERS BELOW COOKTOP		1	\$
	ADD DECORATIVE HOOD CANOPY - CLASSIC		1	\$ 4.4
	CONVERT STANDARD CABINETRY TO TALL, DEEP BUILT IN OVEN UNIT WITH DRAWER BELOW	V	1	\$
	CONVERT BASE CABINETS TO BASE POTS AND PANS AT ISLAND		2	\$
	ADD TWO BIN RECYCLE CENTRE		1	\$
	STANDARD FLAT PANEL ON SIDES OF ISLAND (N/C)	-	2	\$ -
				\$ 11.00
		CABINETRY TOTAL		\$

*** HARDWARE: HORIZONTAL ON DRAWERS, VERTICAL ON DOORS ***

LOT #: PV-32 DATE: June 16, 2021	
SIGNATURE:	
SIGNATURE:	

GOLD PARK

INTERIOR COLOUR SCHEIME

*** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: November 1, 2021

Te	lep	hone	Res.	/ Bus:	-

yout Changes: Yes	No Sketch Attached: Ye	es No Exterior Colour Scheme	ə:		
Cabinetry	Style and Colour	Counter	Hardwar		
Kitchen / Breakfast		*Quartz: 'Blizzard'	attachd		
Laundry Room	n/a	n/a	n/a		
Powder Room	Alban 'Storm Grey Oak'	Quartz: 'Nordic Loft'	attachd		
Mud Room	Alban 'Storm Grey Oak'	P-Lam 'White'	attachd		
Master Ensuite Bathroom	Alban 'Storm Grey Oak'	*Quartz: 'Pure white'	attachd		
Second Ensuite Bathroom (If Applicable)	Bowery 'Fabro'	Quartz: 'Ice Snow'	attachd		
Shared Ensuite	Bowery 'Fabro'	Quartz: 'Ice Snow'	attachd		
Comment	,		11		
Laundry Room Powder Room Mud Room Master Ensuite Bathroom Second Ensuite Bathroom (If Applicable) Lower Landing	n/a *12x24" Volkas 'White' matte *12x24" Volkas 'White' matte *18x18" New Byzantine 'Azzuro B 13x13" Costa 'White'	lue'			
(If Applicable)	13x13" Capri 'White'				
Shared Ensuite	13x13" Costa 'White'				
Comment thru-out shower floors: 2x2" Standa	ard 'White'				
Wall Tile	Selection	Listello/Inserts Describe			
Master Ensuite Bathroom Tub Do Shower S Bathroom Wa	tall *18x18"NewByzantine'AzzuroBl	Yes No Yes No Ves No Ves No Yes No Yes No			
Second Ensuite Bathroom (If Applicable)	8x10" Uniwall 'White'	○ Yes ● No			
Shared Ensuite	8x10" Uniwall 'White'	○ Yes ● No			
Kitchen Backsplash	Yes No	Backsplash Behind Fridge			
	4				





OLDPAR	RΚ			TERIOR COLOUR SCI	
WORTH	^^^	NOTE: T		E E se company treat to the treat	t. Document must be locked *
	ELIO CI	OVANINII CE		eduled Closing Date: N	
chasers:	ELIO, GIO	JVAININI SE	ERGNESE & TAN	MARA, E SE Property: 32	
ephone Res. / Bus:	/ ^	1. 1		N T 4	ine Valley Forevergreen - Phase 1
cor Advisor:	Angela P	nım		Model and Elevation: 40	U.U3 A BROOKSIDE
Plumbing Fixtu	ures				
			Second Ensuit		Powder Room
Master Ensuite Batl	nroom	-	Other Room -	Specify	Other Washroom
Comment					
Hardwood Floo	oring				
Tialawood Tio	Type and S	tain			Type and Stain
Main Hall				Upper Landing	
Kitchen / Breakfast	*5" White	Oak, Wirel	orush,'Baroque'	Upper Hall	
Living Room			, , , , , , , , , , , , , , , , , , , ,	Master Bedroom	
Dining Room				Bedroom #2	
Family Room				Bedroom #3	
Den/Library				Bedroom #4	
Entrance Vestibule				Bedroom #5	
Lower Landing (If Applicable)				Other Room - Specify	*5" WhiteOak Wirehrush 'Baroque'
Lower Landing (If Applicable) Comment			-1	Other Room - Specify thru-out standard area	*5" WhiteOak Wirehrush 'Baroque'
(If Applicable) Comment Carpeting Ground Floor		Jpgrade	Description	,	*5" WhiteOak Wirehrush 'Baroque'
(If Applicable) Comment Carpeting		Jpgrade	Description	,	*5" WhiteOak Wirehrush 'Baroque'
(If Applicable) Comment Carpeting Ground Floor		Jpgrade	Description	,	*5" WhiteOak Wirehrush 'Baroque'
(If Applicable) Comment Carpeting Ground Floor Second Floor		Jpgrade 	Description	,	*5" WhiteOak Wirehrush 'Baroque'
(If Applicable) Comment Carpeting Ground Floor		Туре	Description	thru-out standard area	s *5" WhiteOak, Wirebrush, Baroque'
Comment Carpeting Ground Floor Second Floor Upgrade Underpad			Description	thru-out standard area	s *5" WhiteOak, Wirebrush, Baroque'
(If Applicable) Comment Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs		Туре	Description	thru-out standard area	s *5" WhiteOak, Wirebrush, Baroque'
Comment Carpeting Ground Floor Second Floor Upgrade Underpad		Туре	Description	thru-out standard area	s *5" WhiteOak, Wirebrush, Baroque'
(If Applicable) Comment Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs		Туре	Description	thru-out standard area	s *5" WhiteOak, Wirebrush, Baroque'
(If Applicable) Comment Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs		Туре	Description	thru-out standard area	s *5" WhiteOak, Wirebrush, Baroque'
Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment		Туре		Area Runner - *L	Jpgrade
Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment	ving Room	Type	Fan	Area Runner - *L	Jpgrade Other Room - Specify Great Roo
Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace		Туре		Area Runner - *L	S *5" WhiteOak, Wirebrush, Baroque'
(If Applicable) Comment Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Li	ving Room Purchased	Type	Fan	Area Runner - *L	Jpgrade Other Room - Specify Great Roo Purchased As Per Plan N/A
(If Applicable) Comment Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Li	ving Room Purchased	Type	Fan	Area Runner - *L	Other Room - Specify Great Roo Purchased As Per Plan N/A Standard Gas
Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Li Fireplace Type Mantle Type	ving Room Purchased	Type	Fan	Area Runner - *L	Other Room - Specify Great Roo Purchased As Per Plan N/A Standard Gas Mediterranean
Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Li Fireplace Type Mantle Type Colour / Stain	ving Room Purchased	Type	Fan N/A	Area Runner - *L	Other Room - Specify Great Roo Purchased As Per Plan N/A Standard Gas Mediterranean Arctic White
Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Li Fireplace Type Mantle Type Colour / Stain Surround	ving Room Purchased	Type	Fan	Area Runner - *L	Other Room - Specify Great Roo Purchased As Per Plan N/A Standard Gas Mediterranean Arctic White n/a
Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Li Fireplace Type Mantle Type Colour / Stain Surround Hearth	ving Room Purchased	Type	Fan N/A	Area Runner - *L	Other Room - Specify Great Roo Purchased As Per Plan N/A Standard Gas Mediterranean Arctic White
Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Type Mantle Type Colour / Stain Surround	ving Room Purchased	Type	Fan N/A	Area Runner - *L	Other Room - Specify Great Roo Purchased As Per Plan N/A Standard Gas Mediterranean Arctic White n/a

0	KK	INTERIOR COLOUR SCHE	
WOR	TH MORE" *** NOTE: This is		Document must be locked **
rchasers:	ELIO CIOVANNI SEDONES	Scheduled Closing Date: Nov SE & TAMARA, E SE Property: 32	
ephone Res. / Bus			e Valley Forevergreen - Phase 1
cor Advisor:	Angela Phim	Model and Elevation: 40.0	15.1 57.1 15.1 15.1 15.1 15.1 15.1 15.1
	Angela i min	Model and Lievation. 40.0	
Trim Carpent	try		
Interior Doors Ca	arrara Front Door	Glass Inserts standard	Door Handles standard
Interior Trim sta	andard		
Comment			
DI (M I			
	dings and Medallions	N//A	
Standard Through	hout () Yes () No ()	N/A	
Entrance Vestibul	le	Kitchen/Breakfast	
Main Hall		Den/Library	
Living Room		Lower Landing	
Dining Room		Other Room - Specify	
Family Room			
Comment			
0. Railings and Railing Package	d Spindles Standard 2 Package		
D. Railings and Railing Package Railing Colour		Spindle Colour	*Vintage 'Baroque'
Railing Package	Standard 2 Package	Spindle Colour Treads	\
Railing Package Railing Colour Stringer / Riser	Standard 2 Package *Vintage 'Baroque'	<u> </u>	*Vintage 'Baroque' *Vintage 'Baroque' • Yes
Railing Package Railing Colour Stringer / Riser	Standard 2 Package *Vintage 'Baroque'	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser	Standard 2 Package *Vintage 'Baroque'	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser	Standard 2 Package *Vintage 'Baroque'	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser Comment	Standard 2 Package *Vintage 'Baroque' *Vintage 'Baroque' Ceilings	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser Comment	Standard 2 Package *Vintage 'Baroque' *Vintage 'Baroque'	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis	Standard 2 Package *Vintage 'Baroque' *Vintage 'Baroque' Ceilings	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis	*Vintage 'Baroque' *Vintage 'Baroque' *Vintage 'Baroque' Ceilings Shed Areas Warm Grey White	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint /	*Vintage 'Baroque' *Vintage 'Baroque' *Vintage 'Baroque' Warm Grey White	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis Trim Paint Smooth Ceilings	*Vintage 'Baroque' *Vintage 'Baroque' *Vintage 'Baroque' Warm Grey White	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis Trim Paint Smooth Ceilings Ground Fl	*Vintage 'Baroque' *Vintage 'Baroque' *Vintage 'Baroque' Warm Grey White	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis Trim Paint Smooth Ceilings Ground Fl Second Fl	*Vintage 'Baroque' *Vintage 'Baroque' *Vintage 'Baroque' Warm Grey White	Treads	*Vintage 'Baroque'
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis Trim Paint Smooth Ceilings Ground Fl Second Fl Note	*Vintage 'Baroque' *Vintage 'Baroque' *Vintage 'Baroque' Warm Grey White	Treads	*Vintage 'Baroque'






GOLDPARI INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: November 1, 2021 Purchasers: ELIO, GIOVANNI SERGNESE & TAMARA, E SE Property: 32 of Plan -Telephone Res. / Bus: / Project: Pine Valley Forevergreen - Phase 1 Decor Advisor: Model and Elevation: 40.03 A BROOKSIDE Angela Phim 12. Electrical Hood Fan White ○ Stainless ○ N/A Above Kitchen Cabinet Light () Yes () No Below Kitchen Cabinet Light Yes No Standard Appliances Over The Range Microwave Chimney Style Fan Comment 13. Heating and Air Conditioning Air Conditioning no Gas Provisions Stove yes **Gas Provisions Dryer** no Gas Provisions Barbecue standard Comment 14. Additional Comments **Disclaimers and Notes** 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing. 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full. The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. Purchaser's Initials The Purchaser acknowledges reading and accepting the "Gold Park Homes Decor Centre Disclaimers" form. This document contains other miscellaneous disclaimers.

Page 4 of 4

Signature:

This Interior Colour Selection is final and approved by:

Lecorative Hoodfan Cungry



MODEL: (4003) BROOKSIDE VAUGHAN, ONTARIO PINE VALLEY GOLDPARK HOMES

SITE STANDARD: WHITE 3/4" EXTENSION SOFT-CLOSE DRAWERS & SOFT-CLOSE HINGES TO KITCHEN AREA

10' CEILING - 12"H COFFERED CEILING -M.H. = 102" + 3/4"H CONTEMPORARY MOLDING + 5 1/4"H FURRING RAIL + LARGE CORNICE MOLDING TO UNDERSIDE OF BOX

PLAN VIEW

NITIES OP DRAWER WHERE POSS Y, ONE BANK OF DRAWER UGHOUT EACH MASTER I FL. BED 3 & 4 BATH ZND FL. BED ZND FL. BED





OPT GR. FL. SIDE ENTRANCE WILD RM UPPERS

TXO


GR. FL. POWDER RM


SITE STANDARD: WHITE 3/4" EXTENSION SOFT-CLOSE DRAWERS & STANDARD SLAM DOOR HINGES TO VANITIES


¥


D


ONE TOP DRAWER WHERE POSSIBLE THROUGHOUT EACH VANITY, ONE BANK OF DRAWERS WHERE POSSIBLE THROUGHOUT EACH MASTER ENSUITE VANITY











VENDOR PURCHASER PURCHASER


GOLDPARK

WORTH MORE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4003









The Brookside

40' SERIES

Elevation A • 3,380 sq.ft. Elevation B • 3,350 sq.ft.





GOLDPARK

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4003




PV-32 SCHEDULE'F'
April 28, 2021 attack




The Brookside

40' SERIES

Elevation A • 3,380 sq.ft. Elevation B • 3,350 sq.ft.



BASEMENT | ELEV. A



GOLDPARK

WORTH MORE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4003



CLASSIC RANGE HOOD

(Insert fan not included)



LOT# PV-32	ROOM: Kitchen	DATE: JUNE 16, 2021
SIGNATURE:		
SIGNATURE:	a de la companya de l	



STONE COUNTERTOP EDGE PROFILES


	STANDARD 2CM EASED EDGE	LOCATION: three out.
	UPGRADE 3CM EASED EDGE	LOCATION:
	UPGRADE 4CM MITRED EDGE	LOCATION:
	UPGRADE 2CM OGEE EDGE	LOCATION:
LOT #: PV - 32 SIGNATURE: LES ESUY	DATE: JUNE 16	2, 2021
SIGNATURE:		





H001-02 H001-03	H001-04
H009-09	
H011-03 H011-05	H011-06
H033-01 H039-03 - Ensurte 2 - Kitchen - Shared Ensurto - MASTER FANGUITE	*NO HARDWARE
DATE: PV-32 June 16, 2021	
SIGNATURE:	
SIGNATURE:	









MT6X6

Shower Door Handle





MT6X6 Shower Door Handle

6" x 6" back-to-back 3/4" dia. tube Cut and mitred corners with washers



Lot# PV-32 Date: June 16, 2011	Room: Master Ensuite, shared Ensuite
Signature:	
Signature:	





Tissue Holder Mason - Chrome

Towel Bar Mason - Chrome

Please select one of the following:

V	INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT (tissue holder + towel bar) *location as per vendors discretion*
	DO NOT INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT *tissue holder + towel bar will not be provided*

LOT # PV-32	DATE:	2021	2
SIGNATURE:	(3)		
SIGNATURE:			



Purchaser(s): Elio, Giovanni Sergnese and Tamara, E. Sergnese

Standard Hood Fan Deletion

We acknowledge that the builder's standard hood fan will not be installed.

Do not supply, install and/or credit. We will install our own hood fan after closing.

Signature:

Signature:

Lot 32, April 14, 2021

36" Counter-Depth 3-Door Refrigerator

800 Series - Stainless Steel B36CT80SNS



B36CT80SNS
Stainless Steel

Also available in: Black Stainless Steel B36CT80SNB

Introducing the revolutionary, new FarmFresh System™, with four freshness technologies designed to work together to keep your food fresher, longer. Enjoy less food waste, new innovative features and more thoughtful design.

Features & Benefits

VitaFreshPro™ provides pre-programmed freshness settings to optimize temperature and humidity to keep meat, fish, and produce fresher, longer.

Interior Water Dispenser is thoughtfully placed inside for refreshing water at the touch of a button or a push of a nozzle.

FlexBar™ utilizes typically unused space in the upper refrigerator cavity.

-	
General Properties	
Full 72" height and true counter depth for built-in appearance	Yes
Easy Clean Stainless Steel	Yes
Lighting	Recessed LED light bars
Number of compressors/ evaporators	2/2
Defrost process refrigerator section	Frost-free
Number of shelves – refrigerator	5
Adjustable shelves – refrigerator	4 half-width
Shelf material – refrigerator	Tempered glass
Type of shelves – refrigerator	Framéless split stielves with metal trim
Flexible storage bar	FlexBar™
Gallon storage bins	2
Humidity control compartments	2.
Full width temp. & humidity controlled drawer	VitaPreshPro
Ice maker	Yes
Water filter	UltraClarityPro™
Internal water dispenser	Yes
Touch control panel	Yes,
AirFresh® filter	Yes
FreshProtect™ ethylene filter	Yes
MultiAirFlow™	Yes "
Stainless steel back wall	Yesi 🛈 🗀
Defrost process freezer section	Automatic
Number of drawers – freezer	3
Wi-Fi enabled	Yes, Home Connect™ app

100	
Capacity	
Total capacity (cu. ft.)	20.8
Refrigerator capacity (cu. ft.)	14.8
Freezer capacity (cu. ft.)	6
Technical Details	
Current (A)	15 A
Volts (V)	risV
Frequency (Hz)	60 Hz
Power cord length (in.)	91
Plug type	120V-3 prong
Dimensions & Weight	
Appliance dimensions with hinges, handles and doors (HxWxD) (in.)	72"" x 35 5/8" x 31 1/8"
Appliance dimensions without hinges and doors (HxWxD) (in.)	71 1/2":x 35 5/8" x 24"**
Appliance dimensions with hinges and doors, no handles (HxWxD)(in.)	72"* × 3" 5/8" x 28 3/4"
Required cutout size (HxWxD) (in.)	72 ¹ (36" x 25"
Net weight (lbs)	'350 lbs⊜ →
Efficiency	
Energy consumption (kWh/yr)	570
ENERGY STAR® qualified	Yes
Accessories	
UltraClarityPro™ Water Fi	Iter: BORPLFTR50

Home Connect







FlexBar™ Bottle Holder: BOFLEXBOTL

FlexBar™ Shallow Shelf: BOFLEXSMSH

FlexBar™ Deep Shelf: BOFLEXLGSH

Ethylene Filter Refill Kit: FPETHRF50



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation, All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


Lot 32 March 19/21

36" Counter-Depth 3-Door Refrigerator


800 Series - Stainless Steel B36CT80SNS



Installation Details




*Add ⁵/s" (17) with front levelling feet fully extended **Add 1" (25) for fixed spacers on back measurements in inches (mm)




A: Add ⁵/8" (17) with front leveling feet fully extended


measurements in Inches (mm)




Drawers can be pulled out with door open to 90°. Drawers can be taken out with door completely opened.

Measurements in inches (mm)







Leave ½" (12.7) gap at the top and 1" (25.4) behind the refrigerator for proper ventilation.

It is recommended that you do not install the refrigerator near a heat source such as a stove

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in Inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved, Bosch is a registered trademark of Robert Bosch GmbH.

24" Scoop Handle Dishwasher

300 Series DLX - Stainless Steel SHS863WD5N

Lot 32, April 14, 2021 Invented for life

SHS863WD5N
Stainless Steel

Also available in:

White Black

SHS863WD2N SHS863WD6N

The 3rd rack provides the perfect space for silverware and large utensils while its V shape leaves room below for taller items.

Features & Benefits

44 dBA: Quietest dishwasher brand in North America.*

A 3rd rack adds versatility and offers 30% more loading area.

FlexSpace™ Tines fold back to fit your larger pots

RackMatic® offers 3 height levels, for 9 possible rack positions.

Speed60® gets your dishes dirty to dry in about an hour.

i4 Standard 3rd Rac! Rackmatic Stainless Steel
i4 Standard 3rd Rac Rackmatic Stainless Steel
Standard 3rd Rack Rackmatic Stainless Steel
Rackmatic Stainless Steel
Stainless Steel
Buttons 4
/es
24/7 AquaStop
Vo .
(es
Vo. X
nfol ight®, Extra Dry Option
3.5
rier.1
⁄es
269
23.5

Technical Details	
Watts (W)	1440 W
Current (A)	412 Amos
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord length	N/A
Minimum water pressure (lb/sin)	14
Length outlet hose (in)	79:
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	38 7/8 x 23 9/16 x 23 3/4"
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8". x 24"
Adjustable feet	Yes
Net weight (lbs)	91 lbs:
Accessories Optional	
Drain Hose Extension Kit	SGZ10100C
Dishwasher Accessory Kit	. 3Mд5000
Anti-Tarnish Silverware Cassette	M/5002UC
Power Cord with Cold Plug	SMZPC002UC

^{*}Based on an average of sound ratings of 24" Full Size Stainless Steel Tub dishwashers contained in major brands US & Canadlan websites. Major brands defined as TraQline Top 5 Market Share (US & Canada) December 2016.



Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Marranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


LOT 32 March 29/21


24" Scoop Handle Dishwasher


300 Series DLX - Stainless Steel SHS863WD5N





Installation Details











For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-FrI 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


hot 32 Mara 29/21


24" Scoop Handle Dishwasher

300 Series DLX - Stainless Steel SHS863WD5N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79 (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 20" (50 cm) and max. 43" (110 cm) above the cabinet floor.

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "8" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

Lot32, April 14, 2021

KitchenAid[®]

30" (76 cm) Freestanding Electric Range

PRODUCT MODEL NUMBERS

KFED500E

Electrical Connection:

 This range is manufactured with the neural terminal connected to the cabinet. Use a 3-wire, UL listed, 40- or 50-amp power supply cord (pigtail) (see the following Range Rating chart). If local codes do not permit ground throught the neutral, use a 4-wire power supply cord rated at 250 volts, 40- or 50-amps and investigated for use with ranges.

Range Rating*	*	Specified Rating of Power Supply Cord Kit and Circuit Protection
120/240 Volts	120/208 Volts	Amps
8.8 – 16.5 KW	7.8 – 12.5 KW	40 or 50**
16.6 – 22.5 KW	12.6 – 18.5 KW	50

- * The NEC calculated load is less than the total connected load listed on the model/serial/rating plate.
- ** If connecting to a 50-amp circuit, use a 50-amp rated cord with kit. For 50-amp rated cord kits, use kits that specify use with a nominal 13/8" (39.9 mm) diameter connection opening.
- · A circuit breaker is recommended.
- The range can be connected directly to the circuit breaker box (or fuse disconnect) through flexible or nonmetallic sheathed, copper or aluminum cable. See the "Electrical Connection -U.S.A. Only" section.


CABINET OPENING DIMENSIONS

Cabinet opening dimensions shown are for:


25" (63.5 cm) countertop depth,

24" (61 cm) base cabinet depth,

36" (91.4 cm) countertop height



PRODUCT DIMENSIONS



- A. $35^{3}/4" \pm {}^{1}/8"$ (90.8 ± 0.3 cm) cooktop height (minimum) with leveling leas screwed all the way in
- B. Model/serial/rating plates (located behind the control panel)**
- C. $47^3/\epsilon$ " \pm $^1/\epsilon$ " (120.3 \pm 0.3 cm) overall height (minimum) with leveling legs screwed all the way in
- D. $28^{1/2}$ " $\pm \frac{1}{4}$ " (72.4 \pm 0.6 cm) depth with handle
- E. 261/8" ± 1/8" (66.4 ± 0.3 cm)***
- F. 2916/16" ± 1/16" (76.0 ± 0.2 cm) width
- Range can be raised approximately 1" (2.5 cm) by adjusting the leveling legs.
- Model/serial/rating plates may be roated up from behind the control panel for viewing from the front of the range.
- Excludes handle. Dimension given is from wall to front of oven door and will vary based on electronic outlet receptacle installation.
- A. 18" (45.7 cm) upper cabinet to countertop
- B. 13" (33.0 cm) upper cabinet depth
- C. 30" (76.2 cm) min. opening width
- D. For minimum clearance to the top of the cooktop, see NOTE.
- E. U.S.A.: 30" (76.2 cm) min. opening width
- Canada: 31" (78.7 cm) min.
- opening width
- F. Cabinet door or hinge should not extend into cutout*
- G. 11/2" (3.8 cm) min.
- from right side of cabinet
- H.2" (5.1 cm) min. from floor 1.7" (17.8 cm) min. from floor
- J.8" (20.3 cm) width K.31/2" (8.9 cm) min. from floor

Proper positioning of outlet shown above.

* Nothing located in shaded areas can extend more than 11/2" (3.8 cm) from wall or range will not slide all the way back.

NOTE: 24" (61.0 cm) minimum when bottom of wood or metal cabinet is covered by not less than 1/4" (0.64 cm) flame retardant millboard covered with not less than No. 28 MSG sheet steel, 0.015" (0.4 mm) stainless steel, 0.024" (0.6 mm) aluminum or 0.020" (0.5 mm) copper.

30" (76.2 cm) minimum clearance between the top of the cooking platform and the bottom of an uncovered wood or metal cabinet.

hot 32 March 20121




AVM-368PS 36" Insert hood - MSRP: \$649.00




Model	AVM-368PS	
	Features	
Control	Mechanical push buttons	
Lighting	2 bulbs, 3W LED (bulbs included)	
Blower type	860 CFM, 3-Speed	
Blower performance	performance Speed 1, 0.7 sones	
	Speed 3, 4.0 sones	
Filter type	2 aluminium superior micro hole filters and	
	stainless steel baffle filters included	
Duct transition	6" Round (Top)	
Ducting	Ducted	
	Exterior Appearence	
Stainless steel grade	201	
El	ectrical Requirements	
Electrical requirements	120V / 60Hz / 2.7 Amps	
	Dimensions	
Dimensions	35 1/2" (W) x 11 3/8" (D) x 13 1/2" (H)	
	Warranty	
1-year Warranty	Parts and labour, in-home service	

Dimensions



Installation



Α	Floor to ceiling height	variable
В	Floor to counter top height (standard)	36"
c	Recommended height between cooking surface and bottom of the hood	28" to 30"
D	Hood height (including transition height (4"))	16"
E	Cabinet height	N/A




The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete and/or may change without notice.

30" Speed Combination Oven June 16/21

800 Series - Stainless Steel HBL8753UC





HBL8753UC Stainless Steel

Also available in: Black HBL8743UC Stainless Steel

Bosch speed combination ovens create an all-in-one cooking center with an upper speed oven and a Genuine European Convection oven below.

Features & Benefits

2-in-1 microwave and convection oven with 9 SpeedChef* programs to simplify cooking with fast results.

Lower oven's convection multi-rack mode gives uniform baking results even when using all 3 racks simultaneously.

Oven is equipped with a self-cleaning cycle that easily cleans itself via 2, 3, and 4 hour cycle options.

Download the Home Connect app to remotely monitor and control your Bosch wall oven with your smart phone or tablet.

General Pro	perties	
Home Conne cavity (WiFi	ect" - lower enabled)	Yes
Cooking modes — upper cavity	Speed oven; 12 Auto Programs (including Auto Defrost, Melt Butter, Soften Ice Cream, Pizza), 9 Sensor Cook Programs, 9 SpeedChef* Programs, HI & Lo. Broil, European Convection, Keep Warm, Frozen Foods	
Cooking modes – lower cavity	Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast Preheat	
Cleaning typ	e - lower	Self Clean
Telescopic r	ack	1
Illumination type		LED (Upper) / Incandescent (Lower)
Interior light	S	1 Upper / 2 Lower
Oven Perfor	mance	
Microwave power upper cavity		1000 W
Bake / broil element wattages – upper cavity		
		600 / 1,750 W
Convection wattages -	upper cavity element	1,700 W
Convection	upper cavity element upper cavity element	36
Convection wattages – I Bake / broil	element upper cavity element lower cavity element	1,700 W
Convection wattages - I Bake / broil wattages - I Convection	element upper cavity element lower cavity element lower cavity	1,700 W 2,400 / 3,800 W
Convection wattages – I Bake / broil wattages – Convection wattages –	element upper cavity element lower cavity element lower cavity	1,700 W 2,400 / 3,800 W
Convection wattages – Bake / broil wattages – Convection wattages – Technical D	element upper cavity element lower cavity element lower cavity element	1,700 W 2,400 / 3,800 W 2,000 W
Convection wattages – I Bake / broil wattages – Convection wattages – Technical D Watts (W)	element upper cavity element lower cavity element lower cavity element	1,700 W 2,400 / 3.800 W 2,000 W 9,600 W 40 A
Convection wattages – I Bake / broil wattages – Convection wattages – Technical D Watts (W)	element upper cavity element lower cavity element lower cavity element lower cavity etails ker (A) equency (Hz)	1,700 W 2,400 / 3.800 W 2,000 W 9,600 W 40 A
Convection wattages - Bake / broil wattages - Convection wattages - Technical D Watts (W) Circuit brea Volts (V); Fr	element upper cavity element lower cavity element lower cavity element lower cavity etails ker (A) equency (Hz)	1,700 W 2,400 / 3.800 W 2,000 W 9,600 W 40 A 240 / 208 V; 60 Hz

Dimensions & Weight	
Overall appliance dimensions (HxWxD)(in)	49" x 29 3/4" x 24 1/2"
Required cutout size - Standard (HxWxD) (in)	48 ⁵ /8" x 28 ¹ /2" x 23 ¹ /2"
Required cutout size - Flush (HxWxD) (in)	49 1/a" x 30" x 24 1/2"
Speed oven cavity size – upper	1.6 cu. ft.
Overall upper speed oven interior dimensions (HxWxD) (in.)	9 7/8" x 16 1/2" x 16 1/2"
Metal turntable diameter (in)	14 1/8" dia.
Ceramic tray diameter (in)	13 ⁹ /4" dia.
Rack – rectangular cookware max. – upper	15" x 12"
Oven cavity size - lower	4.6 cu. ft.
Overall lower oven interior dimensions (HxWxD) (in)	17 13/16" x 24 1/8" × 18"
Usable lower oven Interior dimensions (HxWxD) (in)	12 1/4" x 23 1/4" x 15 1/4"
Net weight (lbs)	259 lbs
Accessories - Included	

Upper Oven: Metal Turntable, Square rack, Ceramic Cooking Tray Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Meat Probe

Accessories — Optional



HEZTR301 30" Telescopic Rack






Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout


30" Speed Combination Oven June 16/2/

800 Series - Stainless Steel HBL8753UC



Installation Details





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warrantles: Please see Use & Care manual or Bosch website for statement of limited warranty.

36" Gas Cooktop

Benchmark® Series - Stainless Steel NGMP656UC





NGMP656UC Stainless Steel

The 36" Benchmark® Series gas cooktop features a dual-stacked burner that delivers both a low simmer and high heat flame.

Features & Benefits

Dual stacked burner designed for faster boil time (20,000 BTUs) and a low simmer

OptiSim® Burner - simmer delicate sauces and melt chocolate without scorching

Electronic re-ignition will automatically re-ignite the burner in case the flame goes out

Continuous grates make moving heavy pots easier

Distinctive red LED light indicates burners are on

General Properties	
Knob material	Metal
Sealed burners	Yes
Grate material	Cast iron
Element Performance	
Total BTU load (NG / LP)	59,500 / 47,300
Power of front left burner (NG / LP)	12,000 / 9,100
Power of back left burner (NG / LP)	10,000 / 9,100
Power of center burner (NG / LP)	20,000 / 15,000
Power of back right burner (NG / LP)	5,500 / 5,000
Power of front right burner (NG / LP)	12,000 / 9,100
Technical Details	
Watts	280 W
Circuit breaker	15 A
Volts	ACOME CONTRACTOR
Frequency	60 Hz
Plug type	3 prong
Power cord length	60°
Energy source	Gas
Convertible to LP (kit required)	Yes

Overall appliance dimensions (HxWxD)	3 13/16" x 37" x 21 1/4"
Required cutout size (HxWxD)	3-13/16 k 19 1/8
Minimum distance from counter front	1 7/8"
Minimum distance from rear wall	3"
Net weight	39 lbs 4444
Accessories – Included	a produced in the
Included	LP conversion kit
Accessories - Optional	STATE OF THE PARTY OF





HF7798102 Wok ring

HEZGR301 Griddle





For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or cail 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Nearranties any our may contact your account manager has nutrier detains. Warranties Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of staloless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As is", or "B" stock appliances.

30" Speed Combination Oven June 10 21

800 Series - Stainless Steel HBL8753UC




FURSH.

Installation Details

min. 4³/4"-1 max. 18"

(121-456)




*Wall oven junction box may be located above or to the right or left of the unit within reach of the power cable.

**Electrical hook-up may be located below (depending on space) or next to the drawer within reach of the power cable.

measurements in inches (mm)

cut-outs




Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1:800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


36" Gas Cooktop




Benchmark® Series - Stainless Steel NGMP656UC

Installation Details







For help and assistance with Bosch accessories please visit; www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sam to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches: BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-live (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor. "As is", or "B" stock appliances.

Lot 32 Maria 29/21


June 16/21

36" Gas Cooktop

Benchmark® Series - Stainless Steel NGMP656UC



Installation Details



For help and assistance with Bosch accessories please visit; www.besch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri Sam to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. 95H reserves the absolute and intrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Marrantes: Bosch warrants that the Product is free from defects in malerials and workmanship for a period of three hundred and wisty-live (165) days from the date of purchase. The foregoing timeline begins to rin upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatseever. This Product is also warranted to be free from cosmetic defects in malerial and workmanship (such as scratches of stalleds steel, pa-int/porceian blemshes, chip, dems, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porceian ports, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty excludes any display, floor, "As is", or "B" stock appliances.

24" Scoop Handle Dishwasher

300 Series DLX - Stainless Steel SHS863WD5N



SHS863WD5N Stainless Steel

Also available in:

White

SHS863WD2N

Black

SHS863WD6N

The 3rd rack provides the perfect space for silverware and large utensils while its V shape leaves room below for taller items.

Features & Benefits

44 dBA: Quietest dishwasher brand in North America.*

A 3rd rack adds versatility and offers 30% more loading area.

FlexSpace™ Tines fold back to fit your larger pots & pans.

RackMatic® offers 3 height levels, for 9 possible rack positions.

Speed60® gets your dishes dirty to dry in about an hour.

General Properties	
Number of wash cycles	5
Number of options	5
dBA	44
Third rack	Standard 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Buttons
Concealed heating element	Yes
Leak protection system	24/7 AquaStop®
Water softener	No
Five-level wash	Yes
ChildLock	No 1
Special features	InfoLight®, Extra Dry Option
Efficiency	
Water usage per cycle	3.5
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5
Capacity	
	THE ASSESSMENT OF THE ASSESSMENT ASSESSMENT OF THE PARTY.

Control of the Contro	
Technical Details	
Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord length	N/A
Minimum water pressure (lb/sin)	14
Length outlet hose (in)	79"
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16 x 23 3/4"
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8" x 24"
Adjustable feet	Yeş
Net weight (lbs)	91 lbs
Accessories-Optional	
Drain Hose Extension Kit	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Anti-Tarnish Silverware Cassette	SMZ5002UC
Power Cord with Cold Plug	SMZPC002UC

^{*}Based on an average of sound ratings of 24" Full Size Stainless Steel Tub dishwashers contained in major brands US & Canadian websites. Major brands defined as TraQline Top 5 Market Share (US & Canada) December 2016.



Number of place settings '16.

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without

notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.


	ω.	


24" Scoop Handle Dishwasher June 16 21


300 Series DLX - Stainless Steel SHS863WD5N





Installation Details











For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days defects in indeen and wormanship (sour as sources or standers steep the material beliminated and beliminated and portion the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and portelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


hot 32 Mara 27/21 huncher June 14/21


24" Scoop Handle Dishwasher

300 Series DLX - Stainless Steel SHS863WD5N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79 (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 20" (50 cm) and max. 43" (110 cm) above the cabinet floor.

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

Ict 32, April 14, 2021 36" Counter-Depth 3-Door Refrigerator

General Properties

800 Series - Stainless Steel B36CT80SNS



Full 72" height and true counter depth for built-in appearance	Yes
Easy Clean Stainless Steel	Yes
Lighting	Recessed LED light bars
Number of compressors/ evaporators	2/2
Defrost process refrigerator section	Frost-free
Number of shelves – refrigerator	5
Adjustable shelves – refrigerator	4 half-width
Shelf material – refrigerator	Tempered glass
Type of shelves – refrigerator	Frameless split shelves with motal trim
Flexible storage bar	FlexBar™
Gallon storage bins	2
Humidity control compartments	2
Full width temp. & humidity controlled drawer	VitaFreshPro™
Ice maker	Yes
Water filter	UltraClarityPro™
Internal water dispenser	Yes
Touch control panel	Yes
AirFresh® filter	Yes
FreshProtect™ ethylene filter	Yes
MultiAirFlow™	Yes
Stainless steel back wall	Yes
Defrost process freezer section	Automatic

Total capacity (cu. ft.)	20.8
Refrigerator capacity (cu. ft.)	14.8
reezer capacity (cu. ft.)	6
Technical Details	
Current (A)	15 Å
Volts (V)	115 V
Frequency (Hz)	60 Hz
Power cord length (in.)	91.
Plug type	120V-3 prong
Dimensions & Weight	
Appliance dimensions with hinges, handles and doors (HxWxD) (in.)	72"* x 35 5/8" x 31 1/8"
Appliance dimensions without hinges and doors (HxWxD) (in.)	71 1/2" x 35 5/8 24"**
Appliance dimensions with hinges and doors, no handles (HxWxD)(in.)	72"* x 35 5/8" x 28 3/4"
Required cutout size (HxWxD) (in.)	72 ¹ × 36" × 25"
Net weight (lbs)	350 lbs
Effleiency	
Energy consumption (kWh/yr)	570
ENERGY STAR® qualified	Yes
Accessories	
Accessories UltraClarityPro™ Water Fi FlexBar™ Bottle Holder: E FlexBar™ Deep Shelf: BO	BOFLEXBOTL

Features & Benefits

VitaFreshPro™ provides pre-programmed freshness settings to optimize temperature and humidity to keep meat, fish, and produce fresher, longer.

B36CT80SNS

Stainless Steel

Also available in: Black Stainless Steel B36CT80SNB

Introducing the revolutionary, new FarmFresh System™, with four freshness technologies designed to work together to keep your food fresher, longer. Enjoy less food waste, new innovative features and more thoughtful design.

Interior Water Dispenser is thoughtfully placed inside for refreshing water at the touch of a button or a push of a nozzle.

FlexBar™ utilizes typically unused space in the upper refrigerator cavity.







FlexBar™ Shallow Shelf: BOFLEXSMSH

Ethylene Filter Refill Kit: FPETHRF50



Number of drawers -

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Yes, Home Connect™ app

3

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

freezer

Wi-Fi enabled

@ BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

^{*}When leveling legs are fully extended, add 5/8" to overall height, total 72 5/8".

^{**}The cutout depth of 25" includes the required 1" airflow. The electrical covers on the back of unit do not require additional depth.


			×	ı

36" Counter-Depth 3-Door Refrigerator

800 Series - Stainless Steel B36CT80SNS

Invented for life

Installation Details




*Add ⁵/8" (17) with front levelling feet

fully extended


**Add 1" (25) for fixed spacers on back measurements in inches (mm)

Measurements in inches (mm) 28¾" (731)




A: Add 5/8" (17) with front leveling feet fully extended


measurements in inches (mm)



Drawers can be pulled out with door open to 90°. Drawers can be taken out with door completely opened.

Measurements in inches (mm)





Leave 1/2" (12.7) gap at the top and 1" (25.4) behind the refrigerator for proper ventilation.

It is recommended that you do not install the refrigerator near a heat source such as a stove or a range.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

@ BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

				. 9