

Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

٨	DD	TT	AN	ICES	0
А	PP		A	10.63	•

Invoice	Qty.	Description
2656	1	APPLIANCE SPECIFICATIONS ATTACHED - SIGNED COPY
23Mar21 NoCat		
2691	1	KITCHEN: UPGRADE TO 8" DUCT (EXTERIOR WALL) IN LIEU OF STANDARD OFFERING
15Apr21 NoCat		

BASEMENT WINDOWS

Invoice	Qty.	Description
2642	5	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 10" FRAME
72,675		
16Mar21		

IC	
Qty.	Description
1	MASTER ENSUITE: SHOWER BENCH COMPLETE WITH STANDARD TILE AND MATCHING MARBLE JAMB COLOUR SEAT TOP
1	**CUSTOM LAYOUT** MASTER ENSUITE: REVISE SIZE OF STANDARD VANITY TO ACCOMMODATE HIS AND HERS VANITIES - SEE PLAN
1	FYI - **CUSTOM LAYOUT** MASTER ENSUITE: DELETE STANDARD LINEN AS PER PLAN
1	POWDER ROOM: TILE, FLOOR - LEVEL 5 - 12x24" LAID IN STRAIGHT STACKED PATTERN - SEE PLAN FOR DIRECTION
1	MUD ROOM - TILE, FLOOR - LEVEL 5 - 12x24" LAID IN STRAIGHT STACKED PATTERN - SEE PLAN FOR DIRECTION
1	FOYER: TILE, FLOOR - LEVEL 7 - 30x30" LAID IN STRAIGHT STACKED PATTERN
1	MAIN HALL: TILE, FLOOR - LEVEL 7 - 30x30" LAID IN STRAIGHT STACKED PATTERN
1	FOYER/MAIN HALL: TILE GROUT UPGRADE, FLOOR , UPG GROUT - FRONT FOYER/MAIN HALL - UPG GROUT
1	POWDER ROOM: TILE GROUT UPGRADE, FLOOR , UPG GROUT
	1 1 1 1

DisciplineMS.rpt 23feb21 Page 1 of 14



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

	71	n	•	n .	ÆΤ	
\mathbf{C}	H۷	ĸ	А	IV	ш	•

Invoice	Qty.	Description
2744 19 19May21	1	MUD ROOM: TILE GROUT UPGRADE, FLOOR , UPG GROUT
2744 39 19May21	1	MASTER ENSUITE: TILE, FLOOR , LEVEL 7 - 30X30" LAID IN STRAIGHT, STACKED PATTERN.
2744 43 19May21	1	MASTER ENSUITE: TILE, SHOWER FLOOR, LEVEL 2
2744 19 19May21	1	MASTER ENSUITE - FLOOR / WALL / SHOWER FLOOR: TILE GROUT UPGRADE
2744 53 19May21	1	MASTER ENSUITE: TILE, WALL, LEVEL 5 - 12X24" LAID IN HORIZONTAL STACKED PATTERN
2744 19May21 NoCat	1	THRU OUT *FULLY INSTALL TILE BELOW ALL CABINETRY PLEASE*
2744 19May21 NoCat	1	KITCHEN/BREAKFAST: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3

CONCRETE AND DRAIN

CONCR	CONCRETE AND DRAIN		
Invoice	Qty.	Description	
2642 101,930 16Mar21	1	BACK FLOW PREVENTER VALVE	

DisciplineMS.rpt 23feb21 Page 2 of 14



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

DRYWALL

Invoice	Qty.	Description
2691 72,690 15Apr21 **	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
2691	1	FRONT EXTERIOR: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE)
15Apr21 NoCat		
2691	1	LIBRARY: DELETE TWO STANDARD OPENINGS AS PER PLAN - INSTALL FULL HEIGHT WALLS
15Apr21 NoCat		
2691	1	**CUSTOM LAYOUT** GARAGE: ADD MAN DOOR AT SIDE OF GARAGE - SEE PLAN
15Apr21 NoCat		
2691	1	GREAT ROOM: UPGRADE MAIN FLOOR LINEAR 1 SIDED FIREPLACE - JADE SERIES 42" LINEAR DIRECT VENT GAS FIREPLACE IN LIEU OF STANDARD
15Apr21 NoCat		BOTTOM OF GLASS APPROX. 12" A.F.F. + ADD VENT GRILL APPROX. 6" FROM CEILING
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
15Apr21 NoCat		
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
15Apr21 ** NoCat		
2691	1	MASTER ENSUITE: SHOWER BENCH COMPLETE WITH STANDARD TILE AND MATCHING MARBLE JAMB COLOUR SEAT TOP
15Apr21 NoCat		

DisciplineMS.rpt 23feb21 Page 3 of 14



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

ELECTRICAL

ELECT Invoice	_	AL Description
2691 72,292 15Apr21	1	FRONT EXTERIOR: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE)
2691 72,291 15Apr21	3	FRONT EXTERIOR: EXTERIOR LED SOFFIT POT LIGHT - SEE ATTACHED ELEVATION FOR LOCATION
2691 72,278 15Apr21	1	FOYER: ADDITIONAL INTERIOR SWITCH FOR EXTERIOR POT LIGHTS
2691 72,307 15Apr21	1	FOYER: RELOCATE STANDARD CEILING MOUNT FIXTURE TO BE APPROX. CENTERED IN CIRCULAR AREA OF CEILING - SEE PLAN
2691 72,307 15Apr21	1	MAIN HALL AT POWDER ROOM: RELOCATE STANDARD CEILING MOUNT FIXTURE TO BE APPROX. CENTERED IN CIRCULAR AREA OF CEILING - SEE PLAN
2691 72,287 15Apr21	1	DINING ROOM: ROUGH-IN FOR WALL SCONCE - INCLUDED (1) CAPPED OUTLET AND (1) SWITCH - FIXTURE NOT INCLUDED - INSTALL APPROX. 78" A.F.F SEE PLAN
2691 72,288 15Apr21	1	DINING ROOM: ROUGH-IN FOR ADDITIONAL WALL SCONCE (1) CAPPED OUTLET ON EXISTING SWITCH - FIXTURE NOT INCLUDED - INSTALL APPROX. 78" A.F.F SEE PLAN
2691 72,281 15Apr21	1	GARAGE: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT - SEE PLAN
2691 72,286 15Apr21	1	LOGGIA: ADDITIONAL EXTERIOR GFI RECEPTACLE WITH COVER - SEE PLAN
2691 72,287 15Apr21	1	MASTER BEDROOM: ROUGH-IN FOR WALL SCONCE - INCLUDED (1) CAPPED OUTLET AND (1) SWITCH - FIXTURE NOT INCLUDED - APPROX. 52" A.F.F. AND APPROX. 37" IN FROM WALL - ADD SWITCH BELOW, APPROX. 36" A.F.F.
2691 72,268 15Apr21	1	MASTER BEDROOM: ROUGH-IN FOR WALL SCONCE - INCLUDED (1) CAPPED OUTLET AND (1) SWITCH - FIXTURE NOT INCLUDED - APPROX. 52" A.F.F. AND APPROX. 37" IN FROM WALL - ADD SWITCH BELOW, APPROX. 36" A.F.F.
2691 72,281 15Apr21	1	MASTER BEDROOM: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT FOR WALL MOUNTED TV - APPROX. 60"A.F.F SEE PLAN
2691 72,307 15Apr21	1	KITCHEN: RELOCATE STANDARD CEILING MOUNT FIXTURE TO APPROX. CENTRE OVER ISLAND

DisciplineMS.rpt 23feb21



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

ELECTRICAL

ELEC I	_	Description
2691 72,281 15Apr21	1	GREAT ROOM: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT FOR WALL MOUNTED TV - APPROX. 64" A.F.F. ABOVE FIREPLACE
2691 72,307 15Apr21	1	UPPER HALL: RELOCATE STANDARD CEILING MOUNT FIXTURE TO APPROX. CENTRE ON CEILING AT OTB - SEE PLAN
2691 72,291 15Apr21	1	REAR EXTERIOR: EXTERIOR LED SOFFIT POT LIGHT - IN SOFFIT AT GREAT ROOM - ON EXISTING SWITCH W/ STD CEILING LIGHT AT LOGGIA - SEE PLAN
2691 72,288 15Apr21	1	UPPER HALL: ROUGH-IN FOR ADDITIONAL WALL SCONCE (1) CAPPED OUTLET ON EXISTING SWITCH - FIXTURE NOT INCLUDED - APPROX. 78" A.F.F APPROX CENTRE TO MAIN STAIRS - SEE PLAN
2691 72,288 15Apr21	1	STAIRS TO BASEMENT AT FIRST LANDING: ROUGH-IN FOR ADDITIONAL WALL SCONCE (1) CAPPED OUTLET ON EXISTING SWITCH - FIXTURE NOT INCLUDED - APPROX. 102" A.F.F.
2691 72,288 15Apr21	1	STAIRS AT LOWER BASEMENT LANDING: ROUGH-IN FOR ADDITIONAL WALL SCONCE (1) CAPPED OUTLET ON EXISTING SWITCH - FIXTURE NOT INCLUDED - APPROX. 78" A.F.F CONNECT TO 3-WAY SWITCH (SWITCH NOT INCLUDED)
2691 72,276 15Apr21	1	MAIN STAIRS: ADDITIONAL 3-WAY SWITCH (LIGHT OPERATED BY 2 DIFFERENT SWITCHES) - CONNECT TO ROUGH-IN WALL SCONCE AT LOWER LANDING TO BASEMENT
2691 72,276 15Apr21	1	MAIN STAIRS: ADDITIONAL 3-WAY SWITCH (LIGHT OPERATED BY 2 DIFFERENT SWITCHES) - CONNECT TO ROUGH-IN WALL SCONCE AT UPPER HALL
2691 72,307 15Apr21	1	UPPER HALL: RELOCATE STANDARD CEILING MOUNT FIXTURE TO CENTRE IN CIRCULAR AREA AT ENTRANCE TO MASTER BEDROOM
2691 72,289 15Apr21	6	MAIN HALL/FOYER: 4" E/S LED INTERIOR POT LIGHT - SEE PLAN - INCLUDES ONE SWITCH INCLUDED IN APS
2691 72,307 15Apr21	1	MASTER ENSUITE: RELOCATE STANDARD CEILING MOUNT FIXTURE TO APPROX. CENTRE ON CEILING OVER FREE STANDING TUB + ADDITIONAL SWITCH
2691 15Apr21 NoCat	1	DINING ROOM: ADD SPLIT SWITCH
2691 72,278 15Apr21	1	MAIN HALL AT MUD ROOM: ADDITIONAL INTERIOR SWITCH FOR POT LIGHTS IN TWO MAIN HALL NICHES

DisciplineMS.rpt 23feb21

Printed and Sent: 11-Jan-22



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

	_ ~-		~ .	_
п,	L' Z ''	1 D I	4 ' A	
7,	ÆCI		. A	

Invoice	Qty.	Description
2691 72,279 15Apr21	1	MASTER ENSUITE: SHOWER POT LIGHT: 6" RECESSED SHOWER POT LIGHT ON EXISTING SWITCH
2691 72,307 15Apr21	1	MASTER ENSUITE: RELOCATE STANDARD SHOWER POT LIGHT AS PER PLAN
2691	1	LIBRARY: DELETE TWO STANDARD OPENINGS AS PER PLAN - INSTALL FULL HEIGHT WALLS
15Apr21 NoCat		
2691	1	**CUSTOM LAYOUT** GARAGE: ADD MAN DOOR AT SIDE OF GARAGE - SEE PLAN
15Apr21 NoCat		
2691	1	GREAT ROOM: UPGRADE MAIN FLOOR LINEAR 1 SIDED FIREPLACE - JADE SERIES 42" LINEAR DIRECT VENT GAS FIREPLACE IN LIEU OF STANDARD
15Apr21 NoCat		BOTTOM OF GLASS APPROX. 12" A.F.F. + ADD VENT GRILL APPROX. 6" FROM CEILING

FIREPLACE

Invoice	Qty.	Description
2691 72,620 15Apr21	•	GREAT ROOM: UPGRADE MAIN FLOOR LINEAR 1 SIDED FIREPLACE - JADE SERIES 42" LINEAR DIRECT VENT GAS FIREPLACE IN LIEU OF STANDARD BOTTOM OF GLASS APPROX. 12" A.F.F. + ADD VENT GRILL APPROX. 6" FROM CEILING

FORMING

Invoice	Qty.	Description
2642 72,560 16Mar21	1	MODEL OPTIONS 50.04 - KITCHEN REAR - OPT. COVERED LOGGIA AS PER PLAN
2642 101,930 16Mar21	1	OPTIONAL COLD CELLAR BELOW LOGGIA - SEE PLAN

DisciplineMS.rpt 23feb21 Page 6 of 14

Printed and Sent: 11-Jan-22



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

FRAMING

Invoice		Description
2691 101,930 15Apr21	1	LIBRARY: DELETE TWO STANDARD OPENINGS AS PER PLAN - INSTALL FULL HEIGHT WALLS
2691 72,690 15Apr21	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
2691 72,671 15Apr21	1	MASTER ENSUITE: SHOWER BENCH COMPLETE WITH STANDARD TILE AND MATCHING MARBLE JAMB COLOUR SEAT TOP
2691	1	FRONT EXTERIOR: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE)
15Apr21 NoCat		
2691	1	**CUSTOM LAYOUT** GARAGE: ADD MAN DOOR AT SIDE OF GARAGE - SEE PLAN
15Apr21 NoCat		
2691	1	**CUSTOM LAYOUT** GARAGE: ADD MAN DOOR AT SIDE OF GARAGE - SEE PLAN
15Apr21 NoCat		
2691	1	FRONT EXTERIOR: EXTERIOR LED SOFFIT POT LIGHT - SEE ATTACHED ELEVATION FOR LOCATION
15Apr21 NoCat		
2691	1	GREAT ROOM: UPGRADE MAIN FLOOR LINEAR 1 SIDED FIREPLACE - JADE SERIES 42" LINEAR DIRECT VENT GAS FIREPLACE IN LIEU OF STANDARD
15Apr21 NoCat		BOTTOM OF GLASS APPROX. 12" A.F.F. + ADD VENT GRILL APPROX. 6" FROM CEILING
2691	1	LOGGIA: ADDITIONAL EXTERIOR GFI RECEPTACLE WITH COVER - SEE PLAN
15Apr21 NoCat		
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
15Apr21 ** NoCat		
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
15Apr21 ** NoCat		
2691	1	REAR EXTERIOR: EXTERIOR LED SOFFIT POT LIGHT - IN SOFFIT AT GREAT ROOM - ON EXISTING SWITCH W/ STD CEILING LIGHT AT LOGGIA - SEE PLAN
15Apr21 NoCat		

DisciplineMS.rpt 23feb21 Page 7 of 14



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

GLASS AND MIRROR

Invoice	Qty.	Description
2744	1	MASTER ENSUITE: SQ6X6 - BRUSHED GOLD + HINGES
19May21 NoCat		
2744	1	THRU OUT: PLEASE DO NOT INSTALL MIRRORS
19May21 NoCat		
2744	2	ENSUITE 2 + ENSUITE 4: UPGRADE SHOWER DOOR HARDWARE AND HINGES TO MATTE BLACK
19May21 NoCat		

GRANITE MARBLE QUARTZ

Invoice	Qty.	Description
2744	1	POWDER ROOM: UPGRADE 1 QUARTZ COUNTER
19May21 NoCat		
2744	1	MASTER ENSUITE: UPGRADE QUARTZ TO SHOWER BENCH *only* UPGRADE 1
19May21 NoCat		VANITY COUNTER TOPS TO BE STANDARD
2957	1	**REVISED SELECTION: DECEMBER 20 2021** MASTER ENSUITE: CHANGE *BOTH* COUNTER TOP SELECTION TO 3CM LEVEL 6 QUARTZ + WATERFALL LEGS ON BOTH SIDES OF VANITIES
11Jan22 NoCat		
2957	1	**REVISION** JAN 10 2022 (modify previous selection # 24 pe.2744) MASTER ENSUITE: CHANGE SHOWER JAMB AND BENCH TO BLACK
11Jan22 NoCat		in addition to price, item 24 pe.2744

HARDWOOD

Invoice	Qty.	Description
2744 4 19May21	1	KITCHEN/BREAKFAST: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3
2744 4 19May21	1	THRU OUT STD AREAS: LIBRARY, DINING ROOM, GREAT ROOM, UPPER HALL, MASTER BEDROOM, BEDROOM 2, BEDROOM 3, BEDROOM 4 - VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, WIREBRUSH TEXTURE, UV OIL FINISH - LEVEL 3 NOT MAIN HALL
2744 4 19May21	1	KITCHEN/BREAKFAST/SERVERY: HARDWOOD IN HERRINGBONE PATTERN 5X30" HERRINGBONE

DisciplineMS.rpt 23feb21 Page 8 of 14

Printed and Sent: 11-Jan-22



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

H	17	Δ	
	•	Δ	

Invoice	Qty.	Description
2691 101,930 15Apr21	1	LOGGIA: SEE PLAN FOR PREFERRED ROUGH-IN BBQ LOCATION
2691 72,217 15Apr21	1	KITCHEN: UPGRADE TO 8" DUCT (EXTERIOR WALL) IN LIEU OF STANDARD OFFERING
2691 72,690 15Apr21 **	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
2691	1	GREAT ROOM: UPGRADE MAIN FLOOR LINEAR 1 SIDED FIREPLACE - JADE SERIES 42" LINEAR DIRECT VENT GAS FIREPLACE IN LIEU OF STANDARD
15Apr21 NoCat		BOTTOM OF GLASS APPROX. 12" A.F.F. + ADD VENT GRILL APPROX. 6" FROM CEILING
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
15Apr21 ** NoCat		
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
15Apr21 ** NoCat		

DisciplineMS.rpt 23feb21 Page 9 of 14



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

INTERIOR TRIM AND DOORS

Invoice	Qty.	Description
2691	1	LIBRARY: DELETE TWO STANDARD OPENINGS AS PER PLAN - INSTALL FULL HEIGHT WALLS
15Apr21 NoCat		
2691	1	**CUSTOM LAYOUT** MASTER ENSUITE: REVISE SIZE OF STANDARD VANITY TO ACCOMMODATE HIS AND HERS VANITIES - SEE PLAN
15Apr21 NoCat		
2691	1	FYI - **CUSTOM LAYOUT** MASTER ENSUITE: DELETE STANDARD LINEN AS PER PLAN
15Apr21 NoCat		
2744 155,410	1	THRU OUT: UPGRADE INTERIOR DOORS TO LINCOLN PARK,
19May21		UPGRADE
2744 153,836	1	THRU OUT: HALIFAX LEVER, IRON BLACK INTERIOR DOOR HARDWARE
19May21		UPGRADE
2744 155,917	1	THRU OUT: ADD FOR HINGES 3X3 SQUARE FLAT TIP THROUGHOUT
19May21		UPGRADE
2744 153,551	1	THRU OUT: UPGRADE 3 1/4" STEP BEVEL BB CASING, 7 1/4" BASE BOARD
153,551 19May21		UPGRADE

DisciplineMS.rpt 23feb21 Page 10 of 14

Printed and Sent: 11-Jan-22



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

KITCHEN AND BATH CABINETRY

Invoice	Qty.	Description
2691 72,690 15Apr21 **	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
2691 101,930 15Apr21	1	**CUSTOM LAYOUT** MASTER ENSUITE: REVISE SIZE OF STANDARD VANITY TO ACCOMMODATE HIS AND HERS VANITIES - SEE PLAN
2691 101,930 15Apr21	1	**CUSTOM LAYOUT** MASTER ENSUITE: DELETE STANDARD LINEN AS PER PLAN
2691 15Apr21 NoCat	1	FYI - KITCHEN: UPGRADE TO 8" DUCT (EXTERIOR WALL) IN LIEU OF STANDARD OFFERING
2691 15Apr21 ** NoCat	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
2691 15Apr21 ** NoCat	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
2744 156,625 19May21	1	THRU OUT: SEE ATTACHED CABINETRY SCHEDULE
MASON	RY	

MASONRY

Invoice	Qty.	Description
2691	1	FRONT EXTERIOR: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE)
15Apr21 NoCat		
2691	1	**CUSTOM LAYOUT** GARAGE: ADD MAN DOOR AT SIDE OF GARAGE - SEE PLAN
15Apr21 NoCat		

MISC.

Invoice	Qty.	Description
2957	1	ADMIN FEE TO RE-OPEN FILE
11Jan22		
NoCat		

DisciplineMS.rpt 23feb21 Page 11 of 14



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

NETWORK AND WIRING

Invoice	Qty.	Description
2691 72,259 15Apr21	1	GREAT ROOM: CONDUIT PIPE - FOR WALL MOUNT TV - APPROX. 64" A.F.F. ABOVE FIREPLACE, THRU BASEMENT, TERMINATE AT CABLE LOCATION
2691 72,260 15Apr21	1	CONDUIT PIPE - FROM ATTIC TO BASEMENT - BY ELECTRICAL PANEL IN BASEMENT TO APPROX. CENTRE IN ATTIC
2691 1 LAUNDRY 72,264 15Apr21		LAUNDRY ROOM: ROUGH - IN FOR EXTRA SECURITY KEY PAD
2691 72,264 15Apr21	1	MUD ROOM: ROUGH - IN FOR EXTRA SECURITY KEY PAD
2691 72,265 15Apr21	1	GREAT ROOM: ROUGH - IN WIRING FOR FIVE SPEAKERS
2691 72,265 15Apr21	1	MASTER ENSUITE: ROUGH - IN WIRING FOR ONE PAIR OF SPEAKERS - SEE PLAN FOR LOCATION
2691 72,265 15Apr21	1	KITCHEN: ROUGH - IN WIRING FOR ONE PAIR OF SPEAKERS - SEE PLAN FOR LOCATION
2691 72,265 15Apr21	1	LOGGIA: ROUGH - IN WIRING FOR ONE PAIR OF SPEAKERS - SEE PLAN FOR LOCATION
2691 72,258 15Apr21	5	EXTERIOR: ADDITIONAL CAT6 ETHERNET OUTLET - FOR FUTURE SECURITY CAMERAS - INSTALL IN THE UNDERSIDE OF SOFFIT OF FIRST FLOOR - APPROX. 10-12' ABOVE GRADE - SEE PLAN
2691 72,258 15Apr21	1	FRONT EXTERIOR: ADDITIONAL CAT6 ETHERNET OUTLET - FOR FUTURE SECURITY CAMERA - INSTALL IN THE UNDERSIDE OF SOFFIT AT GARAGE - SEE PLAN
2691 72,258 15Apr21	1	GREAT ROOM: ADDITIONAL CAT6 ETHERNET OUTLET - EACH - SEE PLAN
2691 72,258 15Apr21	1	LIBRARY: ADDITIONAL CAT6 ETHERNET OUTLET - EACH - SEE PLAN
2691 72,258 15Apr21	4	MASTER BEDROOM + BEDROOM 2 + BEDROOM 3 + BEDROOM 4: ADDITIONAL CAT6 ETHERNET OUTLET - EACH - SEE PLAN

DisciplineMS.rpt 23feb21 Page 12 of 14



Lot: 85

Model: 50.04 C BEAUMONT

Project/Phase: Pine Valley Forevergreen / 1

NETWORK AND WIRING

Invoice	Qty.	Description
2691	3	BEDROOM 2 + BEDROOM 3 + BEDROOM 4: ADDITIONAL RG6 - EACH - SEE PLAN
72,258		
15Apr21		

PAINT

Invoice	Qty.	Description
2691	1	LIBRARY: DELETE TWO STANDARD OPENINGS AS PER PLAN - INSTALL FULL HEIGHT WALLS
15Apr21 NoCat		
2691	1	**CUSTOM LAYOUT** GARAGE: ADD MAN DOOR AT SIDE OF GARAGE - SEE PLAN
15Apr21 NoCat		
2691	1	**CUSTOM LAYOUT** MASTER ENSUITE: REVISE SIZE OF STANDARD VANITY TO ACCOMMODATE HIS AND HERS VANITIES - SEE PLAN
15Apr21 NoCat		
2691	1	FYI -**CUSTOM LAYOUT** MASTER ENSUITE: DELETE STANDARD LINEN AS PER PLAN
15Apr21 NoCat		
2744 100,309	2	MAIN STAIRS: 2ND FLOOR TO BASEMENT - STAIN STAIRS AND LANDINGS
19May21		WILL NOT MATCH HARDWOOD IN COLOUR, SPECIES OR TEXTURE

PAINTING

PAINTING			
Invoice	Qty.	Description	
2691 72,690 15Apr21 **	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED	
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED	
15Apr21 ** NoCat			
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED	
15Apr21 ** NoCat			
2957	1	**REVISED SELECTION - DECEMBER 20 2021** MAIN STAIRS - CHANGE STAIR STAIN COLOUR IN LIEU OF PREVIOUS SELECTION	
11Jan22 NoCat			

DisciplineMS.rpt 23feb21 Page 13 of 14

Printed and Sent: 11-Jan-22



Lot: 85

Model: 50.04 C BEAUMONT

 $\label{lem:project/Phase: Pine Valley Forevergreen / 1} Project/Phase: Pine Valley Forevergreen / 1$

PANL - FRAMING

Invoice	Qty.	Description
2691 72,690	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
15Apr21 **		
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
15Apr21 ** NoCat		
2691	1	DELETE KITCHEN BULKHEAD, IF POSSIBLE, SITE APPROVAL REQUIRED
15Apr21 ** NoCat		

PLUMBING

Invoice	Qty.	Description
2744	1	POWDER ROOM: UPGRADE TO 'EMERY' BLACK RECTANGULAR UNDER MOUNT SINK
19May21		
NoCat		

PLUMBING FIXTURE

Invoice	Qty.	Description
2691	1	MASTER ENSUITE: ADD MOEN ALIGN RAIN SHOWER FROM CEILING - CHROME - IN ADDITION TO STANDARD
75,857		
15Apr21		STANDARD SHOWER FAUCET TO REMAIN

STAIR AND RAILINGS

1	nvoice	Qty.	Description
	2744	1	MAIN STAIRS: ADD FOR GLASS PANEL IN LIEU OF PICKETS - UPG - GLASS PANEL
	100,252		
	19May21		
- 1			

WINDOWS AND DOORS

Invoice		Qty.	Description
	2691	1	**CUSTOM LAYOUT** GARAGE: ADD MAN DOOR AT SIDE OF GARAGE - SEE PLAN
	72,364		
	15Apr21		GRADE PERMITTING

DisciplineMS.rpt 23feb21 Page 14 of 14

GOLDPARK WORTH MORE* *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, November 25, 2021 Purchasers: LAURA, GIUSEPPINA PELOSO & ANTHONY, Al Property: 85 of Plan

Telephone Res. / Bus: (416) 669-8574 / (416) 669-8574 Project: Pine Valley Forevergreen - Phase 1						
		Model and Elevation: 50.04 C BEAUMONT	riase i			
Layout Changes: Yes	No Sketch Attached:	Yes No Exterior Colour Scheme:				
-1. Cabinetry———	Style and Colour					
Kitchen / Breakfast	Chesapeake 'Classic White'	Counter Cropito Anatic Multi	Hardware			
Laundry Room	Bowery 'Capri'	Granite: Arctic White	attachd			
Powder Room	Bowery 'Capri'	P-Lam: White	attachd			
Mud Room	Tribecca 'Arris'	*Quartz: Jet Black	attachd			
Master Ensuite	Tribecca Airis	P-Lam: White	attachd			
Bathroom	Bowery 'Capri'	Quartz:-Ice-Snow * EITKNA KNOE	attachd			
Second Ensuite		+ WATERFALL - 30M.	-30M.			
Bathroom (If Applicable)	Bowery 'Capri'	Quartz: Ice Snow	attachd			
Ensuite 3	Tribecca 'Arris'	Quartz: los Sasur				
Comment	The cook 7 tillo	Quartz: Ice Snow	attachd			
	v // MASTER ENSUITE SHOWER BEN	Clistowan				
, and the small			della			
İ	LA MASTER ENOUTE		2022.			
	SHOWEK BEN	val + JAMB "BLACK"	7			
		the state of the s	X			
2. Floor Tile						
	Selection					
Entrance Vestibule	*30x30" Marmorea 'Port Laurer	nt' matte + see grout attached Charcon				
Main Hall	*30x30" Marmorea 'Port Laurer					
Kitchen / Breakfast	see hdwd					
Laundry Room	13x13" Costa 'White'					
Powder Room	*12x24" Marmorea 'Port Laurent' matte + see grout attached					
Mud Room	*12x24" Marmorea 'Port Laurent' matte + see grout attached					
Master Ensuite	*20v20" Manual ID					
Bathroom	*30x30" Marmorea 'Port Laurent' matte + see grout attached decod					
Second Ensuite	13x13" Costa 'White'					
Bathroom (If Applicable)	TOX TO COSIA WITHE					
Lower Landing	13v13" Corto "Minital (hanna 14					
(If Applicable)	13x13" Costa 'White' (basement foyer)					
Ensuite 3	13x13" Costa 'White'					
Comment						
Ensuite 4: 13x13" Cambridge 'White'	' // Shower Floor tile: std 2x2" white for	ensuite 2/3/4 // Mactor Enquite Chause II. tolk 9				
	// Shower Floor tile: std 2x2" white for ensuite 2/3/4 // Master Ensuite Shower floor: *2"-Ont matte "black" [x[" Basic Black maffe hex					
		+ CHARCOL GROW	-			
*		The out that				
3. Wall Tile						
	Selection	Listello/Inserts Describe				
Ensuite 3	8x10: Weave 'White'	○ Yes ● No				
Master Ensuite Bathroom						
Tub Dec		○ Yes ● No				
Shower Sta	T.Ladi	ent' Yes No				
Bathroom Wall Second Ensuite	s	Yes No				
Bathroom (If Applicable)	8x10" Uniwall 'White'	○ Yes ● No				
Ensuite 4	8x10" Uniwall 'White'					
Kitchen Backsplash		○ Yes ● No				
		Backsplash Behind Fridge				
Comment						
No Day	1200 A	P				
* RAUGES - JEC	C 15 2021 AL JD.	TEVISED	ا (ال			
	112 01	May 5 Jan				

GOLDPARK INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, November 25, 2021 Purchasers: LAURA, GIUSEPPINA PELOSO & ANTHONY, Al Property: 85 of Plan -Telephone Res. / Bus: (416) 669-8574 / (416) 669-8574 Project: Pine Valley Forevergreen - Phase 1 Decor Advisor: Amanda Ceresino Model and Elevation: 50.04 C BEAUMONT 4. Plumbing Fixtures Second Ensuite Powder Room Master Ensuite Bathroom Other Room - Specify Other Washroom Comment upgraded thru out - see extras 5. Hardwood Flooring Type and Stain Type and Stain Main Hall Upper Landing Kitchen / Breakfast 3/4x5" wht oak wirebrush 'Atlantis' Upper Hall Living Room Master Bedroom **Dining Room** Bedroom #2 **Family Room** Bedroom #3 Den/Library Bedroom #4 **Entrance Vestibule** Bedroom #5 Lower Landing Other Room - Specify (If Applicable) 3/4x5" wht oak wirebrush 'Atlantis' thru out standard areas Comment **5x30" HERRINGBONE IN KITCHEN/BREAKFAST/SERVERY** 6. Carpeting Upgrade Description **Ground Floor** Second Floor Type Area **Upgrade Underpad** Capped Runner - *Upgrade **Carpet on Stairs** Comment 7. Fireplace Living Room Family Room Other Room - Specify Purchased As Per Plan N/A Purchased As Per Plan N/A Purchased As Per Plan N/A 0 \bigcirc 0 Fireplace Type Linear Mantle Type None Colour / Stain N/A Surround N/A Hearth None Comment REVISED: Jan to 2022 At when attached

GOLDPARK		R COLOUR SCH		
WORTH MORE *** NOTE	: This is not an appro	ved documen	t. Document m	nust be locked ***
	Scheduled (Closing Date: Th	nursday. November	r 25, 2021
Li totot, olooLi	PPINA PELOSO & ANTHON			
Telephone Res. / Bus: (416) 669-8574 / Decor Advisor: Amanda Ceresina			ne Valley Foreverg	
Amanda Ceresiii	Model a	nd Elevation: 50	.04 C BEAUMON	<u> </u>
9 Trim Companie		8.	ž.	
8. Trim Carpentry				
	Front Door Glass Inserts S	tandard	Door Handles *F	lalifax blk + hng
Interior Trim *Board 6 Comment				
Comment				
,				
			9	
-9. Plaster Mouldings and Medal	lia			
Standard Throughout O Yes	No O N/A			
Entrance Vestibule	Kitche	n/Breakfast		
Main Hall	Den/Lii			
Living Room		Landing		
Dining Room	Other F	Room - Specify		
Family Room				
Comment				
	,			
			19	
10. Railings and Spindles				
Railing Package *Glass Railing				
Railing Colour *Vintage 'Tahiti' // I	EAGT GRAPHITE	Spindle Colour	*Glass	
Stringer / Riser *Vintage 'Tahiti'	V V-1	Treads	*Vintage 'Tahiti'	MIRAJE GRAPHITE
Comment		Oak Stairs	AND	No ON/A
11. Wall Paint / Ceilings				
Throughout Finished Areas Cool White	9			
Trim Paint White				
Smooth Collings			e e	
Smooth Ceilings Ground Floor ✓				8
Second Floor				
Note				
Comment				
REVIGED: JAN	102022 Hadre	1		
3.40	- avery	•		

attached

GOLDPAR	K	INTERIOR COLOUR	SCHEME	
WORTH N	ORE" *** NOTE: This is	not an approved docum	nent. Document mus	t be locked **
Purchasers:	LAURA, GIUSEPPINA PELC	Scheduled Closing Date OSO & ANTHONY, At Property	: Thursday, November 25	, 2021
Telephone Res. / Bus: (416) 669-8574 / (416) 669-8		: Pine Valley Forevergreer	Dhoo 1
	Amanda Ceresino		: 50.04 C BEAUMONT	1 - Phase 1
12. Electrical				
Hood Fan	e Stainless N/A		e Kitchen Cabinet Light	
Standard Appliances		Belov	w Kitchen Cabinet Light	○ Yes No
Over The Range Micro	owave			
Chimney Style Fan				
Comment				
13. Heating and Air	Conditioning			
Air Conditioning	none	Gas Provision	200	
Gas Provisions Dryer	none	Gas Provision	1.0	
Comment			io Darbecue Stu	
se 4 g				
			v	
				ı
5. Disclaimers and	Notes			
- 10 oranii oro aria				
Any extras listed above are n	ull and void unless accompanied by	ection, but not necessarily identical du y a separate invoice/amendment. Said	e to variances in manufacturing.	6
o) The Fulchaser acknowledge	s that after Interior Colour Selection vailability Purchas		d invoice must be paid in full. changes will be permitted other	
		ers Initials Park Homes Decor Centre Disclaimer		
his Interior Colour Selection is	s final and approved by:			
Signature:	Date:		*	
May .	ENCED: JAN (C	2022 Hoched	F	Page;4 of 4

GOLDPARK		ERIOR COLOUR SCHEME	
WORTH MORE	NOTE: This is not an	approved document. Document must be	pe locked **
Purchasers: LAU	SCRE RA GILISEDDINA DEL OSO 8 AN	eduled Closing Date: Thursday, November 25, 26 NTHONY, At Property: 85 of Plan -	021
Telephone Res. / Bus: (416	1 660 9674 / (440) 600 0574		
		Project: Pine Valley Forevergreen -	Phase 1
		Model and Elevation: 50.04 C BEAUMONT	
Layout Changes: Yes	No Sketch Attached:	Yes No Exterior Colour Scheme:	
1. Cabinetry	Style and Colour	Counter	Hardware
Kitchen / Breakfast	Chesapeake 'Classic White'	Granite: Arctic White	attachd
Laundry Room	Bowery 'Capri'	P-Lam: White	attachd
Powder Room	Bowery 'Capri'	*Quartz: Jet Black	attachd
Mud Room	Tribecca 'Arris'	P-Lam: White	attachd
Master Ensuite	Bowery 'Capri'		
Bathroom	bowery Capri	Quartz-Ice-Snow * + FKNA NCIPE + WATERFALL - 300.	attachd
Second Ensuite Bathroom (If Applicable)	Bowery 'Capri'	Quartz: Ice Snow	attachd
Ensulte 3	Tribecca 'Arris'	Quartz: Ice Snow	and a female state of the state
Comment	1 1 10	Quartz. ICE Snow	altachd
	W // MASTER ENSUITE SHOWER BEN	ICU: COLLA TEXT	
	MADIES EXCUITE	wat + James "BLACK" M	2022
	SPICEDER OF	AL ALL	10
1		. %/	
2. Floor Tile			
Enterna Martin	Selection	The second secon	
Entrance Vestibule Main Hall	*30x30" Marmorea 'Port Laure	nt' matte + see grout attached Charoal	
Kitchen / Breakfast	30x30" Marmorea 'Port Laure	nt' matte + see grout attached C-taxcool	
Laundry Room	see nowo		
Powder Room	13x13" Costa 'White'	775	
Mud Room	12x24" Marmorea 'Port Laure	nt' matte + see grout attached Checool	
Master Ensuite	12x24 Marmorea Port Laurer	nt' matte + see grout attached classical	
Bathroom	*30x30" Marmorea 'Port Laurer	nt' matte + see grout attached of peace	
Second Ensuite Bathroom (If Applicable)	13x13" Costa 'White'		
Lower Landing (If Applicable)	13x13" Costa 'White' (basemer	t fover)	
Ensuite 3	13x13" Costa 'White'	and the same of th	
Comment			The second
Ensuite 4: 13x13" Cambridge White	Shower Floor tile: std 2x2" white for	ensuite 2/3/4 // Master Ensuite Shower floor: *2* Ont mutter t	black*
		IN" BASIC Black maffe	e yek
		+ CHAROOAL GROW-	τ
Woll Tile			
. Wall Tile	Selection	Listello/inserts Describe	
Ensuite 3	8x10: Weave 'White'	O Yes No	
Master Ensuite Bathroom		Annual Company of the	
Tub Dec		O Yes No	
Shower Sta Bathroom Wal	1,200		
Second Ensuite		Yes ② No	
Bathroom (If Applicable)	8x10" Uniwall 'White'	○ Yes No	-
Ensuite 4	8x10" Uniwall 'White'	○ Yes ◎ No 「	1
Kitchen Backsplash	○ Yes ② No	Backsplash Behind Fridge	!!
Comment	***************************************	Decopies i permit rrioge	i
A. A	and the second of the second o		I
* REVERS THE	C 15 2021 A ff.	REVISED.	1 :
المام المام	- W W.	May = 1, he	Ų.
i i	U	The state of the s	

Page 1 of 4

	TH MORE			not an appro Scheduled	Closing Date	: Thursday	, November	ust be	locked *
Purchasers:	LAUF	RA, GIUSEP	PINA PELO	SO & ANTHON	IY, Al Property	: 85 of Pia	an -	,	. X
Telephone Res. / Bus							ay Forevergr		nase 1
Decor Advisor:	Aman	nda Ceresino	· · · · · · · · · · · · · · · · · · ·	Model	and Elevation	: 50.04 C	BEAUMONT		
4. Plumbing Fix	tures -		- with an any						
			Second	l Ensuite		Powd	er Room	Γ	1
Master Ensuite Ba	athroom	<u> </u>	Other R	toom - Specify	4	Other	Washroom		
Comment						Other	wasmoom		
upgraded thru out - see	extras								

	V 44 . 1 . 4							2-ne se	
Hardwood Flo	ooring-	**************************************					17100001	-	
Main Hall	Туре ал	d Stain				Туре an	d Stain		
	+ 214				r Landing				
Kitchen / Breakfas Living Room	1 3/4X5"	wnt oak win	ebrush 'Atla		r Hall				
Dining Room					er Bedroom	1			
Family Room					oom #2			Ann	1. 440
Den/Library					oom #3				
Entrance Vestibule					om #4				March 1 100 Common Company
				Bedro	om #5	į.			
Lower Landing									
Lower Landing (If Applicable) Comment		***************************************		thru o	Room - Spec ut slandard are	ify as 3/4x5"	wht oak wire	brush 'A	tlantis'
(If Applicable) Comment "5x30" HERRINGBONE	IN KITCHE	EN/BREAKFAS	T/SÉRVERY-	thru o	Room - Spec ut standard are	as 3/4x5"	wht oak wire	brush 'A	Mantis'
(If Applicable) Comment "5x30" HERRINGBONE	IN KITCHE	N/BREAKFAS Upgrade	T/SERVERY** Description	thru o	Room - Spec ut standard are	3/4x5"	wht oak wire	ebrush 'A	utlantis'
(If Applicable) Comment 5530 HERRINGBONE Carpeting Ground Floor	IN KITCHE			thru o	Room - Spec ut standard are	ify aas 3/4x5"	wht oak wire	ebrush 'A	Mantis'
(If Applicable) Comment "5x30" HERRINGBONE	IÑ KITCHE			thru o	Room - Spec ut standard are	ify 3/4x5"	wht oak wire	ebrush 'A	Mantis'
(If Applicable) Comment 5530 HERRINGBONE Carpeting Ground Floor	IN KITCHE			thru o	Room - Spec ut standard are	3/4x5"	wht oak wire	brush 'A	Mantis'
(If Applicable) Comment 5330 HERRINGSONE Carpeting Ground Floor Second Floor	IN KITCHE			thru o	Room - Spec ut standard are	3/4x5"	wht oak wire	brush 'A	Mantis'
(If Applicable) Comment 5530 HERRINGBONE Carpeting Ground Floor	IN KITCHE	Upgrade		thru o	Area	as 3/4x5"	wht oak wire	brush 'A	Mantis'
(If Applicable) Comment 5330 HERRINGSONE Carpeting Ground Floor Second Floor	IN KITCHE	Upgrade		thru o	ut standard are	as 3/4x5"	wht oak wire	brush 'A	Mantis'
(If Applicable) Comment "5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad	IN KITCHE	Upgrade		thru o	Area	as 3/4x5"	whit oak wire	brush 'A	Mantis'
(If Applicable) Comment 5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs	IN KITCHE	Upgrade		thru o	Area	as 3/4x5"	wht oak wire	brush 'A	Mantis'
(If Applicable) Comment 5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs	IN KITCHE	Upgrade		thru o	Area	as 3/4x5"	wht oak wire	brush 'A	Mantis'
(If Applicable) Comment 5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs	IN KITCHE	Upgrade		thru o	Area	as 3/4x5"	wht oak wire	brush 'A	Mantis'
Comment "5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace		Upgrade		thru o	Area	as 3/4x5"	wht oak wire	brush 'A	Mantis'
Comment "5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace	IN KITCHE	Upgrade Type Capped	Description	thru o	Area Runnor	"Upgrade	er Room - Spe	cify	Mantis'
Comment "5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Liv	ing Room	Upgrade		thru o	Area	"Upgrade	er Room - Spe		N/A
Comment "5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Liv	ing Room Purchased	Upgrade Type Capped	Description	thru o	Area Runnor	"Upgrade	er Room - Spe	cify	
Comment "5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Liv Fireplace Type Mantle Type	ing Room Purchased	Upgrade Type Capped	Description	Family Room Purchased C Linear None	Area Runnor	"Upgrade	er Room - Spe	cify	N/A
Comment "5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Liv Fireplace Type Mantle Type Colour / Stain	ing Room Purchased	Upgrade Type Capped	Description	Family Room Purchased C Linear None N/A	Area Runnor	"Upgrade	er Room - Spe	cify	N/A
Comment "5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Liv Fireplace Type Mantle Type	ing Room Purchased	Upgrade Type Capped	Description	Family Room Purchased C Linear None N/A	Area Runnor	"Upgrade	er Room - Spe	cify	N/A
Comment "5x30" HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Liv Fireplace Type Mantle Type Colour / Stain Surround Hearth	ing Room Purchased	Upgrade Type Capped	Description	Family Room Purchased C Linear None N/A	Area Runnor	"Upgrade	er Room - Spe	cify	N/A
Comment Sago HERRINGBONE Carpeting Ground Floor Second Floor Upgrade Underpad Carpet on Stairs Comment Fireplace Liv Fireplace Type Mantle Type Colour / Stain Surround	ing Room Purchasod	Upgrade Type Capped As Per Plan	Description N/A	Family Room Purchased C Linear None N/A	Area Runnor	"Upgrade	er Room - Spe	cify	N/A O

GOLDPARK	INTERIOR COLOUR SCHEME
WORTH MORE *** NOTE: This is not	an approved document. Document must be locked ***
•	Scheduled Closing Date: Thursday November 25, 2024
Felephone Res. / Bus: (416) 669-8574 / (416) 669-8574	& ANTHONY, Al Property: 85 of Plan -
Decor Advisor: Amanda Ceresino	- Transferent Titale 1
	Model and Elevation: 50.04 C BEAUMONT
3. Trim Carpentry	
Interior Trim *Board 6	ss Inserts Standard Door Handles Halifax blk + hng
Comment	
	Company of the compan
. Plaster Mouldings and Medallions	
Standard Throughout O Yes O No O N/A	
Entrance Vestibule	Kîtchen/Breakfast
Main Hall	Den/Library
Living Room Dining Room	Lower Landing
Family Room	Other Room - Specify
Comment	
— · · · · · · · · · · · · · · · · · · ·	
). Railings and Spindles	
Railing Package Glass Raing	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Railing Colour Vintage Tahiti MIRMS CRARIC	Spindle Colour *Glass
Stringer / Riser - Vintage-Tahiti MIRAGE GRAP	
Comment	Oak Stairs Yes No N/A
- Control of the Cont	
Wall Paint / Ceilings	
hroughout Finished Areas Cool White	
rim Paint White	Lane court to the court of the
mooth Ceilings	
Ground Floor	
Second Floor	
Note	
omment	$\Lambda = 0$
REVISED: JW 102022	THE YEVE
	IV U

attached

Page 3 of 4

Printed 5/5/2021 12:58:34

WORTH HOSE "" NOTE: This is no	INTERIOR COLOUR SCHEME of an approved document. Document must be locked *
WORTH MORE NOTE. THIS IS NO	Scheduled Closing Date: Thursday, November 25, 2021
Purchasers: LAURA, GIUSEPPINA PELOSO	O & ANTHONY, Al Property: 85 of Plan -
elephone Res. / Bus: (416) 669-8574 / (416) 669-8574	4 Project: Pine Valley Forevergreen - Phase 1
Decor Advisor: Amanda Ceresino	Model and Elevation: 50.04 C BEAUMONT
12. Electrical	And the second s
Hood Fan White Stainless N/A	Above Kitchen Cabinet Light () Yes () No
	Below Kitchen Cabinet Light Yes No
Standard Appliances	Tes 100
Over The Range Microwave	
Chimney Style Fan	
-	
Comment	
3	
3 Hosting and the order	The state of the s
Heating and Air Conditioning Air Conditioning	
Gas Provisions Dryer none	Gas Provisions Stove no
Comment	Gas Provisions Barbecue std
Disclaimers and Notes	
and Hotes	
Colours of all materials are as close as possible to builder's selection	on, but not necessarily identical due to variances in manufacturing.
Colours of all materials are as close as possible to builder's selection. Any extrastisted above are null and void unless accompanied by a little Purchaser acknowledges that after location Colour Selection (v.).	separate invoice/amendment. Said invoice must be paid in full.
Colours of all materials are as close as possible to builder's selection. Any extras fisted above are null and void unless accompanied by a selection for the Purchaser acknowledges that after Interior Colour Selection for than re-solection due to unavailability. Purchaser's	separate involce/amendment. Said involce must be paid in full. rm is signed and dated, no further changes will be permitted other s initials
Colours of all materials are as close as possible to builder's selection. Any extras fisted above are null and void unless accompanied by a little purchaser acknowledges that after location Colour Selection (co.	separate involce/amendment. Said involce must be paid in full, rm is signed and dated, no further changes will be permitted other s initials
Colours of all materials are as close as possible to builder's selection. Any extras fisted above are null and void unless accompanied by a selection for the Purchaser acknowledges that after Interior Colour Selection for the re-selection due to unavailability. Purchaser's The Purchaser acknowledges reading and accepting the *Gold Park other miscollaneous disclaimers.	separate involce/amendment. Said involce must be paid in full. rm is signed and dated, no further changes will be permitted other I initials k Homes Decor Centre Disclaimers" form. This document contains

Printed 5/5/2021 12:58:34




PV - 85 Cabinetry Schedule

ROOM	DESCRIPTION	PRICE	QTY	TOTAL
POWDER ROOM	CONVERT STANDARD VANITY TO FLOATING VANITY NOTE: NO PANEL PURCHASED TO COVER PLUMING, MAY HAVE PIPES EXPOSED NOTE: NO HARDWARE / NO HOLES	To The Fire	1	
KITCHEN	ADJUST CABINETRY FOR 36" RANGE (N/C) LEAVE 42" SPACE IN UPPER CABINETS ABOVE RANGE (N/C) NOTE: NO HARDWARE / NO HOLES NOTE: PURCHASERS HAVE REMOVED THE BULKHEAD AND HAVE NOT PURCHASED ANY ADDITIONAL CABINETRY, THERE WILL BE A GAP TO THE CEILING		1 1	
	CABIN	IETRY TOTAL:		

HANDLE PLACEMENT: AT INSTALLERS DISCRETION

LOT #: PV-85 DATE: May 4, 2021	
SIGNATURE:	
SIGNATURE: Laura Peloso	

GOLDPARK WORTH MORE



SCHEDULE'F'




PV-85 alla cheel March 15,2021 PV-85 and a ched April 13, 2021 May 3, 2021

The Beaumont

50' SERIES

Elevation A • 4,170 sq.ft. 4,315 sq.ft. Opt. Elevator Elevation B • 4,165 sq.ft. 4,315 sq.ft. Opt. Elevator

Elevation C • 4,250 sq.ft. 4,400 sq.ft. Opt. Elevator



VENDOR PURCHASER PURCHASER

GOLDPARK

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 5004

SCHEDULE'F'



PV-85 addached April 13, 2021 PV-85 ADD May 3, 2021


The Beaumont

50' SERIES

Elevation A • 4,170 sq.ft. 4,315 sq.ft. Opt. Elevator


Elevation B • 4,165 sq.ft. 4,315 sq.ft. Opt. Elevator

Elevation C • 4,250 sq.ft. 4,400 sq.ft. Opt. Elevator




OPT. PART. SECOND FLOOR | ELEV. A (ELEVATOR)

PURCHASER





OPT. GROUND FLOOR | ELEV. A (ELEVATOR)



notice. Areas and dimensions are approximate and actual usable floor space may vary

from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 5004





SCHEDULE'F' (all) a the PV-85 The March 15, 2021 Beaumont PINE VALLEY PV-85 (attached 50' SERIES Elevation A • 4,170 sq.ft. 4,315 sq.ft. Opt. Elevator April 13, 2021 Elevation B • 4,165 sq.ft. 4,315 sq.ft. Opt. Elevator PV-85/ 24" x 30" Elevation C • 4,250 sq.ft. 4,400 sq.ft. Opt. Elevator 24° ×30° 24" x 30" ADD Cold GELLAR APPROX SCONCE HEIGHT UNFINISHED BASEMENT 78" A.F.F. 24" x 30" HEADROOM (AS REQ'D) 24" x 30" UNEXCAVATED BACK FLOW PREVENTER

VENDOR	
PURCHASER	
PURCHASER	

BASEMENT | ELEV. A

GOLDPARK

WORTH MODE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 5004


VALVE

PLAN VIEW





SITE STANDARD: WHITE 3/4" EXTENSION SOFT-CLOSE DRAWERS & STANDARD SLAM DOOR HINGES TO VANITIES ONE TOP DRAWER WHERE POSSIBLE THROUGHOUT EACH VANITY, ONE BANK OF DRAWERS WHERE POSSIBLE THROUGHOUT EACH MASTER ENSUITE VANITY


-120




-FLORTING












STONE COUNTERTOP EDGE PROFILES

	STANDARD 2CM EASED EDGE	LOCATION: THRU OUT
	UPGRADE 3CM EASED EDGE	LOCATION:
	UPGRADE 4CM MITRED EDGE	LOCATION:
	UPGRADE 2CM OGEE EDGE	LOCATION:
LOT#: PV - 85.	DATE: May 3, 20	021
SIGNATURE:	eura Pelose	2



H001-02 H001-03	H001-04
H009-03 H009-09	
H011-03 H011-05	H011-06
H033-01 H039-03 Laundry Room	*NO HARDWARE
LOT # PV - 85 DATE: May 3, 2021	
SIGNATURE:	
SIGNATURE: Policie	





EMERY

RECTANGULAR UNDERMOUNT SINK

☐ 4220CGY ► 4220CGY-077

Undermount Sink, Soft White

Undermount Sink, Matte Black Undermount Sink, Slate Grey

☐ 4220CGY-088

PRODUCT SPECS:

- Vitreous china
- Front overflow hole
- -81/4" Bowl depth
- Template and mounting hardware

DIMENSIONS:

Outer:

545mm W x 355mm D x 210mm H 21½" W x 14" D x 8¼" H

495mm W x 305mm D x 160mm H 19½" W x 12" D x 6¼" H

COMPLIANCE CERTIFICATIONS


Meets or exceeds the following:

- IAPMO cUPC
- ASME A112.19.2 / CSA B45.1


SHIPPING


Cube 1.85

GW 20 lbs









Room:

Powder-Room

Signature:

Date:


May 4, 2021

Signature:



SQ6X6

Shower Door Handle + Hingls



SQ6X6 Shower Door Handle

6" x 6" back-to-back 3/4" square tube (Also available single sided) СНКОМЕ

MATTE BLACK


BRUSHED GOLD

Lot# PV- 35	Date: May 4, 2021	Room: Master Ensuite
Signature:	my h-	
Signature:	Lauron Per	lose



SQ6X6

Shower Door Handle + Hings




SQ6X6 Shower Door Handle


6" x 6" back-to-back 3/4" square tube (Also available single sided) CHROME

MATTE BLACK

Lot# PV- 95 Date: N	May 4, 2021 Room:	Ensulte 2, Ensuite 4
Signature:	M	
Signature:	Jenn Peloso	







Tissue Holder Mason - Chrome

Towel Bar Mason - Chrome

Please select one of the following:

INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT (tissue holder + towel bar) *location as per vendors discretion*	
DO NOT INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT *tissue holder + towel bar will not be provided*	
LOT # PV-85 DATE: May 3, 2021	
SIGNATURE:	
SIGNATURE: Laura Reloso	



Project: Pine Valley

Lot: 85

Purchaser(s): Lawa Peloso & Anthony Arci

Standard Hood Fan Deletion

We acknowledge that the builder's standard hood fan will not be installed.


Do not supply, install and/or credit. We will install our own hood fan after closing.

Signature: Signature: Signature: Date: May 3, 2021



MOEN - ALIGN

Posi-Temp <u>SHOWER ONLY</u>* with 3 Function Transfer Valve/Trim and Slide Bar with Handshower





5004 BEAUMONT – ELEVATION C



LOT #: PV - 85 DATE: April 13, 2021

SIGNATURE: attached

SIGNATURE: attached



5004 BEAUMONT – ELEVATION C




LOT#: PV - 8	35 DATE:	April 13, 2021
SIGNATURE:	Jama	Relow
SIGNATURE:	Duny.	Du-

GOLD ****




MOEN - ALIGN

Posi-Temp <u>SHOWER ONLY</u>* with 3 Function Transfer Valve/Trim and Slide Bar with Handshower



GOLDPARK



PRG366WH 36-INCH GAS PRO HARMONY® RANGE PROFESSIONAL SERIES, STANDARD-DEPTH, PORCELAIN COOKTOP SURFACE








FEATURES & BENEFITS

- 🚖 The Star® Burner delivers superior flame spread for more even heating
- ★ ExtraLow® feature provides a wide range of temperature control, perfect for simmering delicate sauces
- 🛊 2 ExtraLow® burners for simmering, melting, or holding long durations
 - Raised pedestal burner and porcelain maintop for effortless cleaning
 - Convection Bake offers precise multi-level baking results

TECHNICAL DETAILS	
Circuit Breaker	15 A
Volts	120 V, 60Hz
Energy Source	Gas
Plug Type USA	120V - 3 Prong
Power Cord Length	65" (1,651mm)
Gas Supply	3/4"
WARRANTY	
Limited Warranty, Entire Appliance, Parts and Labor	2 Year


SEE PAGE 2 FOR INCLUDED AND OPTIONAL ACCESSORIES

RANGETOP



Total number of cooktop Burners	6
1 – Power of Back Left Burner BTU	15,000 and XLO
2 - Power of Front Left Burner BTU	18,000 and XLO
3 - Power of Back Center Burner BTU	15,000
4 – Power of Front Center Burner BTU	18,000
5 - Power of Back Right Burner BTU	15,000
6 - Power of Front Right Burner BTU	18,000
OVEN	
Oven Capacity	5.1 cu. ft.
Cooking Modes	
Bake, Convection Bake, Roast, Broil	
Sabbath	Yes
Self Clean	No
Telescopic Rack(s)	3
Interior Lights	2
Bake Power	20,500 BTU
Broil Power	17,500 BTU
Home Connect™ (Wi-Fi Enabled)	Yes
Cavity Interior Dimensions (HxWxD)	16 3/8" x 29 1/8" x 18 5/8
Cavity Usable Dimensions (HxWxD)	11 1/4" x 25 5/8" x 16 3/4"
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (HxWxD)	35 3/4" - 36 3/4" x 35 15/16" x 24 5/8"
Required Cutout Size (HxWxD)	35 3/4" - 36 3/4" × 36" × 24"
Net Weight	415 lbs.
	-L


* THERMADOR® EXCLUSIVE



PRG366WH 36-INCH GAS PRO HARMONY® RANGE PROFESSIONAL SERIES, STANDARD-DEPTH, PORCELAIN COOKTOP SURFACE

Thermador.*

36-INCH RANGE DIMENSIONS



36-INCH RANGE CUTOUT DIMENSIONS

measurements in inches (mm)

30"/36"/48"
(762/914/1219)

6"
(152)
(B)
(A)
(B)
(51)
(51)
6"
(152)

A: Gas zone B: Electric zone


PV-85 (3) March 22, 2021

PRG366WH 36-INCH GAS PRO HARMONY® RANGE PROFESSIONAL SERIES, STANDARD-DEPTH, PORCELAIN COOKTOP SURFACE



36-INCH RANGE DIMENSIONS AND CLEARANCE REQUIREMENTS WITH "LOW BACK"

NOTE: A 36-inch minimum clearance is required between the top of the cooking surface and the bottom of an unprotected cabinet. A 30-inch clearance can be used when the bottom of the wood or metal cabinet is protected by not less than 1/4 inch of a flame retardant material covered with not less than No. 28 MSG sheet steel, 0.015 inch (0.4 mm) thick stainless steel, 0.024 inch (0.6 mm) aluminum, or 0.020 inch (0.5 mm) thick copper.



∆ As defined in the "National Fuel Gas Code" (ANSI Z223.1, Current Edition).
Clearances from non-combustible materials are not part of the ANSI Z21.1
scope and are not certified by CSA. Clearances of less than 6" (152 mm)
must be approved by the local codes and/or by the local authority having jurisdiction.




PV-85 (3) March 22, 2021

PRG366WH 36-INCH GAS PRO HARMONY® RANGE PROFESSIONAL SERIES, STANDARD-DEPTH, PORCELAIN COOKTOP SURFACE



36-INCH RANGE DIMENSIONS AND CLEARANCE REQUIREMENTS WITH "FLUSH ISLAND TRIM"



△ As defined in the "National Fuel Gas Code" (ANSI Z223.1, Current Edition).

Clearances from non-combustible materials are not part of the ANSI Z21.1

scope and are not certified by CSA. Clearances of less than 6" (152 mm) must be approved by the local codes and/or by the local authority having jurisdiction.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of purchase, For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada.


Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2020 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.

PV-85 (2) (3) March 22, 2021

DWHD650WFP EMERALD® 6-PROGRAM DISHWASHER PROFESSIONAL SERIES HANDLE





Also Available In:

DWHD650WFM – Flat Stainless Steel Panel with

Masterpiece® Series Handle

DWHD650WPR - Custom Panel

FEATURES & BENEFITS

- Chef's Tool Drawer (3rd Rack) is designed to make loading and unloading tools and hard to place items extraordinarily easier
- Sens-A-Wash® measures water cleanliness and adjusts wash cycle
- Three stage advanced filtration recirculates water for sparkling results
- 3-Level adjustable upper rack is customizable for all of your needs, designed to be raised for extra large items placed on the bottom rack, or lowered to fit taller wine glasses on the upper rack
- Extra Dry Option adds extra heat to the final rinse to enhance drying results
- Impressively Quiet®—48 dBA for peaceful kitchen experience
- Thermador Connected Experience by Home Connect brings exclusive dish features that keep you connected. Always.

ACCESSORIES (OPTIONAL)	
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC
Junction Box	SMZPCJB1UC



Accessory Kit includes Extra-Tall-Item Sprinkler, Vase / Bottle Holder, 3 Plastic Item Clips and Small Item Basket



Fine Silverware Carafe

GENERAL PROPERTIES	
Number Of Wash Cycles	6
Number Of Options	5
dBA	48
Third Rack	Chef's Tool Drawer®
Rack Adjustability	Rackmatic 3-Stage
Tub Material	Stainless Steel
Control Type	Touch Control
Concealed Water Heating Element	Yes
Leak Protection System	24/7 AquaStop®
Water Softener	No
Five-Level Wash	Yes
Childlock	No
Home Connect (Wi-Fi Enabled)	Yes
EFFICIENCY	AND AND PROPERTY
Water Usage Per Cycle (g)	3.5 g
Energy Efficiency Class	Tier 1
ENERGY STAR® Certified	Yes
Total Annual Energy Consumption (kWh)	269 kWh
Total Annual Water Consumption (g)	624 g
CAPACITY	
Number Of Place Settings	16
TECHNICAL DETAILS	
Watts (W)	1,440 W
Current (A)	12 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power Cord Length (in)	67"
Power Cord Install Length from Corner of Unit when Facing the Door (in)*	Left - 45" Right - 56"
Minimum Water Pressure (lb/sin)	14
Max. Temperature for Water Intake	140° F
Length Inlet Hose (in)	N/A
Length Outlet Hose (in)	79"
DIMENSIONS & WEIGHT	419-96 A COLUMN
Overall Appliance Dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 3/4"
Required Cutout Size (HxWxD) (in)	33 ⁷ /8" Min. x 23 ⁵ /8" Min. x 24"
Adjustable Feet	Yes

*September 2020 running production change to remaine adhesive routing clips for power cord. These clips and the edge protector are now included in the dishwasher accessory kit #SMZEPCC1UC.

93 lbs

Net Weight (lbs)






DWHD650WFP EMERALD® 6-PROGRAM DISHWASHER PROFESSIONAL SERIES HANDLE



WARRANTY	
Limited Warranty, Entire Appliance, Parts and Labor	2 Year
Limited Warranty for Microprocessor or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner, Parts Only	Lifetime

DISHWASHER & CUTOUT DIMENSIONS




measurements in inches and mm

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific sentilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2020 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.



T301F905SP 30-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER FREEDOM® COLLECTION, PANEL-READY

















- Full Stainless Steel Inner Liner
- Freedom® Hinge enables true flush design
- Auto Door Opening provides the opening of the door with just a slight push or pull
- SoftClose® Drawers for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

TEMPERATURE RANGES	
Freezer	-11°F (-24°C) to 7°F (-14°C)
SuperFreeze®	-22°F (-30°C) for approximately 52 hours
Energy Saving (Economy) Mode	3°F (-16°C)

GENERAL PROPERTIES	STATE OF STATE OF STATE OF
Home Connect™ (Wi-Fi Enabled)	Yes
Panel Ready	Yes
Reversible Door Swing	Yes
SoftClose® Door	Yes*
SoftClose® Drawers	Yes
Lighting	LED Sidewall and Theater Lighting
Freezer Shelves	4
Adjustable Shelves	3
Shelf Material	Glass w/Aluminum Profile
Full Extension Drawers @ 115° Door Opening Angle	Yes
General Use Drawer	2
Door Bins	4
External LED Proximity Sensor	No
Oversized Dispenser Opening	No
Chilled Water, Crushed and Cubed Ice	No
Rapid Water Replenishment System	No
Ice Maker with Diamond Ice System	Yes
Door Open Alarm	Yes
Open Door Assist	Yes
Special Modes	Sabbath, Economy, Vacation
CAPACITY	
Total Capacity (cu. ft.)	15.8 cu. ft.
PERFORMANCE	
Dedicated Evaporator & Compressor System	Yes
SuperFreeze®	Yes
Defrost Process	Frost-Free
TECHNICAL DETAILS	TYDE WAR TO LEE
Watts (W)	350 W
Current (A)	15 A
Volts (V)	110-120 V
Frequency (Hz)	60 Hz
Power Cord Length (in.)	118
Plug Type	120V-3 Prong
DIMENSIONS & WEIGHT	

*To verify if you have a refrigeration unit with Soft-Close capability please contact our customer team by calling 1-800-735-4328.
**Height adjustable + / -1/2* (+ / -13 mm)

Appliance Dimensions (H x W x D) (in.)

Required Cutout Size (H x W x D) (in.)

Net / Gross Weight (lbs)

ENERGY STAR® Qualified

Annual Energy Consumption

EFFICIENCY

Page 1 of 3


84"** x 29 ³/4" x 24"

84" x 30" x 25*

362 / 398 lbs

Yes

479 kWh




T301F905SP 30-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER FREEDOM® COLLECTION, PANEL-READY

Thermador.*


WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System*; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System*; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through	Lifetime
*Sanlad references in the san and the san	1

^{*}Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing

CUTOUT DIMENSIONS




TOP VIEW CLEARANCE



- ** Door handle must be added to this dimension
- Depends on the thickness of the unit door.

 3/4" (19 mm) refers to the stainless steel door. (special accessory).




PV-85 March 22, 2021

T301F905SP 30-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER FREEDOM® COLLECTION, PANEL-READY

Thermador.*

PRODUCT AND PANEL DIMENSIONS



ACCESSORIES (OPTIONAL)

FLAT STAINLESS STEEL DOOR PANELS

30-Inch Flat Stainless Steel Door Panel Without Dispenser



For use with Handle TFL301R905 Handleless

NOTE: Handleless Panels should not be installed on units without the Soft-Close capability. If you are uncertain if you have a refrigeration unit with Soft-Close capability please contact our customer team by calling 1-800-735-4328.

HANDLES

Choose between two options:



36-Inch Professional Series Handle

MS36HNDL20

36-Inch Masterpiece® Series Handle

STORAGE




ICEBUCKETL Large Ice Bucket

FILTERS



Freedom® Water Filter Replacement water filter for use in all freezer and bottom





HEATRKIT20 - 13W @ 120V

FRAMEKIT10

Freedom® Frame Kit

For any custom column installation in 24-inch deep cutouts. With two metal side trims whose placement between the interior cutout wall and the appliance helps overcome the challenge of unfinished cabinet returns.


These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of purchase. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for plunning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada.

Thermador is not responsible for products that are transported from the U.S. for use in Canada.


1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | @2020 BSH HOME APPLIANCES CORPORATION, ALL RIGHTS RESERVED.





T361R905SP 36-INCH BUILT-IN FRESH FOOD COLUMN FREEDOM® COLLECTION, PANEL-READY





FEATURES & BENEFITS


- Full Stainless Steel Inner Liner
- Freedom® Hinge enables true flush design
- Auto Door Opening provides the opening of the door with just a slight push or pull
- ThermaFresh System, Humidity and Temperature controlled
- SoftClose® Drawers for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

TEMPERATURE RANGES	
Refrigerator	36°F (2°C) to 46°F (8°C)
Temperature Controlled Drawer	30°F (-1°C) to 38°F (3°C)
SuperCool	36°F (2°C) for approximately 6 hours
Energy Saving (Economy) Mode	43°F (6°C)

GENERAL PROPERTY.	
GENERAL PROPERTIES	
Home Connect™ (Wi-Fi Enabled)	Yes
Panel Ready	Yes
Reversible Door Swing	Yes
SoftClose® Door	Yes*
SoftClose® Drawers	Yes
Carbon Air Filter	Yes
Lighting	LED Sidewall and Theater Lighting
Refrigerator Shelves	4
Adjustable Shelves	3
Shelf Material	Glass w/Aluminum Profile
Full Extension Drawers @ 115° Door Opening Angle	Yes
Full Extension Drawers @ 90° Door Opening Angle	Yes
General Use Drawer	1
Humidity Managed Drawer	1
Temperature Controlled Drawer	1
Door Bins	3
Gallon Door Bins	1
Door Open Alarm	Yes
Open Door Assist	Yes
Special Modes	Sabbath, Economy, Vacation
CAPACITY	SAME THE WARREN
Total Capacity (cu. ft.)	20.6 cu. ft.
PERFORMANCE	
Dedicated Evaporator & Compressor System	Yes
Freeflow® Cold Air System	Yes
SuperCool	Yes
TECHNICAL DETAILS	
Watts (W)	350 W
Current (A)	15 A
Volts (V)	110-120 V
Frequency (Hz)	60 Hz
Power Cord Length (in.)	118
Plug Type	120V-3 Prong
DIMENSIONS & WEIGHT	
Appliance Dimensions (H x W x D) (in.)	83 3/4"** x 35 3/4" x 24"
Required Cutout Size (H x W x D) (in.)	84" × 36" × 25"
Net / Gross Weight (lbs)	406 / 449 lbs
EFFICIENCY	1 4 1 1 1 1 1 1
ENERGY STAR® Qualified	Yes
Annual Energy Consumption	312 kWh
	VIA NYTH

^{*}To verify if you have a refrigeration unit with Soft-Close capability please contact our customer team by calling 1-800-735-4328.


**Height adjustable + / -1/2* (+ / -13 mm)




T361R905SP 36-INCH BUILT-IN FRESH FOOD COLUMN FREEDOM® COLLECTION, PANEL-READY

Thermador.*

WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System*; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System*; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through *Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing	Lifetime



TOP VIEW CLEARANCE



- ** Door handle must be added to this dimension
- * Depends on the thickness of the furniture door.

 3/4" (19 mm) is relevant for the stainless steel door.
 (special Accessory).


 3/4" (19 mm)*

T361R905SP

36-INCH BUILT-IN FRESH FOOD COLUMN FREEDOM® COLLECTION, PANEL-READY

Thermador.*

PRODUCT AND PANEL DIMENSIONS



ACCESSORIES (OPTIONAL)

FLAT STAINLESS STEEL DOOR PANELS 30-Inch Flat Stainless Steel Door Panel



TFL36IR900 For use with Handle TFL36IR905 Handleless

NOTE: Handleless Panels should not be installed on units without the Soft-Close capability. If you are uncertain if you have a refrigeration unit with Soft-Close capability please contact our customer team by calling 1-800-735-4328.

HANDLES

Choose between two options:

PR36HNDL20 36-Inch Professional Series Handle

or

MS36HNDL20

36-Inch Masterpiece® Series Handle

STORAGE



SPRODBIN10 Small Produce Bin



LPRODBIN10 Large Produce Bin



36PRODRAIL 36-Inch Produce Railing



36HFGALBIN 36-Inch Half Gallon Bin

FRAMEKIT10

Freedom® Frame Kit
For any custom column installation
in 24-inch deep cutouts. With two
metal side trims whose placement
between the interior cutout wall and
the appliance helps overcome the
challenge of unfinished cabinet returns.



HEATRKIT20 - 13W @ 120V

Freedom® Heater Kit When two appliances are installed side-by-side a sealing kit must be used. For combinations that involve a freezer column, this sealing kit is included. For all other (nontraditional, i.e. two wine columns, two bottom freezers, etc.) side-by-side combinations or instances where any appliances are installed less than 6-inches (152 mm) apart from one another but not connected side-by-side, purchase this kit. This kit is recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of purchase. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada.

Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | @2020 BSH HOME APPLIANCES CORPORATION, ALL RIGHTS RESERVED.

WM3800HBA


5.2 cu.ft. Capacity Front Load Washer

TurboWash™ Technology Steam Technology SmartThinQ® Technology (Wi-Fi Enabled) 6Motion™ Technology 2018 ENERGY STAR Most Efficient Inverter BLDC Pump Motor SmartDiagnosis™




Enjoy new ways to control your home with LG smart appliances

SmartThinQ®








MOTOR AND AGITATOR	
Motor Type	Direct Drive Motor
Motor Speed	Variable
Max RPM	1,300
Axis	Horizontal
MATERIALS AND FINISHES	1 Mizoren
NeveRust™ Stainless Steel Drum	
Cabinet	PCM
Control Panel	Plastic
Top Plate	Painted Steel
Door/Rim	Glass / Chrome (with Dark Blue Tinted Round Cover)
Available Colours	Black Steel (B)
POWER SOURCE	Side Section
Ratings	UL Listed
Electrical Requirements	120V, 10 Amps
Туре	Electric
OPTIONS / ACCESSORIES	LIELIN
Pedestal	WDP4B
Pedestal Dimensions (WxHxD)	27" x 14 1/8" x 28 2/5"
SideKick™ Pedestal Washer	WD100CB
SideKick™ Pedestal Washer (WxHxD)	27" x 14 1/8" x 30 3/4" (50 9/16" with door open)
Stacking Kit	KSTK1
Hose Included	No
DIMENSIONS	NO.
Product (WxHxD)	27"×39"×30 1/4"
	(55"D with door open)
Carton (WxHxD)	29 1/2" x 43 5/16" x 31 5/16"
Weight (Product/Carton)	187.4 lbs / 209.4 lbs
LIMITED WARRANTY	
1 Year Parts and L	abour, 3 Years on Drum, 10 Years on Direct Drive Motor
UPC CODES	
WM3800HBA Washer (Black Steel)	772454071720
DLEX3900B Electric Dryer (Black Steel)	772454071720
DLGX3901B Gas Dryer (Black Steel)	772454071744

© 2018 LG Electronics Canada, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 05/01/2018 20 Norelco Drive, North York, Ontario M9L 2X6 Tel: 647-253-6300 | Customer Service & Parts 1-888-542-2623

LoDecibel™ Quiet Operation Easy Loading TilTub Wi-Fi Connectivity Energy Monitoring



Choosing the Proper Location

Install the washer on a solid floor that is strong and rigid enough to support the weight of the washer, even when fully loaded, without flexing or bouncing. If the floor has too much flex, you may need to reinforce it to make it more rigid. If the floor is not solid, it may cause severe vibration and noise.

NOTE

- Before installing the washer, make sure the floor is clean, dry and free of dust, dirt, water and oil so the washer feet cannot slide easily. Leveling feet that can move or slide on the floor can contribute to excess vibration and noise due to poor contact with the floor.
- If a drip pan must be used, take extra care to follow the instructions provided with the drip pan and make sure the leveling feet are adjusted for firm and even contact with the pan. Use of drip pans and failure to properly level the machine may result in increased vibration and noise during operation.
- Allow for sufficient space between the walls and the washer for installation.

Power Outlet

- The power outlet must be within 60 inches (1.5 m) of either side of the washer.
- The appliance and outlet must be positioned so that the plug is easily accessible.
- Do not overload the outlet with more than one appliance.
- The outlet must be grounded in accordance with current electrical wiring codes and regulations.
- Use a time-delay fuse or circuit breaker.

NOTE

 It is the personal responsibility and obligation of the product owner to have a proper outlet installed by qualified service personnel.


Flooring

- To minimize noise and vibration, the washer must be installed on a solidly constructed floor.
- Allowable slope under the entire washer is a maximum 1 inch (2.5 cm) difference from side to side or from front to back.
- Installing on carpeting and soft tile surfaces is not recommended.
- Never install the washer on a platform or weakly supported structure.

NOTE


 The washer must be installed on firm flooring to minimize vibration during the spin cycle. Concrete flooring is best, but a wood floor is sufficient, provided it is built to FHA standards.

Floor Installation



To ensure sufficient clearance for water lines, the drain line and airflow, allow minimum clearances of at least 1 inch (2.5 cm) at the sides and 4 inches (10 cm) behind the unit. Be sure to allow for wall, door, or floor moldings that may increase the required clearances.

Stacked or Pedestal Installation



NOTE

- Refer to the instructions packaged with the optional pedestal kit before installing with a pedestal kit.
- Do not use a drip pan with a pedestal or pedestal washer installation as it can block the drawer. Using a drip pan may result in increased vibration and noise during operation.

AVAILABLE COLORS






BLACK STEEL






Enjoy new ways to control your home with LG smart appliances

- Start the laundry while you're out shopping
 Get alerts when the cycle is finished
- · Works with the LG SmartThinQ@app
- SmartThinQ®







SUMMARY Front Load Dryer Capacity Matching Was ARHOOGEWA / WM3900HBA Sensor Dry Colors White (W) / Black Steel (B) APPEARANCE Intelligent Electronic Controls with LED Display Yes Dial-A-Cycle™ Touch Buttons ENERGY STAR® Qualified Yes DRYER PROGRAMS No. of Programs Normal, Heavy Duty, Bedding, Small Load, Anti Bacterial, SteamSanitary^M, SteamFresh^M, Perm Press, Delicates, Sportswear, Towels, Speed Dry (Manual Dry), Air Dry (Manual Dry), Downloade DRYER OPTIONS No. of Options

DRYER DETAILS Temperature Settings

Drying Levels Manual Dry Times

More Time, Less Time, Damp Dry Signal, Wrinkle Care, Control Lock, Custom Program, PGM Save, Wr-Fi Connect, Energy Saver, TurboSteam™, Reduce Static, Smart Grid, Remote Stat High, Medium High, Medium, Low, Ultra Low Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry

Tub Rear

Cabinet

FABRIC CARE FEATURES Sensor Dry Precise Temperature Control with Variable Heater TurboStea CONVENIENCE FEATURES 3 Minute Installation Check LoDecibel^{1M} Quiet Operation Yes End of Cycle Signal Drum Light Reversible Door Yes FlowSenseTM Duct Clogging Indicator Yes Wrinkle Care Option Child Lock Electric: 4 Way Venting Gas: 3 Way Venting Venting Option 4 Adjustable Legs Remaining Time Display/ Status Indicator(s) SmartThinQ® SMART FEATURES Smart Diagnosis* Wi-Fi Connectivity Yes Yes Cycle Monitoring and Notification **Energy Monitoring** Yes MATERIALS AND FINISHES Aluminized Alloy Steel Drum

POWER SOURCE CSA Listed Electric: 240V 30 Amps Gas: 120V, 15 Amps Electrical Requirements Electric / Gas BTU Rating 10,000 Feet OPTIONS LP Conversion Kit 383EEL3002D Side Venting Kit 383EEL9001B Pedestal WDP4W / WDP4B 27 x 14 1/8 x 30 3/4 (50 1/2 D with door open) Pedestal (WxHxD) DIMENSIONS Product (WxHxD) 27" x 38 11/16" x 30" Depth with Door Open 51" Carton (WxHxD) 29 19/32" x 43 3/8" x 31 3/8" Weight (Product) Electric: 136.2lbs. Gas: 138.9lbs. Weight Carton LIMITED WARRANTY Parts & Labor UPC CODES DLEX3900W (Electric / White) 048231025195 DLEX3900B (Electric / Black Steel) 048231026437 DLGX3901W (Gas / White) 048231025201 048231026444

© 2019 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand name change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and


Painted

Painted Steel

Round w/ Chrome trim

PRODUCT OVERVIEW

Parts




Product Specifications

The appearance and specifications listed in this manual may vary due to constant product improvements.

Drye	er Models	DLE3500*/ DLG3501*	DLEX3700* / DLGX3701*	DLEX3900* / DLGX3901*
Description		Non-steam Dryer	Steam Dryer	Steam Dryer
Electrical requirem	ents	Please refer to the ra	ating label for detailed in	formation.
Gas requirements		NG: 4 - 10.5-inch (10 LP: 8 - 13-inch (20.4	0.2 - 26.7 cm) WC - 33.1 cm) WC	
Dimensions		27" (W) X 30.2" (D) 2 68.6 cm (W) X 76.5 open)	X 39" (H), 51.4" (D with o	door open) .5 cm (D with door
Net weight		Gas: 123.02 lb (55.8 Electric: 120.15 lb (3kg) - 126.77 lb (57.5kg) 54.5kg) - 123.46 lb (56kg	g)
Drying capacity	Steam Cycle	-	IEC 7.4 cu.ft. (8 lb/3.	6 kg)
brying capacity	Normal Cycle	IEC 7.4 cu.ft. (22.5 II	o/10.2 kg)	


NOTE


Model numbers can be found on the cabinet inside the door.





12 INSTALLATION

Clearances









Installation Spacing for Recessed Area or Closet Installation

The following clearances are recommended for this dryer. This dryer has been tested for clearances of 1 inch (2.5 cm) on the sides and rear. Recommended clearances should be considered for the following reasons:


- Additional clearances should be considered for ease of installation and servicing.
- Additional clearances should be considered on all sides of the dryer to reduce noise transfer. For closet
 installation, with a door, minimum ventilation openings in the top and bottom of the door are required. Louvered
 doors with equivalent ventilation openings are acceptable.

Closet Ventilation Requirements


Closets with doors must have both an upper and lower vent to prevent heat and moisture buildup in the closet. One upper vent opening with a minimum opening of 48 sq. in. (310 cm²) must be installed no lower than 6 feet above the floor. One lower vent opening with a minimum opening of 24 sq. in. (155 cm²) must be installed no more than one foot above the floor. Install vent grills in the door or cut down the door at the top and bottom to form openings. Louvered doors with equivalent ventilation openings are also acceptable.

NOTE

 There should be at least a little space around the dryer (or any other appliance) to eliminate the transfer of vibration from one appliance to another. If there is enough vibration, it could cause appliances to make noise or come into contact, causing paint damage and further increasing noise.



Installation Spacing for Recessed Area or Closet, with Stacked Washer and Dryer





^{*} Required spacing


Installation Spacing for Cabinet

For cabinet installation with a door, minimum ventilation openings in the top of the cabinet are required.


* Required spacing







^{**} For side or bottom venting, 2-inch (5.1 cm) of spacing is allowed.



SAXONY SPRBC056D1SS



BENEFITS

Model #

Capacity-Wine Compartment

Volume

Temperature Range

Noise

Door Frame

Cabinet

Interior Finish

Door Style

Reversible Door Swing

Door Hinge

Door Glass

Door Handle

Door Lock

Shelving Material

Lighting Option 1

Lighting Option 2

Lighting Option 3 Light Colours

Controls

Temperature Recall

Alarm

Sabbath Mode

SPRBC056D1SS

Stores up 126 beverage cans

and 6 bottles of wine

5.6 cu. ft.

34F - 50F (1C-10C)

39 db

304 grade seamless stainless steel

Matte black textured steel

Matte black

Single door

Yes

Hidden for flush fit installation

Low E, dual pane argon filled

Pro-style, 20% longer than previous model

3 adjustable clear glass shelves

On/Off with door opening

On 100% illumination for 2 hours

On 50% illumination for 2 hours

Choose between Arctic white or Azure blue

Digital seamless capacitive touch

Yes reverts to last set temperature after

power outage

Yes, temperature and door ajar

Yes

PRODUCT SPECIFICATIONS

UPC

067638024273

Unit Dimensions

Width

Min. Height 34" in.

Max. Height 34.7" in.

Depth

23.8" in. (DOES NOT INCLUDE HANDLE)

Installation

Gross Weight: 136 lbs.

Built-in under counter or free standing

Refrigerator: R600

Size: Min 24" wide opening required

AC Power

115V, 60Hz at MAX 1.5A


Power cord length: 6.5 ft.

Platinum Warranty


2 year parts and labor coverage







23.7 TOP VIEW WALL



based on standard 750ml bordeaux style bottle

INSTALLATION INSTRUCTIONS

PREPARING THE ENCLOSURE

Gloves and safety goggles should be worn during installation.

It is not recommended to install the appliance into a corner or directly beside a wall. The door will need to be opened more than 90° to allow full extension of the shelves. If it is necessary to place the unit next to a wall or in a corner, leave at least 2-4 inches (5-10 cm) of space between the wall and the appliance to allow for the door opening.


The cabinet opening must be at least 24 inches (61 cm) wide by 35 inches (88.9 cm) high by 25 inches (63.5 cm) deep.


Note: The listed depth requirement is assuming that the electrical outlet is located in the adjacent cabinetry or flush mounted in the rear wall, not surface mounted inside the enclosure.

If the electrical outlet is located inside adjacent cabinetry, cut a 1.5 inch (3.8 cm) diameter hole to admit the power cord. If the cabinet wall is metal, the hole edge must be covered with a bushing or grommet.

REQUIRED TOOLS

- Safety goggles Gloves
- Tape measure
- Carpenter square
- Level
- Flashlight
- Electric drill with hole bit





4

PV-85 (2) March 22, 2021



Microwave Ovens

Counterton

Countertop NN-ST681SC


Model Number		NN-ST681SC
Туре		Mid-size
Capacity		1.2 cu.ft.
Technology		Inverter [®]
Power	Microwave	1,200 W
	Grill	NA
	Grill Power Level	NA ·
	Convection	NA
Combination	Microwave + Grill	. NA
*	Power Level	NA
Design	Colour	Stainless Steel
	Dial / Button	-
	Door Release	Push Open
	Finish	Half Mirror
Control Panel	Panel Design	Touch pad
isplay	Туре	4 Digit
	Colour	Green
	Back Light	yes
ower Level + Other.	Power Level	10
	Delay Start	yes
	Clock	12 Hour
	Child Lock	yes
	Stage Cooking	3 Stage
enu	Sensor	yes

	Turbo Defrost	yes
	Popcom	ycs
¥	Keep Warm	yes (up to 30 minutes)
	Quick Min	yes (up to 10 minutes)
	Auto Reheat	Sensor Reheat
	# of Auto Cook Categories	12
Turntable Size	w.	340 mm
Accessory		Glass Tray
Trim Kit		NNTK621S
Power Source		120 V / 60 Hz
Power Consumption	Microwave	1,480 W
	Grill	NA .
	Combination	NA
Cooking Power	Microwave	1,200 W
	Grill	NA
Dimensions	Outside (W \times D \times H)	525 × 401 × 310 mm 20.7 x 15.8 x 12.3 inch
	Oven $(W \times D \times H)$	355 × 365 × 251 mm 13.9 x 14.4 x 9.9 inch
Weight	Net	11.5 kg
	Shipping .	13.0 kg
NOTE		Specifications are subject to change without notice.

Copyright @Panasonic Canada Inc.


VCIN36GWS 36-INCH CUSTOM INSERT PROFESSIONAL® SERIES











FEATURES & BENEFITS

- Revel in creative freedom with Professional® Series custom inserts that can blend in with cabinetry or make a bold
- *- Equipped with the Thermador Connected Experience by Home Connect™
 - Powerfully Quiet® system accepts integral, inline, and remote blowers
 - Beautiful illumination with multi-level, vivid LED lights
 - Features automatic mode, delay shut-off, and check filter

ACCESSORIES (OPTIONAL)

25 ft. Blower Connector Cable - EXTNCB25W

For use with the following inline and remote blowers: VTR630W, VTR1030W, VTR1330W, VTI610W, VTI1010W

Roofplates

RFPLT600P - For use with 600 CFM remote blower VTR630W


RFPLT1000P - For use with 1000 CFM remote blower VTR1030W and 1300 CFM blower VTR1330W

VCIN Trim Notes

NOTE: VCIN_GWS series custom insert models include hood trim pieces to complete the installation.

Remote Control Panel

REMCPW - Ability to vertically install on cabinetry or wall to control hood in a convenient location



GENERAL PROPERTIES

Multi-Level LED Lights with Fading Transitions, Automatic Mode, Check Filter Reminder Light, Delay Shut-Off

Operating Mode	Ducted
Maximum CFM	Blower Sold Separately
Number of Speed Settings	4-Stage
Number of Lights	2
Bulb Type	LED
Light Lumens	100 – 150
Light Color (°K)	3500 – 4000
Total Power of the Lamps (W)	2.4 W
Damper Included	Yes
Grease Filter Material	Washable Stainless Steel
Grease Filter Type	Stainless-Steel Commercial Style Baffle Filter
Home Connect™ (Wi-Fi Enabled)	Yes

Home Connect™ (Wi-Fi Enabled)	Yes
TECHNICAL DETAILS	
Watts (W)	See Chart on Page 3
Current (A)	See Chart on Page 3
Volts (V)	120 V
Frequency (Hz)	60 Hz
Plug Type	Fixed Connection
Power Cord / Conduit Length (in)	Direct Wire at Junction Box

	Junction Box
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in)	12 ¹³ / ₁₆ " x 33 ³ / ₄ " x 22"
Minimum Required Distance Above Gas / Electric Cooking Surface	30" Electric / 30" Gas
Diameter of Air Duct (in.) Top	10"
Net Weight (lbs)	54 lbs

ACCESSORIES (REQUIRED)

Blower (Sold Separately)


blower (30id Separately)			
BLOWER OPTIONS			
Remote Blowers	VTR630W - 600 CFM		
(Mounted to Roof or External Wall)	VTR1030W - 1000 CFM		
	VTR1330W - 1300 CFM		
Inline Blowers	VTI610W - 600 CFM		
(Mounted Between Kitchen and External Wall)	VTI1010W - 1000 CFM		
Integrated Blower (Mounted in Hood)	VTN630W - 600 CFM		
	VTN1090R - 1000 CFM		
WARRANTY			
Limited Warranty Parts and Labor	2 Year		

VCIN36GWS 36-INCH CUSTOM INSERT PROFESSIONAL® SERIES


Thermador.

HOOD DIMENSIONS

NOTE: VCIN Custom Insert models include hood trim pieces.



measurements in inches (mm)



VCIN36GWS 36-INCH CUSTOM INSERT PROFESSIONAL® SERIES





					E	ELECTRIC LOA	AD	regress agreement of the third agreement of the terminal of th	
MODEL	DESCRIPTION		VTN630W	VTN1090R	VTI610W	VTI1010W	VTR630W	VTR1030W	VTR1330W
VCIN36GWS	36" Custom Insert	Amps	4.0	7.4	5.9	7.8	5.9	7.8	11.3
		Watts	480	888	708	936	708	936	1,356

REMOTE BLOWERS (MOUNTED TO ROOF OR EXTERNAL WALL)


VTR630W-600 CFM

VTR1030W-1000 CFM






VTR1330W-1300 CFM



Page 3 of 5




VCIN36GWS 36-INCH CUSTOM INSERT PROFESSIONAL® SERIES

Thermador.**

INLINE BLOWERS (MOUNTED BETWEEN KITCHEN AND EXTERNAL WALL)

VTI610W-600 CFM



measurements in inches and mm


12" 121/8" (305 mm)_{7/8}" (22 mm) (308 mm) dia. 97/8" 191/8" (251 mm) (486 mm) .13/4" (44 mm) 12⁷/₈" (327 mm)₁₄3/₈"

measurements in inches and mm

(365 mm)


INTEGRATED BLOWERS (MOUNTED IN HOOD)

VTN630W-600 CFM



VTN1090R-1000 CFM

VTI1010W-1000 CFM




measurements in inches and mm

VCIN36GWS 36-INCH CUSTOM INSERT PROFESSIONAL® SERIES


Thermador.**

REMOTE BLOWER ACCESSORIES

ROOFPLATE-RFPLT600P



ROOFPLATE-RFPLT1000P



EXTNCB25W


For use with the following Inline and Remote Blowers: VTR630W, VTR1030W, VTR1330W, VTI610W, VTI1010W

OPTIONAL ACCESSORIES

REMOTE CONTROL PANEL REMCPW



Convenience at your fingertips: The remote control accessory offers the freedom to extend your hood controls to a more reachable spot




A: DBus Cable length: 30 feet (9180 mm) measurements in inches (mm)

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada.


Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2020 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.



600 CFM Integral Blower





	Accessory
Brand	Thermador
SKU	VTN630W
Internal article number	VTN630W
EAN code	825225934738
Product packaging dimensions (HxWxD) (in)	12 1/8" x 13
•	3/8" x 19 7/8"
	11
	13
UPC code	825225934738

Technical Specification

measurements in inches (mm)

Notes: Please refer to installation instructions. Installation instructions are available at www.thermador.com. Specifications are correct at the time of printing. Thermador reserves the right to change product specifications and design at any time, without notice.