

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5004-COR(A) - BEAUMONT A (Corner), Lot: 0001 4, Arbordale Drive, Vaughan, ONTARIO

Addendum 02/[02] | STRUCTURAL ORDER

STRUCTURAL EXTRA'S

General Control of the Control of th				
Category	Attribute	Opt. Quantity		
Floor Plan Layout Changes		1.00		
Opt. Description				
Optional Loggia With Cold	d Cellar			
Notes				

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5004-COR(A) - BEAUMONT A (Corner), Lot: 0001

4, Arbordale Drive, Vaughan, ONTARIO

Addendum 03/[03] | STRUCTURAL ORDER

S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE

Notes

STRUCTURAL EXT	KAS	
Powder Room		
Category	Attribute	Opt. Quantity
ELECTRICAL		2.00
Opt. Description		
S/I 4" E/S LED INTERIO	R POT LIGHT - EACH. WHITE	
Notes		
IN LIEU OF STD VANITY	LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATI	ON.
Principal Bedroom		
Category	Attribute	Opt. Quantity
ELECTRICAL		1.00
SWITCHES Ont Description		
Opt. Description	J	
S/I ADDITIONAL INTERI	OR SWITCH. SINGLE POLE	
Notes		
FOR POTLIGHTS		
ELECTRICAL		4.00
Opt. Description		
S/I 4" E/S LED INTERIO	R POT LIGHT - EACH. WHITE	
Notes		
IN ADDITION TO STD C	EILING LIGHT.	
Breakfast Room		
Category	Attribute	
Julogory	Allibute	Opt. Quantity
ELECTRICAL	Attribute	Opt. Quantity 4.00
	Attribute	
ELECTRICAL Opt. Description	R POT LIGHT - EACH. WHITE	
ELECTRICAL Opt. Description		
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIO		
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIO	R POT LIGHT - EACH. WHITE	
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C	R POT LIGHT - EACH. WHITE	4.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL	R POT LIGHT - EACH. WHITE	4.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description	R POT LIGHT - EACH. WHITE	4.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION.	4.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERIOR	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION.	4.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERI Notes FOR POTLIGHTS EXT, WINDOWS AND	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION.	4.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERI Notes FOR POTLIGHTS EXT, WINDOWS AND DOORS	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION.	1.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERI Notes FOR POTLIGHTS EXT, WINDOWS AND	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION.	1.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERI Notes FOR POTLIGHTS EXT, WINDOWS AND DOORS Opt. Description	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION.	1.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERI Notes FOR POTLIGHTS EXT, WINDOWS AND DOORS Opt. Description INCREASE EXSITING R	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION. OR SWITCH. SINGLE POLE	1.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERI Notes FOR POTLIGHTS EXT, WINDOWS AND DOORS Opt. Description INCREASE EXSITING R APPLICABLE. Notes	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION. OR SWITCH. SINGLE POLE	1.00
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERI Notes FOR POTLIGHTS EXT, WINDOWS AND DOORS Opt. Description INCREASE EXSITING R APPLICABLE. Notes Dining Room	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION. OR SWITCH. SINGLE POLE EAR GARDEN DOOR OR FRENCH GARDEN DOOR	1.00 1.00 HEIGHT TO APPROX. 96" - NO TRANSOM IF
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERI Notes FOR POTLIGHTS EXT, WINDOWS AND DOORS Opt. Description INCREASE EXSITING R APPLICABLE. Notes Dining Room Category	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION. OR SWITCH. SINGLE POLE	1.00 1.00 HEIGHT TO APPROX. 96" - NO TRANSOM IF Opt. Quantity
ELECTRICAL Opt. Description S/I 4" E/S LED INTERIOR Notes IN ADDITION TO STD C ELECTRICAL SWITCHES Opt. Description S/I ADDITIONAL INTERI Notes FOR POTLIGHTS EXT, WINDOWS AND DOORS Opt. Description INCREASE EXSITING R APPLICABLE. Notes Dining Room	R POT LIGHT - EACH. WHITE EILING LIGHT. SEE PLAN FOR LOCATION. OR SWITCH. SINGLE POLE EAR GARDEN DOOR OR FRENCH GARDEN DOOR	1.00 1.00 HEIGHT TO APPROX. 96" - NO TRANSOM IF

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5004-COR(A) - BEAUMONT A (Corner), Lot: 0001 4, Arbordale Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity
	CEILING LIGHT, SEE PLAN FOR LOCATION.	Opt. Quantity
ELECTRICAL	SELENT EIGHT. SEET EART SIX ESSAMON.	1.00
SWITCHES		1.00
Opt. Description		
S/I ADDITIONAL INTER	RIOR SWITCH. SINGLE POLE	
Notes		
FOR POTLIGHTS		
Dressing Room		
Category	Attribute	Opt. Quantity
ELECTRICAL Opt. Description		4.00
	DE DOT LIGHT - FACIL MUITE	
	DR POT LIGHT - EACH. WHITE	
Notes	LI CEILING LIGHT, SEE PLAN FOR LOCATION.	
ELECTRICAL	SELETIVE EIGHT. SEET EART SIX EGOATION.	1.00
SWITCHES		1.00
Opt. Description		
S/I ADDITIONAL INTER	RIOR SWITCH. SINGLE POLE	
Notes		
FOR POTLIGHTS		
Principal Ensuite		
Category	Attribute	Opt. Quantity
ELECTRICAL Opt. Description		1.00
	□ LIGHT: 4 INCH RECESSED POT LIGHT COMPLETE	
Notes	TIGHT: 4 INCH RECESSED FOT LIGHT COMPLETE	WITH SWITCH
	DUOMED LIGHT HOE CAME CAMEC	
	SHOWER LIGHT, USE SAME SWITCH.	
ELECTRICAL OUTLETS Opt. Description	5	1.00
Capped Ceiling Outlet		
Notes		
	── ITER ABOVE TUB. SAME SWITCH AS STD. SEE PLAN	N FOR LOCATION.
ELECTRICAL		4.00
Opt. Description		1.00
S/I 4" E/S LED INTERIO	DR POT LIGHT - EACH. WHITE	
Notes		
IN LIEU OF STD CEILIN	— NG LIGHT, USE STD SWITCH. SEE PLAN FOR LOCAT	ION.
ELECTRICAL		2.00
Opt. Description		
S/I 4" E/S I ED INTEDIO	OR POT LIGHT - EACH. WHITE	
O/17 L/O LLD INTERIC		
Notes Notes		
Notes	EU OF STD CEILING LIGHT, USE STD SWITCH.	
Notes WATER CLOSET: IN LIE FRAMING		1.00
Notes WATER CLOSET: IN LIE FRAMING Opt. Description	EU OF STD CEILING LIGHT, USE STD SWITCH.	
Notes WATER CLOSET: IN LIE FRAMING Opt. Description S/I RECESSED SHOWI		JARTZ ON 4 SIDES, STANDARD TILE, APPROX.
Notes WATER CLOSET: IN LIE FRAMING Opt. Description S/I RECESSED SHOWI	EU OF STD CEILING LIGHT, USE STD SWITCH. BER NICHE [SHAMPOO SHELF] - COMPLETE WITH QU	JARTZ ON 4 SIDES, STANDARD TILE, APPROX.

Category

ELECTRICAL OUTLETS

Opt. Description

Notes

S/I 110V WALL RECEPTACLE (NOT ON SEPARATE CIRCUIT)

LOCATE APPROX 66" AFF ABOVE FIREPLACE FOR FUTURE TV

DATE: 02/15/2023

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5004-COR(A) - BEAUMONT A (Corner), Lot: 0001

4, Arbordale Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity
FIXTURES		1.00
Opt. Description		1.00
Align 3-Function Rain Sh	J wr/Hand Shwr/S Bar - Bl	
Notes		
Notes	J	
FIXTURES		1.00
Opt. Description		
Align Free Standing Tub	Filler - BL	
Notes		
EN/THEO	- 	0.00
FIXTURES Opt. Description		2.00
	J	
Align 2-Handle Widespre	au Lav - BL T	
Notes		
Exterior		
Category	Attribute	Opt. Quantity
ELECTRICAL		1.00
Opt. Description		
Exterior Hanging Pendan	t Light	
Notes		
IN LIEU OF STD COACH	I LIGHT, USE STD SWITCH.	
NETWORK AND WIRING		1.00
Opt. Description		
S/I ROUGH - IN WIRING NOT INCLUDED)	: PACKAGE OFFERING FOR 5 CAMERAS + (1) DOO	R BELL (CAMERAS & DOOR BELL FIXTURES
Notes		
_		
Foyer	Attribute	Opt. Quantity
Category CEILINGS	Attribute	1.00
Opt. Description		1.00
S/I OPTIONAL ROUND (COFFERRED CEILING AS SHOWN IN MODEL HOME	PRICE PER ROOM
Notes		
	1	
Garage		
Category	Attribute	Opt. Quantity
ELECTRICAL OUTLETS Opt. Description		1.00
	J	
	PTACLE ON A SEPARATE CIRCUIT	
Notes	J	
FOR FUTURE CAR CHA	RGER	
Great Room		
Catagory	Attributo	Ont Quantity

Attribute

Opt. Quantity

1.00

Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5004-COR(A) - BEAUMONT A

(Corner), Lot: 0001 4, Arbordale Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity
NETWORK AND WIRING		1.00
Opt. Description		
CABLE LOCATION. SEE F	WALL MOUNT TV LOCATED APPROX. 66" A.F.F. AEPLAN FOR LOCATION.	BOVE FIREPLACE THROUGH BASEMENT TO
Notes		
Hall Main Floor		
Category	Attribute	Opt. Quantity
CEILINGS		1.00
Opt. Description		
S/LOPTIONAL ROUND CO	OFFERRED CEILING AS SHOWN IN MODEL HOME	I PRICE PER ROOM
	——————————————————————————————————————	TRIOL I LICTOON
Notes		
ELECTRICAL		5.00
Opt. Description		
S/I 4" F/S I FD INTERIOR	POT LIGHT - EACH. WHITE	
Notes Notes		
IN LIEU OF STD CEILING	LIGHT, USE STD SWITCH.	
ELECTRICAL		1.00
SWITCHES		
Opt. Description		
S/I HINGE SWITCH - EAC	H INCLUDES 1 LED POTLIGHT (DOOR ACTIVATED))
Notes		
Hall 2nd Level		
Category	Attribute	Opt. Quantity
CEILINGS		1.00
Opt. Description		
S/I OPTIONAL ROUND CO	OFFERRED CEILING AS SHOWN IN MODEL HOME	PRICE PER ROOM
Notes		
ELECTRICAL		6.00
Opt. Description		
S/I 4" E/S LED INTERIOR	POT LIGHT - EACH. WHITE	
Notes		
IN LIEU OF STD CEILING	LIGHT, USE STD SWITCH. SEE PLAN FOR LOCATION	ON.
	,	
INTERIOR DOORS AND	T	16.00
INTERIOR DOORS AND TRIM		16.00
		16.00
TRIM Opt. Description	OLIGHOLIT SECOND ELOOR IN LIEU OF STANDARI	
TRIM Opt. Description S/I 8FT HIGH DOOR THR	OUGHOUT SECOND FLOOR IN LIEU OF STANDARI	
TRIM Opt. Description	OUGHOUT SECOND FLOOR IN LIEU OF STANDARI	
TRIM Opt. Description S/I 8FT HIGH DOOR THR Notes	OUGHOUT SECOND FLOOR IN LIEU OF STANDARI	
TRIM Opt. Description S/I 8FT HIGH DOOR THR Notes Kitchen	OUGHOUT SECOND FLOOR IN LIEU OF STANDARI Attribute	
TRIM Opt. Description S/I 8FT HIGH DOOR THR Notes Kitchen Category		D HEIGHT DOOR. PRICE IS PER DOOR
TRIM Opt. Description S/I 8FT HIGH DOOR THR Notes Kitchen Category		D HEIGHT DOOR. PRICE IS PER DOOR Opt. Quantity
TRIM Opt. Description S/I 8FT HIGH DOOR THR Notes Kitchen Category CENTRAL HEATING, A/C Opt. Description		D HEIGHT DOOR. PRICE IS PER DOOR Opt. Quantity
TRIM Opt. Description S/I 8FT HIGH DOOR THR Notes Kitchen Category CENTRAL HEATING, A/C Opt. Description S/I KITCHEN - UPGRADE	Attribute	D HEIGHT DOOR. PRICE IS PER DOOR Opt. Quantity
TRIM Opt. Description S/I 8FT HIGH DOOR THR Notes Kitchen Category CENTRAL HEATING, A/C Opt. Description	Attribute	D HEIGHT DOOR. PRICE IS PER DOOR Opt. Quantity
TRIM Opt. Description S/I 8FT HIGH DOOR THR Notes Kitchen Category CENTRAL HEATING, A/C Opt. Description S/I KITCHEN - UPGRADE	Attribute	D HEIGHT DOOR. PRICE IS PER DOOR Opt. Quantity



Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5004-COR(A) - BEAUMONT A (Corner), Lot: 0001 4, Arbordale Drive, Vaughan, ONTARIO

Category Attribute	Opt. Quantity
S/I 110V WALL RECEPTACLE ON SEPARATE CIRCUIT	
Notes	
FUTURE FREEZER. SEE PLAN FOR LOCATION.	
ELECTRICAL OUTLETS	1.00
Opt. Description	
S/I 240V (50 AMP) RECEPTACLE ON A SEPARATE CIRCUIT	
Notes	
FOR WALL OVEN COMBO	
ELECTRICAL	2.00
Opt. Description	
S/I 4" E/S LED INTERIOR POT LIGHT - EACH. WHITE	
Notes	
IN ADDITION TO STD POTLIGHTS, USE SAME SWITCH. SEE PLAN FOR LO	DCATION.
ELECTRICAL Ont Proprietion	1.00
Opt. Description	1 TO DE LOCATED ON MAIN ELOCE III (1) TO DE LOCATED ON MAIN ELOCATED ON MA
BASE STND - 8 INCLUDED 4" WHITE E/S LED POT LIGHTS with (1) SWITCH ONLY.	H. TO BE LOCATED ON MAIN FLOOR IN (1) ROOM
Notes	
	1
ELECTRICAL Opt. Description	1.00
Kit/Serv Led Valance Fixture - 50/60" Series only	
Notes	
110.00	
ELECTRICAL OUTLETS	1.00
Opt. Description	
S/I 110V WALL RECEPTACLE (NOT ON SEPARATE CIRCUIT) Notes	
FOR GAS APPLIANCE	1
ELECTRICAL Opt. Description	1.00
RELOCATE KITCHEN APPLIANCE FROM STANDARD LOCATION - APPROX DRAWINGS	K. "NEW" LOCATION AS PER ATTACHED
Notes	
RELOCATE FRIDGE. SEE PLAN FOR LOCATION.	
ELECTRICAL	1.00
Opt. Description	
RELOCATE STANDARD CEILING MOUNT FIXTURE	
Notes	
RELOCATE TO APPROX CENTERED ABOVE ISLAND. SEE PLAN FOR LOC	ATION
GASLINE	1.00
Opt. Description	
GAS LINE ROUGH-IN - MAIN FLOOR FOR APPLIANCE	
Notes	
FOR GAS COOKTOP	
ELECTRICAL OUTLETS Out Description	1.00
Opt. Description	



Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5004-COR(A) - BEAUMONT A (Corner), Lot: 0001 4, Arbordale Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity		
	Attribute	Opt. Quantity		
Capped Ceiling Outlet				
Notes	J			
	FERED ABOVE ISLAND. USE SAME SWITCH AS	S STD.		
Laundry				
Category	Attribute	Opt. Quantity		
ELECTRICAL Opt. Description		3.00		
	R POT LIGHT - EACH. WHITE			
Notes	J			
IN LIEU OF STD CEILIN	G LIGHT, USE STD SWITCH. SEE PLAN FOR LO	OCATION.		
Library				
Category	Attribute	Opt. Quantity		
ELECTRICAL		4.00		
Opt. Description	J			
S/I 4" E/S LED INTERIO	R POT LIGHT - EACH. WHITE			
Notes	J			
IN LIEU OF STD CEILIN	G LIGHT, USE STD SWITCH. SEE PLAN FOR LO	OCATION.		
FRAMING		1.00		
Opt. Description				
S/I COFFERED CEILING	G (OPTIONAL PER ROOM)			
Notes				
WAFFLE CEILING Opt. Description		1.00		
	J	4.070007		
	M DETAIL AS PER PLAN (4 BOXES) OPTION #	1 CTRB07		
Notes	J			
Mud Room				
Category	Attribute	Opt. Quantity		
ELECTRICAL		1.00		
SWITCHES Opt. Description				
		(ATED)		
	.CH INCLUDES 1 LED POTLIGHT (DOOR ACTIV	/ATED)		
Notes	J			
Servery				
Category	Attribute	Opt. Quantity		
ELECTRICAL OUTLETS		1.00		
Opt. Description				
S/I 110V WALL RECEPT	ACLE ON SEPARATE CIRCUIT			
Notes				
FOR FUTURE WINE FR	DGE. SEE PLAN FOR LOCATION.			
ELECTRICAL		2.00		
Opt. Description		'		
S/I 4" E/S LED INTERIO	- R POT LIGHT - EACH. WHITE			
Notes				
IN LIEU OF STD CEILIN	- G LIGHT, USE STD SWITCH. SEE PLAN FOR LO	OCATION.		



Spec Lot Addendum(s)

Project: Pine Valley Forevergreen - Ph 2, Model: 5004-COR(A) - BEAUMONT A (Corner), Lot: 0001 4, Arbordale Drive, Vaughan, ONTARIO

Category	Attribute	Opt. Quantity
ELECTRICAL		3.00
Opt. Description		
6/I ROUGH-IN FOR WALL SONCLUDED.	CONCE - INCLUDED (1) CAPPED OUTLET- EAC	H FIXTURE NOT INCLUDED. SWITCH NOT
Notes		
LOCATE APPROX 74" AFF A	T STAIR LANDINGS. SEE PLAN FOR LOCATION	I.
ELECTRICAL	T STAIR LANDINGS. SEE PLAN FOR LOCATION	1.00
ELECTRICAL SWITCHES	T STAIR LANDINGS. SEE PLAN FOR LOCATION	
ELECTRICAL	T STAIR LANDINGS. SEE PLAN FOR LOCATION	
ELECTRICAL SWITCHES Opt. Description	T STAIR LANDINGS. SEE PLAN FOR LOCATION PERATED BY 2 DIFFERENT SWITCHES)	
ELECTRICAL SWITCHES Opt. Description		



The **Beaumont**

EAGLE'S RIDGE COLLECTION

Elevation A - 4,339 sq.ft.

4,492 sq.ft. Opt. Elevator

Plus 176 sq.ft. Fin. Basement Foyer Opt. Elevator Plan

Plus 172 sq.ft. Fin. Basement Foyer

Elevation B - 4,333 sq.ft. 4,486 sq.ft. Opt. Elevator


Plus 176 sq.ft. Fin. Basement Foyer Opt. Elevator Plan

Plus 172 sq.ft. Fin. Basement Foyer


Elevation C - 4,418 sq.ft.

4,571 sq.ft. Opt. Elevator

Plus 176 sq.ft. Fin. Basement Foyer Opt. Elevator Plan Plus 172 sq.ft. Fin. Basement Foyer



GROUND FLOOR | ELEV. A



GOLDPARK

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E.



The Beaumont

EAGLE'S RIDGE COLLECTION

Elevation A - 4,339 sq.ft.

4,492 sq.ft. Opt. Elevator

Plus 176 sq.ft. Fin. Basement Foyer Opt. Elevator Plan

Plus 172 sq.ft. Fin. Basement Foyer

Elevation B - 4,333 sq.ft.

4,486 sq.ft. Opt. Elevator

Plus 176 sq.ft. Fin. Basement Foyer Opt. Elevator Plan


Plus 172 sq.ft. Fin. Basement Foyer

Elevation C - 4,418 sq.ft.


4,571 sq.ft. Opt. Elevator

Plus 176 sq.ft. Fin. Basement Foyer Opt. Elevator Plan Plus 172 sq.ft. Fin. Basement Foyer





SECOND FLOOR | ELEV. A







The Beaumont

EAGLE'S RIDGE COLLECTION

Elevation A - 4,339 sq.ft.

4,492 sq.ft. Opt. Elevator

Plus 176 sq.ft. Fin. Basement Foyer Opt. Elevator Plan

Plus 172 sq.ft. Fin. Basement Fover

Elevation B - 4,333 sq.ft.

4,486 sq.ft. Opt. Elevator


Plus 176 sq.ft. Fin. Basement Foyer Opt. Elevator Plan

Plus 172 sq.ft. Fin. Basement Foyer


Elevation C - 4,418 sq.ft.

4,571 sq.ft. Opt. Elevator

Plus 176 sq.ft. Fin. Basement Foyer Opt. Elevator Plan Plus 172 sq.ft. Fin. Basement Foyer



BASEMENT | ELEV. A





Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E.



PLUMBING UPGRADES

ALIGN W Ceiling Mount: 226651 (12" Arm) Brushed Gold **Brushed Nickel** Chrome Matte Black Date: Feb 10, 2023 Lot: Location: Principal Ensuite Signature: Signature:

Shower with 3-Function Transfer Valve/Trim and Slide Bar with Hand Shower + 7" Rain Showerhead From Ceiling on 12" Arm (includes plumbing provision for ceiling mount shower

(includes plumbing provision for ceiling mount showerhead) Model T2192EP/UT4191/3887EP/226651/S176/U361CI/ 62320/A725





ALIGN



			Brushed Nickel Chrome Matte Black	□ □ ☑ x2
Date:	Teb 10, 2023	Lot:	Ol	
Location:	Principal Ensuite			
Signature:		Signa	ture:	

Brushed Gold





ALIGN



	Brushed Gold Brushed Nickel Chrome Matte Black	
Pate: Feb 10, 2023	Lot:	
ocation: Principal Ensuite		
ignature:	Signature:	