

000			RECEIVED
	CC	DNSTRUCTION SUMMARY DATE:	MAY 1 4 2019
	Mountainvi	ew Heights (G) - Russell Gardens Building Ltd.	
PURCHASERS: MADHVES			TEL: RES.: 905-781-7808
		and Associated Spic Williams	
LOT / PHASE	REG. PLAN # 62M-1238	HOUSE TYPE Highgrove 5E Elev 3A	
Block 202 TH 7 / 2	02NI-1238	Highgrove 3D Elev 3A	
CABINETRY			
The state of the s	PANTRY TO DIFFEREN	NT LOCATION - SHIFT FRIDGE OVER TO ACCOMODATE B	BUILT INS
08May19 Note:			080.3440.0440.4400.04004
SPECIFICATIONS AND VE	NT MAY NOT BE IN T	E - VENDOR WILL SUPPLY 6 INCH VENT AS PER CONSTR HE APPROPRIATE LOCATION FOR INSTALLATION OF PU R CLOSING (TEMP. FAN MA	UCTION RCHASER SUPPLIED
CABINETRY ACCESSO	RIES		
1 - KITCHEN CABINETRY	UPPER - ANGLED COF	RNER CABINET - FITS TALL UPPER CABINETS - PER UNIT	- STANDARD
08May19 Note:			
1 - KITCHEN CABINETRY	BASE - PIE CUT CORN	IER CABINET - BASE CABINETRY - STANDARD	
08May19 Note:			
A WITCHEN GARDIETRY	UDDED FULL DEPTH	ABOVE FRIDGE - WITH GABLES - 600MM - PRICE IS EAC	H STANDARD
08May19 Note:	UPPER - FULL DEPTH	ABOVE PRIDGE - WITH GABLES - 0000000 - PRICE IS EAC	H-STANDAND
1 - KITCHEN CABINETRY	BASE - COOKTOP CAI	BINET WITH POT DRAWERS (2 DRAWERS) - STANDARD	= 3/2" Contton
08May19 Note:		Hitoched	20 CW~0p
		SPECS to FOTION	
COLORANO MAN MAN	- BUILT-IN MICROWA	VE/OVEN COMBO - STANDARD	
08May19 Note:		specs to tollow	
CERAMIC TILE			
1 - TILE - UPGRADE 2 FLO	OR TILE SIDE ENT	RANCE	
08May19 Note:			
1 - TILE - UPGRADE 2 FLO	OR TILE POWDER	ROOM	
08May19 Note:			
1 - TILE - UPGRADE 2 FLO	OR TILE KITCHEN		
08May19 Note:			
1 - TILE - UPGRADE 2 FLO	OR TILE FOYER		
08May19 Note:			
	liine eesta aan aan aan aan aan aan aan aan aan a		
ELECTRICAL			
I - BUILT IN OVEN AND C	OOKTOP PROVISION	- PROVISION ONLY - ELECTRICAL ONLY	
08May19 Note:			
Control of the Contro			
FIREPLACE AND ACCE	ESSORIES		
		S ELECTRICAL OUTLET) - FIRST FLOOR	ľ
08May19 Note:	OK STOVE (INCLUDE:	SELECTRICAL OUTEEN)-TIRGITLEOOR	
Johnay 12 Troise.			
HARDWOOD FLOORIN	IC.		
		EC IN LIEU OF CTANDARDA LA DILATE	
DE DISTORTEDA SERVICIO DE PERMENDA DE LA COMPONICIONA DE COMPO	TO LEXINGTON SERI	ES IN LIEU OF STANDARD LAMINATE	
08May19 Note:			
		1.00	
MISCELLANEOUS	· · · · · · · · · · · · · · · · · · ·		
1 - FURTHER VENDOR DIS	SCOUNT		
08May19 Note:			
PLUMBING			
3 - VIEIRA 2 PC TOILET #4	1792BOV/4791BOVU (I	JNLINED TANK) WITH SMOOTH CLOSE TOILET SEAT	
08May19 Note:	AND ACTOR STATE OF THE STATE OF	ere en mener tren andare en	

	Mountainview H	STRUCTION SUMMARY Leights (G) - Russell Gardens Building I		01 7000
PURCHASERS: MADHVES	SH B PATEL and ARCHANA	BEN M PATEL	TEL: RES.: 905-7	51-7808
LOT/PHASE Block 202 TH 7/2	REG. PLAN # 62M-1238	HOUSE TYPE Highgrove 5E Elev 3A		
PROMOTIONAL				
1 - LESS BALANCE OF CRE 08May19 Note:	EDIT FROM PURCHASER E	XTRA SHEET IN OFFER		
STAIRS AND RAILINGS	1			
1 - STAINED HANDRAIL, T - PRICE IS PER SET 08May19 Note:	READS, RISERS AND STRI	NGER EXCLUDING PICKETS (FOR IRON PIC	KETS) - STANDARD STAIRCA	SE
1 - EUROLINE 1- BLACK IF	RON			
08May19 Note:				

This Document is Extremely Time Sensitive - Printed $\underline{8~May~19}$ at $\underline{12:02}$

elephone Res. / Bus:	MADHVESH B PATEL 8	& ARCHANABEN M PATE	Property: Block 20	2 TH 7	
otopitotto ttoott = ==:	Post of Post of Condens Political Ide			ding Ltd.	
Decor Advisor:	Natalie Mancuso Model and Elevation: Highgrove 5E Elev 3A				
ock Date:	8-May-19 Plan #: 62M-1238				
_ayout Changes: O Y	es No Sketch	Attached: ● Yes ○ No	Exterior Colou	r Scheme:	
1. Cabinetry	Style and Colour				Hardware
(itchen / Breakfast	MONACO W350XZ4				431SA
aundry Room	ELISSE				Standard
Powder Room	MODENA WHITE				431SA
Master Ensuite Bathroom	CONTINENTAL 814 DA	ARK CHOCOLATE			113SB
Main Bathroom	CONTIENTAL 823 DRII	FTWOOD OAK			113SB
	Vine distribution of the second of the secon				
appliances:	Built In Appliances	Yes No	S	Slide In Stove	Yes No
	○ Closed ● Ope	en 41" Upper Cabin	ets Yes No	Please NOTE: S	Standard Cabinet Height is 30
ishwasher Cabinet	O 010000			opening of approxim	nately 30" width
	36"	NOTE: If not specified, opening wi	ll be set to builder's standard o		
Stove Opening	36"				
Stove Opening Fridge Opening	36"	NOTE: If not specified, opening wi			
Stove Opening Fridge Opening * Refer to Construction	36"	NOTE: If not specified, opening wi			
Stove Opening Fridge Opening * Refer to Construction	36"	NOTE: If not specified, opening wi	ll be set to builder's standard o		
Stove Opening Fridge Opening * Refer to Construction 2. Counters	36" Summary Counter	NOTE: If not specified, opening wi			
Stove Opening ridge Opening * Refer to Construction 2. Counters Kitchen / Breakfast	36"	NOTE: If not specified, opening wi	ll be set to builder's standard o		
Stove Opening Fridge Opening * Refer to Construction 2. Counters Kitchen / Breakfast Laundry Room	Counter LAMINATE-CARRARA	NOTE: If not specified, opening with NOTE: If no	ll be set to builder's standard o		
Stove Opening Fridge Opening * Refer to Construction 2. Counters Kitchen / Breakfast Laundry Room Powder Room	Counter LAMINATE-CARRARA N/A LAMINATE-BRONZITI	NOTE: If not specified, opening with NOTE: If no	ll be set to builder's standard o		
Stove Opening ridge Opening * Refer to Construction 2. Counters Kitchen / Breakfast Laundry Room Powder Room Master Ensuite Bathroom	Counter LAMINATE-CARRARA N/A LAMINATE-BRONZITI	NOTE: If not specified, opening with NOTE: If no	ll be set to builder's standard o		
Stove Opening ridge Opening * Refer to Construction 2. Counters Kitchen / Breakfast Laundry Room Powder Room Master Ensuite Bathroom	Counter LAMINATE-CARRARA N/A LAMINATE-BRONZITI	NOTE: If not specified, opening with NOTE: If no	ll be set to builder's standard o		
Stove Opening Fridge Opening * Refer to Construction 2. Counters Kitchen / Breakfast Laundry Room Powder Room Master Ensuite Bathroom	Counter LAMINATE-CARRARA N/A LAMINATE-BRONZITI	NOTE: If not specified, opening with NOTE: If no	ll be set to builder's standard o		
Stove Opening Fridge Opening * Refer to Construction 2. Counters Kitchen / Breakfast Laundry Room Powder Room Master Ensuite Bathroom	Counter LAMINATE-CARRARA N/A LAMINATE-BRONZITI	NOTE: If not specified, opening with NOTE: If no	ll be set to builder's standard o		
Dishwasher Cabinet Stove Opening Fridge Opening ** Refer to Construction 2. Counters Kitchen / Breakfast Laundry Room Powder Room Master Ensuite Bathroom Main Bathroom	Counter LAMINATE-CARRARA N/A LAMINATE-BRONZITI	NOTE: If not specified, opening with NOTE: If no	ll be set to builder's standard o		

Initials:_____



INTERIOR COLOUR SCHEME

		HANABEN M PATEProperty:		
55	905) 781-7808 /	15.1		sell Gardens Building Ltd.
	Natalie Mancuso	Model and Elevation:		The responsibility of the second seco
ock Date: 8	8-May-19 8-	May-19	Plan	#: 62M-1238
. Ceramic Flooring			At a 45	Threshold-If App.
ntrance Vestibule	TILE- IND OXIDIZED METAL	Control of the Contro		Metal Strip Where Applic.
ain Hall	LAMINATE			
itchen / Breakfast	TILE- IND OXIDIZED METAL	12X24		
aundry Room	TILE- HABITAT SILVER GRE	Y 12X12		
owder Room	TILE- IND OXIDIZED METAL	12X24		
aster Ensuite Bathroom	TILE- RAINBOW LIGHT GRE	Y 13X13		
ain Bathroom	TILE- RAINBOW WHITE 13X	13		
IDE HALL/GRAGE ENTR	TILE- IND OXIDIZED METAL	12X24		
			1 H	
			H	
Refer to Construction Su	ummary			
	(525)			
Coronia Mall Til				
. Ceramic Wall Tile	Selection	De	scribe	
	Wall TILE- NATURALE NERO 8X1	11. Company		×
Tub [
Tub Deck	Skirt			
Shower	Stall TILE- NATURALE NERO 8X1	0		
Bathtub Enclosure V	Valls			
lain Bathroom	TILE- NATURALE NERO 8X1	0		
IDE HALL/GRAGE ENTR				
)- F		
Kitchen Backsplash				
Refer to Construction	Summary - STANDARD GR	OUT THROUGHOUT UNLES	S SP	ECIFIED
5. Plumbing Fixtures		Whirlpool		
II Bathrooms	White			○ Yes ● No
			200	
				nwasher Rough-In Yes No
			Wa	aterline for Fridge 🔘 Yes 🌑 No
Refer to Construction	Summary			
to constitution	- annuar y			
6. Trim Carpentry				
\$ 2	OL ACCIOUE			
iterior Doors	CLASSIQUE	III DAOEDO LED COLOUR		
terior Trim		" BASEBOARD - COLONIAL		200 - 100 -
oor Handles	As Per Construction Specif			
	dle As Per Construction Specif	ications		
Refer to Construction	Summary			
		(AP)	(AP)
		(k.)	/	
		Initials:		Page 2

INTERIOR COLOUR SCHEME

Purchasers:	MAI	DHVESH B PATEL	& ARCHANABEN M	PATE Property:	Block 20	2 TH 7
Telephone Res. / E	Bus: (90	5) 781-7808 /		Project:	Russell C	Sardens Building Ltd.
Decor Advisor:		alie Mancuso	Model	and Elevation:	Highgrov	e 5E Elev 3A
Lock Date:		ay-19	8-May-19		Plan #:	62M-1238
7. Other Floori		u, 10				2745-2007 - 58 P. C. Sales
Main Hall		LAMINATE-LEXINGTO	N - HAZELWOOD OAK T	L-21016-M		
Living Room		LAMINATE-LEXINGTO	N - HAZELWOOD OAK T	L-21016-M		
Dining Room		LAMINATE-LEXINGTO	N - HAZELWOOD OAK T			
Family Room		LAMINATE-LEXINGTON - HAZELWOOD OAK TL-21016-M				
Den / Library / Study						
Basement Landing(If A	applies)					
Lower Landing (If Appl	lies)	LAMINATE-LEXINGTO	N - HAZELWOOD OAK T	L-21016-M		
Upper Landing		LAMINATE-LEXINGTO	N - HAZELWOOD OAK T	L-21016-M		
Upper Hall		CARPET-BEAULIEU -	A4447 WEBSTER SDN -	VELVETY BISTRE	18925	
Master Bedroom		CARPET-BEAULIEU -	A4447 WEBSTER SDN -	VELVETY BISTRE	18925	
Bedroom #2		CARPET-BEAULIEU -	A4447 WEBSTER SDN -	VELVETY BISTRE	18925	
Bedroom #3		CARPET-BEAULIEU -	A4447 WEBSTER SDN -	VELVETY BISTRE	18925	
Bedroom #4		CARPET-BEAULIEU -	A4447 WEBSTER SDN -	VELVETY BISTRE	18925	
Bedroom #5			110			
Underpad	-	уре		Area		
	5	STANDARD UNDERPA	D	SECOND FLOOR	R	
8. Railings and Railing Type Picket Type Stringer / Riser Treads	AS PER (EUROLIN AS PER AS PER	CONSTRUCTION SF	SPECIFICATIO Co	olour BLAC blour TOR lour TOR	CK LYS- HAZE	ELWOOD OAK ELWOOD OAK
** Refer to Cons			Oloss I IIIsii		C S ()	
9. Wall Paint F	lat Finis	h				
Main & Upper Hall	State Hill St	WARM GREY	Master Be	edroom	22 14	/ARM GREY
Living Room		WARM GREY	Bedroom			/ARM GREY
-	-		Bedroom		-	/ARM GREY
Dining Room		WARM GREY			-	
Kitchen / Breakfas		WARM GREY	Bedroom		22 W	/ARM GREY
Family Room	-	WARM GREY	Bedroom			
Powder Room		WARM GREY	Master Er			/ARM GREY
Laundry Room	22	WARM GREY	Main Bath	room	22 W	/ARM GREY
Den/Library						
Trim Paint-Semi G	loss BIR	CH WHITE				
Smooth Ceilings F	irst Floo	r (Yes	No			
** Refer to Constru	iction Su	mmary				

Greenpark. INTERIOR COLOUR SCHEME MADHVESH B PATEL & ARCHANABEN M PATEProperty: Block 202 TH 7 Purchasers: Project: Russell Gardens Building Ltd. Telephone Res. / Bus: (905) 781-7808 / Model and Elevation: Highgrove 5E Elev 3A Natalie Mancuso Decor Advisor: 62M-1238 Plan #: 8-May-19 8-May-19 Lock Date: 10. Plaster Mouldings and Medallions Kitchen/Breakfast **Entrance Vestibule** Den/Library Main Hall Lower Landing Living Room **Dining Room** Family Room ** Refer to Construction Summary 11. Fireplace Other Room - Specify Family Room Living Room As Per Plan N/A Purchased Purchased As Per Plan N/A Purchased As Per Plan N/A Fireplace Type Mantle Type Colour / Stain Surround Hearth ** Refer to Construction Summary 12. Heating and Air Conditioning Gas Provisions Stove YES Air Conditioning NO Gas Provisions Barbecue NO Gas Provisions Dryer NO Comment ** Refer to Construction Summary 13. Electrical White **DECOR** Above Kitchen Cabinet Light Yes No Plugs and Switches Below Kitchen Cabinet Light () Yes (No **Hood Fan** STANDARD WHITE **Built in Oven Gas Stove** Microwave **Built in Cooktop Appliances** Yes Yes No Yes O No Yes O No () No Yes Dishwasher Rough-in ** Refer to Construction Summary 14. General Comments

Disclaimers and Notes

** Refer to Construction Summary

- Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- The Purchaser agrees that this colour selection is final and that no changes will be permitted, unless required by the Vendor.
- 4) The Purchaser acknowledges reading and accepting document which contains other miscellaneous disclaimers.

Signature: V. TS. TEX

ite: Signature:

Date: Mc

Page 4 of 4

NQ70M7770DS

30" Microwave Combination Wall Oven

SAMSUNG

Blk 202777 Russell Gardens



Signature Features

Steam Cook (Oven)

• Delivers moisture at precise times for a crisp, browned outside and tender inside.

Speed Cook (Microwave)

• Cook food faster and more evenly by using power convection.

Flex Duo™ (Oven)

• Cook two dishes at different temperatures simultaneously with the Smart Divider.

Available Colors



Stainless Steel (shown)



Black Stainless Steel



Steam Cook



Flex Duo™

Features

- · Digital-Analog Controls
- 1.9/5.1 cu. ft. Capacity
- Hybrid Clean and Self-Clean (Oven)
- · Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven)
- LED Spotlights (Oven)
- Easy View Window
- 3 Heavy-Duty Racks including a Gliding Rack (Oven)
- Soft-Close Door (Oven)

- Ceramic Plate (Microwave)
- · Rapid Preheat (Oven)
- Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast
- Blue LED Illuminated Knobs
- Broil Element
- Smart Control Key (Oven)
- 6 Rack Positions (Oven)
- Drop-Down Door Design
- LCD Display

Convenience

- Hidden Heating Element (Oven)
- Sabbath Mode (Oven)
- Delay Start (Oven)
- Proofing (Oven)
- Warming Mode (Oven)
- Kitchen Timer
- Child Safety Lock
- Convection Conversion

NQ70M7770DS


SAMSUNG

30" Microwave Combination Wall Oven


Cabinet Dimensions

Combination Oven Installed in Cabinet

* Junction Box



Product Dimensions



Total Capacity: 1.9/5.1 cu. ft.

• Microwave: 1.9 cu. ft.

• Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.

Hidden Bake ElementBake: 175°F-550°F

Convection Bake: 175°F–550°F
Convection Roast: 175°F–550°F

• Broil: Low-High

Steam Bake: 230°F-550°FSteam Roast: 230°F-550°F

ProofingSabbath Mode

Warranty

One (1) Year All Parts and Labor Ten (10) Years Parts Warranty for Magnetron

Product Dimensions & Weight (WxHxD)

Outside (Max) Combination Oven Dimensions: $29^{7}/_{8}$ " x $43^{1}/_{4}$ " x $25^{11}/_{16}$ "

Combination Oven Cut-Out Dimensions: $28^{1}/_{2}$ " x $42^{1}/_{4}$ " x $23^{1}/_{2}$ "

Weight: 262.4 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 33⁵/₈" x 48³/₁₆" x 29⁵¹/₆₄"

Weight: 291.1 lbs.

Color	Model #	UPC Code
Stainless Steel	NQ70M7770DS	887276195186
Black Stainless Steel	NQ70M7770DG	887276195162

RATIN	G
240V	9.5 kW
208V	7.2 kW
BREAK	ER SIZE
240V	40 Amps
208V	40 Amps

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

22018 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co. Ltd.

NK36K7000WS/A2

36" Range Hood



Signature Features

Bluetooth® Connected Hood

• Automatically sync the fans and the lights with the cooktop through Bluetooth.

'Only on select Samsung cooktops

Baffle Filter

• Dishwasher-safe metal filters help keep the air clean by drawing grease and odor through the hood.

Powerful 390 CFM² Ventilation

• Circulates air to remove odors quickly. ²600 CFM capable.

Available Colors



Stainless Steel (shown)



Black Stainless Steel



Baffle Filter



Features

- Wi-Fi Monitoring
- ADA Compliant
- 4 Fan Speeds, Including Booster
- Wall-Mounted Chimney Style
- Digital Touch Control
- Exterior Venting & Recirculating Capablilities
- 74 dBA (10.8 sonnes) Noise Level
- Optional Recirculating Kit Available
- Optional Extension Kit Available

Convenience


LED Lighting

NK36K7000WS/A2

SAMSUNG


36" Range Hood

Venting Methods



Dimensions and Clearance

- *For Vented Installation
 **For Non-Vented Recirculating Installation



Total Power

220W

Power Source

120V / 60 Hz / 15A

Range Hood

- 36" Stainless Steel Chimney HoodVent Fan: 390 CFM (600 CFM Optional)
- Front-Centered, Touch Control
- 4 Fan Speeds: 3 Step, 1 Booster
- 74 dBA (10.8 sonnes) Noise Level
- Hood Connectivity Control
- Bluetooth® On/Off Control
- · Mobile Monitoring: Fan Speed, Lighting On/Off, Power Control
- Removable Baffle Filter
- LED Lighting

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Hood Dimensions: 36" x 257/16" x 1911/16"

Weight: 48.5 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions:

 $40^{3}/_{16}$ " x $26^{1}/_{2}$ " x $18^{1}/_{16}$ "

Weight: 60.4 lbs

Color

Model#

UPC Code

Stainless Steel

NK36K7000WS/A2 887276245287

Black Stainless Steel NK36K7000WG/A2 887276245270

Hood Extension Kit (Optional)

NK-AE705PWS

NK-AE705PWG

Recirculation Kit (Optional)

NK-AF030FNB


Charcoal Filter

NK-AR050FNB

NA36N7755TS

SAMSUNG

36" Gas Cooktop



Signature Features

22K True Dual-Power Burner

• Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

Analog Controls with Digital Wi-Fi and Bluetooth® Technology

• The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

Cast Iron Griddle

• Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

Available Colors



Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

Features

- Bluetooth® Connected to Hood
- Blue LED Lights
- Wi-Fi Connectivity
- Powerful Cooktop
 Right Front: 13K BTU
 - Left Front: 9.5K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: True Dual, 22K BTU (Brass)
- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On/Off Monitoring
- ADA Compliant

Convenience

- Wok Grate
- LP Conversion Kit




SAMSUNG


NA36N7755TS


36" Gas Cooktop

Installation Requirements

Countertop cut-out and minimum clearance dimensions:







Total Power (BTU)

Power Source

120V / 60 Hz / 1A

Gas Cooktop (BTU)

- Right Front: 13K
- Left Front: 9.5K
- Right Rear: 5K Simmer
- Left Rear: 9.5K
- Center: 22K (True Dual)

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Cooktop Dimensions:

36" x 5⁴¹/₇₂" x 22¹/₃"

Cooktop Cut-Out Dimensions:

 $33^{7}/_{8}$ " x $3^{1}/_{8}$ " x $19^{1}/_{8}$ "

Weight: 87.7 lbs. (88.4 lbs. Fingerprint Resistant

Black Stainless Steel)

Shipping Dimensions & Weight (WxHxD)


Dimensions: $40^9/_{16}$ " x $10^5/_8$ " x $25^5/_8$ " Weight: 95.9 lbs. (97.2 lbs. Fingerprint Resistant

Black Stainless Steel)


Model# **UPC Code** Color Stainless Steel NA36N7755TS 887276281766 Fingerprint Resistant


Black Stainless Steel NA36N7755TG 887276281759

Installing Over a Single Oven



Cooktop Dimensions





HIGHGROVE 5E 2,264 SQ.FT.



AVAILABLE IN BLOCK: 210, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 218, 218, 218, 218



