


Products				
PlotID	Length	Product	Plies	Net Qty
J1	16-00-00	9 1/2" NI-40x	1	26
J2	14-00-00	9 1/2" NI-40x	1	21
J2DJ	14-00-00	9 1/2" NI-40x	2	4
J3	12-00-00	9 1/2" NI-40x	1	6
J4	10-00-00	9 1/2" NI-40x	1	1
J5	6-00-00	9 1/2" NI-40x	1	3
J6	4-00-00	9 1/2" NI-40x	1	5
J7	2-00-00	9 1/2" NI-40x	1	4
J8	18-00-00	9 1/2" NI-80	1	8
B4	16-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B5 DR	14-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B2	6-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B3	6-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2

Connector Summary		
Qty	Manuf	Product
3	H1	IUS2.56/9.5
12	H1	IUS2.56/9.5
2	H1	IUS2.56/9.5
6	H1	IUS2.56/9.5
8	H2	IUS3.56/9.5



FROM PLAN DATED: OCT 2017

BUILDER: GREENPARK

SITE: SECONDO VALES ESTATES

MODEL: GLENWAY 12A

ELEVATION: 1

LOT:

CITY: EAST GWILLIMBURY

SALESMAN: M D

DESIGNER: CF

REVISION: lbv

NOTES:

REFER TO THE **NORDIC INSTALLATION** GUIDE FOR PROPER STORAGE AND INSTALLATION.

SQUASH BLOCKS OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING **CANT' OVER BRICK** REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR **HOLES** INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7, TABLES 1 & 2. **CERAMIC TILE** APPLICATION AS PER O.B.C 9.30.6.

LOADING:

DESIGN LOADS: L/480.000

LIVE LOAD: 40.0 lb/ft²


DEAD LOAD: 15.0 lb/ft²

TILED AREAS: 20 lb/ft

SUBFLOOR: 3/4" GLUED AND NAILED

DATE: 2017-11-30

1st FLOOR



FROM PLAN DATED: OCT 2017

BUILDER: GREENPARK

SITE: SECONDO VALES ESTATES

MODEL: GLENWAY 12A

ELEVATION: 1

LOT:

CITY: EAST GWILLIMBURY

SALESMAN: M D

DESIGNER: CF


REVISION: lbv

NOTES:
REFER TO THE NORDIC **INSTALLATION GUIDE** FOR PROPER STORAGE AND INSTALLATION. **SQUASH BLOCKS** OF 2x4, 2x6, 2x8 #2 S.P.F. REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING **CANT' OVER BRICK** REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURE 7 TABLES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR **HOLES** INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7 TABLES 1 & 2 OF THE INSTALLATION GUIDE. **CERAMIC TILE** APPLICATION AS PER O.B.C. 9.30.6

LOADING:
DESIGN LOADS: L/480.000
LIVE LOAD: 40.0 lb/ft²
DEAD LOAD: 15.0 lb/ft²
TILED AREAS: 20 lb/ft²
SUBFLOOR: 5/8" GLUED AND NAILED


DATE: 2017-11-30

2nd FLOOR



Products				
PlotID	Length	Product	Plies	Net Qty
J1	16-00-00	9 1/2" NI-40x	1	39
J2	14-00-00	9 1/2" NI-40x	1	32
J3	6-00-00	9 1/2" NI-40x	1	12
J4	4-00-00	9 1/2" NI-40x	1	19
B7	18-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	3	3
B21 DR	16-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B8	16-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	3	3
B12	16-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	4	4
B6	14-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	3	3
B17 DR	12-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B18 DR	12-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B20 DR	12-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B9	10-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B16 DR	10-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	3	3
B10	6-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B11	6-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B15	6-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B13	4-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B14	4-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2

Connector Summary		
Qty	Manuf	Product
10	H1	IUS2.56/9.5
2	H1	IUS2.56/9.5
32	H1	IUS2.56/9.5
1	H3	HUS1.81/10
1	H3	HUS1.81/10
1	H3	HUS1.81/10
1	H5	HGUS5.50/10
1	H5	HGUS5.50/10



FROM PLAN DATED: OCT 2017

BUILDER: GREENPARK

SITE: SECONDO VALES ESTATES

MODEL: GLENWAY 12A

ELEVATION: 2

LOT:

CITY: EAST GWILLIMBURY

SALESMAN: M D

DESIGNER: CF

REVISION: lbv

NOTES:

REFER TO THE **NORDIC INSTALLATION GUIDE** FOR PROPER STORAGE AND INSTALLATION.

SQUASH BLOCKS OF 2x4, 2x6, 2x8 #2 S.P.F REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING **CANT' OVER BRICK** REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR **HOLES** INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7, TABLES 1 & 2. **CERAMIC TILE** APPLICATION AS PER O.B.C 9.30.6.

LOADING:

DESIGN LOADS: L/480.000

LIVE LOAD: 40.0 lb/ft²


DEAD LOAD: 15.0 lb/ft²

TILED AREAS: 20 lb/ft

SUBFLOOR: 3/4" GLUED AND NAILED


DATE: 2017-11-30

1st FLOOR



Products				
PlotID	Length	Product	Plies	Net Qty
J1	16-00-00	9 1/2" NI-40x	1	32
J2	14-00-00	9 1/2" NI-40x	1	22
J2DJ	14-00-00	9 1/2" NI-40x	2	4
J3	12-00-00	9 1/2" NI-40x	1	6
J4	6-00-00	9 1/2" NI-40x	1	3
J5	4-00-00	9 1/2" NI-40x	1	5
J6	2-00-00	9 1/2" NI-40x	1	4
B4	16-00-00	1-3/4" x 9-1/2" VERSA-LAM@ 2.0 3100 SP	2	2
B5 DR	14-00-00	1-3/4" x 9-1/2" VERSA-LAM@ 2.0 3100 SP	2	2
B2	6-00-00	1-3/4" x 9-1/2" VERSA-LAM@ 2.0 3100 SP	1	1
B3	6-00-00	1-3/4" x 9-1/2" VERSA-LAM@ 2.0 3100 SP	2	2

Connector Summary		
Qty	Manuf	Product
3	H1	IUS2.56/9.5
18	H1	IUS2.56/9.5
2	H1	IUS2.56/9.5
6	H1	IUS2.56/9.5



FROM PLAN DATED: OCT 2017

BUILDER: GREENPARK

SITE: SECONDO VALES ESTATES

MODEL: GLENWAY 12A

ELEVATION: 2

LOT:

CITY: EAST GWILLIMBURY

SALESMAN: M D

DESIGNER: CF

REVISION: lbv


NOTES:
REFER TO THE NORDIC **INSTALLATION GUIDE** FOR PROPER STORAGE AND INSTALLATION. **SQUASH BLOCKS** OF 2x4, 2x6, 2x8 #2 S.P.F. REQ'D UNDER INTERIOR UNIFORM LOAD BEARING WALLS. **MULTIPLE SQUASH BLOCKS** REQ'D UNDER CONCENTRATED LOADS. SEE FIGURE 1. **CANTILEVERED JOISTS** INCLUDING **CANT' OVER BRICK** REQ. I-JOIST BLOCKING ALONG BEARING AND RIMBOARD CLOSURE AT ENDS. SEE FIGURE 7 TABLES 4 & 5 FOR REINFORCEMENT REQUIREMENTS. FOR **HOLES** INCLUDING **DUCT CHASE** AND **FIELD CUT OPENINGS** SEE FIGURE 7 TABLES 1 & 2 OF THE INSTALLATION GUIDE. **CERAMIC TILE** APPLICATION AS PER O.B.C. 9.30.6

LOADING:
DESIGN LOADS: L/480.000
LIVE LOAD: 40.0 lb/ft²
DEAD LOAD: 15.0 lb/ft²
TILED AREAS: 20 lb/ft

SUBFLOOR: 5/8" GLUED AND NAILED

DATE: 2017-10-25

2nd FLOOR



Products				
PlotID	Length	Product	Plies	Net Qty
J1	16-00-00	9 1/2" NI-40x	1	39
J2	14-00-00	9 1/2" NI-40x	1	32
J3	6-00-00	9 1/2" NI-40x	1	12
J4	4-00-00	9 1/2" NI-40x	1	19
B7	18-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	3	3
B21 DR	16-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B8	16-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	3	3
B12	16-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	4	4
B6	14-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	3	3
B17 DR	12-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B18 DR	12-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B20 DR	12-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B9	10-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B25 DR	8-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	3	3
B10	6-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B11	6-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B15	6-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B13	4-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B14	4-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2

Connector Summary		
Qty	Manuf	Product
10	H1	IUS2.56/9.5
2	H1	IUS2.56/9.5
32	H1	IUS2.56/9.5
1	H3	HUS1.81/10
1	H3	HUS1.81/10
1	H3	HUS1.81/10
1	H5	HGUS5.50/10
1	H5	HGUS5.50/10

NORDIC STRUCTURES

COMPANY
TAMARACK LUMBER
BURLINGTON
Oct. 25, 2017 09:15

PROJECT
J1 GRD FLR


Design Check Calculation Sheet

Nordic Sizer – Canada 6.4

Loads:

Load	Type	Distribution	Pat-tern	Location [ft] Start End	Magnitude Start End	Unit
Load1	Dead	Full Area			20.00	psf
Load2	Live	Full Area			40.00	psf

Maximum Reactions (lbs), Bearing Resistances (lbs) and Bearing Lengths (in) :



Unfactored:			
Dead	199		198
Live	398		395
Factored:			
Total	845		839
Bearing:			
Resistance			
Joist	1876		1865
Support	-		3971
Des ratio			
Joist	0.45		0.45
Support	-		0.21
Load case	#2		#2
Length	3		2-3/8
Min req'd	1-3/4		1-3/4
Stiffener	No		No
Kd	1.00		1.00
KB support	-		1.00
fcp sup	-		769
Kzcp sup	-		1.09

*Minimum bearing length for joists is 2" for exterior supports

Nordic 9-1/2" NI-40x Floor joist @ 16" o.c.

Supports: 1 - Steel Beam, W; 2 - Lumber Sill plate, No.1/No.2;

Total length: 14'-10.4"; 3/4" nailed and glued OSB sheathing

This section **PASSES** the design code check.

Limit States Design using CSA O86-14 and Vibration Criterion:

Criterion	Analysis Value	Design Value	Unit	Analysis/Design
Shear	Vf = 825	Vr = 1895	lbs	Vf/Vr = 0.44
Moment (+)	Mf = 3005	Mr = 4824	lbs-ft	Mf/Mr = 0.62
Perm. Defl'n	0.11 = <L/999	0.49 = L/360	in	0.23
Live Defl'n	0.22 = L/782	0.36 = L/480	in	0.61
Total Defl'n	0.33 = L/521	0.73 = L/240	in	0.46
Bare Defl'n	0.28 = L/635	0.49 = L/360	in	0.57
Vibration	Lmax = 14'-7	Lv = 16'-2	ft	
Defl'n	= 0.033	= 0.045	in	0.72



NO. TAM 60285-17
STRUCTURAL
COMPONENT ONLY

Additional Data:

FACTORS:	f/E	KD	KH	KZ	KL	KT	KS	KN	LC#
Vr	1895	1.00	1.00	-	-	-	-	-	#2
Mr+	4824	1.00	1.00	-	1.000	-	-	-	#2
EI	218.1 million	-	-	-	-	-	-	-	#2

CRITICAL LOAD COMBINATIONS:

Shear : LC #2 = 1.25D + 1.5L

Moment(+) : LC #2 = 1.25D + 1.5L

Deflection: LC #1 = 1.0D (permanent)

LC #2 = 1.0D + 1.0L (live)

LC #2 = 1.0D + 1.0L (total)

LC #2 = 1.0D + 1.0L (bare joist)

Bearing : Support 1 - LC #2 = 1.25D + 1.5L

Support 2 - LC #2 = 1.25D + 1.5L

Load Types: D=dead W=wind S=snow H=earth,groundwater E=earthquake
L=live(use,occupancy) Ls=live(storage,equipment) f=fire

Load Patterns: s=S/2 L=L+Ls _=no pattern load in this span

All Load Combinations (LCs) are listed in the Analysis output

CALCULATIONS:Deflection: E_{IEff} = 276e06 lb-in² K= 4.94e06 lbs

"Live" deflection = Deflection from all non-dead loads (live, wind, snow...)

Design Notes:**CONFORMS TO OBC 2012**

1. WoodWorks analysis and design are in accordance with the 2010 National Building Code of Canada (NBC Part 4) and the CSA O86-14 Engineering Design in Wood standard (May 2014 edition).
2. Please verify that the default deflection limits are appropriate for your application.
3. Refer to technical documentation for installation guidelines and construction details.
4. Nordic I-joists are listed in CCMC evaluation report 13032-R.
5. Joists shall be laterally supported at supports and continuously along the compression edge.
6. The design assumptions and specifications have been provided by the client. Any damages resulting from faulty or incorrect information, specifications, and/or designs furnished, and the correctness or accuracy of this information is their responsibility. This analysis does not constitute a record of the structural integrity of the building nor suitability of the design assumptions made. Nordic Structures is responsible only for the structural adequacy of this component based on the design criteria and loadings shown.



DWG NO. TAM 6025-17
STRUCTURAL
COMPONENT ONLY

NORDIC STRUCTURES

COMPANY
TAMARACK LUMBER
BURLINGTON
Nov. 30, 2017 12:03

PROJECT
J8 GRD FLR


Design Check Calculation Sheet

Nordic Sizer – Canada 6.4

Loads:

Load	Type	Distribution	Pat- tern	Location [ft] Start End	Magnitude Start End	Unit
Load1	Dead	Full Area			20.00	psf
Load2	Live	Full Area			40.00	psf

Maximum Reactions (lbs), Bearing Resistances (lbs) and Bearing Lengths (in) :




Unfactored:			
Dead	176		175
Live	351		350
Factored:			
Total	747		744
Bearing:			
Resistance			
Joist	1893		1893
Support	5112		-
Des ratio			
Joist	0.39		0.39
Support	0.15		-
Load case	#2		#2
Length	2-3/8		2*
Min req'd	1-3/4		1-3/4
Stiffener	No		No
Kd	1.00		1.00
KB support	1.00		-
fcp sup	769		-
Kzcp sup	1.00		-

*Minimum bearing length for joists is 2" for exterior supports

Nordic Joist 9-1/2" NI-80 Floor joist @ 12" o.c.
Supports: 1 - Lumber Sill plate, No.1/No.2; 2 - Hanger;
Total length: 17'-6.5"; 3/4" nailed and glued OSB sheathing
This section PASSES the design code check.

Limit States Design using CSA O86-14 and Vibration Criterion:

Criterion	Analysis Value	Design Value	Unit	Analysis/Design
Shear	Vf = 736	Vr = 1895	lbs	Vf/Vr = 0.39
Moment (+)	Mf = 3189	Mr = 8958	lbs-ft	Mf/Mr = 0.36
Perm. Defl'n	0.12 = <L/999	0.58 = L/360	in	0.21
Live Defl'n	0.25 = L/847	0.43 = L/480	in	0.57
Total Defl'n	0.37 = L/565	0.87 = L/240	in	0.42
Bare Defl'n	0.28 = L/744	0.58 = L/360	in	0.48
Vibration	Lmax = 17'-4	Lv = 18'-5	ft	
Defl'n	= 0.030	= 0.036	in	0.84



NO. TAM 1000-17
STRUCTURAL
COMPONENT ONLY

Additional Data:

FACTORS:	f/E	KD	KH	KZ	KL	KT	KS	KN	LC#
Vr	1895	1.00	1.00	-	-	-	-	-	#2
Mr+	8958	1.00	1.00	-	1.000	-	-	-	#2
EI	324.1 million	-	-	-	-	-	-	-	#2

CRITICAL LOAD COMBINATIONS:

Shear : LC #2 = 1.25D + 1.5L

Moment(+) : LC #2 = 1.25D + 1.5L

Deflection: LC #1 = 1.0D (permanent)

LC #2 = 1.0D + 1.0L (live)

LC #2 = 1.0D + 1.0L (total)

LC #2 = 1.0D + 1.0L (bare joist)

Bearing : Support 1 - LC #2 = 1.25D + 1.5L

Support 2 - LC #2 = 1.25D + 1.5L

Load Types: D=dead W=wind S=snow H=earth,groundwater E=earthquake

L=live(use,occupancy) Ls=live(storage,equipment) f=fire

Load Patterns: s=S/2 L=L+Ls _=no pattern load in this span

All Load Combinations (LCs) are listed in the Analysis output

CALCULATIONS:Deflection: E_{eff} = 375e06 lb-in² K= 4.94e06 lbs

"Live" deflection = Deflection from all non-dead loads (live, wind, snow...)

Design Notes:**CONFORMS TO OBC 2012**

1. WoodWorks analysis and design are in accordance with the 2010 National Building Code of Canada (NBC Part 4) and the CSA O86-14 Engineering Design in Wood standard (May 2014 edition).

2. Please verify that the default deflection limits are appropriate for your application.

3. Refer to technical documentation for installation guidelines and construction details.

4. Nordic I-joists are listed in CCMC evaluation report 13032-R.

5. Joists shall be laterally supported at supports and continuously along the compression edge.

6. The design assumptions and specifications have been provided by the client. Any damages resulting from faulty or incorrect information, specifications, and/or designs furnished, and the correctness or accuracy of this information is their responsibility. This analysis does not constitute a record of the structural integrity of the building nor suitability of the design assumptions made. Nordic Structures is responsible only for the structural adequacy of this component based on the design criteria and loadings shown.



DWG NO. TAM 6020617
STRUCTURAL
COMPONENT ONLY



Boise Cascade

Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP Basement\Flush Beams\B3(i2513)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

November 30, 2017 12:00:53

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\Basement\Flush Beams\B3(i2513)

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 04-07-14

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 5-1/4"	522 / 0	219 / 0		
B1, 3-3/4"	923 / 0	369 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	FC1 Floor Material	Unf. Lin. (lb/ft)	L	00-02-10	04-07-14	6	2			n/a
1	FC1 Floor Material	Unf. Lin. (lb/ft)	L	00-02-10	01-06-02	38	14			n/a
2	Smoothed Load	Unf. Lin. (lb/ft)	L	02-00-02	04-07-14	401	151			n/a
3	J1(i2518)	Conc. Pt. (lbs)	L	01-06-02	01-06-02	308	115			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	1,425 ft-lbs	25,408 ft-lbs	5.6%	1	02-06-02
End Shear	1,122 lbs	11,571 lbs	9.7%	1	03-06-10
Total Load Defl.	L/999 (0.006")	n/a	n/a	4	02-04-10
Live Load Defl.	L/999 (0.004")	n/a	n/a	5	02-04-10
Max Defl.	0.006"	n/a	n/a	4	02-04-10
Span / Depth	5.1	n/a	n/a		00-00-00

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Beam	5-1/4" x 3-1/2"	1,057 lbs	10.8%	4.7%	Unspecified
B1 Wall/Plate	3-3/4" x 3-1/2"	1,846 lbs	26.3%	11.5%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

CONFORMS TO NBC 2012

DWG NO. TAM 65287-17
STRUCTURAL
 COMPONENT ONLY



Boise Cascade

Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP Basement\Flush Beams\B3(i2513)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

November 30, 2017 12:00:53

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\Basement\Flush Beams\B3(i251

Specifier:

Designer: CF

Company:

Msc:

Connection Diagram

a minimum = 2" c = 2-3/4"
 b minimum = 3" d = 6"

Calculated Side Load = 579.3 lb/ft

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Connectors are: 16d Nails

3 1/2" ARDQX SPIRAL**Disclosure**

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60207-17

STRUCTURAL
COMPONENT ONLY



Single 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP Basement\Flush Beams\B2(i2457)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:31

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\Basement\Flush Beams\B2(i2457)

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 04-09-10

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 5-1/4"	1,283 / 0	544 / 0		
B1, 5-1/2"	1,101 / 2	550 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	FC 1 Floor Material	Unf. Lin. (lb/ft)	L	00-00-00	04-09-10	20	7			n/a
1	10(i230)	Conc. Pt. (lbs)	L	00-02-13	00-02-13	659	299			n/a
2	J1(i2484)	Conc. Pt. (lbs)	L	01-01-02	01-01-02	392	147			n/a
3	J1(i2483)	Conc. Pt. (lbs)	L	02-05-02	02-05-02	395	148			n/a
4	J1(i2466)	Conc. Pt. (lbs)	L	03-09-02	03-09-02	383	137			n/a
5	J1(i2466)	Conc. Pt. (lbs)	L	03-09-02	03-09-02	-2				n/a
6	13(i155)	Conc. Pt. (lbs)	L	04-06-10	04-06-10	461	304			n/a

Controls Summary	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	1,391 ft-lbs	12,704 ft-lbs	10.9%	1	02-05-02
End Shear	1,055 lbs	5,785 lbs	18.2%	1	01-02-12
Total Load Defl.	L/999 (0.011")	n/a	n/a	6	02-04-11
Live Load Defl.	L/999 (0.008")	n/a	n/a	8	02-04-11
Max Defl.	0.011"	n/a	n/a	6	02-04-11
Span / Depth	5.1	n/a	n/a		00-00-00

Bearing Supports	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Beam	5-1/4" x 1-3/4"	2,604 lbs	53.1%	23.2%	Unspecified
B1 Wall/Plate	5-1/2" x 1-3/4"	2,338 lbs	45.5%	19.9%	Unspecified

Notes



DWG NO. TAM 63200317
STRUCTURAL
COMPONENT ONLY



Boise Cascade

Single 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP Basement\Flush Beams\B2(i2457)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:31

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Flush Beams\Basement\Flush Beams\B2(i2457)

Specifier:

Designer: CF

Company:

Misc:

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

CONFORMS TO OBC 2012**Disclosure**

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 6000-17
STRUCTURAL
COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP Basement\Flush Beams\B4(i2388)

Dry | 3 spans | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:31

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\Basement\Flush Beams\B4(i2388)

Specifier:

Designer: CF

Company:

Misc:



Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 2-3/4"	806 / 255	248 / 0		
B1, 3-1/2"	2,525 / 0	1,003 / 0		
B2, 3-1/2"	2,641 / 0	1,100 / 0		
B3, 5-1/2"	1,332 / 167	545 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	Smoothed Load	Unf. Lin. (lb/ft)	L	00-00-00	13-03-04	294	110			n/a
1	User Load	Unf. Lin. (lb/ft)	L	00-09-04	04-02-12	240	120			n/a
2	User Load	Unf. Lin. (lb/ft)	L	09-06-12	14-02-04	240	120			n/a
3	J6(i2320)	Conc. Pt. (lbs)	L	05-10-15	05-10-15	70				n/a
4	J6(i2320)	Conc. Pt. (lbs)	L	07-03-04	07-03-04	70				n/a
5	-	Conc. Pt. (lbs)	L	13-11-13	13-11-13	494	214			n/a

Controls Summary	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	1,923 ft-lbs	25,408 ft-lbs	7.6%	2	12-05-12
Neg. Moment	-2,565 ft-lbs	-25,408 ft-lbs	10.1%	5	09-09-00
End Shear	1,244 lbs	11,571 lbs	10.8%	2	13-02-12
Cont. Shear	2,205 lbs	11,571 lbs	19.1%	4	04-05-12
Uplift	159 lbs	n/a	n/a	8	00-00-00
Total Load Defl.	L/999 (0.012")	n/a	n/a	14	06-07-06
Live Load Defl.	L/999 (0.01")	n/a	n/a	19	06-08-06
Total Neg. Defl.	L/999 (-0.003")	n/a	n/a	13	07-07-04
Max Defl.	0.012"	n/a	n/a	14	06-07-06
Span / Depth	7.8	n/a	n/a		00-00-00

Bearing Supports	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Wall/Plate	2-3/4" x 3-1/2"	1,519 lbs	29.6%	12.9%	Unspecified
B1 Wall/Plate	3-1/2" x 3-1/2"	5,043 lbs	77.1%	33.7%	Unspecified
B2 Wall/Plate	3-1/2" x 3-1/2"	5,337 lbs	81.6%	35.7%	Unspecified
B3 Wall/Plate	5-1/2" x 3-1/2"	2,679 lbs	26.1%	11.4%	Unspecified

Cautions



DWG NO. TAM 60289-17
STRUCTURAL
COMPONENT ONLY



Boise Cascade

Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP Basement/Flush Beams/B4(i2388)

Dry | 3 spans | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:31

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Flush Beams\Basement\Flush Beams\B4(i238

Specifier:

Designer: CF

Company:

Misc:

Uplift of 159 lbs found at span 1 - Left

*CSIMPSON 1-1/2" x 4" x 8" (B2)***Notes**

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.


Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

CONFORMS TO OBC 2012

Design based on Dry Service Condition.

Importance Factor: Normal Part code: Part 9

Connection Diagram

a minimum = 2" c = 2-3/4"
 b minimum = 3" d = 6"

Calculated Side Load = 586.8 lb/ft

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Connectors are: 16d ¹/₂" ARDOX SPIRAL Nails**Disclosure**

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods.

Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJST™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 6089-17
 STRUCTURAL
 COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP Basement\...\B5 DR(i2470)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:31

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Dropped Beams\Basement\Dropped Beams\B5 I

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 12-10-06

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 5-1/2"	229 / 0	552 / 0		
B1, 2-3/8"	223 / 0	540 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	J2(i2486)	Unf. Lin. (lb/ft)	L	00-01-02	12-10-06	31	14			n/a
1	R1(i2479)	Unf. Lin. (lb/ft)	L	00-01-02	12-10-06	4	2			n/a
2	User Load	Unf. Lin. (lb/ft)	L	00-01-10	12-10-06		60			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	2,277 ft-lbs	16,515 ft-lbs	13.8%	0	06-06-12
End Shear	636 lbs	7,521 lbs	8.5%	0	01-03-00
Total Load Defl.	L/1,179 (0.126")	0.617"	20.4%	4	06-06-12
Live Load Defl.	L/999 (0.037")	n/a	n/a	5	06-06-12
Max Defl.	0.126"	n/a	n/a	4	06-06-12
Span / Depth	15.6	n/a	n/a		00-00-00

Bearing Supports	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Wall/Plate	5-1/2" x 3-1/2"	773 lbs	7.6%	5.1%	Unspecified
B1 Wall/Plate	2-3/8" x 3-1/2"	755 lbs	9.9%	11.5%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

CONFORMS TO DBC 2012

Design based on Dry Service Condition.

Importance Factor: Normal Part code: Part 9



DWNO.TAM 60240.17
STRUCTURAL
COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP Basement\...\B5 DR(i2470)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:31

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Dropped Beams\Basement\Dropped Beams\B


Specifier:

Designer: CF

Company:

Misc:

Connection Diagram



a minimum = 0" c = 7-1/2"
b minimum = 3" d = 12"

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Member has no side loads.

Connectors are: 16d Nails

3 1/2" ARDQX SPIRAL

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALCO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60290-17
STRUCTURAL
COMPONENT ONLY



Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B6(i2489)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:26

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B6(i2489)

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 12-10-06

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 5-1/2"	1,990 / 0	1,092 / 0	499 / 0	
B1, 4-3/8"	2,187 / 0	2,222 / 0	2,329 / 0	

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	FC2 Floor Material	Unf. Lin. (lb/ft)	L	00-00-00	12-10-06	16	6			n/a
1	Smoothed Load	Unf. Lin. (lb/ft)	L	01-04-08	09-04-08	285	107			n/a
2	User Load	Unf. Lin. (lb/ft)	L	10-08-00	12-09-08		100			n/a
3	J2(i2473)	Conc. Pt. (lbs)	L	00-08-08	00-08-08	287	107			n/a
4	-	Conc. Pt. (lbs)	L	10-04-11	10-04-11	1,375	1,867	2,829		n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	16,929 ft-lbs	39,636 ft-lbs	42.7%	1	07-04-08
End Shear	7,188 lbs	17,356 lbs	41.4%	13	11-08-08
Total Load Defl.	L/322 (0.453")	0.608"	74.5%	35	06-08-08
Live Load Defl.	L/498 (0.293")	0.406"	72.4%	51	06-08-08
Max Defl.	0.453"	n/a	n/a	35	06-08-08
Span / Depth	15.4	n/a	n/a		00-00-00

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0	5-1/2" x 5-1/4"	4,599 lbs	29.8%	13.1%	Unspecified
B1	4-3/8" x 5-1/4"	7,366 lbs	60.1%	26.3%	Unspecified

Notes



DWG NO. TAM60291-17
STRUCTURAL
COMPONENT ONLY



Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B6(i2489)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:26

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Flush Beams\1st Floor\Flush Beams\B6(i2489)

Specifier:

Designer: CF

Company:

Misc:

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Unbalanced snow loads determined from building geometry were used in the design. **CONFIRMS TO CBC 2012**

Design based on Dry Service Condition.


Importance Factor: Normal Part code: Part 9

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

Connection Diagram

Concentrated side-load exceeds allowable magnitude for connection design. Please consult a technical representative or Professional Engineer for the design of the connection.



PROVIDE 4 ROWS OF 3 1/2" ARDOX SPIRAL NAILS @ 12" O/C FOR MULTI-PLY NAILING. MAINTAIN A MIN. 1" LUMBER EDGE/END DISTANCE. DO NOT USE AIR NAILS

+
BOLTS

OK WITH
NAILING
+
BOLTING

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60291-17
STRUCTURAL
COMPONENT ONLY



Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B7(i2467)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:29

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B7(i2467)

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 17-02-12

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 5-1/4"	1,130 / 0	570 / 0		
B1, 3-1/4"	2,615 / 0	1,216 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	FC2 Floor Material	Unf. Lin. (lb/ft)	L	00-00-00	14-07-08	11	4			n/a
1	Smoothed Load	Unf. Lin. (lb/ft)	L	02-00-00	16-08-00	84	32			n/a
2	J4(i372)	Conc. Pt. (lbs)	L	01-04-00	01-04-00	92	35			n/a
3	B8(i2453)	Conc. Pt. (lbs)	L	14-04-14	14-04-14	2,169	946			n/a

Controls Summary	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	14,334 ft-lbs	39,636 ft-lbs	36.2%	1	12-00-00
End Shear	5,423 lbs	17,356 lbs	31.2%	1	16-02-00
Total Load Defl.	L/301 (0.663")	0.832"	79.7%	4	09-04-00
Live Load Defl.	L/445 (0.449")	0.555"	80.8%	5	09-04-00
Max Defl.	0.663"	n/a	n/a	4	09-04-00
Span / Depth	21	n/a	n/a		00-00-00

Bearing Supports	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Beam	5-1/4" x 5-1/4"	2,408 lbs	8%	7.2%	Unspecified
B1 Wall/Plate	3-1/4" x 5-1/4"	5,442 lbs	59.7%	26.1%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume unbraced length of Top: 00-00-00, Bottom: 00-00-00.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

CONFORMS TO DBC 2012

Design based on Dry Service Condition.

Importance Factor: Normal Part code: Part 9



DWG NO. TAM 60292-17
STRUCTURAL
COMPONENT ONLY



Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B7(i2467)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:29

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Flush Beams\1st Floor\Flush Beams\B7(i2467

Specifier:

Designer: CF


Company:

Misc:

Connection Diagram

Concentrated side-load exceeds allowable magnitude for connection design. Please consult a technical representative or Professional Engineer for the design of the connection.

*OK WITH
NAILING
+
BOLTING*



Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



12412
DWG NO. TAM 6029217
STRUCTURAL
COMPONENT ONLY



Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B8(i2453)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:15

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B8(i2453)

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 14-02-08

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0	2,182 / 0	951 / 0		
B1, 6-1/2"	2,778 / 0	1,417 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	Smoothed Load	Unf. Lin. (lb/ft)	L	00-11-12	07-07-12	292	110			n/a
1	Smoothed Load	Unf. Lin. (lb/ft)	L	08-09-12	13-09-12	284	106			n/a
2	User Load	Unf. Lin. (lb/ft)	L	09-03-06	12-10-04	240	120			n/a
3	J1(i157)	Conc. Pt. (lbs)	L	00-03-12	00-03-12	274	103			n/a
4	J2(i307)	Conc. Pt. (lbs)	L	08-03-12	08-03-12	335	126			n/a
5	B11(i393)	Conc. Pt. (lbs)	L	12-11-02	12-11-02	114	237			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	16,341 ft-lbs	39,636 ft-lbs	41.2%	1	06-11-12
End Shear	5,578 lbs	17,356 lbs	32.1%	1	12-10-08
Total Load Defl.	L/315 (0.518")	0.681"	76.1%	4	06-11-12
Live Load Defl.	L/457 (0.358")	0.454"	78.8%	5	06-11-12
Max Defl.	0.518"	n/a	n/a	4	06-11-12
Span / Depth	17.2	n/a	n/a		00-00-00

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0	Hanger 2" x 5-1/4"	4,461 lbs	n/a	34.8%	HGUS5.50/10
B1	Wall/Plate 6-1/2" x 5-1/4"	5,938 lbs	32.6%	14.3%	Unspecified

Notes



DWENU.TAM 60293.17
STRUCTURAL
COMPONENT ONLY



Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B8(i2453)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:15

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Flush Beams\1st Floor\Flush Beams\B8(i2453)

Specifier:

Designer: CF

Company:

Msc:

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.


BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

CONFORMS TO OBC 2012

Design based on Dry Service Condition.

Importance Factor: Normal Part code: Part 9

Connection Diagram



a minimum = 1" c = 6 1/2"
b minimum = 3" d = 6"
e minimum = 2"

Calculated Side Load = 551.8 lb/ft

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Nailing schedule applies to both sides of the member.


Connectors are: 16d *like*: Nails

3 1/2" ARDOX SPIRAL

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM60293-17
STRUCTURAL
COMPONENT ONLY



Single 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B9(i2385)

BC CALC® Design Report



Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:28

Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B9(i2385)

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 09-01-00

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 3-1/2"	287 / 0	131 / 0		
B1, 3-1/2"	287 / 0	131 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	Smoothed Load	Unf. Lin. (lb/ft)	L	00-01-08	08-01-08	65	24			n/a
1	J4(i2458)	Conc. Pt. (lbs)	L	08-08-08	08-08-08	55	21			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	1,264 ft-lbs	12,704 ft-lbs	9.9%	1	04-09-08
End Shear	524 lbs	5,785 lbs	9%	1	01-01-00
Total Load Defl.	L/999 (0.047")	n/a	n/a	4	04-05-08
Live Load Defl.	L/999 (0.032")	n/a	n/a	5	04-05-08
Max Defl.	0.047"	n/a	n/a	4	04-05-08
Span / Depth	10.9	n/a	n/a		00-00-00

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Beam	3-1/2" x 1-3/4"	593 lbs	8.9%	7.9%	Unspecified
B1 Beam	3-1/2" x 1-3/4"	595 lbs	8.9%	8%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

CONFORMS TO DBC 2012

DWIND.TAM 60294-17
STRUCTURAL
COMPONENT ONLY





Single 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B10(i2444)

BC CALC® Design Report



Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B10(i2444)

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 04-07-08

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 3-3/4"	54 / 0	189 / 0		
B1, 3-3/4"	121 / 0	333 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	FC2 Floor Material	Unf. Lin. (lb/ft)	L	00-00-00	03-06-00	14	5			n/a
1	User Load	Unf. Lin. (lb/ft)	L	00-03-12	04-03-12		60			n/a
2	FC2 Floor Material	Unf. Lin. (lb/ft)	L	03-06-00	04-07-04	13	5			n/a
3	B11(i393)	Conc. Pt. (lbs)	L	03-06-14	03-06-14	112	236			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	362 ft-lbs	8,258 ft-lbs	4.4%	0	02-11-11
End Shear	363 lbs	3,761 lbs	9.7%	0	03-06-04
Total Load Defl.	L/999 (0.004")	n/a	n/a	4	02-05-07
Live Load Defl.	L/999 (0.001")	n/a	n/a	5	02-05-07
Max Defl.	0.004"	n/a	n/a	4	02-05-07
Span / Depth	5.2	n/a	n/a		00-00-00

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Wall/Plate	3-3/4" x 1-3/4"	265 lbs	11.6%	5.1%	Unspecified
B1 Wall/Plate	3-3/4" x 1-3/4"	466 lbs	20.5%	9%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

CONFORMS TO OBC 2012

DWG NO. TAM60295-17
STRUCTURAL
COMPONENT ONLY

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products LLC.





Single 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B11(i393)

BC CALC® Design Report



Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B11(i393)

Specifier:

Designer: CF

Company:

Misc:



B0

06-00-00

B1

Total Horizontal Product Length = 06-00-00

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0	114 / 0	237 / 0		
B1	112 / 0	236 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	User Load	Unf. Lin. (lb/ft)	L	00-00-00	06-00-00		60			n/a
1	FC2 Floor Material	Unf. Lin. (lb/ft)	L	00-00-00	06-00-00	38	14			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	463 ft-lbs	8,258 ft-lbs	5.6%	0	03-00-00
End Shear	377 lbs	5,785 lbs	6.5%	1	00-11-08
Total Load Defl.	L/999 (0.012")	n/a	n/a	4	03-00-00
Live Load Defl.	L/999 (0.004")	n/a	n/a	5	03-00-00
Max Defl.	0.012"	n/a	n/a	4	03-00-00
Span / Depth	7.3	n/a	n/a		00-00-00

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Hanger	2" x 1-3/4"	467 lbs	n/a	12%	HUS1.81/10
B1 Hanger	2" x 1-3/4"	463 lbs	n/a	11.9%	HUS1.81/10

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Design based on Dry Service Condition.

Importance Factor: Normal Part code: Part 9

CONFORMS TO OBC 2012

DWG NO. TAM 6046-17
STRUCTURAL
COMPONENT ONLY





Quadruple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\...\B12(i148)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:20

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B12(i148)

Specifier:

Designer: CF

Company:

Msc:



B0

B1

Total Horizontal Product Length = 14-03-06

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0	1,008 / 0	1,616 / 0	2,596 / 0	
B1, 7-1/4"	1,120 / 0	1,796 / 0	2,898 / 0	

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	FC2 Floor Material	Unf. Lin. (lb/ft)	L	00-00-00	13-11-14	14	5			n/a
1	FC2 Floor Material	Unf. Lin. (lb/ft)	L	00-04-02	13-11-14		94			n/a
2	FC2 Floor Material	Unf. Lin. (lb/ft)	L	00-04-02	05-09-00	135	123	385		n/a
3	FC2 Floor Material	Unf. Lin. (lb/ft)	L	08-05-00	13-11-14	135	123	385		n/a
4	FC2 Floor Material	Unf. Lin. (lb/ft)	L	13-11-14	14-03-06	149	222	385		n/a
5	User Load	Conc. Pt. (lbs)	L	05-09-00	05-09-00	202	183	575		n/a
6	User Load	Conc. Pt. (lbs)	L	08-05-00	08-05-00	202	183	575		n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	22,217 ft-lbs	52,848 ft-lbs	42%	13	06-01-00
End Shear	6,381 lbs	23,142 lbs	27.6%	13	00-11-08
Total Load Defl.	L/294 (0.556")	0.682"	81.5%	45	06-11-00
Live Load Defl.	L/447 (0.366")	0.455"	80.5%	61	06-11-00
Max Defl.	0.556"	n/a	n/a	45	06-11-00
Span / Depth	17.2	n/a	n/a		00-00-00

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Hanger	2" x 7"	6,417 lbs	n/a	37.6%	HGUS5.50/10
B1 Wall/Plate	7-1/4" x 7"	7,152 lbs	26.4%	11.6%	Unspecified

Notes



DWG NO. TAM 60297-11
STRUCTURAL
COMPONENT ONLY



Quadruple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\...B12(i148)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:20

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Flush Beams\1st Floor\Flush Beams\B12(i148

Specifier:

Designer: CF

Company:

Misc:

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.


CONFORMS TO OBC 2012

Unbalanced snow loads determined from building geometry were used in selected product's verification.

Design based on Dry Service Condition.

Importance Factor: Normal Part code: Part 9

Connection Diagram



a minimum = $2\frac{1}{2}$ " c = $4\frac{1}{2}$ "
b minimum = $2\frac{1}{2}$ " d = $12\frac{1}{4}$ "

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Beams 7 inches wide will be assumed to be either top-loaded only, or equally loaded from each side.

Bolts are assumed to be Grade A307 or Grade 2 or higher.

Member has no side loads.

Connectors are: 1/2 in. Staggered Through Bolt

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60297-17
STRUCTURAL
COMPONENT ONLY



Boise Cascade

Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B13(i385)

BC CALC® Design Report



Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:23

Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B13(i385)

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 03-00-10

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 2-5/8"	30 / 0	145 / 0		
B1, 5-1/4"	38 / 0	193 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	User Load	Unf. Lin. (lb/ft)	L	00-02-10	03-00-10		100			n/a
1	FC2 Floor Material	Unf. Lin. (lb/ft)	L	00-02-10	03-00-10	23	9			n/a
2	FC2 Floor Material	Conc. Pt. (lbs)	L	00-02-10	00-02-10	2				n/a

Controls Summary	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	131 ft-lbs	16,515 ft-lbs	0.8%	0	01-05-00
End Shear	77 lbs	7,521 lbs	1%	0	01-00-02
Total Load Defl.	L/999 (0")	n/a	n/a	4	01-05-00
Live Load Defl.	L/999 (0")	n/a	n/a	5	01-05-00
Max Defl.	0"	n/a	n/a	4	01-05-00
Span / Depth	3.2	n/a	n/a		00-00-00

Bearing Supports	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Beam	2-5/8" x 3-1/2"	203 lbs	6.4%	2.8%	Unspecified
B1 Beam	5-1/4" x 3-1/2"	271 lbs	4.2%	1.9%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

CONFORMS TO OBC 2012

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9



DWG NO. TAM 60298.17
STRUCTURAL
 COMPONENT ONLY



Boise Cascade

Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B13(i385)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:23

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl



Description: Designs\Flush Beams\1st Floor\Flush Beams\B13(i385)

Specifier:

Designer: CF

Company:

Misc:

Connection Diagram

a minimum = 0" c = 1-1/2"
 b minimum = 3" d = 8"

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Member has no side loads.

Connectors are: 16d Nails

3 1/2" ARDOX SPIRAL

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60298-17
 STRUCTURAL
 COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B14(i27)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:29

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B14(i27)

Specifier:

Designer: CF

Company:

Msc:



Total Horizontal Product Length = 02-03-04

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 1-3/4"	344 / 0	248 / 0	48 / 0	
B1, 4-3/8"	260 / 0	239 / 0	11 / 0	

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	User Load	Unf. Lin. (lb/ft)	L	00-01-12	02-03-04		100			n/a
1	J2(i378)	Conc. Pt. (lbs)	L	00-05-06	00-05-06	334	151	59		n/a
2	J2(i396)	Conc. Pt. (lbs)	L	01-05-06	01-05-06	270	101			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	330 ft-lbs	25,408 ft-lbs	1.3%	1	01-01-02
End Shear	312 lbs	11,571 lbs	2.7%	1	01-01-06
Total Load Defl.	L/999 (0")	n/a	n/a	35	01-00-05
Live Load Defl.	L/999 (0")	n/a	n/a	51	01-00-05
Max Defl.	0"	n/a	n/a	35	01-00-05
Span / Depth	2.4	n/a	n/a		00-00-00

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Beam	1-3/4" x 3-1/2"	850 lbs	12.7%	11.4%	Unspecified
B1 Wall/Plate	4-3/8" x 3-1/2"	694 lbs	8.5%	3.7%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

CONFORMS TO OBC 2012

Unbalanced snow loads determined from building geometry were used in selected product's verification.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9



DWG NO. TAM 60289.17
STRUCTURAL
COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B14(i27)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:29

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Flush Beams\1st Floor\Flush Beams\B14(i27)


Specifier:

Designer: CF

Company:

Misc:

Connection Diagram



a minimum = 2" c = 2-3/4"
b minimum = 3" d = 6"

Calculated Side Load = 550.7 lb/ft

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Connectors are: 16d Nails

3 1/2" ARDOX SPIRAL

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAN 60299-17
STRUCTURAL
COMPONENT ONLY



Single 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\Flush Beams\B15(i118)

BC CALC® Design Report



Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:18

Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Flush Beams\1st Floor\Flush Beams\B15(i118)

Specifier:

Designer: CF

Company:

Misc:



Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 5-3/4"	619 / 0	243 / 0		
B1, 5-1/2"	597 / 0	235 / 0		

Load Summary

Tag Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0 FC2 Floor Material	Unf. Lin. (lb/ft)	L	00-02-12	04-09-08	26	10			n/a
1 J2(i121)	Conc. Pt. (lbs)	L	01-01-04	01-01-04	387	145			n/a
2 J2(i194)	Conc. Pt. (lbs)	L	02-05-04	02-05-04	390	146			n/a
3 J2(i122)	Conc. Pt. (lbs)	L	03-09-04	03-09-04	320	120			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	1,335 ft-lbs	12,704 ft-lbs	10.5%	1	02-05-04
End Shear	1,011 lbs	5,785 lbs	17.5%	1	01-03-04
Total Load Defl.	L/999 (0.01")	n/a	n/a	4	02-04-13
Live Load Defl.	L/999 (0.007")	n/a	n/a	5	02-04-13
Max Defl.	0.01"	n/a	n/a	4	02-04-13
Span / Depth	5	n/a	n/a		00-00-00

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Wall/Plate	5-3/4" x 1-3/4"	1,233 lbs	22.9%	10%	Unspecified
B1 Wall/Plate	5-1/2" x 1-3/4"	1,189 lbs	23.1%	10.1%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Design based on Dry Service Condition.

Importance Factor: Normal Part code: Part 9

CONFORMS TO UBC 2012

DWG NO. TAM 60300-17
STRUCTURAL
COMPONENT ONLY





Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\...\B16 DR(i2449)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B16

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 08-05-00

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 3-1/2"	1,324 / 0	1,109 / 0		
B1, 3-1/2"	1,289 / 0	1,032 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	User Load	Unf. Lin. (lb/ft)	L	00-00-00	08-05-00		105			n/a
1	J4(i403)	Unf. Lin. (lb/ft)	L	00-00-00	02-05-14	27	13			n/a
2	Smoothed Load	Unf. Lin. (lb/ft)	L	03-11-00	07-11-00	291	109			n/a
3	B7(i2467)	Conc. Pt. (lbs)	L	02-08-10	02-08-10	1,099	556			n/a
4	J1(i157)	Conc. Pt. (lbs)	L	03-03-00	03-03-00	271	102			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	7,814 ft-lbs	39,636 ft-lbs	19.7%	1	03-03-00
End Shear	3,134 lbs	17,356 lbs	18.1%	1	01-01-00
Total Load Defl.	L/999 (0.083")	n/a	n/a	4	04-01-00
Live Load Defl.	L/999 (0.048")	n/a	n/a	5	04-01-00
Max Defl.	0.083"	n/a	n/a	4	04-01-00
Span / Depth	10.1	n/a	n/a		00-00-00

Bearing Supports

			Demand/ Resistance Support	Demand/ Resistance Member	Material	
Bearing Supports		Dim. (L x W)	Demand			
B0	Wall/Plate	3-1/2" x 5-1/4"	3,373 lbs	22.6%	15%	Unspecified
B1	Wall/Plate	3-1/2" x 5-1/4"	3,222 lbs	21.6%	14.4%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

CONFORMS TO QBC 2012

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9



DWG NO. TAM 60301-11
STRUCTURAL
COMPONENT ONLY



Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\...\B16 DR(i2449)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B1


Specifier:

Designer: CF

Company:

Misc:

Connection Diagram



a minimum = 1" c = 6 1/2"
b minimum = 3" d = 4"
e minimum = 2"

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Nailing schedule applies to both sides of the member.

Member has no side loads.


Connectors are: 16d ¹/₄" Nails

3 1/2" ARDOX SPIRAL

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BCI®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60301-17
STRUCTURAL
COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor...\B17 DR(i2391)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B17

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 11-05-08

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 5-1/2"	170 / 0	136 / 0		
B1, 7-1/4"	246 / 0	170 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	R1 (i2390)	Unf. Lin. (lb/ft)	L	00-00-00	07-09-08	17	8			n/a
1	B9 (i2385)	Conc. Pt. (lbs)	L	07-10-06	07-10-06	286	130			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	1,702 ft-lbs	24,668 ft-lbs	6.9%	1	07-10-06
End Shear	566 lbs	11,571 lbs	4.9%	1	10-00-12
Total Load Defl.	L/999 (0.044")	n/a	n/a	4	05-11-07
Live Load Defl.	L/999 (0.026")	n/a	n/a	5	06-00-10
Max Defl.	0.044"	n/a	n/a	4	05-11-07
Span / Depth	13.3	n/a	n/a		00-00-00

Bearing Supports	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Wall/Plate	5-1/2" x 3-1/2"	425 lbs	2.7%	1.8%	Unspecified
B1 Wall/Plate	7-1/4" x 3-1/2"	582 lbs	2.8%	1.9%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume unbraced length of Top: 02-11-00, Bottom: 02-11-00

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

CONFORMS TO OBC 2012



DWG NO. TAM 60302-17
STRUCTURAL
COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\...\B17 DR(i2391)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B1


Specifier:

Designer: CF

Company:

Misc:

Connection Diagram



a minimum = 1" c = 1 1/2"
b minimum = 3" d = 6"

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.


Member has no side loads.

Connectors are: 16d Nails
3 1/2" ARDOX SPIRAL

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60302-17
STRUCTURAL
COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\...\B18 DR(i2398)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B18

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 11-04-04

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 5-1/2"	274 / 0	830 / 0	537 / 0	
B1, 6"	416 / 0	899 / 0	537 / 0	

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	User Load	Unf. Lin. (lb/ft)	L	00-00-00	11-03-12	33	130	95		n/a
1	R1(i2429)	Unf. Lin. (lb/ft)	L	07-11-04	10-10-04	9				n/a
2	B9(i2385)	Conc. Pt. (lbs)	L	07-10-06	07-10-06	288	132			n/a

Controls Summary	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	5,125 ft-lbs	20,733 ft-lbs	24.7%	13	05-10-13
End Shear	1,712 lbs	11,571 lbs	14.8%	13	10-00-12
Total Load Defl.	L/803 (0.157")	0.526"	29.9%	45	05-08-05
Live Load Defl.	L/999 (0.071")	n/a	n/a	61	05-08-05
Max Defl.	0.157"	n/a	n/a	45	05-08-05
Span / Depth	13.3	n/a	n/a		00-00-00

Bearing Supports	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Wall/Plate	5-1/2" x 3-1/2"	1,981 lbs	12.7%	8.4%	Unspecified
B1 Wall/Plate	6" x 3-1/2"	2,138 lbs	12.5%	8.3%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume unbraced length of Top: 07-04-00, Bottom: 07-04-00.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA

O86.

Unbalanced snow loads determined from building geometry were used in selected products verification.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

CONFORMS TO OBC 2012



DWG NO. TAM 60303-17
STRUCTURAL
COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor...\B18 DR(i2398)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B1


Specifier:

Designer: CF

Company:

Misc:

Connection Diagram



a minimum = 8" c = 7-1/2"
b minimum = 3" d = 6"

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Member has no side loads.

Connectors are: 16d Nails

3 1/2" ARDOX SPIRAL

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60323-17
STRUCTURAL
COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor...\B20 DR(i179)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B20

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 11-01-00

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 3-1/2"	1,718 / 0	698 / 0		
B1, 3-1/2"	1,445 / 0	596 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	Smoothed Load	Unf. Lin. (lb/ft)	L	00-00-00	10-05-00	295	111			n/a
1	Bk1(i1640)	Unf. Lin. (lb/ft)	L	04-06-04	05-07-12	69	26			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	8,646 ft-lbs	25,408 ft-lbs	34%	1	05-09-00
End Shear	2,900 lbs	11,571 lbs	25.1%	1	10-00-00
Total Load Defl.	L/525 (0.243")	0.531"	45.7%	4	05-06-01
Live Load Defl.	L/739 (0.172")	0.354"	48.7%	5	05-06-01
Max Defl.	0.243"	n/a	n/a	4	05-06-01
Span / Depth	13.4	n/a	n/a		00-00-00

Bearing Supports

Bearing Supports						
B0	Wall/Plate	3-1/2" x 3-1/2"	3,450 lbs	34.7%	23.1%	Unspecified
B1	Wall/Plate	3-1/2" x 3-1/2"	2,913 lbs	29.3%	19.5%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume unbraced length of Top: 00-01-15, Bottom: 00-01-15.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Design based on Dry Service Condition.

Importance Factor: Normal Part code: Part 9

CONFORMS TO OBC 2012



DWG NO. TAM 60304-17
STRUCTURAL
COMPONENT ONLY



Double 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor...\B20 DR(i179)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:30

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl

Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B2


Specifier:

Designer: CF

Company:

Msc:

Connection Diagram



a minimum = 1" c = 1-1/2"
b minimum = 3" d = 6"

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Member has no side loads.

Connectors are: 16d Nails

3 1/2" ARDOX SPIRAL

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60304-17
STRUCTURAL
COMPONENT ONLY



Single 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\...\B21 DR(i1848)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:12:31

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 1.mmdl


Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B21

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 15-10-04

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 6-1/2"	328 / 0	275 / 0	45 / 0	
B1	4 / 0	40 / 0	1 / 0	

Load Summary

Tag Description	Load Type	Ref.	Start	End	Live	Dead	Snow	Wind	Trib.
0 B14(i27)	Conc. Pt. (lbs)	L	00-08-04	00-08-04	332	239	46	1.15	n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	270 ft-lbs	2,797 ft-lbs	9.7%	1	06-03-12
End Shear	181 lbs	5,785 lbs	3.1%	1	01-04-00
Total Load Defl.	L/999 (0.036")	n/a	n/a	35	07-08-05
Live Load Defl.	L/999 (0.008")	n/a	n/a	51	06-10-02
Max Defl.	0.036"	n/a	n/a	35	07-08-05
Span / Depth	19.3	n/a	n/a		00-00-00

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Wall/Plate	6-1/2" x 1-3/4"	857 lbs	9.3%	6.2%	Unspecified
B1 Hanger	2" x 1-3/4"	58 lbs	n/a	2%	HUS1.81/10

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume unbraced length of Top: 15-00-04, Bottom: 15-00-04.

Hanger Manufacturer: Unassigned

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Unbalanced snow loads determined from building geometry were used in selected product's verification.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

CONFORMS TO CBC 2012

Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALC®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWNO.TAM 6705-17
STRUCTURAL
COMPONENT ONLY



Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\...\B25 DR(i4250)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:25:12

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports: CCMC 12472-R

File Name: GLENWAY 12 EL 2.mmdl


Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B25

Specifier:

Designer: CF

Company:

Misc:



Total Horizontal Product Length = 07-03-00

Reaction Summary (Down / Uplift) (lbs)

Bearing	Live	Dead	Snow	Wind
B0, 3-1/2"	1,306 / 0	1,034 / 0		
B1, 3-1/2"	1,287 / 0	956 / 0		

Load Summary

Tag	Description	Load Type	Ref.	Start	End	Live 1.00	Dead 0.65	Snow 1.00	Wind 1.15	Trib.
0	User Load	Unf. Lin. (lb/ft)	L	00-00-00	07-03-00		105			n/a
1	J4(i4393)	Unf. Lin. (lb/ft)	L	00-00-00	01-10-14	27	13			n/a
2	Smoothed Load	Unf. Lin. (lb/ft)	L	03-04-00	07-03-00	297	111			n/a
3	B7(i4321)	Conc. Pt. (lbs)	L	02-01-10	02-01-10	1,099	556			n/a
4	J1(i4272)	Conc. Pt. (lbs)	L	02-08-00	02-08-00	271	102			n/a

Controls Summary

	Factored Demand	Factored Resistance	Demand / Resistance	Load Case	Location
Pos. Moment	5,938 ft-lbs	39,636 ft-lbs	15%	1	02-08-00
End Shear	3,018 lbs	17,356 lbs	17.4%	1	01-01-00
Total Load Defl.	L/999 (0.046")	n/a	n/a	4	03-06-00
Live Load Defl.	L/999 (0.027")	n/a	n/a	5	03-06-00
Max Defl.	0.046"	n/a	n/a	4	03-06-00
Span / Depth	8.6	n/a	n/a		00-00-00

Bearing Supports

	Dim. (L x W)	Demand	Demand / Resistance Support	Demand / Resistance Member	Material
B0 Wall/Plate	3-1/2" x 5-1/4"	3,252 lbs	21.8%	14.5%	Unspecified
B1 Wall/Plate	3-1/2" x 5-1/4"	3,125 lbs	20.9%	13.9%	Unspecified

Notes

Design meets Code minimum (L/240) Total load deflection criteria.

Design meets Code minimum (L/360) Live load deflection criteria.

Calculations assume member is fully braced.

Resistance Factor phi has been applied to all presented results per CSA O86.

BC CALC® analysis is based on Canadian Limit States Design, as per NBCC 2010 and CSA O86.

Design based on Dry Service Condition.

Importance Factor : Normal Part code : Part 9

CONFORMS TO OBC 2012



DWG NO. TAM 60306.17
STRUCTURAL
COMPONENT ONLY



Boise Cascade

Triple 1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP 1st Floor\...\B25 DR(i4250)

Dry | 1 span | No cantilevers | 0/12 slope (deg)

October 25, 2017 09:25:12

BC CALC® Design Report



Build 5033

Job Name:

Address:

City, Province, Postal Code: EAST GWILLIMBURY,

Customer:

Code reports:

CCMC 12472-R

File Name: GLENWAY 12 EL 2.mmdl

Description: Designs\Dropped Beams\1st Floor\Dropped Beams\B2


Specifier:

Designer: CF

Company:

Msc:

Connection Diagram



a minimum = 1"

c = 6 1/2"

b minimum = 3"

d = 4"

e minimum = 2"

Connection design assumes point load is top-loaded. For connection design of side-loaded point loads, please consult a technical representative or professional of Record.

Nailing schedule applies to both sides of the member.

Member has no side loads.

Connectors are: 16d Nails

3 1/2" ARDOX SPIRAL




Disclosure

Completeness and accuracy of input must be verified by anyone who would rely on output as evidence of suitability for particular application. Output here based on building code-accepted design properties and analysis methods. Installation of Boise Cascade engineered wood products must be in accordance with current Installation Guide and applicable building codes. To obtain Installation Guide or ask questions, please call 1-800-964-6999 before installation.

BC CALO®, BC FRAMER®, AJS™, ALLJOIST®, BC RIM BOARD™, BC®, BOISE GLULAM™, SIMPLE FRAMING SYSTEM®, VERSA-LAM®, VERSA-RIM PLUS®, VERSA-RIM®, VERSA-STRAND®, VERSA-STUD® are trademarks of Boise Cascade Wood Products L.L.C.



DWG NO. TAM 60306-17
STRUCTURAL
COMPONENT ONLY



Maximum Floor Spans

Live Load = 40 psf, Dead Load = 15 psf
Simple Spans, L/480 Deflection Limit
5/8" OSB G&N Sheathing




Depth	Series	Bare				1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-1"	14'-2"	13'-9"	N/A	15'-7"	14'-8"	14'-2"	N/A
	NI-40x	16'-1"	15'-2"	14'-8"	N/A	16'-7"	15'-7"	15'-1"	N/A
	NI-60	16'-3"	15'-4"	14'-10"	N/A	16'-8"	15'-9"	15'-3"	N/A
	NI-70	17'-1"	16'-1"	15'-6"	N/A	17'-5"	16'-5"	15'-10"	N/A
	NI-80	17'-3"	16'-3"	15'-8"	N/A	17'-8"	16'-7"	16'-0"	N/A
11-7/8"	NI-20	16'-11"	16'-0"	15'-5"	N/A	17'-6"	16'-6"	16'-0"	N/A
	NI-40x	18'-1"	17'-0"	16'-5"	N/A	18'-9"	17'-6"	16'-11"	N/A
	NI-60	18'-4"	17'-3"	16'-7"	N/A	19'-0"	17'-8"	17'-1"	N/A
	NI-70	19'-6"	18'-0"	17'-4"	N/A	20'-1"	18'-7"	17'-9"	N/A
	NI-80	19'-9"	18'-3"	17'-6"	N/A	20'-4"	18'-10"	17'-11"	N/A
	NI-90x	20'-4"	18'-9"	17'-11"	N/A	20'-10"	19'-3"	18'-5"	N/A
14"	NI-40x	20'-1"	18'-7"	17'-10"	N/A	20'-10"	19'-4"	18'-6"	N/A
	NI-60	20'-5"	18'-11"	18'-1"	N/A	21'-2"	19'-7"	18'-9"	N/A
	NI-70	21'-7"	20'-0"	19'-1"	N/A	22'-3"	20'-7"	19'-8"	N/A
	NI-80	21'-11"	20'-3"	19'-4"	N/A	22'-7"	20'-11"	20'-0"	N/A
	NI-90x	22'-7"	20'-11"	19'-11"	N/A	23'-3"	21'-6"	20'-6"	N/A
16"	NI-60	22'-3"	20'-8"	19'-9"	N/A	23'-1"	21'-5"	20'-6"	N/A
	NI-70	23'-6"	21'-9"	20'-9"	N/A	24'-3"	22'-5"	21'-5"	N/A
	NI-80	23'-11"	22'-1"	21'-1"	N/A	24'-8"	22'-10"	21'-9"	N/A
	NI-90x	24'-8"	22'-9"	21'-9"	N/A	25'-4"	23'-5"	22'-4"	N/A

Depth	Series	Mid-Span Blocking				Mid-Span Blocking and 1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	16'-8"	15'-3"	14'-5"	N/A	16'-8"	15'-3"	14'-5"	N/A
	NI-40x	17'-11"	16'-11"	16'-1"	N/A	18'-5"	17'-1"	16'-1"	N/A
	NI-60	18'-2"	17'-1"	16'-4"	N/A	18'-7"	17'-4"	16'-4"	N/A
	NI-70	19'-2"	17'-10"	17'-2"	N/A	19'-7"	18'-3"	17'-7"	N/A
	NI-80	19'-5"	18'-0"	17'-4"	N/A	19'-10"	18'-5"	17'-8"	N/A
11-7/8"	NI-20	19'-6"	18'-1"	17'-3"	N/A	19'-11"	18'-3"	17'-3"	N/A
	NI-40x	21'-0"	19'-6"	18'-8"	N/A	21'-7"	20'-2"	19'-2"	N/A
	NI-60	21'-4"	19'-9"	18'-11"	N/A	21'-11"	20'-4"	19'-6"	N/A
	NI-70	22'-6"	20'-10"	19'-11"	N/A	23'-0"	21'-5"	20'-5"	N/A
	NI-80	22'-9"	21'-1"	20'-1"	N/A	23'-3"	21'-7"	20'-8"	N/A
	NI-90x	23'-4"	21'-8"	20'-8"	N/A	23'-10"	22'-2"	21'-2"	N/A
14"	NI-40x	23'-7"	21'-11"	20'-11"	N/A	24'-3"	22'-7"	21'-7"	N/A
	NI-60	24'-0"	22'-3"	21'-3"	N/A	24'-8"	22'-11"	21'-11"	N/A
	NI-70	25'-3"	23'-4"	22'-3"	N/A	25'-10"	24'-0"	22'-11"	N/A
	NI-80	25'-7"	23'-8"	22'-7"	N/A	26'-2"	24'-4"	23'-2"	N/A
	NI-90x	26'-4"	24'-4"	23'-3"	N/A	26'-10"	24'-11"	23'-9"	N/A
16"	NI-60	26'-5"	24'-6"	23'-4"	N/A	27'-2"	25'-3"	24'-2"	N/A
	NI-70	27'-9"	25'-8"	24'-6"	N/A	28'-5"	26'-5"	25'-2"	N/A
	NI-80	28'-2"	26'-1"	24'-10"	N/A	28'-10"	26'-9"	25'-6"	N/A
	NI-90x	29'-0"	26'-10"	25'-7"	N/A	29'-7"	27'-5"	26'-2"	N/A

- Maximum clear span applicable to simple-span residential floor construction with a design live load of 40 psf and dead load of 15 psf. The ultimate limit states are based on the factored loads of 1.50L + 1.25D. The serviceability limit states include the consideration for floor vibration, a live load deflection limit of L/480 and a total load deflection limit of L/240.
- Spans are based on a composite floor with glued-nailed oriented strand board (OSB) sheathing with a minimum thickness of 5/8 inch for a joist spacing of 19.2 inches or less. The composite floor may include 1/2 inch gypsum ceiling and/or one row of blocking at mid-span with strapping. Strapping shall be minimum 1x4 inch strap applied to underside of joists at blocking line or 1/2 inch gypsum ceiling attached to joists.
- Minimum bearing length shall be 1-3/4 inches for the end bearings.
- Bearing stiffeners are not required when I-joists are used with the spans and spacings given in this table, except as required for hangers.
- This span chart is based on uniform loads. For applications with other than uniformly distributed loads, an engineering analysis may be required based on the use of the design properties. Tables are based on Limit States Design per CSA O86-09, NBC 2010, and OBC 2012.
- Joists shall be laterally supported at supports and continuously along the compression edge. Refer to technical documentation for installation guidelines and construction details. Nordic I-joists are listed in CCMC evaluation report 13032-R and APA Product Report PR-L274C.

Maximum Floor Spans



Live Load = 40 psf, Dead Load = 15 psf
Simple Spans, L/480 Deflection Limit
3/4" OSB G&N Sheathing



Depth	Series	Bare				1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-10"	15'-0"	14'-5"	13'-5"	16'-4"	15'-5"	14'-6"	13'-5"
	NI-40x	17'-0"	16'-0"	15'-5"	14'-9"	17'-5"	16'-5"	15'-10"	15'-2"
	NI-60	17'-2"	16'-2"	15'-7"	14'-11"	17'-6"	16'-7"	15'-11"	15'-3"
	NI-70	18'-0"	16'-11"	16'-3"	15'-7"	18'-5"	17'-3"	16'-7"	15'-11"
	NI-80	18'-3"	17'-1"	16'-5"	15'-9"	18'-8"	17'-5"	16'-9"	16'-1"
11-7/8"	NI-20	17'-10"	16'-10"	16'-2"	15'-6"	18'-6"	17'-4"	16'-9"	16'-1"
	NI-40x	19'-4"	17'-11"	17'-3"	16'-6"	19'-11"	18'-6"	17'-9"	17'-0"
	NI-60	19'-7"	18'-2"	17'-5"	16'-9"	20'-2"	18'-9"	17'-11"	17'-2"
	NI-70	20'-9"	19'-2"	18'-3"	17'-5"	21'-4"	19'-9"	18'-10"	17'-10"
	NI-80	21'-1"	19'-5"	18'-6"	17'-7"	21'-7"	20'-0"	19'-0"	18'-0"
	NI-90x	21'-8"	20'-0"	19'-1"	18'-0"	22'-2"	20'-6"	19'-6"	18'-6"
14"	NI-40x	21'-5"	19'-10"	18'-11"	17'-11"	22'-1"	20'-6"	19'-7"	18'-7"
	NI-60	21'-10"	20'-2"	19'-3"	18'-2"	22'-5"	20'-10"	19'-11"	18'-10"
	NI-70	23'-0"	21'-3"	20'-3"	19'-2"	23'-8"	21'-11"	20'-10"	19'-9"
	NI-80	23'-5"	21'-7"	20'-7"	19'-5"	24'-0"	22'-3"	21'-2"	20'-0"
	NI-90x	24'-1"	22'-3"	21'-2"	20'-0"	24'-8"	22'-10"	21'-9"	20'-7"
16"	NI-60	23'-9"	22'-0"	20'-11"	19'-10"	24'-6"	22'-9"	21'-8"	20'-6"
	NI-70	25'-1"	23'-2"	22'-0"	20'-10"	25'-9"	23'-10"	22'-9"	21'-6"
	NI-80	25'-6"	23'-6"	22'-4"	21'-2"	26'-1"	24'-2"	23'-1"	21'-10"
	NI-90x	26'-4"	24'-3"	23'-1"	21'-10"	26'-11"	24'-11"	23'-8"	22'-5"

Depth	Series	Mid-Span Blocking				Mid-Span Blocking and 1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	16'-10"	15'-5"	14'-6"	13'-5"	16'-10"	15'-5"	14'-6"	13'-5"
	NI-40x	18'-8"	17'-2"	16'-3"	15'-2"	18'-10"	17'-2"	16'-3"	15'-2"
	NI-60	18'-11"	17'-6"	16'-6"	15'-5"	19'-2"	17'-6"	16'-6"	15'-5"
	NI-70	20'-0"	18'-7"	17'-9"	16'-7"	20'-5"	18'-11"	17'-10"	16'-7"
	NI-80	20'-3"	18'-10"	17'-11"	16'-10"	20'-8"	19'-3"	18'-2"	16'-10"
11-7/8"	NI-20	20'-1"	18'-5"	17'-5"	16'-2"	20'-1"	18'-5"	17'-5"	16'-2"
	NI-40x	21'-10"	20'-4"	19'-4"	17'-8"	22'-5"	20'-6"	19'-4"	17'-8"
	NI-60	22'-1"	20'-7"	19'-7"	18'-4"	22'-8"	20'-10"	19'-8"	18'-4"
	NI-70	23'-4"	21'-8"	20'-8"	19'-7"	23'-10"	22'-3"	21'-2"	19'-9"
	NI-80	23'-7"	21'-11"	20'-11"	19'-9"	24'-1"	22'-6"	21'-5"	20'-0"
	NI-90x	24'-3"	22'-6"	21'-6"	20'-4"	24'-8"	23'-0"	22'-0"	20'-9"
14"	NI-40x	24'-5"	22'-9"	21'-8"	19'-5"	25'-1"	23'-2"	21'-9"	19'-5"
	NI-60	24'-10"	23'-1"	22'-0"	20'-10"	25'-6"	23'-8"	22'-4"	20'-10"
	NI-70	26'-1"	24'-3"	23'-2"	21'-10"	26'-8"	24'-11"	23'-9"	22'-4"
	NI-80	26'-6"	24'-7"	23'-5"	22'-2"	27'-1"	25'-3"	24'-1"	22'-9"
	NI-90x	27'-3"	25'-4"	24'-1"	22'-9"	27'-9"	25'-11"	24'-8"	23'-4"
16"	NI-60	27'-3"	25'-5"	24'-2"	22'-10"	28'-0"	26'-2"	24'-9"	23'-1"
	NI-70	28'-8"	26'-8"	25'-4"	23'-11"	29'-3"	27'-4"	26'-1"	24'-8"
	NI-80	29'-1"	27'-0"	25'-9"	24'-4"	29'-8"	27'-9"	26'-5"	25'-0"
	NI-90x	29'-11"	27'-10"	26'-6"	25'-0"	30'-6"	28'-5"	27'-2"	25'-8"

- Maximum clear span applicable to simple-span residential floor construction with a design live load of 40 psf and dead load of 15 psf. The ultimate limit states are based on the factored loads of 1.50L + 1.25D. The serviceability limit states include the consideration for floor vibration, a live load deflection limit of L/480 and a total load deflection limit of L/240.
- Spans are based on a composite floor with glued-nailed oriented strand board (OSB) sheathing with a minimum thickness of 3/4 inch for a joist spacing of 24 inches or less. The composite floor may include 1/2 inch gypsum ceiling and/or one row of blocking at mid-span with strapping. Strapping shall be minimum 1x4 inch strap applied to underside of joists at blocking line or 1/2 inch gypsum ceiling attached to joists.
- Minimum bearing length shall be 1-3/4 inches for the end bearings.
- Bearing stiffeners are not required when I-joists are used with the spans and spacings given in this table, except as required for hangers.
- This span chart is based on uniform loads. For applications with other than uniformly distributed loads, an engineering analysis may be required based on the use of the design properties. Tables are based on Limit States Design per CSA O86-09, NBC 2010, and OBC 2012.
- Joists shall be laterally supported at supports and continuously along the compression edge. Refer to technical documentation for installation guidelines and construction details. Nordic I-joists are listed in CCMC evaluation report 13032-R and APA Product Report PR-L274C.





Maximum Floor Spans

Live Load = 40 psf, Dead Load = 30 psf
 Simple Spans, L/480 Deflection Limit
 5/8" OSB G&N Sheathing

Depth	Series	Bare				1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-1"	14'-1"	13'-3"	N/A	15'-7"	14'-1"	13'-3"	N/A
	NI-40x	16'-1"	15'-2"	14'-8"	N/A	16'-7"	15'-7"	15'-1"	N/A
	NI-60	16'-3"	15'-4"	14'-10"	N/A	16'-8"	15'-9"	15'-3"	N/A
	NI-70	17'-1"	16'-1"	15'-6"	N/A	17'-5"	16'-5"	15'-10"	N/A
	NI-80	17'-3"	16'-3"	15'-8"	N/A	17'-8"	16'-7"	16'-0"	N/A
11-7/8"	NI-20	16'-11"	16'-0"	15'-5"	N/A	17'-6"	16'-6"	16'-0"	N/A
	NI-40x	18'-1"	17'-0"	16'-5"	N/A	18'-9"	17'-6"	16'-11"	N/A
	NI-60	18'-4"	17'-3"	16'-7"	N/A	19'-0"	17'-8"	17'-1"	N/A
	NI-70	19'-6"	18'-0"	17'-4"	N/A	20'-1"	18'-7"	17'-9"	N/A
	NI-80	19'-9"	18'-3"	17'-6"	N/A	20'-4"	18'-10"	17'-11"	N/A
	NI-90x	20'-4"	18'-9"	17'-11"	N/A	20'-10"	19'-3"	18'-5"	N/A
14"	NI-40x	20'-1"	18'-7"	17'-10"	N/A	20'-10"	19'-4"	18'-6"	N/A
	NI-60	20'-5"	18'-11"	18'-1"	N/A	21'-2"	19'-7"	18'-9"	N/A
	NI-70	21'-7"	20'-0"	19'-1"	N/A	22'-3"	20'-7"	19'-8"	N/A
	NI-80	21'-11"	20'-3"	19'-4"	N/A	22'-7"	20'-11"	20'-0"	N/A
	NI-90x	22'-7"	20'-11"	19'-11"	N/A	23'-3"	21'-6"	20'-6"	N/A
16"	NI-60	22'-3"	20'-8"	19'-9"	N/A	23'-1"	21'-5"	20'-6"	N/A
	NI-70	23'-6"	21'-9"	20'-9"	N/A	24'-3"	22'-5"	21'-5"	N/A
	NI-80	23'-11"	22'-1"	21'-1"	N/A	24'-8"	22'-10"	21'-9"	N/A
	NI-90x	24'-8"	22'-9"	21'-9"	N/A	25'-4"	23'-5"	22'-4"	N/A

Depth	Series	Mid-Span Blocking				Mid-Span Blocking and 1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-7"	14'-1"	13'-3"	N/A	15'-7"	14'-1"	13'-3"	N/A
	NI-40x	17'-9"	16'-1"	15'-1"	N/A	17'-9"	16'-1"	15'-1"	N/A
	NI-60	18'-1"	16'-4"	15'-4"	N/A	18'-1"	16'-4"	15'-4"	N/A
	NI-70	19'-2"	17'-10"	16'-9"	N/A	19'-7"	17'-10"	16'-9"	N/A
	NI-80	19'-5"	18'-0"	17'-1"	N/A	19'-10"	18'-3"	17'-1"	N/A
11-7/8"	NI-20	18'-9"	17'-0"	16'-0"	N/A	18'-9"	17'-0"	16'-0"	N/A
	NI-40x	21'-0"	19'-3"	17'-9"	N/A	21'-3"	19'-3"	17'-9"	N/A
	NI-60	21'-4"	19'-8"	18'-5"	N/A	21'-8"	19'-8"	18'-5"	N/A
	NI-70	22'-6"	20'-10"	19'-11"	N/A	23'-0"	21'-4"	20'-0"	N/A
	NI-80	22'-9"	21'-1"	20'-1"	N/A	23'-3"	21'-7"	20'-5"	N/A
	NI-90x	23'-4"	21'-8"	20'-8"	N/A	23'-10"	22'-2"	21'-2"	N/A
14"	NI-40x	23'-7"	21'-5"	19'-6"	N/A	24'-1"	21'-5"	19'-6"	N/A
	NI-60	24'-0"	22'-3"	21'-0"	N/A	24'-8"	22'-5"	21'-0"	N/A
	NI-70	25'-3"	23'-4"	22'-3"	N/A	25'-10"	24'-0"	22'-9"	N/A
	NI-80	25'-7"	23'-8"	22'-7"	N/A	26'-2"	24'-4"	23'-2"	N/A
	NI-90x	26'-4"	24'-4"	23'-3"	N/A	26'-10"	24'-11"	23'-9"	N/A
16"	NI-60	26'-5"	24'-6"	23'-4"	N/A	27'-2"	24'-10"	23'-4"	N/A
	NI-70	27'-9"	25'-8"	24'-6"	N/A	28'-5"	26'-5"	25'-2"	N/A
	NI-80	28'-2"	26'-1"	24'-10"	N/A	28'-10"	26'-9"	25'-6"	N/A
	NI-90x	29'-0"	26'-10"	25'-7"	N/A	29'-7"	27'-5"	26'-2"	N/A

- Maximum clear span applicable to simple-span residential floor construction with a design live load of 40 psf and dead load of 30 psf. The ultimate limit states are based on the factored loads of 1.50L + 1.25D. The serviceability limit states include the consideration for floor vibration, a live load deflection limit of L/480 and a total load deflection limit of L/240.
- Spans are based on a composite floor with glued-nailed oriented strand board (OSB) sheathing with a minimum thickness of 5/8 inch for a joist spacing of 19.2 inches or less. The composite floor may include 1/2 inch gypsum ceiling and/or one row of blocking at mid-span with strapping. Strapping shall be minimum 1x4 inch strap applied to underside of joists at blocking line or 1/2 inch gypsum ceiling attached to joists.
- Minimum bearing length shall be 1-3/4 inches for the end bearings.
- Bearing stiffeners are not required when I-joists are used with the spans and spacings given in this table, except as required for hangers.
- This span chart is based on uniform loads. For applications with other than uniformly distributed loads, an engineering analysis may be required based on the use of the design properties. Tables are based on Limit States Design per CSA O86-09, NBC 2010, and OBC 2012.
- Joists shall be laterally supported at supports and continuously along the compression edge. Refer to technical documentation for installation guidelines and construction details. Nordic I-joists are listed in CCMC evaluation report 13032-R and APA Product Report PR-L274C.



Maximum Floor Spans

Live Load = 40 psf, Dead Load = 30 psf
Simple Spans, L/480 Deflection Limit
3/4" OSB G&N Sheathing

Depth	Series	Bare				1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-7"	14'-2"	13'-4"	12'-4"	15'-7"	14'-2"	13'-4"	12'-4"
	NI-40x	17'-0"	16'-0"	15'-1"	13'-11"	17'-5"	16'-1"	15'-1"	13'-11"
	NI-60	17'-2"	16'-2"	15'-5"	14'-3"	17'-6"	16'-5"	15'-5"	14'-3"
	NI-70	18'-0"	16'-11"	16'-3"	15'-6"	18'-5"	17'-3"	16'-7"	15'-6"
	NI-80	18'-3"	17'-1"	16'-5"	15'-9"	18'-8"	17'-5"	16'-9"	15'-10"
11-7/8"	NI-20	17'-10"	16'-10"	16'-0"	14'-10"	18'-6"	17'-1"	16'-0"	14'-10"
	NI-40x	19'-4"	17'-11"	17'-3"	15'-10"	19'-11"	18'-6"	17'-9"	15'-10"
	NI-60	19'-7"	18'-2"	17'-5"	16'-9"	20'-2"	18'-9"	17'-11"	17'-1"
	NI-70	20'-9"	19'-2"	18'-3"	17'-5"	21'-4"	19'-9"	18'-10"	17'-10"
	NI-80	21'-1"	19'-5"	18'-6"	17'-7"	21'-7"	20'-0"	19'-0"	18'-0"
14"	NI-90x	21'-8"	20'-0"	19'-1"	18'-0"	22'-2"	20'-6"	19'-6"	18'-6"
	NI-40x	21'-5"	19'-10"	18'-11"	17'-5"	22'-1"	20'-6"	19'-6"	17'-5"
	NI-60	21'-10"	20'-2"	19'-3"	18'-2"	22'-5"	20'-10"	19'-11"	18'-10"
	NI-70	23'-0"	21'-3"	20'-3"	19'-2"	23'-8"	21'-11"	20'-10"	19'-9"
	NI-80	23'-5"	21'-7"	20'-7"	19'-5"	24'-0"	22'-3"	21'-2"	20'-0"
16"	NI-90x	24'-1"	22'-3"	21'-2"	20'-0"	24'-8"	22'-10"	21'-9"	20'-7"
	NI-60	23'-9"	22'-0"	20'-11"	19'-10"	24'-6"	22'-9"	21'-8"	20'-6"
	NI-70	25'-1"	23'-2"	22'-0"	20'-10"	25'-9"	23'-10"	22'-9"	21'-6"
	NI-80	25'-6"	23'-6"	22'-4"	21'-2"	26'-1"	24'-2"	23'-1"	21'-10"
	NI-90x	26'-4"	24'-3"	23'-1"	21'-10"	26'-11"	24'-11"	23'-8"	22'-5"

Depth	Series	Mid-Span Blocking				Mid-Span Blocking and 1/2" Gypsum Ceiling			
		On Centre Spacing				On Centre Spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
9-1/2"	NI-20	15'-7"	14'-2"	13'-4"	12'-4"	15'-7"	14'-2"	13'-4"	12'-4"
	NI-40x	17'-9"	16'-1"	15'-1"	13'-11"	17'-9"	16'-1"	15'-1"	13'-11"
	NI-60	18'-1"	16'-5"	15'-5"	14'-3"	18'-1"	16'-5"	15'-5"	14'-3"
	NI-70	19'-10"	17'-11"	16'-9"	15'-6"	19'-10"	17'-11"	16'-9"	15'-6"
	NI-80	20'-2"	18'-3"	17'-1"	15'-10"	20'-2"	18'-3"	17'-1"	15'-10"
11-7/8"	NI-20	18'-10"	17'-1"	16'-0"	14'-10"	18'-10"	17'-1"	16'-0"	14'-10"
	NI-40x	21'-3"	19'-3"	17'-9"	15'-10"	21'-3"	19'-3"	17'-9"	15'-10"
	NI-60	21'-9"	19'-8"	18'-5"	17'-1"	21'-9"	19'-8"	18'-5"	17'-1"
	NI-70	23'-4"	21'-5"	20'-1"	18'-6"	23'-8"	21'-5"	20'-1"	18'-6"
	NI-80	23'-7"	21'-10"	20'-5"	18'-11"	24'-1"	21'-10"	20'-5"	18'-11"
14"	NI-90x	24'-3"	22'-6"	21'-3"	19'-7"	24'-8"	22'-7"	21'-3"	19'-7"
	NI-40x	24'-2"	21'-5"	19'-6"	17'-5"	24'-2"	21'-5"	19'-6"	17'-5"
	NI-60	24'-9"	22'-5"	21'-0"	19'-6"	24'-9"	22'-5"	21'-0"	19'-6"
	NI-70	26'-1"	24'-3"	22'-9"	21'-0"	26'-8"	24'-3"	22'-9"	21'-0"
	NI-80	26'-6"	24'-7"	23'-3"	21'-6"	27'-1"	24'-10"	23'-3"	21'-6"
16"	NI-90x	27'-3"	25'-4"	24'-1"	22'-4"	27'-9"	25'-10"	24'-3"	22'-4"
	NI-60	27'-3"	24'-11"	23'-5"	21'-7"	27'-6"	24'-11"	23'-5"	21'-7"
	NI-70	28'-8"	26'-8"	25'-3"	23'-4"	29'-3"	26'-11"	25'-3"	23'-4"
	NI-80	29'-1"	27'-0"	25'-9"	23'-10"	29'-8"	27'-6"	25'-10"	23'-10"
	NI-90x	29'-11"	27'-10"	26'-6"	24'-10"	30'-6"	28'-5"	26'-11"	24'-10"

1. Maximum clear span applicable to simple-span residential floor construction with a design live load of 40 psf and dead load of 30 psf. The ultimate limit states are based on the factored loads of 1.50L + 1.25D. The serviceability limit states include the consideration for floor vibration, a live load deflection limit of L/480 and a total load deflection limit of L/240.

2. Spans are based on a composite floor with glued-nailed oriented strand board (OSB) sheathing with a minimum thickness of 3/4 inch for a joist spacing of 24 inches or less. The composite floor may include 1/2 inch gypsum ceiling and/or one row of blocking at mid-span with strapping. Strapping shall be minimum 1x4 inch strap applied to underside of joists at blocking line or 1/2 inch gypsum ceiling attached to joists.

3. Minimum bearing length shall be 1-3/4 inches for the end bearings.

4. Bearing stiffeners are not required when I-joists are used with the spans and spacings given in this table, except as required for hangers.



5. This span chart is based on uniform loads. For applications with other than uniformly distributed loads, an engineering analysis may be required based on the use of the design properties. Tables are based on Limit States Design per CSA O86-09, NBC 2010, and OBC 2012.

6. Joists shall be laterally supported at supports and continuously along the compression edge. Refer to technical documentation for installation guidelines and construction details. Nordic I-joists are listed in CCMC evaluation report 13032-R and APA Product Report PR-L274C.



INSTALLATION GUIDE

FOR RESIDENTIAL FLOORS



Distributed by:



N-C301 / November 2014

SAFETY AND CONSTRUCTION PRECAUTIONS



Do not walk on I-joists until fully fastened and braced, or serious injuries can result.



Never stack building materials over unsheathed I-joists. Once sheathed, do not over-stress I-joist with concentrated loads from building materials.

WARNING

I-joists are not stable until completely installed, and will not carry any load until fully braced and sheathed.




Avoid Accidents by Following these Important Guidelines:

1. Brace and nail each I-joist as it is installed, using hangers, blocking panels, rim board, and/or cross-bridding at joist ends. When I-joists are applied continuous over interior supports and a load-bearing wall is planned at that location, blocking will be required at the interior support.
2. When the building is completed, the floor sheathing will provide lateral support for the top flanges of the I-joists. Until this sheathing is applied, temporary bracing, often called struts, or temporary sheathing must be applied to prevent I-joist rollover or buckling.
 - Temporary bracing or struts must be 1x4 inch minimum, at least 8 feet long and spaced no more than 8 feet on centre, and must be secured with a minimum of two 2-1/2" nails fastened to the top surface of each I-joist. Nail the bracing to a lateral restraint at the end of each bay. Lap ends of adjoining bracing over at least two I-joists.
 - Or, sheathing (temporary or permanent) can be nailed to the top flange of the first 4 feet of I-joists at the end of the bay.
3. For cantilevered I-joists, brace top and bottom flanges, and brace ends with closure panels, rim board, or cross-bridding.
4. Install and fully nail permanent sheathing to each I-joist before placing loads on the floor system. Then, stack building materials over beams or walls only.
5. Never install a damaged I-joist.

Improper storage or installation, failure to follow applicable building codes, failure to follow span ratings for Nordic I-joists, failure to follow allowable hole sizes and locations, or failure to use web stiffeners when required can result in serious accidents. Follow these installation guidelines carefully.

STORAGE AND HANDLING GUIDELINES

1. Bundle wrap can be slippery when wet. Avoid walking on wrapped bundles.
2. Store, stack, and handle I-joists vertically and level only.
3. Always stack and handle I-joists in the upright position only.
4. Do not store I-joists in direct contact with the ground and/or flatwise.
5. Protect I-joists from weather, and use spacers to separate bundles.
6. Bundled units should be kept intact until time of installation.
7. When handling I-joists with a crane on the job site, take a few simple precautions to prevent damage to the I-joists and injury to your work crew.
 - Pick I-joists in bundles as shipped by the supplier.
 - Orient the bundles so that the webs of the I-joists are vertical.
 - Pick the bundles at the 5" points, using a spreader bar if necessary.
8. Do not handle I-joists in a horizontal orientation.
9. NEVER USE OR TRY TO REPAIR A DAMAGED I-JOIST.



MAXIMUM FLOOR SPANS

1. Maximum clear spans applicable to simple-span or multiple-span residential floor construction with a design live load of 40 psf and dead load of 15 psf. The ultimate limit states are based on the factored loads of 1.50L + 1.25D. The serviceability limit states include the consideration for floor vibration and a live load deflection limit of L/480. For multiple-span applications, the end spans shall be 40% or more of the adjacent span.
2. Spans are based on a composite floor with glued-nailed oriented strand board (OSB) sheathing with a minimum thickness of 5/8 inch for a joist spacing of 19.2 inches or less, or 3/4 inch for joist spacing of 24 inches. Adhesive shall meet the requirements given in CGS-71.26 Standard. No concrete topping or bridging element was assumed. Increased spans may be achieved with the use of gypsum and/or a row of blocking at mid-span.
3. Minimum bearing length shall be 1-3/4 inches for the end bearings, and 3-1/2 inches for the intermediate bearings.
4. Bearing stiffeners are not required when I-joists are used with the spans and spacings given in this table, except as required for hangers.
5. This span chart is based on uniform loads. For applications with other than uniform loads, an engineering analysis may be required based on the use of the design properties.
6. Tables are based on Limit States Design per CAN/CSA O86-09 Standard, and NBC 2010.
7. SI units conversion: 1 inch = 25.4 mm
1 foot = 0.305 m

MAXIMUM FLOOR SPANS FOR NORDIC I-JOISTS SIMPLE AND MULTIPLE SPANS

Joist Depth	Joist Series	Simple spans				Multiple spans			
		On centre spacing				On centre spacing			
		12"	16"	19.2"	24"	12"	16"	19.2"	24"
2-1/2"	NI-20	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-40	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-60	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-70	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-80	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-90	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-90x	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-100	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-120	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-140	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-160	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-180	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-200	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-220	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-240	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-260	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-280	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-300	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-320	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-340	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-360	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-380	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-400	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-420	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-440	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-460	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-480	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-500	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-520	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-540	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-560	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-580	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-600	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-620	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-640	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-660	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-680	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-700	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-720	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-740	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-760	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-780	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-800	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-820	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-840	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-860	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-880	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-900	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-920	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-940	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-960	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-980	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1000	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1020	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1040	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1060	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1080	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1100	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1120	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1140	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1160	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1180	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1200	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1220	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1240	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1260	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1280	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1300	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1320	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1340	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1360	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1380	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1400	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1420	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1440	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1460	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1480	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1500	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1520	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1540	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1560	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1580	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1600	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1620	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1640	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1660	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1680	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1700	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1720	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1740	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1760	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1780	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1800	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1820	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1840	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1860	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1880	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1900	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1920	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1940	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1960	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-1980	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2000	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2020	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2040	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2060	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2080	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2100	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2120	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2140	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2160	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2180	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2200	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2220	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2240	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2260	13.97	14.88	15.85	16.84	12.72	13.67	14.64	15.61
2-1/2"	NI-2280	13.97	14.88	15.85	16.84	12.72	13.67	14.64</	


INSTALLING NORDIC I-JOISTS

1. Before laying out floor system components, verify that I-joist flange widths match hanger widths. If not, consult your supplier.
2. Except for cutting to length, I-joist flanges should **never** be cut, drilled, or notched.
3. Install I-joists so that top and bottom flanges are within 1/2 inch of true vertical alignment.
4. I-joists must be anchored securely to supports before floor sheathing is attached, and supports for multiple span I-joists must be level.
5. Minimum bearing lengths: 1-3/4 inches for end bearings and 3-1/2 inches for intermediate bearings.
6. When using hangers, seat I-joists firmly in hanger bottoms to minimize settlement.
7. Leave a 1/16-inch gap between the I-joist end and a header.
8. Concentrated loads greater than those that can normally be expected in residential construction should only be applied to the top surface of the top flange. Normal concentrated loads include track lighting fixtures, audio equipment and security cameras. Never suspend unusual or heavy loads from the I-joist's bottom flange. Whenever possible, suspend all concentrated loads from the top of the I-joist. Or, attach the load to blocking that has been securely fastened to the I-joist webs.
9. Never install I-joists where they will be permanently exposed to weather, or where they will remain in direct contact with concrete or masonry.
10. Restrain ends of floor joists to prevent rollover. Use rim board, rim joists or I-joist blocking panels.
11. For I-joists installed over and beneath bearing walls, use full depth blocking panels, rim board, or squash blocks (cripple members) to transfer gravity loads through the floor system to the wall or foundation below.
12. Due to shrinkage, common framing lumber set on edge **may never** be used as blocking or rim boards. I-joist blocking panels or other engineered wood products – such as rim board – must be cut to fit between the I-joists, and an I-joist-compatible depth selected.
13. Provide permanent lateral support of the bottom flange of all I-joists at interior supports of multiple-span joists. Similarly, support the bottom flange of all cantilevered I-joists at the end support next to the cantilever extension. In the completed structure, the gypsum wallboard ceiling provides this lateral support. Until the final finished ceiling is applied, temporary bracing or struts must be used.
14. If square-edge panels are used, edges must be supported between I-joists with 2x4 blocking. Glue panels to blocking to minimize squeaks. Blocking is not required under structural finish flooring, such as wood strip flooring, or if a separate underlayment layer is installed.
15. Nail spacing: Space nails installed to the flange's top face in accordance with the applicable building code requirements or approved building plans.




FIGURE 1
TYPICAL NORDIC I-JOIST FLOOR FRAMING AND CONSTRUCTION DETAILS

Some framing requirements such as erection bracing and blocking panels have been omitted for clarity.




Figures 3, 4 or 5
Holes may be cut in web for plumbing, wiring and duct work. See Tables 1, 2 and Figure 7.
NOTE: Never cut or notch flanges.

Use hangers recognized in current code evaluation reports




Blocking Panel or Rim Joist	Maximum Factored Uniform Vertical Load* (plf)
Nl joists	3,300

*The uniform vertical load is limited to a joist depth of 16 inches or less and is based on standard term load duration. It shall not be used in the design of a bending member, such as joist, header, or rafter. For concentrated vertical load transfer, see detail 1d.




Blocking Panel or Rim Joist	Maximum Factored Uniform Vertical Load* (plf)
1-1/8" Rim Board Plus	8,090







*The uniform vertical load is limited to a rim board depth of 16 inches or less and is based on standard term load duration. It shall not be used in the design of a bending member, such as joist, header, or rafter. For concentrated vertical load transfer, see detail 1d.



Pair of Squash Blocks	Maximum Factored Vertical per Pair of Squash Blocks (lbs)
2x Lumber	5,500
1-1/8" Rim Board Plus	4,300



Pair of Squash Blocks	Maximum Factored Vertical per Pair of Squash Blocks (lbs)
2x Lumber	5,500
1-1/8" Rim Board Plus	4,300



For nailing schedules for multiple beams, see the manufacturer's recommendations.

Note: Unless hanger sides laterally support the top flange, bearing stiffeners shall be used.

Note: Unless hanger sides laterally support the top flange, bearing stiffeners shall be used.

Maximum support capacity = 1,620 lbs.

Note: Blocking required at bearing for lateral support, not shown for clarity.

BACKER BLOCKS (Blocks must be long enough to permit required nailing without splitting)

Flange Width	Material Thickness Required*	Minimum Depth**
2-1/2"	1"	5-1/2"
3-1/2"	1-1/2"	7-1/4"

* Minimum grade for backer block material shall be S-P-F No. 2 or better for solid sawn lumber and wood structural panels conforming to CAN/CSA-Q325 or CAN/CSA-Q437 Standard.

** For face-mount hangers use net joist depth minus 3-1/4" for joists with 1-1/2" thick flanges. For 2" thick flanges use net depth minus 4-1/4".




Notes:

- Support back of I-joist web during nailing to prevent damage to web/flange connection.
- Leave a 1/8 to 1/4-inch gap between top of filler block and bottom of top I-joist flange.
- Filler block is required between joists for full length of span.
- Nail joists together with two rows of 3" nails at 12 inches o.c. (clinched when possible) on each side of the double I-joist. Total of four nails per foot required. If nails can be clinched, only two nails per foot are required.
- The maximum factored load that may be applied to one side of the double joist using this detail is 860 lb/ft. Verify double I-joist capacity.

FILLER BLOCK REQUIREMENTS FOR DOUBLE I-JOIST CONSTRUCTION

Flange Size	Joist Depth	Filler Block Size
2-1/2" x 1-1/2"	9-1/2" x 14"	2-1/8" x 6"
2-1/2" x 1-1/2"	11-7/8" x 14"	2-1/8" x 8"
3-1/2" x 1-1/2"	9-1/2" x 14"	2-1/8" x 10"
3-1/2" x 1-1/2"	11-7/8" x 14"	2-1/8" x 12"
3-1/2" x 2"	11-7/8" x 14"	3" x 6"
3-1/2" x 2"	11-7/8" x 14"	3" x 8"
3-1/2" x 2"	11-7/8" x 14"	3" x 10"
3-1/2" x 2"	11-7/8" x 14"	3" x 12"
3-1/2" x 2"	11-7/8" x 14"	3" x 7"
3-1/2" x 2"	11-7/8" x 14"	3" x 9"
3-1/2" x 2"	11-7/8" x 14"	3" x 11"




Optional: Minimum 1x4 inch strap applied to underside of joist at blocking line or 1/2 inch minimum gypsum ceiling attached to underside of joists.

Notes:


- In some local codes, blocking is prescriptively required in the first joist space (or first and second joist space) next to the starter joist. Where required, see local code requirements for spacing of the blocking.
- All nails are common spiral in this detail.

CANTILEVER DETAILS FOR BALCONIES (NO WALL LOAD)

3a) I-JOIST CANTILEVER DETAIL FOR BALCONIES (No Wall Load)




3b) LUMBER CANTILEVER DETAIL FOR BALCONIES (No Wall Load)



CANTILEVER DETAILS FOR VERTICAL BUILDING OFFSET (CONCENTRATED WALL LOAD)

4a) Method 1 — SHEATHING REINFORCEMENT ONE SIDE



Method 2 — SHEATHING REINFORCEMENT TWO SIDES

- Use same installation as Method 1 but reinforce both sides of I-joist with sheathing.
- Use nailing pattern shown for Method 1 with opposite face nailing offset by 3".

Note: Canadian softwood plywood sheathing or equivalent (minimum thickness 3/4") required on sides of joist. Depth shall match the full height of the joist. Nail with 2-1/2" nails at 6" o.c., top and bottom flange. Install with face grain horizontal. Attach I-joist to plate at all supports per detail 1b. Verify reinforced I-joist capacity.

4b) Alternate Method 2 — DOUBLE I-JOIST






FIGURE 4 (continued)



CANTILEVER REINFORCEMENT METHODS ALLOWED

JOIST DEPTH (in.)	ROOF TRUSS SPAN (ft)				ROOF LOADING (UNFACTORED)			
	12	16	19.2	24	LL = 30 psf, DL = 15 psf	LL = 40 psf, DL = 15 psf	LL = 50 psf, DL = 15 psf	JOIST SPACING (in.)
24	X	X	X	X	X	X	X	24
30	X	X	X	X	X	X	X	24
32	X	X	X	X	X	X	X	24
34	X	X	X	X	X	X	X	24
36	X	X	X	X	X	X	X	24
38	X	X	X	X	X	X	X	24
40	X	X	X	X	X	X	X	24
42	X	X	X	X	X	X	X	24
44	X	X	X	X	X	X	X	24
46	X	X	X	X	X	X	X	24
48	X	X	X	X	X	X	X	24
50	X	X	X	X	X	X	X	24
52	X	X	X	X	X	X	X	24
54	X	X	X	X	X	X	X	24
56	X	X	X	X	X	X	X	24
58	X	X	X	X	X	X	X	24
60	X	X	X	X	X	X	X	24
62	X	X	X	X	X	X	X	24
64	X	X	X	X	X	X	X	24
66	X	X	X	X	X	X	X	24
68	X	X	X	X	X	X	X	24
70	X	X	X	X	X	X	X	24
72	X	X	X	X	X	X	X	24
74	X	X	X	X	X	X	X	24
76	X	X	X	X	X	X	X	24
78	X	X	X	X	X	X	X	24
80	X	X	X	X	X	X	X	24
82	X	X	X	X	X	X	X	24
84	X	X	X	X	X	X	X	24
86	X	X	X	X	X	X	X	24
88	X	X	X	X	X	X	X	24
90	X	X	X	X	X	X	X	24
92	X	X	X	X	X	X	X	24
94	X	X	X	X	X	X	X	24
96	X	X	X	X	X	X	X	24
98	X	X	X	X	X	X	X	24
100	X	X	X	X	X	X	X	24


1. N = No reinforcement required.
2. X = I-joist reinforced with 3/4" wood structural panel on one side only.
3. X = I-joist reinforced with 3/4" wood structural panel on both sides, or double I-joist.
4. For larger openings, or multiple 3'-0" wide openings spaced less than 6'-0" o.c., additional joists beneath the opening's cripple studs may be required.
5. Table applies to joists 12" to 24" o.c. that meet the floor span requirements for a design dead load, 55 psf floor total load, and 80 psf wall load. Wall load is based on 3'-0" maximum width window or door openings.
6. For hip roofs with the jack trusses running parallel to the cantilevered floor joists, the I-joist reinforcement requirements for a span of 26 ft. shall be permitted to be used.
7. Cantilevered joists supporting girder trusses or roof beams may require additional reinforcing.

WEB HOLES

RULES FOR CUTTING HOLES AND DUCT CHASE OPENINGS:

1. The distance between the inside edge of the support and the centreline of any hole or duct chase opening shall be in compliance with the requirements of Table 1 or 2, respectively.
2. I-joist top and bottom flanges must NEVER be cut, notched, or otherwise modified.
3. Whenever possible, field-cut holes should be centred on the middle of the web.
4. The maximum size hole or the maximum depth of a duct chase opening that can be cut into an I-joist web shall equal the clear distance between the flanges of the I-joist minus 1/4 inch. A minimum of 1/8 inch should always be maintained between the top or bottom of the hole or opening and the adjacent I-joist flange.
5. The sides of square holes or longest sides of rectangular holes should not exceed 3/4 of the diameter of the maximum round hole permitted at that location.
6. Where more than one hole is necessary, the distance between adjacent hole edges shall exceed twice the diameter of the largest round hole or twice the size of the largest square hole (or twice the length of the longest side of the longest rectangular hole or duct chase opening) and each hole and duct chase opening shall be sized and located in compliance with the requirements of Tables 1 and 2, respectively.
7. A knockout is **not** considered a hole, may be utilized anywhere it occurs, and may be ignored for purposes of calculating minimum distances between holes and/or duct chase openings.
8. Holes measuring 1-1/2 inches or smaller shall be permitted anywhere in a cantilevered section of a joist. Holes of greater size may be permitted subject to verification.
9. A 1-1/2 inch hole or smaller can be placed anywhere in the web provided that it meets the requirements of rule number 6 above.
10. All holes and duct chase openings shall be cut in a workman-like manner in accordance with the restrictions listed above and as illustrated in Figure 7.
11. Limit three maximum size holes per span, of which one may be a duct chase opening.
12. A group of round holes at approximately the same location shall be permitted if they meet the requirements for a single round hole circumscribed around them.

FIGURE 7
FIELD-CUT HOLE LOCATOR



A knockout is **NOT** considered a hole, may be utilized wherever it occurs and may be ignored for purposes of calculating minimum distances between holes.

TABLE 1
LOCATION OF CIRCULAR HOLES IN JOIST WEBS
Simple or Multiple Span for Dead Loads up to 15 psf and Live Loads up to 40 psf

Joist Depth	Joist Series	2	3	4	5	6	6-1/4	7	8	8-5/8	9	10	10-3/4	11	12	12-3/4	Span adjustment Factor
10	20	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	1.0
12	24	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	1.0
14	28	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	1.0
16	32	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	1.0
18	36	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	1.0
20	40	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	1.0
22	44	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	1.0
24	48	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	1.0
26	52	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	1.0
28	56	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	1.0
30	60	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	1.0

1. Above table may be used for I-joist spacing of 24 inches on centre or less.
2. Hole location distance is measured from inside face of supports to centre of hole.
3. Distances in this chart are based on uniformly loaded joists.

OPTIONAL:

The above table is based on the I-joists used at their maximum span. If the I-joists are placed at less than their full maximum span (see Maximum Span), the minimum distance from the centreline of the hole to the face of any support (L) as given above may be reduced as follows:

$$L_{\text{reduced}} = \frac{L_{\text{actual}} \times D}{\text{SAF}}$$

Where:

L_{reduced} = Distance from the inside face of any support to centre of hole, reduced for less than maximum span application (ft). The reduced distance shall not be less than 6 inches from the face of the support to edge of the hole.

L_{actual} = The actual measured span distance between the inside faces of supports (ft).

D = Span Adjustment Factor given in this table.

SAF = The minimum distance from the inside face of any support to centre of hole from this table.

If L_{actual} is greater than 1, use 1 in the above calculation for L_{actual} .

SAF

TABLE 2
DUCT CHASE OPENING SIZES AND LOCATIONS — Simple Span Only

Joist Depth	Joist Series	8	10	12	14	16	18	20	22	24
10	20	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
12	24	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
14	28	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0
16	32	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0
18	36	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0	18.0
20	40	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0
22	44	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0
24	48	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0
26	52	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0	26.0
28	56	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0	28.0
30	60	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0

1. Above table may be used for I-joist spacing of 24 inches on centre or less.
2. Duct chase opening location distance is measured from inside face of supports to centre of opening.
3. The above table is based on simple-span joists only. For other applications, contact your local distributor.
4. Distances are based on uniformly loaded floor joists that meet the span requirements for a design live load of 40 psf and dead load of 15 psf, and a live load deflection limit of L/480. For other applications, contact your local distributor.



Never drill, cut or notch the flange, or over-cut the web. Holes in webs should be cut with a sharp saw.

Knockouts are prescored holes provided for the contractor's convenience to install electrical or small plumbing lines. They are 1-1/2 inches in diameter, and are spaced 15 inches on centre along the length of the I-joist. Where possible, it is preferable to use knockouts instead of field-cut holes.

For rectangular holes, avoid over-cutting the corners, as this can cause unnecessary stress concentrations. Slightly rounding the corners is recommended. Starting the rectangular hole by drilling a 1-inch diameter hole in each of the four corners and then making the cuts between the holes is another good method to minimize damage to the I-joist.


2015-04-16

BRICK CANTILEVER DETAILS FOR VERTICAL BUILDING OFFSET (CONCENTRATED WALL LOAD)

5a SHEATHING REINFORCEMENT

Provide full depth blocking between joists over support (not shown)


Note: Canadian softwood plywood sheathing or equivalent (minimum thickness 3/4") required on sides of joist. Depth shall match the full height of the joist. Nail with 2-1/2" nails at 6" o.c., top and bottom flange. Install with face grain horizontal. Attach I-joist to plate at all supports per detail 1b. Verify reinforced I-joist capacity.



5b SET-BACK DETAIL

Rim board or wood structural panel closure (3/4" minimum thickness), attach per detail 1b.

Notes:
 - Provide full depth blocking between joists over support (not shown for clarity)
 - Attach I-joist to plate at all supports per detail 1b.
 - 3-1/2" minimum I-joist bearing required.



5c SET-BACK CONNECTION

Vertical solid sawn blocks (2x6 S-P-F No. 2 or better) nailed through joist web and web of girder using 2-1/2" nails.

Notes:
 - Verify girder joist capacity if the back span exceeds the joist spacing.
 - Attach double I-joist per detail 1p, if required.





FIGURE 5 (continued)



For hip roofs with the jack trusses running parallel to the cantilevered floor joists, the I-joist reinforcement requirements for a span of 26 ft. shall be permitted to be used.

BRICK CANTILEVER REINFORCEMENT METHODS ALLOWED

JOIST DEPTH (in.)	ROOF TRUSS				ROOF LOADING (UNFACTORED)				LL = 50 psf, DL = 15 psf			
	TRUSS SPAN (ft)	JOIST SPACING (in.)	LL = 30 psf, DL = 15 psf	JOIST SPACING (in.)	LL = 40 psf, DL = 15 psf	JOIST SPACING (in.)	LL = 50 psf, DL = 15 psf	JOIST SPACING (in.)	LL = 60 psf, DL = 15 psf	JOIST SPACING (in.)	LL = 70 psf, DL = 15 psf	JOIST SPACING (in.)
12	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
14	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
16	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
18	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
20	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
22	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
24	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
26	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
28	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
30	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
32	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
34	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
36	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
38	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
40	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24
42	12	16	19.2	24	12	16	19.2	24	12	16	19.2	24

1. N = No reinforcement required.
 1 = NI reinforced with 3/4" wood structural panel on one side only.
 2 = NI reinforced with 3/4" wood structural panel on both sides, or double I-joist.
 X = Try a deeper joist or closer spacing.
2. Maximum design load shall be: 15 psf roof dead load, 55 psf floor total load, and 80 psf wall load. Wall load is based on 3'-0" maximum width window or door openings.
3. For larger openings, or multiple 3'-0" width openings spaced less than 6'-0" o.c., additional joists beneath the opening's cripple studs may be required.
 3. Table applies to joists 12" to 24" o.c. that meet the floor span requirements for a design live load of 40 psf and dead load of 15 psf, and a live load deflection limit of L/480. Use 12" o.c. requirements for lesser spacing.
4. For conventional roof construction using a ridge beam, the Roof Truss Span column above is equivalent to the distance between the supporting wall and the ridge beam. When the roof is framed using a ridge board, the Roof Truss Span is equivalent to the distance between the supporting walls as if a truss is used.
5. Cantilevered joists supporting girder trusses or roof beams may require additional reinforcing.

INSTALLING THE GLUED FLOOR SYSTEM

1. Wipe any mud, dirt, water, or ice from I-joist flanges before gluing.
2. Snap a chalk line across the I-joists four feet in from the wall for panel edge alignment and as a boundary for spreading glue.
3. Spread only enough glue to lay one or two panels at a time, or follow specific recommendations from the glue manufacturer.
4. Lay the first panel with tongue side to the wall, and nail in place. This protects the tongue of the next panel from damage when tapped into place with a block and sledgehammer.
5. Apply a continuous line of glue (about 1/4-inch diameter) to the top flange of a single I-joist. Apply glue in a winding pattern on wide areas, such as with double I-joists.
6. Apply two lines of glue on I-joists where panel ends butt to assure proper gluing of each end.
7. After the first row of panels is in place, spread glue in the groove of one or two panels at a time before laying the next row. Glue line may be continuous or spaced, but avoid squeeze-out by applying a thinner line (1/8 inch) than used on I-joist flanges.
8. Tap the second row of panels into place, using a block to protect groove edges.
9. Stagger end joints in each succeeding row of panels. A 1/8-inch space between all end joints and 1/8-inch at all edges, including T&G edges, is recommended. (Use a spacer tool or an 2-1/2" common nail to assure accurate and consistent spacing.)
10. **Complete all nailing of each panel before glue sets.** Check the manufacturer's recommendations for cure time. (Warm weather accelerates glue setting.) Use 2" ring- or screw-shank nails for panels 3/4-inch thick or less, and 2-1/2" ring- or screw-shank nails for thicker panels. Space nails per the table below. Closer nail spacing may be required by some codes, or for diaphragm construction. The finished deck can be walked on right away and will carry construction loads without damage to the glue bond.

FASTENERS FOR SHEATHING AND SUBFLOORING(1)

Maximum Joist Spacing (in.)		Minimum Panel Thickness (in.)	Nail Size and Type		Maximum Spacing of Fasteners	Internal Supports
			Common Wire or Spiral Nails	Ring Thread Nails or Screws	Staples	Edges
16	3/8	2"	1-3/4"	2"	6"	12"
20	5/8	2"	1-3/4"	2"	6"	12"
24	3/4	2"	1-3/4"	2"	6"	12"

1. Fasteners of sheathing and subflooring shall conform to the above table.
2. Staples shall not be less than 1/16-inch in diameter or thickness, with not less than a 3/8-inch crown driven with the crown parallel to framing.
3. Flooring screws shall not be less than 1/8-inch in diameter.
4. Special conditions may impose heavy traffic and concentrated loads that require construction in excess of the minimums shown.
5. Use only adhesives conforming to CAN/CGSB-71.26 Standard, Adhesives for Field-Gluing Plywood to Lumber Framing for Floor System, applied in accordance with the manufacturer's recommendations. If OSB panels with sealed surfaces and edges are to be used, use only solvent-based glues; check with panel manufacturer.

Ref.: NRC-CNRC, National Building Code of Canada 2010, Table 9.23.3.5.

IMPORTANT NOTE:

Floor sheathing must be field glued to the I-joist flanges in order to achieve the maximum spans shown in this document. If sheathing is nailed only, I-joist spans must be verified with your local distributor.


RIM BOARD INSTALLATION DETAILS

8a ATTACHMENT DETAILS WHERE RIM BOARDS ABUT


Rim board Joint Between Floor Joists

2-1/2" nails at 6" o.c. (typical)


(1) 2-1/2" nail top and bottom (typical)




Rim board Joint at Corner



8b TOE-NAIL CONNECTION AT RIM BOARD



8c 2X LEDGER TO RIM BOARD ATTACHMENT DETAIL




2015-04-16

PRODUCT WARRANTY

Customer acknowledges and agrees that, in accordance with our specifications, Nutek products are for firm manufacturing, structural, non-residential and non-commercial.

Furthermore, Customer acknowledges and agrees that our products, when utilized in accordance with our handling and installation instructions, will meet or exceed our specifications for the lifetime of the structure.




MICRO CITY

ENGINEERING SERVICES INC.

TEL: (519) 287 - 2242


R.R. #1, P.O. BOX 61, GLENCOE, ONTARIO, N0L 1M0

LVL HEADER AND CONVENTIONAL LUMBER NAILING DETAILS		
DETAIL NUMBER	NUMBER OF ROWS	SPACING (INCHES o/c) "d"
A	2	12
B	2	8
C	2	6
D	2	4
1A	3	12
1B	3	8
1C	3	6
1D	3	4
2A	4	12
2B	4	8
2C	4	6
2D	4	4
3A	5	12
3B	5	8
3C	5	6
3D	5	4
4A	6	12
4B	6	8
4C	6	6
4D	6	4



NOTES:

- (1) MINIMUM LUMBER EDGE DISTANCE "a" = 1"
- (2) MINIMUM LUMBER END DISTANCE "b" = 2"
- (3) MINIMUM NAIL ROW SPACING "c" = 2"
- (4) STAGGER NAILS "d/2" BETWEEN PLYS FOR MULTI-PLY MEMBERS (3 PLY OR MORE)
- (5) ALL NAILS ARE 3-1/2" ARDOX SPIRAL NAILS
- (6) DO NOT USE AIR-DRIVEN NAILS



DWG NO TAMN1001.14

STRUCTURAL

COMPONENT ONLY

TO BE USED ONLY
WITH BEAM CLES
BEARING THE
STAMP BELOW

PROVIDE NAILING

DETAIL NO X SEE

DWG #TAMN1001-14