CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASER: Josephine B	OADU-TWUM		TEL:
LOT / PHASE	REG. PLAN #	HOUSE TYPE	

LOT / PHASE	REG. PLAN # 62M-1266	HOUSE TYPE Valleycreek Twelve Elev 3	
97/3	02111 1200		
CABINETRY ACCESSO		2.00	
	FLUSH CUTOUT ON W	ALL OVENS - CABINET ONLY	
22Dec20 Note:			
1 - KITCHEN CABINETRY	- BUILT-IN FRIDGE C.	ABINET - PRICE IS EACH	
03Dec20 Note:	(Fridge +	-Freezer).	
1 - PANTRY UNIT UPGRA	DE - TO GO FROM 300	MM TO 600MM DEEP - PRICE IS PER FOOT - STAN	DARD
03Dec20 Note:			
2 - KITCHEN CABINETRY	UPPER - FULL DEPTH	I ABOVE FRIDGE - WITH GABLES - 600MM - PRICE	E IS EACH - STANDARD
03Dec20 Note:			
1 - KITCHEN CABINETRY	BASE - PIE CUT COR	NER CABINET - BASE CABINETRY - STANDARD	
03Dec20 Note:			
1 - KITCHEN CABINETRY EACH - STANDARD 03Dec20 Note:	7 BASE - BUILT-IN - M	CROWAVE BASE CABINET WITH SINGLE POT DR	AWER - 800MM WIDE - PRICE IS
1 - KITCHEN CABINETRY	Y - BUILT-IN DOUBLE	OVEN - STANDARD	
03Dec20 Note:			
1 - KITCHEN CABINETRY	Y BASE - COOKTOP CA	ABINET WITH POT DRAWERS (2 DRAWERS) - STAN	NDARD
03Dec20 Note:			
CERAMIC TILE			
1 - DELETE ALL CERAM	IC BATHROOM ACCES	SORIES - DELETE TOWEL BAR, PAPER HOLDER &	SOAP DISH THROUGHOUT
03Dec20 Note:			
1 - TILE - UPGRADE 3 FL	OOR TILE POWDER	ROOM	
03Dec20 Note:			
1 - TILE - UPGRADE 3 FL	OOR TILE MUD RC	OOM	
03Dec20 Note:			
1 - TILE - UPGRADE 3 FL	OOR TILE FOYER		
03Dec20 Note:			
1 - TILE - UPGRADE 3 W	ALL TILE ENSUITE	WALL TILE - SHOWER	
03Dec20 Note:			
1 - TILE - UPGRADE 3 FL	LOOR TILE ENSUIT	E BATHROOM - FLOOR	-
03Dec20 Note:			7,
CONSTRUCTION			
1 - MASTER ENSUITE - I		IOWER ENCLOSURE	
INCLUDES CHROME 20Jul20 Note: IF CO.	NSTRUCTION PERM	ITS	

COUNTER TOP 1 - COUNTER TOP - UPGRADE - POWER ROOM VANITY COUNTER TOP 03Dec20 Note:

TEL:

CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASER: Josephine BOADU-TWUM

1 Citerate = 1			
LOT / PHASE	REG. PLAN#	HOUSE TYPE	
07/3	62M-1266	Valleycreek Twelve Elev 3	

LOT / PHASE	REG. PLAN#	V. H		1
97 / 3	62M-1266	Valleycreek Twelve Elev 3		
ELECTRICAL				
1 - PLUG - ELECTRICAI	_ PLUG - FOR FREEZER			
22Dec20 Note:				
1 - MASTER ENSUITE E	BATHROOM - RELOCATE	STANDARD CEILING LIGHT TO ABOVE TUB - IF	CONSTRUCTION PERMITS	
03Dec20 Note:				
1 - PLUG - ELECTRICA	L PLUG WITH GFI AND S	WITCH - FOR FESTIVE LIGHTING		
03Dec20 Note:				
1 - PLUG - ELECTRICA	L PLUG - TO BE INSTALL	ED OVER FIREPLACE		
03Dec20 Note:				
1 - RELOCATE STAND.	ARD KITCHEN LIGHT TO	BE CENTERED OVER ISLAND		
03Dec20 Note:				
1 - PLUG - ELECTRICA	L PLUG - FOR BUILT-IN	MICROWAVE		
03Dec20 Note:				
1 - BUILT IN OVEN AN	ID COOKTOP PROVISION	- PROVISION ONLY - ELECTRICAL ONLY		
03Dec20 Note:				
1 - 200 AMP ELECTRIC	CAL SERVICE			
20Jul20 Note:				
FIREPLACE AND A	CCESSORIES			
1 - GAS LINE ROUGH-	IN FOR BARBECUE - FIR	ST FLOOR		
03Dec20 Note:				
1 - GAS LINE ROUGH-	IN FOR STOVE (INCLUDI	ES ELECTRICAL OUTLET) - FIRST FLOOR		
03Dec20 Note:				
	TONE APOUALITAC 1 C	ENLE MANTEI		
1 - MANTEL - CAST S' 03Dec20 Note:	TONE - AEQUALITAS 1 S	IYLE MANTEL		
03Dec20 Note.				
HARDWOOD FLOO				
1	OUP A SERIES 5 INCH - IN	I LIEU OF STANDARD TILE - KITCHEN & BREAKI	FAST	
03Dec20 Note:				
1 - HARDWOOD - GR	OUP A SERIES 5 INCH - IN	LIEU OF 2 1/4 INCH NATURAL RED OAK LIBI	RARY/DEN	
03Dec20 Note:				
1 - HARDWOOD - GR	OUP A SERIES 5 INCH - I	N LIEU OF 2 1/4 INCH NATURAL RED OAK FAM	AILY ROOM	

MIRRORS AND GLASS

03Dec20 Note:

03Dec20 Note:

I - SHOWER DOOR HANDLE - CHROME D-RING WITH TOWEL BAR - MASTER ENSUITE BATHROOM 03Dec20 Note:

1 - HARDWOOD - GROUP A SERIES 5 INCH - IN LIEU OF 2 1/4 INCH NATURAL RED OAK - - DINING ROOM

MISCELLANEOUS

TEL:

Worksheet Note:

	CON	STRUCTION SUMMARY		
	Mountainview F	Ieights 3 (G) - Russell Gardens Buildin	ıg Ltd.	
PURCHASER: Josephine I				TEL:
LOT / PHASE 97 / 3	REG. PLAN # 62M-1266	HOUSE TYPE Valleycreek Twelve Elev 3		
1 - NO FURTHER CHANG				
03Dec20 Note:	JES LEKWITTED			
05Dec20 Note.				
PLUMBING				
2 - HOSE BIB - EXTERIO	R FROST FREE			
03Dec20 Note:				
	IDGE - ROUGH-IN ONLY			
03Dec20 Note:				
	TO ONLY CONTRAC EMERS	7 #4220CGV - POWDER ROOM		
1982 1982/19	IT SINK - CONTRAC EMERY	′ #4220CGY - POWDER ROOM		
03Dec20 Note:				
TO THE STREET, AND THE	TOE TESTER TO SHOWER -	MASTER ENSUITE		
20Jul20 Note:	OE TESTER TO SHOWER -	WASTER BROOTE		
20Jui20 Note.				
PROMOTIONAL				
1 - LESS BALANCE OF C	CREDIT FROM PURCHASER	EXTRA SHEET IN OFFER		
03Dec20 Note:				
			TO DE VIGED 45	TA LATED
1 - PARTIAL REDEMTIC DATE. ORIGINAL PROM 20Jul20 Note:	ON OF PROMOTIONAL PAC MOTIONAL PACKAGE OF \$1	KAGE \$4,515.00 BALANCE (\$7,485.00) FORW 2,000.00 AS PER SCHEDULE PE DATED 07/0	/ARD TO BE USED AT)5/2020.	ALATER
CTAIDS AND DAILIN	CS			
STAIRS AND RAILIN		DICE IS DED SET		
	STANDARD STAIRCASE - P	RICE IS FER SET		
03Dec20 Note:				
- CONTROL OF BUILDING	THE LIBON DICKETS DI	CV		
1 - STAIRCASE - EUROI 03Dec20 Note:	LINE 1 IRON PICKETS - BLA	ACK.		
03Dec20 Note.				
	E	XTRAS AS PER OFFER		
The Vendor agrees that addition to those items of	notwithstanding any other to detailed in Schedule GP to the	erm or provision in this Agreement included ne Agreement of Purchase and Sale, the Purc	in the Purchase Price chaser is entitled to a c	and in credit of Twe

This Document is Extremely Time Sensitive - Printed <u>22 Dec 20</u> at <u>13:05</u>

ConstructionSummaryMS.rpt 08June20 Page 3 of 3

INTERIOR COLOUR SCHEME

19-Nov-20 ch Attached: ● Yes No TWOOD EIENDA BLACK ces ● Yes No Open 41" Upper Cabinets NOTE: If not specified, opening will be	Slide In Stove ets Yes No Please NOTE: 3 I be set to builder's standard opening of approximate to builder's standard opening	Hardware 431SA Standard 431SA 431SA 431SA 447SA N/A N/A N/A N/A N/A N/A Standard Cabinet Height is mately 30" width
19-Nov-20 ch Attached: ● Yes No TWOOD EIENDA BLACK ces ● Yes No Open 41" Upper Cabinets NOTE: If not specified, opening will be	Plan #: 62M-1266 Exterior Colour Scheme: Slide In Stove ets Yes No Please NOTE: 5	Hardware 431SA Standard 431SA 431SA 431SA 431SA N/A N/A N/A N/A N/A Standard Cabinet Height i
ch Attached: Yes No TWOOD SIENDA BLACK Ces Yes No Open 41" Upper Cabinets NOTE: If not specified, opening will be	Slide In Stove ets Yes No Please NOTE: 5	431SA Standard 431SA 431SA 431SA 447SA A31SA N/A N/A N/A N/A Standard Cabinet Height i
TWOOD SIENDA BLACK Ces Yes No Open 41" Upper Cabinets NOTE: If not specified, opening will be	Slide In Stove ets Yes No Please NOTE: 5	431SA Standard 431SA 431SA 431SA 447SA N/A N/A N/A N/A N/A N/A Standard Cabinet Height is mately 30" width
TWOOD SIENDA BLACK Ces Yes No Open 41" Upper Cabinets NOTE: If not specified, opening will be	ets Yes No Please NOTE: S	431SA Standard 431SA 431SA 431SA 447SA N/A N/A N/A N/A N/A N/A Standard Cabinet Height is mately 30" width
CIENDA BLACK Ces Yes No Open 41" Upper Cabinets	ets Yes No Please NOTE: S	Standard 431SA 431SA 447SA 431SA N/A N/A N/A N/A N/A Standard Cabinet Height is mately 30" width
ces ● Yes ○ No Open 41" Upper Cabinets	ets Yes No Please NOTE: S	431SA 431SA 447SA 431SA N/A N/A N/A N/A N/A Standard Cabinet Height is mately 30" width
ces ● Yes ○ No Open 41" Upper Cabinets	ets Yes No Please NOTE: Some Note	431SA 447SA 431SA N/A N/A N/A N/A Yes No Standard Cabinet Height is mately 30" width
ces ● Yes ○ No Open 41" Upper Cabinets	ets Yes No Please NOTE: Some Note	447SA 431SA N/A N/A N/A Yes No Standard Cabinet Height is mately 30" width
ces ● Yes ○ No Open 41" Upper Cabinets	ets Yes No Please NOTE: Some Note	A31SA N/A N/A N/A Yes No Standard Cabinet Height is mately 30" width
ces ● Yes ○ No Open 41" Upper Cabinets	ets Yes No Please NOTE: Some Note	N/A N/A N/A Yes No Standard Cabinet Height is mately 30" width
Open 41" Upper Cabinets NOTE: If not specified, opening will be	ets Yes No Please NOTE: Some Note	N/A N/A Yes No Standard Cabinet Height is mately 30" width
Open 41" Upper Cabinets NOTE: If not specified, opening will be	ets Yes No Please NOTE: Some Note	N/A Yes No Standard Cabinet Height is mately 30" width
Open 41" Upper Cabinets NOTE: If not specified, opening will be	ets Yes No Please NOTE: Some Note	Yes No
Open 41" Upper Cabinets NOTE: If not specified, opening will be	ets Yes No Please NOTE: Some Note	Standard Cabinet Height is mately 30" width
Open 41" Upper Cabinets NOTE: If not specified, opening will be	ets Yes No Please NOTE: Some Note	Standard Cabinet Height is
	Edge	
E CARRARA 4924-38		
AL .	#360 EDGE	
RARA BIANCO 6696-46		
RARA BIANCO 6696-46		
RARA BIANCO 6696-46		
٨L		#360 EDGE ITTA MARBLE 4925K-07

INTERIOR COLOUR SCHEME

Purchaser:	Josephine BOADU-TWUM
Tolonhone Res / Rus	1

Property: 97

Telephone Res. / Bus: /

Project: Russell Gardens Building Ltd.

Decor Advisor: Candace Forza

Model and Elevation: Valleycreek Twelve Elev 3

Lock Date:

Plan # 62M-1266

in Hall Achen / Breakfast Undry Room TILE-RAINBOW WHITE-13X13 TILE-BAINBOW WHITE-13X13 TILE-BAINBOW WHITE-13X13 TILE-BAINBOW UND TILE-BAINBOW LIGHT GREY-13X13 INJURIES Bath - Bedroom 273 TILE-BAINBOW LIGHT GREY-13X13 TILE-BAINBOW LIGHT GREY-13X1	Date: 3-Dec-	20 19-Nov-20		Pian #:	02101-1200	
trance Vestibule in Hall NA	eramic Flooring		A.L	a 45 Thr	eshold-lf App.	
ILECTION SENDING INTERIOR VESTION INTERIOR VESTION INTERIOR STRIP INTERIOR VESTION INTERIOR VEST		THE PEACE DOLLOUED 04V04	At			
tichen / Breakfast undry Room					tal only fillors approach	
undry Room wider Room wider Room suite Bath - Bedroom 23 ITLE-LITIUM PEARL POLISHED-24X24 ITLE-LITIUM PEARL POLISHED-12X24 ITLE-LIT						
Selection Title-LITIUM PEARL POUSHED-28X24 TITLE-LITIUM PEARL POUSHED-28X24 TITLE-LITIUM PEARL POUSHED-28X24 TITLE-LITIUM PEARL POUSHED-28X24 TITLE-LITIUM PEARL POUSHED-12X24 TITLE-ESSENZE GRIGIO-13X13 TITLE-LITIUM PEARL POLISHED-12X24 TITLE-LITIUM PEARL POLISHED-12X13 TITLE-LI						
TILE-LITIUM PEARL POLISHED-24X24 TILE-RAINBOW LIGHT GREY-13X13 TILE-ESSENZE GRIGO-13X13 TILE-LITIUM PEARL POLISHED-12X24 N/A N/A Refer to Construction Summary 4. Ceramic Wall Tile Tub Deck Wall Tub Deck Wall Tub Deck Wall N/A Tub Deck N/A Tub Deck Skirt N/A Shower Stall Tile-TILE-UTIUM PEARL POLISHED-12X24 Bathtub Enclosure Walls Finalite Bath - Bedroom 4 N/A	-					
ITILE-RAINBOW LIGHT GREV-13X13 TILE-RESSENZE GRIGIO-13X13 TILE-RESSENZE GRIGIO-13X13 TILE-BESSENZE GRI				HH		
INLE-ESSENZE GRIGIO-13X13 UD ROOM ITILE-LITIUM PEARL POLISHED-12X24 INA IVA Refer to Construction Summary 1. Ceramic Wall Tile Itaster Ensulte Bathroom Selection Tub Deck Wall Tub Deck Wall Tub Deck Wall Tub Deck Skirt NA Shower Stall TILE-LUTIUM PEARL POLISHED-12X24 Bathtub Enclosure Walls And Tub Deck Skirt NA Shower Stall TILE-LUTIUM PEARL POLISHED-12X24 Bathtub Enclosure Walls NA Insulte Bath - Bedroom 2/3 TILE-LUC BLANC GROENLANDIA-8X16 Insulte Bath - Bedroom 4 NIA NIA NIA NIA NIA NIA NIA NI				HH		
UD ROOM TILE-LITIUM PEARL POLISHED-12X24 N/A N/A N/A N/A N/A	C Datif Douison					
Refer to Construction Summary 4. Ceramic Wall Tile Anster Ensuite Bathroom Tub Deck Wall N/A Tub Deck N/A Tub Deck N/A Tub Deck N/A Tub Deck Skirt N/A Shower Stall TILE-LITUM PEARL POLISHED-12X24 Bathtub Enclosure Walls Bathtub Enclosure Walls Ensuite Bath - Bedroom 2/3 TILE-LUC BLANC GROENLANDIA-8X16 Finsuite Bath - Bedroom 4/1 TILE-LUC BLANC GROENLANDIA-8X16 AND ROOM N/A N/A N/A N/A N/A N/A N/A N/						
Refer to Construction Summary 4. Ceramic Wall Tile Raster Ensuite Bathroom Selection Selection Describe Selection Tub Deck Wall N/A Tub Deck Skirt N/A Shower Stall Tile-Littlum PEARL POLISHED-12X24 Bathtub Enclosure Walls N/A Ensuite Bath - Bedroom 2/3 Ensuite Bath - Bedroom 4 MUD ROOM N/A N/A N/A N/A N/A N/A N/A N/	COM			HH		
A. Ceramic Wall Tile flaster Ensuite Bathroom Selection Describe Tub Deck Wall NIA Tub Deck Skirt NIA Shower Stall ITILE-LUTIUM PEARL POLISHED-12X24 Bathtub Enclosure Walls NIA Ensuite Bath - Bedroom 23 TILE-LUC BLANC GROENLANDIA-8X16 Ensuite Bath - Bedroom 27 Fine-LUC BLANC GROENLANDIA-8X16 Ensuite Bath - Bedroom 4 NIA				HH		
4. Ceramic Wall Tile Jaster Ensuite Bathroom Tub Deck Wall NI/A Tub Deck NI/A Tub Deck Skirt NI/A Shower Stall TILE-LITUM PEARL POLISHED-12X24 Bathtub Enclosure Walls NI/A Ensuite Bath - Bedroom 23 TILE-LUC BLANC GROENLANDIA-8X16 Ensuite Bath - Bedroom 4 MUD ROOM NI/A N	L					
Tub Deck Wall NIA Tub Deck NIA NIA Shower Stall Title-LuttIUM PEARL POLISHED-12X24 Bathtub Enclosure Walls NIA Title-Luc Blanc GroenLandia-8x16 Title-Luc Blanc GroenLandia-8x16 Title-Luc Blanc GroenLandia-8x16 NIA	er to Construction Summa	ary				
Asser Ensuite Bathroom Selection Tub Deck Wall INA Tub Deck Skirt NIA Shower Stall TILE-LITIUM PEARL POLISHED-12X24 Bathub Enclosure Walls NIA Sinsuite Bath - Bedroom 2/3 Finsuite Bath - Bedroom 2/3 Finsuite Bath - Bedroom 2/3 Finsuite Bath - Bedroom 4 AND ROOM NIA NIA NIA Stock Pefer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures NIA						
Asser Ensuite Bathroom Tub Deck Wall NIA Tub Deck NiA Tub Deck Skirt NA Shower Stall Title-LUTIUM PEARL POLISHED-12X24 Bathtub Enclosure Walls NIA Ensuite Bath - Bedroom 2/3 Title-LUC BLANC GROENLANDIA-8X16 Ensuite Bath - Bedroom 4 NIA MUD ROOM NIA NIA NIA NIA NIA * Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures All Bathrooms White NIA NIA NIA NIA NIA NIA NIA NIA NIA NIA NIA NIA NIA NIA NIA	Ceramic Wall Tile					
Tub Deck Wall Tub Deck Nan Tub Deck Nan Tub Deck Nan Tub Deck Skirt Na Shower Stall TillE-LITIUM PEARL POLISHED-12X24 Bathtub Enclosure Walls Na Ensuite Bath - Bedroom 23 TillE-LUC BLANC GROENLANDIA-8X16 MUD ROOM Na Na Na Na Na * Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures NIA		Selection	Des	scribe		
Tub Deck Skirt N/A Shower Stall TitLe-LITIUM PEARL POLISHED-12X24 Bathtub Enclosure Walls N/A Insulte Bath - Bedroom 2/3 ITLE-LUC BLANC GROENLANDIA-8X16 ITLE	Control of the Contro	N/A				
Shower Stall TILE-LITIUM PEARL POLISHED-12X24 Bathtub Enclosure Walls N/A Finsuite Bath - Bedroom 2/3 Fille-LUC BLANC GROENLANDIA-8X16 Finsuite Bath - Bedroom 4 AUD ROOM N/A N/A N/A N/A Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures All Bathrooms White N/A N/A N/A N/A N/A N/A N/A N/	Tub Deck	N/A				
Bathtub Enclosure Walls insuite Bath - Bedroom 2/3 insuite Bath - Bedroom 2/3 insuite Bath - Bedroom 4 ITLE-LUC BLANC GROENLANDIA-8X16 INUD ROOM I						
TILE-LUC BLANC GROENLANDIA-8X16 TILE-LUC BLANC GROENLANDIA-8X16 TILE-LUC BLANC GROENLANDIA-8X16 TILE-LUC BLANC GROENLANDIA-8X16 N/A N/A N/A N/A Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures N/A						-
Insuite Bath - Bedroom 4 INJA INJA INJA INJA INJA INJA INJA INJA	F					
AUD ROOM N/A N/A N/A N/A Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures N/A N/A N/A N/A N/A N/A N/A N/	ite Datif Dearcoin are					
N/A N/A N/A * Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures N/A	ite Bath - Bedroom 4	TILE-LUC BLANC GROENLANDIA-8X16				
N/A * Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures * White N/A N/A N/A N/A N/A N/A N/A N/	ROOM	N/A				
*Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures All Bathrooms White N/A N/A N/A N/A N/A N/A N/A N/		N/A				
* Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Plumbing Fixtures All Bathrooms White N/A N/A N/A N/A N/A N/A N/A N/						
5. Plumbing Fixtures All Bathrooms White N/A N/A N/A N/A N/A N/A N/A N/	on Backepiaci.					
N/A N/A N/A N/A N/A N/A N/A Dishwasher Rough-In Yes Waterline for Fridge Yes Yes ** Refer to Construction Summary 6. Trim Carpentry Interior Doors CARRARA-SMOOTH Interior Trim As Per Construction Specifications Door Handles Exterior Front Door Handle As Per Construction Specifications Exterior Front Door Handle			Whirlpool			
N/A N/A N/A N/A Waterline for Fridge Yes Yes * Refer to Construction Summary * Refer to Construction Summary CARRARA-SMOOTH Interior Doors Interior Trim As Per Construction Specifications Door Handles Exterior Front Door Handle As Per Construction Specifications As Per Construction Specifications					N/A ○ Yes ●	No
N/A N/A Waterline for Fridge Yes * Refer to Construction Summary 6. Trim Carpentry Interior Doors Interior Trim As Per Construction Specifications Door Handles Exterior Front Door Handle As Per Construction Specifications As Per Construction Specifications As Per Construction Specifications						
N/A * Refer to Construction Summary 6. Trim Carpentry Interior Doors Interior Trim As Per Construction Specifications Door Handles Exterior Front Door Handle As Per Construction Specifications As Per Construction Specifications As Per Construction Specifications As Per Construction Specifications	N	/A				
* Refer to Construction Summary 6. Trim Carpentry Interior Doors CARRARA-SMOOTH Interior Trim As Per Construction Specifications Door Handles As Per Construction Specifications Exterior Front Door Handle As Per Construction Specifications	N	/A			_	No
* Refer to Construction Summary 6. Trim Carpentry Interior Doors CARRARA-SMOOTH Interior Trim As Per Construction Specifications Door Handles Exterior Front Door Handle As Per Construction Specifications As Per Construction Specifications	N	/A		Wate	erline for Fridge Yes	No
6. Trim Carpentry nterior Doors CARRARA-SMOOTH nterior Trim As Per Construction Specifications Door Handles As Per Construction Specifications Exterior Front Door Handle As Per Construction Specifications	N	/A				
6. Trim Carpentry Interior Doors CARRARA-SMOOTH Interior Trim As Per Construction Specifications Door Handles As Per Construction Specifications Exterior Front Door Handle As Per Construction Specifications	fer to Construction Sun	nmary				
Interior Doors Interior Trim As Per Construction Specifications Door Handles Exterior Front Door Handle As Per Construction Specifications As Per Construction Specifications	TO TO CONCLUSION CAN					
Interior Doors CARRARA-SMOOTH Interior Trim As Per Construction Specifications						
Interior Trim As Per Construction Specifications Door Handles As Per Construction Specifications Exterior Front Door Handle As Per Construction Specifications	• •					
Door Handles As Per Construction Specifications Exterior Front Door Handle As Per Construction Specifications	10. 200.0					
Exterior Front Door Handle As Per Construction Specifications		L				
)	
** Refer to Construction Summary	rior Front Door Handle	As Per Construction Specifications				
"" Keier to Construction Summary	ofou to Comptunetion Com	mman/				
	Her to Construction Sun	iiiidry				

INTERIOR COLOUR SCHEME

urchaser:	Josephine BC	ADU-TWUM	Prope		
elephone Res. / Bus					Sardens Building Ltd.
27	Candace For	72 Mod	del and Elevati	on: Valleycre	ek Twelve Elev 3
Decor Advisor:	3-Dec-20	19-Nov-20		Plan #:	62M-1266
ock Date: 7. Omer Flooring	DECEMBER OF THE PROPERTY OF TH	10 1107 20			
	N/A	All the second s			
lain Hall	N/A				
iving Room		TAGE-NOTHERN SOLID SAWN-	-CHARACTER-PEA	RL-MAPLE-SAH	IARA-5"
ining Room	STRIP-VIN	TAGE-NOTHERN SOLID SAWN	-CHARACTER-PEA	RL-MAPLE-SAF	IARA-5"
amily Room en / Library / Study	STRIP-VIN	ITAGE-NOTHERN SOLID SAWN	-CHARACTER-PEA	RL-MAPLE-SAH	IARA-5"
asement Landing(If Appl					
ower Landing (If Applies		ITAGE-NOTHERN SOLID SAWN	-CHARACTER-PEA	RL-MAPLE-SAF	HARA-5"
pper Landing		TAGE-NOTHERN SOLID SAWN			
pper Hall		-LEXINGTON-BRUSSELS OAK-			
laster Bedroom		-LEXINGTON-BRUSSELS OAK-			
edroom #2	LAMINATE	-LEXINGTON-BRUSSELS OAK-	TL-LW1316		
edroom #3	LAMINATE-LEXINGTON-BRUSSELS OAK-TL-LW1316				
edroom #4		E-LEXINGTON-BRUSSELS OAK-			
edroom #5	N/A				
ITCHEN & BREAKFAST	STRIP-VI	NTAGE-NOTHERN SOLID SAWN	I-CHARACTER-PE	ARL-MAPLE-SA	HARA-5" (JB)
	N/A				
	N/A				
Jnderpad	Type		Area		
N/A			N/A		
9 Pailings and	Dickate				
Picket Type	AS PER CONSTRI	UCTION SPECIFICATIONS	Colour Colour	VINTAGE SAF BLACK	
Railing Type Picket Type	AS PER CONSTRI	UCTION SPECIFICATIONS RUCTION SPECIFICATIO			
Railing Type Picket Type Stringer / Riser	AS PER CONSTRI EUROLINE 1 AS PER CONST		Colour	BLACK	IARA MAPLE IARA MAPLE
Railing Type Picket Type Stringer / Riser Treads ** Pefer to Constr	AS PER CONSTRI EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish THE STAIN COLOUR	Colour Colour Colour S OR FINISH A	BLACK VINTAGE SAL VINTAGE SAL Yes VAILABLE O	HARA MAPLE HARA MAPLE No N RISERS, TREADS, PICKE
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr	AS PER CONSTRI EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish	Colour Colour Colour S OR FINISH A	BLACK VINTAGE SAL VINTAGE SAL Yes VAILABLE O	HARA MAPLE HARA MAPLE No N RISERS, TREADS, PICKE
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr	AS PER CONSTRI EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs uction Summar RCASES), WILL	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish THE STAIN COLOUR	Colour Colour Colour S OR FINISH A	BLACK VINTAGE SAL VINTAGE SAL Yes VAILABLE O	HARA MAPLE HARA MAPLE No N RISERS, TREADS, PICKE
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr AND RAILS (STAIR FLOORS.	AS PER CONSTRI EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs uction Summar RCASES), WILL	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish ry THE STAIN COLOUR NOT BE AN EXACT MAT	Colour Colour Colour S OR FINISH A	BLACK VINTAGE SAF VINTAGE SAF Yes VAILABLE O	HARA MAPLE HARA MAPLE No N RISERS, TREADS, PICKE
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr AND RAILS (STAIR FLOORS. 9. Wall Paint Fla Main & Upper Hall	AS PER CONSTRI EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs uction Summar RCASES), WILL	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish ry THE STAIN COLOUR NOT BE AN EXACT MAT	Colour Colour Colour S OR FINISH A CH TO PREFIN	BLACK VINTAGE SAL VINTAGE SAL Yes VAILABLE O ISHED HARI	HARA MAPLE HARA MAPLE NO N RISERS, TREADS, PICKE DWOOD OR LAMINATE
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr AND RAILS (STAIR FLOORS. 9. Wall Paint Fla Main & Upper Hall Living Room	AS PER CONSTRI EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs uction Summar RCASES), WILL	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish ry THE STAIN COLOUR NOT BE AN EXACT MAT	Colour Colour Colour S OR FINISH A CH TO PREFIN	BLACK VINTAGE SAH VINTAGE SAH Yes VAILABLE O ISHED HARI 22 22	HARA MAPLE HARA MAPLE NO N RISERS, TREADS, PICKE DWOOD OR LAMINATE
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr AND RAILS (STAIL FLOORS. 9. Wall Paint Fla Main & Upper Hall Living Room Dining Room	AS PER CONSTRICTION EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs uction Summar RCASES), WILL at Finish 22 WARM G N/A 22 WARM G	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish ry THE STAIN COLOUR NOT BE AN EXACT MAT BREY Mast BREY Bedr	Colour Colour Colour S OR FINISH A CH TO PREFIN	BLACK VINTAGE SAL VINTAGE SAL VINTAGE SAL Yes VAILABLE O ISHED HARI 22 22 22 22	HARA MAPLE HARA MAPLE No N RISERS, TREADS, PICKE DWOOD OR LAMINATE WARM GREY WARM GREY
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr AND RAILS (STAIR FLOORS. 9. Wall Paint Fla Main & Upper Hall Living Room Dining Room Citchen / Breakfast	AS PER CONSTRICTION EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs uction Summar RCASES), WILL at Finish 22 WARM G N/A 22 WARM G	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish ry THE STAIN COLOUR NOT BE AN EXACT MAT BREY Mast BEdr GREY Bedr GREY Bedr	Colour Colour Colour S OR FINISH A CH TO PREFIN ter Bedroom room #2 room #3	BLACK VINTAGE SAL VINTAGE SAL VINTAGE SAL Yes VAILABLE O ISHED HARI 22 22 22 22	HARA MAPLE HARA MAPLE NO N RISERS, TREADS, PICKE DWOOD OR LAMINATE WARM GREY WARM GREY WARM GREY WARM GREY WARM GREY WARM GREY
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr AND RAILS (STAIL FLOORS. 9. Wall Paint Fla Main & Upper Hall Living Room Dining Room Kitchen / Breakfast Family Room	AS PER CONSTRICTION EUROLINE 1 AS PER CONSTRICTION AS PER CONSTRICTION Red Oak Stairs Cuction Summar RCASES), WILL At Finish 22 WARM G 22 WARM G	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish ry THE STAIN COLOUR NOT BE AN EXACT MAT BREY Mast BREY Bedr BREY Bedr BREY Bedr BREY Bedr	Colour Colour Colour S OR FINISH A CH TO PREFIN ter Bedroom room #2 room #3 room #4	BLACK VINTAGE SAL VINTAGE SAL VINTAGE SAL Yes VAILABLE O ISHED HARI 22 22 22 22 22 22	HARA MAPLE HARA MAPLE No N RISERS, TREADS, PICKE DWOOD OR LAMINATE WARM GREY WARM GREY WARM GREY WARM GREY WARM GREY WARM GREY
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr AND RAILS (STAIR FLOORS. 9. Wall Paint Fla Main & Upper Hall Living Room Dining Room Dining Room Kitchen / Breakfast Family Room Powder Room	AS PER CONSTRICTION EUROLINE 1 AS PER CONSTRICTION AS PER CONSTRICTION Red Oak Stairs Cuction Summar RCASES), WILL At Finish 22 WARM G 22 WARM G 22 WARM G	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish ry THE STAIN COLOUR NOT BE AN EXACT MAT BREY Mast BREY Bedr	Colour Colour Colour S OR FINISH A CH TO PREFIN com #2 coom #3 coom #4 coom #5	BLACK VINTAGE SAH VINTAGE SAH Yes VAILABLE O ISHED HARI 22 22 22 22 22 22 22	HARA MAPLE HARA MAPLE NO N RISERS, TREADS, PICKE DWOOD OR LAMINATE WARM GREY WARM GREY WARM GREY WARM GREY WARM GREY
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr AND RAILS (STAIL FLOORS. 9. Wall Paint Fla Wain & Upper Hall Living Room Dining Room Kitchen / Breakfast Family Room Powder Room Laundry Room	AS PER CONSTRICT EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs Cuction Summar RCASES), WILL At Finish 22 WARM G	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish TY THE STAIN COLOUR NOT BE AN EXACT MAT BEET	Colour Colour Colour S OR FINISH A CH TO PREFIN ter Bedroom room #2 room #3 room #4 room #5 ter Ensuite	BLACK VINTAGE SAF VINTAGE SAF VINTAGE SAF Yes VAILABLE O ISHED HARI 22 22 22 22 22 22 27 22 22 22 22 22 22	HARA MAPLE HARA MAPLE No N RISERS, TREADS, PICKE DWOOD OR LAMINATE WARM GREY
Railing Type Picket Type Stringer / Riser Treads ** Refer to ConstrAND RAILS (STAIRFLOORS. 9. Wall Paint Flame Main & Upper Hall Living Room Dining Room Kitchen / Breakfast Family Room Powder Room Laundry Room Den/Library	AS PER CONSTRICT EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs Cuction Summar RCASES), WILL At Finish 22 WARM G	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish ry THE STAIN COLOUR NOT BE AN EXACT MAT BEEY BEEY BEEY BEEY BEEY BEEY BEEY BE	Colour Colour Colour S OR FINISH A CH TO PREFIN ter Bedroom room #2 room #3 room #4 room #5 ter Ensuite uite Bath - Bed uite Bath - Bed	BLACK VINTAGE SAL VINTAGE SAL VINTAGE SAL Yes VAILABLE O ISHED HARI 22 22 22 22 22 22 22 22 22 22 22 22 22	HARA MAPLE HARA MAPLE NO N RISERS, TREADS, PICKE DWOOD OR LAMINATE WARM GREY
Railing Type Picket Type Stringer / Riser Treads ** Refer to Constr AND RAILS (STAIL FLOORS.	AS PER CONSTRICT EUROLINE 1 AS PER CONST AS PER CONST Red Oak Stairs Cuction Summar RCASES), WILL At Finish 22 WARM G	RUCTION SPECIFICATIO RUCTION SPECIFICATIO with Semi Gloss Finish ry THE STAIN COLOUR NOT BE AN EXACT MAT BEEY BEEY BEEY BEEY BEEY BEEY BEEY BE	Colour Colour Colour S OR FINISH A CH TO PREFIN Toom #2 Toom #3 Toom #4 Toom #5 ter Ensuite uite Bath - Bed	BLACK VINTAGE SAL VINTAGE SAL VINTAGE SAL Yes VAILABLE O ISHED HARI 22 22 22 22 22 22 22 22 22 22 22 22 22	HARA MAPLE HARA MAPLE NO N RISERS, TREADS, PICKEDWOOD OR LAMINATE WARM GREY

No

N/A

Smooth Ceilings First Floor Yes ** Refer to Construction Summary

Greenpa urchaser: elephone Res. / Bus			INTERIOR COLOUR	SCHLWL	
	1 DOA		Proper	tv: 97	
elephone Res. / Bus	Josephine BOA	YDO-1 AAOIAI	0V 2500-00 B000-00400	ct: Russell Gardens	Building Ltd.
ecor Advisor:	Candace Forza			on: Valleycreek Twel	
ock Date:	8-Dec-20		Nov-20	Plan #: 62M-	1200
10. Plaster Moul	dings and Meda	llions		NIA	N/A
Entrance Vestibule	N/A	N/A	Kitchen/Breakfast	N/A	N/A
Main Hall	N/A	N/A	Den/Library	N/A	
Living Room	N/A	N/A	Lower Landing	N/A	N/A
Dining Room	N/A	N/A		N/A	N/A
Family Room	N/A	N/A			
** Refer to Constr	uction Summary				
11. Fireplace	Room	Fami	ly Room	Other Room -	Specify
Purcha	NO THE PERSON NAMED IN COLUMN		irchased As Per Plan N/A	Purchased	As Per Plan N/A
Fuicille	() (i) (i) (i) (i) (i) (i) (i) (i) (i) (\circ \bullet \circ		\circ
Fireplace Type N/A		FLAT	ON WALL	N/A	
Mantle Type N/A		AEQ	UALITAS I	N/A	
Colour / Stain N/A		NATI	URAL IVORY	N/A	
Surround N/A		N/A	4.15	N/A	
Hearth N/A		NO		N/A	
Comment ** Refer to Constru	ction Summary				
13. Electrical					
-13. Electrical Plugs and Switches	s White	DECO	A100		net Light O Yes No
	STANDARD	WHITE	В	elow Kitchen Cabin	et Light O Yes No
Plugs and Switches Hood Fan Appliances	STANDARD Built in Cod Yes	WHITE	A100		
Plugs and Switches Hood Fan	STANDARD Built in Cod Yes	WHITE E	Built in Oven	elow Kitchen Cabin Gas Stove	et Light ○ Yes ● No Microwave
Plugs and Switches Hood Fan Appliances	STANDARD Built in Coo Yes Yes	WHITE E	Built in Oven	elow Kitchen Cabin Gas Stove	et Light ○ Yes ● No Microwave

PODS302W 30-INCH DOUBLE COMBINATION BUILT-IN OVEN WITH STEAM CONVECTION



PROFESSIONAL SERIES





FEATURES & BENEFITS

- Specially crafted gray glass on stainless steel for a luxurious look and finish
- Designed for flexibility standard or flush installation into kitchen cabinets
- Steam and Convection Cooking provides unrivaled taste and quality – food stays moist on the inside and is perfect on the outside
- Steam and Convection Oven offers passionate cooks more cooking solutions Broil, Steam, True Convection, Steam and Convection
- Large commercial style rotisserie with 12 pound capacity

ACCESSORIES (INCLUDED)

Upper Cavity: 3 Telescopic Racks, Multi-point Meat Probe, Broil Pan, 1 Large Perforated Pan, 1 Small Pan, 1 Small Perforated Pan; Lower Cavity: 3 Telescopic Racks, Multi-point Meat Probe, Max Broil Pan, Rotisserie

WARRANTY	
Limited Warranty Parts and Labor	2 Year

GENERAL PROPERTIES

Heating Modes - Upper Cavity

(17) Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Steam Convection, Defrost, Proof, Warm, Pizza, True Convection, Dehydrate, Speed Convection, Slow Roast, Steam, Reheat, Steam Auto Programs

Heating Modes - Lower Cavity

(16) Bake, Broil, Max Broil, Roast, Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, True Convection,

Dehydrate, Speed Conve	ction, Slow Roast,	Rotisserie
Sabbath		Yes
Cleaning Type	Upper Cavity Lower Cavity	Easy Clean, Ecolytic Clean Easy Clean and Self Clean
Telescopic Rack(s)		6
Illumination Type	Upper Cavity Lower Cavity	LED Halogen
Interior Lights	Upper Cavity Lower Cavity	3 – 1 Top, 2-Sides 2 – Sides with 2 Bulbs Each
Home Connect (Wi-Fi En	abled)	Yes, Upper & Lower
OVEN PERFORMAN	CE	the feet total Medical Lan
Bake / Broil Element	Upper Cavity Lower Cavity	1,420 W / 3,050 W 2,400 / 1,000/3,800 W
Convection Element	Upper Cavity Lower Cavity	2,300 W 2,000 W
TECHNICAL DETAILS	5	the part of the Part of
Watts		9,200 W
Circuit Breaker		40 A

TECHNICAL DETAILS	
Watts	9,200 W
Circuit Breaker	40 A
Volts; Frequency	240 / 208 V; 60 Hz
Plug Type	Fixed Connection, No Plug
Conduit	60" 4-Wire
Energy Source	Electric

Energy Source	Electric
DIMENSIONS & WEIGHT	Charles and the Control of the Contr
Overall Appliance Dimensions (HxWxD)	48 7/8" 29 3/4" x 24 1/2"
Trim Overlaps (Top – Sides – Bottom)	3/8" to 1 5/16" - 9/16" - 0"
Required Cutout Size (HxWxD) – Standard	47 ³ / ₈ "- 48 ¹ / ₈ " x 28 ¹ / ₂ " x 23 ¹ / ₂ "
Required Cutout Size (HxWxD) – Flush	49" x 30" x 24 1/2"
Steam Convection Oven Capacity	2.8 cu. ft.
Oven Capacity	4.5 cu. ft.
Overall Oven Interior Dimensions (HxWxD) Upper Cavity Lower Cavity	14 ¹ / ₂ " × 18 ⁷ / ₈ " × 17 ³ / ₈ " 17 ³ / ₄ " × 24" × 17 ⁷ / ₈ "
Usable Oven Interior Dimensions (HxWxD) Upper Cavity Lower Cavity	11 ¹ /2" × 15 ¹ /2" × 15 ⁵ /8" 13 ¹ /2" × 21 ⁵ /8" × 16 ¹ /4"
Net Weight	333 lbs


Page 1 of 3 07 / 18


PODS302W 30-INCH DOUBLE COMBINATION BUILT-IN OVEN WITH STEAM CONVECTION



PROFESSIONAL SERIES

30-INCH DOUBLE COMBINATION OVEN






Page 2 of 3 07 / 18


PODS302W 30-INCH DOUBLE COMBINATION BUILT-IN OVEN WITH STEAM CONVECTION



PROFESSIONAL SERIES

INSTALLATION DETAILS





These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2018 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.

T36IR900SP 36-INCH BUILT-IN FRESH FOOD COLUMN

FREEDOM® COLLECTION, PANEL-READY





FEATURES & BENEFITS

- Freedom® Hinge enables true flush design
- The new Auto Door Opening provides the opening of the door with just a slight push or pull
- Delicate Produce Bins for expanded storage
- ThermaFresh System, Humidity and Temperature controlled drawers
- SoftClose $\!^{\otimes}$ Drawers and Produce Bins for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

TEMPERATURE RANGES	
Refrigerator	35°F (2°C) to 46°F (8°C)
Temperature Controlled Drawer	32°F (0°C) to 46°F (8°C)
Deli Drawer	Just above 32°F (0°C)
Super Cool	35.5°F (2°C) for approximately 9 hours
Energy Saving (Economy) Mode	45°F (7°C)

Panel Ready	Yes
Reversible Door Swing	Yes
SoftClose® Drawers	Yes
Carbon Air Filter	Yes
Lighting	New Bar ALL LED Sidewall and Theater Lighting
Full Width Shelves	4
Adjustable Shelves	3
Shelf Material	Glass w/Aluminum Profile
Full Extension Drawers @ 115° Door Opening Angle	Yes
Full Extension Drawers @ 90° Door Opening Angle	Yes
Temperature and Humidity Controlled Drawer	1
General Use Drawer	1
Door Bins	2
Gallon Door Bins	1
Delicate Produce Bins	1 Small, 2 Large
Door Open Alarm	Yes
Open Door Assist	Yes
Special Modes	Sabbath, Economy, Vacation
CAPACITY	
Total Unit Gross Capacity (cu. ft.) – AHAM	20.6 cu. ft.
5 () () () () () ()	1
Refrigerator Gross Capacity (cu. ft.)	20.6 cu. ft.
PERFORMANCE	20.6 cu. ft.
	20.6 cu. ft. Yes
PERFORMANCE	
PERFORMANCE Dedicated Evaporator & Compressor System	Yes
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System	Yes Yes
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool	Yes Yes
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS	Yes Yes Yes
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W)	Yes Yes Yes 180 W
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A)	Yes Yes Yes 180 W 15 A
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V)	Yes Yes Yes 180 W 15 A 120V-3 Prong
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.)	Yes Yes Yes 180 W 15 A 120V-3 Prong 60 Hz
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type	Yes Yes Yes 180 W 15 A 120V-3 Prong 60 Hz 139
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.)	Yes Yes Yes 180 W 15 A 120V-3 Prong 60 Hz 139
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT	Yes Yes Yes 180 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.)	Yes Yes Yes 180 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong 83 3/4"* x 35 3/4" x 24 3/4"
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.) Required Cutout Size (H x W x D) (in.)	Yes Yes Yes 180 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong 83 3/4"* × 35 3/4" × 24 3/4" 84" × 36" × 25"
PERFORMANCE Dedicated Evaporator & Compressor System Freeflow® Cold Air System SuperCool TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.) Required Cutout Size (H x W x D) (in.) Net / Gross Weight (lbs)	Yes Yes Yes 180 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong 83 3/4"* × 35 3/4" × 24 3/4" 84" × 36" × 25"

*Height adjustable + / -1/2" (+ / -13 mm)

Page 1 of 3

09 / 17

T36IR900SP 36-INCH BUILT-IN FRESH FOOD COLUMN


Thermador.**

FREEDOM® COLLECTION, PANEL-READY


WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
Limited Warranty for Sealed Refrigeration System**; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrigeration System**; Parts Only	7th to 12th Year
Limited Warranty for Stainless Steel Rust-Through	Lifetime

^{**}Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing


CUTOUT DIMENSIONS



- A: Area for installation of power connection.
- B: Niche depth depends on kitchen design.



TOP VIEW CLEARANCE



- ** Door handle must be added to this measurement
- * Depends on the thickness of the unit door.

 3/4" (19 mm) refers to the stainless steel door.
 (Special accessory).


 3/4" (19 mm)*

T36IR900SP 36-INCH BUILT-IN FRESH FOOD COLUMN



FREEDOM® COLLECTION, PANEL-READY

PANEL DIMENSIONS



ACCESSORIES (OPTIONAL)

STORAGE



SPRODBIN10 Small Produce Bin



LPRODBIN10 Large Produce Bin



36PRODRAIL 36-Inch Produce Railing



36HFGALBIN 36-Inch Half Gallon Bin

HANDLES

NOTE: Choose one handle for each column, choose 2 handles for each 2-door bottom freezer and choose 3 handles for each French Door bottom freezer.

PR36HNDL20
36-Inch Professional Series Handle
PR30HNDL20
30-Inch Professional Series Handle

MS36HNDL20
36-Inch Masterpiece® Series Handle
MS30HNDL20
30-Inch Masterpiece® Series Handle

PR36HNDL10 36-Inch Professional Series Classic Handle PR30HNDL10 30-Inch Professional Series Classic Handle

MS36HNDL10 36-Inch Masterpiece® Series Classic Handle MS30HNDL10 30-Inch Masterpiece® Series Classic Handle

HEATRKIT10 AND HEATRKIT20 FREEDOM® HEATER KIT

For installations where two appliances are installed side-by-side or instances where any appliances are installed less than 6" apart from another but not connected. The heater kit is also recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall. HEATERKIT20 offers improved energy efficiency when compared to HEATRKIT10.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2017 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.

Page 3 of 3 09 / 17

T36IF900SP 36-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER



FREEDOM® COLLECTION, PANEL-READY



FEATURES & BENEFITS

- Freedom® Hinge enables true flush design
- The new Auto Door Opening provides the opening of the door with just a slight push or pull
- Energy Efficient Diamond Ice made with twist tray technology
- Smooth Filtered Lighting for clear and easy viewing of all
- SoftClose® Drawers for easy and controlled storage
- Sleek clean design for the perfect symmetry when paired with additional columns
- TFT control panel managing all your columns functions

Freezer	-9°F (-23°C) to 7°F
	(14°C)
SuperFreeze®	-9°F (-23°C) for approximately 52 hours
Energy Saving (Economy) Mode	3°F (-16°C)

GENERAL PROPERTIES	
Panel Ready	Yes
Reversible Door Swing	Yes
SoftClose® Drawers	Yes
Lighting	ALL LED Sidewall and Theater Lighting
Full Width Shelves	3
Adjustable Shelves	3
Freezer Shelves	4
Shelf Material	Glass w/Aluminum Profile
Full Extension Drawers @ 115° Door Opening Angle	Yes
General Use Drawer	2
Door Bins	3
External LED Proximity Sensor	No
Oversized Dispenser Opening	No
Chilled Water, Crushed and Cubed Ice	No
Rapid Water Replenishment System	No
Ice Maker with Diamond Ice System	Yes
Door Open Alarm	Yes
Open Door Assist	Yes
Special Modes	Sabbath, Economy, Vacation
CAPACITY	
Total Unit Gross Capacity (cu. ft.) – AHAM	19.4 cu. ft.
Freezer Gross Capacity (cu. ft.)	19.4 cu. ft.
PERFORMANCE	
PERFORMANCE Dedicated Evaporator & Compressor System	Yes
Dedicated Evaporator & Compressor System	Yes Yes
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process	Yes
Dedicated Evaporator & Compressor System SuperFreeze®	Yes
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W)	Yes Frost-Free
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A)	Yes Frost-Free 504 W
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V)	Yes Frost-Free 504 W 15 A
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz)	Yes Frost-Free 504 W 15 A 120V-3 Prong
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.)	Yes Frost-Free 504 W 15 A 120V-3 Prong 60 Hz
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type	Yes Frost-Free 504 W 15 A 120V-3 Prong 60 Hz 139
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.)	Yes Frost-Free 504 W 15 A 120V-3 Prong 60 Hz 139
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT	Yes Frost-Free 504 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.)	Yes Frost-Free 504 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong 83 3/4"* x 35 3/4" x 24 3/4"
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.) Required Cutout Size (H x W x D) (in.) Net / Gross Weight (lbs)	Yes Frost-Free 504 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong 83 3/4"* × 35 3/4" × 24 3/4" 84" × 36" × 25"
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.) Required Cutout Size (H x W x D) (in.)	Yes Frost-Free 504 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong 83 3/4"* x 35 3/4" x 24 3/4" 84" x 36" x 25"
Dedicated Evaporator & Compressor System SuperFreeze® Defrost Process TECHNICAL DETAILS Watts (W) Current (A) Volts (V) Frequency (Hz) Power Cord Length (in.) Plug Type DIMENSIONS & WEIGHT Appliance Dimensions (H x W x D) (in.) Required Cutout Size (H x W x D) (in.) Net / Gross Weight (lbs) EFFICIENCY	Yes Frost-Free 504 W 15 A 120V-3 Prong 60 Hz 139 120V-3 Prong 83 3/4"* x 35 3/4" x 24 3/4" 84" x 36" x 25" 522 / 551 lbs

*Height adjustable + / -1/2" (+ / -13 mm)

Page 1 of 3

T36IF900SP 36-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER




FREEDOM® COLLECTION, PANEL-READY


	第45 数数 56 30 L
WARRANTY Limited, Entire Appliance, Parts and Labor on Any Part of the Refrigerator that Fails Because of a Manufacturing Defect	2 Year
imited, Entire Appliance, Farts and Easts. 647-45, Earts and Labor Limited Warranty for Sealed Refrigeration System**; Parts and Labor	3rd to 6th Year
imited Warranty for Sealed Refrigeration System**; Parts Only	7th to 12th Year
imited Warranty for Stainless Steel Rust-Through	Lifetime

^{**}Sealed refrigeration system includes compressor, evaporator, condenser, dryer / strainer and connection tubing


CUTOUT DIMENSIONS



- A: Area for installation of power connection.
- B: Niche depth depends on kitchen design.



TOP VIEW CLEARANCE



- ** Door handle must be added to this dimension
- * Depends on the thickness of the furniture door.

 3/4" (19 mm) is relevant for the stainless steel door.
 (special Accessory).


Page 2 of 3 09 / 17

T36IF900SP 36-INCH BUILT-IN FREEZER COLUMN WITH INTERNAL ICE MAKER



FREEDOM® COLLECTION, PANEL-READY

PANEL DIMENSIONS



ACCESSORIES (OPTIONAL)

STORAGE



ICEBUCKETL Large Ice Bucket

HANDLES

NOTE: Choose one handle for each column, choose 2 handles for each 2-door bottom freezer and choose 3 handles for each French Door bottom freezer.

PR36HNDL20
36-Inch Professional Series Handle
PR30HNDL20
30-Inch Professional Series Handle

MS36HNDL20
36-Inch Masterpiece® Series Handle
MS30HNDL20
30-Inch Masterpiece® Series Handle

PR36HNDL10 36-Inch Professional Series Classic Handle PR30HNDL10 30-Inch Professional Series Classic Handle

MS36HNDL10 36-Inch Masterpiece® Series Classic Handle MS30HNDL10 30-Inch Masterpiece® Series Classic Handle

REPLFLTR10 FREEDOM® WATER FILTER

Replacement water filter for use in all freezer and bottom freezer models

HEATRKIT10 AND HEATRKIT20 FREEDOM® HEATER KIT

For installations where two appliances are installed side-by-side or instances where any appliances are installed less than 6" apart from another but not connected. The heater kit is also recommended for use with any installation in areas that are subject to humidity, or located next to an outside wall. HEATERKIT20 offers improved energy efficiency when compared to HEATRKIT10.

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada.

Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2017 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.

09 / 17

FRIGIDAIRE

PROFESSIONAL.

FPMO3077TF

Frigidaire Professional 30" Built-In Convection Microwave Oven with Drop-Down Door

Smudge-Proof

SIGNATURE FEATURES

AVAILABLE COLORS




PowerSense™ Broil & Grill Grill fresh or frozen pizza at the touch of a button.



PowerSense™ Auto Defrost
Take the guesswork out of defrosting meat, poultry, or fish with
PowerSense Auto Defrost.



Adjustable Timer
Now you can adjust the cooking time
of your dish while its cooking. The
adjustable timer allows you to add
30 seconds on the timer.



Drop Down DoorFaster, easier access to what you are cooking with Drop Down Door configuration.

MORE EASY-TO-USE FEATURES

Keep Warm

Consistently keep your dishes warm, for up to 90 minutes, until everything and everyone is ready.

PowerBright* LED Lighting

See the power. See the results in action. LED interior microwave light stays on while your dish cooks.

PowerPlus™ 2-in-1 Convection Oven or Microwave

Get the great tasting results of a conventional convection oven combined with the speed of microwave technology with the PowerPlus™ 2-in-1 Convection Microwave Oven.

PowerSense™ Cooking Technology

Results you can trust. PowerSense™ Cooking Technology automatically senses ideal time and power levels.

Smudge-Proof® Stainless Steel Resists fingerprints and cleans easily.

frigidaire.com/frigidaire.ca

FPMO3077TF

Frigidaire Professional 30" Built-In Convection Microwave Oven with Drop-Down Door

FRIGIDAIRE

PROFESSIONAL.

Product Weight	85.5 lbs
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year
Power Type	Electric
Size	30"
Installation Type	Built-In
Collection	Frigidaire Professiona
nternal Specifications	
Turntable Diameter	14 19/100"
ne Touch Options	
Add 30 Seconds	Yes
Snacks	Yes
Soften / Melt	Yes

Smudge-Proof ^e Stainless Steel
19"
29 13/16"
22 3/8"
18"
28 3/8"
22"
1.6 Cu. Ft.
120 V
1750 Watts
1750 Walls

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com / frigidaire.ca.

Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca

FRIGIDAIRE. ...

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FPMO3077TF ©2017 Electrolux Home Products, Inc.

