CONSTRUCTION SUMMARY

Mountainview Heights 3 (G) - Russell Gardens Building Ltd.

PURCHASERS: Muhammad Mubashir HASAN and Rahila RAFIQUE

TEL: RES.: 647-991-4819

			TEL: RES.: 047-991-4819
LOT/PHASE REG. PLAN# HOUSE TYPE 274/3 62M-1266 Mountainash Four (4 Bedroom) Elev 3			
CABINETRY			
1 - CABINETRY - KITCHE 06Jan21 Note:	N - LIGHT VALENCE - N	O ELECTRICAL	

1 - KITCHEN - DELETE CARINETS AROVE STOVE. MENTS	
1 - KITCHEN - DELETE CABINETS ABOVE STOVE - VENDOR WILL SUPPLY 6 INCH VENT AS PER CONSTRUCTION SPECIFICATIONS AND VENT MAY NOT BE IN THE APPROPRIATE LOCATION FOR INSTALLATION OF PURCHASER SUPPLIED VENT - PURCHASER TO SUPPLY OWN FAN AFTER CLOSING	
18Dec20 Note: TEMPORARY HOOD FAN MAY BE PROVIDED	
1-KITCHEN CADINETDY TWO COLOUR WESTERN	
1 - KITCHEN CABINETRY - TWO COLOUR KITCHEN - FLAT FEE	
18Dec20 Note:	
1 - CABINETRY - KITCHEN - UPGRADE 2	
18Dec20 Note:	
CABINETRY ACCESSORIES * Appliance Sages 10 thanks 14 th	
TIPPINGILL SPECS, HATIACKI AST	
T - CABINETRY FEE FOR FLUSH CUTOUT ON WALL OVEN/MICROWAVE COMBO CABINET ONLY	
06Jan21 Note:	
1 - KITCHEN - RELOCATE BANK OF DRAWERS - SEE SKETCH	
18Dec20 Note:	
1 - KITCHEN CABINETRY BASE - PULLOUT RECYCLE 2 BIN - PRICE IS EACH	
18Dec20 Note:	
1 - PANTRY LINIT LIPORADE TO CO EDOM 2000 OF TO CO.	
1 - PANTRY UNIT UPGRADE - TO GO FROM 300MM TO 600MM DEEP - PRICE IS PER FOOT - UPGRADE 2 18Dec20 Note:	
TODECZO NOIC.	
I - KITCHEN CABINETRY UPPER - FULL DEPTH ABOVE FRIDGE - WITH GABLES - 600MM - PRICE IS EACH - UPGRADE 2	
18Dec20 Note:	
VITCHEM CARDINETRAL RACE	
2 - KITCHEN CABINETRY BASE - PULLOUT WIRE SPICE RACK - PRICE IS EACH	
18Dec20 Note:	
- KITCHEN CABINETRY BASE - COOKTOP CABINET WITH POT DRAWERS (2 DRAWERS) - UPGRADE 2 - 36"	
18Dec20 Note:	
- KITCHEN CABINETRY - BUILT-IN MICROWAVE/OVEN COMBO - UPGRADE 2	
8Dec20 Note:	

CERAMIC TILE

CERTAIN CHEE	
1 - TILE - UPGRADE 2 WALL TILE BATHROOM 4 - SHOWER	<u> </u>
18Dec20 Note:	
1 - TILE - UPGRADE 2 FLOOR TILE BATHROOM 4 - FLOOR	
18Dec20 Note:	
1 THE HOOD AS A SECOND	
1 - TILE - UPGRADE 2 WALL TILE BATHROOM 2/3 - TUB AREA	
18Dec20 Note:	
1 THE LINCOLOR BY STATE OF STA	_
1 - TILE - UPGRADE 2 FLOOR TILE BATHROOM 2/3 - FLOOR	
18Dec20 Note:	

RECEIVED

CONSTRUCTION SUMMARY
Mountainview Heights 3 (G) - Russell Gardens Buildin

	1. 10 antain view	riegnis 5 (G)	- Kussell	Gardens	Building	Lite
PURCHASERS: Muhammad Muha	ahin II A C A N				- manng	Litt

TORCHASERS: Munamm	and Mubashir HASAN and	Rahila RAFIQUE	TEL: RES.: 647-991-4819
LOT / PHASE 274 / 3	REG. PLAN # 62M-1266	HOUSE TYPE Mountainash Four (4 Bedroom) Elev 3	
1 - TILE - UPGRADE 3 WA 18Dec20 Note:	ALL TILE ENSUITE V		
1 - TILE - UPGRADE 3 FLO 18Dec20 Note:	OOR TILE ENSUITE	BATHROOM - FLOOR	
10Dec20 Note.			
1 - DELETE ALL CERAMION 18Dec20 Note:	C BATHROOM ACCESS	ORIES - DELETE TOWEL BAR & PAPER HOLDER - PO	WDER ROOM ONLY
10Dec20 Note.			
1 - TILE - UPGRADE 3 FLO 18Dec20 Note:	OOR TILE SIDE HAL	L	
18Dec20 Note:			
1 - TILE - UPGRADE 3 FLO	OOR TILE POWDER I	ROOM	
18Dec20 Note:			
1 - TILE - UPGRADE 3 FLC	OOR TILE KITCHEN		
18Dec20 Note:			
1 - TILE - UPGRADE 3 FLO	OR TILE FOYER		
18Dec20 Note:			
CONSTRUCTION			
2 - ENLARGE BASEMENT	WINDOWS (MAY REQU	JIRE WINDOW WELLS) - WINDOW IS 30 INCHES X 24	NCHES
ONLY ENLARGE 2 WINDO 04Aug20 Note: IF CONS	M2 ON FELL SIDE OF I	BROCHURE PLAN	TVOILES
OORS AND TRIM			
1 - TRIM - UPGRADE - 5-1/4° 18Dec20 Note:	' ONE STEP BASEBOAF	RD AND ONE STEP CASING	
LECTRICAL			
- POT LIGHT - SHOWER F 8Dec20 Note:	OT LIGHT - ENSUITE 2	/3 BATHROOM	
- STANDARD DINING RO 8Dec20 Note:	OM LIGHT TO BE CENT	FERED BETWEEN LIVING AND DINING ROOM	
- RELOCATE STANDARD 8Dec20 Note:	KITCHEN LIGHT TO BI	E CENTERED OVER ISLAND	
7.000.			
- PLUG - ELECTRICAL PL 8Dec20 Note:	UG - TO BE INSTALLEI	O OVER FIREPLACE	
oDec20 Note.		¥	
- BUILT IN OVEN AND CO	OOKTOP PROVISION - F	PROVISION ONLY - ELECTRICAL ONLY	
8Dec20 Note:			
- 200 AMP ELECTRICAL S	ERVICE		
4Aug20 Note:			
REPLACE AND ACCES	SSORIES		
		PLECTRICAL OUTLETV EIRST FLOOR	

ConstructionSummaryMS.rpt 08June20

18Dec20 Note:

NUD OX	Mountainvie	ONSTRUCTION SUMMA w Heights 3 (G) - Russell Gardens	RY Building Ltd	
PURCHASERS: Muhamma	nd Mubashir HASAN and F	Rahila RAFIQUE	Etu.	TEL: RES.: 647-991-48
LOT / PHASE 274 / 3	REG. PLAN # 62M-1266	HOUSE TYPE Mountainash Four (4 Bedroom)	El. 2	
1 - MANTEL - PAINTED - 1 18Dec20 Note:	M 4 - IN LIEU OF STAND	ARD MANTEL	Elev 3	
IARDWOOD FLOORIN				
1 - HARDWOOD - GROUP 18Dec20 Note:	B SERIES 5 INCH - IN LI	EU OF 2 1/4 INCH NATURAL RED OAK	C MAIN HALL	
1 - HARDWOOD - GROUP 18Dec20 Note:	B SERIES 5 INCH - IN LII	EU OF 2 1/4 INCH NATURAL RED OAK	C LIVING AND DIN	ING ROOM
1 - HARDWOOD - GROUP I 18Dec20 Note:	3 SERIES 5 INCH - IN LII	EU OF 2 1/4 INCH NATURAL RED OAK	LIBRARY/DEN	
1 - HARDWOOD - GROUP E 18Dec20 Note:	3 SERIES 5 INCH - IN LIE	EU OF 2 1/4 INCH NATURAL RED OAK	FAMILY ROOM	
IIRRORS AND GLASS - MASTER ENSUITE - FR	AMELESS GLASS SHOW	ED ENCLOSUDE DIGITIES OF		
EAT AND PLUMBING TO 8Dec20 Note:	ACCOMMODATE - INST	ER ENCLOSURE – INCLUDES CHROM ALL GLASS WALL ABOVE SEAT	IE KNOB AND HINGE	S - RELOCATE
ISCELLANEOUS - NO FURTHER CHANGES	DDD GODEN			
6Jan21 Note:	PERMITTED			
AINTING THROUGHOUT - BASEB	OARDS, TRIM, DOORS &	z FIREPLACE MANTLE - UPGRADE WI	HITE PAINT	
8Dec20 Note:				
LUMBING				
8Dec20 Note: R	DWOLL ROO	ROME - TOWEL BAR 24" #YB8094/YB8	8000 - PRICE IS EACH	_
- WATER LINE FOR FRIDO 8Dec20 Note:	E - ROUGH-IN ONLY			
- TOE TESTER - ADD TOE 4Aug20 Note:	TESTER TO SHOWER - A	ALL SHOWERS		
ROMOTIONAL				
- LESS BALANCE OF CREI BDec20 Note:	DIT FROM PURCHASER	EXTRA SHEET IN OFFER		
PARTIAL REDEMTION OF ATE, ORIGINAL PROMOTIC PAUG 20 Note:	F PROMOTIONAL PACK ONAL PACKAGE OF \$15	AGE \$2,135.00 BALANCE (\$12,865.00) ,000.00 AS PER SCHEDULE PE DATED	FORWARD TO BE US 0 07/22/2020.	ED AT A LATER
AIRS AND RAILINGS				
STAIRCASE - EUROLINE	3 IRON PICKETS - BLAC	K		
ounzi note:				

Worksheet Note:

PURCHASERS: Muhamn	CO Mountainviev nad Mubashir HASAN and R	ONSTRUCTION SUMMARY v Heights 3 (G) - Russell Gardens Building Ltd ahila RAFIQUE	TEL: RES.: 647-991-48	10
LOT / PHASE 274 / 3	REG. PLAN# 62M-1266	HOUSE TYPE	1201.017-771-40	19
	02WI-1200	Mountainash Four (4 Bedroom) Elev 3		
State No.		W. K. B. G. B. L. G. G. B.		
1 - STAINED STAIRS - ST	ANDARD STAIRCASE - P	RICE IS PER SET		
18Dec20 Note:		3.52.		
1 - STAIRCASE - V GROO	VE HANDRAIL			
18Dec20 Note:				
	HE ROLL OF THE			_
	EX	KTRAS AS PER OFFER		
DV ID GVV I GOTT				
PROMOTIONAL PACKA	WLEDGES THAT THE	PURCHASE PRICE IS INCLUSIVE OF ALL CRED	ITS AND	\neg
Worksheet Note:	IOLS AVAILABLE AT I	IME OF PURCHASE.		
				
The Vendor agrees that no	twithstanding any other ter	rm or provision in this Agreement included in the Puro	chase Price and in	닉
Worksheet Note:	alled in Schedule GP to the	e Agreement of Purchase and Sale, the Purchaser is en	titled to a credit of Fif	

This Document is Extremely Time Sensitive - Printed <u>6 Jan 21</u> at <u>9:06</u>

Purchase Price includes a walk up from the basement to the rear of the dwelling unit, and the obligation to construct the house with the walk up is subject to the Vendor?s approval, in its sole and unfettered discretion. The Purchaser acknowledges and ag

INTERIOR COLOUR SCHEME

Purchasers:

Muhammad Mubashir HASAN & Rahila RAFIQUIProperty: 274

Telephone Res. / Bus: (647) 991-4819 /

Project: Russell Gardens Building Ltd.

Decor Advisor: Lock Date:

Candace Forza

Model and Elevation: Mountainash Four (4 Bedroom) Elev 3

Layout Changes: Yes No Sketch Attached: Yes No Exterior Colour Scheme: 1. Cabinetry Style and Colour Kitchen / Breakfast Laundry Room ELISSE Powder Room MONACO 350 PLATINUM SILVER Master Ensuite Bathroom MONACO 821 INDUSTRIAL GRAPHITE Ensuite Bath - Bedroom 2/3 MONACO 823 DRIFT WOOD Ensuite Bath - Bedroom 4 MONACO 823 DRIFT WOOD MONACO 823 DRIFT WOOD A46SA N/A N/A N/A N/A N/A N/A N/A N	Lock Date:	18-Dec-20	18-Dec-20	Plan #:	62M-1266	•
Style and Colour Kitchen / Breakfast SEE BELOW Laundry Room EUSSE MONACO 820 INDUSTRIAL GRAPHITE Salsa Monaco 821 INDUSTRIAL GRAPHITE Salsa Monaco 823 DRIFT WOOD MONACO 824 DRIFT WOOD MONACO 825 DRIFT WOOD MONACO 825 DRIFT WOOD MONACO 825 DRIFT WOOD MONACO 825 DRIFT WOOD MONACO 826 DRIFT WOOD MONACO 825 DRI		es 🌑 No :	Sketch Attached: Yes	CONTRACTOR CONTRACTOR OF THE PARTY OF THE PA		
Kitchen / Breakfast Laundry Room EUISSE MONACO 350 PLATINUM SILVER MONACO 821 INDUSTRIAL GRAPHITE A31SA MONACO 821 INDUSTRIAL GRAPHITE Ensuite Bath - Bedroom 2/3 MONACO 823 DRIFT WOOD MONACO 823 DRIFT WOOD A46SA N/A N/A N/A APPliances: Built In Appliances Built In Appliances Built In Appliances Closed Open 41" Upper Cabinets Yes No Please VOTE: Standard Cabinet Height Is Stove Opening Fridge Opening NOTE: If not specified, opening will be set to buildur's standard opening of approximately 37" width n. 74" height The PREVITER" Refer to Construction Summary EXCICHEN - PERIMETER - ARUBA 614 CRISP WHITE ***ISLAND, BELOW COOKTOP & SPICE PULL -OUTS - ARUBA 7 PEWTER" Refer to Construction Summary 2. Counter Counter Counter Citchen / Breakfast LAMINATE-PALOMA POLAR 6698-48 LAMINATE-PORTICO MARBLE 7735-56 Insuite Bath - Bedroom 2/3 LAMINATE-WHITE CARRARA 4924-38 NA NA NA NA NA NA NA NA NA N	1. Cabinetry ——		Commission of the Commission o			
Laundry Room ELISS Powder Room MONACO 350 PLATINUM SILVER MONACO 350 PLATINUM SILVER MONACO 350 PLATINUM SILVER MONACO 321 INDUSTRIAL GRAPHITE Ensuite Bath - Bedroom 2/3 MONACO 323 DRIFT WOOD A46SA MONACO 323 DRIFT WOOD A46SA N/A N/A N/A Appliances: Built in Appliances Wes No Slide in Stove Yes No Please NOTE: Standard Cabinet Height is Stove Opening A07EB Not Specified, opening will be set to builder's standard opening of approximately 37" width x2x" haight NOTE: if not specified, opening will be set to builder's standard opening of approximately 37" width x2x" haight KITCHEN - PERIMETER - ARUBA 614 CRISP WHITE ***ISLAND, BELOW COOKTOP & SPICE PULL -OUTS - ARUBA 7 PEWTER*** Refer to Construction Summary Counter Counter Counter Adminate-White Carrara 4924-38 Laminya Room Laminya Room Aminate-Portico MarBile 7736-58 Ensuite Bath - Bedroom 2/3 Laminya Room Master Ensuite Bathroom Ensuite Bath - Bedroom 2/3 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 2/3 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 2/3 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 2/3 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 2/3 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 2/3 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 4 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 4 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 4 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 4 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 4 Laminya Room Aminate-White Carrara 4924-38 Insuite Bath - Bedroom 4 Laminya Room Aminate - Poterior Minate - Poteri	Kitchen / Breakfast		Colour			Hardware
Powder Room MONACO 350 PLATINUM SILVER 431SA Master Ensuite Bathroom 40 MONACO 321 INDUSTRIAL GRAPHITE 431SA Ensuite Bath - Bedroom 2/3 MONACO 823 DRIFT WOOD 446SA Ensuite Bath - Bedroom 4 MONACO 823 DRIFT WOOD 446SA N/A N/A N/A Appliances: Built In Appliances 9 Yes No Silde In Stove Yes No Dishwasher Cabinet Stove Opening 10 Open 41" Upper Cabinets 9 Yes No Please NOTE: Standard Cabinet Height is Stove Opening NOTE: If not specified, opening will be set to builder's standard opening of appreximately 30" width 72" height KITCHEN - PERIMETER - ARUBA 614 CRISP WHITE ***ISLAND, BELOW COOKTOP & SPICE PULL -OUTS - ARUBA 7 PEWTER*** Refer to Construction Summary 2. Counters Counter Counter Counter Citchen / Breakfast Laminy Room N/A Dowder Room Laminy Room Laminy Room 20 Lam						447SA
Master Ensuite Bath - Bedroom 2/3 MONACO 823 DRIFT WOOD Ensuite Bath - Bedroom 2/3 MONACO 823 DRIFT WOOD MONACO						Standard
Master Ensuite Bath - Bedroom 2/3 MONACO 823 DRIFT WOOD 446SA Ensuite Bath - Bedroom 4/4 MONACO 823 DRIFT WOOD 446SA N/A N/A N/A N/A N/A N/A Appliances: Built in Appliances Pes No Slide in Stove Yes No Slide in Stove Yes No No Please NOTE: Standard deposing of approximately 37° width x 74° help! Stove Opening 36° NOTE: if not specified, opening will be set to builder's standard opening of approximately 37° width x 74° help! KITCHEN - PERIMETER - ARUBA 614 CRISP WHITE ***ISLAND, BELOW COOKTOP & SPICE PULL -OUTS - ARUBA 7 PEWTER** Refer to Construction Summary Counter Edge Counter Edge ASISA AMINATE-WHITE CARRARA 4924-38 N/A	Sand Market Prince	A second				431SA
Ensuite Bath - Bedroom 4 MONACO 823 DRIFT WOOD N/A N/A N/A N/A Appliances: Dishwasher Cabinet Stove Opening NOTE: If not specified, opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified of pening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening of approximately 30° width r. 74° height for the specified opening will be set to builder's standard opening o						431SA
AdeSA NIA NIA NIA NIA NIA NIA NIA NIA NIA NI			DRIFT WOOD			446SA
N/A N/A N/A N/A N/A N/A N/A N/A N/A Appliances: Built In Appliances Open 41" Upper Cabinets Stove Opening Closed Open 41" Upper Cabinets Opening Will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30" width x 74" height is not specified, opening will be set to builder's standard opening of approximately 30"	Ensuite Bath - Bedroom 4	MONACO 823 D	PRIFT WOOD			
N/A N/A Appliances: Built In Appliances Yes No Slide In Stove Yes No Note: If not specified, opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The specified opening will be set to buildor's standard opening of approximately 30" width x 74" height is not specified. The s		N/A				
Appliances: Built in Appliances Pyes No Slide in Stove Yes No Slide in Stove Yes No No Please NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The standard opening of approximately 37" width x 74" height is set. The set is builtder's standard opening of approximately 37" width x 74" height is set. The set is builtder's standard opening of approximately 37" width x 74" height is set. The set is builtder's standard opening of approximately 37" width x 74" height is set. The set is builtder's standard opening of approximately 37" width x 74" height is set. The set is builtder's standard opening of approximately 37" width x 74" height is set to builtder's standard opening of approximately 37" width x 74" height is set. The set is builtder's standard opening of approximately 37" width x 74" height is set to builtder's standard opening of approximately 37" width x 74" height is set to builtder's standard opening of approximately 37" width x 74" height is set to builtder's standard opening of approximately 37" width x 74" height is set to builtder's standard opening of approximately 37" width x 74" height is set to builtder's standard opening of approximately 37" width x 74" height is set to builtder's standard opening of approximately 37" width x 74" height is set to builtder's standard opening of approximately 37" width x 74" height		N/A				
Appliances: Built In Appliances Pyes No Slide In Stove Yes No Please NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width a 74" height is provided to Construction Summary NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width a 74" height is provided to Construction Summary ACTICHEN - PERIMETER - ARUBA 614 CRISP WHITE ***ISLAND, BELOW COOKTOP & SPICE PULL -OUTS - ARUBA 7" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximately 37" width a 74" height is provided by the set to builder's standard opening of approximate		N/A				
Closed Open 41" Upper Cabinets Yes No Please NOTE: Standard cabinet Height is Stove Opening Stove Opening NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height is NOTE: If not specified, opening will be set to builder's standard	Appliances:	Duilt In Anni:	A V O ··			N/A
Stove Opening NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width x 74" help NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" will be set to builder's standard opening of approximately 30" will be set to builder's standard opening of approximately 30" will be set t					de In Stove	Yes No
PEWTER** Refer to Construction Summary Counters Counter Counter						
Counters Counter Co	-	36	NOTE: If not specified, opening w	rill be set to builder's standard ope	ning of approximately 3	o" width
2. Counters Counter Edge Kitchen / Breakfast LAMINATE-WHITE CARRARA 4924-38 Laundry Room N/A Powder Room LAMINATE-PALOMA POLAR 6698-46 Master Ensuite Bathroom LAMINATE-PORTICO MARBLE 7735-58 Ensuite Bath - Bedroom 2/3 LAMINATE-WHITE CARRARA 4924-38 Insuite Bath - Bedroom 4 N/A N/A N/A N/A N/A	Fridge Opening		NOTE: If not specified, opening w	ill be set to builder's standard ope	ning of approximately 3	7" width x 74" height
Counter Citchen / Breakfast LAMINATE-WHITE CARRARA 4924-38 Laundry Room N/A Powder Room LAMINATE-PALOMA POLAR 6698-46 LAMINATE-PORTICO MARBLE 7735-58 Ensuite Bath - Bedroom 2/3 LAMINATE-WHITE CARRARA 4924-38 Ensuite Bath - Bedroom 4 LAMINATE-WHITE CARRARA 4924-38 N/A N/A N/A N/A						
Citchen / Breakfast LAMINATE-WHITE CARRARA 4924-38 Laundry Room N/A Powder Room LAMINATE-PALOMA POLAR 6698-46 Master Ensuite Bathroom LAMINATE-PORTICO MARBLE 7735-58 Ensuite Bath - Bedroom 2/3 LAMINATE-WHITE CARRARA 4924-38 Ensuite Bath - Bedroom 4 N/A N/A N/A N/A N/A N/A	2. Counters					
Laundry Room N/A Powder Room LAMINATE-PALOMA POLAR 6698-46 LAMINATE-PORTICO MARBLE 7735-58 Ensuite Bath - Bedroom 2/3 LAMINATE-WHITE CARRARA 4924-38 Ensuite Bath - Bedroom 4 N/A N/A N/A N/A N/A	21.1 I = 1.5			Edge		
Powder Room LAMINATE-PALOMA POLAR 6698-46 Master Ensuite Bathroom Ensuite Bath - Bedroom 2/3 LAMINATE-WHITE CARRARA 4924-38 Ensuite Bath - Bedroom 4 LAMINATE-WHITE CARRARA 4924-38 N/A N/A N/A			TE CARRARA 4924-38			
Master Ensuite Bathroom LAMINATE-PORTICO MARBLE 7735-58 Ensuite Bath - Bedroom 2/3 LAMINATE-WHITE CARRARA 4924-38 Insuite Bath - Bedroom 4 N/A N/A N/A N/A	0.0000000000000000000000000000000000000					
Insuite Bath - Bedroom 2/3 LAMINATE-WHITE CARRARA 4924-38 Insuite Bath - Bedroom 4 LAMINATE-WHITE CARRARA 4924-38 N/A N/A N/A	53,100					
N/A N/A N/A N/A						
N/A N/A N/A						
N/A N/A	insuite Bath - Bedroom 4		IE CARRARA 4924-38			
N/A						
Refer to Construction Summary		N/A				
Refer to Construction Summary			· .			
	Refer to Construction S					
		Summary				
		Summary				
		Summary				





	rk,	INTERIOR COLO			
Purchasers:	Muhammad Mubashi	r HASAN & Rahila RAFIQU iProp	ertv.	274	
Telephone Res. / Bus:	(647) 991-4819 /				
Decor Advisor:	Candace Forza	Model and Flove	tion.	Man	sell Gardens Building Ltd.
Lock Date:	18-Dec-20	18-Dec-20	uon:		ntainash Four (4 Bedroom) Elev
3. Ceramic Flooring		10 000-20		Plan	#: 62M-1266
Entrance Vestibule	22.		Α	t a 45	Threshold-If App.
Main Hall	TILE-VARENNA CAR	:RARA-24X24			metal strip where applicable
(itchen / Breakfast	STRIP				
aundry Room	TILE-VARENNA CAR				
owder Room	TILE-STRATA GRAPI				
aster Ensuite Bathroom	TILE-VARENNA CAR				
nsuite Bath - Bedroom 2/3	TILE-LITIUM SILVER				
nsuite Bath - Bedroom 4					
DE ENTRANCE	TILE-VESUBIO POME				
	TILE-VARENNA CARI N/A	RARA-24X24			
	N/A				
Refer to Construction Su					
	ary				
. Ceramic Wall Tile					
aster Ensuite Bathroom	Selection		D	will-	
Tub Deck \	Wall N/A		Desc	ribe	
	eck N/A				
Tub Deck S	kirt N/A				
Shower S	Stall TILE-LITIUM SILVER	POLISHED-12X24	SEAT	- BIA	NCO CARRARA
Bathtub Enclosure W	alls N/A				1100 07 11110 1104
nsuite Bath - Bedroom 2/3					
nsuite Bath - Bedroom 4	TILE-VESUBIO GREC	O IVORY-10X20			
DE ENTRANCE	N/A				
	N/A				
tchen Backsplash	N/A				
COMPANIA DOMENTA DA SE	N/A				
Refer to Construction S			.ESS	SPE	
Plumbing Fixtures Bathrooms	White	Whirlpool		SPE	N/A ○ Yes • No
Plumbing Fixtures	White N/A			SPE	N/A ○ Yes ● No
Plumbing Fixtures	White N/A N/A				
Plumbing Fixtures	White N/A N/A N/A		Di	ishwa	asher Rough-In Yes No
Plumbing Fixtures	White N/A N/A N/A N/A		Di	ishwa	
Plumbing Fixtures	White N/A N/A N/A		Di	ishwa	asher Rough-In Yes No
Plumbing Fixtures Bathrooms	White N/A N/A N/A N/A N/A N/A		Di	ishwa	asher Rough-In Yes No
Plumbing Fixtures Bathrooms Refer to Construction S	White N/A N/A N/A N/A N/A N/A		Di	ishwa	asher Rough-In Yes No
Plumbing Fixtures Bathrooms Refer to Construction So	White N/A N/A N/A N/A N/A N/A N/A N/A ummary	Whirlpool	Di	ishwa	asher Rough-In Yes No
Plumbing Fixtures Bathrooms Refer to Construction S Trim Carpentry	White N/A N/A N/A N/A N/A N/A Ummary CARRARA-SMOOTH	Whirlpool	Di	ishwa	asher Rough-In Yes No
Plumbing Fixtures Bathrooms Refer to Construction S Trim Carpentry erior Doors erior Trim	White N/A N/A N/A N/A N/A N/A N/A CARRARA-SMOOTH BB CASING WITH 5	Whirlpool	Di	ishwa	asher Rough-In Yes No
Plumbing Fixtures Bathrooms Refer to Construction S Trim Carpentry Prior Doors Prior Trim Or Handles	White N/A N/A N/A N/A N/A N/A N/A CARRARA-SMOOTH BB CASING WITH 5 As Per Construction S	Whirlpool 1/4" BASEBOARD - ONE STEP Specifications	Di	ishwa	asher Rough-In Yes No
Plumbing Fixtures Bathrooms Refer to Construction S	White N/A N/A N/A N/A N/A N/A N/A CARRARA-SMOOTH BB CASING WITH 5 As Per Construction S As Per Construction S	Whirlpool 1/4" BASEBOARD - ONE STEP Specifications	Di	ishwa	asher Rough-In Yes No



Green	park.	INTERIOR CO	OLOUR SCHEME		
Purchasers:	Muhammad Mubashi	r HASAN & Rahila RAFIQUI	Property: 274		
Telephone Res.	Bus: (647) 991-4819 /	The second of th			
Decor Advisor:	Candace Forza	Madal I	Project: Russell Gardens Building Ltd.		
Lock Date:	6-Jan-21	18-Dec-20	Elevation: Mountainash Four (4 Bedroom) Elev		
7. Utilet Floo		10-Dec-20	Plan #: 62M-1266		
Main Hall	STRIP-MIRAGE-TRU	BALANCE IMACINE QUARACTE			
Living Room	STRIP-MIRAGE-TRU	BALANCE-IMAGINE-CHARACTE	R-MAPLE-DURAMATT-DRIFTWOOD-5"		
Dining Room	STRIP-MIRAGE-TRU	BALANCE-IMAGINE-CHARACTE	R-MAPLE-DURAMATT-DRIFTWOOD-5"		
amily Room	STRIP-MIRAGE-TRU	BALANCE IMACINE CHARACTE	R-MAPLE-DURAMATT-DRIFTWOOD-5"		
Den / Library / Study	STRIP-MIRAGE-TRU	BALANCE IMACINE CHARACTE	R-MAPLE-DURAMATT-DRIFTWOOD-5"		
Basement Landing(If	Applies) N/A	BALANCE-IMAGINE-CHARACTE	R-MAPLE-DURAMATT-DRIFTWOOD-5"		
ower Landing (If Ap					
Jpper Landing		RALANCE IMACINE CHARACTE			
lpper Hall	LAMINATE-LEXINGTO	N-ROCHEFORT OAK-TL-LW131	R-MAPLE-DURAMATT-DRIFTWOOD-5"		
laster Bedroom		N-ROCHEFORT OAK-TL-LW131			
edroom #2		FON-ROCHEFORT OAK-TL-LW1317 FON-ROCHEFORT OAK-TL-LW1317 FON-ROCHEFORT OAK-TL-LW1317			
sedroom #3					
edroom #4					
edroom #5	N/A				
LEX ROOM		N-ROCHEFORT OAK-TL-LW1317			
	N/A	N-NOCHEFORT OAK-TE-LW1317			
	N/A				
nderpad	Туре	A			
	N/A	Area			
Refer to Constru		N/A			
3. Railings and					
Railing Type	V-GROOVE	Colour	MIDAGE DOUBLE		
Picket Type	EUROLINE 3	Colour Colour	MIRAGE DRIFTWOOD MAPLE		
	AS PER CONSTRUCTION	ODEOLEIO ATIO	BLACK		
Treads	AS PER CONSTRUCTION		MIRAGE DRIFTWOOD MAPLE		
verestimien.	Red Oak Stairs with Semi		MIRAGE DRIFTWOOD MAPLE		
	neu Oak Stail's With Semi	JIOSS FINISN			

9. Wall Paint Flat Finish

Main & Upper Hall	22 WARM GREY	Master Bedroom	22 WARM GREY
Living Room	22 WARM GREY	Bedroom #2	22 WARM GREY
Dining Room	22 WARM GREY	Bedroom #3	22 WARM GREY
Kitchen / Breakfast	22 WARM GREY	Bedroom #4	22 WARM GREY
Family Room	22 WARM GREY	Bedroom #5	N/A
Powder Room	22 WARM GREY	Master Ensuite	22 WARM GREY
Laundry Room	22 WARM GREY	Ensuite Bath - Bedroom 2/3	22 WARM GREY
Den/Library	22 WARM GREY	Ensuite Bath - Bedroom 4	22 WARM GREY
Trim Paint-Semi Gloss	WHITE	FLEX ROOM	22 WARM GREY
	N/A		N/A
	N/A		N/A
Smooth Ceilings First F	Floor Yes	● No	
** Refer to Construction	Summary		


Initials:	()	

Gree	enpa	rk.		IN	ITERIOR CO	DLOUR S	СНЕМЕ			
Purchasers:	:	Muhammad Muhashir HASAN & Pobile BASIOUS								
Purchasers: Muhammad Mubashir HASAN & Rahila RAFIQUIProperty: 274 Telephone Res. / Bus: (647) 991-4819 / Project: Russell Cardens B. il line to the control of the control										
Decor Advis		, ,	,			Project:	Russell Garder	ns Building	g Ltd.	
		Candace Forza			Model and E	levation:	Mountainash Fo	our (4 Bed	droom) Elev 3	
Lock Date:		18-Dec-20		18-Dec-2	20			-1266	Ť	
10. Plaste	er Mouldii	ngs and Medall	ions							
Entrance V	estibule	N/A	N/A		Kitchen/Bre	akfast	N/A	N/A		
Main Hall		N/A	N/A		Den/Library		N/A	N/A		
Living Room		N/A	N/A		Lower Landing		N/A		N/A N/A	
Dining Room Family Room		N/A	N/A N/A			<u> </u>				
		N/A					N/A		IVA	
** Refer to	Construct	ion Summary								
11. Firepla	ACE Living Roor	n As Per Plan N/A		Family Roo		N/A	Other Room -	Specify As Per Plan	N/A	
	\circ	\circ					1 dichased	AS FEI Plaii	N/A	
Fireplace Type	N/A			FLAT ON W	ALL		N/A		•	
Mantle Type	N/A			MANTLE M4	1		N/A			
Colour / Stain	N/A			WHITE			N/A			
Surround	N/A			GRIGIO CAP	RNICO		N/A			
Hearth ** Refer to Co	N/A			NO	***************************************		N/A			
Gas Provis Comment * Refer to Co					Gá	as Provisio	ons Barbecue	YES NO		
13. Electric										
Plugs and Swi	itches	● White DECOR				Above Kitchen Cabinet Light ○ Yes ● No				
and the same of th		STANDARD WHITE TEMP.				Below Kitchen Cabinet Light O Yes N				
Appliances		• V • • • • • • • • • • • • • • • • •				Gas	Stove	Mic	rowave	
Nah		Yes No)	Yes	○ No	Yes	○ No	Yes	No No	
Dishwasher R		Yes								
* Refer to Cor		-								
* Refer to Cons										
2) Any extra- must be p 3) The Purch by the Ver	of all mater in manufa s listed ab paid in full. naser agree ndor.	ials are as close acturing. ove are null and es that this color	void un ur select	less accom	npanied by a	separate i changes v	invoice/amend	ment. Sa	id invoice s required	
1) The Purchaser acknowledges reading and accepting document which contains other miscellaneous disclaimers. Signature: Date: Date:										

Page 4 of 4

KitchenAid[®]

36" Gas Cooktop



Stainless Steel KCGS556ESS

General Features & I	Properties	
Electronic Ignition	Company of the	
Full-Width Cast-Iron	Grates	
Multi-Finish Knobs		
LP Conversion Kit In	cluded	
Electrical Details	all reconstruction of	
Amps	15	
Volts	120	
Certifications		10
ADA Compliant	Yes	

Technical Details			
Fuel Type	Gas		
Number of Burners/ Elements	5 (1415) 15 (1516)		
Burner/Element Power	(1) 20,000 BTU (2) 10,000 BTU (1) 6000 BTU (1) 7000 BTU		
Burner/Element Type/Size	Professional Dual Tier, Sealed Burner, Simmer		
Dimensions			
Product Dimensions (H x W x D)	3-11/16" x 36" x 21"		
Cutout Dimensions (W x D)	35 5/8" x 20"		
Reference Material			

Dimension Guide

Install Guide

Use & Care Guide

Warranty

Key Features & Benefits

20K BTU Professional Dual Ring Burner


Allows you to go from one small flame for precise simmering to a dual flame for powerful boiling, all on the same burner.

6K BTU Even-Heat™ Simmer Burner

A diffuser plate allows more control of the flame at the lowest setting, for more precise simmering and melting.

CookShield Finish

Protects the cooktop from stains that may occur with high temperature cooking.
The permanent finish makes it easy to wipe clean without harsh chemicals so it looks clean, bright and beautiful even longer.



^{*}Compared to cooktops untreated with KitchenAid® CookShield Finish. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

®/™ © 2020. All rights reserved. Printed in the U.S.A. D200104XXE. KCGS556ESpecSheetV01.

KitchenAid[®]

36" Wall-Mount Canopy Hood



Stainless Steel KVWB406DSS

General Features & Prope	rties
3-Speed Fan Control	5 作品的美丽的 有关
Whisper Quiet® System @ at Low Speed	39 dBA (0.4 Sones)
Dishwasher Safe Grease	Filters
Easy In-line Conversion	
Electrical Details	
Amps	15
Volts	120
Certifications	
Star-K Certified/Kosher	Yes

Technical Details		
Blower Power	Centrifugal	
Hood Type	Wall Mount	
CFMs	400	
Lighting Type	LED	
Number of Speeds	3	
Venting Type	Exterior or Recirculating	
Dimensions	FORM WE SEE	
Product Dimensions (H x W x D)	28-7/8" x 36" x 20"	
Reference Materia		

Dimension Guide

Install Guide

Use & Care Guide

Warranty

Key Features & Benefits

400 CFM/65K BTU Threshold


Allows installation over any KitchenAid® regular 36- or 30-inch range or cooktop, and some commercial-style cooking surfaces with outputs up to 65K BTU.

Perimeter Ventilation

Increases ventilation system efficiency by pulling air from the edges of the hood and speeding up the movement of air at the center, allowing it to efficiently handle up to a 65K BTU total output.

LED Task Lights

Provide extra lighting over the cooking surface to help in the cooking process.



NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice. ®/™ © 2020. All rights reserved. Printed in the U.S.A. D200104XXE. KVWB406DSpecSheetV01.



800 Series, Combination Oven, 30", Stainless steel HBL87M53UC









Included accessories

x oven racks /lower x temperature probe /lower

Optional accessories

HEZTR301 : Telescopic Oven Rack 30"

Bosch microwave combination ovens create an all-in-one cooking center with an upper microwave and a Genuine European Convection oven below

• Home Connect: home appliances with smart connectivity for an easier everyday life.

Technical Data	
Cooking mode:	Microwave
Cooking method second cavity:	Microwave
3rd element convection, Convection Bake, Convection	on
Broil, Convection Roast, Dough proving setting, Pizz	a .
setting, Small area grill, Top/bottom heating, Top he	ating
1/3 bottom heat., Variable small-area gril	
Integrated Cleaning system :	No
Number of interior lights :	1
Included accessories :	1
x oven racks /lower, x temperature	probe
Bake Element Wattages cavity 1 (W):	600
Broil Element Wattages cavity 1 (W):	1750
Convection Element Wattages cavity 1 (W) : Microwave Wattages (W) :	1700
LIDOI	1000
Product color	5225960164
Energy source :	ainless steel
Watts (W) :	Electric
Current (A):	7975
Volts (V):	40
Frequency (Hz) :	208-240
Approval certificates :	60
Power cord length (in) :	CSA
Power cord length (cm):	50"
Application District Control of the	127.0 75.5 x 62.2
Required cutout size (HxWxD) (in): 48 5/8" x 28 1/2"	73.3 X 62.2
Overall appliance dimensions (HxWxD) (in):	X 23 1/2
49" x 29 3/4	III v 24 1/2II
Overall appliance dimensions (HxWxD) (mm) :	X 24 1/2
	755 x 622
Product packaging dimensions (HxWxD) (in):	733 X 022
55 3/4" x 34	" x 31 1/2"
Product packaging dimensions (HxWxD) (mm):	X 01 1/2
	787 x 863
:	328
Net weight (kg):	148.768
Gross weight (lbs):	328.000

Gross weight (kg):

148.8



800 Series, Combination Oven, 30", Stainless steel HBL87M53UC

Bosch microwave combination ovens create an all-in-one cooking center with an upper microwave and a Genuine European Convection oven below

Design

- Bosch wall ovens can be installed flush for a sleek timeless design, or proud for a more traditional look
- Touch control with SteelTouch™ buttons makes operating the oven easier
- Bosch wall ovens are compatible with most existing cutouts

Performance

- Lower oven's convection multi-rack mode gives uniform baking results even when using all 3 racks simultaneously
- Family or guests late to dinner? Keep food warm in the lower oven without overcooking until ready to serve by using the warm mode
- Lower oven's proof mode maintains a low temperature to proof yeast doughs for an even and faster rise compared to being left on the countertop
- Closed-door broiling prevents intense heat from escaping the lower oven - offering rich, even browning on tender cuts of meat and perfectly toasted casseroles
- Lower oven comes with 2 standard racks and 1 telescopic rack that gives easier accessibility for large or heavy dishes
- Dampened hinges softly guide the lower oven's QuietClose door shut. It's premium engineering that you'll appreciate each time you close your oven

Efficiency

 Download Bosch Home Connect application and control the lower wall oven with your smart phone or tablet

Convenience

- 1 light in the upper microwave and 2 lights in the lower oven gives visibility in the cavity so you can see the cooking progress
- Large oven window lets you monitor the cooking progress without opening the oven door to maintain a consistent oven temperature
- Keep your home safe by avoiding accidental or unsupervised use of your wall oven with the panel lock feature


Capacity

 With capacities of 1.6 cu. ft upper microwave and 4.6 cu. ft. lower oven allows enough space to cook everyday meals or for a crowd


TLUSH Installation




800 Series, Combination Oven, 30", Stainless steel HBL87M53UC










^{*}Wall oven junction box may be located above or to the right or left of the unit within reach of the power cable.





^{**}Electrical hook-up may be located below (depending on space) or next to the drawer within reach of the power cable.









Lot 274 Russell Gardens III
MOUNTAINASH FOUR ELEV. 1 · 3,189 sq.ft. | ELEV. 2 · 3,191 sq.ft. | ELEV. 3 · 3,196 sq.ft.