


DELIVERY SHIPLIST




Lumber Yard: TAMARACK LUMBER
 Builder: GREEN PARK HOMES
 Project: RUSSELL GARDENS PH.3
 Location: WATERDOWN
 Model: MOUNTAINASH 6
 Lot #: 172
 Elevation: 2-STD OR OPT.5 BR

Job Track: 51225
 PlanLog: 202419
 Layout ID: 408223
 Ref #
 Page: 1 of 3
 Date: 04-28-2020
 Designer:
 Sales Rep: Mario DiCano

Roof Trusses

PROFILE	QTY PLY	MARK TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT RIGHT	HEEL HEIGHT LEFT RIGHT	LBS. BFT.	BUNDLE # STACK #	LOAD BY REMARKS
	2	T11B Common	8 /12	16-01-00	6-09-13	2 x 4		1-06-02 1-04-13	137.47 88.33		
	3	T11S Roof Special	8 /12 8 /12	16-03-00	6-09-13	2 x 4	1-03-08 1-03-08	1-04-13 1-04-13	201.4 133.00		
	1 2-ply	T20 Hip Girder	7 /12	35-02-00	4-01-04	2 x 6	1-03-08 1-03-08	1-03-07 1-03-07	359.46 218.00		
	1	T21 Hip	7 /12	35-02-00	5-01-04	2 x 4	1-03-08 1-03-08	1-03-07 1-03-07	142.49 89.50		
	1	T22 Hip	7 /12	35-02-00	6-01-04	2 x 4	1-03-08 1-03-08	1-03-07 1-03-07	146.47 93.50		
	1	T23 Hip	7 /12	35-02-00	7-01-04	2 x 4	1-03-08 1-03-08	1-03-07 1-03-07	144.95 91.17		
	1	T24 Hip	7 /12	35-02-00	8-01-04	2 x 4	1-03-08 1-03-08	1-03-07 1-03-07	151.12 95.67		
	4	T25 Hip	7 /12	35-02-00	9-01-04	2 x 4	1-03-08 1-03-08	1-03-07 1-03-07	631.9 399.33		
	3	T25A Piggyback Base	7 /12	34-10-00	9-01-04	2 x 4		1-04-09 1-04-09	461.61 286.50		
	1 2-ply	T28 Flat Girder	0 /12	34-10-00	4-10-07	2 x 6		4-10-07 4-10-07	366.38 214.67		
	2	T29 Flat	0 /12	34-10-00	6-06-07	2 x 4		6-06-07 6-06-07	313.97 193.33		
	2	T30 Flat	0 /12	34-10-00	8-02-07	2 x 4		8-02-07 8-02-07	358.85 220.00		
	5	T31 Flat	0 /12	34-10-00	9-10-07	2 x 4		9-10-07 9-10-07	980.54 600.00		
	1	T32 Hip Girder	8 /12	12-02-00	6-04-07	2 x 4 2 x 6		3-00-02 2-10-13	66.45 43.67		



DELIVERY SHIPLIST


Lumber Yard: TAMARACK LUMBER
 Builder: GREEN PARK HOMES
 Project: RUSSELL GARDENS PH.3
 Location: WATERDOWN
 Model: MOUNTAINASH 6
 Lot #: 172
 Elevation: 2-STD OR OPT.5 BR

Job Track: 51225
 PlanLog: 202419
 Layout ID: 408223
 Ref #:
 Page: 2 of 3
 Date: 04-28-2020
 Designer:
 Sales Rep: Mario DiCano

Roof Trusses

PROFILE	QTY PLY	MARK TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT RIGHT	HEEL HEIGHT LEFT RIGHT	LBS. BFT.	BUNDLE # STACK #	LOAD BY REMARKS
	2	T34S Half Hip	10/12	3-10-08	5-05-13	2 x 4	1-03-08	1-07-11 5-05-13	63.75 44.33		
	2	T35S Half Hip	10/12	3-10-08	4-01-13	2 x 4	1-03-08	1-07-11 4-01-13	57.2 41.00		
	3	T36 Common	6/12	8-03-08	3-00-09	2 x 4	1-03-08 1-03-08	5-07 5-07	79.61 53.00		
	1	G36 GABLE	6/12	8-03-08	3-01-05	2 x 4	1-03-08 1-05-00	5-07 5-07	28.93 17.33		
	1	T37 Half Hip Girder	8/12	8-05-00	2-08-03	2 x 4 2 x 6	1-03-08	8-05 2-01-15	38.82 26.00		
	2	G39 GABLE	10/12	27-06-00	9-10-07	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	303.3 193.33		
	17	P20 Common	10/12	7-08-14	3-02-12	2 x 4		0-01 0-01	363.28 229.50		
	4	PB20 Piggyback	7/12	8-04-05	2-05-04	2 x 4			80.17 49.33		
	1	PB22 Piggyback	7/12	8-04-05	1-00-00	2 x 4			18.26 11.67		
	1	PB21 Piggyback	7/12	8-04-05	2-00-00	2 x 4			21.88 14.33		
	2	PG20 GABLE	10/12	7-09-00	3-02-12	2 x 4			44.53 30.33		
	17	J1 Jack-Open	6/12	5-10-08	4-01-04	2 x 4	1-03-08	1-02-00 4-01-04	285.51 181.33		
	2	J20S Jack-Open	10/12	3-10-08	6-04-07	2 x 4	1-03-08	1-07-11 6-04-07	65.13 43.33		
	4	J21 Jack-Open	5/12	4-04-08	2-08-02	2 x 4	1-03-08	4-01 2-01-15	48.51 32.00		

DELIVERY SHIPLIST



Lumber Yard: TAMARACK LUMBER
 Builder: GREEN PARK HOMES
 Project: RUSSELL GARDENS PH.3
 Location: WATERDOWN
 Model: MOUNTAINASH 6
 Lot #: 172
 Elevation: 2-STD OR OPT.5 BR

Job Track: 51225
 PlanLog: 202419
 Layout ID: 408223
 Ref #
 Page: 3 of 3
 Date: 04-28-2020
 Designer:
 Sales Rep: Mario DiCano

Roof Trusses

PROFILE	QTY PLY	MARK TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT RIGHT	HEEL HEIGHT LEFT RIGHT	LBS. BFT.	BUNDLE # STACK #	LOAD BY REMARKS
	3	J22 Jack-Open	10 /12	3-10-08	4-10-07	2 x 4	1-03-08	1-07-11 4-10-07	45.68 29.00		

TOTAL # TRUSS= 92 TOTAL BFT OF ALL TRUSSES= 3762.48 BFT. TOTAL WEIGHT OF ALL TRSSES 6003.41 LBS

HARDWARE

QTY	TYPE	MODEL	LENGTH
3	Hardware	LJS26DS	
4	Hardware	LUS24	
2	Hardware	LUS26-2	

TOTAL NUMBER OF
 ITEMS= 9


JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T1	1	2	GREEN PARK HOMES	
TRUSS DESC.					

Tamersack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 M/Tek Industries, Inc. Tue Apr 28 09:00:04 2020 Page 1

ID:DMCubINVR6TstFoe31v6l zns11-Jm9J91AhZi22g2EEminZsEz3HTHi7mEdCAUuvczMFif

Scale = 1:87.6



TOTAL WEIGHT = 2 X 161 = 323 lb

LUMBER				DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER				DESIGN CRITERIA			
N.L.S.A. RULES	CHORDS	SIZE	LUMBER	DESCR.	BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQD	*** SPECIAL LOADS ANALYSIS ***	
						GROSS REACTION	GROSS REACTION	BRG	BRG		
						VERT	HORZ	DOWN	UPLIFT		
	A - C	2x4	DRY	No.2	JT	3393	0	3393	0	5-8	5-8
	C - G	2x4	DRY	No.2	V	3342	0	3342	0	5-8	5-8
	G - J	2x4	DRY	No.2	M						
	J - L	2x4	DRY	No.2							
	V - B	2x8	DRY	No.2							
	M - K	2x6	DRY	No.2							
	V - S	2x6	DRY	No.2							
	S - P	2x6	DRY	No.2							
	P - M	2x6	DRY	No.2							
	ALL WEBS	2x3	DRY	No.2							
	EXCEPT										

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:


CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS			
A - C	1	12	SIDE(61.0)
C - G	1	12	SIDE(61.0)
G - J	1	12	SIDE(61.0)
J - L	1	12	SIDE(61.0)
V - B	2	12	TOP
M - K	2	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS			
V - S	2	12	SIDE(183.1)
S - P	2	12	SIDE(183.1)
P - M	2	12	SIDE(183.1)
WEBS : (0.122"x3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLYS FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

LOADING				TOTAL LOAD CASES: (4)			
CHORDS	MAX. FACTORED	FACTORED	VERT. LOAD	MAX. UNBRAC	WEBS	MAX. FACTORED	
MEMB.	FORCE (LBS)	(PLF)	CS (LC)	LENGTH	MEMB.	FORCE (LBS)	MAX. CS (LC)
FR-TO					FR-TO		
A-B	0 35	-91.8	-91.8 0.07 (1)	10.00	U-C	-620 0	0.06 (1)
B-C	-4024 0	-91.8	-91.8 0.22 (1)	4.65	C-T	0 3389	0.42 (1)
C-W	-6074 0	-91.8	-91.8 0.53 (1)	3.51	T-D	-1848 0	0.23 (1)
W-X	-6074 0	-91.8	-91.8 0.53 (1)	3.51	O-I	-1869 0	0.24 (1)
X-D	-6074 0	-91.8	-91.8 0.53 (1)	3.51	O-J	0 3425	0.42 (1)
D-Y	-7423 0	-91.8	-91.8 0.83 (1)	3.11	N-J	-801 0	0.08 (1)
Y-Z	-7423 0	-91.8	-91.8 0.83 (1)	3.11	B-U	0 3437	0.43 (1)
Z-AA	-7423 0	-91.8	-91.8 0.83 (1)	3.11	N-K	0 3371	0.42 (1)
AA-E	-7423 0	-91.8	-91.8 0.83 (1)	3.11	Q-I	0 1704	0.21 (1)
E-AB	-7423 0	-91.8	-91.8 0.35 (1)	3.36	O-R	0 1677	0.21 (1)
AB-F	-7423 0	-91.8	-91.8 0.35 (1)	3.36	Q-H	-595 0	0.08 (1)
F-G	-7410 0	-91.8	-91.8 0.36 (1)	3.36	R-E	-594 0	0.08 (1)
G-AC	-7410 0	-91.8	-91.8 0.36 (1)	3.36	R-F	-285 0	0.06 (1)
AC-H	-7410 0	-91.8	-91.8 0.36 (1)	3.36	F-Q	-305 0	0.06 (1)
H-AD	-7410 0	-91.8	-91.8 0.81 (1)	3.14			
AD-AE	-7410 0	-91.8	-91.8 0.81 (1)	3.14			
AE-I	-7410 0	-91.8	-91.8 0.81 (1)	3.14			
I-AF	-8040 0	-91.8	-91.8 0.51 (1)	3.55			
AF-AG	-8040 0	-91.8	-91.8 0.51 (1)	3.55			
AG-J	-8040 0	-91.8	-91.8 0.51 (1)	3.55			
J-K	-3946 0	-91.8	-91.8 0.22 (1)	4.58			
K-L	0 35	-91.8	-91.8 0.07 (1)	10.00			
V-B	-3355 0	0.0	0.0 0.12 (1)	7.60			
M-K	-3298 0	0.0	0.0 0.12 (1)	7.64			
V-AH	0 0	-18.5	-18.5 0.04 (4)	10.00			
AH-U	0 0	-18.5	-18.5 0.04 (4)	10.00			
U-AI	0 3325	-18.5	-18.5 0.25 (1)	10.00			
AI-AJ	0 3325	-18.5	-18.5 0.25 (1)	10.00			
AJ-T	0 3325	-18.5	-18.5 0.25 (1)	10.00			
T-AK	0 6074	-18.5	-18.5 0.45 (1)	10.00			
AK-S	0 6074	-18.5	-18.5 0.45 (1)	10.00			
S-AL	0 8074	-18.5	-18.5 0.45 (1)	10.00			
AL-R	0 8074	-18.5	-18.5 0.45 (1)	10.00			
R-AM	0 7813	-18.5	-18.5 0.57 (1)	10.00			
AM-AN	0 7813	-18.5	-18.5 0.57 (1)	10.00			
AN-AO	0 7813	-18.5	-18.5 0.57 (1)	10.00			
AO-O	0 7813	-18.5	-18.5 0.57 (1)	10.00			
O-AP	0 6040	-18.5	-18.5 0.45 (1)	10.00			
AP-P	0 6040	-18.5	-18.5 0.45 (1)	10.00			
P-AQ	0 6040	-18.5	-18.5 0.45 (1)	10.00			
AQ-D	0 6040	-18.5	-18.5 0.45 (1)	10.00			
O-AR	0 3261	-18.5	-18.5 0.25 (1)	10.00			



Structural component only

DWG# T-2007602 1/2

CONTINUED ON PAGE 2

JOB NAME 408222	TRUSS NAME T1	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	DRWG NO.
				TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 09:00:04 2020 Page 2

ID:DMCubINVR6TstFog31v6l zns11-Jm9J91AhZl22q2EEmlNZsEz3HTHi7mEdCAUuyozMFH

PLATES (tablets in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-w	MT20	5.0	6.0	1.50	3.00
C	TTWW+m	MT20	7.0	8.0	Edge	2.50
D, F, I						
D	TMW-w	MT20	4.0	4.0		
E	TMW-w	MT20	2.0	4.0		
G	TS-i	MT20	3.0	6.0		
H	TMW-w	MT20	2.0	4.0		
J	TTWW+m	MT20	7.0	8.0	Edge	2.50
K	TMW-w	MT20	5.0	6.0	1.50	3.00
M	BMV1+p	MT20	3.0	6.0		
N, O, T, U						
N	BMW-w	MT20	5.0	6.0		
P	BS-i	MT20	5.0	6.0		
Q	BMW-w	MT20	5.0	6.0		
R	BMW-w	MT20	5.0	6.0		
S	BS-i	MT20	5.0	6.0		
V	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LOADING

TOTAL LOAD CASES: 14)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)
FR-TO		FROM	TO		FR-TO		
AR-AS	0 3261	-18.5	-18.5 0.25 (1)	10.00			
AS-N	0 3261	-18.5	-18.5 0.25 (1)	10.00			
N-AT	0 0	-18.5	-18.5 0.04 (4)	10.00			
AT-AU	0 0	-18.5	-18.5 0.04 (4)	10.00			
AU-M	0 0	-18.5	-18.5 0.04 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-0-10	-49	-55	---	FRONT	VERT	DEAD	---	C1
C	4-0-10	-117	-117	---	FRONT	VERT	TOTAL	---	C1
C	4-0-10	-254	-254	---	FRONT	VERT	SNOW	---	C1
G	17-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
I	25-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
J	31-1-6	-49	-55	---	FRONT	VERT	DEAD	---	C1
J	31-1-6	-254	-254	---	FRONT	VERT	SNOW	---	C1
O	25-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
S	11-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
U	3-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
W	5-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
X	7-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Y	9-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Z	11-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AA	13-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AB	15-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AC	19-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AD	21-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AE	23-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AF	27-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AG	29-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AH	1-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AI	5-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AJ	7-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AK	9-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AL	13-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AM	15-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AN	17-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AO	19-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AP	21-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AQ	23-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AR	27-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AS	29-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AT	31-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AU	33-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS


1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



Structural component only
DWG# T-2007602 4/2

JOB NAME 408222	TRUSS NAME T1Z	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	TRUSS DESC.	DRWG NO.
Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 09:00:05 2020 Page 1						
ID:DMCubINVR6TstFoe31v61 zns11-nyjhmNBKcAvHCPCKTuoORWDocNkAppRqDPR22MFie						
Tamarack Roof Truss, Burlington						

1-3-8 0-0 4-0-10 5-3-4 7-3-4 9-3-12 14-9-8 2-9-8 17-7-0 2-9-8 20-4-8 1-5-12 25-10-4 31-1-6 4-0-10 35-2-0 1-3-8
Scale = 1:57.6



TOTAL WEIGHT = 2 X 161 = 322 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4 DRY	No.2	SPF		
C - G	2x4 DRY	No.2	SPF		
G - J	2x4 DRY	No.2	SPF		
J - L	2x4 DRY	No.2	SPF		
V - B	2x6 DRY	No.2	SPF		
M - K	2x6 DRY	No.2	SPF		
V - S	2x6 DRY	No.2	SPF		
S - P	2x6 DRY	No.2	SPF		
P - M	2x6 DRY	No.2	SPF		
ALL WEBS	2x3 DRY	No.2	SPF		
EXCEPT					

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
A - C	12	SIDE (61.0)
C - G	12	SIDE (61.0)
G - J	12	TOP
J - L	12	TOP
V - B	12	TOP
M - K	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
V - S	12	SIDE (183.1)
S - P	12	TOP
P - M	12	TOP
WEBS : (0.122"x3") SPIRAL NAILS		
2x3	8	SIDE (385.4)
D - T	4	
I - O	4	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	GROSS REACTION	BRG	BRG	IN-SX	IN-SX		
V	4215	0	4215	0	0	5-8	5-8		
M	2722	0	2722	0	0	5-8	5-8		
UNFACTORED REACTIONS		MAX. MIN. COMPONENT REACTIONS							
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL		
V	2974	1987	0	0	0	987	0	0	0
M	1921	1283	0	0	0	638	0	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) V, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	MAX. FORCE (LBS)	VERT. LOAD (PLF)	MAX. CS (LC)	MEMB.	MAX. FORCE (LBS)	MAX. CS (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 35	-91.8 -91.8 0.07 (1)	10.00	U-O	-783 0	0.10 (1)	
B-C	-5115 0	-91.8 -91.8 0.28 (1)	4.07	C-T	0 4817	0.60 (1)	
C-W	-8135 0	-91.8 -91.8 0.84 (1)	3.00	T-D	-622 0	0.08 (1)	
W-X	-8135 0	-91.8 -91.8 0.64 (1)	3.00	O-I	-1797 0	0.23 (1)	
X-D	-8135 0	-91.8 -91.8 0.64 (1)	3.00	C-J	0 3211	0.40 (1)	
D-E	-8106 0	-91.8 -91.8 0.32 (1)	3.00	N-J	-512 0	0.06 (1)	
E-F	-8106 0	-91.8 -91.8 0.32 (1)	3.28	B-U	0 4370	0.54 (1)	
F-G	-8928 0	-91.8 -91.8 0.28 (1)	3.57	N-K	0 2893	0.33 (1)	
G-H	-8928 0	-91.8 -91.8 0.28 (1)	3.57	Q-I	0 2133	0.26 (1)	
H-I	-8928 0	-91.8 -91.8 0.46 (1)	3.42	O-R	-37 24	0.01 (1)	
I-J	-5210 0	-91.8 -91.8 0.34 (1)	3.99	O-H	-365 0	0.05 (1)	
J-K	-3153 0	-91.8 -91.8 0.19 (1)	5.04	R-E	-343 0	0.04 (1)	
K-L	0 35	-91.8 -91.8 0.07 (1)	10.00	R-F	0 692	0.08 (1)	
V-B	-4180 0	0.0 0.0 0.15 (1)	8.89	F-Q	-1081 0	0.23 (1)	
M-K	-2698 0	0.0 0.0 0.10 (1)	7.81				
V-Y	0 0	-18.5 -18.5 0.05 (4)	10.00				
Y-Z	0 0	-18.5 -18.5 0.05 (4)	10.00				
Z-U	0 0	-18.5 -18.5 0.05 (4)	10.00				
U-AA	0 4227	-18.5 -18.5 0.35 (1)	10.00				
AA-AB	0 4227	-18.5 -18.5 0.35 (1)	10.00				
AB-T	0 4227	-18.5 -18.5 0.35 (1)	10.00				
T-S	0 8135	-18.5 -18.5 0.81 (1)	10.00				
S-R	0 8135	-18.5 -18.5 0.61 (1)	10.00				
R-Q	0 7845	-18.5 -18.5 0.56 (1)	10.00				
Q-P	0 5210	-18.5 -18.5 0.38 (1)	10.00				
P-O	0 5210	-18.5 -18.5 0.38 (1)	10.00				
O-N	0 2604	-18.5 -18.5 0.19 (1)	10.00				
N-M	0 0	-18.5 -18.5 0.03 (4)	10.00				

FACTORED CONCENTRATED LOADS (LBS)		FACE		DIR.		TYPE		HEEL		CONN.	
JT	LOC.	LOC.	MAX.	MAX.	FRONT	VERT	DEAD	SNOW	HEEL	CONN.	
C	4-0-10	-49	-55	---	FRONT	VERT	---	---	---	C1	
C	4-0-10	-254	-254	---	FRONT	VERT	---	---	---	C1	
T	9-2-8	-2179	-2179	---	BACK	VERT	---	---	---	C1	
W	5-3-4	-110	-110	---	BACK	VERT	---	---	---	C1	
X	7-3-4	-110	-110	---	BACK	VERT	---	---	---	C1	
Y	1-3-4	-28	-28	---	BACK	VERT	---	---	---	C1	
Z	3-3-4	-28	-28	---	BACK	VERT	---	---	---	C1	
AA	5-3-4	-28	-28	---	BACK	VERT	---	---	---	C1	
AB	7-3-4	-28	-28	---	BACK	VERT	---	---	---	C1	

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

*** NON STANDARD GIRDER ***
ADDTL. USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
PART 9 OF BCBC 2018, CBC 2012, ABC 2018
PART 9 OF CBC 2012 (2019 AMENDMENT)
CSA 088-09, CSA 088-14
TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD
EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.24")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/954 (0.44")

CSI: TC=0.84/1.00 (C-D:1), BC=0.81 1.00 (R-T:1),
WB=0.60/1.00 (C-T:1), SS=0.17/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP (DIPY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP = 0.87 (J) INPUT = 0.80
JSI METAL = 0.77 (P) INPUT = 1.00

CONTINUED ON PAGE 2



Structural component only
DWG# T-2007603 1/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T1Z	1	2	GREEN PARK HOMES	
				TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 09:00:05 2020 Page 2

ID:DMCubINVR6TstFos31v6I zns1I-nvihMNBJKcAvHCpOKTuoQRWDoschNkAonRqDRR2zMFIe


PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	
C	TTWW-m	MT20	6.0	9.0	1.75	3.50
D	TMWW-l	MT20	4.0	6.0		
E	TMW-w	MT20	2.0	4.0		
F	TMWW-l	MT20	4.0	4.0		
G	TS-l	MT20	3.0	8.0		
H	TMW-w	MT20	2.0	4.0		
I	TMWW-l	MT20	4.0	8.0		
J	TTWW-m	MT20	6.0	9.0	1.75	3.50
K	TMVW-p	MT20	5.0	8.0	Edge	
M	BMV-l-p	MT20	3.0	6.0		
N	BMWW-l	MT20	5.0	6.0	2.50	2.25
O	BMWW-l	MT20	6.0	9.0	4.50	2.50
P	BS-l	MT20	5.0	6.0		
Q	BMWW-l	MT20	5.0	8.0		
R	BMWW-l	MT20	5.0	8.0		
S	BS-l	MT20	5.0	6.0		
T	BMWW-l	MT20	8.0	9.0	4.50	2.50
U	BMWW-l	MT20	5.0	6.0	2.50	2.25
V	BMV-l-p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

CONNECTION REQUIREMENTS

- 1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.




Structural component only
DWG# T-2007603 7/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T2	2	1	GREEN PARK HOMES	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 08:00:06 2020 Page 1
ID:DMCubINVR6TsIFos31v6I zns11-F8H4aCx5wlmvMOCuAP1x2LCGv5TgYwUz? UzMFId

1-3.8 0.0 5-6.10 5-6.10 5-0.13 11-7.7 5-11.9 17-7.0 5-11.9 23-6.9 5-0.13 29-7.8 5-6.10 35-2.0 1-3.8
Scale = 1:37.8



TOTAL WEIGHT = 2 X 140 = 280 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR
A - C	2x4	DRY	No.2	SPF	
C - F	2x4	DRY	No.2	SPF	
F - H	2x4	DRY	No.2	SPF	
H - J	2x4	DRY	No.2	SPF	
J - L	2x4	DRY	No.2	SPF	
L - M	2x4	DRY	No.2	SPF	
M - N	2x4	DRY	No.2	SPF	
N - K	2x4	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
EXCEPT					
DRY: SEASONED LUMBER.					

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY

BUILDING DESIGNER

BEARINGS

	FACTORED	MAXIMUM FACTORED	INPUT	REQD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	HORZ	DOWN	HORZ
S	2065	0	2065	0
K	2065	0	2065	0

UNFACTORED REACTIONS

1ST CASE	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
JT	COMBINED					
S	1458	970	0	0	0	0
K	1458	970	0	0	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.97 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS					WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 (MAX)	MAX. UNBRAC	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CS1 (LC1)		
FR-TO		FROM	TO	LENGTH	FR-TO				
A-B	0 35	-91.8	-91.8	0.12 (1)	10.00	R-C	-243 10 0.09 (1)		
B-C	-2289 0	-91.8	-91.8	0.70 (1)	3.78	C-Q	0 1670 0.38 (1)		
C-D	-3213 0	-91.8	-91.8	0.80 (1)	3.19	Q-D	-929 0 0.38 (1)		
D-E	-3594 0	-91.8	-91.8	0.88 (1)	2.97	D-Q	0 490 0.11 (1)		
E-F	-3594 0	-91.8	-91.8	0.88 (1)	2.97	Q-E	-505 0 0.19 (1)		
F-G	-3594 0	-91.8	-91.8	0.88 (1)	2.97	Q-G	0 490 0.38 (1)		
G-H	-3213 0	-91.8	-91.8	0.80 (1)	3.19	M-G	-929 0 0.26 (1)		
H-I	-2289 0	-91.8	-91.8	0.70 (1)	3.78	M-H	0 1670 0.38 (1)		
I-J	0 35	-91.8	-91.8	0.12 (1)	10.00	L-H	-243 10 0.09 (1)		
S-B	-2023 0	0.0	0.0	0.21 (1)	5.94	B-R	0 1943 0.44 (1)		
K-I	-2023 0	0.0	0.0	0.21 (1)	5.94	L-I	0 1943 0.44 (1)		
S-R	0 0	-18.5	-18.5	0.15 (4)	10.00				
R-Q	0 1903	-18.5	-18.5	0.39 (1)	10.00				
Q-P	0 3213	-18.5	-18.5	0.58 (1)	10.00				
P-O	0 3213	-18.5	-18.5	0.58 (1)	10.00				
O-N	0 3213	-18.5	-18.5	0.58 (1)	10.00				
N-M	0 3213	-18.5	-18.5	0.58 (1)	10.00				
M-L	0 1903	-18.5	-18.5	0.39 (1)	10.00				
L-K	0 0	-18.5	-18.5	0.15 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. CG

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN
LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF
LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.21")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.39")

CSI: TC=0.88/1.00 (D-E:11, BC=0.58/1.00 (M-O:1).
WB=0.44/1.00 (L-I:1). SS=0.28/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT
RESPONSIBLE FOR QUALITY CONTROL IN THE
TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(OR)Y	SHEAR	SECTION
(PSI)	(PL)	
MAX	MIN	MAX
MT20	618	354
	1607	788
	1987	1658


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.87 (1) INPUT = 0.90
JSI METAL = 0.74 (1) INPUT = 1.00



Structural component only
DWG# T-2007604




Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTak Industries, Inc. Tue Apr 28 09:00:07 2020 Page 1

ID:DMCubiNVR6TslFoe31v6l_zns11-jLrSn2CZsDQdXWzpsuWgTsbZlgK2C5T4u8YVwzMFli

1-3.8 0-0 4-1.9 6-6.10 14-7.5 28-11 5-11.7 28-7.5 30-9.7 4-2.1 35-2.0 38-5.8 1-3.8

Scale = 1/8" = 1'-0"



LUMBER				DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER										DESIGN CRITERIA			
N. L. G. A. RULES				BEARINGS										SPECIFIED LOADS:			
CHORDS		SIZE	LUMBER	DESCR.	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT		RECORD		TOP CH.		LL	PSF	
A - D	2x4	DRY	No.2	SPF	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	DL		6.0	PSF		
D - F	2x4	DRY	No.2	SPF	U	2065	0	2065	0	0	5-8	5-8	BOT CH.		LL	0.0	PSF
F - H	2x4	DRY	No.2	SPF	L	2065	0	2065	0	0	5-8	5-8	DL		7.4	PSF	
H - K	2x4	DRY	No.2	SPF	TOTAL LOAD = 39.0 PSF												
U - B	2x4	DRY	No.2	SPF	SPACING = 24.0 IN. C/C												
L - J	2x4	DRY	No.2	SPF	LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12												
U - R	2x4	DRY	No.2	SPF	THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9.												
R - O	2x4	DRY	No.2	SPF													
O - L	2x4	DRY	No.2	SPF													
ALL WEBS EXCEPT				2x3	DRY	No.2	SPF										
DRY: SEASONED LUMBER.				BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L													

PLATES (table in plates)						
JT	TYPE	PLATES	W	LEN	Y	X
B	TMMW-p	MT20	5.0	6.0	1.75	2.75
C	TMMW-l	MT20	4.0	4.0	2.00	1.50
D	TTMMW-m	MT20	5.0	8.0	Edge	
E	TMMW-l	MT20	4.0	4.0		
F	TS-l	MT20	3.0	6.0		
G	TMMW-w	MT20	2.0	4.0		
H	TTMMW-m	MT20	5.0	8.0	Edge	
I	TMMW-l	MT20	4.0	4.0	2.00	1.50
J	TMMW-p	MT20	5.0	8.0	1.75	2.75
L	BMWV-p	MT20	3.0	4.0		
M	BMWV-l	MT20	5.0	6.0	2.50	2.75
N	BMWV-l	MT20	4.0	4.0		
O	BS-l	PLATES	3.0	6.0		
P	BMWVVW-l	MT20	4.0	9.0		
Q	BMWV-l	MT20	4.0	6.0		
R	BS-l	MT20	3.0	6.0		
S	BMWV-l	MT20	4.0	4.0		
T	BMWV-l	MT20	5.0	6.0	2.50	2.75
U	BMV-l-p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQUIRED BRG
	VERT	HORIZ	DOWN	HORIZ	UPLIFT	IN-SX	IN-SX
U	2065	0	2065	0	0	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8

UNFACTORED REACTIONS

1ST CASE		MAX. MIN. COMPONENT REACTIONS					
COMBINED		SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
JT	1458	970 0	0 0	0 0	0 0	488 0	0 0
L	1458	970 0	0 0	0 0	0 0	488 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U. L

BRACING TOP CHOICE

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX CS (LC)	MAX. UNBRAC	MEMB.	FORCE (LBS)	MAX CS (LC)
FR-TO		FROM TO		LENGTH	FR-TO		
A-B	0 35	-91.8	-91.8	0.12 (1)	10.00	T-C	-397 0 0.11 (1)
B-C	-2289 0	-91.8	-91.8	0.37 (1)	4.19	C-S	-78 0 0.05 (1)
C-D	-2254 0	-91.8	-91.8	0.36 (1)	4.21	S-D	0 155 0.04 (4)
D-E	-2485 0	-91.8	-91.8	0.84 (1)	3.72	D-Q	0 949 0.21 (1)
E-F	-2483 0	-91.8	-91.8	0.84 (1)	3.72	Q-E	-587 0 0.52 (1)
F-G	-2483 0	-91.8	-91.8	0.84 (1)	3.72	E-P	-2 0 0.00 (1)
G-H	-2483 0	-91.8	-91.8	0.63 (1)	3.74	P-G	-587 0 0.52 (1)
H-I	-2254 0	-91.8	-91.8	0.36 (1)	4.21	P-H	0 947 0.21 (1)
I-J	-2269 0	-91.8	-91.8	0.37 (1)	4.19	N-H	0 157 0.04 (4)
J-K	0 35	-91.8	-91.8	0.12 (1)	10.00	N-I	-78 0 0.05 (1)
U-B	-2027 0	0.0	0.0	0.21 (1)	5.94	M-I	-397 0 0.11 (1)
L-J	-2026 0	0.0	0.0	0.21 (1)	5.94	B-T	0 1955 0.44 (1)
						M-J	0 1955 0.44 (1)
U-T	0 0	-18.5	-18.5	0.08 (4)	10.00		
T-S	0 1908	-18.5	-18.5	0.37 (1)	10.00		
S-R	0 1853	-18.5	-18.5	0.36 (1)	10.00		
R-Q	0 1853	-18.5	-18.5	0.36 (1)	10.00		
Q-P	0 2485	-18.5	-18.5	0.47 (1)	10.00		
P-O	0 1854	-18.5	-18.5	0.36 (1)	10.00		
O-N	0 1854	-18.5	-18.5	0.38 (1)	10.00		
N-M	0 1908	-18.5	-18.5	0.37 (1)	10.00		
M-L	0 0	-18.5	-18.5	0.08 (4)	10.00		

DESIGN CRITERIA

SPECIFIED LOADS:			
TOP CH.	LL	=	25.6 PSF
	DL	=	8.0 PSF
BOT CH.	LL	=	0.0 PSF
	DL	=	7.4 PSF
TOTAL LOAD		=	39.0 PSF

SPACING = 24.0 N. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE
OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR
SMALL BUILDING REQUIREMENTS OF PART 9,
NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 688-09, CSA 688-14
- TPIG 2011, TPIG 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = $L/360$ (1.17")
CALCULATED VERT. DEFL.(LL) = $L/999$ (0.12")
ALLOWABLE DEFL.(TL) = $L/360$ (1.17")
CALCULATED VERT. DEFL.(TL) = $L/999$ (0.24")
CSI: TC=0.64/1.00 (D/E:1), BC=0.47/1.00 (P/Q:1)

WB=0.52/1.00 (E-Q:1) , SS=0.26/1.00 (D-E:1)

COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES		GRIP(DRY)		SHEAR		SECTION	
PLATE		(PSI)		(PLI)		(PLI)	
		MAX	MIN	MAX	MIN	MAX	MIN
MT20		618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI METAL= 0.62 (O) (INPUT = 1.00)



Structural component only
DWG# T-2007606

JOB NAME 408222	TRUSS NAME T6	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 09:00:09 2020 Page 1
ID:DMCubINVR6TstF0a31v6t_zns11-lyCCKePQrgLmp6BZlykZHqkU0ng01MLSB/apzMFia
38-20 36-58
1-3-8
Scale = 1:57.6



TOTAL WEIGHT = 2 X 165 = 329 lb
(M/F)

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - I	2x4	DRY	No.2
I - B	2x4	DRY	No.2
B - H	2x4	DRY	No.2
H - O	2x4	DRY	No.2
O - M	2x4	DRY	No.2
M - J	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			
D - N	2x4	DRY	No.2
N - F	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)				
JT	TYPE	PLATES	W.	LEN
B	BMW-p	MT20	5.0	8.0
C	BMW-i	MT20	4.0	4.0
D	TTWW-m	MT20	5.0	6.0
E	BMW-w	MT20	2.0	4.0
F	TTWW-m	MT20	5.0	6.0
G	BMW-w	MT20	4.0	4.0
H	TTWW-p	MT20	5.0	6.0
J	BMW-i	MT20	3.0	4.0
K	BMW-i	MT20	4.0	9.0
L	BMW-i	MT20	4.0	4.0
M	BS-1	MT20	3.0	6.0
N	BMWW-w	MT20	4.0	9.0
O	BS-1	MT20	3.0	6.0
P	BMWW-i	MT20	4.0	4.0
Q	BMWW-i	MT20	4.0	9.0
R	BMW-i	MT20	3.0	4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED	MAXIMUM FACTORED	INPUT	REQD
JT	VERT	GROSS REACTION	GROSS REACTION	BRG	BRG
R	2085	0	2085	0	5-8
J	2085	0	2085	0	5-8

UNFACTORED REACTIONS		1ST CASE	MAX. MIN. COMPONENT REACTIONS	PERM. LIVE	WIND	DEAD	SOIL
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
R	1458	970	0	0	0	488	0
J	1458	970	0	0	0	488	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.99 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS		MAX. FACTORED	FACTORED	MAX.	MAX.	WEBS		MAX. FACTORED	MAX.
MEMB.	FORCE	VERT. LOAD	LC1	MAX	MAX.	MEMB.	FORCE	MAX	MAX
	(LBS)	(PLF)	CSI (LC)	UNBRAC	LENGTH		(LBS)	CSI (LC)	(LC)
FR-TO		FROM	TO			FR-TO			
A-B	0 35	-91.8	-91.8	0.12 (1)	10.00	Q-C	-249	11	0.11 (1)
B-C	-2346	0	-91.8	-91.8	0.52 (1)	3.99	C-P	-356	0
C-D	-2085	0	-91.8	-91.8	0.48 (1)	4.22	P-D	0	341
D-E	-1985	0	-91.8	-91.8	0.48 (1)	4.28	D-N	0	477
E-F	-1985	0	-91.8	-91.8	0.49 (1)	4.26	N-E	-878	0
F-G	-2085	0	-91.8	-91.8	0.48 (1)	4.22	N-F	0	477
G-H	-2346	0	-91.8	-91.8	0.52 (1)	3.99	L-F	0	341
H-I	0 35	-91.8	-91.8	0.12 (1)	10.00	L-G	-356	0	4.42 (1)
R-B	-2018	0	0.0	0.0	0.21 (1)	5.94	K-G	-249	11
J-H	-2018	0	0.0	0.0	0.21 (1)	5.94	B-Q	0	2014
						K-H	0	2014	0.45 (1)
R-Q	0 0	-18.5	-18.5	0.14 (4)	10.00				
Q-P	0 1980	-18.5	-18.5	0.39 (1)	10.00				
P-O	0 1718	-18.5	-18.5	0.34 (1)	10.00				
O-N	0 1718	-18.5	-18.5	0.34 (1)	10.00				
N-M	0 1718	-18.5	-18.5	0.34 (1)	10.00				
M-L	0 1718	-18.5	-18.5	0.34 (1)	10.00				
L-K	0 1981	-18.5	-18.5	0.39 (1)	10.00				
K-J	0 0	-18.5	-18.5	0.14 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. O.C.

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L 360 (1.17)
CALCULATED VERT. DEFL.(LL) = L 999 (0.10")
ALLOWABLE DEFL.(TL) = L 360 (1.17)
CALCULATED VERT. DEFL.(TL) = L 999 (0.19")

CSI: TC=0.52/1.00 (G-H:1), BC=0.39/1.00 (K-L:1).
WB=0.45/1.00 (H-K:1), SS=0.27/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LBS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
- MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1997 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (H) (INPUT = 0.90)
JSI METAL= 0.56 (M) (INPUT = 1.00)




Structural component only
DWG# T-2007608

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T7	6	1	GREEN PARK HOMES	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTak Industries, Inc. Tue Apr 28 09:00:10 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I_zns11-7wWap4FR88oCOzhO70Uz5VD4qtMXPTGWa6xC7FzMFIZ



TOTAL WEIGHT = 6 X 172 = 1030 lb

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - D	2x4	DRY	No.2
D - E	2x4	DRY	No.2
E - G	2x4	DRY	No.2
G - H	2x4	DRY	No.2
H - K	2x4	DRY	No.2
T - B	2x4	DRY	No.2
L - J	2x4	DRY	No.2
T - R	2x4	DRY	No.2
R - N	2x4	DRY	No.2
N - L	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2
E - P	2x4	DRY	No.2
P - G	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (Table is in inches)				
JT	TYPE	PLATES	W	LEN
B	TMVW-p	MT20	5.0	6.0
C	TMVW-l	MT20	4.0	4.0
D	TS-1		3.0	6.0
E	TTWW-m	MT20	5.0	6.0
F	TMVW-w	MT20	2.0	4.0
G	TTWW-m	MT20	5.0	6.0
H	TS-1		3.0	6.0
I	TMVW-l	MT20	4.0	4.0
J	TMVW-p	MT20	5.0	6.0
L	BMV-l-p	MT20	3.0	4.0
M	BMV-w-p	MT20	4.0	9.0
N	BS-1		3.0	6.0
O	BMVW-l	MT20	4.0	4.0
P	BMVW-w-l	MT20	4.0	9.0
Q	BMVW-l	MT20	4.0	4.0
R	BS-1		3.0	6.0
S	BMVW-l	MT20	4.0	9.0
T	BMV-l-p	MT20	3.0	4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	DOWN	GROSS REACTION	DOWN	BRG	IN-SX	BRG	IN-SX
T	2065	0	2065	0	0	5-8	5-8	5-8	5-8
L	2065	0	2065	0	0	5-8	5-8	5-8	5-8

UNFACTORED REACTIONS

1ST LOSE		MAX. MIN. COMPONENT REACTIONS	
JT	COMBINED	SNOW	LIVE
T	1458	970	0
L	1458	970	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.77 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1:2 LENGTH OF Q-Q, F-P, I-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (LC1)	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (LC1)
FR-TO		FROM TO		FR-TO		FROM TO	
A-B	0 35	-91.8 -91.8	0.12 (1)	10.00	S-C	-189 46	0.10 (1)
B-C	-2358 0	-91.8 -91.8	0.09 (1)	3.77	C-Q	-484 0	0.24 (1)
C-D	-1996 0	-91.8 -91.8	0.02 (1)	4.11	Q-E	0 415	0.09 (1)
D-E	-1996 0	-91.8 -91.8	0.02 (1)	4.11	E-P	0 315	0.05 (1)
E-F	-1761 0	-91.8 -91.8	0.27 (1)	4.77	P-F	-502 0	0.35 (1)
F-G	-1761 0	-91.8 -91.8	0.27 (1)	4.77	P-G	0 315	0.05 (1)
G-H	-1996 0	-91.8 -91.8	0.02 (1)	4.11	O-G	0 415	0.09 (1)
H-I	-1996 0	-91.8 -91.8	0.02 (1)	4.11	O-I	-484 0	0.24 (1)
I-J	-2358 0	-91.8 -91.8	0.09 (1)	3.77	M-I	-189 46	0.10 (1)
J-K	0 35	-91.8 -91.8	0.12 (1)	10.00	B-S	0 2021	0.45 (1)
T-B	-2014 0	0.0 0.0	0.21 (1)	5.95	M-J	0 2021	0.45 (1)
L-J	-2014 0	0.0 0.0	0.21 (1)	5.95			
T-S	0 0	-18.5 -18.5	0.19 (4)	10.00			
S-R	0 1995	-18.5 -18.5	0.42 (1)	10.00			
R-Q	0 1995	-18.5 -18.5	0.42 (1)	10.00			
Q-P	0 1629	-18.5 -18.5	0.32 (1)	10.00			
P-O	0 1629	-18.5 -18.5	0.32 (1)	10.00			
O-N	0 1995	-18.5 -18.5	0.42 (1)	10.00			
N-M	0 1995	-18.5 -18.5	0.42 (1)	10.00			
M-L	0 0	-18.5 -18.5	0.19 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF

DL = 8.0 PSF

BOT CH. LL = 0.0 PSF

DL = 7.4 PSF

TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.09")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.18")

CSI: TO=0.69:1.00 (I-J:1), BC=0.42:1.00 (M-O:1), WB=0.45:1.00 (J-M:1), SS=0.24:1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 788 1987 1686


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (J) (INPUT = 0.90)
JSI METAL= 0.87 (N) (INPUT = 1.00)



Structural component only
DWG# T-2007609



LUMBER

N. L. G. A. RULES

CHORDS	SIZE	DRY	No.2
A - D	2x4	DRY	No.2
D - E	2x4	DRY	No.2
E - F	2x4	DRY	No.2
F - G	2x4	DRY	No.2
G - J	2x4	DRY	No.2
J - B	2x4	DRY	No.2
K - I	2x4	DRY	No.2
R - P	2x4	DRY	No.2
P - M	2x4	DRY	No.2
M - K	2x4	DRY	No.2

ALL WEBS 2x3 DRY No.2

EXCEPT

O - E	2x4	DRY	No.2
E - N	2x4	DRY	No.2
N - F	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	6.0	1.75	2.75
C	TMWW-i	MT20	4.0	4.0	2.00	1.50
D	TS-1	MT20	3.0	6.0		
E	TTWW-m	MT20	5.0	8.0	2.00	3.00
F	TTWW-m	MT20	4.0	4.0		
G	TS-1	MT20	3.0	6.0		
H	TMWW-i	MT20	4.0	4.0	2.00	1.50
I	TMWW-p	MT20	5.0	6.0	1.75	2.75
K	BMV1+p	MT20	3.0	4.0		
L	BMWW-i	MT20	4.0	9.0		
M	BS-1	MT20	3.0	6.0		
N	BMWW-i	MT20	4.0	9.0		
O	BMWW-i	MT20	4.0	4.0		
P	BS-1	MT20	3.0	6.0		
Q	BMWW-i	MT20	4.0	9.0		
R	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED		GROSS REACTION		INPUT BRG IN-SX	RECORD BRG IN-SX
	VERT	HORZ	DOWN	HORZ		
R	2085	0	2085	0	5-8	5-8
K	2085	0	2085	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LOSE	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
R	1458	970	0	0:0	0:0	0:0	488	0
K	1458	970	0	0:0	0:0	0:0	488	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.45 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-Q, H-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		MAX. FACTORED		WEBS		FACTORED		MAX. FACTORED	
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	MAX. CS (LC)	MAX. UNBRACED LENGTH	MEMB.	FORCE (LBS)	MAX. CS (LC)	MEMB.	FORCE (LBS)	MAX. CS (LC)	MAX. UNBRACED LENGTH
FR-TO					FR-TO						
A-B	0 35	-91.8	-91.8 0.12 (1)	10.00	Q-C	-140 76	0.09 (1)				
B-C	-2357 0	-91.8	-91.8 0.89 (1)	3.45	C-Q	-604 0	0.38 (1)				
C-D	-1888 0	-91.8	-91.8 0.78 (1)	3.91	E-N	0 499	0.08 (1)				
D-E	-1888 0	-91.8	-91.8 0.78 (1)	3.91	E-N	0 0	0.00 (1)				
E-F	-1538 0	-91.8	-91.8 0.47 (1)	4.74	N-F	0 500	0.08 (1)				
F-G	-1888 0	-91.8	-91.8 0.78 (1)	3.91	N-H	-604 0	0.38 (1)				
G-H	-1888 0	-91.8	-91.8 0.78 (1)	3.91	L-H	-140 76	0.09 (1)				
H-I	-2357 0	-91.8	-91.8 0.89 (1)	3.45	B-Q	0 2020	0.45 (1)				
I-J	0 35	-91.8	-91.8 0.12 (1)	10.00	L-I	0 2019	0.45 (1)				
J-K	-2009 0	0.0	0.0 0.21 (1)	5.95							
K-L	-2009 0	0.0	0.0 0.21 (1)	5.95							
R-Q	0 0	-18.5	-18.5 0.25 (4)	10.00							
Q-P	0 1998	-18.5	-18.5 0.45 (1)	10.00							
P-O	0 1998	-18.5	-18.5 0.45 (1)	10.00							
O-N	0 1538	-18.5	-18.5 0.33 (1)	10.00							
N-M	0 1998	-18.5	-18.5 0.45 (1)	10.00							
M-L	0 1998	-18.5	-18.5 0.45 (1)	10.00							
L-K	0 0	-18.5	-18.5 0.24 (4)	10.00							

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL	= 25.8 PSF
DL	= 6.0 PSF
BOT CH. LL	= 0.0 PSF
DL	= 7.4 PSF
TOTAL LOAD	= 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (1.17")
CALCULATED VERT. DEFL. (LL) = L/999 (0.09")
ALLOWABLE DEFL. (TL) = L/360 (1.17")
CALCULATED VERT. DEFL. (TL) = L/999 (0.20")

CSI: TC=0.89(1.00 (B-C:1), BC=0.45(1.00 (O-Q:1), WB=0.45(1.00 (B-Q:1), SS=0.27(1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP (DRY)	SHEAR (PSI)	SECTION (PL)
MT20	618	354 1687 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.90 (F) (INPUT = 0.90)
JSI METAL = 0.68 (P) (INPUT = 1.00)



Structural component only
DWG# T-2007610


JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T9	1	2	GREEN PARK HOMES	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Autodesk Industries, Inc. Tue Apr 28 09:00:11 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns11-b64ydQG4wSx3??7Gah?CeimKBHhBBztlomgmilzMFIV

1-3-8 0-0 3-9-8 3-9-8 3-7-0 7-4-8 4-10-12 12-3-4 4-9-8 17-0-12 4-10-12 21-11-8 3-10-8 25-10-0 1-3-8 Scale = 1/4"=1'-0"



TOTAL WEIGHT = 2 X 138 = 271 lb

CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY No.2	SPF
D - G	2x4	DRY No.2	SPF
G - I	2x4	DRY No.2	SPF
I - B	2x4	DRY No.2	SPF
J - H	2x4	DRY No.2	SPF
Q - M	2x6	DRY No.2	SPF
M - J	2x6	DRY No.2	SPF

ALL WEBS 2x3 DRY No.2 EXCEPT

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : 10.122'X3" SPIRAL NAILS			
A-D	1	12	TOP
D-G	1	12	TOP
G-I	1	12	TOP
I-B	1	12	TOP
J-H	1	12	TOP
BOTTOM CHORDS : 10.122'X3" SPIRAL NAILS			
Q-M	2	12	TOP
M-J	2	12	SIDE (183.1)
WEBS : (10.122'X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	RECORD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	HORZ	DOWN	UP
Q	2236	0	2236	0
J	3067	0	3067	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT J. MINIMUM BEARING LENGTH AT JOINT J = 4-0.

UNFACTORED REACTIONS

1ST CASE	MAX. MIN. COMPONENT REACTIONS	DEAD	SOIL
JT	COMBINED		
Q	1575	1065	0
J	2157	1479	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.97 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	MAX. FACTORED	WEBS	MAX. FACTORED	MAX. FACTORED
MEMB.	FORCE (LBS)	VERT. LOAD (LBS)	MAX. (LBS)	MEMB.	FORCE (LBS)	MAX. (LBS)
FR-TO		FROM TO		FR-TO		
A-I	0 35	-91.8 -91.8 0.07 (1)	10.00	P-C	-503 0	0.06 (1)
B-C	-2484 0	-91.8 -91.8 0.13 (1)	5.82	C-O	0 70	0.01 (1)
C-D	-2571 0	-91.8 -91.8 0.13 (1)	5.83	O-D	-2 60	0.01 (1)
D-E	-3030 0	-91.8 -91.8 0.20 (1)	5.11	D-N	0 1433	0.18 (1)
E-F	-3235 0	-91.8 -91.8 0.21 (1)	4.97	N-E	-738 0	0.22 (1)
F-G	-3235 0	-91.8 -91.8 0.20 (1)	4.99	E-L	0 327	0.04 (1)
G-H	-2123 0	-91.8 -91.8 0.15 (1)	5.91	L-F	-469 0	0.14 (1)
H-I	0 35	-91.8 -91.8 0.07 (1)	10.00	L-G	0 2339	0.29 (1)
Q-B	-2188 0	0.0 0.0 0.12 (1)	7.53	K-G	-995 0	0.30 (1)
J-H	-2962 0	0.0 0.0 0.33 (1)	8.70	P-P	0 2137	0.26 (1)
				K-H	0 2298	0.28 (1)
Q-P	0 0	-18.5 -18.5 0.02 (1)	10.00			
P-O	0 2087	-18.5 -18.5 0.18 (1)	10.00			
O-N	0 2118	-18.5 -18.5 0.22 (1)	10.00			
N-M	0 3030	-18.5 -18.5 0.45 (1)	10.00			
M-R	0 3030	-18.5 -18.5 0.45 (1)	10.00			
R-L	0 3030	-18.5 -18.5 0.45 (1)	10.00			
L-S	0 1748	-18.5 -18.5 0.27 (1)	10.00			
S-T	0 1748	-18.5 -18.5 0.27 (1)	10.00			
T-K	0 1748	-18.5 -18.5 0.27 (1)	10.00			
K-U	0 0	-18.5 -18.5 0.08 (1)	10.00			
U-J	0 0	-18.5 -18.5 0.08 (1)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX.	FACE	DIR.	TYPE	HEEL	CONN.
K	21-11-4	-187	-187	FRONT	VERT	TOTAL	--	C1
L	16-11-4	-187	-187	FRONT	VERT	TOTAL	--	C1
R	16-0-0	-1259	-1259	FRONT	VERT	TOTAL	--	C1
S	17-11-4	-187	-187	FRONT	VERT	TOTAL	--	C1
T	19-11-4	-187	-187	FRONT	VERT	TOTAL	--	C1
U	23-11-4	-195	-195	FRONT	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL = 25.6 PSF
DL = 6.0 PSF	
BOT CH.	LL = 0.0 PSF
DL = 7.4 PSF	
TOTAL LOAD	= 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9. NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF NBC 2018, NBC 2012, ABC 2019
- PART 9 OF NBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.88")
CALCULATED VERT. DEFL. (LL) = L/999 (0.06")
ALLOWABLE DEFL. (TL) = L/360 (0.88")
CALCULATED VERT. DEFL. (TL) = L/999 (0.12")

CS: TC=0.33/1.00 (H-J:1), BC=0.45/1.00 (L-N:1),
WB=0.30/1.00 (G-K:1), SS=0.35/1.00 (L-K:1)

COL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP (DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	
MAX MIN	MAX MIN	MAX MIN	
MT20	618	354	1687
	788	1687	1855

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.81 (H) (INPUT = 0.90)
JSI METAL = 0.53 (H) (INPUT = 1.00)



Structural component only
DWG# T-2007611 1/2

CONTINUED ON PAGE 2

JOB NAME 408222	TRUSS NAME T9	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	TRUSS DESC.	DRWG NO.
--------------------	------------------	---------------	----------	-------------------------------	-------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 5 Oct 29 2019 MITek Industries, Inc. Tue Apr 28 09:00:11 2020 Page 2
ID:DMCubINVR6TsFog31v6I zns11-b64vdQG4wSx3?7Qahj?CgimK9HhB8zfbmgmizMFIY


PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	5.0	6.0	Edge	
C	TMWW-l	MT20	4.0	4.0	2.00	1.50
D	TTWW+m	MT20	5.0	6.0	2.00	1.50
E	TMWW-l	MT20	4.0	4.0		
F	TMW+w	MT20	2.0	4.0		
G	TTWW+m	MT20	5.0	8.0	2.50	1.50
H	TMVW+p	MT20	4.0	6.0	Edge	
J	BMV1+p	MT20	3.0	6.0		
K, N, O, P						
K	BMWW-l	MT20	5.0	6.0		
L	BMWWW-l	MT20	5.0	8.0		
M	BS-l	MT20	5.0	6.0		
Q	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007611



TOTAL WEIGHT = 118 LB

[M/F]

LUMBER				DESCR	
N. L. G. A. RULES				BUILDING DESIGNER	
CHORDS	SIZE	LUMBER		BEARINGS	
A - D	2x4	DRY	No.2	SPF	FACTORED
D - F	2x4	DRY	No.2	SPF	GROSS REACTION
F - G	2x4	DRY	No.2	SPF	MAXIMUM FACTORED
N - B	2x4	DRY	No.2	SPF	INPUT
H - G	2x4	DRY	No.2	SPF	REORD
N - J	2x4	DRY	No.2	SPF	BRG
J - H	2x4	DRY	No.2	SPF	BRG
ALL WEBS	2x3	DRY	No.2	SPF	IN-SX
EXCEPT				SPF	IN-SX

DRY: SEASONED LUMBER.

PLATES (table is in inches)					
JT TYPE	PLATES	W	LEN	Y	X
B TMVW-p	MT20	5.0	6.0	Edge	
C TMVW-i	MT20	4.0	4.0	2.00	1.50
D TTWW+m	MT20	5.0	6.0	2.00	1.50
E TMVW-w	MT20	2.0	4.0		
F TTWW+m	MT20	5.0	6.0	2.00	1.50
G TMVW-p	MT20	4.0	6.0	Edge	
H BMV1+p	MT20	3.0	4.0		
I BMVW-i	MT20	4.0	4.0		
J BS-1	MT20	3.0	6.0		
K BMVW-i	MT20	4.0	4.0		
L BMVW-i	MT20	4.0	4.0		
M BMVW-i	MT20	4.0	6.0	2.00	2.50
N BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER									
BEARINGS									
		FACTORED		MAXIMUM FACTORED		INPUT		REORD	
		GROSS REACTION		GROSS REACTION		BRG		BRG	
JT		VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	
N	1550	0		1550	0	0	5-8	5-8	
H	1424	0		1424	0	0	MECHANICAL		

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS							
		1ST LCASE		MAX MIN COMPONENT REACTIONS			
JT		COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD
N	1094	731.0	0	0.0	0.0	0.0	363.0
H	1007	881.0	0	0.0	0.0	0.0	348.0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.93 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING									
CHORDS					WEBS				
MEMB.	MAX. FACTORED	FORCE	VERT. LOAD	LC1	MAX	MAX.	MEMB.	MAX. FACTORED	FORCE
	(LBS)		(PLF)	CSI (LC)	UNBRAC			(LBS)	MAX
FR-TO			FROM TO		LENGTH	FR-TO			CSI (LC)
A-B	0	35	-91.8	-91.8	0.12 (1)	10.00	M-C	-217	3
B-C	-1809	0	-91.8	-91.8	0.29 (1)	4.93	C-L	-273	0
C-D	-1425	0	-91.8	-91.8	0.28 (1)	5.17	L-D	0	280
D-E	-1272	0	-91.8	-91.8	0.35 (1)	5.30	D-K	0	185
E-F	-1272	0	-91.8	-91.8	0.35 (1)	5.30	K-E	-595	0
F-G	-1077	0	-91.8	-91.8	0.43 (1)	5.52	K-F	0	655
N-B	-1511	0	0.0	0.0	0.16 (1)	6.88	L-F	-390	0
H-G	-1380	0	0.0	0.0	0.32 (1)	6.92	B-M	0	1396
							I-G	0	1031
N-M	0	0	-18.5	-18.5	0.09 (4)	10.00			
M-L	0	1362	-18.5	-18.5	0.27 (1)	10.00			
L-K	0	1164	-18.5	-18.5	0.24 (1)	10.00			
K-J	0	890	-18.5	-18.5	0.23 (1)	10.00			
J-I	0	890	-18.5	-18.5	0.23 (1)	10.00			
I-H	0	0	-18.5	-18.5	0.15 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:			
TOP CH. LL	=	25.6	PSF
DL	=	6.0	PSF
BOT CH. LL	=	0.0	PSF
DL	=	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.86")
CALCULATED VERT. DEFL.(LL) = L/999 (0.05")
ALLOWABLE DEFL.(TL) = L/360 (0.86")
CALCULATED VERT. DEFL.(TL) = L/999 (0.09")

CSI: TC=0.43/1.00 (F-G:1), BC=0.27/1.00 (L-M:1), WB=0.64/1.00 (E-K:1), SSI=0.23/1.00 (E-F:1)

OOL LUMBER=1.00 NAIL=1.00 LS BEND=1 10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT


NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(P.S.I) (P.L) (P.L)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1658


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (B) INPUT = 0.90
JSI METAL= 0.56 (G) INPUT = 1.00

Structural component only
DWG# T-2007612.





TOTAL WEIGHT = 2 X 66 = 132 lb

LUMBER

N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
I - B	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF

ALL WEBS 2x3 DRY No.2
EXCEPT

DRY: SEASONED LUMBER.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMVW-1	MT20	4.0	4.0		
E	TMVW-1	MT20	4.0	4.0	2.25	2.00
F	TMVW-1	MT20	3.0	4.0		
G	BMVW1-1	MT20	4.0	4.0		
H	BMVW1-1	MT20	4.0	9.0		
I	BMVW1-1	MT20	4.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

FACTORED	MAXIMUM FACTORED	INPUT	RECORD
GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	DOWN	HORIZ
I	1001	0	0
G	875	0	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

1ST CASE	MAX MIN. COMPONENT REACTIONS	DEAD	SOIL
JT	COMBINED	SNOW	LIVE
I	706	476	0
G	619	406	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PL)	MAX. FACTORED CS (LC)	MAX. FACTORED UNBRAC. LENGTH	WEBS	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CS (LC)
FR-TO						FR-TO			
A-B	0	35	-91.8	-91.8	0.12 (1)	10.00	C-H	-228	0
B-C	0	24	-91.8	-91.8	0.24 (1)	10.00	H-D	0	449
C-D	-891	0	-91.8	-91.8	0.19 (1)	6.25	H-E	-168	0
D-E	-888	0	-91.8	-91.8	0.17 (1)	6.25	I-C	-988	0
E-F	0	24	-91.8	-91.8	0.22 (1)	10.00	E-G	-971	0
F-G	-269	0	0.0	0.0	0.03 (1)	7.81			
I-H	0	722	-18.5	-18.5	0.39 (4)	10.00			
H-G	0	677	-18.5	-18.5	0.39 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. O.C.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2018
- PART 9 OF OBC 2012 (2018 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.53")
CALCULATED VERT. DEFL. (LL) = L/999 (0.02")
ALLOWABLE DEFL. (TL) = L/360 (0.53")
CALCULATED VERT. DEFL. (TL) = L/999 (0.11")

CSI: TC=0.24/1.00 (B-C:1), BC=0.39/1.00 (H:4), WB=0.50/1.00 (C:1), SSI=0.15/1.00 (C:D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.84 (E) (INPUT = 0.90)
JSI METAL = 0.35 (C) (INPUT = 1.00)



Structural component only
DWG# T-2007613



TOTAL WEIGHT = 2 X 69 = 137 lb
(M/F)

LUMBER

N.L.G.A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
K - A	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
K - H	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

EXCEPT
DRY, SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMWW+p	MT20	4.0	4.0	1.25	2.00
B	TMWW-i	MT20	4.0	4.0	2.00	1.50
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TMWW-i	MT20	4.0	4.0	2.00	1.50
E	TMWW+p	MT20	4.0	4.0	1.25	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWW-i	MT20	4.0	6.0		
H	BS-i	MT20	3.0	6.0		
I	BMWW-i	MT20	4.0	9.0		
J	BMWW-i	MT20	4.0	6.0		
K	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED		MAXIMUM FACTORED		INPUT	REQD
	GROSS REACTION	DOWN	GROSS REACTION	UP		
K	887	0	887	0	3-8	3-8
F	887	0	887	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS								
JT	1ST CASE	MAX./MIN. COMPONENT REACTIONS						
	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL	
K	627	411 : 0	0 : 0	0 : 0	0 : 0	216 : 0	0 : 0	
F	827	411 : 0	0 : 0	0 : 0	0 : 0	216 : 0	0 : 0	

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	VERT. LOAD (PL)	MAX. FACTORED (LBS)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED (LBS)	CS1 (L)
FR-TO				FR-TO			
A-B	-866	0	91.8	91.8	0.19	(1)	6.25
B-C	-887	0	91.8	91.8	0.18	(1)	6.25
C-D	-888	0	91.8	91.8	0.18	(1)	6.25
D-E	-891	0	91.8	91.8	0.20	(1)	6.25
K-A	-855	0	0.0	0.0	0.09	(1)	7.81
F-E	-853	0	0.0	0.0	0.09	(1)	7.81
K-J	0	0	-18.5	-18.5	0.07	(4)	10.00
J-I	0	740	-18.5	-18.5	0.15	(1)	10.00
I-H	0	761	-18.5	-18.5	0.15	(1)	10.00
H-G	0	761	-18.5	-18.5	0.15	(1)	10.00
G-F	0	0	-18.5	-18.5	0.07	(4)	10.00

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. CG

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/999 (0.02")
ALLOWABLE DEFL.(TL) = L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/989 (0.03")

CS1: TC=0.20/1.00 (D-E:1), BC=0.15/1.00 (G-I:1), WB=0.18/1.00 (E-G:1), SS=0.15/1.00 (D-E:1)
DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1887 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.85 (E) (INPUT = 0.90)
JSI METAL = 0.25 (H) (INPUT = 1.00)



Structural component only
DWG# T-2007631

JOB NAME 408222	TRUSS NAME T11S	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 M&T Industries, Inc. Tue Apr 28 09:00:13 2020 Page 1	ID:DMCubINVR6tsiFoe31v6t zns11-YVCj26HK53BnFRQzo81gj7reK5PdcqyG49siazMFIW



TOTAL WEIGHT = 2 X 67 = 134 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
L - B	2x4	DRY	No.2	SPF	
A - D	2x4	DRY	No.2	SPF	
D - G	2x4	DRY	No.2	SPF	
H - F	2x4	DRY	No.2	SPF	
L - K	2x4	DRY	No.2	SPF	
K - I	2x4	DRY	No.2	SPF	
I - H	2x4	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
DRY: SEASONED LUMBER.					

PLATES (table is in inches)	JT	TYPE	PLATES	W	LEN	Y	X
S	TMWV-p	MT20	5.0	6.0	Edge		
C	TMWV-l	MT20	5.0	6.0			
D	TTW-p	MT20	4.0	4.0	2.25	2.00	
E	TMWV-l	MT20	5.0	6.0			
F	TMWV-p	MT20	5.0	6.0	Edge		
H	BMV1+p	MT20	3.0	4.0	Edge		
I	BBWW-m	MT20	5.0	6.0			
J	BBWW-l	MT20	4.0	9.0			
K	BBWW-m	MT20	5.0	6.0			
L	BMV1+p	MT20	3.0	4.0	Edge		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	RECORD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	HORZ	DOWN	HORZ
L	1022	0	1022	0
H	1022	0	1022	0

UNFACTORED REACTIONS							
	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
L	720	486.0	0.0	0.0	0.0	234.0	0.0
H	720	486.0	0.0	0.0	0.0	234.0	0.0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.97 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	MAX. FACTORED	WEBS	MAX. FACTORED
MEMB.	FORCE	VERT. LOAD LC1	MAX. UNBRAC	MEMB.	FORCE
FR-TO	(LBS)	FROM TO	LENGTH	FR-TO	(LBS)
L-B	-1004.0	0.0	0.0 0.11 (1)	B-K	0 1321
A-B	0 35	-91.8	-91.8 0.12 (1)	K-C	0 55
B-C	-1508.0	-91.8	-91.8 0.33 (1)	C-J	-859.0
C-D	-841.0	-91.8	-91.8 0.41 (1)	J-D	0 444
D-E	-841.0	-91.8	-91.8 0.42 (1)	E-J	-681.0
E-F	-1510.0	-91.8	-91.8 0.33 (1)	F-E	0 58
F-G	0 35	-91.8	-91.8 0.12 (1)	G-F	0 1321
H-F	-1004.0	0.0	0.0 0.11 (1)	F-G	0 1321
L-K	0 0	-18.5	-18.5 0.02 (4)	K-L	0 0
K-J	0 1319	-18.5	-18.5 0.33 (1)	J-K	0 0
J-I	0 1320	-18.5	-18.5 0.33 (1)	I-J	0 0
I-H	0 0	-18.5	-18.5 0.02 (4)	H-I	0 0

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/999 (0.03")
ALLOWABLE DEFL.(TL) = L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/999 (0.06")

CSI: TC=0.42 (1.00 (D-E:1), BC=0.33 (1.00 (J-K:1), WB=0.47 (1.00 (E-J:1), SS=0.21 (1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (I) (INPUT = 0.90)
JSI METAL= 0.47 (K) (INPUT = 1.00)



Structural component only
DWG# T-2007614


JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	T12S	1	1	GREEN PARK HOMES	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Tue Apr 28 09:00:14 2020 Page 1

ID:DMCubINVR6Ts1Foe31v6l zns11-0hm5FSlyDNJdta?9MsYvGLouJVqYLOs6VkvQG0zMFIV

Scale = 1:27.5



TOTAL WEIGHT = 31 lb

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE			LUMBER
A - C	2x8	DRY		No.2
C - D	2x4	DRY		No.2
E - D	2x4	DRY		No.2
H - B	2x4	DRY		No.2
H - G	2x4	DRY		No.2
F - C	2x4	DRY		No.2
F - E	2x4	DRY		No.2

DESCR.
SPF
SPF
SPF
SPF
SPF
SPF
SPF

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	GROSS REACTION	MAXIMUM FACTORED	INPUT	RECORD
JT	VERT	HORZ	DOWN	HORZ	UPLIFT
E	214	0	214	0	0
H	344	0	344	0	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

1ST LCASE		MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
E	151	99 0	0 0	0 0	0 0	52 0	0 0
H	241	172 0	0 0	0 0	0 0	69 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS	MEMB.	MAX. FACTORED	FORCE (LBS)	VERT. LOAD	LC1	MAX	MAX. FACTORED	FORCE (LBS)	CSH (LC)	UNBRAC	LENGTH	FR-TO
A-B	0	36	-91.8	-91.8	0.07 (5)	10.00	G-D	0	139	0.03 (1)	7.81	
B-C	-105	0	-91.8	-91.8	0.03 (1)	6.25	B-G	0	95	0.02 (1)	7.81	
C-D	-79	0	-91.8	-91.8	0.05 (1)	8.25	G-E	-3	0	0.03 (1)	7.81	
E-D	-195	0	0.0	0.0	0.08 (1)	7.81						
H-B	-323	0	0.0	0.0	0.03 (1)	7.81						
H-G	0	0	-18.5	-18.5	0.03 (4)	10.00						
F-G	0	17	0.0	0.0	0.01 (1)	10.00						
G-C	-119	0	0.0	0.0	0.01 (1)	7.81						
F-E	0	2	-18.5	-18.5	0.01 (4)	10.00						

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. CG

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.00")

CSI: TC=0.08/1.00 (D-E:1), BC=0.03/1.00 (G-H:4), WB=0.03/1.00 (D-G:1), SSI=0.07/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES	PLATE GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	(PLI)
MAX	MIN	MAX	MIN
MT20	618	354	1667

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.19 (8) INPUT = 0.80
JSI METAL = 0.11 (8) INPUT = 1.00



Structural component only
DWG# T-2007615

JOB NAME 408223	TRUSS NAME T20	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:04:02 2020 Page 2	
				ID:DMCubINVR6TsFoe31v8I zns1l-x73EqNd7IXbU6sscoDgPaw0PaBNFZ7YHB c8zMEMh	

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.75	2.75
C	TTWW-m	MT20	6.0	9.0	2.75	3.50
D	TMWW-l	MT20	5.0	6.0		
E	TMW-w	MT20	3.0	6.0		
F	TS-l	MT20	5.0	6.0		
G	TMWW-l	MT20	5.0	6.0		
H	TTWW-m	MT20	6.0	9.0	2.75	3.50
I	TMVW-p	MT20	5.0	6.0	1.75	2.75
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-l	MT20	5.0	6.0	2.50	2.75
M	BMWW-l	MT20	5.0	6.0		
N	BS-l	MT20	5.0	6.0		
O	BMWWW-l	MT20	5.0	6.0		
P	BS-l	MT20	5.0	6.0		
Q	BMWW-l	MT20	5.0	6.0		
R	BMWW-l	MT20	5.0	6.0	2.50	2.75
S	BMV1+p	MT20	3.0	6.0		

LOADING

TOTAL LOAD CASES: (4)


CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CS (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CS (LC)	UNBRAC. LENGTH FR-TO
FR-TO							
L-AR	0 0	-18.5	-18.5 0.08 (4)				10.00
AR-AS	0 0	-18.5	-18.5 0.08 (4)				10.00
AS-K	0 0	-18.5	-18.5 0.08 (4)				10.00

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-10-0	-60	-67	---	FRONT	VERT	DEAD	---	C1
C	4-10-0	-311	-311	---	FRONT	VERT	SNOW	---	C1
D	11-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
H	30-4-0	-60	-67	---	FRONT	VERT	DEAD	---	C1
H	30-4-0	-311	-311	---	FRONT	VERT	SNOW	---	C1
N	21-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
O	11-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
R	5-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
T	5-2-12	-138	-138	---	FRONT	VERT	TOTAL	---	C1
U	7-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
V	9-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
W	13-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
X	15-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Y	17-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Z	19-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AA	21-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AB	23-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AC	25-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AD	27-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AE	29-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AF	1-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AG	3-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AH	7-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AI	9-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AJ	13-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AK	15-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AL	17-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AM	19-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AN	23-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AO	25-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AP	27-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AQ	29-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AR	31-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AS	33-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

- 1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.




Structural component only
DWG# T-2007632

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408223	T21	1	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mtek Industries, Inc. Tue Apr 28 10:04:03 2020 Page 1
 ID:DMCubINVR8TslFoe31v6I zns11-PKdcjeUgILk0D3AWqxoT8J Wk xSi yx9bzMEMg
 1-3-8 0.0 1-3-8 1-3-9 3-4-9 3-2-1 6-6-9 5-8-13 12-1-7 5-5-9 17-7-0 5-5-9 23-0-9 5-6-13 28-7-7 3-2-1 31-9-7 3-1-9 35-2-0 1-3-8
 Scale = 1:57.6



LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - D	2x4	DRY	No.2
D - G	2x4	DRY	No.2
G - I	2x4	DRY	No.2
I - L	2x4	DRY	No.2
U - B	2x4	DRY	No.2
M - K	2x4	DRY	No.2
U - R	2x4	DRY	No.2
R - P	2x4	DRY	No.2
P - M	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			
DRY: SEASONED LUMBER			

PLATES (table in inches)				
JT TYPE	PLATES	W	LEN	Y X
B TMV+p	MT20	3.0	4.0	
C TMWW-t	MT20	5.0	8.0	2.50 2.50
D TTWW-m	MT20	5.0	8.0	1.75 3.00
E TMWW-t	MT20	4.0	4.0	
F TMWW-w	MT20	2.0	4.0	
G TS-t	MT20	3.0	6.0	
H TMWW-t	MT20	4.0	4.0	
I TTWW-m	MT20	5.0	8.0	1.75 3.00
J TMWW-t	MT20	5.0	8.0	2.50 2.50
K TMV+p	MT20	3.0	4.0	
M BMVW-t	MT20	5.0	8.0	2.50 2.00
N BMWW-t	MT20	4.0	4.0	
O BMWW-t	MT20	5.0	6.0	
P BS-t	MT20	4.0	6.0	
Q BMWW-t	MT20	4.0	6.0	
R BS-t	MT20	4.0	6.0	
S BMWW-t	MT20	5.0	6.0	
T BMWW-t	MT20	4.0	4.0	
U BMVW-t	MT20	5.0	8.0	2.50 2.00

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER									
BEARINGS									
	FACTORED	GROSS REACTION		MAXIMUM FACTORED		INPUT	RECORD		
		DOWN	HORIZ	DOWN	HORIZ	UPLIFT	IN-SX	IN-SX	
JT	VERT								
U	2064	0	0	0	0	5-8	5-8		
M	2064	0	0	0	0	5-8	5-8		
UNFACTORED REACTIONS									
	1ST CASE	MAX. MIN. COMPONENT REACTIONS							
		SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL		
JT	COMBINED								
U	1457	970	0	0	0	0	488	0	0
M	1457	970	0	0	0	0	488	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, M

BRACING
 TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.12 FT.
 MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.


LOADING									
TOTAL LOAD CASES: (4)									
CHORDS					WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MAX. UNBRACED LENGTH (FT)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)		
FR-TO		FROM	TO		FR-TO				
A-B	0 32	-91.8	-91.8	0.12 (1)	10.00	C-T	0 213	0.05 (1)	
B-C	0 13	-91.8	-91.8	0.12 (1)	10.00	T-D	-8 69	0.02 (4)	
C-D	-2627 0	-91.8	-91.8	0.20 (1)	4.18	D-S	0 1447	0.33 (1)	
D-E	-3284 0	-91.8	-91.8	0.68 (1)	3.30	S-E	-853 0	0.33 (1)	
E-F	-3585 0	-91.8	-91.8	0.70 (1)	3.12	E-Q	0 428	0.10 (1)	
F-G	-3585 0	-91.8	-91.8	0.70 (1)	3.12	Q-F	-482 0	0.18 (1)	
G-H	-3585 0	-91.8	-91.8	0.70 (1)	3.12	H-Q	0 428	0.10 (1)	
H-I	-3264 0	-91.8	-91.8	0.66 (1)	3.30	Q-H	-853 0	0.33 (1)	
I-J	-2627 0	-91.8	-91.8	0.20 (1)	4.18	O-I	0 1447	0.33 (1)	
J-K	0 13	-91.8	-91.8	0.12 (1)	10.00	N-I	-8 69	0.02 (4)	
K-L	0 32	-91.8	-91.8	0.12 (1)	10.00	N-J	0 213	0.05 (1)	
U-B	-249 0	0.0	0.0	0.03 (1)	7.81	U-C	-2671 0	0.82 (1)	
M-K	-249 0	0.0	0.0	0.03 (1)	7.81	J-M	-2671 0	0.82 (1)	
U-T	0 2005	-18.5	-18.5	0.42 (1)	10.00				
T-S	0 2167	-18.5	-18.5	0.44 (1)	10.00				
S-R	0 3284	-18.5	-18.5	0.58 (1)	10.00				
R-O	0 3284	-18.5	-18.5	0.58 (1)	10.00				
Q-P	0 3284	-18.5	-18.5	0.58 (1)	10.00				
P-O	0 3264	-18.5	-18.5	0.58 (1)	10.00				
O-N	0 2167	-18.5	-18.5	0.44 (1)	10.00				
N-M	0 2005	-18.5	-18.5	0.42 (1)	10.00				

DESIGN CRITERIA	
SPECIFIED LOADS:	
TOP CH. LL	= 25.6 PSF
DL	= 6.0 PSF
BOT CH. LL	= 0.0 PSF
DL	= 7.4 PSF
TOTAL LOAD	= 39.0 PSF
SPACING = 24.0 IN. C/C	
LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12	
THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015	
THIS DESIGN COMPLIES WITH:	
- PART 9 OF BCBC 2018, CBC 2012, ABC 2019	
- PART 9 OF CBC 2012 (2019 AMENDMENT)	
- CSA 086-09, CSA 086-14	
- TPIC 2011, TPIC 2014	
155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD	
ALLOWABLE DEFL.(LL) = L/300 (1.17")	
CALCULATED VERT. DEFL.(LL) = L/999 (0.21")	
ALLOWABLE DEFL.(TL) = L/300 (1.17")	
CALCULATED VERT. DEFL.(TL) = L/999 (0.39")	
CSI: TC=0.70/1.00 (E-F:1), BC=0.58/1.00 (Q-S:1), WB=0.82/1.00 (J-M:1), SS=0.24/1.00 (D-E:1)	
DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10	
COMP=1.10 SHEAR=1.10 TENS=1.10	
COMPANION LIVE LOAD FACTOR = 1.00	
TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.	
NAIL VALUES	
PLATE GRIP(DRY) SHEAR	SECTION
(PSI)	(PLI) (PLI)
MAX MIN MAX MIN MAX MIN	
MT20	618 354 1667 788 1987 1658
PLATE PLACEMENT TOL. = 0.250 inches	
PLATE ROTATION TOL. = 5.0 Deg.	
JSI GRIP= 0.90 (M) (INPUT = 0.90)	
JSI METAL= 0.74 (R) (INPUT = 1.00)	



Structural component only
 DWG# T-2007633

JOB NAME 408223	TRUSS NAME T22	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:04:04 2020 Page 1	
ID:DMCubINVR6tFoe31v6I zns11-iWB743eNF8rCMAoF0G3U70GF0tjTlrCcg4h1zMEMI				20-7-14 26-10-14 30-11-3 35-2-0 36-5-8	



TOTAL WEIGHT = 146 lb

LUMBER			
N. L. G. A. RULES			
CHORDS	SIZE	DRY	LUMBER
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - H	2x4	DRY	No.2
H - K	2x4	DRY	No.2
U - B	2x4	DRY	No.2
L - J	2x4	DRY	No.2
U - R	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - L	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			

DRY: SEASONED LUMBER

PLATES (table in inches)				
JT	TYPE	PLATES	W	LEN Y X
B	TMVW-p	MT20	5.0	8.0 Edge 3.50
C	TMVW-w	MT20	4.0	4.0 2.00 1.75
D	TTVW-m	MT20	5.0	8.0 2.00 3.50
E	TMVW-l	MT20	4.0	4.0
F	TS-l	MT20	3.0	6.0
G	TMVW-w	MT20	2.0	4.0
H	TTVW-m	MT20	5.0	8.0 2.00 3.50
I	TMVW-l	MT20	4.0	4.0 2.00 1.75
J	TMVW-p	MT20	5.0	8.0 Edge 3.50
L	BMV-l-p	MT20	3.0	4.0
M	BMVW-l	MT20	5.0	8.0 2.50 2.50
N	BMVW-l	MT20	4.0	4.0
O	BS-l	MT20	3.0	6.0
P	BMVWW-l	MT20	4.0	9.0
Q	BMVW-l	MT20	4.0	6.0
R	BS-l	MT20	3.0	6.0
S	BMVW-l	MT20	4.0	4.0
T	BMVW-l	MT20	5.0	8.0 2.50 2.50
U	BMV-l-p	MT20	3.0	4.0

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

Structural component only
DWG# T-2007634

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER									
BEARINGS									
	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	RECORD BRG					
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX		
U	2064	0	2064	0	0	5-8	5-8		
L	2064	0	2064	0	0	5-8	5-8		
UNFACTORED REACTIONS									
	1ST LCASE	MAX. MIN. COMPONENT REACTIONS							
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL		
U	1457	970	0	0	0	0	0	488	0
L	1457	970	0	0	0	0	0	488	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.37 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF)	MAX. CSI (LC)	MAX. UNBRAC LENGTH FR-TO	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)
FR-TO		FROM			FR-TO		
A-B	0 32	-91.8	-91.8 0.12 (1)	10.00	T-C	-428 0	0.10 (1)
B-C	-2468 0	-91.8	-91.8 0.35 (1)	4.07	C-S	-39 0	0.02 (1)
C-D	-2478 0	-91.8	-91.8 0.34 (1)	4.08	S-D	0 131	0.04 (4)
D-E	-2810 0	-91.8	-91.8 0.75 (1)	3.37	D-Q	0 1076	0.24 (1)
E-F	-2804 0	-91.8	-91.8 0.74 (1)	3.38	Q-E	-617 0	0.38 (1)
F-G	-2908 0	-91.8	-91.8 0.74 (1)	3.38	E-P	-2 0	0.00 (1)
G-H	-2908 0	-91.8	-91.8 0.75 (1)	3.38	P-G	-617 0	0.36 (1)
H-I	-2478 0	-91.8	-91.8 0.34 (1)	4.06	P-H	0 1073	0.24 (1)
I-J	-2468 0	-91.8	-91.8 0.35 (1)	4.07	H-N	0 132	0.04 (4)
J-K	0 32	-91.8	-91.8 0.12 (1)	10.00	N-I	-39 0	0.02 (1)
U-B	-2025 0	0.0	0.0 0.21 (1)	5.94	M-I	-426 0	0.10 (1)
L-J	-2025 0	0.0	0.0 0.21 (1)	5.94	B-T	0 2205	0.50 (1)
					M-J	0 2205	0.50 (1)
U-T	0 0	-18.5	-18.5 0.07 (4)	10.00			
T-S	0 2149	-18.5	-18.5 0.41 (1)	10.00			
S-R	0 2122	-18.5	-18.5 0.41 (1)	10.00			
R-Q	0 2122	-18.5	-18.5 0.41 (1)	10.00			
Q-P	0 2910	-18.6	-18.6 0.54 (1)	10.00			
P-O	0 2122	-18.5	-18.5 0.41 (1)	10.00			
O-N	0 2122	-18.5	-18.5 0.41 (1)	10.00			
N-M	0 2149	-18.5	-18.5 0.41 (1)	10.00			
M-L	0 0	-18.5	-18.5 0.07 (4)	10.00			

DESIGN CRITERIA
SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF
SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 5.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.16")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.30")

CSI: TC=0.75/1.00 (D-E:1), BC=0.54/1.00 (P-Q:1), WB=0.50/1.00 (B-T:1), SS=0.27/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.89 (T); INPUT = 0.90
JSI METAL = 0.70 (O); INPUT = 1.00



Structural component only
DWG# T-2007634



DESCR.
SPF
SPF
SPF
SPF
SPF
SPF
SPF

SPF

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

UNFACTORED REACTIONS							
1ST CASE		MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
R	1457	970.0	0.0	0.0	0.0	488.0	0.0
J	1457	970.0	0.0	0.0	0.0	488.0	0.0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R; J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.16 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)	
FR-TO		FROM TO			FR-TO			
A-B	0 32	-91.8	-91.8	0.12 (1)	10.00	Q-C	-335 0	0.09 (1)
B-C	-2537 0	-91.8	-91.8	0.39 (1)	4.00	C-P	-216 0	0.16 (1)
C-D	-2396 0	-91.8	-91.8	0.37 (1)	4.11	P-D	0 258	0.08 (4)
D-E	-2609 0	-91.8	-91.8	0.88 (1)	3.16	D-N	0 752	0.17 (1)
E-F	-2609 0	-91.8	-91.8	0.88 (1)	3.16	N-E	-880 0	0.75 (1)
F-G	-2396 0	-91.8	-91.8	0.37 (1)	4.11	N-F	0 752	0.17 (1)
G-H	-2537 0	-91.8	-91.8	0.39 (1)	4.00	L-F	0 258	0.06 (4)
H-I	0 32	-91.8	-91.8	0.12 (1)	10.00	L-G	-216 0	0.16 (1)
R-B	-2020 0	0.0	0.0	0.21 (1)	5.94	K-G	-335 0	0.09 (1)
J-H	-2020 0	0.0	0.0	0.21 (1)	5.94	B-Q	0 2253	0.51 (1)
						K-H	0 2253	0.51 (1)
R-Q	0 0	-18.5	-18.5	0.10 (4)	10.00			
Q-P	0 2213	-18.5	-18.5	0.45 (1)	10.00			
P-O	0 2048	-18.5	-18.5	0.44 (1)	10.00			
O-N	0 2048	-18.5	-18.5	0.44 (1)	10.00			
N-M	0 2048	-18.5	-18.5	0.44 (1)	10.00			
M-L	0 2048	-18.5	-18.5	0.44 (1)	10.00			
L-K	0 2213	-18.5	-18.5	0.45 (1)	10.00			
K-I	0 0	-18.5	-18.5	0.10 (4)	10.00			

PLATES (table is in inches)

PLAYERS (table is in inches)					
J	TYPE	PLATES	W	LEN	Y X
B	TMOVW-p	MT20	5.0	8.0	Edge 3.50
C	TMOVW-l	MT20	4.0	4.0	2.00 1.75
D	TTWV-m	MT20	5.0	6.0	2.00 2.00
E	TTWV-w	MT20	2.0	4.0	
F	TTWV-m	MT20	5.0	6.0	2.00 2.00
G	TMOVW-l	MT20	4.0	4.0	2.00 1.75
H	TMOVW-p	MT20	5.0	8.0	Edge 3.50
J	BMV-l+p	MT20	3.0	4.0	
K	BMVW-l	MT20	5.0	6.0	2.50 2.50
L	BMVW-l	MT20	4.0	4.0	
M	BS-l	MT20	3.0	6.0	
N	BSMWVW-l	MT20	4.0	9.0	
O	BS-l	MT20	3.0	6.0	
P	BSMWV-l	MT20	4.0	4.0	
Q	BSMWV-l	MT20	5.0	6.0	2.50 2.50
R	BSMV-l+m	MT20	3.0	4.0	

Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.

DESIGN CRITERIA

SPECIFIED LOADS:			
TOP CH.	LL	=	25.6 PSF
	DL	=	8.0 PSF
BOT CH.	LL	=	0.0 PSF
	DL	=	7.4 PSF
TOTAL LOAD		=	39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE
OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR
SMALL BUILDING REQUIREMENTS OF PART 9.
N8CC 2010, N8CC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN
LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF
LIVE LOAD

ALLOWABLE DEFL.(LL) = L 360 (1.17")
CALCULATED VERT. DEFL.(LL) = L 999 (0.13")
ALLOWABLE DEFL.(TL) = L 360 (1.17")
CALCULATED VERT. DEFL.(TL) = L 998 (0.27")

CS1: TC=0.88/1.00 (E-F:1), BC=0.45/1.00 (K-L:1)
WB=0.75/1.00 (E-N:1), SSI=0.34/1.00 (E-F:1)
DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES						
PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	818	354	1887	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (K) (INPUT = 0.90)
JSI METAL= 0.72 (M) (INPUT = 1.00)



Structural component only
DWG# T-2007635


JOB NAME 408223	TRUSS NAME T24	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	----------

Tamarack Roof Truss, Burlington

Version 6.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:04:07 2020 Page 1

ID:DMCubINVR6TsIFoe31v6I_zns11-H5s74hGX3DnDeWqPLpm6seepobw_wk9HuavkIMzMEMC

1-3-8 0.0 5-11-6 5-8-14 11-8-5 5-10-11 17-7-0 5-10-11 23-5-11 5-8-14 29-2-10 5-11-6 1-3-8
Scale = 1:57.0



TOTAL WEIGHT = 151 LB [M/P]

N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
R - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
R - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF

ALL WEBS 2x3 DRY No.2 SPF
EXCEPT

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT TYPE	PLATES	W	LEN	Y	X
B TMVW-p	MT20	5.0	8.0	Edge	3.50
D TMVW-1	MT20	4.0	4.0	2.00	1.75
C TTWW-m	MT20	5.0	6.0	2.25	2.00
E TMW-w	MT20	2.0	4.0		
F TTWW-m	MT20	5.0	6.0	2.25	2.00
G TMVW-1	MT20	4.0	4.0	2.00	1.75
H TMVW-p	MT20	5.0	8.0	Edge	3.50
J BMV1+p	MT20	3.0	4.0		
K BMVW-1	MT20	5.0	6.0	2.50	2.50
L BMVW-1	MT20	4.0	4.0		
M BS-1	MT20	3.0	6.0		
N BMVW-1	MT20	4.0	9.0		
O BS-1	MT20	3.0	6.0		
P BMVW-1	MT20	4.0	4.0		
Q BMVW-1	MT20	5.0	6.0	2.50	2.50
R BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQD BRG	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX		
R	2084	0	2084	0	0	5-8	5-8		
J	2084	0	2084	0	0	5-8	5-8		

UNFACTORED REACTIONS

1ST CASE		MAX. MIN. COMPONENT REACTIONS		WIND		DEAD		SOIL	
JT	COMBINED	SNOW	LIVE	PERM. LIVE					
R	1457	970	0	0	0	0	488	0	0
J	1457	970	0	0	0	0	488	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.81 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 32	-91.8 -91.8 0.12 (1)	10.00	Q-C	-252 12	0.08 (1)	
B-C	-2575 0	-91.8 -91.8 0.54 (1)	3.81	C-P	-386 0	0.41 (1)	
C-D	-2283 0	-91.8 -91.8 0.50 (1)	4.05	P-O	0 345	0.08 (1)	
D-E	-2236 0	-91.8 -91.8 0.49 (1)	4.06	D-N	0 480	0.11 (1)	
E-F	-2236 0	-91.8 -91.8 0.49 (1)	4.06	N-E	-682 0	0.84 (1)	
F-G	-2283 0	-91.8 -91.8 0.50 (1)	4.05	N-F	0 480	0.11 (1)	
G-H	-2575 0	-91.8 -91.8 0.54 (1)	3.81	L-F	0 345	0.08 (1)	
H-I	0 32	-91.8 -91.8 0.12 (1)	10.00	L-G	-386 0	0.41 (1)	
R-B	-2016 0	0.0 0.0 0.21 (1)	5.94	K-G	-252 12	0.08 (1)	
J-H	-2016 0	0.0 0.0 0.21 (1)	5.94	B-Q	0 2281	0.51 (1)	
				K-H	0 2281	0.51 (1)	
R-Q	0 0	-18.5 -18.5 0.14 (4)	10.00				
Q-P	0 2251	-18.5 -18.5 0.43 (1)	10.00				
P-O	0 1947	-18.5 -18.5 0.38 (1)	10.00				
O-N	0 1947	-18.5 -18.5 0.38 (1)	10.00				
N-M	0 1947	-18.5 -18.5 0.38 (1)	10.00				
M-L	0 1947	-18.5 -18.5 0.38 (1)	10.00				
L-K	0 2251	-18.5 -18.5 0.43 (1)	10.00				
K-J	0 0	-18.5 -18.5 0.14 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN./C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.12")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.22")

CSI: TC=0.54(1.00 IB-C:1), BC=0.43(1.00 P-Q:1), WB=0.84(1.00 E-N:1), SSI=0.26(1.00 D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 610 354 1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.88 (Q) (INPUT = 0.90)
JSI METAL = 0.61 (M) (INPUT = 1.00)



Structural component only
DWG# T-2007636


JOB NAME 408223	TRUSS NAME T25	QUANTITY 4	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
TRUSS DESC.					

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:04:08 2020 Page 1

ID:DMCubINVR6TslFoe31v6I zns1l-HQVwChulNMdm50y3K7erAxP7FIKSR7DalgzMEMb

1-3.8 0.0 6-9-11 6-7-3 13-4-14 4-2-2 17-7-0 21-9-2 6-7-3 28-4-5 6-9-11 35-2-0 1-3-8
Scale = 1:50.3



TOTAL WEIGHT = 4 X 158 = 632 lb

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - D	2x4	ORY	No.2
D - E	2x4	ORY	No.2
E - G	2x4	ORY	No.2
G - H	2x4	ORY	No.2
H - K	2x4	ORY	No.2
K - J	2x4	ORY	No.2
J - I	2x4	ORY	No.2
I - H	2x4	ORY	No.2
H - G	2x4	ORY	No.2
G - F	2x4	ORY	No.2
F - E	2x4	ORY	No.2
E - D	2x4	ORY	No.2
D - C	2x4	ORY	No.2
C - B	2x4	ORY	No.2
B - A	2x4	ORY	No.2
ALL WEBS	2x3	ORY	No.2
EXCEPT			
DRY: SEASONED LUMBER.			

PLATES (table is in inches)					
JT TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	Edge 3.50
C	TMVW-i	MT20	4.0	4.0	2.00 1.75
D	TS-i	MT20	3.0	6.0	
E	TTVW-m	MT20	5.0	6.0	2.25 2.00
F	TMVW-w	MT20	2.0	4.0	
G	TTVW-m	MT20	5.0	6.0	2.25 2.00
H	TS-i	MT20	3.0	6.0	
I	TMVW-i	MT20	4.0	4.0	2.00 1.75
J	TMVW-p	MT20	5.0	6.0	Edge 3.50
L	BMV1-p	MT20	3.0	4.0	
M	BMVW-i	MT20	5.0	6.0	2.50 2.50
N	BS-i	MT20	3.0	6.0	
O	BMVW-i	MT20	4.0	4.0	
P	BMVW-i	MT20	4.0	4.0	
Q	BMVW-i	MT20	4.0	4.0	
R	BS-i	MT20	3.0	6.0	
S	BMVW-i	MT20	5.0	6.0	2.50 2.50
T	BMV1-p	MT20	3.0	4.0	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	HORZ	GROSS REACTION	HORZ	BRG	IN-SX	BRG	IN-SX
T	2084	0	2084	0	0	5-8	5-8	5-8	5-8
L	2084	0	2084	0	0	5-8	5-8	5-8	5-8

UNFACTORED REACTIONS

JT	COMBINED	1ST CASE	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
T	1457	970	0	0	0	0	488	0
L	1457	970	0	0	0	0	488	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.54 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1:2 LENGTH OF C-Q, F-P, I-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED GSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED GSI (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 32	-91.8 -91.8 0.12 (1)	10.00	S-C	-165 51	0.08 (1)	
B-C	-2590 0	-91.8 -91.8 0.74 (1)	3.54	C-Q	-548 0	0.26 (1)	
C-D	-2158 0	-91.8 -91.8 0.66 (1)	3.91	Q-E	0 431	0.10 (1)	
D-E	-2158 0	-91.8 -91.8 0.66 (1)	3.91	E-P	0 288	0.08 (1)	
E-F	-1958 0	-91.8 -91.8 0.24 (1)	4.61	P-F	-460 0	0.25 (1)	
F-G	-1958 0	-91.8 -91.8 0.24 (1)	4.61	G-Q	0 431	0.06 (1)	
G-H	-2158 0	-91.8 -91.8 0.66 (1)	3.91	O-I	-548 0	0.26 (1)	
H-I	-2158 0	-91.8 -91.8 0.66 (1)	3.91	I-M	-185 51	0.08 (1)	
I-J	-2590 0	-91.8 -91.8 0.74 (1)	3.54	M-J	0 2292	0.52 (1)	
J-K	0 32	-91.8 -91.8 0.12 (1)	10.00	B-S	0 2292	0.52 (1)	
T-K	-2011 0	0.0 0.0 0.20 (1)	5.95	M-J	0 2292	0.52 (1)	
L-J	-2011 0	0.0 0.0 0.20 (1)	5.95				
T-S	0 0	-18.5 -18.5 0.20 (4)	10.00				
S-R	0 2269	-18.5 -18.5 0.46 (1)	10.00				
R-Q	0 2269	-18.5 -18.5 0.46 (1)	10.00				
Q-P	0 1833	-18.5 -18.5 0.36 (1)	10.00				
P-O	0 1833	-18.5 -18.5 0.36 (1)	10.00				
O-N	0 2269	-18.5 -18.5 0.46 (1)	10.00				
N-M	0 2269	-18.5 -18.5 0.46 (1)	10.00				
M-L	0 0	-18.5 -18.5 0.20 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF NBCC 2010, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 26.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.11")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.22")

CSI: TC=0.74/1.00 (I-J:1) . BC=0.46/1.00 (M-Q:1) . WB=0.52/1.00 (J-M:1) . SSI=0.26/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (S) (INPUT = 0.90)
JSI METAL= 0.69 (N) (INPUT = 1.00)



Structural component only
DWG# T-2007637

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408223	T25A	3	1	TRUSS DESC.		


Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:04:09 2020 Page 1

ID:DMCvbiNVR6TstFoe31v6l zns11-DU u8miW3gUUSkgCWmsEB3j6iPbBOjwaMOrMeZMEMa

34-10-0

0-0 6-8-11 6-8-11 6-8-3 13-2-14 4-2-2 17-5-0 4-2-2 21-7-2 6-8-3 26-1-5 6-8-11 34-10-0 Scale = 1/55.1



TOTAL WEIGHT = 3 X 154 = 462 lb (MAX)

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - C	2x4	DRY	No.2
A - E	2x4	DRY	No.2
A - G	2x4	DRY	No.2
P - A	2x4	DRY	No.2
H - G	2x4	DRY	No.2
P - N	2x4	DRY	No.2
N - J	2x4	DRY	No.2
J - H	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			
DRY: SEASONED LUMBER.			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER									
BEARINGS									
	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG					
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX		
P	1920	0	1920	0	0	3-8	3-8		
H	1920	0	1920	0	0	3-8	3-8		
UNFACTORED REACTIONS									
1ST LCASE	MAX. MIN. COMPONENT REACTIONS								
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL		
P	1358	891	0	0	0	0	487	0	0
H	1358	891	0	0	0	0	487	0	0

DESIGN CRITERIA	
SPECIFIED LOADS:	
TOP CH. LL	= 25.6 PSF
DL	= 6.0 PSF
BOT CH. LL	= 0.0 PSF
DL	= 7.4 PSF
TOTAL LOAD	= 39.0 PSF
SPACING = 24.0 IN./C	
LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12	
THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCG 2010, NBCG 2015	
THIS DESIGN COMPLIES WITH:	
- PART 9 OF NBCG 2010, CBC 2012, ABC 2019	
- PART 9 OF CBC 2012 (2019 AMENDMENT)	
- CSA 086-09, CSA 086-14	
- TPIC 2011, TPIC 2014	
155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD	
ALLOWABLE DEFL.(LL) = L/380 (1.16")	
CALCULATED VERT. DEFL.(LL) = L/999 (0.11")	
ALLOWABLE DEFL.(TL) = L/380 (1.16")	
CALCULATED VERT. DEFL.(TL) = L/999 (0.21")	
CSI: TC=0.71 1.00 (A-B:1), BC=0.45 1.00 (M-O:1), WB=0.50 1.00 (A-C:1), SS=0.28 1.00 (A-B:1)	
DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10	
COMPANION LIVE LOAD FACTOR = 1.00	
TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.	
NAIL VALUES	
PLATE GRIP(DRY) SHEAR SECTION	
(PSI) (PLI) (PLI)	
MAX MIN MAX MIN MAX MIN	
MT20 818 354 1657 788 1987 1658	
PLATE PLACEMENT TOL. = 0.250 inches	
PLATE ROTATION TOL. = 5.0 Deg.	
JSI GRIP = 0.84 (I) (INPUT = 0.80)	
JSI METAL = 0.66 (N) (INPUT = 1.00)	


PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
A	TMWW-p	MT20	5.0	8.0	2.00	Edge
B	TMWW-i	MT20	4.0	4.0	2.00	1.75
C	TTWW-m	MT20	5.0	8.0	2.25	2.00
D	TMWW-w	MT20	2.0	4.0		
E	TTWW-m	MT20	5.0	8.0	2.25	2.00
F	TMWW-i	MT20	4.0	4.0	2.00	1.75
G	TMWW-p	MT20	5.0	8.0	Edge	3.50
H	BMV1-p	MT20	3.0	4.0		
I	BMWW-i	MT20	5.0	8.0	2.50	2.50
J	BS-i	MT20	3.0	6.0		
K	BMWW-i	MT20	4.0	4.0		
L	BMWW-i	MT20	4.0	9.0		
M	BMWW-i	MT20	4.0	4.0		
N	BS-i	MT20	3.0	6.0		
O	BMWW-i	MT20	5.0	6.0	2.50	2.50
P	BMV1-p	MT20	3.0	4.0		
Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.						

BRACING									
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.84 FT.									
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.									
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.									
1 LATERAL BRACE(S) AT 1/2 LENGTH OF B-M, D-L, F-K.									
END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW									
LOADING									
TOTAL LOAD CASES: (4)									
CHORDS					WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	VERT. LOAD (PLF)	MAX. FACTORED GSI (LC)	MAX. UNBRACED LENGTH FR-TO	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED GSI (LC)		
A-B	-2510	0	-91.8	-91.8 0.71 (1)	3.84	O-B	-212	40	0.09 (1)
B-C	-2113	0	-91.8	-91.8 0.63 (1)	3.99	B-M	-510	0	0.24 (1)
C-D	-1919	0	-91.8	-91.8 0.24 (1)	4.64	M-C	0	412	0.09 (1)
D-E	-1919	0	-91.8	-91.8 0.24 (1)	4.64	C-L	0	287	0.06 (1)
E-F	-2113	0	-91.8	-91.8 0.63 (1)	3.99	L-D	-481	0	0.25 (1)
F-G	-2510	0	-91.8	-91.8 0.71 (1)	3.84	L-E	0	287	0.06 (1)
P-A	-1888	0	0.0	0.0 0.19 (1)	6.13	K-E	0	412	0.09 (1)
H-G	-1888	0	0.0	0.0 0.19 (1)	6.13	K-F	-510	0	0.24 (1)
						I-F	-212	40	0.09 (1)
P-O	0	0	-18.5	-18.5 0.20 (4)	10.00	A-O	0	2227	0.50 (1)
O-N	0	2199	-18.5	-18.5 0.45 (1)	10.00	I-G	0	2227	0.50 (1)
N-M	0	2199	-18.5	-18.5 0.45 (1)	10.00				
M-L	0	1797	-18.5	-18.5 0.35 (1)	10.00				
L-K	0	1797	-18.5	-18.5 0.35 (1)	10.00				
K-J	0	2199	-18.5	-18.5 0.45 (1)	10.00				
J-I	0	2199	-18.5	-18.5 0.45 (1)	10.00				
I-H	0	0	-18.5	-18.5 0.20 (4)	10.00				



Structural component only
DWG# T-2007638

JOB NAME 408223	TRUSS NAME T28	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 10:04:10 2020 Page 1	
				ID:DMCubINVR6t5iF0e31v81 zns11-igYQL6j8q_cL45FP4UNTKGKlpt777 kbX7PuhzMEM2 34.100	



TOTAL WEIGHT = 2 X 183 = 366 lb

LUMBER					
N. L. G. A. RULES					
CHORDS	SIZE	LUMBER		DESCR.	
R - A	2x4	DRY	No.2	SPF	
A - C	2x6	DRY	No.2	SPF	
C - G	2x6	DRY	No.2	SPF	
G - I	2x6	DRY	No.2	SPF	
J - I	2x4	DRY	No.2	SPF	
R - O	2x6	DRY	No.2	SPF	
O - M	2x6	DRY	No.2	SPF	
M - J	2x6	DRY	No.2	SPF	

ALL WEBS 2x3 DRY No.2 SPF
DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
R - A 1	12	TOP
I - J 1	12	TOP
A - C 2	12	TOP
C - G 2	12	TOP
G - I 2	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
R - O 2	12	SIDE(0.0)
O - M 2	12	SIDE(0.0)
M - J 2	12	TOP
WEBS : (0.122"x3") SPIRAL NAILS		
2x3 1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT HORZ	DOWN HORZ	UPLIFT IN-SX	IN-SX
R	3373 0	3373 0	3-8	3-8
J	3103 0	3103 0	0 0	3-8

UNFACTORED REACTIONS

1ST LOASE	SNOW	LIVE	PERM LIVE	WIND	DEAD	SOIL
JT	2380	1591 0	0 0	0 0	789 0	0 0
J	2190	1459 0	0 0	0 0	731 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.03 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)
FR-TO		FROM TO			FR-TO		
R-A	-3316 0	0.0 0.0	0.58 (1)	6.39	K-I	0 4719	0.58 (1)
A-B	-4149 0	-91.8 -91.8	0.14 (1)	5.47	A-Q	0 5171	0.84 (1)
B-C	-7288 0	-91.8 -91.8	0.20 (1)	4.33	K-H	-2757 0	0.44 (1)
C-D	-7288 0	-91.8 -91.8	0.20 (1)	4.33	Q-B	-2897 0	0.48 (1)
D-S	-8278 0	-91.8 -91.8	0.28 (1)	4.03	L-H	0 3530	0.44 (1)
S-T	-8278 0	-91.8 -91.8	0.28 (1)	4.03	B-P	0 3950	0.49 (1)
T-U	-8278 0	-91.8 -91.8	0.28 (1)	4.03	L-F	-1791 0	0.28 (1)
U-E	-8278 0	-91.8 -91.8	0.28 (1)	4.03	P-D	-1403 0	0.22 (1)
E-F	-8278 0	-91.8 -91.8	0.21 (1)	4.11	N-F	0 2134	0.26 (1)
F-G	-6586 0	-91.8 -91.8	0.10 (1)	4.52	D-N	0 1249	0.15 (1)
G-H	-6586 0	-91.8 -91.8	0.19 (1)	4.52	N-E	-673 0	0.11 (1)
H-I	-3787 0	-91.8 -91.8	0.13 (1)	5.88			
I-J	-3042 0	0.0 0.0	0.51 (1)	6.62			
R-Q	0 0	-18.5 -18.5	0.04 (4)	10.00			
Q-P	0 -4149	-18.5 -18.5	0.30 (1)	10.00			
P-V	0 7288	-18.5 -18.5	0.87 (1)	10.00			
V-W	0 7288	-18.5 -18.5	0.87 (1)	10.00			
W-O	0 7288	-18.5 -18.5	0.87 (1)	10.00			
O-X	0 7288	-18.5 -18.5	0.87 (1)	10.00			
X-Y	0 7288	-18.5 -18.5	0.87 (1)	10.00			
Y-N	0 7288	-18.5 -18.5	0.67 (1)	10.00			
N-Z	0 6586	-18.5 -18.5	0.72 (1)	10.00			
Z-M	0 6586	-18.5 -18.5	0.72 (1)	10.00			
M-L	0 6586	-18.5 -18.5	0.72 (1)	10.00			
L-K	0 3787	-18.5 -18.5	0.32 (1)	10.00			
K-J	0 0	-18.5 -18.5	0.04 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC	LC1	MAX	FACE	DIR.	TYPE	HEEL	CONN.
S	12-8-4	-86	-86	---	BACK	VERT	TOTAL	---
T	14-8-4	-86	-86	---	BACK	VERT	TOTAL	---
U	16-8-4	-86	-86	---	BACK	VERT	TOTAL	---
V	12-3-8	-1052	-1052	---	BACK	VERT	TOTAL	---
W	12-8-4	-17	-17	---	BACK	VERT	TOTAL	---
X	14-8-4	-17	-17	---	BACK	VERT	TOTAL	---
Y	16-8-4	-17	-17	---	BACK	VERT	TOTAL	---
Z	18-7-8	-1273	-1273	---	BACK	VERT	TOTAL	---

CONNECTION REQUIREMENTS

11 C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF NBCC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-08, CSA 088-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.16')
CALCULATED VERT. DEFL.(LL) = L/999 (0.21')
ALLOWABLE DEFL.(TL) = L/360 (1.16')
CALCULATED VERT. DEFL.(TL) = L/999 (0.39')

CSI: TC=0.58(1.00 (A-R)), BC=0.72(1.00 (L-N)), WB=0.84(1.00 (A-Q)), SS=0.37(1.00 (L-N))

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (I) (INPUT = 0.90)
JSI METAL= 0.73 (I) (INPUT = 1.00)



Structural component only
DWG# T-2007639 1/2

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408223	T28	1	2	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:04:10 2020 Page 2
 ID:DMCubINVR6TsIFoe31v6I zns1I-lqYGL68a cL45FP4UNTkGGKlpI777 kbX7PuhzMEMZ

PLATES (table in inches)					
JT	TYPE	PLATES	W	LEN	Y X
A	TMVW-I	MT20	5.0	8.0	2.50 3.25
B	TMVW-I	MT20	5.0	8.0	2.50 2.75
C	TS-I	MT20	5.0	8.0	
D	TMVW-I	MT20	5.0	8.0	
E	TMVW-w	MT20	3.0	8.0	
F	TMVW-I	MT20	5.0	8.0	
G	TS-I	MT20	5.0	8.0	
H	TMVW-I	MT20	5.0	8.0	2.50 2.75
I	TMVW-I	MT20	5.0	8.0	2.50 3.25
J	BMV-I+p	MT20	3.0	8.0	
K	BMVW-I	MT20	5.0	8.0	2.50 3.25
L	BMVW-I	MT20	5.0	8.0	2.50 2.75
M	BS-I	MT20	5.0	8.0	
N	BMVW-I	MT20	5.0	8.0	
O	BS-I	MT20	3.0	8.0	
P	BMVW-I	MT20	5.0	8.0	2.50 2.75
Q	BMVW-I	MT20	5.0	8.0	2.50 3.25
R	BMV-I+p	MT20	3.0	8.0	

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



Structural component only
 DWG# T-2007639 212

JOB NAME 408223	TRUSS NAME T29	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	----------


Tamarack Roof Truss, Burlington

Version 8.310 5 Oct 2019 Mittek Industries, Inc. Tue Apr 28 10:04:11 2020 Page 1

ID:DMCubINVR6TstFoe31v6l zns11-As6eYSKmbkCfQbe8uGUoUPDljsbAlpBtyR7zMEMY

0-0 5-10-8 5-10-8 5-9-1 11-7-12 5-9-1 17-5-0 5-9-1 5-9-1 23-2-4 5-9-1 25-11-8 5-10-8 34-10-0

Scale = 1:54.8



TOTAL WEIGHT = 2 X 157 = 314 lb

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
R - A	2x4	DRY	No.2
A - C	2x4	DRY	No.2
C - G	2x4	DRY	No.2
G - I	2x4	DRY	No.2
I - J	2x4	DRY	No.2
J - O	2x4	DRY	No.2
O - M	2x4	DRY	No.2
M - J	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED	MAXIMUM FACTORED	INPUT	RECORD
JT	VERT	GROSS REACTION	GROSS REACTION	BRG	BRG
R	1920	0	1920	0	3-8
J	1920	0	1920	0	3-8

UNFACTORED REACTIONS		1ST CASE	MAX. MIN. COMPONENT REACTIONS
JT	COMBINED	SNOW	LIVE PERM. LIVE WIND DEAD SOIL
R	1358	891	0 0 0 0 0 0
J	1358	891	0 0 0 0 0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.72 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF A-R, I-J, B-Q, H-K.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING		TOTAL LOAD CASES: (4)	
CHORDS		WEBS	
MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED FORCE (LBS)	MAX. FACTORED FORCE (LBS)
FR-TO	FROM TO	FR-TO	FROM TO
R-A	-1878 0	0.0 0.0 0.37 (1)	4.90 A-Q 0 2281 0.51 (1)
A-B	-1563 0	-91.8 -91.8 0.53 (1)	4.61 Q-B -1540 0 0.43 (1)
B-C	-2426 0	-91.8 -91.8 0.83 (1)	3.77 B-P 0 1272 0.29 (1)
C-D	-2426 0	-91.8 -91.8 0.83 (1)	3.77 P-D -831 0 0.58 (1)
D-E	-2725 0	-91.8 -91.8 0.58 (1)	3.72 D-N 0 440 0.10 (1)
E-F	-2725 0	-91.8 -91.8 0.58 (1)	3.72 N-E -539 0 0.38 (1)
F-G	-2426 0	-91.8 -91.8 0.83 (1)	3.77 G-F 0 440 0.10 (1)
G-H	-2426 0	-91.8 -91.8 0.83 (1)	3.77 F-H -831 0 0.58 (1)
H-I	-1563 0	-91.8 -91.8 0.53 (1)	4.61 I-H 0 1272 0.29 (1)
I-J	-1878 0	0.0 0.0 0.37 (1)	4.90 H-K -1540 0 0.43 (1)
R-Q	0 0	-18.5 -18.5 0.15 (4)	10.00 K-I 0 2281 0.51 (1)
Q-P	0 1583	-18.5 -18.5 0.33 (1)	10.00
P-O	0 2426	-18.5 -18.5 0.44 (1)	10.00
O-N	0 2426	-18.5 -18.5 0.44 (1)	10.00
N-M	0 2426	-18.5 -18.5 0.44 (1)	10.00
M-L	0 2426	-18.5 -18.5 0.44 (1)	10.00
L-K	0 1583	-18.5 -18.5 0.33 (1)	10.00
K-J	0 0	-18.5 -18.5 0.15 (4)	10.00

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 38.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.18')
CALCULATED VERT. DEFL.(LL) = L/999 (0.16')
ALLOWABLE DEFL.(TL) = L/360 (1.16')
CALCULATED VERT. DEFL.(TL) = L/999 (0.31')

CS: TC=0.63:1.00 (F:H:1), BC=0.44:1.00 (N:P:1), WB=0.58:1.00 (F:L:1), SS=0.25:1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 818 354 1687 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.87 (A) (INPUT = 0.90)
JSI METAL = 0.78 (M) (INPUT = 1.00)




Structural component only
DWG# T-2007640

JOB NAME 408223	TRUSS NAME T30	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	TRUSS DESC.	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	-------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 5 Oct 2019 Metek Industries, Inc. Tue Apr 28 10:04:12 2020 Page 1

ID:DMCubINVR6TstFoe31v6l_zns11-e3g0mokOMbs3JPPnBvPxpHb5odJb7s02rcVzZMEMX



TOTAL WEIGHT = 2 X 179 = 359 lb (M)

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
P - A	2x4	DRY	No.2
A - C	2x4	DRY	No.2
C - F	2x4	DRY	No.2
F - H	2x4	DRY	No.2
I - H	2x4	DRY	No.2
P - N	2x4	DRY	No.2
N - K	2x4	DRY	No.2
K - I	2x4	DRY	No.2
ALL WEBS 2x4 DRY No.2			
EXCEPT			
O - B	2x3	DRY	No.2
M - D	2x3	DRY	No.2
L - E	2x3	DRY	No.2
J - G	2x3	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)				
JT TYPE	PLATES	W	LEN	Y X
A TMWW-1	MT20	5.0	6.0	2.50 2.50
B TMWW-1	MT20	4.0	6.0	
C TS-1	MT20	3.0	6.0	
D TMWW-1	MT20	4.0	4.0	
E TMWW-1	MT20	2.0	4.0	
F TS-1	MT20	3.0	6.0	
G TMWW-1	MT20	4.0	6.0	
H TMWW-1	MT20	5.0	6.0	2.50 2.50
I BMV1+p	MT20	3.0	4.0	
J BMWW-1	MT20	5.0	6.0	2.50 2.50
K BS-1	MT20	3.0	6.0	
L BMWW-1	MT20	4.0	6.0	
M BMWW-1	MT20	4.0	6.0	
N BS-1	MT20	3.0	6.0	
O BMWW-1	MT20	5.0	6.0	2.50 2.50
P BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	RECORD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT
P	1920	0	1920	0	3-8
I	1920	0	1920	0	3-8

UNFACTORED REACTIONS

1ST LOSE		MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
P	1355	891	0	0	0	487	0
I	1355	891	0	0	0	487	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.60 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF A-P, H-I, B-O, D-L, G-J.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS		MAX. FACTORED MEMB. FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH (FT)	WEBS	MAX. FACTORED MEMB. FORCE (LBS)	MAX. UNBRACED LENGTH (FT)
FR-TO					FR-TO		
P-A	-1868	0	0.0	0.0 0.57 (1)	A-O	0	2156
A-B	-1432	0	-91.8	-91.8 0.78 (1)	O-B	-1466	0
B-C	-2081	0	-91.8	-91.8 0.89 (1)	B-M	0	986
C-D	-2081	0	-91.8	-91.8 0.89 (1)	M-D	-617	0
D-E	-2080	0	-91.8	-91.8 0.68 (1)	D-L	-2	0
E-F	-2080	0	-91.8	-91.8 0.89 (1)	L-E	-616	0
F-G	-2080	0	-91.8	-91.8 0.89 (1)	G-L	0	984
G-H	-1432	0	-91.8	-91.8 0.78 (1)	J-G	-1465	0
H-I	-1868	0	0.0	0.0 0.57 (1)	J-H	0	2156
P-O	0	0	-18.5	-18.5 0.22 (4)	O-N	-18.5	0.35 (1)
O-N	0	1432	-18.5	-18.5 0.35 (1)	N-M	-18.5	0.35 (1)
N-M	0	1432	-18.5	-18.5 0.35 (1)	M-L	-18.5	0.42 (1)
M-L	0	2081	-18.5	-18.5 0.42 (1)	L-K	-18.5	0.35 (1)
L-K	0	1432	-18.5	-18.5 0.35 (1)	K-J	-18.5	0.35 (1)
K-J	0	1432	-18.5	-18.5 0.35 (1)	J-I	-18.5	0.22 (4)
J-I	0	0	-18.5	-18.5 0.22 (4)			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. GC

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.16")
CALCULATED VERT. DEFL.(LL) = L/999 (0.12")
ALLOWABLE DEFL.(TL) = L/360 (1.16")
CALCULATED VERT. DEFL.(TL) = L/999 (0.24")

CSI: TC=0.89/1.00 (E-G:1), BC=0.42/1.00 (L-M:1), WB=0.81/1.00 (D-M:1), SSI=0.30/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PL) (PL)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 788 1987 1656


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.87 (H) INPUT = 0.90
JSI METAL = 0.46 (K) INPUT = 1.00



Structural component only
DWG# T-2007641



LUMBER

N. L. G. A. RULES

CHORDS	SIZE	DRY	LUMBER	DESCR.
P - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
J - K	2x4	DRY	No.2	SPF
K - L	2x4	DRY	No.2	SPF
L - M	2x4	DRY	No.2	SPF
M - N	2x4	DRY	No.2	SPF
N - O	2x4	DRY	No.2	SPF
O - P	2x4	DRY	No.2	SPF
ALL WEBS	2x4	DRY	No.2	SPF
EXCEPT				
O - B	2x3	DRY	No.2	SPF
M - D	2x3	DRY	No.2	SPF
L - E	2x3	DRY	No.2	SPF
J - G	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table in inches)

PLATE TYPE	PLATES	W	LEN	Y	X
A	TMWW-p	MT20	5.0	6.0	
B	TMWW-i	MT20	4.0	6.0	
C	TS-i	MT20	3.0	6.0	
D	TMWW-i	MT20	4.0	4.0	
E	TMWW-w	MT20	2.0	4.0	
F	TS-i	MT20	3.0	6.0	
G	TMWW-i	MT20	4.0	6.0	
H	TMWW-p	MT20	5.0	6.0	
I	BMV-i-p	MT20	3.0	4.0	
J	BMWW-i	MT20	5.0	6.0	
K	BS-i	MT20	3.0	6.0	
L	BMWW-i	MT20	4.0	9.0	
M	BMWW-i	MT20	4.0	6.0	
N	BS-i	MT20	3.0	6.0	
O	BMWW-i	MT20	5.0	6.0	
P	BMV-i-p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED	MAXIMUM FACTORED	INPUT	REQD
	GROSS REACTION	GROSS REACTION	BRG	BRG
	VERT	DOWN	UP	IN-SX
JT	1920	0	0	3-8
P	1920	0	0	3-8
I	1920	0	0	3-8

UNFACTORED REACTIONS							
	1ST CASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
P	1358	891 0	0 0	0 0	0 0	487 0	0 0
I	1358	891 0	0 0	0 0	0 0	487 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.95 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF A-P, H-I, B-O, D-M, O-L, E-L, G-J.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH	MAX. UNBRACED LENGTH
FR-TO				FR-TO			
P-A	-1868	0	0.0	0.0	0.88	(1)	4.91
A-B	-1183	0	-91.8	-91.8	0.75	(1)	4.89
B-C	-1719	0	-91.8	-91.8	0.82	(1)	3.96
C-D	-1719	0	-91.8	-91.8	0.82	(1)	3.96
D-E	-1718	0	-91.8	-91.8	0.83	(1)	4.37
E-F	-1718	0	-91.8	-91.8	0.83	(1)	3.96
F-G	-1718	0	-91.8	-91.8	0.83	(1)	3.96
G-H	-1183	0	-91.8	-91.8	0.75	(1)	4.89
H-I	-1868	0	0.0	0.0	0.88	(1)	4.91
P-O	0	0	-18.5	-18.5	0.22	(4)	10.00
O-N	0	1183	-18.5	-18.5	0.32	(4)	10.00
N-M	0	1183	-18.5	-18.5	0.32	(4)	10.00
M-L	0	1719	-18.5	-18.5	0.36	(1)	10.00
L-K	0	1183	-18.5	-18.5	0.32	(4)	10.00
K-J	0	1183	-18.5	-18.5	0.32	(4)	10.00
J-I	0	0	-18.5	-18.5	0.22	(4)	10.00

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2010
- PART 9 OF CBC 2012 (19 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.18")
CALCULATED VERT. DEFL.(LL) = L/999 (0.11")
ALLOWABLE DEFL.(TL) = L/360 (1.18")
CALCULATED VERT. DEFL.(TL) = L/999 (0.22")

CSK TC=0.88/1.00 (H-I), BC=0.38/1.00 (L-M), WB=0.96/1.00 (B-C), SS=0.30/1.00 (G-H)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 768 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (H) (INPUT = 0.90)
JSI METAL= 0.43 (H) (INPUT = 1.00)



Structural component only
DWG# T-2007642

JOB NAME 408223	TRUSS NAME T32	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington					



TOTAL WEIGHT = 66 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - B	2x4	DRY	No.2	
B - C	2x4	DRY	No.2	
C - D	2x4	DRY	No.2	
H - A	2x4	DRY	No.2	
E - D	2x4	DRY	No.2	
H - E	2x6	DRY	No.2	

ALL WEBS 2x3 DRY No.2
EXCEPT

DRY: SEASONED LUMBER.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.25	2.00
B	TTWW-m	MT20	5.0	6.0	2.00	2.25
C	TTW-m	MT20	4.0	4.0		
D	TMVW+p	MT20	4.0	4.0	1.25	2.00
E	BMV1+p	MT20	3.0	6.0		
F	BMWWW-1	MT20	5.0	8.0		
G	BMWW-1	MT20	5.0	6.0		
H	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ
H	1233	0	1233	0
E	1218	0	1218	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 3-8.

UNFACTORED REACTIONS

JT	1ST CASE	MAX	MIN	COMPONENT REACTIONS
	COMBINED	SNOW	LIVE	PERM. LIVE
H	867	596	0	0
E	856	588	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.77 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

MEMB.	CHORDS	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	WEBS	MAX. FACTORED FORCE (LBS)	MAX. FACTORED VERT. LOAD (LBS)
FR-TO								
A-B	-853	0	-91.8	-91.8	0.48 (1)	5.88	0	122
B-C	-721	0	-91.8	-91.8	0.07 (1)	6.25	0	34
C-D	-864	0	-91.8	-91.8	0.51 (1)	5.77	0	154
H-A	-1065	0	0.0	0.0	0.17 (1)	7.80	0	785
E-D	-1057	0	0.0	0.0	0.16 (1)	7.83	0	794
H-I	0	0	-18.5	-18.5	0.20 (1)	10.00		
I-J	0	0	-18.5	-18.5	0.20 (1)	10.00		
J-G	0	0	-18.5	-18.5	0.20 (1)	10.00		
G-K	0	711	-18.5	-18.5	0.28 (1)	10.00		
K-L	0	711	-18.5	-18.5	0.28 (1)	10.00		
L-F	0	711	-18.5	-18.5	0.28 (1)	10.00		
F-M	0	0	-18.5	-18.5	0.20 (1)	10.00		
M-N	0	0	-18.5	-18.5	0.20 (1)	10.00		
N-E	0	0	-18.5	-18.5	0.20 (1)	10.00		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX.	FACE	DIR.	TYPE	HEEL	CONN.
I	1-9-4	-172	-172	---	BACK	VERT	TOTAL	C1
J	3-9-4	-195	-195	---	BACK	VERT	TOTAL	C1
K	5-9-4	-187	-187	---	BACK	VERT	TOTAL	C1
L	6-2-12	-187	-187	---	BACK	VERT	TOTAL	C1
M	8-2-12	-195	-195	---	BACK	VERT	TOTAL	C1
N	10-2-12	-172	-172	---	BACK	VERT	TOTAL	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL = 25.6	PSF
	DL = 8.0	PSF
BOT CH.	LL = 0.0	PSF
	DL = 7.4	PSF
TOTAL LOAD	= 39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF NBC 2010, NBC 2012, ABC 2019
- PART 9 OF NBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.41")
CALCULATED VERT. DEFL.(LL) = L/999 (0.02")
ALLOWABLE DEFL.(TL) = L/360 (0.41")
CALCULATED VERT. DEFL.(TL) = L/999 (0.04")

CSI: TC=0.51 1.00 (C-D:1), BC=0.28 1.00 (F-G:1), WB=0.20 1.00 (A-G:1), SI=0.20 1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY)	SHEAR (PSI)	SECTION (PLI)
MT20	818 354 1667 788 1987 1658	

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.78 (D) (INPUT = 0.90)
JSI METAL= 0.23 (D) (INPUT = 1.00)




Structural component only
DWG# T-2007643

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408223	T34S	2	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTech Industries, Inc. Tue Apr 28 10:04:16 2020 Page 1

ID:DMCubINVRR6TslFoe31v6I_znsII-WqvXc9ovQqMV00IZQkUxVXSIE5FX?yczTaj6KzMEMT



TOTAL WEIGHT = 2 X 32 = 64 lb

LUMBER				DESCR.	
N. L. G. A. RULES	CHORDS	SIZE	LUMBER		
A - C	2x4	DRY	No.2	SPF	
C - D	2x6	DRY	No.2	SPF	
E - D	2x4	DRY	No.2	SPF	
H - B	2x4	DRY	No.2	SPF	
H - G	2x4	DRY	No.2	SPF	
F - C	2x4	DRY	No.2	SPF	
F - E	2x4	DRY	No.2	SPF	
ALL WEBS	2x4	DRY	No.2	SPF	
EXCEPT					
B - G	2x3	DRY	No.2	SPF	
G - D	2x3	DRY	No.2	SPF	
DRY: SEASONED LUMBER.					

PLATES (tablets in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTV-m	MT20	5.0	6.0		
D	TMVW+p	MT20	4.0	6.0		
E	BMVW1-i	MT20	4.0	4.0		
F	BMV+p	MT20	3.0	4.0		
G	BMVWW1-i	MT20	6.0	9.0	2.50	3.00
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED	MAXIMUM FACTORED	INPUT	RECORD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	HORZ	DOWN	UPLIFT
E	214	0	214	0
H	341	0	341	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
E	151	99.0	0.0	0.0	0.0	52.0	0.0
H	239	170.0	0.0	0.0	0.0	69.0	0.0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS				WEBS			
MEMB.	MAX. FACTORED	FACTORED		MEMB.	MAX. FACTORED		
	FORCE	VERT. LOAD			FORCE		
	(LBS)	LO1	MAX. MAX.		(LBS)	MAX. MAX.	
		(PLF)	CSI (LC)			CSI (LC)	
FR-TO		FROM	TO	FR-TO		FROM	TO
A-B	0.41	-91.8	-91.8	0.14 (5)	10.00	G-E	-6.0
B-C	-62.0	-91.8	-91.8	0.12 (1)	8.25	B-G	0.53
C-D	-51.0	-91.8	-91.8	0.01 (1)	8.25	G-D	0.154
E-D	-197.0	0.0	0.0	0.10 (1)	7.81		
H-B	-317.0	0.0	0.0	0.03 (1)	7.81		
H-G	0.0	-18.5	-18.5	0.04 (4)	10.00		
F-G	0.13	0.0	0.0	0.01 (1)	10.00		
G-C	-138.0	0.0	0.0	0.01 (1)	7.81		
F-E	0.4	-18.5	-18.5	0.01 (4)	10.00		

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.8	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN./G

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. O.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.00")

CSI: TC=0.14; 1.00 (A-B:5), BC=0.04; 1.00 (G-H:4), WB=0.03; 1.00 (D-G:1), SSI=0.09; 1.00 (A-B:5)

DCL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP (ORY)	SHEAR	SECTION
(PSI)	(PL)	(PL)
MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1687 788

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.24 (B) INPUT = 0.90
JSI METAL = 0.06 (B) INPUT = 1.00



Structural component only
DWG# T-2007644

JOB NAME 408223	TRUSS NAME T35S	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Version 8.310 S Oct 29 2019 Mtek Industries, Inc. Tue Apr 28 10:04:17 2020 Page 1					
Tamarack Roof Truss, Burlington					
ID:DMCubINVR6TstFos31v61_zns1l-_0TvpVoXB8UMQAH1_S?6W2dVdRQGSEmC7KGanzMEMS					



Scale = 1/2" = 1'-0"

TOTAL WEIGHT = 2 X 29 = 57 lb

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - C	2x4	DRY	No.2
C - E	2x4	DRY	No.2
F - E	2x4	DRY	No.2
I - B	2x4	DRY	No.2
I - H	2x4	DRY	No.2
G - D	2x4	DRY	No.2
G - F	2x4	DRY	No.2
ALL WEBS EXCEPT H - F	2x3	DRY	No.2
H - F	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMV+p	MT20	3.0	4.0	
C	TTWW+m	MT20	5.0	6.0	2.50 2.25
D	TMV+p	MT20	3.0	4.0	
E	TMV+p	MT20	4.0	3.0	
F	BMVW1-i	MT20	4.0	4.0	
G	BMV+p	MT20	3.0	4.0	
H	BMVWW1-i	MT20	7.0	8.0	3.25 2.25
I	BMVW1-i	MT20	4.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT
F	191	0	191	0	0
I	363	0	363	0	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	1ST CASE	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
F	135	88	13	0.0	0.0	49	0
I	254	183	0	0.0	0.0	72	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 41	-91.8 -91.8 0.14 (5)	10.00	H-F	-6 0	0.00 (1)	
B-C	-45 0	-91.8 -91.8 0.14 (5)	6.25	H-E	0 141	0.03 (1)	
C-D	-69 0	-91.8 -91.8 0.02 (1)	6.25	C-H	0 48	0.01 (1)	
D-E	-87 0	-91.8 -91.8 0.02 (1)	6.25	I-C	-98 28	0.02 (1)	
F-E	-175 0	0.0 0.0 0.05 (1)	7.81				
I-B	-255 0	0.0 0.0 0.03 (1)	7.81				
I-H	-13 45	-18.5 -18.5 0.04 (4)	6.25				
G-H	0 13	0.0 0.0 0.01 (1)	10.00				
H-O	-135 0	0.0 0.0 0.01 (1)	7.81				
G-F	0 4	-18.5 -18.5 0.01 (4)	10.00				

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. CG

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.0/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

ISS % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.19")
CALCULATED VERT. DEFL. (LL) = L/999 (0.00")
ALLOWABLE DEFL. (TL) = L/360 (0.19")
CALCULATED VERT. DEFL. (TL) = L/999 (0.00")

CSI: TC=0.14/1.00 (A-B:5), BC=0.04/1.00 (H-I:4), WB=0.03/1.00 (E-H:1), SS=0.09/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSB) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 616 354 1887 788 1987 1856

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.18 (E) INPUT = 0.90
JSI METAL = 0.09 (B) INPUT = 1.00



Structural component only
DWG# T-2007645

JOB NAME 408223	TRUSS NAME T36	QUANTITY 3	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 10:04:18 2020 Page 1
ID:DMCubINVR6TsFoe31v6I znsII-TC1H0rp9yRcD1KaxY9WL2ybo51j27vNvQn3qBDzMEMF

-1-3-8 1-3-8 9-0 4-1-12 4-1-12 4-1-12 8-3-8 1-3-8 9-7-0

Scale = 1/16"

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER	DESCR.
A - C	2x4	SPF	No.2			
C - E	2x4	SPF	No.2			
B - D	2x4	SPF	No.2			
ALL WEBS	2x3	SPF	No.2			
DRY: SEASONED LUMBER.						

PLATES (Table 6 in inches)	W	LEN	Y	X
B TMBH1-m	MT20	3.0	8.0	1.50 3.75
C TTW-p	MT20	4.0	4.0	
D TMBH1-m	MT20	3.0	8.0	1.50 3.75
F BMW-w	MT20	2.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
B	582	0	582	0	5-8	5-8	2x4 L
D	582	0	582	0	5-8	5-8	2x4 R

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	408	282	0	0.0	0.0	127	0
D	408	282	0	0.0	0.0	127	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO		FROM	LENGTH	FR-TO			
A-B	0 23	-91.8	-91.8 0.12 (1)	10.00	F-C	0 170	0.04 (1)
B-H	-539 0	-91.8	-91.8 0.04 (1)	8.25	G-H	-158 3	0.00 (1)
H-C	-525 0	-91.8	-91.8 0.15 (1)	8.25	I-J	-158 3	0.00 (1)
C-J	-525 0	-91.8	-91.8 0.15 (1)	8.25			
J-D	-539 0	-91.8	-91.8 0.04 (1)	8.25			
D-E	0 23	-91.8	-91.8 0.12 (1)	10.00			
B-G	0 465	-18.5	-18.5 0.21 (1)	10.00			
G-F	0 465	-18.5	-18.5 0.21 (1)	10.00			
F-I	0 465	-18.5	-18.5 0.21 (1)	10.00			
I-D	0 465	-18.5	-18.5 0.21 (1)	10.00			

TOTAL WEIGHT = 3 X 27 = 80 LB

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6 PSF
	DL	=	6.0 PSF
BOT CH.	LL	=	0.0 PSF
	DL	=	7.4 PSF
TOTAL LOAD = 39.0 PSF			

SPACING = 24.0 IN./C/G

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.I. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.28")
CALCULATED VERT.DEFL.(LL) = L/999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.28")
CALCULATED VERT.DEFL.(TL) = L/999 (0.02")

CSI: TC=0.15(1.00 (C-J:1), BC=0.21 1.00 (F-H:1), WB=0.04(1.00 (C-F:1), SS=0.12(1.00 (C-J:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE GRIP(DRY)	SHEAR SECTION (PSI)	(PLU)	(PLU)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1687 788	1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.25 (B) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER

04/18/20


H. J.G. ALVES

100009024

PROVINCE OF ONTARIO

Structural component only
DWG# T-2007646

JOB NAME 408223	TRUSS NAME G36	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 10:03:49 2020 Page 1	ID:DMCubiNVR6TstFoe31v6I_zns1l-pdnKxwTznXyK38MLaVXNnrurbL5ioKemmYndPzMEMu



LUMBER	SIZE	QUANTITY	DESCR.
N.L.G.A. RULES			
CHORDS			
A - D	2x4	DRY	No.2
D - G	2x4	DRY	No.2
B - F	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
ALL GABLE WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

GABLE STUDS SPACED AT 2'-0" O.C.

PLATES (table in inches)	W	LEN	Y	X
JT TYPE				
B TMB1-I	MT20	3.0	4.0	Edge
C TMB1-w	MT20	2.0	4.0	
D TTW-p	MT20	4.0	4.0	
E TMB1-w	MT20	2.0	4.0	
F TMB1-I	MT20	3.0	4.0	Edge
H, I, J				
H TMB1-w	MT20	2.0	4.0	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.
THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.
BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (LC1)	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (LC1)
FR-TO		FROM TO		FR-TO		FROM TO	
A-B	0 23	-91.8 -91.8	0.12 (1)	1-D	-115 0	0.02 (1)	
B-L	-61 0	-91.8 -91.8	0.01 (4)	J-C	-218 0	0.03 (1)	
L-C	-39 0	-91.8 -91.8	0.08 (1)	H-E	-218 0	0.03 (1)	
C-D	-45 0	-91.8 -91.8	0.06 (1)	K-L	-52 7	0.00 (1)	
D-E	-45 0	-91.8 -91.8	0.06 (1)	M-N	-52 7	0.00 (1)	
E-N	-39 0	-91.8 -91.8	0.06 (1)				
N-F	-61 0	-91.8 -91.8	0.01 (4)				
F-G	0 25	-91.8 -91.8	0.14 (1)				
B-K	0 44	-18.5 -18.5	0.03 (1)				
K-J	0 44	-18.5 -18.5	0.03 (1)				
J-I	0 32	-18.5 -18.5	0.02 (1)				
I-H	0 32	-18.5 -18.5	0.02 (1)				
H-M	0 44	-18.5 -18.5	0.03 (1)				
M-F	0 44	-18.5 -18.5	0.03 (1)				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.14/1.00 (F-G:1) . 6C=0.03/1.00 (H-M:1)
WB=0.03/1.00 (E-H:1) . SSI=0.10/1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

MAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 789 1987 1636

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.21 (B) (INPUT = 0.90)
JSI METAL = 0.09 (C) (INPUT = 1.00)



Structural component only
DWG# T-2007621


JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408223	T37	1	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 10:04:19 2020 Page 1

ID:DMCubINVR6TstFoe31v6I_zns11-xPbIEBqjkl4UR76H1abA7yUR47K12fRpNjzMEMO

Scale = 1:17.0



TOTAL WEIGHT = 37 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4 DRY	No.2	SPF		
C - E	2x4 DRY	No.2	SPF		
E - F	2x4 DRY	No.2	SPF		
F - F	2x6 DRY	No.2	SPF		
ALL WEBS	2x3 DRY	No.2	SPF		
DRY: SEASONED LUMBER.					

PLATES (Plate in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TMBH1-I	MT20	5.0	6.0		Edge
C	TTWW-m	MT20	5.0	6.0	2.00	2.00
D	TMVW-w	MT20	2.0	4.0		
E	TMVW-l	MT20	4.0	6.0		
F	BMV1-p	MT20	3.0	6.0		
G	BMVWW-l	MT20	5.0	6.0		
H	BMVW-w	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY

BUILDING DESIGNER

BEARINGS

	FACTORED	MAXIMUM FACTORED	INPUT	REQD	
	GROSS REACTION	GROSS REACTION	BRG	BRG	HEEL
JT	VERT	HORZ	DOWN	UPLIFT	IN-SX
F	760	0	760	0	5-8
B	823	0	823	0	5-8

UNFACTORED REACTIONS

1ST CASE	MAX. MIN. COMPONENT REACTIONS						
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
F	537	352.0	0	0	0	165	0
B	560	392.0	0	0	0	168	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, B

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.99 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	WEBS	MAX. FACTORED
MEMB.	FORCE (LBS)	VERT. LOAD LC1 MAX. (PLF)	MEMB.	FORCE (LBS)
FR-TO		FROM TO	FR-TO	
A-B	0 26	-91.8 -91.8 0.13 (1)	H-C	0 73
B-J	-1068 0	-91.8 -91.8 0.08 (1)	C-G	0 252
J-C	-890 0	-91.8 -91.8 0.08 (1)	G-D	-528 0
C-K	-923 0	-91.8 -91.8 0.24 (1)	D-E	0 1062
K-D	-924 0	-91.8 -91.8 0.24 (1)	E-F	0 207
D-L	-924 0	-91.8 -91.8 0.24 (1)	F-G	0 207
L-M	-924 0	-91.8 -91.8 0.24 (1)	G-H	0 207
M-E	-924 0	-91.8 -91.8 0.24 (1)	H-I	0 207
E-F	-682 0	0.0 0.0 0.08 (1)	I-J	0 207

MEMB.	LOC.	LC1	MAX.	MAX.	FACE	DIR.	TYPE	HEEL	CONN.
JT	LOC.	LC1	MAX.	MAX.	FACE	DIR.	TYPE	HEEL	CONN.
K	3-11-4	-83	-83	---	FRONT	VERT	TOTAL	---	C1
L	5-11-3	-83	-83	---	FRONT	VERT	TOTAL	---	C1
M	6-11-4	-83	-83	---	FRONT	VERT	TOTAL	---	C1
N	1-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1
O	3-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1
P	5-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1
Q	6-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX.	MAX.	FACE	DIR.	TYPE	HEEL	CONN.
K	3-11-4	-83	-83	---	FRONT	VERT	TOTAL	---	C1
L	5-11-3	-83	-83	---	FRONT	VERT	TOTAL	---	C1
M	6-11-4	-83	-83	---	FRONT	VERT	TOTAL	---	C1
N	1-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1
O	3-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1
P	5-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1
Q	6-11-4	-48	-48	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. CG

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.26")
CALCULATED VERT. DEFL.(LL) = L/999 (0.01")
ALLOWABLE DEFL.(TL) = L/360 (0.26")
CALCULATED VERT. DEFL.(TL) = L/999 (0.03")

CSI: TC=0.24, 1.00 (D-E:1), BC=0.15, 1.00 (G-H:1), WB=0.26, 1.00 (E-G:1), SS=0.25, 1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.61 (E) (INPUT = 0.90)
JSI METAL= 0.24 (E) (INPUT = 1.00)




Structural component only
DWG# T-2007647

JOB NAME 408223	TRUSS NAME G39	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:03:50 2020 Page 1

ID:DMCubINVR6TstFoe31v6I zns11-HqL8GTbYr4Bq0jZvH0mw2R1alDRRBmn_QHLBrzMEM



TOTAL WEIGHT = 2 X 152 = 303 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER	DESCR.
AG - B	2x4	DRY	No.2	SPF		
A - G	2x4	DRY	No.2	SPF		
G - K	2x4	DRY	No.2	SPF		
K - Q	2x4	DRY	No.2	SPF		
R - P	2x4	DRY	No.2	SPF		
AG - X	2x4	DRY	No.2	SPF		
X - R	2x4	DRY	No.2	SPF		
ALL WEBS	2x3	DRY	No.2	SPF		
ALL GABLE WEBS	2x3	DRY	No.2	SPF		
DRY: SEASONED LUMBER.						
GABLE STUDS SPACED AT 2-0-0 OC.						

PLATES (table in inches)	JT TYPE	PLATES	W	LEN	Y	X
B TMW+p	MT20	4.0	4.0	1.00	2.00	
C, D, E, F, H, I, J, L, M, N, O						
C TMW+w	MT20	2.0	4.0			
G TTW-m	MT20	4.0	4.0			
K TTW-m	MT20	4.0	4.0			
P TMW+p	MT20	4.0	4.0	1.00	2.00	
R BMW1+p	MT20	3.0	4.0			
S BMW1-i	MT20	4.0	4.0			
T, U, V, W, Y, Z, AA, AB, AC, AD, AE						
T BMW1+w	MT20	2.0	4.0			
X BS-i	MT20	3.0	6.0			
AF BMW1-i	MT20	1.0	4.0			
AG BMW1+p	MT20	3.0	4.0			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF K-W, J-Y, I-Z, H-AA, G-AB.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CS (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CS (LC)	
FR-TO		FROM TO		FR-TO			
AG-B	-292 0	0.0 0.0 0.03 (1)	7.81	W-K	-140 0	0.09 (1)	
A-B	0 41	-91.8 -91.8 0.13 (1)	10.00	Y-J	-210 0	0.14 (1)	
B-C	-60 0	-91.8 -91.8 0.12 (1)	6.25	Z-I	-181 0	0.12 (1)	
C-D	-23 0	-91.8 -91.8 0.05 (1)	6.25	AA-H	-182 0	0.12 (1)	
D-E	-26 0	-91.8 -91.8 0.05 (1)	6.25	V-L	-203 0	0.27 (1)	
E-F	-19 0	-91.8 -91.8 0.05 (1)	6.25	U-M	-175 0	0.19 (1)	
F-G	-29 0	-91.8 -91.8 0.05 (1)	6.25	T-N	-192 0	0.07 (1)	
G-H	-12 0	-91.8 -91.8 0.04 (1)	6.25	S-O	-126 0	0.02 (1)	
H-I	-12 0	-91.8 -91.8 0.04 (1)	6.25	AB-G	-121 0	0.08 (1)	
I-J	-12 0	-91.8 -91.8 0.05 (1)	6.25	AC-F	-202 0	0.27 (1)	
J-K	-12 0	-91.8 -91.8 0.05 (1)	6.25	AD-E	-176 0	0.13 (1)	
K-L	-30 0	-91.8 -91.8 0.05 (1)	6.25	AE-D	-192 0	0.07 (1)	
L-M	-19 0	-91.8 -91.8 0.05 (1)	6.25	AF-C	-126 0	0.02 (1)	
M-N	-26 0	-91.8 -91.8 0.05 (1)	6.25	BAF	0 32	0.01 (1)	
N-O	-24 0	-91.8 -91.8 0.05 (1)	6.25	S-P	0 32	0.01 (1)	
O-P	-60 0	-91.8 -91.8 0.12 (1)	6.25				
P-Q	0 41	-91.8 -91.8 0.13 (1)	10.00				
R-P	-293 0	0.0 0.0 0.03 (1)	7.81				
AG-AF	0 0	-18.5 -18.5 0.02 (4)	10.00				
AF-AE	0 23	-18.5 -18.5 0.02 (4)	10.00				
AE-AD	0 19	-18.5 -18.5 0.02 (4)	10.00				
AD-AC	0 16	-18.5 -18.5 0.02 (4)	10.00				
AC-AB	0 14	-18.5 -18.5 0.02 (4)	10.00				
AB-AA	0 12	-18.5 -18.5 0.01 (4)	10.00				
AA-Z	0 12	-18.5 -18.5 0.02 (4)	10.00				
Z-Y	0 12	-18.5 -18.5 0.02 (4)	10.00				
Y-X	0 12	-18.5 -18.5 0.02 (4)	10.00				
X-W	0 12	-18.5 -18.5 0.02 (4)	10.00				
W-V	0 14	-18.5 -18.5 0.02 (4)	10.00				
V-U	0 16	-18.5 -18.5 0.02 (4)	10.00				
U-T	0 19	-18.5 -18.5 0.02 (4)	10.00				
T-S	0 23	-18.5 -18.5 0.02 (4)	10.00				
S-R	0 0	-18.5 -18.5 0.02 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.8 PSF

DL = 6.0 PSF

BOT CH. LL = 0.0 PSF

DL = 7.4 PSF

TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2018 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS

OVERHANG NOT TO BE ALTERED OR CUT OFF.

65% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CS: TC=0.13:1.00 (P-Q:1), BC=0.02:1.00 (S-T:4), WB=0.27:1.00 (L-V:1), SS=0.09:1.00 (J-K:1)

DCL LUMBER=1.00 NAH=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)

MAX MIN MAX MIN MAX MIN

MT20 618 354 1687 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.62 (K) (INPUT = 0.90)

JSI METAL= 0.11 (L) (INPUT = 1.00)



Structural component only
DWG# T-2007622

JOB NAME 408224	TRUSS NAME T40	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 10:19:57 2020 Page 1	
ID:DMCubINVR8Ts1Foe31v6l_zns11-TsGG5wA9pyw_Bd8P2IsXcz_APYAIVTa7LN10dlzME7m				Scale = 1:57.6	



LUMBER	SIZE	DRY	LUMBER	DESCR
N. L. G. A. RULES				
CHORDS				
A - C	2x4	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - H	2x6	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
S - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
S - P	2x6	DRY	1650F 1.5E	SPF
P - N	2x6	DRY	1650F 1.5E	SPF
N - K	2x6	DRY	1650F 1.5E	SPF

ALL WEBS 2x3 DRY No.2 SPF
EXCEPT

DRY; SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
A-C	12	SIDE (61.0)
H-J	12	SIDE (61.0)
C-F	12	SIDE (183.1)
F-H	12	SIDE (183.1)
S-B	12	TOP
K-I	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
S-P	12	SIDE (183.1)
P-N	12	SIDE (183.1)
N-K	12	SIDE (183.1)
WEBS : (0.122"x3") SPIRAL NAILS		
2x3	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BRACINGS	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	DOWN	UP/LIFT	IN-SX
S	3323	0	0	5-8
K	3323	0	0	5-8

UNFACTORED REACTIONS	1ST CASE	MAX. MIN. COMPONENT REACTIONS
JT	COMBINED	SNOW
S	2350	1539
K	2350	1539

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.87 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	MAX. FACTORED	WEBS	MAX. FACTORED
MEMB.	FORCE (LBS)	VERT. LOAD (LBS)	MAX. (LBS)	MEMB.	FORCE (LBS)
FR-TO		FROM	TO	FR-TO	
A-B	0	-91.8	-91.8	R-C	-413
B-C	-5068	0	-91.8	C-Q	0
C-T	-7284	0	-91.8	Q-D	-1600
T-U	-7284	0	-91.8	D-O	0
U-O	-7284	0	-91.8	O-E	-830
D-V	-8084	0	-91.8	O-G	0
V-W	-8084	0	-91.8	M-G	-1500
W-E	-8084	0	-91.8	M-H	0
E-X	-8084	0	-91.8	L-H	-413
X-F	-8084	0	-91.8	B-R	0
F-Y	-8084	0	-91.8	L-I	0
Y-G	-8084	0	-91.8		
G-Z	-7284	0	-91.8		
Z-AA	-7284	0	-91.8		
AA-H	-7284	0	-91.8		
H-I	-5085	0	-91.8		
I-J	0	28	-91.8		
S-B	-3248	0	0.0		
K-I	-3248	0	0.0		

FACTORED CONCENTRATED LOADS (LBS)	JT	LOC.	LC1	MAX.	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-429	-429	---	---	FRONT	VERT	TOTAL	---	C1
D	11-11-4	-110	-110	---	---	FRONT	VERT	TOTAL	---	C1

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFLECT (LL) = L/360 (1.17')
CALCULATED VERT. DEFLECT (LL) = L/999 (0.21')
ALLOWABLE DEFLECT (TL) = L/360 (1.17')
CALCULATED VERT. DEFLECT (TL) = L/999 (0.38')

CSI: TC=0.52 (1.00) (B-C:1), BC=0.34 (1.00) (C-Q:1), WB=0.57 (1.00) (B-R:1), SSI=0.15 (1.00) (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP (DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.56 (R) (INPUT = 0.90)
JSI METAL= 0.56 (R) (INPUT = 1.00)



Structural component only
DWG# T-2007660 1/2

CONTINUED ON PAGE 2

JOB NAME 408224	TRUSS NAME T40	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 10:19:57 2020 Page 2 ID:DMCubINVRB7s1Foe31v6I zns1l-TsGG5wA8pyw Bd8P2lsXcz APYAIVTa7LN10dlzME7m	

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	4.0	12.0	1.00	5.50
C	TTWW+m	MT20	7.0	8.0	Edge	
D	TMWW-t	MT20	5.0	8.0		
E	TMW+ww	MT20	3.0	8.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0		
H	TTWW+m	MT20	7.0	8.0	Edge	
I	TMW-p	MT20	4.0	12.0	1.00	5.50
K	BMV1-p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	8.0	2.50	3.00
M	BMWW-t	MT20	5.0	8.0	2.50	3.25
N	BS-t	MT20	6.0	9.0		
O	BMWWW-t	MT20	5.0	8.0		
P	BS-t	MT20	6.0	9.0		
Q	BMWW-t	MT20	5.0	8.0	2.50	3.25
R	BMWW-t	MT20	5.0	8.0	2.50	3.00
S	BMV1-p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	17-7-0	-110	-110	---	FRONT	VERT	TOTAL	---	C1
G	23-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
H	29-3-8	-429	-429	---	FRONT	VERT	TOTAL	---	C1
L	29-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
M	23-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
N	21-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
O	17-7-0	-26	-26	---	FRONT	VERT	TOTAL	---	C1
P	13-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
Q	11-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
R	5-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
T	7-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
U	9-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
V	13-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
W	15-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
X	19-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Y	21-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Z	25-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AA	27-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AB	1-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AC	3-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AD	7-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AE	9-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AF	15-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AG	19-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AH	25-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AI	27-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AJ	31-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AK	33-2-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1


CONNECTION REQUIREMENTS

- 1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



Structural component only
DWG# T-2007660

JOB NAME 408224	TRUSS NAME T40Z	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 28 2018 MTEK Industries, Inc. Tue Apr 28 10:19:58 2020 Page 1	
ID:DMCubINVR6TsF0e31v6l zns1l-x2qsJGB0aF2rpnjbaNm9BWHayQ8EpcGa1mZAKzME7l				35-2-0 36-5-8	
Scale = 1:57.6					



LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - C	2x4	DRY	No.2
C - F	2x8	DRY	No.2
F - H	2x8	DRY	No.2
H - J	2x4	DRY	No.2
S - B	2x6	DRY	No.2
K - I	2x8	DRY	No.2
S - P	2x6	DRY	1650 F 1.5E
P - N	2x8	DRY	1650 F 1.5E
N - K	2x6	DRY	1650 F 1.5E
ALL WEBS	2x3	DRY	No.2
EXCEPT			

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
A-C	12	TOP
H-J	12	TOP
C-F	12	SIDE(183.1)
F-H	12	SIDE(0.0)
S-B	12	TOP
K-I	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
S-P	12	SIDE(183.1)
P-N	12	SIDE(183.1)
N-K	12	SIDE(0.0)
WEBS : (0.122"x3") SPIRAL NAILS		
2x3	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS			
	FACTORED	MAXIMUM FACTORED	INPUT
	GROSS REACTION	GROSS REACTION	BRG
JT	VERT	HORZ	UPLIFT
S	4161	0	5-8
K	5042	0	5-8

UNFACTORED REACTIONS			
1ST CASE	MAX. MIN. COMPONENT REACTIONS		
JT	COMBINED	SNOW	LIVE
S	2938	1985	0
K	3552	2409	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.95 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (PLF)
FR-TO			
A-B	0	28	-91.8
B-C	-6650	0	-91.8
C-D	-10735	0	-91.8
D-E	-12119	0	-91.8
E-F	-12119	0	-91.8
F-G	-12119	0	-91.8
G-H	-12119	0	-91.8
H-I	-12119	0	-91.8
I-J	-12119	0	-91.8
J-K	-12119	0	-91.8
K-L	-12119	0	-91.8
L-M	-12119	0	-91.8
M-N	-12119	0	-91.8
N-O	-12119	0	-91.8
O-P	-12119	0	-91.8
P-Q	-12119	0	-91.8
Q-R	-12119	0	-91.8
R-S	-12119	0	-91.8
S-T	-12119	0	-91.8
T-U	-12119	0	-91.8
U-V	-12119	0	-91.8
V-W	-12119	0	-91.8
W-X	-12119	0	-91.8
X-Y	-12119	0	-91.8
Y-Z	-12119	0	-91.8
Z-A	-12119	0	-91.8
A-B	-12119	0	-91.8
B-C	-12119	0	-91.8
C-D	-12119	0	-91.8
D-E	-12119	0	-91.8
E-F	-12119	0	-91.8
F-G	-12119	0	-91.8
G-H	-12119	0	-91.8
H-I	-12119	0	-91.8
I-J	-12119	0	-91.8
J-K	-12119	0	-91.8
K-L	-12119	0	-91.8
L-M	-12119	0	-91.8
M-N	-12119	0	-91.8
N-O	-12119	0	-91.8
O-P	-12119	0	-91.8
P-Q	-12119	0	-91.8
Q-R	-12119	0	-91.8
R-S	-12119	0	-91.8
S-T	-12119	0	-91.8
T-U	-12119	0	-91.8
U-V	-12119	0	-91.8
V-W	-12119	0	-91.8
W-X	-12119	0	-91.8
X-Y	-12119	0	-91.8
Y-Z	-12119	0	-91.8
Z-A	-12119	0	-91.8

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17)
CALCULATED VERT. DEFL.(LL) = L/999 (0.32)
ALLOWABLE DEFL.(TL) = L/360 (1.17)
CALCULATED VERT. DEFL.(TL) = L/718 (0.59)

CSI: TC=0.81-1.00 (H-I-1), BC=0.71-1.00 (M-O-1), WB=0.90-1.00 (L-L-1), SS=0.84-1.00 (L-M-1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1887 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.89 (R) (INPUT = 0.90)
JSI METAL = 0.93 (P) (INPUT = 1.00)



Structural component only
DWG# T-2007661

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T40Z	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 M Tek Industries, Inc. Tue Apr 28 10:19:58 2020 Page 2

ID:DMCubINVR6TslFoe31v8l_zns11-x2qeJGBoaF2rpnibcaNm9BWHeyQ8EocGa1mZAkzME7l

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	4.0	12.0	1.00	5.50
C	TTWW+m	MT20	7.0	8.0	Edge	
D	TMWW-l	MT20	5.0	6.0		
E	TMWW+w	MT20	3.0	6.0		
F	TS-l	MT20	5.0	6.0		
G	TMWW-l	MT20	5.0	6.0		
H	TTWW+m	MT20	7.0	8.0	Edge	
I	TMWW-p	MT20	4.0	12.0	1.00	5.50
K	BMV-l+p	MT20	3.0	6.0		
L	BMWW-l	MT20	5.0	8.0	2.50	3.00
M	BMWW-l	MT20	5.0	8.0	2.50	3.25
N	BS-l	MT20	6.0	9.0		
O	BMWWW-l	MT20	5.0	8.0		
P	BS-l	MT20	6.0	9.0		
Q	BMWW-l	MT20	5.0	8.0	2.50	3.25
R	BMWW-l	MT20	5.0	8.0	2.50	3.00
S	BMV-l+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LCI	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
Q	11-11-4	-28	-28	---	BACK	VERT	TOTAL	---	C1
T	13-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
U	15-11-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
V	18-8-4	-110	-110	---	BACK	VERT	TOTAL	---	C1
W	20-8-4	-159	-159	---	BACK	VERT	TOTAL	---	C1
X	22-8-4	-159	-159	---	BACK	VERT	TOTAL	---	C1
Y	10-7-8	-1171	-1171	---	BACK	VERT	TOTAL	---	C1
Z	15-11-4	-28	-28	---	BACK	VERT	TOTAL	---	C1
AA	18-8-4	-28	-28	---	BACK	VERT	TOTAL	---	C1
AB	20-8-4	-32	-32	---	BACK	VERT	TOTAL	---	C1
AC	22-8-4	-32	-32	---	BACK	VERT	TOTAL	---	C1
AD	24-7-8	-2237	-2237	---	BACK	VERT	TOTAL	---	C1
AE	26-8-12	-121	-121	---	BACK	VERT	TOTAL	---	C1
AF	28-8-12	-121	-121	---	BACK	VERT	TOTAL	---	C1
AG	30-8-12	-121	-121	---	BACK	VERT	TOTAL	---	C1
AH	32-8-12	-121	-121	---	BACK	VERT	TOTAL	---	C1
AI	33-5-4	-121	-121	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



Structural component only
DWG# T-2007661 7/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	TRUSS DESC.	DRWG NO.
408224	T41	2	1	GREEN PARK HOMES		


Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTEK Industries, Inc. Tue Apr 28 10:19:59 2020 Page 1

ID:DMCubINVR6TstFoe31v6I zns1I-PFO0WcQLZAIQxIoAHu7hO3QDMnRzI7PphW7IAzME7k

20-9-7 27-3-8 31-1-8 35-2-0 38-5-8


Scale = 1:57.6



JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T42	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 28 2019 Mitek Industries, Inc. Tue Apr 28 10:20:01 2020 Page 1
ID:DMCubINVR8TslFoe31v6l_zns1l-LdWnxHEglAQPgFSAHixTm8U9V7RFJIG??En3zME7

1-3.8 0.0 5-0.8 5-0.8 4-10.0 9-10.8 7-8.8 17-7.0 7-8.8 4-10.0 30-1.8 5-0.8 35-2.0 38.6.8
Scale = 1:57.6



TOTAL WEIGHT = 2 X 139 = 277 lb (M/F)

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4 DRY	No.2			SPF
D - F	2x4 DRY	No.2			SPF
F - I	2x4 DRY	No.2			SPF
R - B	2x4 DRY	No.2			SPF
J - H	2x4 DRY	No.2			SPF
R - O	2x4 DRY	No.2			SPF
O - M	2x4 DRY	No.2			SPF
M - J	2x4 DRY	No.2			SPF
ALL WEBS	2x3 DRY	No.2			SPF
EXCEPT					

DRY: SEASONED LUMBER.

PLATES (tablets in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMVW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	8.0	2.25	3.75
E	TMVW-w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	8.0	2.25	3.75
G	TMVW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMVW-t	MT20	5.0	8.0	2.50	2.00
L	BMVW-t	MT20	4.0	4.0		
M	BS-t	MT20	3.0	8.0		
N	BMVW-t	MT20	4.0	4.0		
O	BS-t	MT20	3.0	8.0		
P	BMVW-t	MT20	4.0	4.0		
Q	BMVW-t	MT20	5.0	8.0	2.50	2.00
R	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	RECORD
JT	GROSS REACTION	GROSS REACTION	BRG	BRG
R	VERT	HORZ	DOWN	UPLIFT
R	2063	0	2063	0
J	2063	0	2063	0

UNFACTORED REACTIONS

1ST LCASE	MAX. MIN. COMPONENT REACTIONS
JT	COMBINED
R	1457 969 0 0 0 0 0 0 488 0 0 0
J	1457 969 0 0 0 0 0 0 488 0 0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.78 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (1)

CHORDS				WEBS			
MAX. FACTORED		FACTORED		MAX. FACTORED			
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	MAX CSI (LC)	MAX. UNBRAC	MEMB.	FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM TO		LENGTH	FR-TO		
A-B	0 28	-91.8 -91.8	0.12 (1)	10.00	Q-C	-353 0	0.08 (1)
B-C	-2834 0	-91.8 -91.8	0.39 (1)	3.81	C-P	-210 0	0.13 (1)
C-D	-2687 0	-91.8 -91.8	0.37 (1)	3.91	P-D	0 246	0.06 (4)
D-E	-3080 0	-91.8 -91.8	0.37 (1)	2.78	D-N	0 844	0.19 (1)
E-F	-3080 0	-91.8 -91.8	0.37 (1)	3.91	N-E	-872 0	0.19 (1)
F-G	-2687 0	-91.8 -91.8	0.37 (1)	3.91	N-F	0 844	0.19 (1)
G-H	-2834 0	-91.8 -91.8	0.39 (1)	3.81	L-F	0 246	0.06 (4)
H-I	0 28	-91.8 -91.8	0.12 (1)	10.00	L-G	-210 0	0.13 (1)
R-B	-2018 0	0.0 0.0	0.20 (1)	5.94	K-G	-353 0	0.08 (1)
J-H	-2018 0	0.0 0.0	0.20 (1)	5.94	B-Q	0 2591	0.58 (1)
					K-H	0 2591	0.58 (1)
R-Q	0 0	-18.5 -18.5	0.10 (4)	10.00			
Q-P	0 2555	-18.5 -18.5	0.51 (1)	10.00			
P-O	0 2386	-18.5 -18.5	0.49 (1)	10.00			
O-N	0 2386	-18.5 -18.5	0.49 (1)	10.00			
N-M	0 2386	-18.5 -18.5	0.49 (1)	10.00			
M-L	0 2386	-18.5 -18.5	0.49 (1)	10.00			
L-K	0 2555	-18.5 -18.5	0.51 (1)	10.00			
K-J	0 0	-18.5 -18.5	0.10 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
ROT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. OC

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.17")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.34")

CSI: TC=0.97 1.00 (O-E:1) . BC=0.51 1.00 (P-Q:1),
WB=0.58/1.00 (B-Q:1) , SS=0.34/1.00 (O-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PL) (PL)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.87 (F) (INPUT = 0.90)
JSI METAL= 0.75 (M) (INPUT = 1.00)



Structural component only
DWG# T-2007663

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T43	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Tue Apr 28 10:20:02 2020 Page 1
ID:DMCubINVR6TstFoe3Iv8I_zns1I-q498dEfeUYGHO1NqSIJ1h7BZrVAiQsV/knJVzME7h
1-3.8 0-0 8-0.8 8-0.8 5-10-0 11-10-8 5-8-8 17-7-0 5-8-8 23-3-8 5-10-0 29-1-8 8-0-8 35-2-0 35-8-8
Scale = 1:57.6



LUMBER	CHORDS	SIZE	DRY	LUMBER	DESCR.
N. L. G. A. RULES	A - D	2x4	DRY	No.2	SPF
	O - F	2x4	DRY	No.2	SPF
	F - I	2x4	DRY	No.2	SPF
	R - B	2x4	DRY	No.2	SPF
	J - H	2x4	DRY	No.2	SPF
	R - O	2x4	DRY	No.2	SPF
	O - M	2x4	DRY	No.2	SPF
	M - J	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF	
EXCEPT					
DRY: SEASONED LUMBER.					

PLATES (table in inches)	W	LEN	Y	X
JT TYPE	MT20	5.0	8.0	Edge 3.50
B TMWW-p	MT20	4.0	4.0	2.00 1.75
C TMWW-i	MT20	5.0	8.0	2.25 2.00
D TTWW-m	MT20	2.0	4.0	
E TMWW-w	MT20	5.0	8.0	2.25 2.00
F TTWW-m	MT20	4.0	4.0	2.00 1.75
G TMWW-i	MT20	5.0	8.0	Edge 3.50
H TMWW-p	MT20	3.0	4.0	
J BMVt+sp	MT20	5.0	8.0	2.50 2.25
K BMWW-i	MT20	4.0	4.0	
L BMWW-i	MT20	3.0	8.0	
N BMWW-i	MT20	4.0	9.0	
O BS-i	MT20	3.0	6.0	
P BMWW-i	MT20	4.0	4.0	
Q BMWW-i	MT20	5.0	8.0	2.50 2.25
R BMVt+sp	MT20	3.0	4.0	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	DOWN	UP	IN-SX
R	2063	0	0	5-8
J	2063	0	0	5-8

UNFACTORED REACTIONS

1ST CASE	MAX. MIN. COMPONENT REACTIONS	DEAD	SOIL
JT COMBINED	SNOW	LIVE	PERM. LIVE
R	1457	989	0
J	1457	989	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MEMB.	MAX. FACTORED	FORCE	VERT. LOAD	LC1	MAX	CS1 (LC)	UNBRAC	WEBS	MEMB.	MAX. FACTORED	FORCE	MAX	CS1 (LC)
FR-TO									FR-TO					
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00	Q-C	-255	12	0.07 (1)				
B-C	-2889	0	-91.8	-91.8	0.58 (1)	3.58	C-P	-435	0	0.42 (1)				
C-D	-2539	0	-91.8	-91.8	0.52 (1)	3.63	P-D	0	350	0.08 (1)				
D-E	-2559	0	-91.8	-91.8	0.48 (1)	3.65	D-N	0	482	0.11 (1)				
E-F	-2559	0	-91.8	-91.8	0.48 (1)	3.65	N-E	-841	0	0.56 (1)				
F-G	-2539	0	-91.8	-91.8	0.52 (1)	3.63	N-F	0	482	0.11 (1)				
G-H	-2889	0	-91.8	-91.8	0.58 (1)	3.58	L-F	0	350	0.08 (1)				
H-I	0	28	-91.8	-91.8	0.12 (1)	10.00	L-G	-435	0	0.42 (1)				
R-B	-2014	0	0.0	0.0	0.20 (1)	5.95	K-G	-255	12	0.07 (1)				
J-H	-2014	0	0.0	0.0	0.20 (1)	5.95	B-Q	0	2835	0.59 (1)				
R-Q	0	0	-18.5	-18.5	0.15 (4)	10.00	K-H	0	2835	0.59 (1)				
Q-P	0	2809	-18.5	-18.5	0.49 (1)	10.00								
P-O	0	2249	-18.5	-18.5	0.43 (1)	10.00								
O-N	0	2249	-18.5	-18.5	0.43 (1)	10.00								
N-M	0	2249	-18.5	-18.5	0.43 (1)	10.00								
M-L	0	2249	-18.5	-18.5	0.43 (1)	10.00								
L-K	0	2809	-18.5	-18.5	0.49 (1)	10.00								
K-J	0	0	-18.5	-18.5	0.15 (4)	10.00								

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. CC

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (1.17")
CALCULATED VERT. DEFL. (LL) = L/999 (0.15")
ALLOWABLE DEFL. (TL) = L/360 (1.17")
CALCULATED VERT. DEFL. (TL) = L/999 (0.28")

CS1: TC=0.58/1.00 (G-H:1), BC=0.48/1.00 (K-L:1), WB=0.59/1.00 (H-K:1), SS1=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION
(P.S.I.) (P.L.I.) (P.L.I.)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1937 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP = 0.89 (Q) INPUT = 0.90
JSI METAL = 0.89 (M) INPUT = 1.00



Structural component only
DWG# T-2007664

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTEK Industries, Inc. Tue Apr 28 10:20:33 2020 Page 1
ID:DMCubINVR6TslFoe31v6f zns1I-10dXMzfWQog7VcZPF7xssEE72ACw9e7kJKUxxME7g
1-3-8 0-0 7-0-8 7-0-8 6-10-0 13-10-8 3-8-8 17-7-0 3-8-8 21-3-8 8-10-0 28-1-8 7-0-8 35-2-0 35-5-8
1-3-8 1-3-8 Scale = 1:50.3



SMALL BUILDING REQUIREMENTS OF PART 9,
NBCO 2010, NBCC 2015

THIS DESIGN COMBINES WITH:

- PART 9 OF CBCR 2018, CBC 2012, ABC 2019
- PART 9 OF ORC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN
LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF
LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VEY. DEFL.(LL) = L/999 (0.14")
ALLOWABLE DEFL. TFL = L/360 (1.17")
CALCULATED VEY. DEFL.(TL) = L/999 (0.30")

CSI: TC=0.831, 0 (N-I); BC=0.521, 0 (N-C);
WB=0.604, 0 (W-M); SS=0.228, 0 (B-C)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
	(PSI)	(PLI)	(PLI)
	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1667 788	1987 1656


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 0.500



JSI GRIP = 0.88 (M) (INPUT = 0.90)
JSI METAL = 0.79 (Q) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T45	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington		Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:20:04 2020 Page 1			
		ID:DMCubINVR6TstF0e31v6I_zns11-mCBvZJGY95o_XiBizrUBOSmOWNWqcd9yyDuNOzME7			
		Scale = 1:50.0			



TOTAL WEIGHT = 2 X 155 = 310 lb (M/F)

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - E	2x4	DRY	No.2
F - G	2x4	DRY	No.2
H - I	2x4	DRY	No.2
J - K	2x4	DRY	No.2
L - M	2x4	DRY	No.2
N - O	2x4	DRY	No.2
P - Q	2x4	DRY	No.2
R - S	2x4	DRY	No.2
T - U	2x4	DRY	No.2
V - W	2x4	DRY	No.2
X - Y	2x4	DRY	No.2
Z - M	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2
T - C	2x4	DRY	No.2
J - M	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)				
JT TYPE	PLATES	W	LEN	Y X
B TMV+p	MT20	3.0	4.0	
C TMWW-t	MT20	5.0	6.0	2.50 2.25
D TMWW-t	MT20	4.0	4.0	2.00 1.50
E TS-t	MT20	3.0	6.0	
F TTW-h	MT20	4.0	4.0	2.00 1.75
G TTWW-m	MT20	5.0	6.0	2.00 2.00
H TS-t	MT20	3.0	6.0	
I TMWW-t	MT20	4.0	4.0	2.00 1.50
J TMWW-t	MT20	5.0	6.0	2.50 2.25
K TMV+p	MT20	3.0	4.0	
M BMVW-t	MT20	4.0	9.0	Edge
N, P, S				
N BMWW-t	MT20	4.0	4.0	
O BS-t	MT20	3.0	6.0	
Q BMWW-t	MT20	4.0	9.0	
R BS-t	MT20	3.0	6.0	
T BMVW-t	MT20	4.0	9.0	Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	HORZ	GROSS REACTION	HORZ	BRG	IN-SX	BRG	IN-SX
T	2083	0	2083	0	0	5-8	5-8	5-8	5-8
M	2083	0	2083	0	0	5-8	5-8	5-8	5-8

UNFACTORED REACTIONS

1ST LCASE		MAX. MIN. COMPONENT REACTIONS							
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL		
T	1457	969	0	0	0	0	488	0	0
M	1457	969	0	0	0	0	488	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.88 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1: 2 LENGTH OF D-Q, I-P, C-T, J-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS		WEBS	
MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED VERT. LOAD (PLF)	MAX. FACTORED UNBRACED LENGTH (FT)
FR-TO			
A-B	0 28	-91.8 -91.8 0.12 (1)	10.00
B-C	0 20	-91.8 -91.8 0.32 (1)	10.00
C-D	-2760 0	-91.8 -91.8 0.40 (1)	3.88
D-E	-2167 0	-91.8 -91.8 0.38 (1)	4.30
E-F	-2167 0	-91.8 -91.8 0.38 (1)	4.30
F-G	-1925 0	-91.8 -91.8 0.18 (1)	4.71
G-H	-2165 0	-91.8 -91.8 0.38 (1)	4.30
H-I	-2165 0	-91.8 -91.8 0.38 (1)	4.30
I-J	-2761 0	-91.8 -91.8 0.40 (1)	3.88
J-K	0 20	-91.8 -91.8 0.32 (1)	10.00
K-L	0 28	-91.8 -91.8 0.12 (1)	10.00
T-B	-325 0	0.0 0.0 0.03 (1)	7.81
M-K	-325 0	0.0 0.0 0.03 (1)	7.81
T-S	0 2537	-18.5 -18.5 0.56 (1)	10.00
S-R	0 2383	-18.5 -18.5 0.53 (1)	10.00
R-Q	0 2383	-18.5 -18.5 0.53 (1)	10.00
Q-P	0 1924	-18.5 -18.5 0.40 (1)	10.00
P-O	0 2382	-18.5 -18.5 0.53 (1)	10.00
O-N	0 2382	-18.5 -18.5 0.53 (1)	10.00
N-M	0 2538	-18.5 -18.5 0.56 (1)	10.00

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2010, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD
EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.14")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.29")

CSI: TC=0.40/1.00 (I-J), BC=0.58/1.00 (M-N),
WB=0.61/1.00 (J-K), SS=0.20/1.00 (G-I)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSH) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1867 788 1987 1855

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP = 0.89 (F) (INPUT = 0.80)
JSI METAL = 0.83 (O) (INPUT = 1.00)



Structural component only
DWG# T-2007666

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T46	8	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 28 2019 MTA Industries, Inc. Tue Apr 28 10:20:05 2020 Page 1
ID:DMCubINVR6tsiF0e31v8I zns11EOlnHbWpW8myWY?QxtJYonsa171BczRwqzME7e



TOTAL WEIGHT = 8 X 152 = 1213 lb (M/F)

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - H	2x4	DRY	No.2
H - K	2x4	DRY	No.2
S - B	2x4	DRY	No.2
L - J	2x4	DRY	No.2
S - Q	2x4	DRY	No.2
Q - N	2x4	DRY	No.2
N - L	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			
S - C	2x4	DRY	No.2
I - L	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (Table is in inches)				
JT	TYPE	PLATES	W	LEN Y X
B	TMV+p	MT20	3.0	4.0
C	TMWW-i	MT20	5.0	6.0 2.25 2.00
D	TS-i	MT20	3.0	6.0
E	TMWW+i	MT20	5.0	6.0
F	TTWW+p	MT20	4.0	6.0 Edge
G	TMWW+i	MT20	5.0	6.0
H	TS-i	MT20	3.0	6.0
I	TMWW-i	MT20	5.0	6.0 2.25 2.00
J	TMV+p	MT20	3.0	4.0
L	BMVW-i	MT20	4.0	9.0 Edge
M, O, P, R				
M	BMWW+i	MT20	4.0	6.0
N	BS-i	MT20	3.0	6.0
Q	BS-i	MT20	3.0	6.0
S	BMVW-i	MT20	4.0	9.0 Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	RECORD BRG
JT	VERT	HORZ	DOWN	HORZ
S	2063	0	2063	0
L	2063	0	2063	0

UNFACTORED REACTIONS

1ST CASE	MAX. MIN. COMPONENT REACTIONS						
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
S	1457	989.0	0.0	0.0	0.0	488.0	0.0
L	1457	989.0	0.0	0.0	0.0	488.0	0.0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.75 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1:2 LENGTH OF C-S, I-L

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 28	-91.8 -91.8 0.12 (1)	10.00	F-O	0 866	0.19 (1)	
B-C	0 22	-91.8 -91.8 0.40 (1)	10.00	O-G	-728 0	0.72 (1)	
C-D	-2808 0	-91.8 -91.8 0.49 (1)	3.75	G-M	0 391	0.09 (1)	
D-E	-2808 0	-91.8 -91.8 0.49 (1)	3.75	M-I	-192 18	0.05 (1)	
E-F	-2322 0	-91.8 -91.8 0.48 (1)	4.07	P-F	0 866	0.19 (1)	
F-G	-2322 0	-91.8 -91.8 0.48 (1)	4.07	E-P	-728 0	0.72 (1)	
G-H	-2808 0	-91.8 -91.8 0.49 (1)	3.75	R-E	0 391	0.09 (1)	
H-I	-2808 0	-91.8 -91.8 0.49 (1)	3.75	C-R	-192 18	0.05 (1)	
I-J	0 22	-91.8 -91.8 0.40 (1)	10.00	S-C	-3084 0	0.72 (1)	
J-K	0 28	-91.8 -91.8 0.12 (1)	10.00	I-L	-3084 0	0.72 (1)	
S-B	-344 0	0.0 0.0 0.03 (1)	7.81				
L-J	-344 0	0.0 0.0 0.03 (1)	7.81				
S-R	0 2574	-18.5 -18.5 0.53 (1)	10.00				
R-O	0 2291	-18.5 -18.5 0.47 (1)	10.00				
O-P	0 2291	-18.5 -18.5 0.47 (1)	10.00				
P-Q	0 1762	-18.5 -18.5 0.38 (1)	10.00				
Q-N	0 2291	-18.5 -18.5 0.47 (1)	10.00				
N-M	0 2291	-18.5 -18.5 0.47 (1)	10.00				
M-L	0 2574	-18.5 -18.5 0.53 (1)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2010, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.14")
ALLOWABLE DEFL.(TL) = L/380 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.28")

CSI: TC=0.49(1.00) (C-E:1), BC=0.53(1.00) (L-M:1),
WB=0.72(1.00) (E-P:1), SS=0.22(1.00) (J-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1657 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.87 (C) (INPUT = 0.90)
JSI METAL = 0.77 (I) (INPUT = 1.00)



Structural component only
DWG# T-2007667

JOB NAME 408224	TRUSS NAME T47S	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington		Version 3.310 S Oct 29 2019 MTech Industries, Inc. Tue Apr 28 10:20:06 2020 Page 1			
		ID:DMCubINVR6TstFoe31v6l zns11-ibJg_?Hph2im0K84GWfTlsnqADw6c_RQGi_SGzME7d			
		Scale = 1:20.3			



LUMBER			N. L. G. A. RULES		
CHORDS	SIZE		CHORDS	SIZE	
K - A	2x4	DRY	No.2		
A - E	2x4	DRY	No.2		
F - E	2x4	DRY	No.2		
K - J	2x4	DRY	No.2		
J - B	2x4	DRY	No.2		
I - H	2x4	DRY	No.2		
G - D	2x4	DRY	No.2		
G - F	2x4	DRY	No.2		
ALL WEBS	2x3	DRY	No.2		
EXCEPT					
K - I	2x4	DRY	No.2		
H - F	2x4	DRY	No.2		
DRY: SEASONED LUMBER.					

PLATES (table in inches)					
JT	TYPE	PLATES	W	LEN	Y X
A	TMVW+p	MT20	4.0	6.0	
B	TMV+p	MT20	3.0	4.0	
C	TMVW-t	MT20	4.0	4.0	
D	TMV+p	MT20	3.0	4.0	
E	TMVW+p	MT20	4.0	6.0	
F	BMVW-t	MT20	4.0	4.0	
G	BMV+p	MT20	3.0	4.0	
H	BVMWW-t	MT20	6.0	9.0	3.00 3.50
I	BVMWW-t	MT20	6.0	9.0	3.00 3.50
J	BMV+p	MT20	3.0	4.0	
K	BMVW-t	MT20	4.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER									
PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING									
BEARINGS									
		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
		GROSS REACTION		GROSS REACTION		BRG		BRG	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	IN-SX	IN-SX
K	697	0	697	0	0	5-8	5-8		
F	697	0	697	0	0	MECHANICAL			

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS							
1ST CASE - MAX. MIN. COMPONENT REACTIONS							
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	504	289.0	0.0	0.0	0.0	235.0	0.0
F	504	289.0	0.0	0.0	0.0	235.0	0.0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CS (ILC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CS (ILC)	
FR-TO		FROM TO	LENGTH	FR-TO			
K-A	-687.0	0.0	0.0 0.17 (1)	7.81	K-I	-28.0	0.00 (1)
A-B	-497.0	-114.3	-114.3 0.14 (1)	6.25	A-I	0.783	0.24 (1)
B-C	-508.0	-114.3	-114.3 0.22 (1)	6.25	H-F	-28.0	0.00 (1)
C-D	-508.0	-114.3	-114.3 0.22 (1)	6.25	H-E	0.783	0.24 (1)
D-E	-497.0	-114.3	-114.3 0.14 (1)	6.25	I-C	-384.0	0.15 (1)
E-F	-687.0	0.0	0.0 0.17 (1)	7.81	C-H	-384.0	0.15 (1)
K-J	0.25	-18.5	-18.5 0.03 (4)	10.00			
J-I	0.19	0.0	0.0 0.05 (1)	10.00			
I-B	-331.0	0.0	0.0 0.05 (1)	7.81			
I-H	0.832	-18.5	-18.5 0.46 (4)	10.00			
G-H	0.19	0.0	0.0 0.05 (1)	10.00			
H-D	-331.0	0.0	0.0 0.05 (1)	7.81			
G-F	0.25	-18.5	-18.5 0.03 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 15.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 46.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBC 2010, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

65% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/999 (0.01")
ALLOWABLE DEFL.(TL) = L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/999 (0.12")

CSL: TC=0.22(1.00 (B-C:1), BC=0.48(1.00 (H-I:4), WB=0.24(1.00 (E-H:1), SSI=0.22(1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 786 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.77 (H) INPUT = 0.90
JSI METAL= 0.30 (E) INPUT = 1.00



Structural component only
DWG# T-2007668

JOB NAME 408224	TRUSS NAME T48	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 10:20:07 2020 Page 1
 ID:DMCubINVR6TstFoe31v6l zns11-An12CLIRS0AZOAvKoz1u04OyadN3HbhwSY izME7c
 6-7-12 8-8-8 9-12 10-8-0
 Scale = 1:18.2



LUMBER

N. L. G. A. RULES

CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2
C - E	2x4	DRY	No.2
F - E	2x4	DRY	No.2
H - B	2x4	DRY	No.2
H - F	2x4	DRY	No.2

ALL WEBS 2x3 DRY No.2 SPF EXCEPT

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW+p	MT20	4.0	4.0	1.50	2.00
C	TMW-m	MT20	4.0	4.0		
D	TMW-w	MT20	4.0	4.0		
E	TMW-p	MT20	3.0	4.0		
F	BMW1-l	MT20	4.0	4.0		
G	BMWW1-l	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	DOWN	IN-SX	IN-SX
F	579 0	579 0	MECHANICAL	
H	703 0	703 0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
F	409	289 0	0 0	0 0	0 0	141 0	0 0
H	495	338 0	0 0	0 0	0 0	157 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH (FT)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH (FT)	
FR-TO		FROM TO		FR-TO			
A-B	0 28	-91.8 -91.8 0.12 (1)	10.00	G-C	0 61	0.02 (4)	
B-C	-635 0	-91.8 -91.8 0.15 (1)	6.25	G-D	-61 60	0.02 (4)	
C-D	-669 0	-91.8 -91.8 0.21 (1)	6.25	D-F	-731 0	0.23 (1)	
D-E	0 0	-91.8 -91.8 0.20 (1)	10.00	B-G	0 587	0.13 (1)	
F-E	-135 0	0.0 0.0 0.02 (1)	7.81				
H-B	-699 0	0.0 0.0 0.07 (1)	7.81				
H-G	0 0	-18.5 -18.5 0.21 (4)	10.00				
G-F	0 619	-18.5 -18.5 0.25 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF
 DL = 6.0 PSF

BOT CH. LL = 0.0 PSF
 DL = 7.4 PSF

TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. O/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2016, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.35")
 CALCULATED VERT. DEFL.(LL) = L 999 (0.01")
 ALLOWABLE DEFL.(TL) = L/360 (0.35")
 CALCULATED VERT. DEFL.(TL) = L 999 (0.09")

CSI: TC=0.21-1.00 (C-D:1), BC=0.25-1.00 (F-G:4), WB=0.23-1.00 (D-F:1), SS=0.17-1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP (DRY)	SHEAR (PSI)	SECTION (PLI)
	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1667 789	1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.88 (B) (INPUT = 0.90)
 JSI METAL = 0.23 (F) (INPUT = 1.00)



Structural component only
 DWG# T-2007669


JOB NAME 408224	TRUSS NAME T49	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	----------

Tamarack Roof Truss, Burlington

TRUSS DESC.

Version 8.310 5 Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:20:08 2020 Page 1

ID:DMCubINVR6TslFos31v8l_zns1f-ezRQPhJ3DKIQJUWCqZ7Z7x3M_zfaUMktaB5W9zME7b



Scale = 1:22.0

LUMBER			
N.L.G.A. RULES			
CHORDS	SIZE	DRY	LUMBER
A - C	2x4	DRY	No.2
C - D	2x4	DRY	No.2
E - D	2x4	DRY	No.2
G - B	2x4	DRY	No.2
G - E	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			

DRY: SEASONED LUMBER.

PLATES (tab/a is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMVW-1	MT20	4.0	4.0	2.00 1.25
C	TTWW-m	MT20	5.0	6.0	2.25 2.00
D	TMV-p	MT20	3.0	4.0	
E	BMVW-1	MT20	4.0	4.0	
F	BMVW-1	MT20	4.0	4.0	
G	BMV-1-p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT	REQ'D
JT	GROSS REACTION		GROSS REACTION		BRG	BRG	
	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
E	579	0	579	0	0	MECHANICAL	
G	703	0	703	0	0	5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST CASE	MAX. MIN. COMPONENT REACTIONS	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
E	409	269 0	0 0	0 0	0 0	0 0	141 0	0 0
G	495	338 0	0 0	0 0	0 0	0 0	157 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MAX. FACTORED		FACTORED		MAX. FACTORED			
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	LG1 MAX CSI(LC)	MAX. UNBRAC LENGTH	MEMB.	FORCE (LBS)	MAX CSI(LC)
FR-TO		FROM	TO		FR-TO		
A-B	0 28	-91.8	-91.8 0.12 (1)	10.00	F-C	0 106	0.04(4)
B-C	-523 0	-91.8	-91.8 0.41 (1)	6.25	C-E	-549 0	0.37(1)
C-D	0 0	-91.8	-91.8 0.47 (1)	10.00	B-F	0 474	0.11(1)
E-D	-252 0	0.0	0.0 0.05 (1)	7.81			
G-B	-887 0	0.0	0.0 0.07 (1)	7.81			
G-F	0 0	-18.5	-18.5 0.14 (4)	10.00			
F-E	0 468	-18.5	-18.5 0.19 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2010, NBC 2012, ABC 2019
- PART 9 OF NBC 2012 (2019 AMENDMENT)
- CSA 086-08, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.35")
CALCULATED VERT. DEFL. (LL) = L/999 (0.01")
ALLOWABLE DEFL. (TL) = L/360 (0.35")
CALCULATED VERT. DEFL. (TL) = L/999 (0.03")

CSI: TC=0.47 1.00 (C-D:1), BC=0.19 1.00 (E-F:4), WB=0.37 1.00 (C-E:1), SSI=0.20 1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 L/S BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP (DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)
MAX MIN	MAX MIN	MAX MIN
MT20	816 354	1867 788

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP = 0.85 (B) INPUT = 0.90
JSI METAL = 0.26 (B) INPUT = 1.00



Structural component only
DWG# T-2007670

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T50	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 28 2019 MTek Industries, Inc. Tue Apr 28 10:20:10 2020 Page 1
ID:DMCubINVR6TsFoe31v8l zns1l-bMYBqMKJlxY8FdevJ5bbeJOKcoeV2Tf1LugCb2zME7Z



TOTAL WEIGHT = 2 X 23 = 46 lb
[MIR]

LUMBER			
N. L. G. A. RULES			
CHORDS	SIZE	DRY	LUMBER
D - A	2x4	DRY	No.2
A - B	2x4	DRY	No.2
C - B	2x4	DRY	No.2
D - C	2x4	DRY	No.2
ALL WEBS 2x3 DRY No.2			
DRY: SEASONED LUMBER.			

DESCR.
SPF
SPF
SPF
SPF

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING

BEARINGS

	FACTORED	MAXIMUM FACTORED	INPUT	REQD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	HORZ	DOWN	HORZ
D	371	0	371	0
C	371	0	371	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT C. MINIMUM BEARING LENGTH AT JOINT C = 1-8.

DESIGN CRITERIA

SPECIFIED LOADS:	
TOP CH. LL	= 25.6 PSF
DL	= 15.0 PSF
BOY CH. LL	= 0.0 PSF
DL	= 7.4 PSF
TOTAL LOAD	= 48.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.04")

CSI: TC=0.81 1.00 (A-B:1), BC=0.23/1.00 (C-D:4),
WB=0.00/1.00 (A-C:1), SSI=0.33/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES			
PLATE GRIP(DRY)	SHEAR (PSI)	SECTION (PLI)	(PIJ)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1687 788	1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.25 (A) (INPUT = 0.90)
JSI METAL = 0.07 (A) (INPUT = 1.00)

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
A	TMVW-1	MT20	4.0	4.0	
B	TMVW-p	MT20	3.0	4.0	
C	BMVW-1-1	MT20	4.0	4.0	
D	BMVW-1-p	MT20	3.0	4.0	

UNFACTORED REACTIONS

JT	1ST CASE	MAX. MIN. COMPONENT REACTIONS					
	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
D	268	143.0	0.0	0.0	0.0	125.0	0.0
C	268	143.0	0.0	0.0	0.0	125.0	0.0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) D

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)


CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)	
FR-TO		FROM TO		FR-TO			
D-A	-319 0	0.0 0.0	0.06 (1)	A-C	0 0	0.00 (1)	
A-B	0 0	-114.3 -114.3	0.81 (1)				
C-B	-319 0	0.0 0.0	0.06 (1)				
D-C	0 0	-18.5 -18.5	0.23 (4)				



Structural component only
DWG# T-2007671

JOB NAME 408224	TRUSS NAME G50	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 3.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 23 10:19:51 2020 Page 1
ID:DMCubINVR8TslFoe31v6I zns11-eiv?r16OD69qTihFic7MikFo7CC5i2EzRaiQezME7s



Scale = 1:18.1

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHOROS			
H - A	2x4 DRY	No.2	SPF
A - D	2x4 DRY	No.2	SPF
E - D	2x4 DRY	No.2	SPF
H - E	2x4 DRY	No.2	SPF
ALL WEBS	2x3 DRY	No.2	SPF
ALL GABLE WEBS	2x3 DRY	No.2	SPF
DRY: SEASONED LUMBER.			

GABLE STUDS SPACED AT 2'-0.0 OC.

PLATES (table is in inches)				
JT	TYPE	PLATES	W	LEN Y X
A	TW+p	MT20	3.0	4.0
B	TW+w	MT20	2.0	4.0
C	TW+w	MT20	2.0	4.0
D	TW+p	MT20	3.0	4.0
E	BMV+p	MT20	3.0	4.0
F	BMV+w	MT20	2.0	4.0
G	BMV+w	MT20	2.0	4.0
H	BMV+p	MT20	3.0	4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER
PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING.
BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.
THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.
BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHOROS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	VERT. LOAD (PLF)	MAX. FACTORED CSF (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSF (LC)	UNBRACED LENGTH (FT)
FR-TO				FR-TO			
H-A	-101 0	0.0	0.0 0.03 (1)	G-B	-248 0	0.08 (1)	7.81
A-B	-8 0	-114.3	-114.3 0.08 (1)	F-C	-209 0	0.05 (1)	10.00
B-C	-8 0	-114.3	-114.3 0.08 (1)				
C-D	-8 0	-114.3	-114.3 0.08 (1)				
E-D	-60 0	0.0	0.0 0.03 (1)				
H-G	0 8	-18.5	-18.5 0.02 (4)				
G-F	0 8	-18.5	-18.5 0.02 (4)				
F-E	0 8	-18.5	-18.5 0.02 (4)				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 15.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 48.0 PSF

SPACING = 24.0 IN. GC

LOADING IN FLAT SECTION BASED ON A SLOPE OF 0.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPC 2011, TPC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.08/1.00 (A-B:1), BC=0.02/1.00 (G-H:4), WB=0.08/1.00 (B-G:1), SSI=0.13/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1967 1656

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.17 (G) INPUT = 0.90
JSI METAL= 0.07 (G) INPUT = 1.00



Structural component only
DWG# T-2007656

JOB NAME 408224	TRUSS NAME T51	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington		TRUSS DESC.		Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 10:20:11 2020 Page 1	



LUMBER				DESCR.	
N. L. G. A. RULES	CHORDS	SIZE	LUMBER	SPF	
A - C	2x4	DRY	No.2	SPF	
C - D	2x4	DRY	No.2	SPF	
D - E	2x4	DRY	No.2	SPF	
E - F	2x4	DRY	No.2	SPF	
F - G	2x4	DRY	No.2	SPF	
G - H	2x4	DRY	No.2	SPF	
H - I	2x4	DRY	No.2	SPF	
I - J	2x4	DRY	No.2	SPF	
J - K	2x4	DRY	No.2	SPF	
K - L	2x4	DRY	No.2	SPF	
L - M	2x4	DRY	No.2	SPF	
M - N	2x4	DRY	No.2	SPF	
N - O	2x4	DRY	No.2	SPF	
O - P	2x4	DRY	No.2	SPF	
P - Q	2x4	DRY	No.2	SPF	
Q - R	2x4	DRY	No.2	SPF	
R - S	2x4	DRY	No.2	SPF	
S - T	2x4	DRY	No.2	SPF	
T - U	2x4	DRY	No.2	SPF	
U - V	2x4	DRY	No.2	SPF	
V - W	2x4	DRY	No.2	SPF	
W - X	2x4	DRY	No.2	SPF	
X - Y	2x4	DRY	No.2	SPF	
Y - Z	2x4	DRY	No.2	SPF	
Z - A	2x4	DRY	No.2	SPF	

ALL WEBS 2x3 DRY No.2 SPF

EXCEPT

DRY: SEASONED LUMBER.

PLATES (table is in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TMVW-1	MT20	4.0	6.0	2.00	3.00
C	TTW-m	MT20	4.0	4.0		
D	TTW-m	MT20	5.0	6.0	2.25	2.25
E	TMVW-1	MT20	4.0	6.0		Edge
F	BMV1+p	MT20	3.0	4.0		
G	BMVW-1	MT20	4.0	6.0		
H	BMVW-1	MT20	4.0	6.0		
I	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

SPACINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	GROSS REACTION	DOWN	HORZ	BRG	BRG	IN-SX	IN-SX
I	1164	0	1104	0	0	5-8	5-8		
F	1000	0	1000	0	0	MECHANICAL			

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST CASE	MAX. MIN. COMPONENT REACTIONS	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
I	778	525	0	0	0	0	253	0
F	707	465	0	0	0	0	242	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.22 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		MAX. FACTORED		WEBS		FACTORED	
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	LC1 MAX	CSI (LC)	UNBRAC	MEMB.	FORCE (LBS)	MAX	CSI (LC)
FR-TO					LENGTH FR-TO				
A-B	0 28	-91.8	-91.8	0.13 (1)	10.00	H-C	-99 54	0.02 (1)	
B-C	-1177 0	-91.8	-91.8	0.46 (1)	5.22	H-D	0 30	0.01 (4)	
C-D	-1045 0	-91.8	-91.8	0.03 (1)	8.11	G-D	-120 24	0.03 (1)	
D-E	-1167 0	-91.8	-91.8	0.41 (1)	5.32	B-H	0 1067	0.26 (1)	
E-F	-1053 0	0.0	0.0	0.12 (1)	7.64	G-E	0 1066	0.26 (1)	
F-G	-953 0	0.0	0.0	0.11 (1)	7.81				
I-J	0 0	-18.5	-18.5	0.19 (4)	10.00				
J-K	0 0	-18.5	-18.5	0.19 (4)	10.00				
K-H	0 0	-18.5	-18.5	0.19 (4)	10.00				
H-G	0 1039	-18.5	-18.5	0.28 (4)	10.00				
G-L	0 0	-18.5	-18.5	0.18 (4)	10.00				
L-M	0 0	-18.5	-18.5	0.18 (4)	10.00				
M-F	0 0	-18.5	-18.5	0.18 (4)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-10-8	361	361	---	FRONT	VERT	TOTAL	---	C1
D	5-8-8	361	361	---	FRONT	VERT	TOTAL	---	C1
G	5-8-12	-19	-19	---	FRONT	VERT	TOTAL	---	C1
H	4-11-4	-19	-19	---	FRONT	VERT	TOTAL	---	C1
J	1-11-4	-17	-18	---	FRONT	VERT	TOTAL	---	C1
K	3-11-4	-19	-19	---	FRONT	VERT	TOTAL	---	C1
L	6-8-12	-19	-19	---	FRONT	VERT	TOTAL	---	C1
M	8-8-12	-17	-18	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. O.C.

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF NBC 2010, NBC 2012, ABC 2019
- PART 9 OF NBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/999 (0.02")
ALLOWABLE DEFL.(TL) = L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/999 (0.05")

CSI = TC=0.48/1.00 (B-C:1), BC=0.28/1.00 (G-H:4),
WB=0.26/1.00 (B-H:1), SS=0.17/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES

PLATE GRIP(DRY)	SHEAR (PSI)	SECTION (PL)
MT20	618 354 1667 788 1987 1656	

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.71 (G) (INPUT = 0.90)
JSI METAL= 0.33 (B) (INPUT = 1.00)




Structural component only
DWG# T-2007672

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	TRUSS DESC.	DRWG NO.
408224	T52	1	1	GREEN PARK HOMES		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MITEX Industries, Inc. Tue Apr 28 10:20:12 2020 Page 1

ID:DMCubINVR6TsFos31v6l_zns11-Xlqx2MaHZpsUxoIRWd3l86qEbm8WIMgKoC9JlwzME7X



Scale = 1:22.8

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF	
C - D	2x4	DRY	No.2	SPF	
D - E	2x4	DRY	No.2	SPF	
E - F	2x4	DRY	No.2	SPF	
F - G	2x4	DRY	No.2	SPF	
G - H	2x4	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
EXCEPT					

DRY: SEASONED LUMBER.

PLATES (Table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-4	MT20	4.0	4.0	2.00	1.25
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TTWW-m	MT20	4.0	4.0		
E	TMVW-4	MT20	4.0	4.0	2.00	1.25
F	BMV1+p	MT20	3.0	4.0		
G	BMVW-1	MT20	4.0	9.0		
H	BMVW-1	MT20	4.0	4.0		
I	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	RECORD BRG
JT	VERT	HORZ	DOWN	UPLIFT
I	699	0	699	0
F	574	0	574	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
I	492	338	0	0	0	156	0
F	406	267	0	0	0	140	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (LBS)	MAX. CS (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CS (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 28	-91.8	-91.8	H-C	-118 14	0.03 (1)	
B-C	-423 0	-91.8	-91.8	C-G	-20 0	0.01 (1)	
C-D	-382 0	-91.8	-91.8	G-D	-128 8	0.03 (1)	
D-E	-409 0	-91.8	-91.8	B-H	0 422	0.09 (1)	
E-F	-669 0	0.0	0.0	G-E	0 419	0.09 (1)	
F-E	-546 0	0.0	0.0				
I-H	0 0	-18.5	-18.5				
H-G	0 375	-18.5	-18.5				
G-F	0 0	-18.5	-18.5				

TOTAL WEIGHT = 48 lb

IM/F

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2010, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/999 (0.01")
ALLOWABLE DEFL.(TL) = L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/999 (0.01")

CSI: TC=0.16/1.00 (B-C:1), BC=0.09/1.00 (G-H:1), WB=0.09/1.00 (B-H:1), SS=0.12/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 768 1997 1658


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.65 (B) (INPUT = 0.90)
JSI METAL = 0.21 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007673



LUMBER

N. L. G. A. RULES

CHORDS	SIZE	DRY	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
K - G	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
EXCEPT				

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-1	MT20	4.0	4.0	2.00	1.25
C	TTWW-m	MT20	5.0	6.0	2.25	2.00
D	TMVW-w	MT20	2.0	4.0		
E	TTWW-m	MT20	5.0	6.0	2.25	2.00
F	TMVW-1	MT20	4.0	4.0	2.00	1.25
G	BMV1-p	MT20	3.0	4.0		
H	BMVW-1	MT20	4.0	4.0		
I	BMVW-1	MT20	4.0	9.0		
J	BMVW-1	MT20	4.0	4.0		
K	BMV1-p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG IN-SX	REQD BRG IN-SX
	VERT	HORZ	DOWN	UP/LIFT		
K	818	0	818	0	5-8	6-8
G	679	0	679	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 1-8.

UNFACTORED REACTIONS

JT	COMBINED	MAX. MIN. COMPONENT REACTIONS					
		SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
K	578	393	0	0	0	183	0
G	480	317	0	0	0	162	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)	
FR-TO				FR-TO			
A-B	0 28	-91.8	-91.8 0.13 (1)	J-C	-397 0	0.06 (1)	
B-C	-427 0	-91.8	-91.8 0.13 (1)	C-1	0 438	0.11 (1)	
C-L	-702 0	-91.8	-91.8 0.26 (1)	I-D	-472 0	0.09 (1)	
L-M	-702 0	-91.8	-91.8 0.26 (1)	I-E	0 469	0.12 (1)	
M-D	-702 0	-91.8	-91.8 0.26 (1)	H-E	-373 0	0.07 (1)	
D-N	-702 0	-91.8	-91.8 0.26 (1)	B-J	0 523	0.13 (1)	
N-O	-702 0	-91.8	-91.8 0.26 (1)	H-F	0 556	0.14 (1)	
O-E	-702 0	-91.8	-91.8 0.26 (1)				
E-F	-379 0	-91.8	-91.8 0.04 (1)				
K-B	-812 0	0.0	0.0 0.10 (1)				
G-F	-677 0	0.0	0.0 0.09 (1)				
K-J	0 0	-18.5	-18.5 0.04 (4)				
J-P	0 349	-18.5	-18.5 0.09 (1)				
P-Q	0 349	-18.5	-18.5 0.09 (1)				
Q-I	0 349	-18.5	-18.5 0.09 (1)				
I-R	0 324	-18.5	-18.5 0.09 (1)				
R-H	0 324	-18.5	-18.5 0.09 (1)				
H-G	0 0	-18.5	-18.5 0.04 (4)				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX.	MAX.	FACE	DIR.	TYPE	HEEL	CONN.
C	1-8-0	-53	-53		BACK	VERT	TOTAL		C1
E	9-0-0	-21	-21		FRONT	VERT	TOTAL		C1
H	8-7-4	-4	-4		BACK	VERT	TOTAL		C1
J	1-8-12	-4	-4		BACK	VERT	TOTAL		C1
L	2-7-4	-28	-28		BACK	VERT	TOTAL		C1
M	4-7-4	-25	-25		BACK	VERT	TOTAL		C1
N	6-7-4	-25	-25		BACK	VERT	TOTAL		C1
O	8-7-4	-53	-53		BACK	VERT	TOTAL		C1
P	2-7-4	-4	-4		BACK	VERT	TOTAL		C1
Q	4-7-4	-4	-4		BACK	VERT	TOTAL		C1
R	6-7-4	-4	-4		BACK	VERT	TOTAL		C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***

GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.

LOADS WERE DERIVED FROM USER INPUT

NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF

DL = 6.0 PSF

BOT CH. LL = 0.0 PSF

DL = 7.4 PSF

TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***

ADDTL USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS

- OVERHANG NOT TO BE ALTERED OR CUT OFF.

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.35")

CALCULATED VERT. DEFL.(LL) = L/999 (0.01")

ALLOWABLE DEFL.(TL) = L/360 (0.35")

CALCULATED VERT. DEFL.(TL) = L/999 (0.02")

CSI: TC=0.26/1.00 (D-E:1), BC=0.09/1.00 (H-I:1), WB=0.14/1.00 (F-H:1), SS=0.21/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00

COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION

(PSI) (PLI) (PLI)

MAX MIN MAX MIN MAX MIN

MT20 818 354 1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.77 (F) INPUT = 0.90


JSI METAL = 0.22 (F) INPUT = 1.00



Structural component only
DWG# T-2007674

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T54S	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:20:14 2020 Page 1
ID:DMCubINVR6TstF0a31v6l zns11-T7ohgkOqpA3ZkEypYxgXoZB2uPsf_43dGWcKpzME7V



LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
K - A	2x4	DRY	No.2	SPF	
A - E	2x4	DRY	No.2	SPF	
F - E	2x4	DRY	No.2	SPF	
K - I	2x6	DRY	No.2	SPF	
H - C	2x4	DRY	No.2	SPF	
H - F	2x6	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
EXCEPT					
I - G	2x6	DRY	No.2	SPF	

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
K - A	12	TOP
A - E	12	TOP
E - F	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
K - I	12	SIDE (81.0)
H - F	12	SIDE (183.1)
C - H	5	SIDE (89.6)
WEBS : (0.122"x3") SPIRAL NAILS		
2x3	6	
2x6	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQD
GROSS REACTION	GROSS REACTION	BRG	BRG	
JT VERT	HORZ	DOWN	HORZ	UPLIFT
K	2804	0	2804	0
F	2255	0	2255	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 4'-0".

UNFACTORED REACTIONS

1ST LCASE		MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
K	1841	1212 / 0	0 / 0	0 / 0	0 / 0	628 / 0	0 / 0
F	1592	1081 / 0	0 / 0	0 / 0	0 / 0	531 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.36 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS						WEBS					
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1	MAX CS1 (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CS1 (LC)			
FR-TO		FROM	TO			FR-TO					
K-A	-2274 0	0.0	0.0	0.13 (1)	7.42	I-G	0 2868	0.19 (1)			
A-B	-8694 0	-91.8	-91.8	0.22 (1)	3.63	I-D	0 5928	0.73 (1)			
B-C	-10293 0	-91.8	-91.8	0.08 (1)	2.36	G-D	-2146 0	0.17 (1)			
C-D	-9247 0	-91.8	-91.8	0.81 (1)	2.62	G-E	0 4043	0.50 (1)			
D-E	-3416 0	-91.8	-91.8	0.18 (1)	4.91	J-B	-1577 0	0.12 (1)			
F-E	-2242 0	0.0	0.0	0.13 (1)	7.46	A-J	0 7027	0.87 (1)			
						B-I	0 3806	0.47 (1)			
K-L	0 0	-18.5	-18.5	0.21 (1)	10.00						
L-M	0 0	-18.5	-18.5	0.21 (1)	10.00						
M-J	0 0	-18.5	-18.5	0.21 (1)	10.00						
J-N	0 8894	-18.5	-18.5	0.79 (1)	10.00						
N-O	0 8894	-18.5	-18.5	0.79 (1)	10.00						
O-I	0 8694	-18.5	-18.5	0.79 (1)	10.00						
H-I	0 354	0.0	0.0	0.65 (1)	10.00						
I-C	0 128	0.0	0.0	0.63 (1)	10.00						
H-P	0 832	-18.5	-18.5	0.20 (1)	10.00						
P-G	0 832	-18.5	-18.5	0.20 (1)	10.00						
G-F	0 0	-18.5	-18.5	0.01 (4)	10.00						

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX.	FACE	DIR.	TYPE	HEEL	CONN.
G	7-11-4	-661	-661	---	BACK	VERT	TOTAL	C1
I	4-9-12	-577	-577	---	FRONT	VERT	TOTAL	C1
L	11-4	-72	-72	---	BACK	VERT	TOTAL	C1
M	2-0-12	-352	-352	---	FRONT	VERT	TOTAL	C1
N	2-11-4	-142	-142	---	BACK	VERT	TOTAL	C1
O	3-11-4	-983	-983	---	BACK	VERT	TOTAL	C1
P	4-0-12	-354	-354	---	FRONT	VERT	TOTAL	C1
	5-11-4	-556	-556	---	BACK	VERT	TOTAL	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 49 = 98 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.I. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.35")
CALCULATED VERT. DEFL.(LL) = L/882 (0.15")
ALLOWABLE DEFL.(TL) = L/360 (0.35")
CALCULATED VERT. DEFL.(TL) = L/469 (0.27")

CS1: TC=0.66/1.00 (B-C:1), BC=0.79/1.00 (J-I:1), WB=0.67/1.00 (A-J:1), SS1=0.45/1.00 (C-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEAR=1.00 COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES

PLATE GRIP (DRY)	SHEAR	SECTION
(PSI)	(PL)	(PL)
MAX MIN	MAX MIN	MAX MIN
MT20	618	354
	1687	786
	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.88 (E) INPUT = 0.50
JSI METAL = 0.73 (D) INPUT = 1.00



Structural component only
DWG# T-2007675 1/2

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	T54S	1	2	GREEN PARK HOMES	
TAMARACK ROOF TRUSS, BURLINGTON		TRUSS DESC.			

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mittek Industries, Inc. Tue Apr 28 10:20:14 2020 Page 2
ID:DMCubINVR6TstFog31v6I znsII-T7ohqkOopA3ZkEvgYqXoZB2uPsl 43dGW6OkpzME7V

PLATES (table in inches)


JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-I	MT20	5.0	8.0	2.50	3.00
B	TMVW-I	MT20	5.0	6.0		
C	TMV+p	MT20	3.0	4.0		
D	TMVW-I	MT20	5.0	6.0	2.25	2.00
E	TMVW-I	MT20	4.0	6.0	2.00	2.00
F	BMV1+p	MT20	3.0	6.0		
G	BMVWW-I	MT20	6.0	9.0	2.75	4.50
H	BMV+p	MT20	3.0	10.0		
I	BVMWWW-I	MT20	7.0	12.0	4.50	3.75
J	BMVW-I	MT20	5.0	8.0	2.50	3.00
K	BMV1+p	MT20	3.0	6.0	3.50	1.50



Structural component only
DWG# T-2007675 *ML*

JOB NAME 408222	TRUSS NAME V1	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 Mtek Industries, Inc. Tue Apr 28 09:00:14 2020 Page 1
ID:DMCubINVR6TsF0e31v6t zns11-0hm5FSlyDNJda79MsYvGLCsMVq3LML6VkvQG0zMFIV



LUMBER			
N. L. G. A. RULES.			
CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2
C - E	2x4	DRY	No.2
E - G	2x4	DRY	No.2
A - J	2x4	DRY	No.2
J - G	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

PLATES (table is in inches)			
JT	TYPE	PLATES	W L E N Y X
A	TBM1-h	MT20	3.0 4.0
G, D, F			
B	TMW+w	MT20	2.0 4.0
C	TTW-m	MT20	4.0 4.0
E	TTW-m	MT20	4.0 4.0
G	TBM1-h	MT20	3.0 4.0
H, I, K, L, M			
H	BW1+w	MT20	2.0 4.0
J	BS-1	MT20	3.0 6.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	VERT	GROSS	REACTION	DOWN	HORIZ	BRG	BRG	IN-SX	IN-SX
A	128	0	128	0	0	21-0-7 (11-11200-7			
G	128	0	128	0	0	21-0-7 (11-11200-7			
I	330	0	330	0	0	21-0-7 (11-11200-7			
L	330	0	330	0	0	21-0-7 (11-11200-7			
K	433	0	433	0	0	21-0-7 (11-11200-7			
H	485	0	485	0	0	21-0-7 (11-11200-7			
M	485	0	485	0	0	21-0-7 (11-11200-7			

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

1ST CASE		MAX. MIN. COMPONENT REACTIONS		WIND		DEAD		SOIL	
JT	COMBINED	SNOW	LIVE	PERM. LIVE					
A	80	61	0	0	0	0	20	0	0
G	80	61	0	0	0	0	20	0	0
I	235	143	0	0	0	0	93	0	0
L	235	143	0	0	0	0	93	0	0
K	304	212	0	0	0	0	92	0	0
H	342	228	0	0	0	0	114	0	0
M	342	228	0	0	0	0	114	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, G, I, L, K, H, M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		WEBS	
MEMB.	MAX. FACTORED FORCE (LBS)	MEMB.	MAX. FACTORED FORCE (LBS)
FR-TO		FR-TO	
A-O	23 2	I-E	268 0
O-B	0 33	L-C	268 0
B-C	8 8	K-D	377 0
C-D	0 17	H-F	393 0
D-E	0 17	M-B	393 0
E-F	8 8	N-O	39 5
F-G	0 33	P-Q	39 5
G-G	23 2		
A-N	8 0		
N-M	7 7		
M-L	11 0		
L-K	17 0		
K-J	17 0		
J-I	17 0		
I-H	11 0		
H-P	7 7		
P-G	9 0		

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2010, NBCC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CS: TC=0.21 (1.00 (B-C:1) , BC=0.08 (1.00 (L-M:4) , WB=0.13 (1.00 (D-K:1) , SSI=0.15 (1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT


NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.61 (C) INPUT = 0.90
JSI METAL= 0.20 (F) INPUT = 1.00




Structural component only
DWG# T-2007616

JOB NAME 408222	TRUSS NAME V2	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Tue Apr 28 09:00:16 2020 Page 1

ID:DMCubINVR6TsFoe31v6I zns11-UikTTnJa hRUUkaLwZ38oYw1qu824qpFkOazoTzMFIL



TOTAL WEIGHT = 54 lb

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - C	2x4	DRY	No.2
C - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
A - H	2x4	DRY	No.2
H - F	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	SNOW	DOWN	HORIZ	BRG	IN-SX	BRG	IN-SX
A	138	0	138	0	0	17-11-11	11-17-12-11		
F	135	0	135	0	0	17-11-11	11-17-12-11		
I	344	0	344	0	0	17-11-11	11-17-12-11		
G	513	0	513	0	0	17-11-11	11-17-12-11		
J	342	0	342	0	0	17-11-11	11-17-12-11		
K	513	0	513	0	0	17-11-11	11-17-12-11		

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST CASE	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
A	96	85	0	0	0	30	0
F	95	85	0	0	0	30	0
I	244	155	0	0	0	89	0
G	362	240	0	0	0	122	0
J	242	154	0	0	0	88	0
K	362	240	0	0	0	122	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINTS A, F, I, G, J, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 8.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		WEBS	
MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED FORCE (LBS)	MAX. FACTORED FORCE (LBS)
FR-TO		FROM	TO
A-M	0 20	-91.8	-91.8 0.04 (1)
M-B	0 71	-91.8	-91.8 0.22 (1)
B-C	0 33	-91.8	-91.8 0.22 (1)
C-D	0 52	-91.8	-91.8 0.11 (1)
D-E	0 33	-91.8	-91.8 0.22 (1)
E-O	0 71	-91.8	-91.8 0.22 (1)
O-F	0 19	-91.8	-91.8 0.04 (1)
A-L	-43 0	-18.5	-18.5 0.07 (1)
L-K	-30 0	-18.5	-18.5 0.07 (1)
K-J	-45 0	-18.5	-18.5 0.07 (4)
J-I	-52 0	-18.5	-18.5 0.04 (4)
I-H	-45 0	-18.5	-18.5 0.07 (4)
H-G	-45 0	-18.5	-18.5 0.07 (4)
G-N	-30 0	-18.5	-18.5 0.07 (1)
N-F	-43 0	-18.5	-18.5 0.07 (1)

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN./C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.22:1.00 (E-O:1), BC=0.07:1.00 (K-L:1), WB=0.11:1.00 (D-I:1), SS=0.14:1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 768 1987 1858

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.61 (C) (INPUT = 0.90)
JSI METAL= 0.21 (E) (INPUT = 1.00)




Structural component only
DWG# T-2007617

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408222	V3	1	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTak Industries, Inc. Tue Apr 28 09:00:16 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-y4lmg7JCI_ZL6u9XTGaNLmTCIIVXpH4Oy2OWKvzMFIT



Scale = 1:28.8

TOTAL WEIGHT = 43 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF	
C - E	2x4	DRY	No.2	SPF	
A - E	2x4	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
DRY: SEASONED LUMBER.					

PLATES (table is in inches)	JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0			
B	TBW-w	MT20	2.0	4.0			
C	TTW-p	MT20	4.0	4.0	2.25	2.00	
D	TBW-w	MT20	2.0	4.0			
E	TBM1-h	MT20	3.0	4.0			
F, G, H							
F	BMW1-w	MT20	2.0	4.0			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	HORZ	DOWN	HORZ
A	134	0	134	0
E	134	0	134	0
G	381	0	381	0
H	501	0	501	0
F	501	0	501	0

UNFACTORED REACTIONS							
JT	1ST LCASE	MAX. MIN.	COMPONENT	REACTIONS			
	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
A	95	65 0	0 0	0 0	0 0	30 0	0 0
E	95	65 0	0 0	0 0	0 0	30 0	0 0
G	272	162 0	0 0	0 0	0 0	110 0	0 0
H	353	237 0	0 0	0 0	0 0	116 0	0 0
F	353	237 0	0 0	0 0	0 0	116 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, E, G, H, F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1	MAX. CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)
FR-TO		FROM	TO	UNBRAC LENGTH	FR-TO		
A-J	-20 4	-91.8	-91.8	0.04 (1)	6.25	G-O	-316 0
J-B	0 38	-91.8	-91.8	0.22 (1)	10.00	H-B	-408 0
B-C	-5 12	-91.8	-91.8	0.21 (1)	10.00	F-D	-408 0
C-D	-5 12	-91.8	-91.8	0.21 (1)	10.00	I-J	-46 6
D-L	0 38	-91.8	-91.8	0.22 (1)	10.00	K-L	-46 6
L-E	-20 4	-91.8	-91.8	0.04 (1)	6.25		
A-I	-13 0	-18.5	-18.5	0.08 (1)	6.25		
I-H	-10 3	-18.5	-18.5	0.08 (4)	6.25		
H-G	-13 0	-18.5	-18.5	0.08 (4)	6.25		
G-F	-13 0	-18.5	-18.5	0.08 (4)	6.25		
F-K	-10 3	-18.5	-18.5	0.08 (4)	6.25		
K-E	-13 0	-18.5	-18.5	0.08 (1)	6.25		

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. CC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.22/1.00 (B-J:1), BC=0.06/1.00 (G-H:4), WB=0.11/1.00 (C-G:1), SS=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1997 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.28 (D) (INPUT = 0.90)
JSI METAL = 0.21 (D) (INPUT = 1.00)




Structural component only
DWG# T-2007618

JOB NAME 408222	TRUSS NAME V4	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 8 Oct 2019 Mitek Industries, Inc. Tue Apr 28 11:37:42 2020 Page 1

ID:DMCubINVR6TsIFos31v6I_zns1I-NKqAZeMCG4MYH_q62VakhU92Pb0QNm3fZNsPzMD_1



TOTAL WEIGHT = 34 lb

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	DRY
A - C	2x4	DRY	No.2
C - E	2x4	DRY	No.2
A - E	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
A	TBM1-h	MT20	3.0	4.0	
B	TMW-w	MT20	2.0	4.0	
C	TTW-p	MT20	4.0	4.0	2.25 2.00
D	TMW-w	MT20	2.0	4.0	
E	TBM1-h	MT20	3.0	4.0	
F, G, H	BMW1-w	MT20	2.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY

BEARINGS

JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
A	117	0	117	0	0	11-11-11	11-11-11
E	117	0	117	0	0	11-11-11	11-11-11
G	290	0	290	0	0	11-11-11	11-11-11
F	398	0	398	0	0	11-11-11	11-11-11
H	398	0	398	0	0	11-11-11	11-11-11

UNFACTORED REACTIONS

JT	1ST CASE	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
A	83	58 / 0	0 / 0	0 / 0	0 / 0	28 / 0	0 / 0
E	83	58 / 0	0 / 0	0 / 0	0 / 0	28 / 0	0 / 0
G	207	125 / 0	0 / 0	0 / 0	0 / 0	82 / 0	0 / 0
F	281	188 / 0	0 / 0	0 / 0	0 / 0	93 / 0	0 / 0
H	281	188 / 0	0 / 0	0 / 0	0 / 0	93 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, E, G, F, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 8.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)	
FR-TO		FROM TO		G-C			
A-J	-8 / 5	-91.8 -91.8	0.03 (1)	10.00	-248 / 0	0.08 (1)	
J-B	0 / 38	-91.8 -91.8	0.13 (1)	10.00	F-D	-314 / 0	0.05 (1)
B-C	0 / 12	-91.8 -91.8	0.13 (1)	10.00	H-B	-314 / 0	0.05 (1)
C-D	0 / 12	-91.8 -91.8	0.13 (1)	10.00	I-J	-47 / 4	0.00 (1)
D-L	0 / 36	-91.8 -91.8	0.13 (1)	10.00	K-L	-47 / 4	0.00 (1)
L-E	-8 / 5	-91.8 -91.8	0.03 (1)	10.00			
A-I	-13 / 0	-18.5 -18.5	0.05 (1)	6.25			
I-H	-10 / 0	-18.5 -18.5	0.05 (1)	10.00			
H-G	-20 / 0	-18.5 -18.5	0.04 (4)	6.25			
G-F	-20 / 0	-18.5 -18.5	0.04 (4)	6.25			
F-K	-10 / 0	-18.5 -18.5	0.05 (1)	10.00			
K-E	-13 / 0	-18.5 -18.5	0.05 (1)	6.25			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 26.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (B-J:1), BC=0.05/1.00 (A-I:1), WB=0.08/1.00 (G-G:1), SS=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSD) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1887 788 1887 1858

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.22 (D) (INPUT = 0.90)
JSI METAL = 0.16 (B) (INPUT = 1.00)




Structural component only
DWG# T-2007619

JOB NAME 408222	TRUSS NAME V5	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	------------------	---------------	----------	-------------------------------	----------

Tamersck Roof Truss, Burlington

Version 3.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 09:00:17 2020 Page 1
ID:DMCubINVR6TstF0s3Tv6l_zns11-QGREITKqWihCk2kk1_6clz?N9p5YjBYB74ILzMFIS



LUMBER	N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF		
B - C	2x4	DRY	No.2	SPF		
A - C	2x4	DRY	No.2	SPF		
ALL WEBS	2x3	DRY	No.2	SPF		
DRY: SEASONED LUMBER.						

PLATES (table in inches)	JT	TYPE	PLATES	W	LEN	Y	X
A - B	TBMi-h	MT20	3.0	4.0			
B - C	TTW-p	MT20	4.0	4.0	2.25	2.00	
C - D	TBMi-h	MT20	3.0	4.0			
D - E	BMW1+w	MT20	2.0	4.0			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED REACTION		GROSS REACTION		INPUT	RECORD
	VERT	HORZ	DOWN	HORZ		
A	49	0	49	0	8-11-11	8-11-11
C	49	0	49	0	8-11-11	8-11-11
D	893	0	893	0	8-11-11	8-11-11

UNFACTORED REACTIONS

JT	1ST CASE	MAX. MIN. COMPONENT REACTIONS					
	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
A	34	22.0	0.0	0.0	0.0	12.0	0.0
C	34	22.0	0.0	0.0	0.0	12.0	0.0
D	631	415.0	0.0	0.0	0.0	216.0	0.0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, C, D

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 8.25 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS					WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LG1 MAX CSI (L/C)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (L/C)		
FR-TO		FROM TO		FR-TO					
A-F	0 347	-91.8	-91.8 0.12 (1)	10.00	D-B	-698 0	0.12 (1)		
F-B	0 341	-91.8	-91.8 0.23 (1)	10.00	E-F	-225 0	0.00 (1)		
B-H	0 341	-91.8	-91.8 0.23 (1)	10.00	G-H	-225 0	0.00 (1)		
H-C	0 347	-91.8	-91.8 0.12 (1)	10.00					
A-E	-321 0	-18.5	-18.5 0.16 (1)	8.25					
E-D	-290 0	-18.5	-18.5 0.17 (1)	8.25					
D-G	-290 0	-18.5	-18.5 0.17 (1)	8.25					
G-C	-321 0	-18.5	-18.5 0.16 (1)	8.25					

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. GC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2010 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CS: TC=0.23/1.00 (B-F:1), BC=0.17/1.00 (D-E:1), WB=0.12/1.00 (B-D:1), SS=0.12/1.00 (A-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	
MAX	MIN	MAX	MIN
MT20	618	354	1987
	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.59 (B) (INPUT = 0.90)
JSI METAL = 0.20 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007620

JOB NAME 408222	TRUSS NAME PB1	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 Metek Industries, Inc. Tue Apr 28 09:00:02 2020 Page 1	ID:DMCubINVR6TslFo631v6l zns11-MN1ZkL9Q2hoKQk4rkKK5mpuqJlFXYxLks7nqzMFh



TOTAL WEIGHT = 2 X 25 = 50 lb

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - C	2x4	DRY	No.2
C - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
B - E	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

PLATES (table is in inches)					
JT TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0	
C	TTWW-m	MT20	5.0	6.0	2.00 2.00
D	TTW-m	MT20	4.0	4.0	
E	TMB1-I	MT20	3.0	4.0	
G	BMWW1-I	MT20	4.0	4.0	
H	BMW1-w	MT20	2.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	HORZ	GROSS REACTION	DOWN	HORZ	UPLIFT	BRG	BRG
B	221	0	0	221	0	0	0	7-6-14	7-6-14
E	209	0	0	209	0	0	0	7-6-14	7-6-14
H	248	0	0	248	0	0	0	7-6-14	7-6-14
G	280	0	0	280	0	0	0	7-6-14	7-6-14

UNFACTORED REACTIONS

1ST CASE		MAX. MIN. COMPONENT REACTIONS		PERM. LIVE		WIND		DEAD		SOIL	
JT	COMBINED	SNOW	LIVE	DOWN	UP	DOWN	UP	DOWN	UP	DOWN	UP
B	154	113	0	0	0	0	0	41	0	0	0
E	148	106	0	0	0	0	0	39	0	0	0
H	178	109	0	0	0	0	0	67	0	0	0
G	198	127	0	0	0	0	0	71	0	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	MAX. FORCE (LBS)	VERT. LOAD (PLF)	MAX. CS (LC)	MEMB.	MAX. FORCE (LBS)	MAX. CS (LC)	MAX. CS (LC)
FR-TO		FROM TO		FR-TO			
A-B	0 15	-91.8 -91.8 0.03 (1)	10.00	H-C	-176 0	0.03 (1)	
B-J	-89 0	-91.8 -91.8 0.01 (1)	6.25	C-G	-21 0	0.00 (1)	
J-C	-75 0	-91.8 -91.8 0.05 (1)	6.25	G-D	-196 0	0.03 (1)	
C-D	-30 0	-91.8 -91.8 0.15 (1)	6.25	I-J	-121 0	0.00 (1)	
D-L	-54 0	-91.8 -91.8 0.05 (1)	6.25	K-L	-123 0	0.00 (1)	
L-E	-41 0	-91.8 -91.8 0.01 (1)	6.25				
E-F	0 15	-91.8 -91.8 0.03 (1)	10.00				
B-I	0 60	-18.5 -18.5 0.06 (1)	10.00				
I-H	0 60	-18.5 -18.5 0.06 (1)	10.00				
H-G	0 48	-18.5 -18.5 0.03 (1)	10.00				
G-K	0 43	-18.5 -18.5 0.06 (1)	10.00				
K-E	0 43	-18.5 -18.5 0.06 (1)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CS: TC=0.15(1.00(C-D:1)), BC=0.06(1.00(B-I:1)), WB=0.03(1.00(D-G:1)), SS=0.11(1.00(C-D:1))

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PLI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 768 1967 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (B) INPUT = 0.90
JSI METAL= 0.04 (B) INPUT = 1.00




Structural component only
DWG# T-2007600

JOB NAME	TRAUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408222	PB2	2	1	TRAUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 09:00:03 2020 Page 1

ID:DMCubiNVR8TslFoe31v6l_zns11-qabxoh82p7wB2uf2D2sKJ0Q7w31_GPEUzWkKN9zMF1q



TOTAL WEIGHT = 2 X 23 = 46 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF	
C - E	2x4	DRY	No.2	SPF	
B - D	2x4	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
DRY: SEASONED LUMBER.					

PLATES (table is in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TM1-I	MT20	3.0	4.0		
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TM1-I	MT20	3.0	4.0		
F	BMW1-w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	VERT	GROSS REACTION	HORZ	GROSS REACTION	DOWN	HORZ	BRG	IN-SX	BRG
B	318	0	318	0	0	7-6-14	7-6-14	7-6-14	7-6-14
D	318	0	318	0	0	7-6-14	7-6-14	7-6-14	7-6-14
F	320	0	320	0	0	7-6-14	7-6-14	7-6-14	7-6-14

UNFACTORED REACTIONS

JT	1ST LOSE	MAX. MIN. COMPONENT REACTIONS	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
B	223	158	0	0	0	0	63	0
D	223	159	0	0	0	0	63	0
F	229	137	0	0	0	0	92	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	MAX. FORCE (LBS)	VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	MAX. FORCE (LBS)	MAX. CSI (LC)	UNBRACED LENGTH (FT)
FR-TO		FROM	TO	FR-TO			
A-B	0 15	-91.8	-91.8 0.03 (1)	10.00	F-C	-148 0	0.03 (1)
B-H	-31 0	-91.8	-91.8 0.07 (1)	8.25	G-H	-349 0	0.00 (1)
H-C	-135 0	-91.8	-91.8 0.10 (1)	6.25	I-J	-349 0	0.00 (1)
C-J	-135 0	-91.8	-91.8 0.10 (1)	6.25			
J-D	-31 0	-91.8	-91.8 0.07 (1)	6.25			
D-E	0 15	-91.8	-91.8 0.03 (1)	10.00			
B-G	0 105	-18.5	-18.5 0.15 (1)	10.00			
G-F	0 105	-18.5	-18.5 0.15 (1)	10.00			
F-I	0 105	-18.5	-18.5 0.15 (1)	10.00			
I-D	0 105	-18.5	-18.5 0.15 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL	= 25.6 PSF
DL	= 8.0 PSF
BOT CH. LL	= 0.0 PSF
DL	= 7.4 PSF
TOTAL LOAD	= 39.0 PSF

SPACING = 24.0 IN. OC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.16:1.00 (C-J:1), BC=0.15:1.00 (F-I:1), WB=0.03:1.00 (C-F:1), SSI=0.26:1.00 (D-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP (DRY)	SHEAR	SECTION
(PS)	(PL)	(PL)
MAX	MIN	MAX
MT20	818	354
	1867	788
	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP = 0.28 (D) INPUT = 0.90
JSI METAL = 0.07 (D) INPUT = 1.00



Structural component only
DWG# T-2007601

JOB NAME 408223	TRUSS NAME PB20	QUANTITY 4	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington					

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:03:56 2020 Page 1
ID:DMCubINVR6TsFoe31v6l znsf1-6 izPKYM7hrKox8jFY7B9Jg2AAFEry9gNMkIPVzMEMn



TOTAL WEIGHT = 4 X 20 = 80 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4 DRY	No.2	SPF		
C - E	2x4 DRY	No.2	SPF		
B - D	2x4 DRY	No.2	SPF		
ALL WEBS	2x3 DRY	No.2	SPF		
DRY: SEASONED LUMBER.					

PLATES (Table 1a in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	YM81-i	MT20	3.0	4.0		
C	TTW-p	MT20	4.0	4.0	2.25	2.00
D	TM81-i	MT20	3.0	4.0		
F	BMW1-w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	BRG	BRG	IN-SX	IN-SX
B	281	0	281	0	0	6-8-6	6-8-6	6-8-6	6-8-6
D	281	0	281	0	0	6-8-6	6-8-6	6-8-6	6-8-6
F	314	0	314	0	0	6-8-6	6-8-6	6-8-6	6-8-6

UNFACTORED REACTIONS

1ST LCASE	MAX. MIN. COMPONENT REACTIONS						
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
B	197	141	0	0	0	55	0
D	197	141	0	0	0	55	0
F	224	137	0	0	0	87	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: 14)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CS (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CS (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 16	-91.8 -91.8 0.04 (1)	10.00	F-C	-159 0	0.02 (1)	
B-H	-44 0	-91.8 -91.8 0.05 (1)	8.25	G-H	-250 0	0.00 (1)	
H-C	-99 0	-91.8 -91.8 0.12 (1)	6.25	I-J	-250 0	0.00 (1)	
C-J	-99 0	-91.8 -91.8 0.12 (1)	8.25				
J-D	-44 0	-91.8 -91.8 0.05 (1)	8.25				
D-E	0 16	-91.8 -91.8 0.04 (1)	10.00				
B-G	0 81	-18.5 -18.5 0.12 (1)	10.00				
G-F	0 81	-18.5 -18.5 0.12 (1)	10.00				
F-I	0 81	-18.5 -18.5 0.12 (1)	10.00				
I-D	0 81	-18.5 -18.5 0.12 (1)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
OL = 6.0 PSF
BOT CH. LL = 0.0 PSF
OL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.12/1.00 (CH-1), BC=0.12/1.00 (B-G-1), WB=0.02/1.00 (C-F-1), SS=0.18/1.00 (D-F-1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PS) (PL) (PL)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 788 1987 1856

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.24 (D) (INPUT = 0.90)
JSI METAL = 0.08 (B) (INPUT = 1.00)




Structural component only
DWG# T-2007627

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408223	PB21	1	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 M/Tek Industries, Inc. Tue Apr 28 10:03:57 2020 Page 1

ID:DMCubINVR6TstFoe31v6I zns11-aAGLdZ u z605lvFqQIXDDeZbFaPp0UDxxzMEMm



Scale = 1:15.2

TOTAL WEIGHT = 22 lb

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - C	2x4	DRY	No.2
C - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
B - E	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

PLATES (table is in inches)					
JT TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0	
C	TTW-m	MT20	5.0	6.0	2.25 2.00
D	TTW-m	MT20	4.0	4.0	
E	TMB1-I	MT20	3.0	4.0	
G	BMW1-t	MT20	4.0	4.0	
H	BMW1-w	MT20	2.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	GROSS REACTION	DOWN	HORIZ	DOWN	HORIZ	UPLIFT	IN-SX	IN-SX	BRG
B	241	0	0	241	0	0	6-8-6	6-8-6	6-8-6
E	228	0	0	228	0	0	6-8-6	6-8-6	6-8-6
H	170	0	0	170	0	0	6-8-6	6-8-6	6-8-6
G	238	0	0	238	0	0	6-8-6	6-8-6	6-8-6

UNFACTORED REACTIONS

JT	1ST LOASE	SNOW	LIVE	PERM	LIVE	WIND	DEAD	SOIL
B	169	121	0	0	0	0	48	0
E	160	114	0	0	0	0	48	0
H	122	74	0	0	0	0	48	0
G	168	111	0	0	0	0	57	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	UNBRACED LENGTH (FT)
FR-TO				FR-TO			
A-B	0 18	-91.8	-91.8 0.04 (1)	10.00	H-C	-107 0	0.02 (1)
B-J	-59 0	-91.8	-91.8 0.01 (1)	6.25	C-G	-36 0	0.01 (1)
J-C	-71 0	-91.8	-91.8 0.07 (1)	6.25	G-D	-147 0	0.02 (1)
C-D	-28 0	-91.8	-91.8 0.04 (1)	6.25	I-J	-139 0	0.00 (1)
D-L	-46 0	-91.8	-91.8 0.07 (1)	6.25	K-L	-141 0	0.00 (1)
L-E	-33 0	-91.8	-91.8 0.01 (1)	6.25			
E-F	0 16	-91.8	-91.8 0.04 (1)	10.00			
B-I	0 59	-18.5	-18.5 0.07 (1)	10.00			
I-H	0 59	-18.5	-18.5 0.07 (1)	10.00			
H-G	0 52	-18.5	-18.5 0.04 (1)	10.00			
G-K	0 38	-18.5	-18.5 0.07 (1)	10.00			
K-E	0 38	-18.5	-18.5 0.07 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. O.C.

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, OBC 2012 : ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.07:1.00 (D-L:1), BC=0.07:1.00 (B-I:1), WB=0.02:1.00 (D-G:1), SS=0.11:1.00 (E-K:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP (DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	(PLI)
MAX	MIN	MAX	MIN
MT20	618	354	1567 798 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.19 (B) (INPUT = 0.90)
JSI METAL = 0.05 (D) (INPUT = 1.00)



Structural component only
DWG# T-2007628

JOB NAME 408223	TRUSS NAME PB22	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington		TRUSS DESC.		Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:03:58 2020 Page 1	



Scale = 1:15.2

LUMBER			
N. L. G. A. RULES			
CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4 DRY	No.2	SPF
C - E	2x4 DRY	No.2	SPF
E - G	2x4 DRY	No.2	SPF
B - F	2x4 DRY	No.2	SPF
ALL WEBS 2x3 DRY No.2 SPF			
DRY: SEASONED LUMBER.			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	VERT	GROSS REACTION	HORIZ	GROSS REACTION	HORIZ	BRG	IN-SX	BRG	IN-SX
B	151	0	151	0	0	6-8-6	6-8-6	6-8-6	6-8-6
F	152	0	152	0	0	6-8-6	6-8-6	6-8-6	6-8-6
J	125	0	125	0	0	6-8-6	6-8-6	6-8-6	6-8-6
H	120	0	120	0	0	6-8-6	6-8-6	6-8-6	6-8-6
I	330	0	330	0	0	6-8-6	6-8-6	6-8-6	6-8-6

UNFACTORED REACTIONS

1ST CASE		MAX. MIN. COMPONENT REACTIONS		PERM. LIVE		WIND		DEAD		SOIL	
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL	PERM. LIVE	WIND	DEAD	SOIL
B	105	83	0	0	0	0	0	21	0	0	0
F	105	83	0	0	0	0	0	22	0	0	0
J	90	49	0	0	0	0	0	41	0	0	0
H	86	47	0	0	0	0	0	39	0	0	0
I	232	158	0	0	0	0	0	74	0	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, F, J, H, I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		MAX. FACTORED	
MEMB.	FORCE (LBS)	VERT. LOAD LC1	MAX. (PLP)	MEMB.	FORCE (LBS)	MAX. (LBS)	MAX. (LC)
FR-TO	0 18	-91.8	-91.8 0.01 (1)	J-C	-95 0	0.01 (1)	
B-L	-53 0	-91.8	-91.8 0.04 (1)	H-E	-92 0	0.01 (1)	
L-C	-22 0	-91.8	-91.8 0.01 (1)	I-D	-202 0	0.04 (1)	
C-D	0 3	-91.8	-91.8 0.09 (1)	K-L	-1 12	0.00 (1)	
D-E	0 3	-91.8	-91.8 0.09 (1)	M-N	0 13	0.00 (1)	
E-N	-21 0	-91.8	-91.8 0.01 (1)				
N-F	-52 0	-91.8	-91.8 0.04 (1)				
F-G	0 16	-91.8	-91.8 0.04 (1)				
B-K	0 14	-18.5	-18.5 0.01 (1)				
K-J	0 14	-18.5	-18.5 0.02 (4)				
J-I	-3 0	-18.5	-18.5 0.02 (4)				
I-H	-3 0	-18.5	-18.5 0.02 (4)				
H-M	0 14	-18.5	-18.5 0.01 (1)				
M-F	0 14	-18.5	-18.5 0.01 (1)				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00:12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-03, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS

OVERHANG NOT TO BE ALTERED OR CUT OFF.

55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.09:1.00 (D-E:1), BC=0.02:1.00 (J-K:1)
WB=0.04:1.00 (D-F:1), SS=0.11:1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP (DRY) SHEAR SECTION
(PS) (PL) (IPL)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 768 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.13 (C) (INPUT = 0.90)
JSI METAL = 0.04 (C) (INPUT = 1.00)




Structural component only
DWG# T-2007629

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408223	P20	17	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTEK Industries, Inc. Tue Apr 28 10:03:55 2020 Page 1
ID:DMCubINVR8TstFoe31v6I zns11-en8bC XkMNJUnocWiqbyd68sgmus8Uhw8I76I2zMEMo

Scale = 1:20.4



LUMBER
N. L. G. A. RULES
CHORDS - SIZE LUMBER
A - B 2x4 DRY No.2
B - C 2x4 DRY No.2
A - C 2x4 DRY No.2
ALL WEBS 2x3 DRY No.2
DRY: SEASONED LUMBER.

DESCR.	SPF	FACTORED	MAXIMUM FACTORED	INPUT	REQD
JT	SPF	GROSS REACTION	GROSS REACTION	BRG	BRG
A	SPF	VERT HORZ	DOWN HORZ UPLIFT	IN-SX	IN-SX
C	SPF	60 0	60 0 0	7-8-14	7-8-14
D	SPF	60 0	60 0 0	7-8-14	7-8-14
D	SPF	733 0	733 0 0	7-8-14	7-8-14

TOTAL WEIGHT = 17 X 21 = 363 lb

JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1-h	MT20	3.0	4.0		
B	TTW+p	MT20	4.0	6.0	Edge	
C	TBM1-h	MT20	3.0	4.0		
D	BMW1+w	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERMALIVE	WIND	DEAD	SOIL
A	43	28.0	0.0	0.0	0.0	14.0	0.0
C	42	28.0	0.0	0.0	0.0	14.0	0.0
D	518	339.0	0.0	0.0	0.0	179.0	0.0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, C, D

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	FACTORED	MAX. FACTORED	WEBS	MAX. FACTORED	FACTORED	FACTORED
MEMB.	FORCE (LBS)	VERT. LOAD (LBS)	VERT. LOAD (LBS)	MAX. CSI (LC)	MEMB.	FORCE (LBS)	MAX. CSI (LC)	MAX. CSI (LC)
FR-TO					FR-TO			
A-F	0 227	-91.8	-91.8	0.09 (1)	10.00	D-B	-558 0	0.10 (1)
F-B	0 219	-91.8	-91.8	0.17 (1)	10.00	E-F	-189 0	0.00 (1)
B-H	0 219	-91.8	-91.8	0.17 (1)	10.00	G-H	-189 0	0.00 (1)
H-C	0 228	-91.8	-91.8	0.09 (1)	10.00			
A-E	-207 0	-18.5	-18.5	0.13 (1)	6.25			
E-D	-174 0	-18.5	-18.5	0.13 (1)	6.25			
D-G	-174 0	-18.5	-18.5	0.13 (1)	6.25			
G-C	-207 0	-18.5	-18.5	0.13 (1)	6.25			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF
OL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.17 1.00 (B-F:1), BC=0.13 1.00 (D-E:1), WB=0.10 1.00 (B-D:1), SSI=0.11 1.00 (C-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT


NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	(PLI)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1667 788	1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.29 (D) (INPUT = 0.90)
JSI METAL = 0.12 (D) (INPUT = 1.00)




Structural component only
DWG# T-2007626

JOB NAME 408223	TRUSS NAME PG20	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	--------------------	---------------	----------	-------------------------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mittek Industries, Inc. Tue Apr 28 10:03:59 2020 Page 1
ID:DMCubINVR6TsiFoe31v6l zns11-WYO61LaEQcDyFPvHxggunylaUNHa2Js63KzJ0pzMEMk



TOTAL WEIGHT = 2 X 22 = 45 lb

LUMBER			
N. L. G. A. RULES			
CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2
D - G	2x4	DRY	No.2
B - F	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
ALL GABLE WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER			

GABLE STUDS SPACED AT 2-0-0 OC.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0	1.50	2.00
C	TMB1+V	MT20	2.0	4.0		
D	TTW+P	MT20	4.0	6.0	Edge	
E	TMB1+V	MT20	2.0	4.0		
F	TMB1-I	MT20	3.0	4.0	1.50	2.00
H, I, J	BMW1+V	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 0.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)	UNBRACED LENGTH (FT)
FR-TO				FR-TO			
A-B	0 14	-91.8	-91.8 0.02 (1)	10.00	I-D	-111 0	0.02 (1)
B-L	-71 0	-91.8	-91.8 0.00 (1)	6.25	J-C	-185 0	0.03 (1)
L-C	-30 0	-91.8	-91.8 0.05 (1)	6.25	H-E	-185 0	0.03 (1)
C-D	-47 0	-91.8	-91.8 0.05 (1)	8.25	K-L	0 9	0.00 (1)
D-E	-47 0	-91.8	-91.8 0.05 (1)	8.25	M-N	0 9	0.00 (1)
E-N	-30 0	-91.8	-91.8 0.05 (1)	8.25			
N-F	-71 0	-91.8	-91.8 0.00 (1)	8.25			
F-G	0 14	-91.8	-91.8 0.02 (1)	10.00			
B-K	0 44	-18.5	-18.5 0.01 (1)	10.00			
K-J	0 44	-18.5	-18.5 0.01 (4)	10.00			
J-I	0 27	-18.5	-18.5 0.02 (4)	10.00			
I-H	0 27	-18.5	-18.5 0.02 (4)	10.00			
H-M	0 44	-18.5	-18.5 0.01 (4)	10.00			
M-F	0 44	-18.5	-18.5 0.01 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL	= 25.6 PSF
DL	= 8.0 PSF
BOT CH. LL	= 0.0 PSF
DL	= 7.4 PSF
TOTAL LOAD	= 39.0 PSF

SPACING = 24.0 IN./C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.05/1.00 (C-D:1), BC=0.02/1.00 (H-I:4), WB=0.03/1.00 (C-J:1), SS=0.07/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT


NAIL VALUES

PLATE GRIP (DRY)	SHEAR	SECTION
(PSR)	(PLI)	(PLI)
MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1867 788

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP=0.14 (E) (INPUT = 0.80)
JSI METAL=0.10 (C) (INPUT = 1.00)



Structural component only
DWG# T-2007630

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408222	J1	21	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington		TRUSS DESC.			



Scale = 1:22.5

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER
E - B	2x4	DRY	No.2		
A - C	2x4	DRY	No.2		
E - D	2x4	DRY	No.2		

DRY: SEASONED LUMBER.

PLATES (table in inches)	JT TYPE	PLATES	W	LEN	Y	X
B - TMV+p	MT20	3.0	4.0			
E - BMV1+p	MT20	3.0	4.0			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		BRG	RECORD
	VERT	HORZ	DOWN	HORZ		
E	525	0	525	0	5-8	5-8
C	202	0	202	0	1-8	1-8
D	45	0	50	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

JT	1ST CASE	MAX. MIN. COMPONENT REACTIONS	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
E	359	257	0	0	0	0	111	0
C	139	113	0	0	0	0	28	0
D	35	0	0	0	0	0	38	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS							
MEMB.	MAX. FORCE (LBS)	FACTORED	VERT. LOAD (PLF)	FACTORED		MAX. CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FORCE (LBS)	FACTORED	MAX. CSI (LC)
				FROM	TO						
FR-TO											
E-B	-461	0	0.0	0.0	0.13 (4)	7.81					
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00					
B-C	-30	0	-91.8	-91.8	0.54 (1)	6.25					
E-D	0	0	-18.5	-18.5	0.13 (4)	10.00					

TOTAL WEIGHT = 21 X 17 = 353 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL	=	25.8	PSF
DL	=	6.0	PSF
BOT CH. LL	=	0.0	PSF
DL	=	7.1	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF NBC 2010, NBC 2012, ABC 2019
- PART 9 OF NBC 2012, 2019 AMENDMENT
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS

OVERHANG NOT TO BE ALTERED OR CUT OFF.

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.20")
CALCULATED VERT. DEFL. (LL) = L/999 (0.00")
ALLOWABLE DEFL. (TL) = L/360 (0.20")
CALCULATED VERT. DEFL. (TL) = L/999 (0.03")

CSI: TC=0.54; 1.00 (B-C:1), BC=0.13; 1.00 (D-E:4), WB=0.00; 1.00 (A-B:1), SS=0.24; 1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP (D)	SHEAR	SECTION
(PS)	(PL)	(PL)	(PL)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	618	354	1867

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP=0.19 (E), INPUT = 0.90
JSI METAL=0.13 (B), INPUT = 1.00




Structural component only
DWG# T-2007598

JOB NAME 408222	TRUSS NAME J2S	QUANTITY 4	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTek Industries, Inc. Tue Apr 28 09:00:01 2020 Page 1

ID:DMCubINVR6TstFos31v8f_zns1l-uBTBW78oHNgUpbV15dpsEbLmFOVoUrBWCfEIHZMFI



Scale = 1:34.3

TOTAL WEIGHT = 4 X 31 = 125 lb

LUMBER			
CHORDS	SIZE	LUMBER	DESCR.
H - B	2x4	DRY	No.2
A - D	2x4	DRY	No.2
H - G	2x4	DRY	No.2
F - C	2x4	DRY	No.2
F - E	2x4	DRY	No.2
ALL WEBS EXCEPT E - D	2x3	DRY	No.2
	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMVW+p	MT20	4.0	4.0	1.25 2.00
C	TMVW+p	MT20	3.0	4.0	
D	TMVW-1	MT20	4.0	6.0	2.00 2.75
E	BMVW-1	MT20	4.0	4.0	
F	BMVW+p	MT20	3.0	4.0	
G	BMVW-1	MT20	6.0	9.0	3.25 3.50
H	BMVW-1	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

FACTORED	MAXIMUM FACTORED		INPUT	RECORD
	GROSS REACTION	GROSS REACTION		
JT	VERT	HORZ	DOWN	HORZ
H	332	0	332	0
E	208	0	208	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

1ST CASE		MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
H	232	188 0	0 0	0 0	0 0	66 0	0 0
E	145	95 0	0 0	0 0	0 0	50 0	0 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (6)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CS (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CS (LC)	
FR-TO		FROM TO		FR-TO			
H-B	-311 0	0.0 0.0	0.03 (1)	7.81	B-G	0 97	0.02 (1)
A-B	0 35	-91.8 -91.8	0.14 (5)	10.00	E-D	-188 0	0.08 (1)
B-C	-96 0	-91.8 -91.8	0.05 (1)	8.25	G-E	-7 0	0.00 (1)
C-D	-105 0	-91.8 -91.8	0.06 (1)	6.25	G-D	0 204	0.05 (1)
H-G	0 0	-18.5 -18.5	0.03 (4)	10.00			
F-G	0 15	0.0 0.0	0.01 (1)	10.00			
G-C	-202 0	0.0 0.0	0.01 (1)	7.81			
F-E	0 4	-18.5 -18.5	0.01 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. OC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NSCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 086-14
- TPIC 2011, TPIC 2014

155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.19")
CALCULATED VERT. DEFL. (LL) = L/999 (0.00")
ALLOWABLE DEFL. (TL) = L/360 (0.19")
CALCULATED VERT. DEFL. (TL) = L/999 (0.00")

CSI: TC=0.14 (1.00 (A-B:5), SC=0.03 (1.00 (G-H:4), WB=0.08 (1.00 (D-E:1), SS=0.09 (1.00 (A-B:5))

COL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES

PLATE	GRIP(DRY)		SHEAR		SECTION	
	(PSI)		(PLI)		(PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1887	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.22 (B) INPUT = 0.90
JSI METAL = 0.07 (C) INPUT = 1.00




Structural component only
DWG# T-2007599

JOB NAME 408223	TRUSS NAME J20S	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO
--------------------	--------------------	---------------	----------	-------------------------------	---------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 M&T Tek Industries, Inc. Tue Apr 28 10:03:51 2020 Page 1



Scale = 1/32" = 1'-0"

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
H - B	2x4	DRY	No.2	SPF	
A - D	2x4	DRY	No.2	SPF	
H - G	2x4	DRY	No.2	SPF	
F - C	2x4	DRY	No.2	SPF	
F - E	2x4	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
EXCEPT					
E - D	2x4	DRY	No.2	SPF	

DRY: SEASONED LUMBER.

PLATES (table is in inches)	JT TYPE	PLATES	W	LEN	Y	X
B - TMVW+p	MT20	4.0	4.0	1.00	2.00	
C - TMV+p	MT20	3.0	4.0			
D - TMVW+p	MT20	4.0	6.0	2.00	2.00	
E - BMVW1-i	MT20	4.0	4.0			
F - BMV+p	MT20	3.0	4.0			
G - BMVWVW-i	MT20	6.0	9.0	3.25	3.50	
H - BMV1+p	MT20	3.0	4.0			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		RECORD BRG	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	IN-SX	IN-SX
H	333	0	333	0	0	5-8	5-8		
E	208	0	208	0	0	MECHANICAL			

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	233	168	0	0	0	67	0
E	145	95	0	0	0	50	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)	
FR-TO		FROM TO		FR-TO			
H-B	-309	0	0.0	0.03 (1)	7.81	8-G	0 70 0.02 (1)
A-B	0	41	-91.8	-91.8 0.14 (5)	10.00	E-D	-185 0 0.08 (1)
B-C	-70	0	-91.8	-91.8 0.07 (1)	8.25	G-E	-13 0 0.00 (1)
C-D	-92	0	-91.8	-91.8 0.08 (1)	6.25	G-D	0 215 0.05 (1)
H-G	0	0	-18.5	-18.5 0.04 (4)	10.00		
F-G	0	12	0.0	0.0 0.02 (1)	10.00		
G-C	-218	0	0.0	0.0 0.02 (1)	7.81		
F-E	0	8	-18.5	-18.5 0.01 (4)	10.00		

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 2 X 33 = 66 LB

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL	= 25.6	PSF
DL	= 6.0	PSF
BOT CH. LL	= 0.0	PSF
DL	= 7.4	PSF
TOTAL LOAD	= 39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 086-14
- TPIC 2011, TPIC 2014

155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEF. (LL) = L/360 (0.19")
CALCULATED VERT. DEF. (LL) = L/999 (0.00")
ALLOWABLE DEF. (TL) = L/360 (0.19")
CALCULATED VERT. DEF. (TL) = L/999 (0.00")

CSI: TC=0.14/1.00 (A-B-5), BC=0.04/1.00 (G-H-4), WB=0.08/1.00 (D-E-1), SS=0.09/1.00 (A-B-5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1887 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.24 (8) (INPUT = 0.90)

JSI METAL= 0.08 (C) (INPUT = 1.00)




Structural component only
DWG# T-2007623

JOB NAME 408223	TRUSS NAME J21	QUANTITY 4	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Famarack Roof Truss, Burlington				TRUSS DESC.	

Famarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTEK Industries, Inc. Tue Apr 28 10:03:53 2020 Page 1
ID:DMCubiNVR6TstFoe31v6I_zna11-hP0qnlWUqmTmXUS8aPZUYh3VGyCuebnDgOW?oA2MEMQ



TOTAL WEIGHT = 4 X 12 = 49 lb

LUMBER
N. L. G. A. RULES
CHORDS SIZE LUMBER
A - C 2x4 DRY No.2
B - D 2x4 DRY No.2
DRY: SEASONED LUMBER.

PLATES (tablets in inches)
JT TYPE PLATES W LEN Y X
B TMB1-1 MT20 3.0 4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQD BRG	
	VERT	HORZ	DOWN	UP	IN-SX	IN-SX	IN-SX	IN-SX
C	175	0	175	0	1-8	1-8	1-8	1-8
B	365	0	365	0	5-8	5-8	5-8	5-8
D	67	0	67	0	1-8	1-8	1-8	1-8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

JT	1ST LCASE	SNOW	MIN. LIVE	PERM. LIVE	WIND	DEAD	SOIL
C	121	94	0	0	0	27	0
B	256	181	0	0	0	75	0
D	50	18	0	0	0	32	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) C, B

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

MEMB.	CHORDS MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (LBS)		WEBS MAX. FACTORED FORCE (LBS)	
	FROM	TO	FROM	TO	FROM	TO
A-B	0	23	-91.8	-91.8	0.12	11
B-F	-17	13	-91.8	-91.8	0.04	4
F-C	-1	2	-91.8	-91.8	0.23	11
B-E	0	0	-18.5	-18.5	0.16	11
E-D	0	0	-18.5	-18.5	0.16	11

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, ORG 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.19")
CALCULATED VERT. DEFL. (LL) = L/999 (0.02")
ALLOWABLE DEFL. (TL) = L/360 (0.19")
CALCULATED VERT. DEFL. (TL) = L/999 (0.05")

CSI: TO=0.23/1.00 (C-F:1), BC=0.16/1.00 (D-E:1), WB=0.00/1.00 (E-F:1), SSI=0.19/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP (DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 616 354 1887 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.28 (B) (INPUT = 0.90)
JSI METAL = 0.07 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007624


JOB NAME 408223	TRUSS NAME J22	QUANTITY 3	PLY 1	JOB DESC. GREEN PARK HOMES	TRUSS DESC.	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	-------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:03:54 2020 Page 1

ID:DMCub\NVR61stFoe31v61 zns1-AbaD eX8b3bd9e1K874j4ubgtMZN21Nv2FYKczMEMp

Scale = 1:27.0



LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF	
A - C	2x4	DRY	No.2	SPF	
F - D	2x4	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
ORY: SEASONED LUMBER.					

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	VERT	HORZ	GROSS REACTION	DOWN	HORZ	BRG	IN-SX	IN-SX	BRG
F	341	0	341	0	0	5-8	5-8		
C	178	0	178	0	0	1-8	1-8		
D	36	0	40	0	0	1-8	1-8		

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS							
	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
F	239	170	0.0	0.0	0.0	69.0	0
C	122	99.0	0.0	0.0	0.0	23.0	0
D	29	0.0	0.0	0.0	0.0	29.0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. LC1 (LC)	MAX. UNBRAC CS1 (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CS1 (LC)
FR-TO		FROM TO		LENGTH	FR-TO		
F-B	-305 0	0.0	0.0	0.03 (1)	7.81	0 0	0.00 (1)
A-B	0 41	-91.8	-91.8	0.14 (5)	10.00		
B-C	0 0	-91.8	-91.8	0.23 (1)	10.00		
F-E	0 0	-18.5	-18.5	0.08 (4)	10.00		
E-D	0 0	-18.5	-18.5	0.08 (4)	10.00		

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.18")
CALCULATED VERT. DEFL.(TL) = L/999 (0.01")

CSI: TC=0.23/1.00 (B-C:1), BC=0.08/1.00 (D-E:4), WB=0.00/1.00 (B-E:1), SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1067 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP = 0.24 (B) (INPUT = 0.90)
JSI METAL = 0.08 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007625

JOB NAME 408224	TRUSS NAME J40	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 6.310 S Oct 29 2019 MTEK Industries, Inc. Tue Apr 28 10:19:52 2020 Page 1
ID:DMCubiNVR6TslFoe31v61 zns11-6uTN2C71 PHn5sGSJGMwHM_XXOqKBNC5JFy4zME7r



TOTAL WEIGHT = 2 X 14 = 28 lb

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
E - B	2x4 DRY	No.2	SPF
A - C	2x4 DRY	No.2	SPF
E - D	2x4 DRY	No.2	SPF

DRY: SEASONED LUMBER.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	VERT	GROSS REACTION	HORZ	GROSS REACTION	HORZ	BRG	IN-SX	BRG	IN-SX
E	456	0	0	456	0	5-8	5-8		
C	168	0	0	168	0	1-8	1-8		
D	38	0	0	42	0	1-8	1-8		

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

JT	1ST CASE	MAX. MIN. COMPONENT REACTIONS	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
E	320	225	0	0.0	0.0	0.0	95	0
C	116	94	0	0.0	0.0	0.0	22	0
D	30	0	0	0.0	0.0	0.0	30	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	MAX. FACTORED FORCE (LBS)	VERT. LOAD	LC1 (PLF)	MAX. CS1 (LC)	UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)
FR-TO						FR-TO	
E-B	-404	0	0.0	0.0	0.08 (4)	7.81	
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00	
B-C	-25	0	-91.8	-91.8	0.37 (1)	6.25	
E-D	0	0	-18.5	-18.5	0.09 (4)	10.00	

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. O.C.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS

OVERHANG NOT TO BE ALTERED OR CUT OFF.

155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.18")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.18")
CALCULATED VERT. DEFL.(TL) = L/999 (0.02")

CS1: TC=0.37 (1.00 (B-C:1), 80=0.09/1.00 (D-E:4), WB=0.00/1.00 (max:0), SS1=0.20/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PSD)	(PLI)	(PLI)	(PLI)
MAX	MIN	MAX	MIN
MT20	618	354	1887
			788
			1987
			1856

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.17 (E) (INPUT = 0.90)
JSI METAL = 0.11 (B) (INPUT = 1.00)




Structural component only
DWG# T-2007657

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	J42	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:19:55 2020 Page 1

ID:DMCubINVR6TstFoe3lv6l zns1l-XT8WgE9vHKIGyK?1xSq3XYumIX 1hxqu3YvZPzME7c

Scale = 1:22.9



TOTAL WEIGHT = 2 X 16 = 31 lb (M/F)

LUMBER			
N. L. G. A. RULES	SIZE	DRY	LUMBER
CHORDS			
E - A	2x4	DRY	No.2
A - B	2x4	DRY	No.2
E - C	2x4	DRY	No.2
ALL WEBS 2x3 DRY No.2			
DRY: SEASONED LUMBER.			

PLATES (table is in inches)			
JT	TYPE	PLATES	W LEN Y X
A	TMVW-1	MT20	4.0 4.0 2.00 1.25
D	BMVW-w	MT20	2.0 4.0
E	BMV1+p	MT20	3.0 4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS			
JT	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT REORD BRG
E	301	301	0 0
B	250	250	0 0
C	50	57	0 0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B, C

UNFACTORED REACTIONS			
JT	1ST LCASE	MAX. MIN. COMPONENT REACTIONS	
E	213	140 0 0 0	0 0 0 0
B	172	140 0 0 0	0 0 0 0
C	40	0 0 0 0	0 0 0 0

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: 14)

CHORDS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF)	MAX. CS1 (LC)
E-A	-250 0	0.0 0.0	0.03 (1)
A-B	0 0	-91.8 -91.8	0.46 (1)
E-D	0 0	-18.5 -18.5	0.13 (4)
D-C	0 0	-18.5 -18.5	0.16 (4)

WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF)	MAX. CS1 (LC)
A-D	0 0	0.0 0.0	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
OL = 6.0 PSF
BOT CH. LL = 0.0 PSF
OL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 240 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.04")

CSI: TC=0.46/1.00 (A-B:1), SC=0.16/1.00 (C-D:4), WB=0.00/1.00 (A-D:1), SSI=0.17/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP (DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP = 0.15 (A) INPUT = 0.90
JSI METAL = 0.04 (A) INPUT = 1.00



Structural component only
DWG# T-2007659

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C40	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:19:12 2020 Page 1
ID:DMCubNVRBtSIfoe31v6f zns1I-PzsbYo?LL16uKVXgD50VpshpV5QUojvXujdzMEB?



TOTAL WEIGHT = 2 X 14 = 28 lb (M)

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
E - B	2x4 DRY	No. 2	SPF		
A - C	2x4 DRY	No. 2	SPF		
E - D	2x4 DRY	No. 2	SPF		

DRY: SEASONED LUMBER.

PLATES (tablets in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQD
GROSS REACTION	GROSS REACTION	DOWN	BRG	BRG
JT	VERT	HORZ	UPLIFT	IN-SX
E	405	0	0	5-8
C	130	0	0	1-8
D	45	0	0	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

JT	1ST LCASE	MAX. MIN. COMPONENT REACTIONS	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
E	288	190	0	0	0	0	98	0
C	90	73	0	0	0	0	17	0
D	38	0	0	0	0	0	38	0

BEARING MATERIAL TO BE SPF NO. 2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNSPRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM TO			FR-TO		
E-B	-342	0	0.0	0.13 (4)			7.81
A-B	0	28	-91.8	-91.8			10.00
B-C	-19	0	-91.8	-91.8			6.25
E-D	0	0	-18.5	-18.5			10.00

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS

- OVERHANG NOT TO BE ALTERED OR CUT OFF.

55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.20")
CALCULATED VERT. DEFL. (LL) = L/999 (0.00")
ALLOWABLE DEFL. (TL) = L/360 (0.20")
CALCULATED VERT. DEFL. (TL) = L/999 (0.03")

CSI: TC=0.22/1.00 (B-C:1), BC=0.13/1.00 (D-E:4), WB=0.00/1.00 (m/a:0), CSI=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP (DRY) SHEAR	SECTION
(PSI)	(PL)
MAX MIN	MAX MIN
MT20	618 354 1687 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.14 (E1) INPUT = 0.90
JSI METAL = 0.09 (B) INPUT = 1.00



Structural component only
DWG# T-2007648

Tamarack Roof Truss, Burlington




Structural component only
DWG# T-2007649

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408224	C42	3	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 5 Oct 20 2019 Mitek Industries, Inc. Tue Apr 28 10:19:45 2020 Page 1

ID:DMCubINVR6TstF0e31v6I zns11-pYYkap1eeGPhnE6LLe7RUC2j9wh9SMbV7NC zME7y



Scale = 1/8" = 1'-0"

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
E - B	2x4	DRY	No.2
A - C	2x4	DRY	No.2
E - D	2x4	DRY	No.2

DRY, SEASONED LUMBER.

PLATES (tablets in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	HORZ	GROSS REACTION	DOWN	HORZ	UPLIFT	BRG	IN-SX
E	381	0	361	0	0	0	5.8	5.8	
C	130	0	130	0	0	1.8	1.8		
D	16	0	17	0	0	1.8	1.8		

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

JT	1ST CASE	MAX. MIN. COMPONENT REACTIONS	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
E	250	190	0	0	0	0	60	0
C	90	73	0	0	0	0	17	0
D	12	0	0	0	0	0	12	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS		FACTORED		WEBS	
MEMB.	MAX. FACTORED FORCE (LBS)	VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)
FR-TO		FROM	TO	FR-TO	
E-B	-342	0	0.0	0.01 (4)	7.81
A-B	0	28	-91.8	-91.8	0.13 (5)
B-C	-19	0	-91.8	-91.8	0.22 (1)
E-D	0	0	-18.5	-18.5	0.02 (4)

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.00")

CSI: TC=0.22:1.00 (B-C:1), BC=0.02:1.00 (D-E:1), WB=0.00:1.00 (W:0), SS=0.15:1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PL) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 818 354 1697 768 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.08 (B) (INPUT = 1.00)




Structural component only
DWG# T-2007650

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C43	3	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:19:38 2020 Page 1
ID:DMCubINVR6TstFos31v6l_zns1l-lk86o92GPaxYNxpIv39yft1OQ6VqQcIvQ9sxiRzME7x

Scale = 1/13.1



TOTAL WEIGHT = 3 X 7 = 21 lb

N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER
E - B	2x4	DRY	No.2	
A - C	2x4	DRY	No.2	
E - D	2x4	DRY	No.2	

DRY: SEASONED LUMBER.

PLATES (table in inches)	JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0			
E	BMV+p	MT20	3.0	4.0			

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT	RECORD
	GROSS REACTION		GROSS REACTION			BRG	BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
E	271	0	271	0	0	5-8	5-8
C	45	0	45	0	23	1-8	1-8
D	8	0	17	0	-2	1-8	1-8

SEE MITEK STANDARD DETAIL B9791H FOR CONNECTION TO JOINT(S) C, D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS. FACTORED UPLIFT
PROVIDE ANCHORAGE AT BEARING JOINT D FOR 150 LBS. FACTORED UPLIFT

UNFACTORED REACTIONS		1ST CASE		MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL		
E	188	141	0	0	0	47	0	0	0
C	31	24	-18	0	0	7	0	0	0
D	7	0	-8	0	0	12	0	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS		MAX. FACTORED		FACTORED		WEBS		MAX. FACTORED	
MEMB.	FORCE	VERT.	LC1	MAX.	MEMB.	FORCE	MAX.	MEMB.	FORCE
FR-TO	(LBS)	(PLF)	CSI (LC)	UNBRAC	FR-TO	(LBS)	CSI (LC)		
E-B	-244	0	0.0	0.0	0.04 (5)	7.81			
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00			
B-C	-17	0	-91.8	-91.8	0.09 (1)	6.25			
E-D	0	0	-18.5	-18.5	0.04 (5)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. O.C.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.
(56 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.19')
CALCULATED VERT. DEFL. (LL) = L/999 (0.00')
ALLOWABLE DEFL. (TL) = L/360 (0.19')
CALCULATED VERT. DEFL. (TL) = L/999 (0.00')

CSI: TO=0.12/1.00 (A-B:1), 6C=0.04/1.00 (D-E:5),
WB=0.00/1.00 (F-G:0), SS=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 (S BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES		PLATE GRIP (DRY) SHEAR		SECTION	
(PSI)	(PLI)	(PSI)	(PLI)	(PSI)	(PLI)
MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1687	788	1987

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.10 (E) (INPUT = 0.90)
JSI METAL = 0.07 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007651

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C44	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	



Scale = 1:17.8

LUMBER			
N.L.G.A. RULES	SIZE	LUMBER	DESCR.
CHORDS	2x4	DRY	SPF
E - B	2x4	DRY	SPF
A - C	2x4	DRY	SPF
E - D	2x4	DRY	SPF

DRY: SEASONED LUMBER.

PLATES (table in inches)	W	LEN	Y	X
JT TYPE	PLATES			
B	TMV+p	MT20	3.0	4.0
E	BMV1+p	MT20	3.0	4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	HORZ	GROSS REACTION	DOWN	HORZ	UPLIFT	BRG	BRG
E	394	0	394	0	0	0	5.8	5.8	5.8
C	130	0	130	0	0	0	1.8	1.8	1.8
D	38	0	42	0	0	0	1.8	1.8	1.8

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS		1ST LCASE		MAX. MIN. COMPONENT REACTIONS		SNOW		LIVE		PERM. LIVE		WIND		DEAD		SOIL	
JT	COMBINED																
E	277	190	0	0	0	0	0	0	0	0	0	0	0	87	0	0	0
C	90	73	0	0	0	0	0	0	0	0	0	0	0	17	0	0	0
D	30	0	0	0	0	0	0	0	0	0	0	0	0	30	0	0	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	MAX. FACTORED	VERT. LOAD	LC1 MAX	MEMB.	MAX. FACTORED	VERT. LOAD	LC1 MAX
FR-TO	FORCE (LBS)	FROM	TO	FR-TO	FORCE (LBS)	FROM	TO
E-B	-342	0	0	0.08 (4)	7.81		
A-B	0	28	-91.8	-91.8	0.12 (1)	10.00	
B-C	-19	0	-91.8	-91.8	0.22 (1)	6.25	
E-D	0	0	-18.5	-18.5	0.09 (4)	10.00	

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOY CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBC 2010, NBC 2012, ABC 2019
- PART 9 OF NBC 2012 (2019 AMENDMENT)
- CSA 088-00, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

155 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.02")

CSI: TC=0.22;1.00 (B-C:1), BC=0.09;1.00 (D-E:4), WB=0.00;1.00 (max:0), SSI=0.15;1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.14 (E) INPUT = 0.90)
JSI METAL = 0.09 (B) INPUT = 1.00)




Structural component only
DWG# T-2007652

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408224	C45	2	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mittek Industries, Inc. Tue Apr 28 10:19:48 2020 Page 1

ID:DMCubINVR6TslFoe31v6l_zns1l-E7DsCr3WxBnFcFyg1UCQI46kwwAMuWCoHTL1pJzME7v



Scale = 1:13.1

TOTAL WEIGHT = 2 X 10 = 21 lb

<u>LUMBER</u>					
N. L. G. A. RULES					
CHORDS		SIZE	LUMBER		DESCR
E - B	2x4	DRY	No.2	SPF	
A - C	2x4	DRY	No.2	SPF	
E - D	2x4	DRY	No.2	SPF	
DRY: SEASONED LUMBER.					

PLATES (table is in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		GROSS REACTION		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	BRG	BRG	IN-SX	IN-SX	BRG	BRG
E	282	0	282	0	0	5-8	5-8	5-8	5-8	5-8	5-8
C	55	0	55	0	0	1-8	1-8	1-8	1-8	1-8	1-8
D	35	0	44	0	0	1-8	1-8	1-8	1-8	1-8	1-8

SEE MITTEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
E	198	137	0	0	0	61	0
C	39	21	0	0	0	18	0
D	29	0	4	0	0	31	0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (7)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	FORCE	VERT. LOAD	LC1	MAX.	MEMB.	FORCE	MAX.
	(LBS)	(PLF)	CSI (LC)	UNBRAC		(LBS)	CSI (LC)
FR-TO		FROM	TO	LENGTH	FR-TO		
E-B	-235	0	0.0	0.07 (4)	7.81		
A-B	0	28	-91.8	-91.8 0.12 (1)	10.00		
B-C	-13	5	-91.8	-91.8 0.07 (5)	8.25		
E-F	0	0	-18.5	-18.5 0.10 (4)	10.00		
F-G	0	0	-18.5	-18.5 0.10 (4)	10.00		
G-D	0	0	-18.5	-18.5 0.10 (4)	10.00		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX.	MAX.	FACE	DIR.	TYPE	HEEL	CONN.
F	1-11-4	7	1	12	BACK	VERT	TOTAL	---	C1
G	3-11-4	1	1	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH	LL	=	25.6	PSF
	DL	=	6.0	PSF
BOT CH	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN./C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS

OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19')
CALCULATED VERT. DEFL.(LL) = L/999 (0.00')
ALLOWABLE DEFL.(TL) = L/360 (0.19')
CALCULATED VERT. DEFL.(TL) = L/999 (0.02')

CSI: TC=0.12(1.00) (A-B:1), BC=0.10(1.00) (D-E:4),
WB=0.00(1.00) (r/a:0), SS=0.09(1.00) (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	(PLI)
MT20	618	354	1667
	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) INPUT = 0.90
JSI METAL= 0.07 (B) INPUT = 1.00




Structural component only
DWG# T-2007653

JOB NAME 408224	TRUSS NAME C46	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 26 10:19:49 2020 Page 1
ID:DMCubINVR6TsiFoe31v6l zns1l-iJnEQB48hUv6EPXtaBjHhUkKvJdzSxW75bLzME7U

Scale = 1:18.2



TOTAL WEIGHT = 7 lb (M/F)

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS	2x4	No 2	SPF
D - A	2x4	DRY	No 2
A - B	2x4	DRY	No 2
D - C	2x4	DRY	No 2

DRY: SEASONED LUMBER.

PLATES (tablets in inches)				
JT	TYPE	PLATES	W	LEN Y X
A	TMV+p	MT20	3.0	4.0
D	BMV+p	MT20	3.0	4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	GROSS REACTION	VERT	HORZ	DOWN	HORZ	BRG	IN-SX	BRG	IN-SX
D	156	0	156	0	0	MECHANICAL			
B	144	0	144	0	0	1-8	1-8		
C	55	0	55	0	0	1-8	1-8		

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) B, C

UNFACTORED REACTIONS

JT	1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
		COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD
D	109	78	0	0	0	0	31
B	99	80	0	0	0	0	19
C	40	23	0	0	0	0	17

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	LC1 MAX. (LBS)	MEMB.	FORCE (LBS)	MAX. (LBS)	CS1, LC1
FR-TO				FROM			
D-A	-181	0	0.0	0.0	0.08 (1)	7.81	
A-B	-8	0	-91.8	-91.8	0.14 (1)	10.00	
D-C	0	0	-18.5	-18.5	0.09 (1)	10.00	

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
OL = 6.0 PSF
BOT CH. LL = 0.0 PSF
OL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. CC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.00")

CSI: TC=0.14/1.00 (A-B:1), BC=0.09/1.00 (C-D:1),
WB=0.00/1.00 (A-B:0), SS=0.13/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 768 1997 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.08 (D) INPUT = 0.99
JSI METAL = 0.05 (A) INPUT = 1.00




Structural component only
DWG# T-2007654

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408224	C47	1	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington		TRUSS DESC.			

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Tue Apr 28 10:19:50 2020 Page 1
ID:DMCubINVR6TslFoe31v6l zns11-AWLddX5mSo12rY638uEuqVB5ks7MQi5knq8uCzME7t



Scale = 1:13.1

TOTAL WEIGHT = 5 lb

LUMBER			
N. L. G. A. RULES	SIZE	DRY	DESCR.
D - A	2x4	DRY	No.2
A - B	2x4	DRY	No.2
D - C	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)				
JT	TYPE	PLATES	W	LEN Y X
A	TMV+p	MT20	3.0	4.0
D	BMV1+p	MT20	3.0	4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

FACTORED		MAXIMUM FACTORED		INPUT		REQD	
GROSS REACTION	DOWN	GROSS REACTION	DOWN	BRG	IN-SX	BRG	IN-SX
JT	VERT	HORZ	HORZ	UPLIFT	IN-SX	IN-SX	IN-SX
D	86	0	86	0	0	MECHANICAL	
B	87	0	87	0	1-8	1-8	
C	19	0	19	0	1-8	1-8	

A SUITABLE HANGER-MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

SEE MITEK STANDARD DETAIL 897791H FOR CONNECTION TO JOINT(S) B, C

UNFACTORED REACTIONS

JT	1ST CASE	MAX. MIN. COMPONENT REACTIONS	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
D	61	39	0	0	0	0	21	0
B	46	37	0	0	0	0	9	0
C	14	2	0	0	0	0	12	0

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	FORCE (LBS)	VERT. LOAD (LC1)	MAX (PLF)	MAX. MEMB. (LC1)	UNBRAC LENGTH	MEMB.	FORCE (LBS)
FR-TO		FROM	TO			FR-TO	
D-A	-74	0	0.0	0.0	0.01 (1)	7.81	
A-B	-2	0	-91.8	-91.8	0.03 (1)	10.00	
D-C	0	0	-18.5	-18.5	0.01 (4)	10.00	

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. OC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

155% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.00")

CSI: TC=0.03, LC1=1.00 (A-B:1), BC=0.01, LC1=1.00 (C-D:4), WB=0.00, LC1=1.00 (A-B:1), SS=0.05, LC1=1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP (DRY)	SHEAR	SECTION
	(PSI)	(PLI)	(PLI)
	MAX	MIN	MAX
MT20	818	354	1887
	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.03 (D) INPUT = 0.90)
JSI METAL = 0.02 (A) INPUT = 1.00)



Structural component only
DWG# T-2007655

LUL/LUS/LJS/HUS/HHUS/HGUS

Standard and Double-Shear Joist Hangers



This product is preferable to similar connectors because of
a) easier installation, b) higher capacities, c) lower installed
cost, or a combination of these features.

Most hangers in this series have double-shear nailing — an innovation that distributes the load through two points on each joist nail for greater strength. This allows for fewer nails, faster installation, and the use of all common nails for the same connection. (Do not bend or remove tabs)

Double-shear hangers range from the light capacity LUS hangers to the highest capacity HGUS hangers. For medium load truss applications, the HUS offers a lower cost alternative and easier installation than the HGUS hangers, while providing greater load capacity and bearing than the LUS.

Material: See table on pp. 258–259.


Finish: Galvanized. Some products available in stainless steel or ZMAX® coating; see Corrosion Information, pp. 20–24.

Installation:


- Use all specified fasteners; see General Notes.
- Nails must be driven at an angle through the joist or truss into the header to achieve the tabulated resistances (except LUL).
- Where 16d commons are specified, 10d commons may be used at 0.83 of the tabulated factored resistance.
- Not designed for welded or nailer applications.
- With single ply 2x carrying members, use 10d x 1 1/4" nails into the header and 10d commons into the joist, and reduce the resistance to 0.64 of the table value where 16d nails are specified and 0.77 where 10d nails are specified.

Options:


- LUS, LJS, LUL and HUS hangers cannot be modified.
- Other sizes available; consult your Simpson Strong-Tie representative.
- See Hanger Options Information on p. 126.




✓ LUS28




LU26L



✓ HUS210
(HUS26, HUS28,
and HHUS similar)



✓ HGUS28-2




✓ HHUS210-2



Double-Shear
Nailing
Top View





Double-Shear
Nailing
Side View;
Do not
bend tab



Double-Shear
Nailing Side View
(available on
some models)
U.S. Patent 5,603,580

Typical HUS26
Installation
with Reduced
Heel Height
(Truss Designer
to provide
fastener quantity
for connecting
multiple members
together)



LJS26DS

LUL/LUS/LJS/HUS/HHUS/HGUS**HHUS/HGUS**

See Hanger Options Information on pp. 125–127.


HHUS — Sloped and/or Skewed Seat

- HHUS hangers can be skewed to a maximum of 45° and/or sloped to a maximum of 45°
- For skew only, maximum factored down resistance is 0.85 of the table value
- For sloped only or sloped and skewed hangers, the maximum factored down resistance is 0.72 of the table value
- Uplift resistances for sloped/skewed conditions are 0.62 of the table value
- The joist must be bevel-cut to allow for double-shear nailing

HGUS — Skewed Seat

- HGUS hangers can be skewed only to a maximum of 45°. Factored resistances are:

HGUS Seat Width	Joist	Down Resistance	Uplift
$W < 2"$	Bevel or square cut	0.62 of table value	0.46 of table value
$2" < W < 6"$	Bevel cut	0.67 of table value	0.41 of table value
$2" < W < 6"$	Square cut	0.46 of table value	0.41 of table value
$W > 6"$	Bevel cut	0.75 of table value	0.41 of table value



**Top View HHUS Hanger
Skewed Right**
(Joist must be bevel cut)
All joist nails installed on the
outside angle (non-acute side).

Standard and Double-Shear Joist Hangers (cont.)

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance			
		W	H	B	d _g ³	Header	Joist	D-Fir-L		S-P-F	
								Uplift	Normal	Uplift	Normal
								(K _D = 1.15) lb.	(K _D = 1.00) lb.	(K _D = 1.15) lb.	(K _D = 1.00) lb.
Single 2x Sizes											
LUS24	18	1 1/8	3 1/4	1 3/4	2 1/4	(4) 10d	(2) 10d	710 316	1625 723	845 287	1165 514
LU24L	22	1 1/8	3	1 1/2	2 1/8	(4) 10d	(2) 10d x 1 1/2"	360 160	1020 454	320 142	725 322
LU26L	22	1 1/8	5	1 1/2	4 1/8	(6) 10d	(4) 10d x 1 1/2"	720 320	1605 714	645 287	1140 507
LUS26	18	1 1/8	4 1/4	1 3/4	3 3/4	(4) 10d	(4) 10d	1420 632	2170 985	1290 574	1830 725
HUS26	18	1 1/8	5 1/4	3	3 1/8	(14) 16d	(6) 16d	2705 1130	4940 2197	2065 920	3875 1724
LJS26DS	18	1 1/8	5	3 1/2	4 1/8	(16) 16d	(6) 16d	2055 914	4265 1897	1460 649	4115 1831
HGUS26	12	1 1/8	5 1/4	5	4 1/8	(20) 16d	(8) 16d	2885 1196	6625 2851	2685 1196	5700 2535
LU28L	20	1 1/8	6 1/4	1 1/2	5 1/8	(8) 10d	(6) 10d x 1 1/2"	1140 507	2185 972	1020 454	1550 889
LUS28	18	1 1/8	6 1/4	1 3/4	3 3/4	(6) 10d	(4) 10d	1420 632	2520 1121	1290 574	1790 796
HUS28	16	1 1/8	7 1/4	3	6 1/8	(22) 16d	(8) 16d	3605 1604	5385 2388	2675 1190	4345 1933
HGUS28	12	1 1/8	7 1/4	5	6 1/8	(36) 16d	(12) 16d	3310 1474	7675 3419	3310 1474	6900 3073
LU210L	20	1 1/8	8	1 1/2	7 1/8	(10) 10d	(8) 10d x 1 1/2"	1140 507	2495 1110	1020 454	1770 787
LUS210	18	1 1/8	7 1/4	1 3/4	3 3/4	(8) 10d	(4) 10d	1420 632	2785 1239	1290 574	2210 983

1. Factored uplift resistances have been increased 16% for wind or earthquake loading; no further increase is allowed.
2. Designer must ensure that hanger is compatible with truss when reduced heel height is used.
3. d_g is the distance from the bearing seat to the top joist nail.
4. Resistances shown require a minimum 2-ply girder truss. For fastening to single-ply truss request technical bulletin T-C-N10TRSSCN and/or see installation notes.
5. Nails: 16d = 0.162" dia. x 3 1/2" long. See pp. 27–28 for other nail sizes and information.

SIMPSON
Strong-Tie

Face-Mount Hangers

SIMPSON
Strong-Tie

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32-34 for more information.

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance			
		W	H	B	d _a ³	Header	Joist	D.Fir-L		S-P-F	
								Uplift	Normal	Uplift	Normal
								(K _D = 1.15)	(K _D = 1.00)	(K _D = 1.15)	(K _D = 1.00)
								lb.	lb.	lb.	lb.
								kN	kN	kN	kN
Double 2x Sizes											
LUS24-2	18	3 1/8	3 1/8	2	1 1/2	(4) 16d	(2) 16d	835	2020	590	1435
SS LUS26-2	18	3 1/8	4 1/8	2	4	(4) 16d	(4) 16d	3.71	8.98	2.62	6.38
								1720	2595	1545	1920
								7.65	11.54	6.87	8.64
HHUS26-2	14	3 1/8	5 1/8	3	3 1/8	(14) 16d	(6) 16d	2050	7335	2065	5205
								12.68	32.63	9.20	23.15
HGUS26-2	12	3 1/8	5 1/8	4	4 1/8	(20) 16d	(8) 16d	4385	8950	3110	6355
								19.51	39.81	13.83	28.27
SS LUS28-2	18	3 1/8	7	2	4	(6) 16d	(4) 16d	1720	3325	1545	2575
								7.65	14.79	6.87	11.45
HHUS28-2	14	3 1/8	7 1/8	3	6 1/8	(22) 16d	(8) 16d	3765	8940	2675	6345
								16.75	39.77	11.90	28.22
HGUS28-2	12	3 1/8	7 1/8	4	8 1/8	(36) 16d	(12) 16d	6070	12980	4310	9215
								27.00	57.74	19.17	40.99
SS LUS210-2	18	3 1/8	9	2	6	(8) 16d	(6) 16d	2580	4500	2320	3195
								11.48	20.02	10.32	14.21
HHUS210-2	14	3 1/8	9 1/8	3	8	(30) 16d	(10) 16d	4670	9560	4235	7000
								20.77	42.97	18.84	31.14
HGUS210-2	12	3 1/8	9 1/8	4	8 1/8	(48) 16d	(16) 16d	6840	14015	4855	10270
								30.43	62.34	21.60	45.69
Triple 2x Sizes											
HGUS26-3	12	4 1/8	5 1/8	4	4 1/8	(20) 16d	(8) 16d	4385	8950	3110	6355
								19.51	39.81	13.83	28.27
HGUS28-3	12	4 1/8	7 1/8	4	6 1/8	(36) 16d	(12) 16d	6070	12980	4310	9215
								27.00	57.74	19.17	40.99
HHUS210-3	14	4 1/8	9	3	7 1/8	(30) 16d	(10) 16d	4670	9560	4235	6865
								20.77	42.97	18.84	30.64
HGUS210-3	12	4 1/8	9 1/8	4	8 1/8	(48) 16d	(16) 16d	6840	14645	4855	10400
								30.43	65.14	21.60	46.28
Quadruple 2x Sizes											
HGUS26-4	12	6 1/8	5 1/8	4	4 1/8	(20) 16d	(8) 16d	4385	8950	3110	6355
								19.51	39.81	13.83	28.27
HGUS28-4	12	6 1/8	7 1/8	4	6 1/8	(36) 16d	(12) 16d	6070	12980	4310	9215
								27.00	57.74	19.17	40.99
HHUS210-4	14	6 1/8	8 1/8	3	7 1/8	(30) 16d	(10) 16d	4670	10155	4235	7210
								20.77	45.17	18.84	32.07
HGUS210-4	12	6 1/8	9 1/8	4	8 1/8	(48) 16d	(16) 16d	6840	14045	4855	10400
								30.43	65.14	21.60	46.26
HGUS212-4	12	8 1/8	10 1/8	4	10 1/8	(56) 16d	(20) 16d	7640	14895	5425	10645
								33.98	66.70	24.13	47.35
HGUS214-4	12	6 1/8	12 1/8	4	11 1/8	(66) 16d	(22) 16d	10130	16400	7195	11645
								45.06	72.95	32.00	51.80
4x Sizes											
LUS46	18	3 1/8	4 1/8	2	3 1/8	(4) 16d	(4) 16d	1720	2595	1545	1920
								7.65	11.54	6.87	8.64
HHUS46	14	3 1/8	5 1/8	3	3 1/8	(14) 16d	(6) 16d	2540	7335	2065	5205
								11.30	32.63	9.20	23.15
HGUS46	12	3 1/8	5 1/8	4	4 1/8	(20) 16d	(8) 16d	4385	8950	3110	6355
								19.51	39.81	13.83	28.27
LUS48	18	3 1/8	6 1/8	2	3 1/8	(6) 16d	(4) 16d	1720	3325	1545	2575
								7.65	14.79	6.87	11.45
HHUS48	14	3 1/8	7 1/8	3	6 1/8	(22) 16d	(8) 16d	3765	8940	2675	6345
								16.75	39.77	11.90	28.22
HGUS48	12	3 1/8	7 1/8	4	6 1/8	(36) 16d	(12) 16d	6070	12980	4310	9215
								27.00	57.74	19.17	40.99
LUS410	18	3 1/8	8 1/8	2	5 1/8	(8) 16d	(6) 16d	2580	4500	2320	3195
								11.48	20.02	10.32	14.21
HGUS410	12	3 1/8	9	4	8 1/8	(48) 16d	(16) 16d	6840	14015	4855	10270
								30.43	62.34	21.60	45.69
HGUS412	12	3 1/8	10 1/8	4	10 1/8	(56) 16d	(20) 16d	7640	14895	5425	10645
								33.98	66.70	24.13	47.35
HGUS414	12	3 1/8	12 1/8	4	11 1/8	(66) 16d	(22) 16d	10130	16400	7195	11645
								45.06	72.95	32.00	51.80



Plated Truss Connectors

See footnotes
on p. 268.

TC - Truss Connectors

SIMPSON
Strong-Tie

The TC truss connector is an ideal connector for scissor trusses and can allow horizontal movement up to 1 1/4". The TC also attaches plated trusses to top plates or sill plates to resist uplift forces. Typically used on one or both ends of truss as determined by the building designer.

Material: 16 gauge

Finish: G90 galvanized


Design: Factored resistances are in accordance with CSA 086-14

Installation:


- Use all specified fasteners.
- Nails: 10d = 0.148" dia. x 3" long common wire, 10d x 1 1/2" = 0.148" dia. x 1 1/2" long.
- Drive 10d nails into the truss at the inside end of the slotted holes (inside end is towards the centre of the truss) and clinch on the back side. Do not seat these nails into the truss—allow room under the nail head for movement of the truss with respect to the wall.

Optional TC Installation:


- Bend one flange up 90°. Drive specified nails into the top and face of the top plates or install Titen® screws into the top and face of masonry wall. See optional load tables and installation details.




TC24
U.S. Patent 4,932,173




Typical TC24 Installation



TC26
(TC28 Similar)



Optional TC26 Installation for Grouted Concrete Block using a Wood Nailer
(8", 10", 12" Wall Installation Similar)



Optional TC26 Installation for Grouted Concrete Block using Titen Screws

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K _C =1.75)	Uplift (K _C =1.75)
TC24	(4) 10d	(4) 10d	805	430
TC26	(5) 10d	(6) 10d	1015	720
TC28	(5) 10d	(6) 10d	1015	720

Optional TC Installation Table

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K _C =1.15)	Uplift (K _C =1.15)
TC26	(5) 10d	(8) 10d x 1 1/2"	810	680
	(5) 10d	(8) 10d	930	680

1. Factored resistances have been increased 15% for earthquake or wind loading; no further increase allowed; reduce where other loads govern.
2. Grout strength is 15 MPa minimum.
3. Optional TC26 installation with 10d nails requires minimum 3" top plate thickness.
4. TC26 fastened to grouted concrete block with (8) - 9/16" x 2 1/4" Titen screws has a factored uplift resistance of 276 lb.



DESIGN

© 2011 Simpson Strong-Tie Company

(800) 999-5099
strongtie.com

H/TSP**SIMPSON**
Strong-Tie**Seismic and Hurricane Ties (cont.)**

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Fasteners			Factored Resistance ($K_D = 1.15$)					
					D.Fir-L			S-P-F		
		To Rafters/Truss	To Plates	To Studs	Uplift	Lateral		Uplift	Lateral	
						F ₁	F ₂		F ₁	F ₂
					lb.	lb.	lb.	lb.	lb.	lb.
					kN	kN	kN	kN	kN	kN
H1	18	(5) 8d x 1½"	(4) 8d	—	740	885	300	680	485	216
					3.29	3.05	1.33	3.02	2.16	0.96
SS H2A	18	(5) 8d x 1½"	(2) 8d x 1½"	(5) 8d x 1½"	830	220	75	590	185	65
					3.69	0.98	0.33	2.62	0.89	0.24
SS H2.5A	18	(5) 8d	(5) 8d	—	605	160	160	755	160	160
					3.58	0.71	0.71	3.36	0.71	0.71
H2.5T	18	(5) 8d	(5) 8d	—	835	175	210	740	160	210
					3.71	0.78	0.93	3.29	0.71	0.93
SS H3	18	(4) 8d	(4) 8d	—	740	180	265	615	125	190
					3.29	0.80	1.18	2.74	0.56	0.85
H6	16	—	(8) 8d	(8) 8d	1585	1085	—	1125	770	—
					7.05	4.83	—	5.00	3.43	—
H7Z	16	(4) 8d	(2) 8d	(8) 8d	1390	670	—	990	475	—
					6.18	2.98	—	4.40	2.11	—
SS H8 ³	18	(5) 10d x 1½"	(5) 10d x 1½"	—	1120	—	—	1025	—	—
					4.98	—	—	4.56	—	—
SS H10A ⁴	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1735	795	410	1505	565	290
					7.72	3.54	1.82	6.69	2.51	1.29
H10AR	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1485	690	430	1220	570	305
					6.61	3.07	1.91	5.43	2.54	1.36
H10A-2	18	(9) 10d x 1½"	(9) 10d x 1½"	—	1835	1275	430	1845	880	305
					8.16	5.67	1.91	7.32	3.91	1.36
H10S ^{7,8}	18	(8) 8d x 1½"	(8) 8d x 1½"	(8) 8d	1465	795	315	1040	565	225
					6.52	3.54	1.40	4.63	2.51	1.00
H11Z	18	(6) 16d x 2½"	(6) 16d x 2½"	—	1095	920	545	780	655	390
					4.87	4.09	2.42	3.47	2.91	1.73
H14	18	[1] (12) 8d x 1½"	(13) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
		[2] (12) 8d x 1½"	(15) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
TSP	18	(9) 10d x 1½"	(6) 10d x 1½"	—	1295	440	—	920	310	—
					5.76	1.96	—	4.09	1.38	—
		(9) 10d x 1½"	(6) 10d	—	1560	440	—	1105	310	—
					6.94	1.88	—	4.92	1.38	—

1. Factored resistances have been increased 15% for short term loading; no further increase is allowed.
2. Factored resistances are for one anchor. A minimum rafter thickness of 2½" must be used when framing anchors are installed on the same side of the plate (exception: H2.5A).
3. H8 factored uplift resistances for stud-to-bottom plate installations are 595 lb. (2.65 kN) for D.Fir-L and 390 lb. (1.74 kN) for S-P-F.
4. When cross-grain bending or cross-grain tension cannot be avoided, mechanical reinforcement to resist such forces should be considered.
5. Hurricane ties are shown installed on the outside of the wall for clarity. Installation on the inside of the wall is acceptable. For a continuous load path, connections at the top and bottom of the wall must be on the same side of the wall (see technical bulletin T-H-TIECONPATH).
6. Factored resistances in the F₁ direction are not intended to replace diaphragm boundary members or prevent cross grain bending of the truss or rafter members. Additional shear transfer elements shall be considered where there may be effects of cross grain bending or tension.

7. H10S can have the stud offset a maximum of 1" from the rafter (centre to centre) for a reduced uplift of 1435 lb. (6.38 kN) D.Fir-L and 1015 lb. (4.51 kN) S-P-F.
8. H10S nails to plates are optional for uplift but required for lateral loads.
9. H10A may be field-bent up to a slope of 6/12. Multiply the tabulated uplift value x 0.75. Full tabulated lateral resistances apply.
10. The factored resistances of stainless-steel connectors match carbon-steel connectors when installed with Simpson Strong-Tie® stainless-steel, SCNR ring-shank nails. For more information, refer to engineering letter L-F-SSNAILS at strongtie.com.
11. D.Fir-L/S-P-F factored uplift resistances for the H2.5A fastened to a 2x4 truss bottom chord and double top plates using (5) 8d x 1½" nails into the top plates and (3) 8d x 1½" nails into the lowest three flange holes into the truss bottom chord is 485 lb. (2.20 kN).
12. Nails: 16d x 2½" = 0.182" dia. x 2½" long, 10d = 0.148" dia. x 3" long, 10d x 1½" = 0.148" dia. x 1½" long, 8d = 0.131" dia. x 2½" long, 8d x 1½" = 0.131" dia. x 1½" long. See pp. 27–28 for other nail sizes and information.



BEARING ANCHORAGE BY TOE-NAILS FOR LATERAL CAPACITY

B97791H1

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL LATERAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	132	147
	3.25	0.144	132	147
	3.50	0.160	159	177
COMMON SPIRAL	3.00	0.122	97	108
	3.25	0.122	97	108
	3.50	0.152	145	162

NOTES:

1. Rafter and ceiling members may be anchored to top and bottom chords of girder truss by toe-nailing rafter and ceiling members to girder chords provided the reaction does not exceed the lateral capacities in the table. Hangers (specified by others) are required for reactions higher than the maximum toe-nail capacity. Reactions are based on factored loads.
2. Toe nail capacities shown in the table are for one toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.4.1.
3. For 9-3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in tables below.
5. Nail values in table are based on the following relative lumber densities: $G = 0.42$ (SPF), $G = 0.49$ (D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See next page for nailing on bearing plate).
7. For loads due to wind the nail lateral capacity in this table may be multiplied by 1.15 (K_D factor).
8. Lumber must be dry ($< 19\%$ moisture content) at the time of nail installation.
9. Nail values in this table comply with CSA O86-14, section 12.9.4
10. This design is not valid after March 31, 2021.




TOE-NAIL INSTALLATION

Nail type	Common wire	Common spiral	Common wire	Common spiral
Nail dia. (In)	0.160	0.152	0.144	0.122
	(3.5" nail)		(3" and 3.25" nail)	
LUMBER SIZE	MAXIMUM NUMBER OF TOE-NAILS			
2X4 SPF	2	2	3	3
2X4 D. Fir	2	2	2	2
2X6 SPF	4	4	4	5
2X6 D. Fir	3	3	3	4

MiTek® MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019



BEARING ANCHORAGE BY TOE-NAILS FOR WIND LOADING

B97791H2



NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL WITHDRAWAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	30	42
	3.25	0.144	32	45
	3.50	0.160	38	52
COMMON SPIRAL	3.00	0.122	26	36
	3.25	0.122	28	40
	3.50	0.152	36	50

Note: If using truss with D. Fir lumber and S-P-F bearing plate, use values in table for S-P-F.



NOTES:

1. Truss chord, rafter, or ceiling members may be anchored to bearing plate by toe-nails, provided that the actual factored uplift force due to **wind** or **earthquake** load does not exceed the withdrawal capacities in the table. Hangers (specified by others) are required for uplift forces that are higher than the maximum toe-nail withdrawal capacity.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.5.2.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in table above.
5. Nail values in table are based on the following relative lumber densities: $G = 0.42$ (SPF), $G = 0.49$ (D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See drawing on detail B97679H1).
7. Lumber must be dry (< 19% moisture content) at the time of nail installation.
8. Nail values in this table comply with CSA O86-14, section 12.9.5
9. This design is not valid after March 31, 2021.

Toe-nailing on 2x6 Bearing Plate




Toe-nailing on 2x4 Bearing Plate



MiTek®


MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7




December 2, 2019

Symbols

PLATE LOCATION AND ORIENTATION



Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths or mm. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0-1/8" from outside edge of truss.



This symbol indicates the required direction of slots in connector plates.

*Plate location details available in MiTek software or upon request.

PLATE SIZE

4 x 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING LOCATION



Indicated by symbol shown and/or by text in the bracing section of the output. Use T, I or Eliminator bracing if indicated.

BEARING




Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur.


Industry Standards:

TPIC: Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses
DSB-89: Design Standard for Bracing
BCSI: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

Numbering System



dimensions shown in ft-in-sixteenths or mm (Drawings not to scale)



JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.

CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.

PRODUCT CODE APPROVALS

CCMC Reports:

11996-L, 10319-L, 13270-L, 12691-R

© 2007 MiTek® All Rights Reserved

MiTek
POWER TO PERFORM.™

MiTek Engineering Reference Sheet: MIT-7473C rev. 10-08

General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury


1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T, I, or Eliminator bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by TPIC.
7. Design assumes trusses will be suitably protected from the environment in accord with TPIC.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with TPIC Quality Criteria.

Overview:

Where piggybacks are connected overtop of base trusses, 2x4 purlins must be first added to the flat portion of the base truss at a spacing no more than 24" o/c. These purlins not only provide support for the piggyback trusses above, but are required to laterally support the top chord of the base truss which will not have the sheathing directly connected to the flat portion of the base truss. This ensures the top chord, most often in compression, will not buckle laterally.

Further, the purlins in the plane of the flat portion require diagonal bracing to prevent lateral displacement of the purlins themselves where under certain conditions, the trusses may in fact all buckle in the same direction if this additional bracing is not added in the plane of the purlins.

Detail:




NOTE: THE SLOPED PORTION OF THE TOP CHORD OF THE BASE TRUSS AND PIGGYBACK TRUSS IN THIS SKETCH IS ASSUMED TO BE SHEATHED IN ACCORDANCE WITH THE OBC.

SKETCH FROM BCSI-CANADA 2013

Disclaimer:

OWTFA Tech Notes are intended to provide guidance to the design community both within the membership as well as to third party designers who might benefit from the information. The details have been developed by the OWTFA technical committee and although there may be professional engineers involved in development, the information contained in the tech-note are not intended to be used without having a professional engineer review the information for a specific application. The OWTFA takes no responsibility with respect to the information provided but has developed this tech-note to offer guidance where it is not currently readily available.



Alves Engineering Services Inc.

5208 Easton road
Burlington, Ontario L7L 6N6
(289) 259 5455

RESPONSABILITIES

- 1-Alves Engineering Services Inc. is responsible for the design of trusses as individual components
- 2-It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities having jurisdiction.
- 3- All dimensions are to be verified by owner, contractor, architect or other authority before manufacture.
- 4- Alves Engineering Services Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Alves Engineering Services Inc. drawings is specified for the truss as a single component and forms an integral part of the truss design, but is not meant to represent the only required bracing for that truss when trusses are installed in a series of trusses forming a roof truss system.
- 5- It is the manufacturer's responsibility to ensure that the trusses are manufactured in conformance with Alves Engineering Services Inc. specifications outlined below.

SPECIFICATIONS

- 1-Truss components sealed by Alves Engineering Services Inc. conform to the relevant sections of the current Building Code of Ontario and Canada (part 4 or part 9) or the current Canadian code for Farm Buildings in accordance with the application specified on the sealed truss component drawing. All truss component design procedures must conform to the current design standard issued by the truss plate institute of Canada (TPIC). All lumber and nailing stresses to conform to the current CSA wood design standard identified on the current Building Code and TPIC.
- 2- Lumber is to be the sizes and grade specified on the truss drawing.
- 3- Moist content of lumber is not to exceed 19% in service unless otherwise specified.
- 4- Plates shall be applied to both faces of the each truss joint and shall be positioned as shown on the truss drawings
- 5- Lumber used on manufacture of trusses is not to be treated with chemicals unless otherwise specified on the truss drawings.
- 6- The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals specified on the truss drawing but not exceeding 24" c/c for (part 9) and not exceeding 48" for (part 4 or farm design)
- 7- When rigid ceiling is not attached directly to the bottom chord, lateral bracing is required and it should not exceed more than 3m or 10' intervals.
- 8-Refer to Mitek sheet MII7473C REV.10-08 attached for information on symbols, numbering system and General Safety notes.

T-1900213

Feb 09, 2018