


DELIVERY SHIPLIST



Lumber Yard: TAMARACK LUMBER
 Builder: GREEN PARK HOMES
 Project: RUSSELL GARDENS PH.3
 Location: WATERDOWN
 Model: MOUNTAINASH 5
 Lot #: 181
 Elevation: 1- STD OR OPT.5 BR

Job Track: 51225
 PlanLog: 202406
 Layout ID: 408168
 Ref #
 Page: 1 of 2
 Date: 04-27-2020
 Designer:
 Sales Rep: Mario DiCano

Roof Trusses

PROFILE	QTY PLY	MARK TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT RIGHT	HEEL HEIGHT LEFT RIGHT	LBS. 8FT.	BUNDLE # STACK #	LOAD BY REMARKS
	1 2-ply	T1 Hip Girder	10/12	35-02-00	4-01-11	2 x 6	1-03-08 1-03-08	1-07-11 1-07-11	365.29 218.00		
	1 2-ply	T1Z Hip Girder	10/12	35-02-00	4-01-11	2 x 6	1-03-08 1-03-08	1-07-11 1-07-11	365.29 218.00		
	2	T2 Hip	10/12	35-02-00	5-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	293.44 185.87		
	2	T3 Hip	10/12	35-02-00	6-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	296.43 188.67		
	2	T4 Hip	10/12	35-02-00	7-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	323.09 204.33		
	2	T5 Hip	10/12	35-02-00	8-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	326.19 204.87		
	2	T6 Hip	10/12	35-02-00	9-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	363.03 228.87		
	5	T7 Hip	10/12	35-02-00	10-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	866.6 540.00		
	2	T8 Hip	10/12	35-02-00	11-01-04	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	380.36 236.87		
	6	T9 Common	10/12	16-03-00	8-04-15	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	480.92 308.00		
	1	G9 GABLE	10/12	16-03-00	8-04-15	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	81.49 53.33		
	1	T10 Common	10/12	8-02-00	5-00-08	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	38.47 25.83		
	1	G10 GABLE	10/12	8-02-00	5-00-08	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	40.07 27.83		
	3	T11 Common	10/12	13-05-00	7-02-12	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	191.27 120.50		

 TAMARACK ROOF TRUSSES INC. ALPA LUMBER GROUP	DELIVERY SHIPLIST				
	Lumber Yard:	TAMARACK LUMBER	Job Track:	51225	
	Builder:	GREEN PARK HOMES	PlanLog:	202406	
	Project:	RUSSELL GARDENS PH.3	Layout ID:	408168	
	Location:	WATERDOWN	Ref #		
	Model:	MOUNTAINASH 5	Page:	2 of 2	
Lot #:	181	Date:	04-27-2020	Designer:	
Elevation:	1- STD OR OPT.5 BR	Sales Rep:	Mario DiCano		

Roof Trusses

PROFILE	QTY PLY	MARK TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT RIGHT	HEEL HEIGHT LEFT RIGHT	LBS. BFT.	BUNDLE # STACK #	LOAD BY REMARKS
	1	G11 GABLE	10 /12	13-05-00	7-02-12	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	65.46 42.17		
	1	T12 Hip Girder	10 /12	8-02-00	2-02-08	2 x 4	1-03-08 1-03-08	1-00-07 1-00-07	34.43 25.33		
	1	T13 Half Hip Girder	10 /12	7-07-00	2-02-08	2 x 4	1-03-08	1-00-07 1-09-07	31.77 22.50		
	3	PB1 Piggyback	10 /12	14-10-03	2-00-00	2 x 4			135.57 90.00		
	19	J1 Jack-Open	6 /12	5-10-08	4-01-04	2 x 4	1-03-08	1-02-00 4-01-04	319.1 202.67		
	8	J2 Jack-Open	4 /12	4-04-08	2-02-06	2 x 4	1-03-08	3-15 1-09-07	95.29 64.00		

TOTAL # TRUSS= 66 TOTAL BFT OF ALL TRUSSES= 3206.84 BFT. TOTAL WEIGHT OF ALL TRSSES 5093.55 LBS


HARDWARE

QTY	TYPE	MODEL	LENGTH
1	Hardware	HGUS28-2	
5	Hardware	LJS28DS	
1	Hardware	LUS28-2	

TOTAL NUMBER OF
ITEMS= 7

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T1	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MTEK Industries, Inc. Sat Apr 25 12:34:48 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns11-Mcnlq2FKlqQuZwGH_lYq9JSj_3jk34wGOWeSzNBRL



TOTAL WEIGHT = 2 X 183 = 366 LB

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF		
D - F	2x6	DRY	No.2	SPF		
G - H	2x6	DRY	No.2	SPF		
I - J	2x6	DRY	No.2	SPF		
K - L	2x6	DRY	No.2	SPF		
M - P	2x6	DRY	2100F 1.8E	SPF		
Q - N	2x6	DRY	2100F 1.8E	SPF		
O - K	2x6	DRY	2100F 1.8E	SPF		
ALL WEBS	2x3	DRY	No.2	SPF		
EXCEPT						

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS	(0.122"x3")	SPIRAL NAILS	
A - C	2	12	SIDE(122.0)
D - F	2	12	SIDE(81.0)
G - H	2	12	SIDE(81.0)
I - J	2	12	SIDE(122.0)
K - L	2	12	TOP
BOTTOM CHORDS	(0.122"x3")	SPIRAL NAILS	
S - P	2	12	SIDE(0.0)
Q - N	2	12	SIDE(0.0)
O - K	2	12	SIDE(197.8)
WEBS	(0.122"x3")	SPIRAL NAILS	
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQ'D
JT	GROSS REACTION	GROSS REACTION	BRG	BRG
S	3330 0	3330 0	0 0	5-8
K	3378 0	3378 0	0 0	5-8
UNFACTORED REACTIONS	1ST LCASE	MAX/MIN. COMPONENT REACTIONS		
JT	COMBINED	SNOW	LIVE	PERM.LIVE
S	2354	1553 / 0	0 / 0	0 / 0
K	2388	1572 / 0	0 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.98 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING	TOTAL LOAD CASES: (4)								
CHORDS	MAX. FACTORED	FACTORED	WEBS	MAX. FACTORED					
MEMB.	FORCE (LBS)	VERT. LOAD	CS1 (LO)	UNBRAC	MEMB.	FORCE (LBS)	MAX	CS1 (LO)	
FR-TO		FROM	TO	LENGTH	FR-TO				
A-B	0 / 42	-91.8	-91.8	0.04 (1)	10.00	R-C	-650 / 0	0.08 (1)	
B-C	-3367 / 0	-91.8	-91.8	0.05 (1)	8.02	C-Q	0 / 4509	0.56 (1)	
C-T	-6802 / 0	-91.8	-91.8	0.38 (1)	4.31	Q-D	-1799 / 0	0.22 (1)	
T-U	-6802 / 0	-91.8	-91.8	0.38 (1)	4.31	D-O	0 / 1370	0.17 (1)	
U-V	-6802 / 0	-91.8	-91.8	0.38 (1)	4.31	O-E	-987 / 0	0.12 (1)	
V-W	-6802 / 0	-91.8	-91.8	0.38 (1)	4.31	E-G	0 / 1382	0.17 (1)	
W-D	-6802 / 0	-91.8	-91.8	0.38 (1)	4.31	G-H	-1787 / 0	0.21 (1)	
D-X	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98	H-I	0 / 4481	0.55 (1)	
X-Y	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98	I-L	-661 / 0	0.08 (1)	
Y-Z	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98	L-R	0 / 2736	0.34 (1)	
Z-E	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98				
E-AA	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98				
AA-F	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98				
F-AB	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98				
AB-AC	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98				
AC-AD	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98				
AD-G	-7828 / 0	-91.8	-91.8	0.42 (1)	3.98				
G-AE	-6608 / 0	-91.8	-91.8	0.38 (1)	4.31				
AE-AF	-6608 / 0	-91.8	-91.8	0.38 (1)	4.31				
AF-AG	-6608 / 0	-91.8	-91.8	0.38 (1)	4.31				
AG-H	-6608 / 0	-91.8	-91.8	0.38 (1)	4.31				
H-I	-3410 / 0	-91.8	-91.8	0.05 (1)	6.00				
I-J	0 / 42	-91.8	-91.8	0.04 (1)	10.00				
S-B	-3375 / 0	0.0	0.0	0.12 (1)	7.58				
K-I	-3414 / 0	0.0	0.0	0.12 (1)	7.55				

S-AH	0 / 0	-18.5	-18.5	0.05 (4)	10.00
AH-R	0 / 0	-18.5	-18.5	0.05 (4)	10.00
R-AI	0 / 2553	-18.5	-18.5	0.12 (1)	10.00
AI-AJ	0 / 2553	-18.5	-18.5	0.12 (1)	10.00
AJ-AK	0 / 2553	-18.5	-18.5	0.12 (1)	10.00
AK-AL	0 / 2553	-18.5	-18.5	0.12 (1)	10.00
AL-Q	0 / 2553	-18.5	-18.5	0.12 (1)	10.00
Q-P	0 / 6802	-18.5	-18.5	0.22 (1)	10.00
P-AM	0 / 6802	-18.5	-18.5	0.22 (1)	10.00
AM-AN	0 / 6802	-18.5	-18.5	0.22 (1)	10.00
AN-O	0 / 6802	-18.5	-18.5	0.22 (1)	10.00
O-AO	0 / 6809	-18.5	-18.5	0.22 (1)	10.00
AO-AP	0 / 6809	-18.5	-18.5	0.22 (1)	10.00
AP-AQ	0 / 6809	-18.5	-18.5	0.22 (1)	10.00
AQ-N	0 / 6809	-18.5	-18.5	0.22 (1)	10.00
N-AR	0 / 6809	-18.5	-18.5	0.22 (1)	10.00
AR-M	0 / 6809	-18.5	-18.5	0.22 (1)	10.00

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2010, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL(LL) = L/999 (0.20")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL(TL) = L/999 (0.37")

CSI: TO=0.42/1.00 (D-E:1), BC=0.22/1.00 (O-Q:1), WB=0.56/1.00 (C-Q:1), SSI=0.22/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00

COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP=0.89 (H) (INPUT = 0.90)

JSI METAL=0.85 (N) (INPUT = 1.00)

CONTINUED ON PAGE 2



Structural component only
DWG# T-2007129 1/2

JOB NAME 408168	TRUSS NAME T1	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 Matek Industries, Inc. Sat Apr 25 12:34:48 2020 Page 2
ID:DMCubINVR6T9iF0e31v6L zns1H-Mcniq2FIKqQuZwGH IYq9JSI 3IK34wGOWeSzNBRL

PLATES (tablets in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-I	MT20	5.0	8.0	2.50	3.25
C	TTWW+m	MT20	7.0	8.0	3.75	1.50
D	TMVW-I	MT20	5.0	6.0		
E	TMVW-w	MT20	3.0	6.0		
F	TS-I	MT20	5.0	6.0		
G	TMVW-I	MT20	5.0	6.0		
H	TTWW+m	MT20	7.0	8.0	3.75	1.50
I	TMVW-I	MT20	5.0	8.0	2.50	3.25
K	BMV1+p	MT20	3.0	6.0		
L	BMVW-I	MT20	5.0	6.0		
M	BMVW-I	MT20	5.0	6.0	2.50	2.25
N	BS-I	MT20	5.0	6.0		
O	BMVWW-I	MT20	5.0	6.0		
P	BS-I	MT20	5.0	6.0		
Q	BMVW-I	MT20	5.0	6.0	2.50	2.25
R	BMVW-I	MT20	5.0	6.0		
S	BMV1+p	MT20	3.0	6.0		

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (LBS)	LC1	MAX	MAX. UNBRAC	WEBS	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. UNBRAC
FR-TO		FROM	TO		LENGTH	FR-TO			
M-AS	0/2588	-18.5	-18.5	0.12 (1)	10.00				
AS-AT	0/2588	-18.5	-18.5	0.12 (1)	10.00				
AT-AU	0/2588	-18.5	-18.5	0.12 (1)	10.00				
AU-L	0/2588	-18.5	-18.5	0.12 (1)	10.00				
L-AV	0/0	-18.5	-18.5	0.05 (1)	10.00				
AV-K	0/0	-18.5	-18.5	0.05 (1)	10.00				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	2-11-8	-38	-42	---	FRONT	VERT	DEAD	---	C1
C	2-11-8	-191	-191	---	FRONT	VERT	SNOW	---	C1
H	32-2-8	-38	-42	---	FRONT	VERT	DEAD	---	C1
H	32-2-8	-116	-116	---	FRONT	VERT	TOTAL	---	C1
L	32-2-8	-191	-191	---	FRONT	VERT	SNOW	---	C1
P	31-11-4	-28	-28	---	FRONT	VERT	TOTAL	---	C1
P	11-11-4	-28	-28	---	FRONT	VERT	TOTAL	---	C1
T	3-11-4	-111	-111	---	FRONT	VERT	TOTAL	---	C1
U	5-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
V	7-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
W	9-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
X	11-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Y	13-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Z	15-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AA	17-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AB	19-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AC	21-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AD	23-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AE	25-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AF	27-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AG	29-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AH	1-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AI	3-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AJ	5-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AK	7-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AL	9-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AM	13-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AN	15-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AO	17-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AP	19-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AQ	21-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AR	23-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AS	25-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AT	27-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AU	29-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AV	33-11-4	-26	-26	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.




Structural component only
DWG# T-2007129

JOB NAME 408168	TRUSS NAME T1Z	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	TRUSS DESC.	DRWG NO.
---------------------------	--------------------------	----------------------	-----------------	--------------------------------------	-------------	----------

Famarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 25 12:34:49 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-qoL4NGw50yHWVSRpnNNrbzOlzT4?D9w8UBuzNBK



LUMBER	N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER	DESCR.
A - C	2x6	DRY	No.2	SPF		
C - F	2x6	DRY	No.2	SPF		
F - H	2x6	DRY	No.2	SPF		
H - J	2x6	DRY	No.2	SPF		
S - B	2x6	DRY	No.2	SPF		
K - I	2x6	DRY	No.2	SPF		
P - P	2x6	DRY	2100F 1.8E	SPF		
S - N	2x6	DRY	2100F 1.8E	SPF		
N - K	2x6	DRY	2100F 1.8E	SPF		

ALL WEBS EXCEPT 2x3 DRY No.2 SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
A-C 2	12	TOP
C-F 2	12	TOP
F-H 2	12	TOP
H-J 2	12	TOP
S-B 2	12	TOP
K-I 2	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
S-P 2	12	TOP
P-N 2	12	SIDE (167.8)
N-K 2	12	TOP
WEBS : (0.122"x3") SPIRAL NAILS		
2x3 1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ
S	3683	0	3683	0
K	3687	0	3687	0

UNFACTORED REACTIONS

1ST LOOSE	MAX/MIN. COMPONENT REACTIONS	1ST LOOSE	MAX/MIN. COMPONENT REACTIONS
JT	COMBINED	SNOW	LIVE
S	2793	1890 / 0	0 / 0
K	2599	1788 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.20 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (LBS)	FACTORED HORZ. LOAD (LBS)	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (LBS)	FACTORED HORZ. LOAD (LBS)
FR-TO						
A-B	0 / 42	-18.5	-18.5	0.04 (1)	10.00	0.13 (1)
B-C	-3986 / 0	-18.5	-18.5	0.05 (1)	5.65	0.7263 (1)
C-D	-9534 / 0	-18.5	-18.5	0.37 (1)	3.74	0.28 (1)
D-E	-12331 / 0	-18.5	-18.5	0.52 (1)	3.20	0.39 (1)
E-F	-12331 / 0	-18.5	-18.5	0.52 (1)	3.20	0.39 (1)
F-G	-12331 / 0	-18.5	-18.5	0.50 (1)	3.23	0.4203 (1)
G-H	-8575 / 0	-18.5	-18.5	0.33 (1)	3.94	0.31 (1)
H-I	-3750 / 0	-18.5	-18.5	0.08 (1)	5.78	0.79 (1)
I-J	0 / 42	-18.5	-18.5	0.04 (1)	10.00	0.10 (1)
S-B	-3945 / 0	0.0	0.0	0.14 (1)	7.14	0.3239 (1)
K-I	-3733 / 0	0.0	0.0	0.13 (1)	7.29	0.36 (1)
S-R	0 / 0	-18.5	-18.5	0.02 (1)	10.00	
R-Q	0 / 3013	-18.5	-18.5	0.21 (1)	10.00	
Q-P	0 / 9534	-18.5	-18.5	0.67 (1)	10.00	
P-U	0 / 9534	-18.5	-18.5	0.67 (1)	10.00	
U-V	0 / 9534	-18.5	-18.5	0.67 (1)	10.00	
V-O	0 / 9534	-18.5	-18.5	0.67 (1)	10.00	
Q-W	0 / 8575	-18.5	-18.5	0.49 (1)	10.00	
W-N	0 / 8575	-18.5	-18.5	0.49 (1)	10.00	
N-M	0 / 8575	-18.5	-18.5	0.49 (1)	10.00	
M-L	0 / 2844	-18.5	-18.5	0.12 (1)	10.00	
L-K	0 / 0	-18.5	-18.5	0.05 (1)	10.00	

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	17-5-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
O	17-5-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
T	15-5-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
U	13-8-8	-1615	-1615	---	BACK	VERT	TOTAL	---	C1
V	15-5-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
W	18-9-8	-1620	-1620	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 183 = 366 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF
DL = 5.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.35")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/657 (0.84")

CSI: TC=0.62/1.00 (D-E:1), BC=0.67/1.00 (C-Q:1), WB=0.90/1.00 (C-Q:1), SSI=0.53/1.00 (M-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 616 354 1667 788 1967 1858

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (C) (INPUT = 0.90)
JSI METAL= 0.95 (P) (INPUT = 1.00)



Structural component only
DWG# T-2007130

CONTINUED ON PAGE 2


JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T1Z	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington		TRUSS DESC.			

Version 8.310 S Oct 29 2019 MTEK Industries, Inc. Sat Apr 25 12:34:49 2020 Page 2
ID:DMCubINVR6TslFoe31v6I_zns1I-gqL41NGw50vHWV5rignNNrbzOizT4?D9w8UBuzNBRK

PLATES (table is in inches)


JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	6.0	9.0		
C	TTWW+m	MT20	8.0	9.0	Edge	6.50
D	TMWW-t	MT20	5.0	8.0	2.50	2.50
E	TMW+w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-t	MT20	5.0	6.0	2.50	2.50
H	TTWW+m	MT20	8.0	9.0	Edge	6.50
I	TMVW+p	MT20	6.0	9.0		
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.75
M	BMWW-t	MT20	5.0	6.0	2.50	2.00
N	BS-t	MT20	6.0	9.0		
O	BMWWW-t	MT20	5.0	12.0	3.00	6.00
P	BS-t	MT20	6.0	9.0		
Q	BMWW-t	MT20	5.0	6.0	2.50	2.00
R	BMWW-t	MT20	5.0	6.0	2.50	2.75
S	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007130 92

JOB NAME 408168	TRUSS NAME T2	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:34:50 2020 Page 1 ID:DMCubINVR6TslFoe31v6l_zns1H1vSFHZeJ487s3IPPK0vaOkaofoCiamOat1KzNBRJ	
Scale = 1:57.3					



LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - C	2x4	DRY	No.2
C - F	2x4	DRY	No.2
F - I	2x4	DRY	No.2
I - K	2x4	DRY	No.2
U - B	2x4	DRY	No.2
L - J	2x4	DRY	No.2
U - R	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - L	2x4	DRY	No.2

ALL WEBS 2x3 DRY No.2
EXCEPT

DRY: SEASONED LUMBER.

PLATES (tables in inches)

JT TYPE	PLATES	W	LEN	Y	X
B TMVW+p	MT20	5.0	6.0	Edge	2.75
C TTWW+m	MT20	6.0	9.0	Edge	1.75
D, E, H					
D TMVW-t	MT20	4.0	4.0		
F TS-t	MT20	3.0	6.0		
G TMVW-w	MT20	2.0	4.0		
I TTWW+m	MT20	6.0	9.0	Edge	1.75
J TMVW+p	MT20	5.0	6.0	Edge	2.75
L BMV1+p	MT20	3.0	4.0		
M BMVW-t	MT20	4.0	6.0	2.00	2.75
N BMVW-t	MT20	5.0	6.0		
O BS-t	MT20	3.0	6.0		
P BMVW-t	MT20	4.0	6.0		
Q BMVW-t	MT20	4.0	4.0		
R BS-t	MT20	3.0	6.0		
S BMVW-t	MT20	5.0	6.0		
T BMVW-t	MT20	4.0	6.0	2.00	2.75
U BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS			
	FACTORED	MAXIMUM FACTORED	INPUT
	GROSS REACTION	GROSS REACTION	BRG
JT	VERT	DOWN	UPLIFT
U	2066	0	5-8
L	2066	0	5-8

UNFACTORED REACTIONS

1ST CASE	MAX/MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD
U	1458	971/0	0/0	0/0	0/0	488/0
L	1458	971/0	0/0	0/0	0/0	488/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.20 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED	FACTORED	MAX	MEMB.	MAX. FACTORED	FACTORED	MAX
	FORCE	VERT. LOAD	LO1 MAX		FORCE	MAX	CSI (LC)
	(LBS)	(PL)	(LC)		(LBS)	(LC)	
FR-TO		FROM	TO	FR-TO		FROM	TO
A-B	0/41	-91.8	-91.8 0.13 (1)	10.00	T-C	-358/0	0.14 (1)
B-C	-1960/0	-91.8	-91.8 0.36 (1)	4.46	C-S	0/1638	0.41 (1)
C-D	-2871/0	-91.8	-91.8 0.67 (1)	3.59	S-D	-1118/0	0.43 (1)
D-E	-3506/0	-91.8	-91.8 0.65 (1)	3.21	D-Q	0/658	0.19 (1)
E-F	-3505/0	-91.8	-91.8 0.53 (1)	3.36	Q-E	-476/0	0.18 (1)
F-G	-3505/0	-91.8	-91.8 0.53 (1)	3.36	E-P	-2/0	0.00 (1)
G-H	-3505/0	-91.8	-91.8 0.66 (1)	3.20	P-G	-474/0	0.18 (1)
H-I	-2871/0	-91.8	-91.8 0.57 (1)	3.59	P-H	0/853	0.19 (1)
I-J	-1860/0	-91.8	-91.8 0.38 (1)	4.46	N-H	-1117/0	0.43 (1)
J-K	0/41	-91.8	-91.8 0.13 (1)	10.00	N-I	0/1637	0.41 (1)
U-B	-2037/0	0.0	0.0 0.22 (1)	5.92	M-I	-358/0	0.14 (1)
L-J	-2037/0	0.0	0.0 0.22 (1)	5.92	B-T	0/1571	0.35 (1)
					M-J	0/1571	0.35 (1)
U-T	0/0	-18.5	-18.5 0.10 (4)	10.00			
T-S	0/1494	-18.5	-18.5 0.30 (1)	10.00			
S-R	0/2871	-18.5	-18.5 0.51 (1)	10.00			
R-Q	0/2871	-18.5	-18.5 0.51 (1)	10.00			
Q-P	0/3506	-18.5	-18.5 0.62 (1)	10.00			
P-O	0/2872	-18.5	-18.5 0.51 (1)	10.00			
O-N	0/2872	-18.5	-18.5 0.51 (1)	10.00			
N-M	0/1494	-18.5	-18.5 0.30 (1)	10.00			
M-L	0/0	-18.5	-18.5 0.10 (4)	10.00			

TOTAL WEIGHT = 2 X 147 = 293 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (1.17")
CALCULATED VERT. DEFL. (LL) = L/999 (0.20")
ALLOWABLE DEFL. (TL) = L/360 (1.17")
CALCULATED VERT. DEFL. (TL) = L/999 (0.38")

CSI: TO=0.88/1.00 (G-H:1), BC=0.62/1.00 (P-Q:1),

WB=0.43/1.00 (D-S:1), SSI=0.23/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10

COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

MAIL VALUES
PLATE GRIP (DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1666

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (N) (INPUT = 0.90)

JSI METAL= 0.90 (O) (INPUT = 1.00)




Structural component only
DWG# T-2007131

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	TRUSS DESC.	DRWG NO.
408168	T3	2	1	GREEN PARK HOMES		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MITK Industries, Inc. Sat Apr 25 12:34:51 2020 Page 1
ID:DMCubiNVR6TstF0e31v6I_zns11-mBTrS3lBddC7l0ary7rFSoxtJC1Ex4wWcEdaFnzNBRI



TOTAL WEIGHT = 2 X 148 = 296 lb

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - C	2x4	DRY	No.2
O - F	2x4	DRY	No.2
F - H	2x4	DRY	No.2
H - J	2x4	DRY	No.2
S - B	2x4	DRY	No.2
K - I	2x4	DRY	No.2
S - P	2x4	DRY	No.2
P - N	2x4	DRY	No.2
N - K	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			
DRY: SEASONED LUMBER.			

PLATES (table in inches)				
JT	TYPE	PLATES	W	LEN Y X
B	TMVW-p	MT20	5.0	6.0 1.50 3.00
C	TTWW+m	MT20	6.0	9.0 Edge 1.75
D	TMVW-l	MT20	4.0	4.0
E	TMVW-w	MT20	2.0	4.0
F	TS-l	MT20	3.0	6.0
G	TMVW-l	MT20	4.0	4.0
H	TTWW+m	MT20	6.0	9.0 Edge 1.75
I	TMVW-p	MT20	5.0	6.0 1.50 3.00
K	BMVl+p	MT20	3.0	4.0
L, M, Q, R				
L	BMVW-l	MT20	5.0	6.0
N	BS-l	MT20	3.0	6.0
O	BMVWW-l	MT20	4.0	9.0
P	BS-l	MT20	3.0	6.0
S	BMVl+p	MT20	3.0	4.0

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	VERT	SNOW	GROSS REACTION	DOWN	HORIZ	BRG	BRG	IN-SX	IN-SX
S	2086	0	2086	0	0	5-8	5-8		
K	2086	0	2086	0	0	5-8	5-8		

UNFACTORED REACTIONS

JT	1ST LCASE	MAX/MIN	COMPONENT REACTIONS	1ST LCASE	MAX/MIN	COMPONENT REACTIONS
S	1458	871 / 0	0 / 0	0 / 0	0 / 0	488 / 0
K	1458	871 / 0	0 / 0	0 / 0	0 / 0	488 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.28 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	FACTORED HORZ. LOAD (CSI (LC))	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	FACTORED HORZ. LOAD (CSI (LC))
FR-TO		FROM TO		FR-TO		FROM TO	
A-B	0 / 41	-91.8	-91.8 0.13 (1)	10.00	R-C	-248 / 7	0.14 (1)
B-C	-2004 / 0	-91.8	-91.8 0.84 (1)	4.11	C-Q	0 / 1538	0.38 (1)
C-D	-2653 / 0	-91.8	-91.8 0.74 (1)	3.50	Q-D	-943 / 0	0.55 (1)
D-E	-2978 / 0	-91.8	-91.8 0.78 (1)	3.28	D-O	0 / 450	0.10 (1)
E-F	-2978 / 0	-91.8	-91.8 0.78 (1)	3.28	O-E	-513 / 0	0.30 (1)
F-G	-2978 / 0	-91.8	-91.8 0.78 (1)	3.28	O-Q	0 / 450	0.10 (1)
G-H	-2653 / 0	-91.8	-91.8 0.74 (1)	3.50	M-G	-943 / 0	0.55 (1)
H-I	-2004 / 0	-91.8	-91.8 0.84 (1)	4.11	M-H	0 / 1538	0.38 (1)
I-J	0 / 41	-91.8	-91.8 0.13 (1)	10.00	L-H	-248 / 7	0.14 (1)
S-B	-2026 / 0	0.0	0.0 0.22 (1)	5.94	B-R	0 / 1580	0.36 (1)
K-I	-2026 / 0	0.0	0.0 0.22 (1)	5.94	L-I	0 / 1580	0.36 (1)
S-R	0 / 0	-18.5	-18.5 0.14 (4)	10.00			
R-Q	0 / 1532	-18.5	-18.5 0.33 (1)	10.00			
Q-P	0 / 2653	-18.5	-18.5 0.49 (1)	10.00			
P-O	0 / 2653	-18.5	-18.5 0.49 (1)	10.00			
O-N	0 / 2653	-18.5	-18.5 0.49 (1)	10.00			
N-M	0 / 2653	-18.5	-18.5 0.49 (1)	10.00			
M-L	0 / 1532	-18.5	-18.5 0.33 (1)	10.00			
L-K	0 / 0	-18.5	-18.5 0.14 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN./C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

(56% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/899 (0.16")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/899 (0.29")
CSI: TC=0.78/1.00 (E-G:1), BC=0.48/1.00 (M-O:1), WB=0.55/1.00 (G-M:1), SS=0.27/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 786 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.90 (B) (INPUT = 0.90)
JSI METAL = 0.85 (N) (INPUT = 1.00)



Structural component only
DWG# T-2007132

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 25 12:34:53 2020 Page 1
ID:DMCubINVR6tFoe31vG1_zns1l-habbilJR9ESj_KoE4YyJXDOEb7pPttip4Y6HkZNBgR

1-3-8 0-0 3-11-13 7-9-2 14-4-2 6-5-12 20-9-14 27-4-14 3-9-5 3-11-13 35-3-0 36-5-5

Scale = 1:57.5



BEARINGS							
	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG	REQ'D BRG	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
S	2068	0	2068	0	0	5-8	5-8
L	2068	0	2068	0	0	5-8	5-8

UNFACTORED REACTIONS							
	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS					
JT		SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
S	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1458	971 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN./C/C

LOADING IN FLAT SECTION BASED ON A SLOPE
OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.81 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH	
FR-TO		FROM TO		FR-TO			
A-B	0 / 41	-91.8 -91.8	0.13 (1)	C-R	0 / 84	0.02 (4)	
B-C	0 / 28	-91.8 -91.8	0.21 (1)	R-D	0 / 128	0.04 (4)	
C-D	-2008 / 0	-91.8 -91.8	0.29 (1)	D-P	0 / 998	0.22 (1)	
D-E	-2163 / 0	-91.8 -91.8	0.73 (1)	P-E	-850 / 0	0.82 (1)	
E-F	-2182 / 0	-91.8 -91.8	0.73 (1)	E-O	-2 / 0	0.00 (1)	

SMALL BUILDING REQUIREMENTS OF PART 9,
NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBCG 2018 , CBCG 2012 , ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN
LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF
LIVE LOAD

ALLOWABLE DEFL.(LL) = $L/360$ (1.17")
CALCULATED VERT. DEFL.(LL) = $U/999$ (0.10")
ALLOWABLE DEFL.(TL) = $L/360$ (1.17")
CALCULATED VERT. DEFL.(TL) = $U/999$ (0.21")

CSI: $TC=0.73/1.0$ (D-E-1) , $EC=0.42/1.0$ (D-E-1) ,
 $WB=0.97/1.0$ (L-L-1) , $SS=0.28/1.0$ (D-E-1)

DOL LUMBER=1.00 NAIL=1.00 LB BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.25

G-H	-2162/0	-91.8	-91.8	0.73 (1)	3.81	O-G	-649/0	0.82 (1)
F-G	-2162/0	-91.8	-91.8	0.73 (1)	3.82	O-H	0/998	0.22 (1)
H-I	-2006/0	-91.8	-91.8	0.29 (1)	4.50	M-H	0/126	0.04 (4)
I-J	0/28	-91.8	-91.8	0.21 (1)	10.00	M-I	0/64	0.02 (4)
J-K	0/41	-91.8	-91.8	0.13 (1)	10.00	S-C	-2291/0	0.97 (1)
S-B	-284/0	0.0	0.0	0.03 (1)	7.81	I-L	-2291/0	0.97 (1)
L-J	-264/0	0.0	0.0	0.03 (1)	7.81			
S-R	0/1487	-18.5	-18.5	0.39 (1)	10.00			
R-Q	0/1519	-18.5	-18.5	0.39 (1)	10.00			
Q-P	0/1519	-18.5	-18.5	0.39 (1)	10.00			
P-O	0/2163	-18.5	-18.5	0.42 (1)	10.00			
O-N	0/1519	-18.5	-18.5	0.39 (1)	10.00			
N-M	0/1519	-18.5	-18.5	0.39 (1)	10.00			
M-L	0/1487	-18.5	-18.5	0.38 (1)	10.00			

SOME ANCHORING LOAD FACTOR = 1.00

AUTOSOLVE HELPS OFF

TRUSS PLATE MANUFACTURER IS NOT
RESPONSIBLE FOR QUALITY CONTROL IN THE
TRUSS MANUFACTURING PLANT.


NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
	(PSI)	(PLI)	
	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1687 788	1987 1658

PLATE PLACEMENT TOL. = 0.250 inches



JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T6	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					



CHORDS	SIZE	DRY	NO.2
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - H	2x4	DRY	No.2
H - K	2x4	DRY	No.2
U - B	2x4	DRY	No.2
L - J	2x4	DRY	No.2
U - R	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - L	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2
D - Q	2x4	DRY	No.2
E - P	2x4	DRY	No.2
P - H	2x4	DRY	No.2

DRY: SEASONED LUMBER.

JT TYPE	PLATES	W	LEN	Y	X
B	TMWV+p	MT20	5.0	6.0	2.00 2.00
C	TMWV-w	MT20	4.0	4.0	2.00 1.25
D	TTWV-m	MT20	5.0	6.0	2.00 1.75
E	TMWV-i	MT20	4.0	4.0	
F	TS-i	MT20	3.0	6.0	
G	TMWV-w	MT20	2.0	4.0	
H	TTWV-m	MT20	5.0	6.0	2.00 1.75
I	TMWV-i	MT20	4.0	4.0	2.00 1.25
J	TMWV+p	MT20	5.0	6.0	2.00 2.00
L	BMV1+p	MT20	3.0	4.0	
M	BMWV-i	MT20	5.0	6.0	
N	Q-S				
O	BS-i	MT20	4.0	4.0	
P	BS-i	MT20	4.0	4.0	
R	BS-i	MT20	3.0	6.0	
T	BS-i	MT20	5.0	6.0	
U	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

FACTORED	MAXIMUM FACTORED	INPUT	RECORD
GROSS REACTION	GROSS REACTION	BRG	BRG
JT VERT	DOWN	HORIZ	UPLIFT
U 2066	0	0	5-8
L 2066	0	0	5-8

UNFACTORED REACTIONS	1ST LCASE	MAX/MIN	COMPONENT REACTIONS
JT COMBINED	SNOW	LIVE	PERM.LIVE
U 1458	971 / 0	0 / 0	0 / 0
L 1458	971 / 0	0 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.44 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.
1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-Q, E-P, G-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MAX. UNBRACED LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)
FR-TO		FROM TO			FR-TO		
A-B	0 / 41	-91.8 -91.8 0.13 (1)	10.00		T-C	-357 / 0	0.16 (1)
B-C	-1994 / 0	-91.8 -91.8 0.30 (1)	4.53	C-S	-121 / 0		0.10 (1)
C-D	-1957 / 0	-91.8 -91.8 0.29 (1)	4.57	S-D	0 / 188	0.05 (4)	
D-E	-1923 / 0	-91.8 -91.8 0.40 (1)	4.44	D-Q	0 / 810	0.13 (1)	
E-F	-1921 / 0	-91.8 -91.8 0.37 (1)	4.49	Q-E	-569 / 0	0.31 (1)	
F-G	-1921 / 0	-91.8 -91.8 0.37 (1)	4.49	E-P	-3 / 0	0.00 (1)	
G-H	-1921 / 0	-91.8 -91.8 0.40 (1)	4.45	P-G	-568 / 0	0.31 (1)	
H-I	-1957 / 0	-91.8 -91.8 0.29 (1)	4.57	P-H	0 / 807	0.13 (1)	
I-J	-1994 / 0	-91.8 -91.8 0.30 (1)	4.53	N-H	0 / 169	0.05 (4)	
J-K	0 / 41	-91.8 -91.8 0.13 (1)	10.00	N-I	-121 / 0	0.10 (1)	
U-B	-2028 / 0	0.0 0.0 0.22 (1)	5.94	M-I	-358 / 0	0.16 (1)	
L-J	-2028 / 0	0.0 0.0 0.22 (1)	5.94	B-T	0 / 1617	0.36 (1)	
				M-J	0 / 1617	0.36 (1)	
U-T	0 / 0	-18.5 -18.5 0.08 (4)	10.00				
T-S	0 / 1555	-18.5 -18.5 0.30 (1)	10.00				
S-R	0 / 1477	-18.5 -18.5 0.30 (1)	10.00				
R-Q	0 / 1477	-18.5 -18.5 0.30 (1)	10.00				
Q-P	0 / 1923	-18.5 -18.5 0.38 (1)	10.00				
P-O	0 / 1478	-18.5 -18.5 0.30 (1)	10.00				
O-N	0 / 1478	-18.5 -18.5 0.30 (1)	10.00				
N-M	0 / 1555	-18.5 -18.5 0.31 (1)	10.00				
M-L	0 / 0	-18.5 -18.5 0.08 (4)	10.00				

TOTAL WEIGHT = 2 X 182 = 363 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN./C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCO 2010, NBCO 2016

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBCO 2018, CBCO 2012, ABC 2019
- PART 9 OF CBCO 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 085-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.08")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.16")

CSI: TC=0.40/1.00 (D-E:1), BC=0.38/1.00 (P-Q:1), WB=0.38/1.00 (S-T:1), SS=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PL) (PLJ)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1697 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.89 (8) (INPUT = 0.90)
JSI METAL = 0.60 (0) (INPUT = 1.00)




Structural component only
DWG# T-2007135

JOB NAME 408168	TRUSS NAME T7	QUANTITY 5	PLY 1	JOB DESC. GREEN PARK HOMES	TRUSS DESC.	DRWG NO.
--------------------	------------------	---------------	----------	-------------------------------	-------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mtek Industries, Inc. Sat Apr 25 12:24:58 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1f-79GkVnMJS9qfInXpQRO9rklkDmacKefmWKLx_zNBRD



LUMBER			
N L G A RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - I	2x4	DRY	No.2
R - B	2x4	DRY	No.2
J - H	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - M	2x4	DRY	No.2
M - J	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			
D - N	2x4	DRY	No.2
N - F	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table in inches)

JT TYPE	PLATES	W	LEN	Y	X
B TMVW-p	MT20	5.0	6.0	1.50	3.00
C TMVW-t	MT20	4.0	4.0	2.00	1.25
D TTWW+m	MT20	5.0	8.0	2.25	1.50
E TMVW-w	MT20	2.0	4.0		
F TTWW+m	MT20	5.0	8.0	2.25	1.50
G TMVW-t	MT20	4.0	4.0	2.00	1.25
H TMVW-p	MT20	5.0	6.0	1.50	3.00
J BMV1-p	MT20	3.0	4.0		
K BMVW-t	MT20	5.0	8.0		
L BMVW-t	MT20	4.0	4.0		
M BS-t	MT20	3.0	6.0		
N BMVWW-t	MT20	4.0	9.0		
O BS-t	MT20	3.0	6.0		
P BMVW-t	MT20	4.0	4.0		
Q BMVW-t	MT20	5.0	6.0		
R BMV1-p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BUILDING DESIGNER									
BEARINGS									
		FACTORED		MAXIMUM FACTORED			INPUT	REQD	
		GROSS REACTION		GROSS REACTION			BRG	BRG	
JT	VERT	HORIZ	DOWN	HORIZ	UPLIFT	IN-SX	IN-SX	IN-SX	
R	2068	0	2068	0	0	5-8	5-8		
J	2068	0	2068	0	0	5-8	5-8		

UNFACTORED REACTIONS		1ST LOASE		MAX/MIN. COMPONENT REACTIONS	
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND
R	1458	971/0	0/0	0/0	0/0
J	1458	971/0	0/0	0/0	0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.96 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED			WEBS		
MEMB.	MAX. FACTORED FORCE (LBS)	VERT. LOAD (PLF)	LO1 MAX CSI (LC)	MAX. UNBRACED LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX FACTORED MAX CSI (LC)
FR-TO		FROM	TO		FR-TO		
A-B	0/41	-91.8	-91.8	0.13 (1)	10.00	Q-C	-302/0 0.17 (1)
B-C	-2021/0	-91.8	-91.8	0.39 (1)	4.41	C-P	-217/0 0.25 (1)
C-D	-1908/0	-91.8	-91.8	0.37 (1)	4.52	P-D	0/278 0.08 (1)
D-E	-1809/0	-91.8	-91.8	0.74 (1)	3.98	D-N	0/615 0.10 (1)
E-F	-1809/0	-91.8	-91.8	0.74 (1)	3.98	N-E	-838/0 0.58 (1)
F-G	-1808/0	-91.8	-91.8	0.37 (1)	4.52	N-F	0/615 0.10 (1)
G-H	-2021/0	-91.8	-91.8	0.39 (1)	4.41	L-F	0/278 0.06 (1)
H-I	0/41	-91.8	-91.8	0.13 (1)	10.00	L-G	-217/0 0.25 (1)
R-B	-2024/0	0.0	0.0	0.22 (1)	5.94	K-G	-302/0 0.17 (1)
J-H	-2024/0	0.0	0.0	0.22 (1)	5.94	B-Q	0/1629 0.37 (1)
						K-H	0/1629 0.37 (1)
R-Q	0/0	-18.5	-18.5	0.10 (4)	10.00		
Q-P	0/1580	-18.5	-18.5	0.34 (1)	10.00		
P-O	0/1437	-18.5	-18.5	0.35 (1)	10.00		
O-N	0/1437	-18.5	-18.5	0.35 (1)	10.00		
N-M	0/1437	-18.5	-18.5	0.35 (1)	10.00		
M-L	0/1437	-18.5	-18.5	0.35 (1)	10.00		
L-K	0/1580	-18.5	-18.5	0.34 (1)	10.00		
K-J	0/0	-18.5	-18.5	0.10 (4)	10.00		

TOTAL WEIGHT = 5 X 179 = 897 lb (M/P)

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN/CIC

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.08")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.17")

CSI: TO=0.74/1.00 (D-E:1), BC=0.35/1.00 (L-N:1), WB=0.58/1.00 (E-N:1), SSI=0.33/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LB BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PL) (PL)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.89 (H) (INPUT = 0.90)
JSI METAL = 0.46 (O) (INPUT = 1.00)



Structural component only
DWG# T-2007136

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:34:57 2020 Page 1
ID:DMCubINVR6TslFoe31v61_zns1l-blq67MyDT28Txb7JNyh3A_C65BLq30?A4vTQZNBRC






JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408168	G9	1	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 3 Oct 29 2019 MTEK Industries, Inc. Sat Apr 25 12:34:40 2020 Page 1

ID:DMCubINVR6TsiFoe31v6I_zns11-b4lh8J9HDFpZxKJkpJ8gVTzANmNytCAu40SVMwzNBRT



Scale: 1/4"=1'

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - F	2x4	DRY	No.2
F - K	2x4	DRY	No.2
U - B	2x4	DRY	No.2
L - J	2x4	DRY	No.2
U - O	2x4	DRY	No.2
O - L	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
ALL GABLE WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			
GABLE STUDS SPACED AT	2'-0" OC.		

PLATES (table in inches)					
JT TYPE	PLATES	W	LEN	Y	X
B TMVW+p	MT20	4.0	4.0	1.00	2.00
C, D, E, G, H, I					
C TMVW+w	MT20	2.0	4.0		
F TTW+p	MT20	4.0	8.0	Edge	
J TMVW+p	MT20	4.0	4.0	1.00	2.00
L BMV1+p	MT20	3.0	4.0		
M BMVW1-i	MT20	4.0	4.0		
N, P, Q, R, S					
N BMV1+w	MT20	2.0	4.0		
O BS-i	MT20	3.0	8.0		
T BMVW1-i	MT20	4.0	4.0		
U BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (LBS)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO		FROM TO	LENGTH	FR-TO			
A-B	0/41	-91.8 -91.8	0.13 (1)	10.00	Q-F	-124/0 0.17 (1)	
B-C	-28/0	-91.8 -91.8	0.05 (1)	8.25	R-E	-210/0 0.18 (1)	
C-D	-38/0	-91.8 -91.8	0.05 (1)	8.25	S-D	-169/0 0.08 (1)	
D-E	-24/0	-91.8 -91.8	0.05 (1)	8.25	T-C	-205/0 0.04 (1)	
E-F	-36/0	-91.8 -91.8	0.05 (1)	8.25	P-G	-210/0 0.18 (1)	
F-G	-38/0	-91.8 -91.8	0.05 (1)	8.25	N-H	-169/0 0.08 (1)	
G-H	-24/0	-91.8 -91.8	0.05 (1)	8.25	M-I	-205/0 0.04 (1)	
H-I	-36/0	-91.8 -91.8	0.05 (1)	8.25	B-T	0/37 0.01 (1)	
I-J	-28/0	-91.8 -91.8	0.05 (1)	8.25	M-J	0/37 0.01 (1)	
J-K	0/41	-91.8 -91.8	0.13 (1)	10.00			
U-B	-248/0	0.0 0.0	0.03 (1)	7.81			
L-J	-248/0	0.0 0.0	0.03 (1)	7.81			
U-T	0/0	-18.5 -18.5	0.02 (4)	10.00			
T-S	0/25	-18.5 -18.5	0.02 (4)	10.00			
S-R	0/21	-18.5 -18.5	0.02 (4)	10.00			
R-Q	0/18	-18.5 -18.5	0.02 (4)	10.00			
Q-P	0/18	-18.5 -18.5	0.02 (4)	10.00			
P-O	0/21	-18.5 -18.5	0.02 (4)	10.00			
O-N	0/21	-18.5 -18.5	0.02 (4)	10.00			
N-M	0/25	-18.5 -18.5	0.02 (4)	10.00			
M-L	0/0	-18.5 -18.5	0.02 (4)	10.00			

TOTAL WEIGHT = 81 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF

DL = 8.0 PSF

BOT CH. LL = 0.0 PSF

DL = 7.4 PSF

TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN/C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCG 2010, NBCG 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (A-B:1), BC=0.02/1.00 (M-N:4), WB=0.17/1.00 (F-G:1), SS=0.08/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
	(PSI)	(PLI)	(PLI)
MT20	618	354	1667 788 1987 1858

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP = 0.52 (1) (INPUT = 0.90)

JSI METAL = 0.11 (3) (INPUT = 1.00)




Structural component only
DWG# T-2007123

JOB NAME 408168	TRUSS NAME T10	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 28 2019 MITek Industries, Inc. Sat Apr 25 12:34:59 2020 Page 1
ID:DMCubINVR6TstFos31v6l_zns1l-Xjys8oOC14DsiFFNQo?7nUGOUQrOpqnhSUZ?XJzNBRA



Scale = 1/2\"/>

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - C	2x4	DRY	No.2
C - E	2x4	DRY	No.2
H - B	2x4	DRY	No.2
F - D	2x4	DRY	No.2
H - F	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTW+p	MT20	4.0	8.0	Edge	
D	TMVW+p	MT20	4.0	4.0	1.00	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMVWV-1	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	RECORD BRG
	VERT	HORZ	DOWN	HORZ
JT	577	0	577	0
H	577	0	577	0
F	577	0	577	0

UNFACTORED REACTIONS

	1ST LCASE	MAX/MIN COMPONENT REACTIONS					
	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
JT	406	280 / 0	0 / 0	0 / 0	0 / 0	126 / 0	0 / 0
F	406	280 / 0	0 / 0	0 / 0	0 / 0	126 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PL)	MAX. FACTORED VERT. LOAD (LO)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED VERT. LOAD (PL)	MAX. FACTORED VERT. LOAD (LO)
FR-TO		FROM TO		FR-TO			
A-B	0 / 41	-91.8 -91.8	0.13 (1)	G-C	-37 / 57	0.02 (4)	
B-C	-264 / 0	-91.8 -91.8	0.20 (1)	B-G	0 / 213	0.05 (1)	
C-D	-264 / 0	-91.8 -91.8	0.20 (1)	G-D	0 / 213	0.05 (1)	
D-E	0 / 41	-91.8 -91.8	0.13 (1)				
H-B	-548 / 0	0.0 0.0	0.06 (1)				
F-D	-548 / 0	0.0 0.0	0.06 (1)				
H-G	0 / 0	-18.5 -18.5	0.09 (4)				
G-F	0 / 0	-18.5 -18.5	0.09 (4)				

TOTAL WEIGHT = 38 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	= 25.6	PSF
	DL	= 6.0	PSF
BOT CH.	LL	= 0.0	PSF
	DL	= 7.4	PSF
TOTAL LOAD		= 39.0	PSF

SPACING = 24.0 IN/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF NBCC 2010, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.27")
CALCULATED VERT. DEFL.(LL) = 1/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.27")
CALCULATED VERT. DEFL.(TL) = 1/999 (0.01")

CSI: TC=0.20/1.00 (B-C:1), BC=0.09/1.00 (F-G:4),
WB=0.05/1.00 (D-G:1), SSI=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY)	SHEAR	SECTION
(PSI)	(PL)	(PL)
MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.48 (D) (INPUT = 0.90)
JSI METAL = 0.12 (D) (INPUT = 1.00)




Structural component only
DWG# T-2007139

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	G10	1	1	GREEN PARK HOMES	

Tamarack Roof Truss, Burlington

Version 8.310 5 Oct 2019 M/Tek Industries, Inc. Sat Apr 25 12:34:41 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns11-3Gs3MeAv_YyQYUlwN0gv2hWL7AjCchL2JgC3vMzNBRS



LUMBER					
N. L. G. A. RULES					
CHORDS		SIZE	LUMBER		DESCR.
L - B	2x4	DRY	No.2		SPF
A - D	2x4	DRY	No.2		SPF
D - G	2x4	DRY	No.2		SPF
H - F	2x4	DRY	No.2		SPF
L - H	2x4	DRY	No.2		SPF
ALL WEBS		2x3	DRY	No.2	SPF
ALL GABLE WEBS		2x3	DRY	No.2	SPF
DRY: SEASONED LUMBER.					
GABLE STUDS SPACED AT 2'-0" OC.					

GABLE STUDS SPACED AT 2-0-0 CC.

PLATES (tablets in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TMVW+w	MT20	2.0	4.0		
D	TTW+p	MT20	4.0	8.0	Edge	
E	TMVW+w	MT20	2.0	4.0		
F	TMVW+p	MT20	4.0	4.0	1.00	2.00
H	BMV1+p	MT20	3.0	4.0		
I	BMVW1+1	MT20	4.0	4.0		
J	BMVW1+w	MT20	2.0	4.0		
K	BMVW1+1	MT20	4.0	4.0		
L	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO		FROM TO		FR-TO			
L-B	-224 / 0	0.0	0.0 0.02 (1)	J-D	-126 / 0	0.05 (1)	
A-B	0 / 41	-91.8	-91.8 0.13 (1)	K-C	-227 / 0	0.04 (1)	
B-C	-11 / 0	-91.8	-91.8 0.06 (1)	I-E	-227 / 0	0.04 (1)	
C-D	-31 / 0	-91.8	-91.8 0.06 (1)	B-K	0 / 24	0.01 (1)	
D-E	-31 / 0	-91.8	-91.8 0.06 (1)	I-F	0 / 24	0.01 (1)	
E-F	-11 / 0	-91.8	-91.8 0.06 (1)				
F-G	0 / 41	-91.8	-91.8 0.13 (1)				
H-F	-224 / 0	0.0	0.0 0.02 (1)				
L-K	0 / 0	-18.5	-18.5 0.02 (4)				
K-J	0 / 13	-18.5	-18.5 0.02 (4)				
J-I	0 / 13	-18.5	-18.5 0.02 (4)				
I-H	0 / 0	-18.5	-18.5 0.02 (4)				

TOTAL WEIGHT = 40 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL	= 25.6 PSF
DL	= 6.0 PSF
BOT CH. LL	= 0.0 PSF
DL	= 7.4 PSF
TOTAL LOAD	= 39.0 PSF

SPACING = 24.0 IN. CC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (A-B:1), BC=0.02/1.00 (J-K:4), WB=0.05/1.00 (D-J:1), SS=0.08/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES

PLATE	GRIP (DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	(PLI)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1687 788	1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP = 0.17 (C) (INPUT = 0.80)
JSI METAL = 0.12 (C) (INPUT = 1.00)



Structural component only
DWG# T-2007124

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T11	3	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:35:00 2020 Page 1
ID:DMCubINVR6TstFoe31v6I_zns1I-7wWEL8PqVOLIKPqa_WWWJhoZlq8hYBarh8IZ4IzNBR9



TOTAL WEIGHT = 3 X 64 = 191 lb [M](F)

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - D	2x4	DRY	No.2
D - G	2x4	DRY	No.2
J - B	2x4	DRY	No.2
H - F	2x4	DRY	No.2
J - H	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			
DRY, SEASONED LUMBER.			

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMV+p	MT20	3.0	4.0	
C	TMVW-1	MT20	4.0	4.0	
D	TTW+p	MT20	4.0	6.0	Edge
E	TMVW-1	MT20	4.0	4.0	
F	TMV+p	MT20	3.0	4.0	
H	BMVW1-t	MT20	4.0	4.0	
I	BMVWV-1	MT20	4.0	9.0	
J	BMVW1-t	MT20	4.0	4.0	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	VERT	GROSS REACTION	HORZ	GROSS REACTION	HORZ	BRG	BRG	IN-SX	IN-SX
J	887	0	887	0	0	5-8	5-8		
H	887	0	887	0	0	MECHANICAL			

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-6.

UNFACTORED REACTIONS

JT	1ST LCASE	MAX/MIN	COMPONENT REACTIONS
JT	COMBINED	SNOW	LIVE
J	611	414/0	0/0
H	611	414/0	0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PL)	MAX. CS (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CS (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0/41	-91.8	-91.8 0.13 (1)	1-D	0/382	0.09 (1)	
B-C	0/23	-91.8	-91.8 0.16 (1)	1-E	-149/0	0.07 (1)	
C-D	-509/0	-91.8	-91.8 0.13 (1)	2-I	-149/0	0.07 (1)	
D-E	-509/0	-91.8	-91.8 0.13 (1)	J-C	-742/0	0.33 (1)	
E-F	0/23	-91.8	-91.8 0.16 (1)	E-H	-742/0	0.33 (1)	
F-G	0/41	-91.8	-91.8 0.13 (1)				
J-B	-244/0	0.0	0.0 0.03 (1)				
H-F	-244/0	0.0	0.0 0.03 (1)				
J-I	0/469	-18.5	-18.5 0.27 (4)				
I-H	0/469	-18.5	-18.5 0.27 (4)				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 38.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPC 2011, TPC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.45")
CALCULATED VERT. DEFL.(LL) = L/999 (0.01")
ALLOWABLE DEFL.(TL) = L/360 (0.45")
CALCULATED VERT. DEFL.(TL) = L/999 (0.05")

CS: TC=0.16/1.00 (E-F:1), BC=0.27/1.00 (I-J:4), WB=0.33/1.00 (E-H:1), SS=0.11/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1607 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.84 (E) (INPUT = 0.90)
JSI METAL= 0.27 (E) (INPUT = 1.00)



Structural component only
DWG# T-2007140

JOB NAME 408168	TRUSS NAME G11	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 Mittek Industries, Inc. Sat Apr 25 12:34:42 2020 Page 1
 ID:DMCubINVR6TstFoe31v6I_zns11-XSQRZ_BXIs4GAeS6xkBBau3WtZ3HL6XBYKxcRozNBRR



Scale = 1:40.5

LUMBER

N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
P - B	2x4 DRY	No.2	SPF
A - E	2x4 DRY	No.2	SPF
E - I	2x4 DRY	No.2	SPF
J - H	2x4 DRY	No.2	SPF
P - J	2x4 DRY	No.2	SPF
ALL WEBS	2x3 DRY	No.2	SPF
ALL GABLE WEBS	2x3 DRY	No.2	SPF
DRY: SEASONED LUMBER.			

GABLE STUDS SPACED AT 2-0-0 OC.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.

THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

TOTAL WEIGHT = 65 lb [M]

PLATES (table in inches)

JT TYPE	PLATES	W	LEN	Y	X
B TMVW+p	MT20	4.0	4.0	1.00	2.00
C, D, F, G					
C TMVW+w	MT20	2.0	4.0		
E TTW+p	MT20	4.0	6.0	Edge	
H TMVW+p	MT20	4.0	4.0	1.00	2.00
J BMV1+p	MT20	3.0	4.0		
K, L, M, N					
L BMV1+w	MT20	2.0	4.0		
O BMVW1-i	MT20	4.0	4.0		
P BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LOADING

TOTAL LOAD CASES: (4)

MEMB.	CHORDS			WEBS		
	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	MAX. FACTORED CSI (LC)
FR-TO		FROM TO		FR-TO		
P-B	-263 / 0	0.0	0.0 0.03 (1)	7.81	M-E	-128 / 0
A-B	0 / 41	-1.8	-1.8 0.13 (1)	10.00	N-D	-190 / 0
B-C	-24 / 0	-1.8	-1.8 0.08 (1)	6.25	O-C	-239 / 0
C-D	-38 / 0	-1.8	-1.8 0.08 (1)	6.25	L-F	-190 / 0
D-E	-35 / 0	-1.8	-1.8 0.05 (1)	6.25	K-G	-239 / 0
E-F	-35 / 0	-1.8	-1.8 0.05 (1)	6.25	B-O	0 / 32
F-G	-38 / 0	-1.8	-1.8 0.08 (1)	6.25	K-H	0 / 32
G-H	-24 / 0	-1.8	-1.8 0.08 (1)	6.25		
H-I	0 / 41	-1.8	-1.8 0.13 (1)	10.00		
J-H	-263 / 0	0.0	0.0 0.03 (1)	7.81		
P-O	0 / 0	-18.5	-18.5 0.03 (4)	10.00		
O-N	0 / 22	-18.5	-18.5 0.03 (4)	10.00		
N-M	0 / 19	-18.5	-18.5 0.02 (4)	10.00		
M-L	0 / 19	-18.5	-18.5 0.02 (4)	10.00		
L-K	0 / 22	-18.5	-18.5 0.03 (4)	10.00		
K-J	0 / 0	-18.5	-18.5 0.03 (4)	10.00		

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF
 OL = 8.0 PSF
 BOT CH. LL = 0.0 PSF
 OL = 7.4 PSF
 TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
 - PART 9 OF BCBC 2018, OBC 2012, ABC 2019
 - PART 9 OF OBC 2012 (2019 AMENDMENT)
 - CSA 088-09, CSA 088-14
 - TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (H-I), BC=0.03/1.00 (K-L), WB=0.11/1.00 (E-M), SSI=0.08/1.00 (G-H-I)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP (DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	
MT20	610	354	1687 788 1987 1656

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.


JSI GRIP = 0.20 (B) (INPUT = 0.80)
 JSI METAL = 0.13 (G) (INPUT = 1.00)



Structural component only
 DWG# T-2007125

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408168	T12	1	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 25 12:35:01 2020 Page 1
ID:DMCubINVR6TstFoe31v6l_zns1l-T63dYUPSGITayZPmYD1bsvLJXEW1HhI_vn28cCzNBR8



TOTAL WEIGHT = 34 lb

LUMBER				
N. L. G. A. RULES				
CHORDS		SIZE	LUMBER	DESCR
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
G - B	2x4	DRY	No.2	SPF
B - F	2x4	DRY	No.2	SPF
F - H	2x4	DRY	No.2	SPF
H - L	2x4	DRY	No.2	SPF

ALL WEBS 2x3 DRY No.2 SPF
EXCEPT
ORY: SEASONED LUMBER.

PLATES (table is in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTVW-m	MT20	5.0	8.0	1.75	2.00
D	TMVW-w	MT20	2.0	4.0		
E	TTVW-m	MT20	5.0	8.0	1.75	2.00
F	TMVW+p	MT20	4.0	4.0	1.00	2.00
H	BMV1+p	MT20	3.0	4.0		
I	BMV1+p	MT20	4.0	4.0		
J	BMV1+p	MT20	4.0	4.0		
K	BMV1+p	MT20	4.0	4.0		
L	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		RECORD	
JT	VERT	GROSS REACTION	GROSS REACTION	DOWN	HORZ	BRG	BRG	IN-SX	IN-SX
L	913	0	913	0	0	5-8	5-8		
H	911	0	911	0	0	5-8	5-8		

UNFACTORED REACTIONS							
1ST LCASE		MAX/MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SO
L	642	442 / 0	0 / 0	0 / 0	0 / 0	199 / 0	0 /
H	641	437 / 0	0 / 0	0 / 0	0 / 0	204 / 0	0 /

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.82 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	MAX. CS1 (LC)	MEMB.	FORCE (LBS)	MAX. CS1 (LC)	MAX. CS1 (LC)
FR-TO		FROM TO	LENGTH FR-TO				
A-B	0 / 41	-91.8 -91.8	0.14 (1)	J-D	-487 / 0	0.08 (1)	
B-C	-631 / 0	-91.8 -91.8	0.14 (1)	K-C	-158 / 0	0.02 (1)	
C-M	-1054 / 0	-91.8 -91.8	0.23 (1)	C-J	0 / 700	0.17 (1)	
M-N	-1054 / 0	-91.8 -91.8	0.23 (1)	B-K	0 / 525	0.13 (1)	
N-D	-1054 / 0	-91.8 -91.8	0.23 (1)	I-E	-149 / 0	0.02 (1)	
D-O	-1054 / 0	-91.8 -91.8	0.23 (1)	J-E	0 / 698	0.17 (1)	
O-E	-1054 / 0	-91.8 -91.8	0.23 (1)	I-F	0 / 526	0.13 (1)	
E-F	-832 / 0	-91.8 -91.8	0.14 (1)				
F-G	0 / 41	-91.8 -91.8	0.14 (1)				
L-B	-938 / 0	0.0 0.0	0.10 (1)				
H-F	-937 / 0	0.0 0.0	0.10 (1)				
L-K	0 / 0	-18.5 -18.5	0.05 (1)				
K-P	0 / 420	-18.5 -18.5	0.13 (1)				
P-J	0 / 420	-18.5 -18.5	0.13 (1)				
J-Q	0 / 421	-18.5 -18.5	0.14 (1)				
Q-I	0 / 421	-18.5 -18.5	0.14 (1)				
I-H	0 / 0	-18.5 -18.5	0.05 (1)				

FACTORED CONCENTRATED LOADS (LBS)		LOC.		MAX.		FACE		DIR.		TYPE		HEEL		CONN.	
JT	LOC.	LC1	MAX.	JT	LOC.	LC1	MAX.	JT	LOC.	LC1	MAX.	JT	LOC.	LC1	MAX.
C	10-13	-9	-10												
C	1-2-7	-114	-114												
C	10-13	-44	-44												
E	7-3-3	-9	-10												
E	7-3-3	-90	-90												
E	7-3-3	-44	-44												
I	7-2-7	-49	-49												
K	1-2-7	-49	-49												
N	3-2-7	-82	-82												
O	5-2-7	-82	-82												
P	3-2-7	-49	-49												
Q	5-2-7	-49	-49												

CONNECTION REQUIREMENTS
1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 38.0 PSF

SPACING = 24.0 IN. CG

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD ORDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.27")
CALCULATED VERT. DEFL.(LL) = L/999 (0.02")
ALLOWABLE DEFL.(TL) = L/360 (0.27")
CALCULATED VERT. DEFL.(TL) = L/999 (0.03")

CSI: TC=0.23/1.00 (C-D:1), BC=0.14/1.00 (I-J:1), WB=0.17/1.00 (C-J:1), SSI=0.22/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(ORY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 768 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

CONTINUED ON PAGE 2




Structural component only
DWG# T-2007141

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	TRUSS DESC.	DRWG NO.
408168	T13	1	1	GREEN PARK HOMES		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:35:03 2020 Page 1
ID:DMCubINVR0TstFoe31v61_zns11-PVBNzARioJlBz9fe33xKQvZ1CWiyJHNSXDq4zNBR6



Scale = 1:12.3

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF		
C - F	2x4	DRY	No.2	SPF		
G - E	2x4	DRY	No.2	SPF		
J - B	2x4	DRY	No.2	SPF		
J - G	2x4	DRY	No.2	SPF		
ALL WEBS	2x3	DRY	No.2	SPF		
DRY: SEASONED LUMBER.						

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQD
GROSS REACTION	GROSS REACTION	DOWN	HORIZ	UPLIFT
JT	VERT	HORIZ	DOWN	HORIZ
F	685	0	685	0
J	936	0	936	0

UNFACTORED REACTIONS

1ST CASE	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
F	490	327 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0
J	659	449 / 0	0 / 0	0 / 0	0 / 0	210 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.56 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL FITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)	
FR-TO		FROM	TO		FR-TO			
A-B	0 / 41	-91.8	-91.8	0.14 (1)	10.00	I-C	-158 / 0	0.03 (1)
B-C	-656 / 0	-91.8	-91.8	0.14 (1)	8.25	B-I	0 / 548	0.14 (1)
C-K	-1230 / 0	-91.8	-91.8	0.48 (1)	5.09	H-D	-767 / 0	0.12 (1)
K-D	-1230 / 0	-91.8	-91.8	0.48 (1)	5.09	C-H	0 / 887	0.21 (1)
D-L	-1230 / 0	-91.8	-91.8	0.89 (1)	3.58	H-E	0 / 1345	0.33 (1)
L-M	-1230 / 0	-91.8	-91.8	0.89 (1)	3.58			
M-E	-1230 / 0	-91.8	-91.8	0.89 (1)	3.58			
E-F	0 / 0	-91.8	-91.8	0.35 (1)	10.00			
G-E	0 / 83	0.0	0.0	0.02 (4)	10.00			
J-B	-966 / 0	0.0	0.0	0.11 (1)	7.81			
J-I	0 / 0	-18.5	-18.5	0.08 (1)	10.00			
I-N	0 / 438	-18.5	-18.5	0.14 (1)	10.00			
N-H	0 / 438	-18.5	-18.5	0.14 (1)	10.00			
H-O	0 / 0	-18.5	-18.5	0.09 (1)	10.00			
O-P	0 / 0	-18.5	-18.5	0.09 (1)	10.00			
P-G	0 / 0	-18.5	-18.5	0.09 (1)	10.00			

FACTORED CONCENTRATED LOADS (LBS)									
JT	LOC.	LC1	MAX.	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	10-13	-9	-10	---	FRONT	VERT	DEAD	---	C1
C	10-13	-90	-90	---	FRONT	VERT	TOTAL	---	C1
C	10-13	-44	-44	---	FRONT	VERT	SNOW	---	C1
I	11-9	-49	-49	---	FRONT	VERT	TOTAL	---	C1
K	2-11-9	-82	-82	---	FRONT	VERT	TOTAL	---	C1
L	4-11-9	-82	-82	---	FRONT	VERT	TOTAL	---	C1
M	6-11-9	-82	-82	---	FRONT	VERT	TOTAL	---	C1
N	2-11-9	-49	-49	---	FRONT	VERT	TOTAL	---	C1
O	4-11-9	-49	-49	---	FRONT	VERT	TOTAL	---	C1
P	6-11-9	-53	-53	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN PLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADD'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.I. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.25")
CALCULATED VERT. DEFL.(LL) = L/999 (0.07")
ALLOWABLE DEFL.(TL) = L/360 (0.25")
CALCULATED VERT. DEFL.(TL) = L/688 (0.13")

CSI: TC=0.89/1.00 (D-E:1), BC=0.14/1.00 (H-I:1),
WB=0.33/1.00 (E-H:1), SSI=0.42/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1666

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.79 (C) (INPUT = 0.90)
JSI METAL= 0.30 (H) (INPUT = 1.00)




Structural component only
DWG# T-2007142

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T20	1	2	GREEN PARK HOMES	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:49:24 2020 Page 1
ID:K7TPdhgJ0npl1qYdbWOFzIdG-i8Igasn1sB7_Budbz0zKub4B6zN_xr0MZbH0gzNBD



CHORDS	SIZE	DRY	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
J - L	2x4	DRY	No.2	SPF
V - B	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
V - S	2x6	DRY	No.2	SPF
S - P	2x6	DRY	No.2	SPF
P - M	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
EXCEPT				

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
A-G 1	12	SIDE(81.0)
C-G 1	12	SIDE(81.0)
G-J 1	12	SIDE(81.0)
J-L 1	12	SIDE(81.0)
V-B 1	12	TOP
M-K 1	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
V-S 2	12	SIDE(183.1)
S-P 2	12	SIDE(183.1)
P-M 2	12	SIDE(183.1)
WEBS : (0.122"x3") SPIRAL NAILS		
2x3 1	8	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQD BRG	
JT	VERT	DOWN	HORIZ	DOWN	HORIZ	IN-SX	IN-SX	IN-SX	IN-SX
V	3342	0	0	3342	0	0	5-8	5-8	5-8
M	3393	0	0	3393	0	0	5-8	5-8	5-8

<u>UNFACTORED REACTIONS</u>							
	1ST LCASE	<u>MAX./MIN. COMPONENT REACTIONS</u>					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
V	2383	1555/0	0/0	0/0	0/0	809/0	0/0
M	2397	1585/0	0/0	0/0	0/0	812/0	0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) V, M

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.03 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING		TOTAL LOAD CASES: (4)					
CHORDS							
MAX. FACTORED		FACTORED		WEBS			
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM TO			FR-TO		
A-B	0 / 35	-91.8	-91.8 0.07 (1)	10.00	U-C	-596 / 0	0.08 (1)
B-C	-3951 / 0	-91.8	-91.8 0.22 (1)	4.58	C-T	0 / 3530	0.44 (1)
C-W	-6186 / 0	-91.8	-91.8 0.81 (1)	3.41	T-D	-1829 / 0	0.24 (1)
W-X	-6186 / 0	-91.8	-91.8 0.81 (1)	3.41	D-R	0 / 1602	0.20 (1)
X-Y	-6186 / 0	-91.8	-91.8 0.81 (1)	3.41	R-E	-802 / 0	0.08 (1)
Y-D	-6186 / 0	-91.8	-91.8 0.81 (1)	3.41	Q-H	-596 / 0	0.08 (1)
D-Z	-7502 / 0	-91.8	-91.8 0.71 (1)	3.03	C-I	0 / 1573	0.16 (1)
Z-AA	-7502 / 0	-91.8	-91.8 0.71 (1)	3.03	O-I	-1806 / 0	0.23 (1)
AA-E	-7502 / 0	-91.8	-91.8 0.71 (1)	3.03	D-J	0 / 3493	0.43 (1)
E-AB	-7502 / 0	-91.8	-91.8 0.35 (1)	3.33	N-J	-916 / 0	0.08 (1)
AB-AC	-7502 / 0	-91.8	-91.8 0.35 (1)	3.33	B-U	0 / 3374	0.42 (1)
AC-F	-7502 / 0	-91.8	-91.8 0.35 (1)	3.33	R-F	0 / 3439	0.43 (1)
F-G	-7509 / 0	-91.8	-91.8 0.37 (1)	3.31	N-K	-179 / 0	0.03 (1)
G-H	-7509 / 0	-91.8	-91.8 0.37 (1)	3.31	F-Q	-168 / 0	0.03 (1)
H-AD	-7509 / 0	-91.8	-91.8 0.71 (1)	3.03			
AD-AE	-7509 / 0	-91.8	-91.8 0.71 (1)	3.03			
AE-AF	-7509 / 0	-91.8	-91.8 0.71 (1)	3.03			
AF-I	-7509 / 0	-91.8	-91.8 0.71 (1)	3.03			
I-AG	-6217 / 0	-91.8	-91.8 0.81 (1)	3.41			
AG-AH	-6217 / 0	-91.8	-91.8 0.81 (1)	3.41			
AH-J	-6217 / 0	-91.8	-91.8 0.81 (1)	3.41			
J-K	-4025 / 0	-91.8	-91.8 0.22 (1)	4.55			
K-L	0 / 35	-91.8	-91.8 0.07 (1)	10.00			
V-B	-3288 / 0	0.0	0.0 0.18 (1)	6.41			
M-K	-3356 / 0	0.0	0.0 0.19 (1)	6.36			

V-AI 0/0	-18.5 -18.5 0.05 (4)
AI-AJ 0/0	-18.5 -18.5 0.05 (4)
AJ-U 0/0	-18.5 -18.5 0.05 (4)
U-AK 0/3285	-18.5 -18.5 0.25 (1)
AK-AL 0/3285	-18.5 -18.5 0.25 (1)
AL-AM 0/3285	-18.5 -18.5 0.25 (1)
AM-T 0/3285	-18.5 -18.5 0.25 (1)
T-AN 0/6186	-18.5 -18.5 0.46 (1)
AN-AO 0/6186	-18.5 -18.5 0.46 (1)
AO-S 0/6186	-18.5 -18.5 0.46 (1)
S-R 0/6186	-18.5 -18.5 0.46 (1)
R-AP 0/7806	-18.5 -18.5 0.56 (1)
AP-AQ 0/7806	-18.5 -18.5 0.56 (1)
AQ-AR 0/7806	-18.5 -18.5 0.56 (1)
AR-Q 0/7806	-18.5 -18.5 0.56 (1)
Q-P 0/6217	-18.5 -18.5 0.46 (1)
P-AS 0/6217	-18.5 -18.5 0.46 (1)

TOTAL WEIGHT = 2 X 160 = 321 lb

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH. LL = 25.8 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 888-09, CSA 888-14
- TPIC 2011, TPIC 2014

(5% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.23")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/984 (0.44")

CSI: TC=0.71/1.00 (D-E:1), BC=0.56/1.00 (Q-R:1), WB=0.44/1.00 (C-T:1), SS=0.23/1.00 (O-D:1)

DOL LUMBER=1.00 NAIL=1.00 LB BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.71 (G) (INPUT = 0.90)
JSI METAL = 0.59 (S) (INPUT = 1.00)

CONTINUED ON PAGE 2



Structural component only
DWG# T-2007145 1/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408169	T20	1	2	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:49:24 2020 Page 2
ID:K?TPdhq0np1q/YdbWIOFzkeG-i8ltasns1sB7 Bydbz02Kub4B6zN xr0MZbHOgzNBDI

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMVW-p	MT20	5.0	8.0	1.50 3.50
C	TTWW-m	MT20	8.0	9.0	Edge 6.25
D	TMWW-t	MT20	4.0	6.0	
E	TMW-w	MT20	2.0	4.0	
F	TMWW-t	MT20	4.0	4.0	
G	TS-t	MT20	3.0	6.0	
H	TMW-w	MT20	2.0	4.0	
I	TMWW-t	MT20	4.0	6.0	
K	TTWW-m	MT20	6.0	9.0	Edge 6.25
J	TMVW-p	MT20	5.0	8.0	1.50 3.50
M	BMV1+p	MT20	3.0	6.0	
N	BMWW-t	MT20	5.0	8.0	2.50 2.00
O	BMWW-t	MT20	8.0	9.0	4.50 2.00
P	BS-t	MT20	5.0	6.0	
Q	BMWW-t	MT20	5.0	8.0	
R	BMWW-t	MT20	5.0	8.0	
S	BS-t	MT20	5.0	6.0	
T	BMWW-t	MT20	8.0	9.0	4.50 2.00
U	BMWW-t	MT20	5.0	8.0	2.50 2.00
V	BMV1+p	MT20	3.0	6.0	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX	MAX. UNBRAC	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)
FR-TO		FROM TO		LENGTH FR-TO			
AS-AT	0 / 6217	-18.5	-18.5	0.48 (1)			10.00
AT-O	0 / 6217	-18.5	-18.5	0.48 (1)			10.00
O-AU	0 / 3326	-18.5	-18.5	0.26 (1)			10.00
AU-AV	0 / 3326	-18.5	-18.5	0.26 (1)			10.00
AV-N	0 / 3326	-18.5	-18.5	0.26 (1)			10.00
N-AW	0 / 0	-18.5	-18.5	0.04 (4)			10.00
AW-M	0 / 0	-18.5	-18.5	0.04 (4)			10.00

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX.	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-0-11	-49	-55	---	FRONT	VERT	DEAD	---	C1
C	4-0-11	-254	-254	---	FRONT	VERT	SNOW	---	C1
G	10-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
J	31-1-6	-49	-55	---	FRONT	VERT	DEAD	---	C1
J	31-1-6	-117	-117	---	BACK	VERT	TOTAL	---	C1
J	31-1-6	-254	-254	---	FRONT	VERT	SNOW	---	C1
N	31-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
P	21-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
W	5-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
X	7-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
Y	9-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
Z	11-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
AA	13-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
AB	15-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
AC	17-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
AD	21-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
AE	23-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
AF	25-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
AG	27-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
AH	29-2-12	-110	-110	---	BACK	VERT	TOTAL	---	C1
AI	1-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AJ	3-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AK	5-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AL	7-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AM	9-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AN	11-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AO	13-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AP	15-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AQ	17-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AR	19-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AS	23-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AT	25-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AU	27-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AV	29-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1
AW	33-2-12	-26	-26	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS


1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



Structural component only
DWG# T-2007145

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T20Z	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 9 Oct 20 2019 Mtek Industries, Inc. Sat Apr 25 12:49:25 2020 Page 1
 ID:K7TPdghj0npl1qYdbWIOFzldG-AKHFWuIPo9K_cKTP8gXC167DKWF2Jk9bCKqW7zNBDe
 1.38 0.0 4.0-11 4.0-11 5.5-11 9.4-6 9.4-7 14.10-13 17.7-0 29.3-4 29.3-4 5.4-7 25.7-11 27.6-12 29.8-12 31.1-11 31.6-12 35.2-0 35.2-0
 Scale = 1:57.0



LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4 DRY	No.2	SPF		
C - G	2x4 DRY	No.2	SPF		
G - J	2x4 DRY	No.2	SPF		
J - L	2x4 DRY	No.2	SPF		
V - B	2x4 DRY	No.2	SPF		
M - K	2x4 DRY	No.2	SPF		
V - S	2x6 DRY	No.2	SPF		
S - P	2x6 DRY	No.2	SPF		
P - M	2x6 DRY	No.2	SPF		
ALL WEBS	2x3 DRY	No.2	SPF		
EXCEPT					

DRY: SEASONED LUMBER.
 DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
A - C	12	TOP
C - G	12	TOP
G - J	12	SIDE(81.0)
J - L	12	SIDE(81.0)
V - B	12	TOP
M - K	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
V - S	12	TOP
S - P	12	TOP
P - M	12	SIDE(183.1)
WEBS : (0.122"x3") SPIRAL NAILS		
2x3	6	SIDE(557.9)
I - O	3	
D - T	3	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.
 GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.
 TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.



Structural component only
 DWG# T-2007146 1/2

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	RECORD
GROSS REACTION	GROSS REACTION	BRG	BRG	
JT VERT	2938	0	2938	0
V	2938	0	2938	0
M	4798	0	4798	0

UNFACTORED REACTIONS		MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
V	2073	1388 / 0	0 / 0	0 / 0	0 / 0	684 / 0	0 / 0
M	3381	2278 / 0	0 / 0	0 / 0	0 / 0	1103 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) V, M

BRACING
 TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.57 FT.
 MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	VERT. LOAD	LC1	MAX.	MAX.	WEBS	MAX. FACTORED
MEMB.	FORCE	VERT.	LC1	MAX.	MAX.	MEMB.	FORCE
FR-TO		FROM	TO	CSI (LC)	UNBRAC	FR-TO	
A-B	0 / 35	-91.8	-91.8	0.07 (1)	10.00	U-C	-584 / 0
B-C	-3442 / 0	-91.8	-91.8	0.20 (1)	4.88	C-T	0 / 3700
C-D	-5905 / 0	-91.8	-91.8	0.43 (1)	3.70	T-D	-1983 / 0
D-E	-7847 / 0	-91.8	-91.8	0.58 (1)	3.11	D-R	0 / 2485
E-F	-7947 / 0	-91.8	-91.8	0.31 (1)	3.30	R-E	-368 / 0
F-G	-9222 / 0	-91.8	-91.8	0.38 (1)	3.01	Q-H	-346 / 0
G-H	-9222 / 0	-91.8	-91.8	0.38 (1)	3.01	Q-I	-503 / 0
H-I	-9222 / 0	-91.8	-91.8	0.77 (1)	2.73	C-I	-397 / 0
I-W	-9835 / 0	-91.8	-91.8	0.88 (1)	2.57	O-J	0 / 5776
W-X	-9835 / 0	-91.8	-91.8	0.88 (1)	2.57	N-J	-915 / 0
X-J	-9835 / 0	-91.8	-91.8	0.88 (1)	2.57	B-U	0 / 2940
J-Y	-5847 / 0	-91.8	-91.8	0.33 (1)	3.78	N-K	0 / 5020
Y-K	-5847 / 0	-91.8	-91.8	0.33 (1)	3.78	R-F	-1209 / 0
K-L	0 / 35	-91.8	-91.8	0.07 (1)	10.00	F-Q	0 / 974
V-B	-2914 / 0	0.0	0.0	0.16 (1)	6.74		
M-K	-4771 / 0	0.0	0.0	0.27 (1)	5.48		
V-U	0 / 0	-18.5	-18.5	0.03 (4)	10.00		
U-Y	0 / 2843	-18.5	-18.5	0.21 (1)	10.00		
T-S	0 / 5906	-18.5	-18.5	0.44 (1)	10.00		
S-R	0 / 5906	-18.5	-18.5	0.44 (1)	10.00		
R-Q	0 / 8663	-18.5	-18.5	0.62 (1)	10.00		
Q-P	0 / 9835	-18.5	-18.5	0.72 (1)	10.00		
P-O	0 / 9835	-18.5	-18.5	0.72 (1)	10.00		
O-Z	0 / 4855	-18.5	-18.5	0.41 (1)	10.00		
Z-AA	0 / 4855	-18.5	-18.5	0.41 (1)	10.00		
AA-N	0 / 4855	-18.5	-18.5	0.41 (1)	10.00		
N-AB	0 / 0	-18.5	-18.5	0.06 (4)	10.00		
AB-AC	0 / 0	-18.5	-18.5	0.06 (4)	10.00		
AC-M	0 / 0	-18.5	-18.5	0.06 (4)	10.00		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX.	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
J	31-1-6	-49	-55	---	FRONT	VERT	DEAD	---	C1
J	31-1-6	-254	-254	---	FRONT	VERT	SNOW	---	C1
O	25-7-8	-2840	-2840	---	FRONT	VERT	TOTAL	---	C1
W	27-8-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
X	29-8-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Y	31-8-12	-138	-138	---	FRONT	VERT	TOTAL	---	C1
Z	27-8-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AA	29-8-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AB	31-8-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1
AC	33-8-12	-26	-26	---	FRONT	VERT	TOTAL	---	C1

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
 GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
 LOADS WERE DERIVED FROM USER INPUT
 NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:
 TOP CH. LL = 25.8 PSF
 DL = 6.0 PSF
 BOT CH. LL = 0.0 PSF
 DL = 7.4 PSF
 TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. G/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

*** NON STANDARD GIRDER ***
 ADDTL USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
 - PART 9 OF BCBC 2018, OBC 2012, ABC 2019
 - PART 9 OF OBC 2012 (2019 AMENDMENT)
 - CSA 088-09, CSA 088-14
 - TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (1.17)
 CALCULATED VERT. DEFL. (LL) = L/899 (0.28)
 ALLOWABLE DEFL. (TL) = L/360 (1.17)
 CALCULATED VERT. DEFL. (TL) = L/832 (0.51)

CSI: TC=0.88/1.00 (I-J:1), BC=0.72/1.00 (O-Q:1), WB=0.71/1.00 (J-O:1), SS=0.18/1.00 (I-J:1)

DOL LUMBER=1.00 NAIL=1.00 LBS BEND=1.00

COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
 PLATE GRIP(DRY) SHEAR SECTION
 (PS) (PL) (PLJ)
 MAX MIN MAX MIN MAX MIN
 MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.89 (C) (INPUT = 0.90)
 JSI METAL = 0.87 (S) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T20Z	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 Mittek Industries, Inc. Sat Apr 25 12:49:35 2020 Page 2
ID:K7TPdgg0npl1aYdbWIOFzIdeG-AKHFWmtPo9K_cKTp9gXCi67DKWF2Jk9bCKgw7zNBDe

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	1.50	3.50
C	TTWW-m	MT20	7.0	8.0	1.75	2.50
D	TMWW-l	MT20	4.0	8.0		
E	TMWW-w	MT20	2.0	4.0		
F	TMWW-l	MT20	4.0	4.0		
G	TS-t	MT20	3.0	8.0		
H	TMWW-w	MT20	2.0	4.0		
I	TMWW-l	MT20	4.0	8.0		
J	TTWW-m	MT20	7.0	8.0	1.75	2.50
K	TMVW-p	MT20	5.0	8.0	1.50	3.50
M	BMV1+p	MT20	3.0	8.0		
N	BMWW-l	MT20	5.0	8.0	2.50	2.00
O	BMWW-l	MT20	8.0	9.0	4.50	2.00
P	BS-t	MT20	5.0	8.0		
Q	BMWWWW-l	MT20	5.0	8.0		
R	BMWWWW-l	MT20	5.0	8.0		
S	BS-t	MT20	5.0	8.0		
T	BMWWWW-t	MT20	8.0	9.0	4.50	2.00
U	BMWW-l	MT20	5.0	8.0	2.50	2.00
V	BMV1+p	MT20	3.0	8.0		

CONNECTION REQUIREMENTS


- 1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.



Structural component only
DWG# T-2007146 42

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T21	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 28 12:48:28 2020 Page 1
ID:K7TPdhqj0np1tqYdbWOFzIdG-eWrd5G12ZTSrDU10jO2RPJgONwdaSrJjps4OSZzNBDd
Scale = 1:57.3



CHORDS	SIZE	LUMBER
A - C	2x4	DRY No.2
C - F	2x4	DRY No.2
F - H	2x4	DRY No.2
H - J	2x4	DRY No.2
S - B	2x4	DRY No.2
K - I	2x4	DRY No.2
S - P	2x4	DRY No.2
P - N	2x4	DRY No.2
N - K	2x4	DRY No.2

ALL WEBS 2x3 DRY No.2
EXCEPT
DRY: SEASONED LUMBER.

PLATES (table in inches)	PLATES	W	LEN	Y	X
JT TYPE	MT20	5.0	6.0	1.75	2.75
B TMVW-p	MT20	5.0	6.0	Edge	
C TTWW-m	MT20	5.0	6.0	Edge	
D TMWW-t	MT20	4.0	4.0		
E TMW-w	MT20	2.0	4.0		
F TS-t	MT20	3.0	6.0		
G TMWW-t	MT20	4.0	4.0		
H TTWW-m	MT20	6.0	9.0	Edge	
I TMW-p	MT20	5.0	6.0	1.75	2.75
K BMV1-p	MT20	3.0	4.0		
L BMWW-t	MT20	4.0	9.0		
M BMWW-t	MT20	5.0	6.0		
N BS-t	MT20	4.0	6.0		
O BMWW-t	MT20	4.0	9.0		
P BS-t	MT20	4.0	6.0		
Q BMWW-t	MT20	5.0	6.0		
R BMWW-t	MT20	4.0	9.0		
S BMV1-p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	RECORD BRG
JT	VERT	DOWN	IN-SX	IN-SX
S	2065	0	5-8	5-8
K	2065	0	5-8	5-8

UNFACTORED REACTIONS	1ST LCASE	MAX/MIN COMPONENT REACTIONS	PERM.LIVE	WIND	DEAD	SOIL
JT	COMBINED	SNOW	LIVE			
S	1458	970 / 0	0 / 0	0 / 0	488 / 0	0 / 0
K	1458	970 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.97 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

CHORDS	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH (LC)	W E B S	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH (LC)
FR-TO					FR-TO			
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00	R-C	-243 / 10	0.09 (1)
B-C	-2297 / 0	-91.8	-91.8	0.70 (1)	3.78	C-Q	0 / 1669	0.38 (1)
C-D	-3213 / 0	-91.8	-91.8	0.80 (1)	3.19	Q-D	-929 / 0	0.38 (1)
D-E	-3594 / 0	-91.8	-91.8	0.88 (1)	2.97	D-O	0 / 489	0.11 (1)
E-F	-3594 / 0	-91.8	-91.8	0.88 (1)	2.97	O-E	-505 / 0	0.19 (1)
F-G	-3594 / 0	-91.8	-91.8	0.88 (1)	2.97	G-O	0 / 490	0.11 (1)
G-H	-3213 / 0	-91.8	-91.8	0.80 (1)	3.19	M-G	-929 / 0	0.36 (1)
H-I	-2296 / 0	-91.8	-91.8	0.70 (1)	3.78	M-H	0 / 1670	0.38 (1)
I-J	0 / 35	-91.8	-91.8	0.12 (1)	10.00	L-H	-243 / 10	0.09 (1)
S-B	-2023 / 0	0.0	0.0	0.21 (1)	5.84	B-R	0 / 1943	0.44 (1)
K-I	-2023 / 0	0.0	0.0	0.21 (1)	5.84	L-I	0 / 1943	0.44 (1)
S-R	0 / 0	-18.5	-18.5	0.15 (4)	10.00			
R-Q	0 / 1904	-18.5	-18.5	0.39 (1)	10.00			
Q-P	0 / 3213	-18.5	-18.5	0.58 (1)	10.00			
P-O	0 / 3213	-18.5	-18.5	0.58 (1)	10.00			
O-N	0 / 3213	-18.5	-18.5	0.58 (1)	10.00			
N-M	0 / 3213	-18.5	-18.5	0.58 (1)	10.00			
M-L	0 / 1903	-18.5	-18.5	0.39 (1)	10.00			
L-K	0 / 0	-18.5	-18.5	0.15 (4)	10.00			

TOTAL WEIGHT = 2 X 140 = 280 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 8, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.21")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.39")

CSI: TC=0.88/1.00 (E-G:1), BC=0.50/1.00 (O-Q:1),
WB=0.44/1.00 (B-R:1), SI=0.28/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(Psi) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 616 354 1667 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.87 (B) (INPUT = 0.90)
JSI METAL= 0.74 (P) (INPUT = 1.00)




Structural component only
DWG# T-2007147

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	TRUSS DESC.	DRWG NO.
408169	T22	2	1	GREEN PARK HOMES		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 25 12:49:27 2020 Page 1
ID:K7TPdngJnpl1q1YdbWIOFzIdeG-8jO7JbugKnaieCH5ZgyXDdmJ7DB9HS2Wpx77zNB8Dc



LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - D	2x4	DRY	No.2
D - G	2x4	DRY	No.2
G - I	2x4	DRY	No.2
I - L	2x4	DRY	No.2
U - S	2x4	DRY	No.2
M - K	2x4	DRY	No.2
U - S	2x4	DRY	No.2
S - O	2x4	DRY	No.2
O - M	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			SPF
DRY: SEASONED LUMBER.			

PLATES (table is in inches)				
JT	TYPE	PLATES	W	LEN Y X
B	TMV-p	MT20	3.0	4.0
C	TMVW-1	MT20	5.0	8.0 2.50 2.50
D	TTWV-m	MT20	5.0	8.0 1.75 3.50
E	TMVW-1	MT20	4.0	4.0
F	TMVW-1	MT20	2.0	4.0
G	TS-1	MT20	3.0	6.0
H	TMVW-1	MT20	4.0	4.0
I	TTWV-m	MT20	5.0	8.0 1.75 3.50
J	TMVW-1	MT20	5.0	8.0 2.50 2.50
K	TMV-p	MT20	3.0	4.0
M	BMVW-1	MT20	5.0	8.0 2.50 2.25
N	BMVW-1	MT20	4.0	6.0
O	BS-1	MT20	3.0	6.0
P	BMVW-1	MT20	4.0	6.0
Q	BMVW-1	MT20	4.0	6.0
R	BMVW-1	MT20	4.0	6.0
S	BS-1	MT20	3.0	6.0
T	BMVW-1	MT20	4.0	4.0
U	BMVW-1	MT20	5.0	6.0 2.50 2.25

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER									
BEARINGS									
	FACTORED	MAXIMUM FACTORED	INPUT	REQD					
	GROSS REACTION	GROSS REACTION	BRG	BRG					
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX		
U	2065	0	2065	0	0	5-8	5-8		
M	2065	0	2065	0	0	5-8	5-8		
UNFACTORED REACTIONS									
	1ST LOASE	MAX/MIN. COMPONENT REACTIONS							
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL		
U	1458	970/0	0/0	0/0	0/0	488/0	0/0		
M	1458	970/0	0/0	0/0	0/0	488/0	0/0		
BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, M									
BRACING									
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.53 FT.									
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.									
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.									

LOADING									
TOTAL LOAD CASES: (4)									
CHORDS									
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)
FR-TO						FR-TO			
A-B	0/35	-91.8	-91.8	0.12 (1)	10.00	C-T	0/135	0.03 (4)	0.03 (4)
B-C	0/18	-91.8	-91.8	0.16 (1)	10.00	T-D	0/90	0.03 (4)	0.03 (4)
C-D	-2305/0	-91.8	-91.8	0.23 (1)	4.31	D-R	0/1218	0.27 (1)	0.27 (1)
D-E	-2723/0	-91.8	-91.8	0.54 (1)	3.89	R-E	-814/0	0.48 (1)	0.48 (1)
E-F	-2968/0	-91.8	-91.8	0.58 (1)	3.53	E-Q	0/363	0.08 (1)	0.08 (1)
F-G	-2968/0	-91.8	-91.8	0.58 (1)	3.53	Q-F	-440/0	0.26 (1)	0.26 (1)
G-H	-2968/0	-91.8	-91.8	0.58 (1)	3.53	H-Q	0/363	0.08 (1)	0.08 (1)
H-I	-2723/0	-91.8	-91.8	0.16 (1)	10.00	I-P	-814/0	0.48 (1)	0.48 (1)
I-J	-2305/0	-91.8	-91.8	0.23 (1)	4.31	P-I	0/1218	0.27 (1)	0.27 (1)
J-K	0/18	-91.8	-91.8	0.16 (1)	10.00	K-I	0/90	0.03 (4)	0.03 (4)
K-L	0/35	-91.8	-91.8	0.12 (1)	10.00	N-J	0/136	0.03 (4)	0.03 (4)
U-B	-255/0	0.0	0.0	0.02 (1)	7.61	U-C	-2515/0	0.97 (1)	0.97 (1)
M-K	-255/0	0.0	0.0	0.02 (1)	7.61	J-M	-2514/0	0.97 (1)	0.97 (1)
U-T	0/1802	-18.5	-18.5	0.40 (1)	10.00				
T-S	0/1901	-18.5	-18.5	0.41 (1)	10.00				
S-R	0/1901	-18.5	-18.5	0.41 (1)	10.00				
R-Q	0/2724	-18.5	-18.5	0.49 (1)	10.00				
Q-P	0/2723	-18.5	-18.5	0.49 (1)	10.00				
P-O	0/1800	-18.5	-18.5	0.41 (1)	10.00				
O-N	0/1800	-18.5	-18.5	0.41 (1)	10.00				
N-M	0/1801	-18.5	-18.5	0.40 (1)	10.00				


DESIGN CRITERIA	
SPECIFIED LOADS:	
TOP CH. LL	= 25.8 PSF
DL	= 6.0 PSF
BOT CH. LL	= 0.0 PSF
DL	= 7.4 PSF
TOTAL LOAD	= 39.0 PSF
SPACING = 24.0 IN. O.C.	
LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12	
THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015	
THIS DESIGN COMPLIES WITH:	
- PART 9 OF CBC 2018, CBC 2012, ABC 2019	
- PART 9 OF CBC 2012 (2019 AMENDMENT)	
- CSA 086-09, CSA 086-14	
- TPIC 2011, TPIC 2014	
(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD	
ALLOWABLE DEFL. (LL) = L/360 (1.17')	
CALCULATED VERT. DEFL. (LL) = L/999 (0.16')	
ALLOWABLE DEFL. (TL) = L/360 (1.17')	
CALCULATED VERT. DEFL. (TL) = L/999 (0.29')	
CSI: TC=0.68/1.00 (E-F:1), BC=0.49/1.00 (Q-R:1), WB=0.97/1.00 (O-U:1), SS=0.23/1.00 (H-I:1)	
DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10	
COMPANION LIVE LOAD FACTOR = 1.00	
TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.	
NAIL VALUES	
PLATE GRIP(DRY) SHEAR SECTION	
(PSI) (PLI) (PLI)	
MAX MIN MAX MIN MAX MIN	
MT20 618 354 1867 789 1987 1658	
PLATE PLACEMENT TOL. = 0.250 inches	
PLATE ROTATION TOL. = 5.0 Deg.	
JSI GRIP=0.90 (M) (INPUT = 0.90)	
JSI METAL=0.63 (C) (INPUT = 1.00)	



Structural component only
DWG# T-2007148

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T23	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MIT 6k Industries, Inc. Sat Apr 25 12:49:28 2020 Page 1
ID:K7TPdhg0npl1q1YcbWfOfZldeG-buyfNWxv154IZToBQqp4vVdnEjLmwVbHAZVXRzNBDb
20-6-12 20-6-12 20-6-12 20-6-12 20-6-12 20-6-12 20-6-12 20-6-12 20-6-12 20-6-12
Scale = 1:57.3



LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHOROS			
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - H	2x4	DRY	No.2
H - K	2x4	DRY	No.2
U - B	2x4	DRY	No.2
L - J	2x4	DRY	No.2
U - R	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - L	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table in inches)					
JT TYPE	PLATES	W	LEN	Y	X
B	TMW-p	MT20	5.0	6.0	1.75 2.75
C	TMW-w	MT20	4.0	4.0	2.00 1.50
D	TTWW-m	MT20	5.0	8.0	Edge
E	TMW-w	MT20	4.0	4.0	Edge
F	TS-t	MT20	3.0	8.0	
G	TMW-w	MT20	2.0	4.0	
H	TTWW-m	MT20	5.0	8.0	Edge
I	TMW-w	MT20	4.0	4.0	2.00 1.50
J	TMW-p	MT20	5.0	6.0	1.75 2.75
L	BMV-l-p	MT20	3.0	4.0	
M	BMW-w	MT20	5.0	6.0	2.50 2.75
N	BMW-w	MT20	4.0	4.0	
O	BS-t	MT20	3.0	8.0	
P	BMW-w	MT20	4.0	4.0	
Q	BMW-w	MT20	4.0	6.0	
R	BS-t	MT20	3.0	6.0	
S	BMW-w	MT20	4.0	4.0	
T	BMW-w	MT20	5.0	6.0	2.50 2.75
U	BMV-l-p	MT20	3.0	4.0	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT
U	2085	0	2085	0	5-8
L	2085	0	2085	0	5-8

UNFACTORED REACTIONS		1ST CASE	MAX/MIN	COMPONENT REACTIONS
JT	COMBINED	SNOW	LIVE	PERM. LIVE
U	1458	970 / 0	0 / 0	0 / 0
L	1458	970 / 0	0 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) U, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.72 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-P.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS						WEBS					
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LOAD LC1	MAX CSI (LC)	MAX. UNBRACED LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)			
FR-TO		FROM TO			FR-TO						
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00	T-C	-396 / 0	0.11 (1)			
B-C	-2270 / 0	-91.8	-91.8	0.37 (1)	4.19	C-S	-79 / 0	0.05 (1)			
C-D	-2254 / 0	-91.8	-91.8	0.36 (1)	4.21	S-D	0 / 156	0.04 (4)			
D-E	-2485 / 0	-91.8	-91.8	0.64 (1)	3.72	D-Q	0 / 949	0.21 (1)			
E-F	-2483 / 0	-91.8	-91.8	0.64 (1)	3.72	Q-E	-597 / 0	0.52 (1)			
F-G	-2483 / 0	-91.8	-91.8	0.64 (1)	3.72	E-P	-2 / 0	0.00 (1)			
G-H	-2483 / 0	-91.8	-91.8	0.63 (1)	3.74	P-G	-598 / 0	0.52 (1)			
H-I	-2254 / 0	-91.8	-91.8	0.36 (1)	4.21	P-H	0 / 947	0.21 (1)			
I-J	-2289 / 0	-91.8	-91.8	0.37 (1)	4.19	N-H	0 / 157	0.04 (4)			
J-K	0 / 35	-91.8	-91.8	0.12 (1)	10.00	N-I	-78 / 0	0.05 (1)			
U-B	-2027 / 0	0.0	0.0	0.21 (1)	5.94	M-I	-397 / 0	0.11 (1)			
L-J	-2028 / 0	0.0	0.0	0.21 (1)	5.94	B-T	0 / 1968	0.44 (1)			
						M-J	0 / 1965	0.44 (1)			
A-B	0 / 0	-18.5	-18.5	0.08 (4)	10.00						
T-S	0 / 1909	-18.5	-18.5	0.37 (1)	10.00						
S-R	0 / 1854	-18.5	-18.5	0.36 (1)	10.00						
R-Q	0 / 1854	-18.5	-18.5	0.36 (1)	10.00						
Q-P	0 / 2485	-18.5	-18.5	0.47 (1)	10.00						
P-O	0 / 1854	-18.5	-18.5	0.36 (1)	10.00						
O-N	0 / 1854	-18.5	-18.5	0.36 (1)	10.00						
N-M	0 / 1908	-18.5	-18.5	0.37 (1)	10.00						
M-L	0 / 0	-18.5	-18.5	0.08 (4)	10.00						

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 38.0 PSF

SPACING = 24.0 IN. CD

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ASC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.12")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.24")

CS1: TC=0.64/1.00 (D-E:1), BC=0.47/1.00 (P-Q:1), WB=0.52/1.00 (E-Q:1), SS1=0.26/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.


JSI GRIP= 0.90 (D) (INPUT = 0.80)

JSI METAL = 0.62 (D) (INPUT = 1.00)



Structural component only
DWG# T-2007149

JOB NAME 408169	TRUSS NAME T24	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:49:29 2020 Page 1	



LUMBER

N. L. G. A. RULES

CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - I	2x4	DRY	No.2
R - B	2x4	DRY	No.2
J - H	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - M	2x4	DRY	No.2
M - J	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			
D - N	2x4	DRY	No.2
N - F	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	8.0	1.75	2.75
C	TMWW-l	MT20	4.0	4.0	2.00	1.50
D	TTWW-m	MT20	5.0	8.0	2.25	1.75
E	TMWW-w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	8.0	2.25	1.75
G	TMWW-l	MT20	4.0	4.0	2.00	1.50
H	TMWW-p	MT20	5.0	8.0	1.75	2.75
J	BMV-l-p	MT20	3.0	4.0		
K	BMWW-l	MT20	5.0	8.0	2.50	2.75
L	BMWW-l	MT20	4.0	4.0		
M	BS-l	MT20	3.0	6.0		
N	BMWWW-l	MT20	4.0	4.0		
O	BS-l	MT20	3.0	6.0		
P	BMWWW-l	MT20	4.0	4.0		
Q	BMWWW-l	MT20	5.0	8.0	2.50	2.75
R	BMV-l-p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	RECORD BRG
JT	VERT	DOWN	0	0
R	HORZ	UP	0	0
J	UP	DOWN	0	0

UNFACTORED REACTIONS

1ST CASE	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
JT	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.47 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO				FR-TO			
A-B	0 / 35	-91.8	-91.8 0.12 (1)	Q-C	-321 / 0	0.11 (1)	
B-C	-2318 / 0	-91.8	-91.8 0.38 (1)	C-P	-218 / 0	0.18 (1)	
C-D	-2188 / 0	-91.8	-91.8 0.37 (1)	P-D	0 / 288	0.08 (1)	
D-E	-2274 / 0	-91.8	-91.8 0.81 (1)	D-N	0 / 691	0.11 (1)	
E-F	-2274 / 0	-91.8	-91.8 0.81 (1)	N-E	-851 / 0	0.35 (1)	
F-G	-2185 / 0	-91.8	-91.8 0.37 (1)	N-F	0 / 691	0.11 (1)	
G-H	-2317 / 0	-91.8	-91.8 0.38 (1)	L-F	0 / 288	0.08 (1)	
H-I	0 / 35	-91.8	-91.8 0.12 (1)	L-G	-218 / 0	0.18 (1)	
R-B	-2022 / 0	0.0	0.0 0.21 (1)	K-G	-321 / 0	0.11 (1)	
J-H	-2022 / 0	0.0	0.0 0.21 (1)	B-Q	0 / 1995	0.45 (1)	
				K-H	0 / 1995	0.45 (1)	
R-Q	0 / 0	-18.5	-18.5 0.10 (4)				
Q-P	0 / 1953	-18.5	-18.5 0.40 (1)				
P-O	0 / 1794	-18.5	-18.5 0.41 (1)				
O-N	0 / 1794	-18.5	-18.5 0.41 (1)				
N-M	0 / 1794	-18.5	-18.5 0.41 (1)				
M-L	0 / 1794	-18.5	-18.5 0.41 (1)				
L-K	0 / 1953	-18.5	-18.5 0.40 (1)				
K-J	0 / 0	-18.5	-18.5 0.10 (4)				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. OC

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2015, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN. LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = 1/989 (0.11")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = 1/999 (0.22")

CSI: TC=0.81/1.00 (D-E:1), BC=0.41/1.00 (N-P:1),
WB=0.45/1.00 (B-Q:1), SS=0.34/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 818 354 1667 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.87 (B) (INPUT = 0.90)
JSI METAL= 0.84 (M) (INPUT = 1.00)



Structural component only
DWG# T-2007150

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T25	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.316 S Oct 29 2019 MITEX Industries, Inc. Sat Apr 25 12:49:30 2020 Page 1
 ID:K7TPdngDnpl1qYdWfOZideG-XI48xdwYdlyH8LnyE7Na9q8dX2TOe3ukU2bbKzNBDZ
 Scale = 1:57.3



LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - I	2x4	DRY	No.2
R - B	2x4	DRY	No.2
J - H	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - M	2x4	DRY	No.2
M - J	2x4	DRY	No.2
ALL WEBS 2x3 DRY No.2			
EXCEPT			
D - N	2x4	DRY	No.2
N - F	2x4	DRY	No.2

DRY, SEASONED LUMBER.

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMW-p	MT20	5.0	6.0	1.75 2.75
C	TMW-W-1	MT20	4.0	4.0	2.00 1.50
D	TTW-W-m	MT20	5.0	6.0	2.25 2.00
E	TMW-w	MT20	2.0	4.0	
F	TTW-W-m	MT20	5.0	6.0	2.25 2.00
G	TMW-W-1	MT20	4.0	4.0	2.00 1.50
H	TMW-p	MT20	5.0	6.0	1.75 2.75
J	BMV1-p	MT20	3.0	4.0	
K	BMW-W-1	MT20	4.0	4.0	
L	BMW-W-1	MT20	4.0	4.0	
M	BS-1	MT20	3.0	6.0	
N	BMW-W-W-1	MT20	4.0	9.0	
O	BS-1	MT20	3.0	6.0	
P	BMW-W-1	MT20	4.0	4.0	
Q	BMW-W-1	MT20	4.0	4.0	
R	BMV1-p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	VERT	GROSS REACTION	HORIZ	GROSS REACTION	HORIZ	BRG	IN-SX	BRG	IN-SX
R	2065	0	2065	0	0	5-8	5-8		
J	2065	0	2065	0	0	5-8	5-8		

UNFACTORED REACTIONS		1ST LCASE		MAX/MIN. COMPONENT REACTIONS	
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND
R	1458	970 / 0	0 / 0	0 / 0	488 / 0
J	1458	970 / 0	0 / 0	0 / 0	488 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
 TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.99 FT.
 MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING		TOTAL LOAD CASES: (4)	
CHORDS		WEBS	
MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED VERT. LOAD (PLF)	MAX. FACTORED GSI (LC)
FR-TO		FROM	TO
A-B	0 / 35	-91.8	-91.8 0.12 (1)
B-C	-2347 / 0	-91.8	-91.8 0.52 (1)
C-D	-2098 / 0	-91.8	-91.8 0.46 (1)
D-E	-1985 / 0	-91.8	-91.8 0.49 (1)
E-F	-1985 / 0	-91.8	-91.8 0.49 (1)
F-G	-2095 / 0	-91.8	-91.8 0.46 (1)
G-H	-2348 / 0	-91.8	-91.8 0.52 (1)
H-I	0 / 35	-91.8	-91.8 0.12 (1)
R-B	-2018 / 0	0.0	0.0 0.21 (1)
J-H	-2018 / 0	0.0	0.0 0.21 (1)
R-Q	0 / 0	-18.5	-18.5 0.14 (4)
O-P	0 / 1981	-18.5	-18.5 0.39 (1)
P-O	0 / 1716	-18.5	-18.5 0.34 (1)
O-N	0 / 1716	-18.5	-18.5 0.34 (1)
N-M	0 / 1716	-18.5	-18.5 0.34 (1)
M-L	0 / 1716	-18.5	-18.5 0.34 (1)
L-K	0 / 1980	-18.5	-18.5 0.39 (1)
K-J	0 / 0	-18.5	-18.5 0.14 (4)

DESIGN CRITERIA

SPECIFIED LOADS:
 TOP CH. LL = 25.6 PSF
 DL = 8.0 PSF
 BOT CH. LL = 0.0 PSF
 DL = 7.4 PSF
 TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. OC

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
 - PART 9 OF NBC 2010, OBC 2012, ABC 2019
 - PART 9 OF OBC 2012 (2019 AMENDMENT)
 - CSA 086-09, CSA 086-14
 - TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
 CALCULATED VERT. DEFL.(LL) = L/999 (0.10")
 ALLOWABLE DEFL.(TL) = L/360 (1.17")
 CALCULATED VERT. DEFL.(TL) = L/999 (0.19")
 GSI: TC=0.52/1.00 (B-C:1), BC=0.39/1.00 (P-Q:1),
 WB=0.45/1.00 (B-G:1), SS=0.27/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
 PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
 MAX MIN MAX MIN MAX MIN
 MT20 618 354 1667 768 1987 1696

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.87 (B) (INPUT = 0.90)
 JSI METAL= 0.58 (M) (INPUT = 1.00)



Structural component only
 DWG# T-2007151

JOB NAME 408169	TRUSS NAME T27	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	ORWG NO.
Tamarack Roof Truss, Burlington					

Version 8.310 S.Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:49:33 2020 Page 1
ID:K7TPdngj0npl1q1YdbWIOFzdeG-ximGZfzRwKfZZ4MdMq4CoSb3k2Cb7nKQ8HGcfzNBDW



CHORDS	SIZE	DRY	LUMBER
A - D	2x4	DRY	No.2
D - E	2x4	DRY	No.2
E - F	2x4	DRY	No.2
F - G	2x4	DRY	No.2
G - J	2x4	DRY	No.2
J - B	2x4	DRY	No.2
K - I	2x4	DRY	No.2
R - P	2x4	DRY	No.2
P - M	2x4	DRY	No.2
M - K	2x4	DRY	No.2

DRY: SEASONED LUMBER.

JT TYPE	PLATES	W	LEN	Y	X
B TMVW-p	MT20	5.0	6.0	1.75	2.75
C TMVW-l	MT20	4.0	4.0	2.00	1.50
D TS-l	MT20	3.0	8.0		
E TTWW-m	MT20	5.0	8.0	2.00	3.00
F TTW-m	MT20	4.0	4.0		
G TS-l	MT20	3.0	8.0		
H TMVW-l	MT20	4.0	4.0	2.00	1.50
I TMVW-p	MT20	5.0	8.0	1.75	2.75
K BMV-l-p	MT20	3.0	4.0		
L BMVW-l	MT20	4.0	9.0		
M BS-l	MT20	3.0	6.0		
N BMVW-l	MT20	4.0	9.0		
O BMVW-l	MT20	4.0	9.0		
P BS-l	MT20	3.0	6.0		
Q BMVW-l	MT20	4.0	9.0		
R BMV-l-p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	DOWN	IN-SX	IN-SX
R	2085	0	5-8	5-8
K	2085	0	5-8	5-8

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
R	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
K	1458	970 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.45 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-O, H-N.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)
FR-TO							
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00		
B-C	-2358 / 0	-91.8	-91.8	0.89 (1)	3.45		
C-D	-1888 / 0	-91.8	-91.8	0.78 (1)	3.91		
D-E	-1888 / 0	-91.8	-91.8	0.78 (1)	3.91		
E-F	-1538 / 0	-91.8	-91.8	0.47 (1)	4.74		
F-G	-1888 / 0	-91.8	-91.8	0.78 (1)	3.91		
G-H	-1888 / 0	-91.8	-91.8	0.78 (1)	3.91		
H-I	-2357 / 0	-91.8	-91.8	0.89 (1)	3.45		
I-J	0 / 35	-91.8	-91.8	0.12 (1)	10.00		
R-B	-2009 / 0	0.0	0.0	0.21 (1)	5.95		
K-I	-2009 / 0	0.0	0.0	0.21 (1)	5.95		
R-Q	0 / 0	-18.5	-18.5	0.25 (4)	10.00		
Q-P	0 / 1999	-18.5	-18.5	0.45 (1)	10.00		
P-O	0 / 1999	-18.5	-18.5	0.45 (1)	10.00		
O-N	0 / 1538	-18.5	-18.5	0.33 (1)	10.00		
N-M	0 / 1998	-18.5	-18.5	0.45 (1)	10.00		
M-L	0 / 1998	-18.5	-18.5	0.45 (1)	10.00		
L-K	0 / 0	-18.5	-18.5	0.24 (4)	10.00		

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN./C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBC 2010, NBC 2015
- PART 9 OF NBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.09")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.20")

CS: TC=0.69/1.00 (B-C:1), BC=0.45/1.00 (C-Q:1), WB=0.48/1.00 (B-Q:1), SSI=0.27/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PL) (PL)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP = 0.80 (F) (INPUT = 0.80)
JSI METAL = 0.88 (F) (INPUT = 1.00)



Structural component only
DWG# T-2007153

JOB NAME 408169	TRUSS NAME T28	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	TRUSS DESC.	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	-------------	----------


Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 28 12:49:34 2020 Page 2
ID:K?TPdhp0nol1aiYdbWfOFzIdeG-P3Jin7 3gwSIBifYB3BJk??uz8RBKVIUf60p05zNBDV

PLATES (table is in inches)


JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-1	MT20	5.0	6.0	2.50	1.75
C	TTWW-m	MT20	5.0	6.0	2.00	1.50
D	TMWW-t	MT20	4.0	4.0		
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.00	1.50
G	TMVW+p	MT20	5.0	6.0	Edge	
H	BMV1+p	MT20	3.0	6.0		
I, L, M						
I	BMWW-1	MT20	5.0	6.0		
J	BMWWW-1	MT20	5.0	6.0		
K	BS-1	MT20	5.0	6.0		
N	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007154

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T29	1	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	



LUMBER
N. L. G. A. RULES

CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - G	2x4	DRY	No.2
M - B	2x4	DRY	No.2
H - G	2x4	DRY	No.2
M - J	2x4	DRY	No.2
J - H	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV-p	MT20	3.0	4.0		
C	TMWV-1	MT20	5.0	6.0		
D	TTWV-m	MT20	5.0	6.0	2.00	1.50
E	TMW-w	MT20	2.0	4.0		
F	TTWV-m	MT20	5.0	6.0	2.00	1.50
G	TMW-w	MT20	5.0	6.0		Edge
H	BMV1-p	MT20	3.0	4.0		
I	BMWV-1	MT20	4.0	6.0		
J	BS-1	MT20	3.0	6.0		
K	BMWV-1	MT20	4.0	6.0		
L	BMWV-1	MT20	4.0	4.0		
M	BMWV-1	MT20	5.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	DOWN	UP	IN-SX
M	1832	0	1832	0
H	1408	0	1408	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

1ST CASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	SOIL
M	1081	723 / 0	0 / 0	0 / 0	358 / 0	0 / 0
H	994	652 / 0	0 / 0	0 / 0	342 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. FURLIN SPACING = 4.89 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PL)	MAX. LOAD (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. LOAD (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 / 35	-31.8	-31.8 0.12 (1)	C-L	-80 / 27	0.04 (1)	
B-C	0 / 22	-31.8	-31.8 0.22 (1)	L-D	0 / 209	0.05 (4)	
C-D	-1491 / 0	-31.8	-31.8 0.19 (1)	D-K	0 / 354	0.08 (1)	
D-E	-1484 / 0	-31.8	-31.8 0.44 (1)	K-E	-662 / 0	0.48 (1)	
E-F	-1464 / 0	-31.8	-31.8 0.44 (1)	K-F	0 / 863	0.15 (1)	
F-G	-1226 / 0	-31.8	-31.8 0.44 (1)	I-F	-282 / 0	0.21 (1)	
M-B	-286 / 0	0.0	0.0 0.03 (1)	M-C	-1757 / 0	0.83 (1)	
H-G	-1362 / 0	0.0	0.0 0.20 (1)	I-G	0 / 1098	0.25 (1)	
M-L	0 / 1279	-18.5	-18.5 0.36 (4)				
L-K	0 / 1223	-18.5	-18.5 0.36 (4)				
K-J	0 / 1014	-18.5	-18.5 0.28 (1)				
J-I	0 / 1014	-18.5	-18.5 0.28 (1)				
I-H	0 / 0	-18.5	-18.5 0.17 (4)				

TOTAL WEIGHT = 109 lb

(M/F)

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2018 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(56 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.85")
CALCULATED VERT. DEFL. (LL) = L/999 (0.05")
ALLOWABLE DEFL. (TL) = L/860 (0.85")
CALCULATED VERT. DEFL. (TL) = L/999 (0.15")

CSI: TC=0.44/1.00 (F-G:1), BC=0.38/1.00 (K-L:4), WB=0.83/1.00 (C-M:1), SSI=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LBS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP (PS) SHEAR SECTION (PLJ) (PLJ)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP=0.82 (D) (INPUT = 0.90)
JSI METAL=0.51 (G) (INPUT = 1.00)




Structural component only
DWG# T-2007155

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408169	T30	2	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mittek Industries, Inc. Sat Apr 25 12:49:38 2020 Page 1
ID:K?TPdngi0npl1qYdbWfOfzideG-MSRPCg?JCYIQQ1axiUEnpQ4FSyBzoKVn7QVwp_zNBDT



Scale = 1/32.0

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4 DRY	No.2	SPF		
D - G	2x4 DRY	No.2	SPF		
L - B	2x4 DRY	No.2	SPF		
H - F	2x4 DRY	No.2	SPF		
L - J	2x4 DRY	No.2	SPF		
J - H	2x4 DRY	No.2	SPF		
ALL WEBS	2x3 DRY	No.2	SPF		

EXCEPT

PLATES (tablets in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMVW-1	MT20	4.0	8.0		
D	TTWW+p	MT20	4.0	8.0		Edge
E	TMVW-1	MT20	4.0	8.0		
F	TMV+p	MT20	3.0	4.0		
H	BMVW-1	MT20	4.0	4.0		
I	BMVW-1	MT20	4.0	4.0		
J	BS-1	MT20	3.0	8.0		
K	BMVW-1	MT20	4.0	4.0		
L	BMVW-1	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQD	
JT	VERT	GROSS REACTION	HORZ	DOWN	HORZ	UP/LIFT	IN-SX	IN-SX	
L	1022	0	1022	0	0	5-8	5-8	5-8	
H	1022	0	1022	0	0	5-8	5-8	5-8	

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
L	720	486 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0
H	720	486 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	MAX. (LC1)	MAX. (LC)	MEMB.	FORCE (LBS)	MAX. (LC)
FR-TO		FROM	TO	UNBRACED LENGTH	FR-TO		
A-B	0 / 35	-91.8	-91.8	0.12 (1)	10.00	D-I	0 / 336
B-C	0 / 24	-91.8	-91.8	0.24 (1)	10.00	I-E	-217 / 0
C-D	-845 / 0	-91.8	-91.8	0.19 (1)	6.25	K-D	0 / 336
D-E	-845 / 0	-91.8	-91.8	0.19 (1)	6.25	C-K	-217 / 0
E-F	0 / 24	-91.8	-91.8	0.24 (1)	10.00	L-C	-1042 / 0
F-G	0 / 35	-91.8	-91.8	0.12 (1)	10.00	E-H	-1042 / 0
L-B	-268 / 0	0.0	0.0	0.03 (1)	7.81		
H-F	-268 / 0	0.0	0.0	0.03 (1)	7.81		
L-K	0 / 782	-18.5	-18.5	0.19 (1)	10.00		
K-J	0 / 557	-18.5	-18.5	0.17 (4)	10.00		
J-I	0 / 557	-18.5	-18.5	0.17 (4)	10.00		
I-H	0 / 782	-18.5	-18.5	0.19 (1)	10.00		

TOTAL WEIGHT = 2 X 72 = 145 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. O.C.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, OBC 2012, ABC 2010
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.54")
CALCULATED VERT. DEFL. (LL) = L/999 (0.02")
ALLOWABLE DEFL. (TL) = L/360 (0.54")
CALCULATED VERT. DEFL. (TL) = L/999 (0.04")

CSI: TC=0.24/1.00 (B-C:1), BC=0.19/1.00 (H-I:1), WB=0.52/1.00 (C-L:1), SS=0.15/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.88 (H) (INPUT = 0.90)
JSI METAL = 0.29 (L) (INPUT = 1.00)




Structural component only
DWG# T-2007156

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408169	T30A	2	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MTek Industries, Inc. Sat Apr 25 12:48:37 2020 Page 1
ID:K?TPdhgi0np1q1YdbWIOFzIdG-qe?nPO0xzrqH2AN7sCKMedQCLVGXo_wL4FTLQzN8DS



LUMBER	N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF		
D - F	2x4	DRY	No.2	SPF		
K - B	2x4	DRY	No.2	SPF		
G - F	2x4	DRY	No.2	SPF		
K - I	2x4	DRY	No.2	SPF		
I - G	2x4	DRY	No.2	SPF		

ALL WEBS 2x3 DRY No.2 SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMVW-1	MT20	4.0	6.0		
D	TTWW+p	MT20	4.0	6.0	Edge	
E	TMVW-1	MT20	4.0	6.0		
F	TMV+p	MT20	3.0	4.0		
G	BMVW-1	MT20	4.0	4.0		
H	BMVW-1	MT20	4.0	4.0		
I	BS-1	MT20	3.0	6.0		
J	BMVW-1	MT20	4.0	4.0		
K	BMVW-1	MT20	4.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED	MAXIMUM FACTORED	INPUT	RECORD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	HORZ	DOWN	HORZ
K	1001	0	1001	0
G	875	0	875	0

UNFACTORED REACTIONS

1ST CASE	MAX. MIN. COMPONENT REACTIONS						
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	708	478 / 0	0 / 0	0 / 0	0 / 0	229 / 0	0 / 0
G	619	406 / 0	0 / 0	0 / 0	0 / 0	213 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K, G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	FACTORED MAX. UNBRACED LENGTH (LC)	WEBS	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED MAX. UNBRACED LENGTH (LC)
FR-TO					FR-TO			
A-B	0 / 35	-91.8	-91.8	0.12 (1)	D-H	0 / 272	0.08 (1)	
B-C	0 / 24	-91.8	-91.8	0.24 (1)	H-E	-180 / 2	0.05 (1)	
C-D	-817 / 0	-91.8	-91.8	0.18 (1)	J-D	0 / 342	0.08 (1)	
D-E	-783 / 0	-91.8	-91.8	0.18 (1)	C-J	-222 / 0	0.06 (1)	
E-F	0 / 24	-91.8	-91.8	0.22 (1)	K-C	-1012 / 0	0.51 (1)	
K-B	-268 / 0	0.0	0.0	0.03 (1)	E-G	-992 / 0	0.44 (1)	
G-F	-124 / 0	0.0	0.0	0.01 (1)				
K-J	0 / 740	-18.5	-18.5	0.18 (1)				
J-I	0 / 531	-18.5	-18.5	0.17 (4)				
I-H	0 / 531	-18.5	-18.5	0.17 (4)				
H-G	0 / 591	-18.5	-18.5	0.17 (1)				

TOTAL WEIGHT = 2 X 70 = 140 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.8	PSF
	DL	=	8.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCG 2010, NBCG 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.53")
CALCULATED VERT. DEFL.(LL) = L/999 (0.02")
ALLOWABLE DEFL.(TL) = L/360 (0.53")
CALCULATED VERT. DEFL.(TL) = L/999 (0.04")

CSI: TC=0.24/1.00 (B-C:1), BC=0.18/1.00 (J-K:1), WB=0.51/1.00 (C-K:1), SS=0.15/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES	PLATE GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	
MAX MIN	MAX MIN	MAX MIN	
MT20	618 354	1667 788	1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.86 (K) (INPUT = 0.80)
JSI METAL= 0.28 (K) (INPUT = 1.00)



Structural component only
DWG# T-2007157

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408169	T30S	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.310 3 Oct 2019 Mitek Industries, Inc. Sat Apr 25 12:48:38 2020 Page 1
ID:K?TPdngj0npl1qlYd6WIOFzideG-lqZ9cm1Zk8y8gKyJQvGFwAbElmYGAW4ak_1usznBDR



Scale = 1/32

LUMBER	CHORDS	SIZE	DRY	LUMBER	DESCR.
N. L. G. A. RULES					
A - D	2x4	DRY	No.2	SPF	
D - G	2x4	DRY	No.2	SPF	
J - B	2x4	DRY	No.2	SPF	
H - F	2x4	DRY	No.2	SPF	
J - I	2x4	DRY	No.2	SPF	
I - H	2x4	DRY	No.2	SPF	
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF	

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMVW-1	MT20	4.0	6.0		
D	TTW+p	MT20	4.0	6.0	Edge	
E	TMVW-1	MT20	4.0	6.0		
F	TMV+p	MT20	3.0	4.0		
H	BMVW-1	MT20	4.0	6.0		
I	BBVW-1	MT20	5.0	8.0	2.75	4.00
J	BMVW-1	MT20	4.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	DOWN	IN-SX	IN-SX
J	1022	0	5-8	5-8
H	1022	0	5-8	5-8

UNFACTORED REACTIONS

1ST CASE	MAX/MIN COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD
J	720	488/0	0/0	0/0	0/0	234/0
H	720	488/0	0/0	0/0	0/0	234/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.78 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (PLF)
FR-TO									
A-B	0/35	-91.8	-91.8	0.12 (1)	10.00	1-D	0/842	0.21 (1)	
B-C	0/22	-91.8	-91.8	0.22 (1)	10.00	E	-143/11	0.05 (1)	
C-D	-1134/0	-91.8	-91.8	0.19 (1)	5.78	C-I	-143/11	0.05 (1)	
D-E	-1134/0	-91.8	-91.8	0.19 (1)	5.78	J-C	-1478/0	0.78 (1)	
E-F	0/22	-91.8	-91.8	0.22 (1)	10.00	E-H	-1478/0	0.78 (1)	
F-G	0/35	-91.8	-91.8	0.12 (1)	10.00				
J-B	-273/0	0.0	0.0	0.03 (1)	7.81				
H-F	-273/0	0.0	0.0	0.03 (1)	7.81				
J-I	0/1120	-18.5	-18.5	0.44 (4)	10.00				
I-H	0/1120	-18.5	-18.5	0.44 (4)	10.00				

TOTAL WEIGHT = 2 X 67 = 133 lb (M/F)

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 38.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2010, NBCC 2015
- PART 9 OF CBC 2012 (2015 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(5% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/999 (0.05")
ALLOWABLE DEFL.(TL) = L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/769 (0.25")

CSI: TC=0.22/1.00 (E-F:1), BC=0.44/1.00 (H-I:1), WB=0.78/1.00 (C-J:1), SS=0.15/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LB BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PL) (PL)
MAX MIN MAX MIN MAX MIN
MT20 510 354 1667 788 1967 1666

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.89 (H) (INPUT = 0.90)
JSI METAL = 0.35 (H) (INPUT = 1.00)




Structural component only
DWG# T-2007158

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408169	T32S	1	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310.3 Oct 29 2019 MITek Industries, Inc. Sat Apr 26 12:49:40 2020 Page 1

ID:K7TPdhgJ0npl1qYdbWIOFzIdeG-EDhw122qGmCsve8iXKli_QFy1ZYDKG4M22T7y1zNBDF



Scale = 1/20.0

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	DRY	LUMBER
A - C	2x4	DRY	No.2		
C - E	2x4	DRY	No.2		
F - E	2x4	DRY	No.2		
I - B	2x4	DRY	No.2		
I - H	2x4	DRY	No.2		
G - D	2x4	DRY	No.2		
G - F	2x4	DRY	No.2		
ALL WEBS	2x3	DRY	No.2		
EXCEPT					

DRY: SEASONED LUMBER.

PLATES (table in inches)	JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0			
C	TTWW+m	MT20	5.0	8.0	Edge		
D	TMV+p	MT20	3.0	4.0			
E	TMVW-i	MT20	4.0	4.0			
F	BMVW-i	MT20	4.0	4.0			
G	BMV+p	MT20	3.0	4.0			
H	BMVWW-i	MT20	5.0	8.0	3.00	2.50	
I	BMVW-i	MT20	4.0	4.0			

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED	MAXIMUM FACTORED	INPUT	REQD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	HORZ	DOWN	HORZ
F	191	0	191	0
I	382	0	382	0
			MECHANICAL	IN-SX
			5-8	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

1ST CASE	MAX/MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD
F	136	87 / -12	0 / 0	0 / 0	0 / 0	49 / 0
I	253	182 / 0	0 / 0	0 / 0	0 / 0	71 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS	MAX. FACTORED	FACTORED	WEBS	MAX. FACTORED
MEMB.	FORCE (LBS)	VERT. LOAD LC1 (PLF)	MEMB.	FORCE (LBS)
FR-TO		FROM TO	FR-TO	
A-B	0 / 35	-91.8 -91.8 0.14 (5)	C-H	0 / 80
B-C	-41 / 0	-91.8 -91.8 0.13 (5)	H-F	-7 / 0
C-D	-69 / 0	-91.8 -91.8 0.02 (1)	H-E	0 / 153
D-E	-86 / 0	-91.8 -91.8 0.02 (1)	I-C	-100 / 34
F-E	-175 / 0	0.0 0.0 0.03 (1)		
I-B	-253 / 0	0.0 0.0 0.03 (1)		
I-H	-18 / 53	-18.5 -18.5 0.04 (4)		
G-H	0 / 13	0.0 0.0 0.01 (1)		
H-D	-142 / 0	0.0 0.0 0.01 (1)		
G-F	0 / 5	-18.5 -18.5 0.01 (4)		

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS

OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.18")
CALCULATED VERT. DEFL.(LL) = 1/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.18")
CALCULATED VERT. DEFL.(TL) = 1/999 (0.00")

CSI: JC=0.14/1.00 (A-B:5), BC=0.04/1.00 (H-I:4), WB=0.03/1.00 (E-H:1), SI=0.09/1.00 (A-B:5)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION
(PS) (PL) (PL)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1567 788 1987 1650

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.18 (E) (INPUT = 0.90)

JSI METAL= 0.09 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007160

JOB NAME 408169	TRUSS NAME T33	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington		Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:49:41 2020 Page 1			



CHORDS	SIZE	DRY	LUMBER	DESCR.
F - A	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x6	DRY	No.2	SPF

ALL WEBS 2x3 DRY No.2 SPF
 DRY: SEASONED LUMBER.

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS: (0.122"x3") SPIRAL NAILS		
F-A 1	12	TOP
A-C 1	12	TOP
C-D 1	12	TOP
BOTTOM CHORDS: (0.122"x3") SPIRAL NAILS		
F-D 2	9	SIDE(305.2)
WEBS: (0.122"x3") SPIRAL NAILS		
B-E 1	2	SIDE(408.9)
2x3 1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.
 GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERRING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table in inches)	JT TYPE	PLATES	W	LEN	Y	X
A	TMVW-t	MT20	4.0	8.0		Edg
B	TMVW-t	MT20	5.0	8.0		
C	TMVW-p	MT20	3.0	4.0		
D	BMVW1-t	MT20	5.0	8.0		
E	BMVW-t	MT20	5.0	8.0	4.25	2.50

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	DOWN	HQZ	UPLFT
F	1914	0	1914	0
D	2859	0	2859	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 4-0.

UNFACTORED REACTIONS	1ST LOASE	MAX/MIN. COMPONENT REACTIONS
JT	COMBINED	SNOW LIVE PERM.LIVE WIND DEAD SOIL
F	1348	916/0 0/0 0/0 0/0 434/0 0/0
D	2015	1359/0 0/0 0/0 0/0 657/0 0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
 TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.59 FT.
 MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	VERT. LOAD	LC1	MAX	MAX.	MEMB.	MAX. FACTORED	FACTORED	VERT. LOAD	LC1	MAX	MAX.	MEMB.
FR-TO														
F-A	-1877/0	0.0	0.0	0.10	(1)	7.81	A-E	0/2380	0.29	(1)				
A-B	-2668/0	-91.8	-91.8	0.08	(1)	5.59	E-B	0/2808	0.32	(1)				
B-C	-7/0	-91.8	-91.8	0.06	(1)	10.00	B-D	-2896/0	0.35	(1)				
D-C	-120/0	0.0	0.0	0.01	(1)	7.81								
F-E	0/0	-18.5	-18.5	0.01	(1)	10.00								
E-G	0/2301	-18.5	-18.5	0.49	(1)	10.00								
G-D	0/2301	-18.5	-18.5	0.49	(1)	10.00								

FACTORED CONCENTRATED LOADS (LBS)	JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	3-0-0	-2737	-2737	---	---	BACK	VERT	TOTAL	---	C1
G	4-11-4	-1388	-1388	---	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 29 = 58 lb

DESIGN CRITERIA

SPECIFIED LOADS:
 TOP CH. LL = 25.6 PSF
 DL = 6.0 PSF
 BOT CH. LL = 0.0 PSF
 DL = 7.4 PSF
 TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. OC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
 - PART 9 OF BCBC 2018, CBC 2012, ABC 2019
 - PART 9 OF CBC 2012 (2019 AMENDMENT)
 - CSA 088-09, CSA 088-14
 - TPOC 2011, TPOC 2014

(55% OF 31.8 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.20")
 CALCULATED VERT. DEFL.(LL) = L/999 (0.02")
 ALLOWABLE DEFL.(TL) = L/360 (0.20")
 CALCULATED VERT. DEFL.(TL) = L/999 (0.03")

CS: TC=0.10/1.00 (A-F:1), BC=0.49/1.00 (D-E:1), WB=0.35/1.00 (B-D:1), SS=0.33/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES	PLATE GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	
MAX MIN	MAX MIN	MAX MIN	
MT20	618	354	1667 788 1987 1858

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.84 (B) (INPUT = 0.90)
 JSI METAL = 0.44 (E) (INPUT = 1.00)




Structural component only
 DWG# T-2007161 1/2

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	ORWG NO.
408169	T33	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington		TRUSS DESC.			

Version 8.310 S Oct 29 2019 Mittek Industries, Inc. Sat Apr 25 12:49:41 2020 Page 2
ID:K?TPdngl0npl1glYdbWQFzdeG-jPFIF03S14LiXchu51pvWUo8MznVTaTWGIDhUBzNBDO

PLATES (table is in inches)
JT TYPE PLATES W LEN Y X
F BMV1+p MT20 3.0 6.0
Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.




Structural component only
DWG# T-2007161 3/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408170	T40	1	2	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:15 2020 Page 1

ID:K7TPdngj0npl1q1YdbWIOFzIdeG-dToLVCBPTkKk_gKpGOLn4U0ubv6N8cfV76ayUzNB1c



TOTAL WEIGHT = 2 X 169 = 338 lb

LUMBER	N. L. & A. RULES	CHORDS	SIZE	DRY	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF		
C - F	2x6	DRY	No.2	SPF		
F - H	2x6	DRY	No.2	SPF		
H - J	2x4	DRY	No.2	SPF		
S - B	2x6	DRY	No.2	SPF		
K - I	2x6	DRY	No.2	SPF		
S - P	2x6	DRY	No.2	SPF		
P - N	2x6	DRY	No.2	SPF		
N - K	2x6	DRY	No.2	SPF		
ALL WEBS	2x3	DRY	No.2	SPF		
EXCEPT						

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122'X3') SPIRAL NAILS		
A - C	12	SIDE (81.0)
H - J	12	SIDE (81.0)
C - F	12	SIDE (81.0)
F - H	12	SIDE (81.0)
S - B	12	TOP
K - I	12	TOP
BOTTOM CHORDS : (0.122'X3') SPIRAL NAILS		
S - P	12	SIDE (183.1)
P - N	12	SIDE (183.1)
N - K	12	SIDE (183.1)
WEBS : (0.122'X3') SPIRAL NAILS		
2x3	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ UPLIFT
S	3331	0	3331	0
K	3331	0	3331	0

UNFACTORED REACTIONS

	1ST CASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
S	2358	1544 / 0	0 / 0	0 / 0	0 / 0	812 / 0	0 / 0
K	2358	1544 / 0	0 / 0	0 / 0	0 / 0	812 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.87 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

MEMB.	CHORDS	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH (FT)	MEMB.	WEBS	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH (FT)
FR-TO					FR-TO			
A-B	0 / 28	-91.8	-91.8	0.07 (1)	10.00	R-C	-449 / 0	0.08 (1)
B-C	-5069 / 0	-91.8	-91.8	0.52 (1)	3.87	C-Q	0 / 3021	0.37 (1)
C-T	-6976 / 0	-91.8	-91.8	0.24 (1)	4.35	Q-D	-1608 / 0	0.19 (1)
T-U	-6976 / 0	-91.8	-91.8	0.24 (1)	4.35	D-O	0 / 1339	0.17 (1)
U-D	-6976 / 0	-91.8	-91.8	0.24 (1)	4.35	O-E	-1058 / 0	0.13 (1)
D-V	-8155 / 0	-91.8	-91.8	0.31 (1)	4.02	Q-G	0 / 1339	0.17 (1)
V-W	-8155 / 0	-91.8	-91.8	0.31 (1)	4.02	M-G	-1608 / 0	0.19 (1)
W-X	-8155 / 0	-91.8	-91.8	0.31 (1)	4.02	M-H	0 / 3021	0.37 (1)
X-E	-8155 / 0	-91.8	-91.8	0.31 (1)	4.02	L-H	-449 / 0	0.08 (1)
E-Y	-8155 / 0	-91.8	-91.8	0.31 (1)	4.02	B-R	0 / 4585	0.57 (1)
Y-F	-8155 / 0	-91.8	-91.8	0.31 (1)	4.02	L-I	0 / 4585	0.57 (1)
F-Z	-8155 / 0	-91.8	-91.8	0.31 (1)	4.02			
Z-AA	-8155 / 0	-91.8	-91.8	0.31 (1)	4.02			
AA-G	-8155 / 0	-91.8	-91.8	0.31 (1)	4.02			
G-AB	-8976 / 0	-91.8	-91.8	0.24 (1)	4.35			
AB-AC	-8976 / 0	-91.8	-91.8	0.24 (1)	4.35			
AC-H	-8976 / 0	-91.8	-91.8	0.24 (1)	4.35			
H-I	-5069 / 0	-91.8	-91.8	0.52 (1)	3.87			
I-J	0 / 28	-91.8	-91.8	0.07 (1)	10.00			
S-B	-3250 / 0	0.0	0.0	0.11 (1)	7.69			
K-I	-3250 / 0	0.0	0.0	0.11 (1)	7.69			
S-AD	0 / 0	-18.5	-18.5	0.07 (4)	10.00			
AD-AE	0 / 0	-18.5	-18.5	0.07 (4)	10.00			
AE-R	0 / 0	-18.5	-18.5	0.07 (4)	10.00			
R-AF	0 / 4557	-18.5	-18.5	0.33 (1)	10.00			
AF-AG	0 / 4557	-18.5	-18.5	0.33 (1)	10.00			
AG-Q	0 / 4557	-18.5	-18.5	0.33 (1)	10.00			
Q-AH	0 / 8976	-18.5	-18.5	0.52 (1)	10.00			
AH-P	0 / 8976	-18.5	-18.5	0.52 (1)	10.00			
P-AI	0 / 8976	-18.5	-18.5	0.52 (1)	10.00			
AI-AJ	0 / 8976	-18.5	-18.5	0.52 (1)	10.00			
AJ-N	0 / 8976	-18.5	-18.5	0.52 (1)	10.00			
N-AK	0 / 8976	-18.5	-18.5	0.52 (1)	10.00			
AK-M	0 / 8976	-18.5	-18.5	0.52 (1)	10.00			
M-AL	0 / 4557	-18.5	-18.5	0.33 (1)	10.00			
AL-AM	0 / 4557	-18.5	-18.5	0.33 (1)	10.00			
AM-L	0 / 4557	-18.5	-18.5	0.33 (1)	10.00			
L-AN	0 / 0	-18.5	-18.5	0.07 (4)	10.00			
AN-AO	0 / 0	-18.5	-18.5	0.07 (4)	10.00			
AO-K	0 / 0	-18.5	-18.5	0.07 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	25.8	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD		=	39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF NBCC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17')
CALCULATED VERT. DEFL.(LL) = 1/999 (0.21')
ALLOWABLE DEFL.(TL) = L/360 (1.17')
CALCULATED VERT. DEFL.(TL) = 1/999 (0.39')

CSI: TC=0.52/1.00 (B-C:1), BC=0.52/1.00 (O-Q:1), WB=0.57/1.00 (R-R:1), SSI=0.18/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES


PLATE GRIP (DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)
MAX MIN	MAX MIN	MAX MIN
MT20	618 354 1667 788 1987 1656	

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.90 (H) (INPUT = 0.90)

JSI METAL = 0.67 (P) (INPUT = 1.00)



Structural component only
DWG# T-2007168 1/2

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T40	1	2	GREEN PARK HOMES	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 28 2018 MITek Industries, Inc. Sat Apr 25 13:02:15 2020 Page 2

ID:K7TPdghi0npl1qYdbWfOFzIdG-dTolVCBPTkKk_gKpGOLn4U0ubv6N8clVf7savUzNB1c


PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMVW-1	MT20	5.0	8.0	
C	TTWW+m	MT20	5.0	6.0	2.00 2.25
D	TMVW-1	MT20	5.0	6.0	
E	TMVW+u	MT20	3.0	6.0	
F	TS-1	MT20	5.0	6.0	
G	TMVW-1	MT20	5.0	6.0	
H	TTWW+m	MT20	5.0	6.0	2.00 2.25
I	TMVW-1	MT20	5.0	8.0	
K	BMV1+p	MT20	3.0	6.0	
L	BMVW-1	MT20	5.0	6.0	2.50 2.50
M	BMVW-1	MT20	5.0	6.0	
N	BS-1	MT20	5.0	6.0	
O	BMVW-1	MT20	5.0	6.0	
P	BS-1	MT20	5.0	6.0	
Q	BMVW-1	MT20	5.0	6.0	
R	BMVW-1	MT20	5.0	6.0	2.50 2.50
S	BMV1+p	MT20	3.0	6.0	

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-437	-437	---	FRONT	VERT	TOTAL	---	C1
E	17-7-0	-110	-110	---	FRONT	VERT	TOTAL	---	C1
H	29-3-8	-437	-437	---	FRONT	VERT	TOTAL	---	C1
L	28-2-12	-28	-28	---	FRONT	VERT	TOTAL	---	C1
N	21-2-12	-28	-28	---	FRONT	VERT	TOTAL	---	C1
O	17-7-0	-28	-28	---	FRONT	VERT	TOTAL	---	C1
P	13-11-4	-28	-28	---	FRONT	VERT	TOTAL	---	C1
R	5-11-4	-28	-28	---	FRONT	VERT	TOTAL	---	C1
T	7-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
U	9-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
V	11-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
W	13-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
X	15-11-4	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Y	19-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
Z	21-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AA	23-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AB	25-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AC	27-2-12	-110	-110	---	FRONT	VERT	TOTAL	---	C1
AD	1-11-4	-25	-25	---	FRONT	VERT	TOTAL	---	C1
AE	3-11-4	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AF	7-11-4	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AG	9-11-4	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AH	11-11-4	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AI	15-11-4	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AJ	19-2-12	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AK	23-2-12	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AL	25-2-12	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AM	27-2-12	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AN	31-2-12	-28	-28	---	FRONT	VERT	TOTAL	---	C1
AO	33-2-12	-25	-28	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

- 1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.




Structural component only
DWG# T-2007168

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408170	T40Z	1	2	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mike Industries, Inc. Sat Apr 25 13:02:17 2020 Page 1
ID:K?TPdngl0npl1q1YdbWlOFzIdeG-aw5vuDf_MaSDzUBNpNF9v6Buik?cSGo6JLh0NzNB1a



CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY No.2	SPF
C - F	2x6	DRY No.2	SPF
F - H	2x6	DRY No.2	SPF
H - J	2x4	DRY No.2	SPF
S - B	2x6	DRY No.2	SPF
K - I	2x6	DRY No.2	SPF
S - P	2x6	DRY No.2	SPF
P - N	2x6	DRY No.2	SPF
N - K	2x6	DRY No.2	SPF

ALL WEBS 2x3 DRY No.2
EXCEPT

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS: (0.122"x3") SPIRAL NAILS		
A-C 1 12	SIDE(61.0)	TOP
H-J 1 12	TOP	TOP
C-F 2 12	SIDE(61.0)	TOP
F-H 2 12	TOP	TOP
S-B 2 12	TOP	TOP
K-I 2 12	TOP	TOP
BOTTOM CHORDS: (0.122"x3") SPIRAL NAILS		
S-P 2 12	SIDE(183.1)	TOP
P-N 2 12	TOP	TOP
N-K 2 12	TOP	TOP
WEBS: (0.122"x3") SPIRAL NAILS		
2x3 1 6	SIDE(525.1)	TOP
D-Q 1 3		
G-M 1 3		

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	DOWN	0	0
S	4582	0	0	5-8
K	3047	0	0	5-8

UNFACTORED REACTIONS	1ST CASE	MAX	MIN	COMPONENT REACTIONS
JT	COMBINED	SNOW	LIVE	PERM.LIVE
S	3238	2151/0	0/0	0/0
K	2151	1438/0	0/0	0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, K

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.15 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING									
TOTAL LOAD CASES: (4)									
CHORDS					WEBS				
MAX. FACTORED		FACTORED		MAX. UNIRAG	MAX. FACTORED		MAX.		
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	LC1		MEMB.	FORCE (LBS)	LC1	LC1	
FR-TO		FROM	TO	LENGTH	FR-TO				
A-B	0/28	-91.8	-91.8	0.07 (1)	10.00	R-C	-873/0	0.08 (1)	
B-C	-7293/0	-91.8	-91.8	0.72 (1)	3.15	C-Q	0/4988	0.82 (1)	
C-T	-10549/0	-91.8	-91.8	0.34 (1)	3.66	Q-D	-184/38	0.02 (1)	
T-U	-10549/0	-91.8	-91.8	0.34 (1)	3.55	D-O	-1207/0	0.72 (1)	
U-D	-10549/0	-91.8	-91.8	0.34 (1)	3.55	O-E	-848/0	0.08 (1)	
D-E	-9485/0	-91.8	-91.8	0.31 (1)	3.78	O-G	0/2971	0.36 (1)	
E-F	-9485/0	-91.8	-91.8	0.29 (1)	3.81	M-G	-1984/0	0.24 (1)	
F-G	-9485/0	-91.8	-91.8	0.29 (1)	3.81	M-H	0/3512	0.43 (1)	
G-H	-8958/0	-91.8	-91.8	0.17 (1)	4.44	L-H	-464/0	0.06 (1)	
H-I	-4808/0	-91.8	-91.8	0.48 (1)	4.08	B-R	0/6596	0.82 (1)	
I-J	0/28	-91.8	-91.8	0.07 (1)	10.00	L-I	0/4167	0.52 (1)	
S-B	-4503/0	0.0	0.0	0.16 (1)	6.78				
K-I	-2990/0	0.0	0.0	0.11 (1)	7.81				
S-V	0/0	-18.5	-18.5	0.06 (4)	10.00				
V-W	0/0	-18.5	-18.5	0.06 (4)	10.00				
W-R	0/0	-18.5	-18.5	0.06 (4)	10.00				
R-X	0/6557	-18.5	-18.5	0.50 (1)	10.00				
X-Y	0/6557	-18.5	-18.5	0.50 (1)	10.00				
Y-Q	0/6557	-18.5	-18.5	0.50 (1)	10.00				
Q-P	0/10548	-18.5	-18.5	0.77 (1)	10.00				
P-O	0/10548	-18.5	-18.5	0.77 (1)	10.00				
O-N	0/6955	-18.5	-18.5	0.50 (1)	10.00				
N-M	0/6955	-18.5	-18.5	0.50 (1)	10.00				
M-L	0/4144	-18.5	-18.5	0.29 (1)	10.00				
L-K	0/0	-18.5	-18.5	0.04 (4)	10.00				

FACTORED CONCENTRATED LOADS (LBS)	LOC.	LOC1	MAX	FACE	DIR.	TYPE	HEEL	CONN.
JT	5-10-8	-437	-437	---	BACK	VERT	---	C1
C	10-9-8	-2715	-2715	---	BACK	VERT	---	C1
Q	5-11-4	-26	-26	---	BACK	VERT	---	C1
R	7-11-4	-110	-110	---	BACK	VERT	---	C1
T	9-11-4	-110	-110	---	BACK	VERT	---	C1
U	1-11-4	-25	-25	---	BACK	VERT	---	C1
V	3-11-4	-25	-25	---	BACK	VERT	---	C1
W	7-11-4	-25	-25	---	BACK	VERT	---	C1
X	9-11-4	-25	-25	---	BACK	VERT	---	C1
Y	9-11-4	-25	-25	---	BACK	VERT	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 169 = 338 lb

DESIGN CRITERIA
SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF
SPACING = 24.0 IN/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPG 2011, TPG 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/989 (0.26")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/881 (0.48")
CSI: TC=0.72/1.00 (B-C:1), BC=0.77/1.00 (C-Q:1),
WB=0.82/1.00 (B-R:1), BS=0.13/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1887 788 1987 1656

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP = 0.90 (B) (INPUT = 0.90)

JSI METAL = 0.99 (P) (INPUT = 1.00)



Structural component only
DWG# T-2007169

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T40Z	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington		Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:17 2020 Page 2			
		ID:K?TPdghi0npi1qiYdbWIOFzIdeG-arw5vuDf MaSDzLUBNpNF9v6Buik?cSGo6JLhONzNB1a			
		TRUSS DESC.			

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	2.00	3.50
C	TTWW+m	MT20	6.0	9.0	Edge	
D	TMWW-i	MT20	5.0	6.0		
E	TMW-w	MT20	3.0	6.0		
F	TS-t	MT20	5.0	6.0		
G	TMWW-i	MT20	5.0	6.0		
H	TTWW+m	MT20	6.0	9.0	Edge	
I	TMVW-p	MT20	5.0	8.0	2.00	3.50
K	BMV1-p	MT20	3.0	6.0		
L	BMWW-i	MT20	5.0	8.0	2.50	3.25
M	BMWW-t	MT20	6.0	9.0	4.50	2.50
N	BS-t	MT20	5.0	6.0		
O	BMWWW-i	MT20	5.0	8.0		
P	BS-t	MT20	5.0	6.0		
Q	BMWW-i	MT20	6.0	9.0	4.50	2.50
R	BMWW-i	MT20	5.0	8.0	2.50	3.25
S	BMV1-p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

CONNECTION REQUIREMENTS

- 1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.




Structural component only
DWG# T-2007169 *yz*

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T41	2	1	GREEN PARK HOMES	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 26 13:02:18 2020 Page 1
ID:K?TPdhgJOnp1qYdbWIOFzIdaG-22UT7EDHmJr73OxWU8eJ865BLvLxLz4FZpzNB1Z



TOTAL WEIGHT = 2 X 139 = 278 lb

CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4 DRY	No.2	SPF
D - F	2x4 DRY	No.2	SPF
F - H	2x4 DRY	No.2	SPF
H - K	2x4 DRY	No.2	SPF
S - B	2x4 DRY	No.2	SPF
L - J	2x4 DRY	No.2	SPF
S - Q	2x4 DRY	No.2	SPF
Q - N	2x4 DRY	No.2	SPF
N - L	2x4 DRY	No.2	SPF
ALL WEBS	2x3 DRY	No.2	SPF
EXCEPT			
S - C	2x4 DRY	No.2	SPF
I - L	2x4 DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATE TYPE	PLATE	W	LEN	Y	X
JT	TMV-p	MT20	3.0	4.0	
B	TMVW-t	MT20	5.0	8.0	2.50 2.75
C	TMVW-t	MT20	5.0	8.0	2.50 2.75
D	TMVW-m	MT20	5.0	8.0	2.50 2.75
E	TMVW-t	MT20	4.0	4.0	
F	TS-t	MT20	3.0	8.0	
G	TMVW-w	MT20	2.0	4.0	
H	TMVW-m	MT20	5.0	8.0	2.25 2.75
I	TMVW-t	MT20	5.0	8.0	2.50 2.75
J	TMV-p	MT20	3.0	4.0	
L	BMVW-t	MT20	4.0	9.0	Edge
M	BMVW-t	MT20	4.0	4.0	
N	BS-t	MT20	3.0	6.0	
O	BMVW-t	MT20	4.0	9.0	
P	BMVW-t	MT20	4.0	9.0	
Q	BS-t	MT20	3.0	6.0	
R	BMVW-t	MT20	4.0	4.0	
S	BMVW-t	MT20	4.0	9.0	Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	DOWN	UP/LIFT	IN-SX
S	2063	0	2063	0
L	2063	0	2063	0

UNFACTORED REACTIONS	1ST CASE	MAX/MIN. COMPONENT REACTIONS
JT	COMBINED	SNOW LIVE PERM. LIVE WIND DEAD SOIL
S	1457	569 / 0 0 / 0 0 / 0 488 / 0 0 / 0
L	1457	569 / 0 0 / 0 0 / 0 488 / 0 0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.94 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH (FT)	WEBS	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH (FT)
FR-TO				FR-TO		
A-B	0 / 28	-91.8 -91.8 0.12 (1)	10.00	C-R	0 / 93	0.03 (4)
B-C	0 / 16	-91.8 -91.8 0.20 (1)	10.00	R-D	0 / 121	0.04 (4)
C-D	-2789 / 0	-91.8 -91.8 0.32 (1)	3.86	D-P	0 / 1287	0.29 (1)
D-E	-3508 / 0	-91.8 -91.8 0.95 (1)	2.94	P-E	-643 / 0	0.25 (1)
E-F	-3507 / 0	-91.8 -91.8 0.93 (1)	2.94	E-O	-2 / 0	0.00 (1)
F-G	-3507 / 0	-91.8 -91.8 0.93 (1)	2.94	O-G	-643 / 0	0.25 (1)
G-H	-3507 / 0	-91.8 -91.8 0.94 (1)	2.95	H-H	0 / 1288	0.29 (1)
H-I	-2789 / 0	-91.8 -91.8 0.32 (1)	3.88	M-H	0 / 121	0.04 (4)
I-J	0 / 16	-91.8 -91.8 0.20 (1)	10.00	M-I	0 / 93	0.03 (4)
J-K	0 / 28	-91.8 -91.8 0.12 (1)	10.00	S-C	-2974 / 0	0.83 (1)
S-B	-270 / 0	0.0 0.0 0.03 (1)	7.81	I-L	-2974 / 0	0.83 (1)
L-J	-270 / 0	0.0 0.0 0.03 (1)	7.81			
S-R	0 / 2417	-18.5 -18.5 0.53 (1)	10.00			
R-Q	0 / 2489	-18.5 -18.5 0.54 (1)	10.00			
Q-P	0 / 2489	-18.5 -18.5 0.54 (1)	10.00			
P-O	0 / 3509	-18.5 -18.5 0.84 (1)	10.00			
O-N	0 / 2489	-18.5 -18.5 0.54 (1)	10.00			
N-M	0 / 2489	-18.5 -18.5 0.54 (1)	10.00			
M-L	0 / 2417	-18.5 -18.5 0.53 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
OL = 8.0 PSF
BOT CH. LL = 0.0 PSF
OL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2010, NBCC 2012, ABC 2019
- PART 9 OF NBCC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (1.17")
CALCULATED VERT. DEFL. (LL) = 1/899 (0.21")
ALLOWABLE DEFL. (TL) = L/360 (1.17")
CALCULATED VERT. DEFL. (TL) = 1/999 (0.41")

CSI: TC=0.95/1.00 (D-E:1), BC=0.84/1.00 (O-P:1), WB=0.83/1.00 (L:1), SS=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP (DRY) SHEAR SECTION (PSI) (PL) (PL)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1607 768 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.89 (L) (INPUT = 0.90)
JSI METAL = 0.77 (N) (INPUT = 1.00)




Structural component only
DWG# T-2007170

JOB NAME 408170	TRUSS NAME T42	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	-------------------	---------------	----------	-------------------------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:19 2020 Page 1
ID:K7TPdngl0npl1qYdbWlOfZideG-WE2rKaEwWz9THdaVEQ(EKBSUWUW4PP4adqo5FzNB1Y



LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - I	2x4	DRY	No.2
R - B	2x4	DRY	No.2
J - H	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - M	2x4	DRY	No.2
M - J	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2
SPF			
DRY: SEASONED LUMBER.			

PLATES (table is in inches)				
JT	TYPE	PLATES	W	LEN Y X
B	TMVW-p	MT20	5.0	8.0 Edge 3.50
C	TMVW-i	MT20	4.0	4.0 2.00 1.75
D	TTWW-m	MT20	5.0	8.0 2.25 3.75
E	TMVW-w	MT20	2.0	4.0
F	TTWW-m	MT20	5.0	8.0 2.25 3.75
G	TMVW-i	MT20	4.0	4.0 2.00 1.75
H	TMVW-p	MT20	5.0	8.0 Edge 3.50
J	BMV1-p	MT20	3.0	4.0
K	BMVW-i	MT20	5.0	8.0 2.50 2.00
L	BMVW-i	MT20	4.0	4.0
M	BS-i	MT20	3.0	6.0
N	BMVW-w	MT20	4.0	9.0
O	BS-i	MT20	3.0	6.0
P	BMVW-i	MT20	4.0	4.0
Q	BMVW-i	MT20	5.0	8.0 2.50 2.00
R	BMV1-p	MT20	3.0	4.0

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS							
JT	FACTORED GROSS REACTION	VERT	HORZ	MAXIMUM FACTORED GROSS REACTION	DOWN	UP	RECORD BRG IN-SX
R	2063	0	0	2063	0	0	5-8
J	2063	0	0	2063	0	0	5-8
UNFACTORED REACTIONS							
JT	COMBINED	SNOW	LIVE	PERMALIVE	WIND	DEAD	SOIL
R	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
J	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.78 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CS1 (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CS1 (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 / 28	-91.8 -91.8	0.12 (1)	10.00	Q-C	-353 / 0	0.08 (1)
B-C	-2834 / 0	-91.8 -91.8	0.39 (1)	3.81	C-P	-210 / 0	0.13 (1)
C-D	-2687 / 0	-91.8 -91.8	0.37 (1)	3.91	P-D	0 / 246	0.08 (4)
D-E	-3060 / 0	-91.8 -91.8	0.97 (1)	2.78	D-N	0 / 844	0.19 (1)
E-F	-3060 / 0	-91.8 -91.8	0.97 (1)	2.78	N-E	-872 / 0	0.51 (1)
F-G	-2887 / 0	-91.8 -91.8	0.37 (1)	3.81	N-F	0 / 844	0.19 (1)
G-H	-2834 / 0	-91.8 -91.8	0.39 (1)	3.81	L-F	0 / 246	0.08 (4)
H-I	0 / 28	-91.8 -91.8	0.12 (1)	10.00	L-G	-210 / 0	0.13 (1)
R-B	-2018 / 0	0.0 0.0	0.20 (1)	5.94	K-G	-353 / 0	0.08 (1)
J-H	-2018 / 0	0.0 0.0	0.20 (1)	5.94	B-Q	0 / 2581	0.58 (1)
					K-H	0 / 2581	0.58 (1)
R-Q	0 / 0	-18.5 -18.5	0.10 (4)	10.00			
Q-P	0 / 2555	-18.5 -18.5	0.51 (1)	10.00			
P-O	0 / 2388	-18.5 -18.5	0.49 (1)	10.00			
O-N	0 / 2388	-18.5 -18.5	0.49 (1)	10.00			
N-M	0 / 2388	-18.5 -18.5	0.49 (1)	10.00			
M-L	0 / 2388	-18.5 -18.5	0.49 (1)	10.00			
L-K	0 / 2555	-18.5 -18.5	0.51 (1)	10.00			
K-J	0 / 0	-18.5 -18.5	0.10 (4)	10.00			

TOTAL WEIGHT = 2 X 139 = 277 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.17")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.34")

CSI: TC=0.97/1.00 (D-E:1), BC=0.51/1.00 (P-Q:1), WB=0.58/1.00 (B-Q:1), SS=0.34/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 818 354 1667 788 1987 1658

PLATE PLACEMENT TOL = 0.250 inches


PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP= 0.87 (F) (INPUT = 0.90)
JSI METAL= 0.75 (M) (INPUT = 1.00)



Structural component only
DWG# T-2007171

JOB NAME 408170	TRUSS NAME T43	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	ORWG NO.
Tamarack Roof Truss, Burlington		Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:20 2020 Page 1		ID:K?TPdngl0npl1qYdbWfOfzideG-CcEYwFYHHz04RCm3xxynXkjMwqOpsVEoHZLdzNB1X	
		23.3.8		35.2.0 35.5.8	
		1.3.8		1.3.8	
		Scale = 1:37.5			



LUMBER			
N. L. G. A. RULES			
CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - I	2x4	DRY	No.2
R - B	2x4	DRY	No.2
J - H	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - M	2x4	DRY	No.2
M - J	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			SPF
DRY: SEASONED LUMBER.			

PLATES (table in inches)					
JT	TYPE	PLATES	W	LEN	Y X
A	TMW-p	MT20	5.0	8.0	Edge 3.50
C	TMW-w	MT20	4.0	4.0	2.00 1.75
D	TTW-w	MT20	5.0	6.0	2.25 2.00
E	TMW-w	MT20	2.0	4.0	
F	TTW-w	MT20	5.0	6.0	2.25 2.00
G	TMW-w	MT20	4.0	4.0	2.00 1.75
H	TMW-p	MT20	5.0	8.0	Edge 3.50
J	BMV1-p	MT20	3.0	4.0	
K	BMW-w	MT20	5.0	6.0	2.50 2.25
L	BMW-w	MT20	4.0	4.0	
M	BS-t	MT20	3.0	8.0	
N	BMW-w	MT20	4.0	9.0	
O	BS-t	MT20	3.0	6.0	
P	BMW-w	MT20	4.0	4.0	
Q	BMW-w	MT20	5.0	6.0	2.50 2.25
R	BMV1-p	MT20	3.0	4.0	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED		MAXIMUM FACTORED		INPUT		REQ'D	
JT	VERT	GROSS REACTION	HORZ	GROSS REACTION	HORZ	BRG	IN-SX	BRG	IN-SX
R	2083	0	0	2083	0	5-8	5-8	5-8	5-8
J	2083	0	0	2083	0	5-8	5-8	5-8	5-8

UNFACTORED REACTIONS		1ST CASE		MAX./MIN. COMPONENT REACTIONS	
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND
R	1457	969 / 0	0 / 0	0 / 0	488 / 0
J	1457	969 / 0	0 / 0	0 / 0	488 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS		MEMB.		WEBS	
MEMB.	FORCE (LBS)	MAX. FACTORED	FACTORED	MEMB.	MAX. FACTORED
FR-TO				FR-TO	
A-B	0 / 28	-91.8	-91.8 0.12 (1)	C-C	-285 / 12
B-C	-2889 / 0	-91.8	-91.8 0.58 (1)	C-P	-435 / 0
C-D	-2889 / 0	-91.8	-91.8 0.52 (1)	P-D	0 / 360
D-E	-2559 / 0	-91.8	-91.8 0.48 (1)	D-N	0 / 482
E-F	-2559 / 0	-91.8	-91.8 0.48 (1)	N-E	-641 / 0
F-G	-2539 / 0	-91.8	-91.8 0.52 (1)	N-F	0 / 482
G-H	-2889 / 0	-91.8	-91.8 0.58 (1)	L-F	0 / 350
H-I	0 / 28	-91.8	-91.8 0.12 (1)	L-G	-435 / 0
R-B	-2014 / 0	0.0	0.0 0.20 (1)	K-G	-255 / 12
J-H	-2014 / 0	0.0	0.0 0.20 (1)	B-Q	0 / 2635
R-Q	0 / 0	-18.5	-18.5 0.15 (4)	K-H	0 / 2835
Q-P	0 / 2609	-18.5	-18.5 0.49 (1)		
P-O	0 / 2249	-18.5	-18.5 0.43 (1)		
O-N	0 / 2249	-18.5	-18.5 0.43 (1)		
N-M	0 / 2249	-18.5	-18.5 0.43 (1)		
M-L	0 / 2249	-18.5	-18.5 0.43 (1)		
L-K	0 / 2609	-18.5	-18.5 0.49 (1)		
K-J	0 / 0	-18.5	-18.5 0.15 (4)		

TOTAL WEIGHT = 2 X 145 = 289 lb [M/F]

DESIGN CRITERIA	
SPECIFIED LOADS:	
TOP CH. LL =	25.6 PSF
DL =	6.0 PSF
BOT CH. LL =	0.0 PSF
DL =	7.4 PSF
TOTAL LOAD =	39.0 PSF
SPACING =	24.0 IN./C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12
THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLES WITH:
- PART 9 OF NBC 2010, NBC 2012, ABC 2019
- PART 9 OF NBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.15")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.28")
CSI: TC=0.58/1.00 (B-C:1), BC=0.49/1.00 (P-Q:1), WB=0.59/1.00 (B-Q:1), SS=0.25/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES	
PLATE GRIP(DRY)	SHEAR SECTION
(PSI)	(PL)
MAX MIN	MAX MIN
MT20	616 354 1667 788 1987 1556

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (Q) (INPUT = 0.90)
JSI METAL= 0.89 (M) (INPUT = 1.00)



Structural component only
DWG# T-2007172

JOB NAME 408170	TRUSS NAME T44	QUANTITY 2	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:21 2020 Page 1	
ID:K?TPdggDnpl1qYdbWOFzideG-SdAdGGA2a5tibnycfSBKIGrDK9jYJhN1xJv98zNB1W				Scale = 1:50.0	



LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
A - D	2x4	DRY	No.2
D - E	2x4	DRY	No.2
E - G	2x4	DRY	No.2
G - H	2x4	DRY	No.2
H - K	2x4	DRY	No.2
S - B	2x4	DRY	No.2
L - J	2x4	DRY	No.2
S - Q	2x4	DRY	No.2
Q - N	2x4	DRY	No.2
N - L	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)				
JT TYPE	PLATES	W	LEN	Y X
B TMVW-p	MT20	5.0	8.0	Edge 3.50
C TMVW-i	MT20	4.0	4.0	2.00 1.75
D TS-t	MT20	3.0	8.0	
E TTW-m	MT20	4.0	6.0	
F TMVW-i	MT20	4.0	4.0	
G TTW-m	MT20	4.0	6.0	
H TS-t	MT20	3.0	8.0	
I TMVW-i	MT20	4.0	4.0	2.00 1.75
J TMVW-p	MT20	5.0	8.0	Edge 3.50
L BMV-i	MT20	3.0	4.0	
M BMVW-i	MT20	5.0	6.0	2.50 2.25
N SS-t	MT20	3.0	6.0	
O BMVW-i	MT20	4.0	8.0	
P SS-t	MT20	4.0	8.0	
Q SS-t	MT20	3.0	6.0	
R BMVW-i	MT20	5.0	8.0	2.50 2.25
S BMV-i	MT20	3.0	4.0	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ
S	2063	0	2063	0
L	2063	0	2063	0

UNFACTORED REACTIONS

1ST CASE	MAX. MIN. COMPONENT REACTIONS						
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
S	1457	989 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
L	1457	989 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-P, F-P, F-O, I-O.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED HORIZ. LOAD (CSI (LC))	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED HORIZ. LOAD (CSI (LC))	
FR-TO		FROM TO		FR-TO			
A-B	0 / 28	-91.8 -91.8	0.12 (1)	10.00	R-C	-182 / 52	0.06 (1)
B-C	-2808 / 0	-91.8 -91.8	0.83 (1)	3.25	C-P	-637 / 0	0.29 (1)
C-D	-2373 / 0	-91.8 -91.8	0.72 (1)	3.66	P-E	0 / 674	0.15 (1)
D-E	-2373 / 0	-91.8 -91.8	0.72 (1)	3.66	F-F	-222 / 0	0.11 (1)
E-F	-2100 / 0	-91.8 -91.8	0.19 (1)	4.53	F-O	-222 / 0	0.11 (1)
F-G	-2100 / 0	-91.8 -91.8	0.19 (1)	4.53	O-G	0 / 674	0.15 (1)
G-H	-2373 / 0	-91.8 -91.8	0.72 (1)	3.66	O-I	-637 / 0	0.29 (1)
H-I	-2373 / 0	-91.8 -91.8	0.72 (1)	3.66	M-I	-182 / 52	0.06 (1)
I-J	-2808 / 0	-91.8 -91.8	0.83 (1)	3.25	B-R	0 / 2649	0.80 (1)
J-K	0 / 28	-91.8 -91.8	0.12 (1)	10.00	M-J	0 / 2649	0.80 (1)
S-B	-2008 / 0	0.0 0.0	0.20 (1)	5.98			
L-J	-2008 / 0	0.0 0.0	0.20 (1)	5.98			
S-R	0 / 0	-18.5 -18.5	0.20 (4)	10.00			
R-Q	0 / 2830	-18.5 -18.5	0.52 (1)	10.00			
Q-P	0 / 2830	-18.5 -18.5	0.52 (1)	10.00			
P-O	0 / 2193	-18.5 -18.5	0.45 (1)	10.00			
O-N	0 / 2830	-18.5 -18.5	0.52 (1)	10.00			
N-M	0 / 2830	-18.5 -18.5	0.52 (1)	10.00			
M-L	0 / 0	-18.5 -18.5	0.20 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL = 25.6	PSF
	DL = 6.0	PSF
BOY CH.	LL = 0.0	PSF
	DL = 7.4	PSF
TOTAL LOAD	= 39.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (1.17")
CALCULATED VERT. DEFL. (LL) = L/999 (0.14")
ALLOWABLE DEFL. (TL) = L/360 (1.17")
CALCULATED VERT. DEFL. (TL) = L/999 (0.30")

CSI: TC=0.83/1.00 (B-C:1), BC=0.82/1.00 (P-R:1), WB=0.80/1.00 (B-R:1), SS=0.28/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP (DRY) SHEAR SECTION (PSI)	(PLI)	(PLI)
MAX MIN MAX MIN MAX MIN		
MT20	818	354 1667 788 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP = 0.88 (M) (INPUT = 0.90)
JSI METAL = 0.79 (Q) (INPUT = 1.00)



Structural component only
DWG# T-2007173

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T45	2	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 25 13:02:22 2020 Page 1
ID:K?TPdhqj0npl1qYdbWIOFzksG-wpi_zbGopuDKKIM9AMzQsy6iVPHiyXGb2SiazNB1V



TOTAL WEIGHT = 2 X 151 = 302 lb

LUMBER			
N. L. G. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - G	2x4	DRY	No.2
G - I	2x4	DRY	No.2
I - L	2x4	DRY	No.2
T - B	2x4	DRY	No.2
M - K	2x4	DRY	No.2
T - R	2x4	DRY	No.2
R - O	2x4	DRY	No.2
O - M	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			

DRY: SEASONED LUMBER.

PLATES (table in inches)					
JT TYPE	PLATES	W	LEN	Y	X
B TMV+p	MT20	3.0	4.0		
C TMWW-I	MT20	5.0	6.0	2.50	2.25
D TS-I	MT20	3.0	6.0		
E TMWW-I	MT20	4.0	4.0	2.00	1.50
F TTW-h	MT20	4.0	4.0	2.00	1.75
G TTWW-m	MT20	5.0	6.0	2.00	2.00
H TMWW-I	MT20	4.0	4.0	2.00	1.50
I TS-I	MT20	3.0	6.0		
J TMWW-I	MT20	5.0	6.0	2.50	2.25
K TMV+p	MT20	3.0	4.0		
M BMWW-I	MT20	5.0	6.0	2.25	2.00
N, P, S					
N BMWW-I	MT20	4.0	4.0		
O BS-I	MT20	3.0	6.0		
Q BMWW-I	MT20	4.0	6.0		
R BS-I	MT20	3.0	6.0		
T BMWW-I	MT20	5.0	6.0	2.25	2.00

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS							
	FACTORED	MAXIMUM FACTORED	INPUT	RECORD			
	GROSS REACTION	GROSS REACTION	BRG	BRG			
JT	VERT	HORZ	UPLIFT	IN-SX			
T	2083	0	0	5-8			
M	2083	0	0	5-8			
UNFACTORED REACTIONS							
	1ST LOOSE	MAX / MIN	COMPONENT REACTIONS				
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
T	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0
M	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) T, M

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.86 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF E-Q, H-P, C-T, J-M.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING			
TOTAL LOAD CASES: (4)			
CHORDS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH (FT)
FR-TO			
A-B	0 / 28	-91.8	10.00
B-C	0 / 19	-91.8	10.00
C-D	-2759 / 0	-91.8	10.00
D-E	-2759 / 0	-91.8	10.00
E-F	-2167 / 0	-91.8	10.00
F-G	-1925 / 0	-91.8	10.00
G-H	-2168 / 0	-91.8	10.00
H-I	-2760 / 0	-91.8	10.00
I-J	-2760 / 0	-91.8	10.00
J-K	0 / 19	-91.8	10.00
K-L	0 / 28	-91.8	10.00
T-B	-326 / 0	0.0	10.00
M-K	-326 / 0	0.0	10.00
WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH (FT)	MAX. UNBRACED LENGTH (FT)
C-S	-110 / 37	10.00	10.00
S-E	0 / 276	10.00	10.00
E-Q	-681 / 0	10.00	10.00
Q-F	0 / 613	10.00	10.00
F-G	0 / 4	10.00	10.00
G-H	0 / 609	10.00	10.00
H-N	-682 / 0	10.00	10.00
N-J	0 / 276	10.00	10.00
J-C	-3040 / 0	10.00	10.00
J-M	-3041 / 0	10.00	10.00
T-S	0 / 2536	-18.5	10.00
S-R	0 / 2362	-18.5	10.00
R-Q	0 / 2362	-18.5	10.00
Q-P	0 / 1924	-18.5	10.00
P-O	0 / 2362	-18.5	10.00
O-N	0 / 2362	-18.5	10.00
N-M	0 / 2537	-18.5	10.00

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL	= 25.6	PSF
DL	= 8.0	PSF
BOT. CH. LL	= 0.0	PSF
DL	= 7.4	PSF
TOTAL LOAD	= 39.0	PSF

SPACING = 24.0 IN. OC

LOADING IN PLAT SECTION BASED ON A SLOPE OF 6.0W/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2010, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(5% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (1.17")
CALCULATED VERT. DEFL. (LL) = L/999 (0.15")
ALLOWABLE DEFL. (TL) = L/360 (1.17")
CALCULATED VERT. DEFL. (TL) = L/999 (0.32")

CSI: TC=0.40/1.00 (H-J:1), BC=0.58/1.00 (M-N:1), WB=0.65/1.00 (J-M:1), SS=0.20/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES			
PLATE	GRIP (DRY)	SHEAR	SECTION
(PSI)	(PL)	(PL)	(PL)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	818	354	1867
	788	1867	1867

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (M) (INPUT = 0.90)
JSI METAL= 0.78 (C) (INPUT = 1.00)



Structural component only
DWG# T-2007174

JOB NAME 408170	TRUSS NAME T46	QUANTITY 6	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington		TRAUSS DESC.		Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 25 13:02:23 2020 Page 1	



LUMBER			
N. L. G. A. RULES	SIZE	DRY	NO.2
CHORDS			
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
F - H	2x4	DRY	No.2
H - K	2x4	DRY	No.2
S - B	2x4	DRY	No.2
L - J	2x4	DRY	No.2
S - Q	2x4	DRY	No.2
Q - N	2x4	DRY	No.2
N - L	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2
S - C	2x4	DRY	No.2
I - L	2x4	DRY	No.2

PLATES (table in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMV+p	MT20	3.0	4.0	
C	TMVW+1	MT20	5.0	8.0	2.25 2.00
D	TS-1	MT20	3.0	8.0	
E	TMVW+1	MT20	5.0	8.0	
F	TTWV+p	MT20	4.0	8.0	Edge
G	TMVW+1	MT20	5.0	8.0	
H	TS-1	MT20	3.0	8.0	
I	TMVW+1	MT20	5.0	8.0	2.25 2.00
J	TMV+p	MT20	3.0	4.0	
L	BMVW+1	MT20	4.0	9.0	Edge
M	BMVW+1	MT20	4.0	8.0	
N	BS-1	MT20	3.0	8.0	
Q	BS-1	MT20	3.0	8.0	
S	BMVW+1	MT20	4.0	9.0	Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER									
BEARINGS									
	FACTORED	MAXIMUM FACTORED	INPUT	RECORD					
	GROSS REACTION	GROSS REACTION	BRG	BRG					
JT	VERT	HORZ	DOWN	UPLIFT	IN-SX	IN-SX			
S	2063	0	2063	0	0	5-8			
L	2063	0	2063	0	0	5-8			
UNFACTORED REACTIONS									
1ST LCASE	MAX/MIN	COMPONENT REACTIONS							
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL		
S	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0		
L	1457	969 / 0	0 / 0	0 / 0	0 / 0	488 / 0	0 / 0		

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) S, L

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.76 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-S, I-L

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING					
TOTAL LOAD CASES: (4)					
CHORDS			WEBS		
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF)	MAX. UNBRACED LENGTH FR-TO	MEMB.	MAX. FACTORED FORCE (LBS)
FR-TO				FR-TO	
A-B	0 / 28	-91.8 -91.8 0.12 (1)	10.00	F-O	0 / 886
B-C	0 / 22	-91.8 -91.8 0.40 (1)	10.00	G-M	-728 / 0
C-D	-2508 / 0	-91.8 -91.8 0.49 (1)	3.75	H-I	0 / 391
D-E	-2508 / 0	-91.8 -91.8 0.49 (1)	3.75	I-L	-192 / 18
E-F	-2322 / 0	-91.8 -91.8 0.46 (1)	4.07	J-K	0 / 886
F-G	-2322 / 0	-91.8 -91.8 0.46 (1)	4.07	K-L	-728 / 0
G-H	-2508 / 0	-91.8 -91.8 0.49 (1)	3.75	L-M	0 / 391
H-I	-2508 / 0	-91.8 -91.8 0.49 (1)	3.75	M-N	-192 / 18
I-J	0 / 22	-91.8 -91.8 0.40 (1)	10.00	N-O	-3064 / 0
J-K	0 / 28	-91.8 -91.8 0.12 (1)	10.00	O-P	0 / 781
K-L	-344 / 0	0.0 0.0 0.03 (1)	7.81	P-Q	-3064 / 0
L-M	-344 / 0	0.0 0.0 0.03 (1)	7.81	Q-R	0 / 781
M-N	0 / 2574	-18.5 -18.5 0.53 (1)	10.00	R-S	0 / 2291
N-O	0 / 2291	-18.5 -18.5 0.47 (1)	10.00	S-T	0 / 2291
O-P	0 / 2291	-18.5 -18.5 0.47 (1)	10.00	T-U	0 / 1762
P-Q	0 / 1762	-18.5 -18.5 0.38 (1)	10.00	U-V	0 / 2291
Q-R	0 / 2291	-18.5 -18.5 0.47 (1)	10.00	V-W	0 / 2291
R-S	0 / 2291	-18.5 -18.5 0.47 (1)	10.00	W-X	0 / 2574
S-T	0 / 2574	-18.5 -18.5 0.53 (1)	10.00	X-Y	

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (1.17")
CALCULATED VERT. DEFL.(LL) = L/999 (0.14")
ALLOWABLE DEFL.(TL) = L/360 (1.17")
CALCULATED VERT. DEFL.(TL) = L/999 (0.28")

CSI: TC=0.49/1.00 (G-I), EC=0.53/1.00 (R-S), WB=0.72/1.00 (E-P), SS=0.22/1.00 (B-C)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1887 788 1987 1658

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP = 0.87 (C) (INPUT = 0.90)
JSI METAL = 0.77 (I) (INPUT = 1.00)



Structural component only
DWG# T-2007175

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T47	1	2	GREEN PARK HOMES	
Tamarack Pool Truss, Burlington				TRUSS DESC.	

Version 8.310 S Oct 29 2019 MTEK Industries, Inc. Sat Apr 25 13:02:24 2020 Page 2
 ID:K?TPdng0npl1q1YobWIOFzIdG-sCrkNH12LVTSZ2WXIn?uxNuSFX8oliQpivXZmTzNB1T


PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	4.0	6.0	1.00	3.00
C	TMVW-l	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMVW-w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMVW-l	MT20	5.0	6.0		Edge
H	BMVl+p	MT20	3.0	6.0		
I	BMVW-l	MT20	5.0	8.0	2.50	2.75
J	BMVWW-l	MT20	5.0	8.0		
K	BS-l	MT20	5.0	6.0		
L	BMVW-l	MT20	5.0	6.0		
M	BMVW-l	MT20	5.0	6.0		
N	BMVl+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE
 TOUCHES EDGE OF CHORD.



Structural component only
 DWG# T-2007176 42



LUMBER

N. L. G. A. RULES

CHORDS	SIZE	DRY	LUMBER
A - D	2x4	DRY	No.2
D - E	2x4	DRY	No.2
E - G	2x4	DRY	No.2
M - B	2x4	DRY	No.2
H - G	2x4	DRY	No.2
M - J	2x4	DRY	No.2
J - H	2x4	DRY	No.2

ALL WEBS 2x3 DRY No.2
EXCEPT

DRY: SEASONED LUMBER.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMW-1	MT20	4.0	8.0	2.00	3.00
C	TMW-1	MT20	4.0	4.0	2.00	1.75
D	TTW-m	MT20	5.0	8.0	2.25	2.00
E	TTW-m	MT20	4.0	4.0		
F	TMW-1	MT20	4.0	8.0		
G	TMW-p	MT20	3.0	4.0		
H	BMVW-1	MT20	4.0	8.0		
I	BMVW-1	MT20	4.0	8.0		
J	BS-1	MT20	3.0	6.0		
K	BMVW-1	MT20	4.0	8.0		
L	BMVW-1	MT20	5.0	8.0		
M	BMV-1	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG	REQD BRG
	VERT	HORZ	DOWN	HORZ		
M	1481	0	1481	0	5-8	5-8
H	1337	0	1337	0	MECHANICAL	MECHANICAL

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT H. MINIMUM BEARING LENGTH AT JOINT H = 3-8.

UNFACTORED REACTIONS

JT	COMBINED	MAX. MIN. COMPONENT REACTIONS		WIND	DEAD	SOIL
		SNOW	LIVE			
M	1031	890 / 0	0 / 0	0 / 0	341 / 0	0 / 0
H	945	620 / 0	0 / 0	0 / 0	325 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.50 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF D-I.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)		MAX. CSI (LC)	MAX. UNBRACED LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)
		FROM	TO					
FR-TO						FR-TO		
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00	L-C	-165 / 32	0.04 (1)
B-C	-1044 / 0	-91.8	-91.8	0.36 (1)	4.50	C-K	-438 / 0	0.31 (1)
C-D	-1488 / 0	-91.8	-91.8	0.34 (1)	5.00	K-D	0 / 334	0.08 (1)
D-E	-1181 / 0	-91.8	-91.8	0.46 (1)	5.27	D-I	-189 / 0	0.09 (1)
E-F	-1338 / 0	-91.8	-91.8	0.18 (1)	5.42	I-E	0 / 175	0.05 (4)
F-G	0 / 18	-91.8	-91.8	0.21 (1)	10.00	I-F	0 / 158	0.04 (4)
M-B	-1419 / 0	0.0	0.0	0.14 (1)	6.85	B-L	0 / 1692	0.38 (1)
H-G	-138 / 0	0.0	0.0	0.02 (1)	7.81	F-H	-1583 / 0	0.82 (1)
M-L	0 / 0	-18.5	-18.5	0.12 (4)	10.00			
L-K	0 / 1871	-18.5	-18.5	0.32 (1)	10.00			
K-J	0 / 1313	-18.5	-18.5	0.36 (4)	10.00			
J-I	0 / 1313	-18.5	-18.5	0.38 (4)	10.00			
I-H	0 / 1069	-18.5	-18.5	0.34 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 38.0 PSF

SPACING = 24.0 IN./C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2010, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2018 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = $L/360$ (0.81")
CALCULATED VERT. DEFL.(LL) = $L/999$ (0.05")
ALLOWABLE DEFL.(TL) = $L/360$ (0.81")
CALCULATED VERT. DEFL.(TL) = $L/999$ (0.14")

CSI: TC=0.48/1.00 (D-E:1), BC=0.39/1.00 (I-K:4), WB=0.82/1.00 (F-H:1), SS=0.22/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (8) (INPUT = 0.90)
JSI METAL= 0.50 (8) (INPUT = 1.00)



Structural component only
DWG# T-2007177



LUMBER
N. L. G. A. RULES

CHORDS	SIZE	LUMBER	DESCR.
K - A	2x4	DRY	No.2
A - C	2x4	DRY	No.2
J - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
G - F	2x4	DRY	No.2
K - I	2x4	DRY	No.2
I - G	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			
C - E	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMV+p	MT20	3.0	4.0		
B	TMVW-1	MT20	5.0	6.0		
C	TMVW-1	MT20	4.0	9.0	2.25	5.50
D	TMV+p	MT20	3.0	4.0		
E	TMVW-1	MT20	4.0	8.0		
F	TMVW-1	MT20	5.0	6.0		
G	BMVW-1	MT20	3.0	4.0		
H	BMVW-1	MT20	5.0	8.0	2.50	2.50
I	BS-1	MT20	3.0	6.0		
J	BMVW-1	MT20	4.0	4.0		
K	BMVW-1	MT20	5.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

PROVIDE ADEQUATE DRAINAGE TO PREVENT PONDING

BEARINGS

JT	FACTORED		MAXIMUM FACTORED		INPUT	REQD
	GROSS REACTION	SNOW	GROSS REACTION	BRG		
K	1079	0	1079	0	5-8	5-8
G	1079	0	1079	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST CASE		MAX/MIN. COMPONENT REACTIONS		WIND	DEAD	SOIL
	COMBINED	SNOW	LIVE	PERM. LIVE			
K	780	418 / 0	0 / 0	0 / 0	0 / 0	384 / 0	0 / 0
G	780	418 / 0	0 / 0	0 / 0	0 / 0	384 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K, G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.47 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

MEMB.	CHORDS		FACTORED		MAX. UNBRACED LENGTH	MEMB.	WEBS	
	MAX. FACTORED FORCE (LBS)	VERT. LOAD (PLF)	VERT. LOAD (PLF)	MAX. CS (LC)			MAX. FACTORED FORCE (LBS)	MAX. CS (LC)
FR-TO						FR-TO		
K-A	-163 / 0	0.0	0.0	0.04 (1)	7.81	K-B	-1328 / 0	0.65 (1)
A-B	0 / 0	-114.3	-114.3	0.32 (1)	10.00	B-J	0 / 538	0.18 (1)
B-C	-1416 / 0	-114.3	-114.3	0.37 (1)	4.47	C-E	-961 / 0	0.30 (1)
J-C	-229 / 0	0.0	0.0	0.08 (1)	7.81	C-H	-489 / 0	0.30 (1)
C-D	-163 / 0	0.0	0.0	0.08 (1)	7.81	H-E	-471 / 0	0.18 (1)
D-E	-58 / 0	-114.3	-114.3	0.51 (1)	8.25	H-F	0 / 1303	0.39 (1)
E-F	-1004 / 0	-114.3	-114.3	0.55 (1)	4.81			
G-F	-1039 / 0	0.0	0.0	0.37 (1)	6.91			
K-J	0 / 1013	-18.5	-18.5	0.41 (4)	10.00			
J-I	0 / 1402	-18.5	-18.5	0.48 (4)	10.00			
I-H	0 / 1402	-18.5	-18.5	0.48 (4)	10.00			
H-G	0 / 0	-18.5	-18.5	0.13 (4)	10.00			

TOTAL WEIGHT = 3 X 72 = 216 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL = 25.6	PSF
	DL = 15.0	PSF
BOT CH.	LL = 0.0	PSF
	DL = 7.4	PSF
TOTAL LOAD	= 48.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN ALL FLAT SECTIONS BASED ON A SLOPE OF 0.0012

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2015, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/999 (0.03")
ALLOWABLE DEFL.(TL) = L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/999 (0.11")

CSI: TC=0.55/1.00 (E-F:1), BC=0.48/1.00 (H-J:4),
WB=0.65/1.00 (B-K:1), SS=0.34/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00
FLAT ROOF FACTOR = 0.75

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	
	MAX	MIN	MAX MIN
MT20	618	354	1887 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (C) (INPUT = 0.80)
JSI METAL= 0.82 (I) (INPUT = 1.00)




Structural component only
DWG# T-2007178

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408170	T50	2	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 28 2019 MTek Industries, Inc. Sat Apr 25 13:02:28 2020 Page 1
ID:K?TPdhgJ0nph1q/YdbWIOF2IdeG-lz5FDILZPkzu2gpJXd4q6D3AB8cJhXEPeXWmvEzNB1P



LUMBER				
N. L. G. A. RULES				
CHORDS		SIZE	LUMBER	
A - D	2x4	DRY	No.2	
D - F	2x4	DRY	No.2	
K - B	2x4	DRY	No.2	
G - F	2x4	DRY	No.2	
K - I	2x4	DRY	No.2	
I - G	2x4	DRY	No.2	

ALL WEBS 2x3 DRY No.2
EXCEPT

DRY: SEASONED LUMBER.

PLATES (tablets in inches)	JT TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	6.0		
D	TTW-t	MT20	4.0	4.0		
E	TMWW-t	MT20	4.0	4.0		
F	TMWW-t	MT20	4.0	6.0		
G	BMV1+p	MT20	3.0	4.0		
H	BMWW-t	MT20	4.0	6.0		
I	BS-t	MT20	3.0	6.0		
J	BMWW-t	MT20	4.0	6.0		
K	BMVW-t	MT20	4.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED	MAXIMUM FACTORED	INPUT	REQD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	DOWN	UP/LIFT	IN-SX
K	1020	0	1020	0
G	896	0	896	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

	1ST LOASE	MAX/MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	719	485/0	0/0	0/0	0/0	234/0	0/0
G	833	416/0	0/0	0/0	0/0	218/0	0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.73 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM TO			FR-TO		
A-B	0/28	-91.8	-91.8 0.12 (1)	10.00	C-J	-135/7	0.04 (1)
B-C	0/14	-91.8	-91.8 0.15 (1)	10.00	J-D	0/355	0.08 (1)
C-D	-982/0	-91.8	-91.8 0.13 (1)	6.20	J-E	-283/0	0.13 (1)
D-E	-894/0	-91.8	-91.8 0.28 (1)	6.18	H-E	-335/0	0.07 (1)
E-F	-1094/0	-91.8	-91.8 0.27 (1)	5.73	K-C	-1198/0	0.35 (1)
K-B	-248/0	0.0	0.0 0.03 (1)	7.81	H-F	0/1150	0.28 (1)
G-F	-855/0	0.0	0.0 0.10 (1)	7.81			
K-J	0/956	-18.5	-18.5 0.26 (1)	10.00			
J-I	0/1073	-18.5	-18.5 0.27 (1)	10.00			
I-H	0/1073	-18.5	-18.5 0.27 (1)	10.00			
H-G	0/0	-18.5	-18.5 0.10 (4)	10.00			

TOTAL WEIGHT = 2 X 83 = 126 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	25.6	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	39.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF NBCC 2018, CBC 2012, ABC 2019
- PART 9 OF NBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(5% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/999 (0.03")
ALLOWABLE DEFL.(TL) = L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/999 (0.03")

CSI: TC=0.27/1.00 (E-F:1), BC=0.27/1.00 (H-J:1),
WB=0.35/1.00 (C-K:1), SS=0.21/1.00 (E-F:1)

DOL LUMBER: 1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
	(PSI)	(PLI)	(PLI)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	818	354	1667
	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.71 (H) (INPUT = 0.80)
JSI METAL= 0.32 (H) (INPUT = 1.00)




Structural component only
DWG# T-2007179

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	TRUSS DESC.	DRWG NO.
408170	T51	1	1	GREEN PARK HOMES		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 25 13:02:29 2020 Page 1
ID:K?TPdHgJ0npl1qYdbWIOFzIdeG-D9IdR?MBA25IfOV4Kb3eRbKcYx2QzGZIBFKSgzNB1C



TOTAL WEIGHT = 70 lb
[M]

LUMBER			
N. L. G. A. RULES	SIZE	DRY	DESCR.
CHORDS			
A - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
G - F	2x4	DRY	No.2
K - B	2x4	DRY	No.2
K - I	2x4	DRY	No.2
I - G	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
EXCEPT			SPF

DRY: SEASONED LUMBER.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	8.0	2.25	2.00
E	TMV+w	MT20	2.0	4.0		
F	TMV-w	MT20	4.0	8.0		
G	BMV1+p	MT20	3.0	4.0		
H	BMVWW-t	MT20	4.0	8.0		
I	BS-t	MT20	3.0	8.0		
J	BMVWW-t	MT20	4.0	4.0		
K	BMVW1-t	MT20	4.0	8.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS:

	FACTORED	MAXIMUM FACTORED	INPUT	REQD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	DOWN	HORIZ	UPLIFT
G	896	0	896	0
K	1020	0	1020	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 3-8.

UNFACTORED REACTIONS

1ST CASE	MAX/MIN. COMPONENT REACTIONS						
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
G	633	416 / 0	0 / 0	0 / 0	0 / 0	218 / 0	0 / 0
K	719	485 / 0	0 / 0	0 / 0	0 / 0	234 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.21 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED	FACTORED	MAX. FACTORED	MEMB.	MAX. FACTORED	FACTORED	MAX. FACTORED
	FORCE	VERT. LOAD	CS1 (LC)		FORCE	CS1 (LC)	
FR-TO	(LBS)	FROM TO	UNBRAC	FR-TO	(LBS)	UNBRAC	
A-B	0 / 28	-81.8	-81.8	0.12 (1)	10.00	C-J	-215 / 0
B-C	0 / 17	-81.8	-81.8	0.20 (1)	10.00	J-D	0 / 298
C-D	-901 / 0	-81.8	-81.8	0.22 (1)	8.21	D-H	-210 / 0
D-E	-854 / 0	-81.8	-81.8	0.29 (1)	8.25	H-E	-488 / 0
E-F	-854 / 0	-81.8	-81.8	0.29 (1)	8.25	F-F	0 / 981
G-F	-858 / 0	0.0	0.0	0.35 (1)	7.81	K-C	-1192 / 0
K-B	-201 / 0	0.0	0.0	0.08 (1)	7.81		
K-J	0 / 965	-18.5	-18.5	0.30 (4)	10.00		
J-I	0 / 796	-18.5	-18.5	0.30 (4)	10.00		
I-H	0 / 796	-18.5	-18.5	0.30 (4)	10.00		
H-G	0 / 0	-18.5	-18.5	0.08 (4)	10.00		

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2010, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(85 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.54")
CALCULATED VERT. DEFL.(LL) = L/899 (0.02")
ALLOWABLE DEFL.(TL) = L/360 (0.54")
CALCULATED VERT. DEFL.(TL) = L/899 (0.12")

CS1: TC=0.35/1.00 (F-G:1), BC=0.30/1.00 (J-K:4), WB=0.43/1.00 (C-K:1), SSI=0.19/1.00 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1856

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP=0.88 (C) (INPUT = 0.90)
JSI METAL=0.40 (C) (INPUT = 1.00)




Structural component only
DWG# T-2007180

Version 8.310 S Oct 29 2019 MITek Industries, Inc. Sat Apr 25 13:02:13 2020 Page 1
ID:K?TPdhgj0np1q|YdbWIOFzIdeG-h4ha4W99x740lMAQ9zJJ73x|05YfgpiCBiNU|czNB1e



Structural component only
DWG# T-2007166

JOB NAME 408170	TRUSS NAME T53S	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	



LUMBER			
N. L. O. A. RULES	SIZE	LUMBER	DESCR.
CHORDS			
A - D	2x4	DRY	No.2
D - E	2x4	DRY	No.2
F - E	2x4	DRY	No.2
I - B	2x4	DRY	No.2
I - H	2x4	DRY	No.2
G - C	2x4	DRY	No.2
G - F	2x4	DRY	No.2
ALL WEBS	2x4	DRY	No.2
EXCEPT			
B - H	2x3	DRY	No.2
H - E	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	X
B	TMVW-1	MT20	4.0	4.0	2.00 1.25
C	TMVW-p	MT20	3.0	4.0	
D	TT-m	MT20	3.0	6.0	0.50 2.50
E	TMVW-4	MT20	4.0	4.0	
F	BMVW1-1	MT20	4.0	4.0	
G	BMVW-p	MT20	3.0	4.0	
H	BVMWVW-1	MT20	5.0	8.0	3.00 2.50
I	BMV1-p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED	MAXIMUM FACTORED	INPUT	REQD
JT	VERT	GROSS REACTION	GROSS REACTION	BRG	BRG
F	302	0	302	0	0
I	457	0	457	0	0
				MECHANICAL	5-8

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS		MAX. MIN. COMPONENT REACTIONS				
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD
F	214	138 / 0	0 / 0	0 / 0	0 / 0	75 / 0
I	320	225 / 0	0 / 0	0 / 0	0 / 0	95 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED				WEBS		FACTORED			
MEMB.	FORCE (LBS)	VERT. LOAD	LC1	MAX	MAX.	MEMB.	FORCE (LBS)	MAX	FORCE (LBS)	MAX	CS1 (LC)
FR-TO		FROM	TO		UNBRACED LENGTH	FR-TO					
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00	H-F	-10 / 0	0.00 (1)			
B-C	-217 / 0	-91.8	-91.8	0.14 (1)	8.25	B-H	0 / 153	0.03 (1)			
C-D	-200 / 0	-91.8	-91.8	0.05 (1)	6.25	H-E	0 / 247	0.08 (1)			
D-E	-167 / 0	-91.8	-91.8	0.03 (1)	6.25						
F-E	-273 / 0	0.0	0.0	0.03 (1)	7.81						
I-B	-420 / 0	0.0	0.0	0.04 (4)	7.81						
I-H	0 / 41	-18.5	-18.5	0.05 (4)	10.00						
G-H	0 / 25	0.0	0.0	0.02 (1)	10.00						
H-C	-186 / 0	0.0	0.0	0.04 (1)	7.81						
G-F	0 / 16	-18.5	-18.5	0.02 (4)	10.00						

TOTAL WEIGHT = 33 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. G/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 8.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.00")

CS1: TC=0.14/1.00 (B-C:1), BC=0.05/1.00 (H-I:4), WB=0.06/1.00 (E-H:1), SS=0.11/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1887 789 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.36 (H) (INPUT = 0.90)
JSI METAL = 0.13 (B) (INPUT = 1.00)




Structural component only
DWG# T-2007181

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408170	T54S	1	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mtek Industries, Inc. Sat Apr 25 13:02:31 2020 Page 1
ID:K7TPdha0npl1qYabWIOFzdeG-9YmOrgNRhLTV7Y(CleXkshknMhguyRrKvKRWZzNB1M



Scale = 1/2" = 1'-0"

TOTAL WEIGHT = 31 lb

LUMBER					
N. L. G. A. RULES					
CHORDS		SIZE	LUMBER		DESCR.
A - C	2x4	DRY	No.2	SPF	
C - E	2x4	DRY	No.2	SPF	
F - E	2x4	DRY	No.2	SPF	
J - B	2x4	DRY	No.2	SPF	
J - H	2x4	DRY	No.2	SPF	
G - D	2x4	DRY	No.2	SPF	
G - F	2x4	DRY	No.2	SPF	
ALL WEBS		2x3	DRY	No.2	SPF
EXCEPT					

DRY: SEASONED LUMBER.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-1	MT20	4.0	4.0	2.00	1.25
C	TTWW-m	MT20	5.0	5.0	2.25	2.00
D	TMVW-p	MT20	3.0	4.0		
E	TMVW-1	MT20	4.0	4.0		
F	BMVW-1	MT20	4.0	4.0		
G	BMVW-p	MT20	3.0	4.0		
H	BMVW-1	MT20	5.0	5.0	3.00	2.50
I	BMVW-1	MT20	4.0	4.0		
J	BMVW-p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED	MAXIMUM FACTORED	INPUT	RECORD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	HORZ	DOWN	UPLIFT
F	302	0	302	0
J	456	0	456	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	214	139 / 0	0 / 0	0 / 0	0 / 0	76 / 0	0 / 0
J	320	225 / 0	0 / 0	0 / 0	0 / 0	95 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS						WEBS					
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)			LC1 MAX CSI (LBS)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LBS)		
FR-TO		FROM	TO				FR-TO				
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00	I-C	-50 / 10	0.01 (1)			
B-C	-240 / 0	-91.8	-91.8	0.12 (1)	8.25	C-H	0 / 84	0.02 (1)			
C-D	-248 / 0	-91.8	-91.8	0.05 (4)	8.25	H-F	-9 / 0	0.00 (1)			
D-E	-241 / 0	-91.8	-91.8	0.07 (1)	8.25	H-E	0 / 302	0.07 (1)			
F-E	-278 / 0	0.0	0.0	0.05 (1)	7.81	B-I	0 / 214	0.05 (1)			
J-B	-439 / 0	0.0	0.0	0.04 (1)	7.81						
J-I	0 / 0	-18.5	-18.5	0.02 (4)	10.00						
I-H	0 / 193	-18.5	-18.5	0.04 (1)	10.00						
G-H	0 / 25	0.0	0.0	0.02 (1)	10.00						
H-D	-219 / 0	0.0	0.0	0.01 (1)	7.81						
G-F	0 / 8	-18.5	-18.5	0.03 (4)	10.00						

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN/CIC

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBC 2010, NBC 2012, ABC 2019
- PART 9 OF NBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(85% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.10")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.10")
CALCULATED VERT. DEFL.(TL) = L/999 (0.01")

CSI: TC=0.12/1.00 (A-B:1), BC=0.04/1.00 (H-I:1),
WB=0.07/1.00 (E-H:1), SSI=0.10/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.


JSI GRIP = 0.33 (B) (INPUT = 0.90)
JSI METAL = 0.13 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007182

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T55	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

ID:K?TPdhqj0nph1qlydbWIOFzIdeG-dkKm3003SzTJWH74mT9mG3DvHl_9dNX7Z9U_27zNB1L



Scale = 1/2" = 1'-0"

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
F - A	2x4	DRY	No.2
A - C	2x4	DRY	No.2
D - C	2x4	DRY	No.2
F - D	2x6	DRY	No.2
ALL WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD (PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
F - A	12	TOP
A - C	12	TOP
C - D	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
F - D	12	SIDE(183.1)
WEBS : (0.122"x3") SPIRAL NAILS		
B - E	6	SIDE(45.8)
2x3	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERRING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (tablets in inches)	PLATES	W	LEN	Y	X
JT TYPE	MT20	4.0	4.0	2.00	1.25
A	MT20	4.0	4.0	2.00	1.75
B	MT20	4.0	4.0	2.00	1.75
C	MT20	4.0	4.0	2.00	1.75
D	MT20	4.0	4.0	2.00	1.75
E	MT20	4.0	4.0	2.00	1.75

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQD
GROSS REACTION	GROSS REACTION	BRG	IN-SX	IN-SX
JT VERT	1589	0	0	5-8
F VERT	1680	0	0	5-8
D VERT	1680	0	0	MECHANICAL

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.

UNFACTORED REACTIONS							
	1ST CASE	MAX/MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
F	1121	750 / 0	0 / 0	0 / 0	0 / 0	371 / 0	0 / 0
D	1185	792 / 0	0 / 0	0 / 0	0 / 0	394 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	WEBS	MAX. FACTORED
MEMB.	FORCE (LBS)	VERT. LOAD LC1 MAX (PLF)	MAX. UNBRAC LENGTH FR-TO	MEMB. FORCE MAX (LBS)
FR-TO				
F-A	-1074 / 0	0.0	0.0	0.07 (1)
A-B	-867 / 0	-91.8	-91.8	0.08 (1)
B-C	-12 / 0	-91.8	-91.8	0.06 (1)
D-C	-105 / 0	0.0	0.0	0.02 (1)
F-G	0 / 0	-18.5	-18.5	0.19 (1)
G-E	0 / 0	-18.5	-18.5	0.19 (1)
E-H	0 / 788	-18.5	-18.5	0.21 (1)
H-D	0 / 788	-18.5	-18.5	0.21 (1)

FACTORED CONCENTRATED LOADS (LBS)	JT LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
E	3-0-4	-877	-877	---	BACK	VERT	TOTAL	---	C1
G	1-0-4	-877	-877	---	BACK	VERT	TOTAL	---	C1
H	5-0-4	-880	-880	---	BACK	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 34 = 67 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. OC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NSCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = L/360 (0.19")
CALCULATED VERT. DEFL. (LL) = L/999 (0.01")
ALLOWABLE DEFL. (TL) = L/990 (0.19")
CALCULATED VERT. DEFL. (TL) = L/999 (0.01")

CSI: TC=0.07/1.00 (A-F:1), BC=0.21/1.00 (D-E:1), WB=0.21/1.00 (B-D:1), SS=0.20/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP (DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 818 354 1687 788 1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.72 (A) (INPUT = 0.90)
JSI METAL = 0.18 (D) (INPUT = 1.00)




Structural component only
DWG# T-20071831/2

CONTINUED ON PAGE 2

JOB NAME 408170	TRUSS NAME T55	QUANTITY 1	PLY 2	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Version 8.310.9 Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:32 2020 Page 2
 ID:K?TPdhgi0npl1qlYobWIOFzldgG-dkKm30Q3SzTJWH74mT9mG3DvHl 9dNX?Z9U 2?zNB1L

PLATES (tablets in inches)
 JT TYPE PLATES W LEN Y X
 F BMV1+p M120 3.0 6.0




Structural component only
 DWG# T-2007183

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T56	1	2	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington				TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:33 2020 Page 1
ID:K?TPdhgJ0npl1qYabWIOFzideG-6wu8GMPIDG0A8RIQJAg?pHm499FsmnS8opDXbRzNB1K



Scale = 1/2" = 1'-0"

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
F - A	2x4 DRY	No.2	SPF		
A - C	2x4 DRY	No.2	SPF		
D - C	2x4 DRY	No.2	SPF		
F - D	2x4 DRY	No.2	SPF		
ALL WEBS	2x3 DRY	No.2	SPF		
DRY: SEASONED LUMBER.					

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
F-A 1	12	TOP
A-C 1	12	TOP
C-D 1	12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
F-D 2	5	SIDE(549.3)
WEBS : (0.122"x3") SPIRAL NAILS		
B-E 1	2	SIDE(259.5)
2x3	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERRING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMWV-t	MT20	4.0	8.0		Edge
B	TMWV-t	MT20	5.0	8.0	2.50	2.75
C	TMV+p	MT20	3.0	4.0		
D	BMWV-t	MT20	5.0	8.0		
E	BMWV-t	MT20	5.0	8.0	4.25	2.50

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ
F	2334	0	2334	0
D	2733	0	2733	0

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 4-0.

UNFACTORED REACTIONS

JT	1ST CASE	MAX MIN. COMPONENT REACTIONS
	COMBINED	SNOW LIVE PERM LIVE WIND DEAD SOIL
F	1948	1103 / 0 0 / 0 0 / 0 0 / 0 543 / 0 0 / 0
D	1929	1200 / 0 0 / 0 0 / 0 0 / 0 539 / 0 0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.20 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	WEBS	MAX. FACTORED
MEMB.	FORCE	VERT. LOAD	MEMB.	FORCE
(LBS)	(LBS)	LC1 MAX	(LBS)	(LBS)
FR-TO		FROM TO	FR-TO	
F-A	-2316 / 0	0.0 0.0 0.13 (1)	A-E	0 / 2898
A-B	-3101 / 0	-91.8 -91.8 0.08 (1)	E-B	0 / 2880
B-C	-5 / 0	-91.8 -91.8 0.08 (1)	B-D	-3303 / 0
D-C	-138 / 0	0.0 0.0 0.02 (1)		
F-E	0 / 0	-18.5 -18.5 0.01 (4)		
E-G	0 / 2779	-18.5 -18.5 0.57 (1)		
G-D	0 / 2779	-18.5 -18.5 0.57 (1)		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1 MAX	MAX	FACE	DIR.	TYPE	HEEL	CONN.
E	2-7-8	-3101	-3101	---	BACK	VERT	TOTAL	C1
G	4-8-12	-1318	-1318	---	BACK	VERT	TOTAL	C1

CONNECTION REQUIREMENTS

1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 2 X 29 = 57 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. G/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCC 2010, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.20')
CALCULATED VERT. DEFL.(LL) = L/999 (0.02')
ALLOWABLE DEFL.(TL) = L/360 (0.20')
CALCULATED VERT. DEFL.(TL) = L/999 (0.04')

CSI: TO=0.13/1.00 (A-F:1), BC=0.57/1.00 (D-E:1), WB=0.42/1.00 (B-D:1), SS=0.27/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PS)	(PL)	(PL)	(PL)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	618	354	1887

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.88 (E) (INPUT = 0.90)
JSI METAL = 0.50 (E) (INPUT = 1.00)



Structural component only
DWG# T-2007184 1/2

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	T56	1	2	GREEN PARK HOMES	


Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 26 13:02:33 2020 Page 2
ID:K7TPdhq0np1q1YdbWIOFzIdG-6wu8GMPiDGBA8RiGJAq7pHm498FsMnS8opDXbRzNB1K

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
F	BMV1+p	MT20	3.0	6.0		



Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.



Structural component only
DWG# T-2007184 2/2

JOB NAME 408168	TRUSS NAME PB1	QUANTITY 3	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington		TRUSS DESC.		Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:34:46 2020 Page 1	

ID:DMCubINVR6TsFos31v6I_zns11-PDfyPME2p5affFmuAaG4lkD6hBP9Gw?nTyvpaZzNB RN



LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE	LUMBER	DESCR.	SPF
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
B - F	2x4	DRY	No.2	SPF
ALL WEBS 2x3 DRY No.2 SPF				
DRY: SEASONED LUMBER.				

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	X
B	TMB1+1	MT20	3.0	4.0	1.50 2.00
C	TTWW+m	MT20	5.0	6.0	2.25 1.50
D	TWW+w	MT20	2.0	4.0	
E	TTWW+m	MT20	5.0	6.0	2.25 1.50
F	TMB1+1	MT20	3.0	4.0	1.50 2.00
H	BMW1+w	MT20	2.0	4.0	
I	BMW1+w	MT20	4.0	9.0	
J	BMW1+w	MT20	2.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		RECORD BRG	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	IN-SX	IN-SX
B	169	0	169	0	0	13-7-1	13-7-1		
F	169	0	169	0	0	13-7-1	13-7-1		
J	288	0	288	0	0	13-7-1	13-7-1		
I	683	0	683	0	0	13-7-1	13-7-1		
H	288	0	288	0	0	13-7-1	13-7-1		

UNFACTORED REACTIONS

1ST LCASE		MAX/MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	116	93/0	0/0	0/0	0/0	23/0	0/0
F	116	93/0	0/0	0/0	0/0	23/0	0/0
J	207	118/0	0/0	0/0	0/0	89/0	0/0
I	481	327/0	0/0	0/0	0/0	154/0	0/0
H	207	118/0	0/0	0/0	0/0	89/0	0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, F, J, I, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	FORCE (LBS)	MAX. CSI (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0/14	-91.8	-91.8 0.02 (1)	10.00	J-C	-194/0	0.03 (1)
B-L	-31/4	-91.8	-91.8 0.01 (1)	6.25	C-I	-22/0	0.01 (1)
L-C	-80/0	-91.8	-91.8 0.03 (1)	6.25	I-D	-578/0	0.08 (1)
C-D	-8/0	-91.8	-91.8 0.39 (1)	10.00	I-E	-22/0	0.01 (1)
D-E	-8/0	-91.8	-91.8 0.39 (1)	10.00	H-E	-194/0	0.03 (1)
E-N	-60/0	-91.8	-91.8 0.03 (1)	6.25	K-L	-121/0	0.00 (1)
N-F	-31/4	-91.8	-91.8 0.01 (1)	6.25	M-N	-121/0	0.00 (1)
F-G	0/14	-91.8	-91.8 0.02 (1)	10.00			
B-K	0/42	-18.5	-18.5 0.04 (1)	10.00			
K-J	0/42	-18.5	-18.5 0.07 (4)	10.00			
J-I	0/29	-18.5	-18.5 0.10 (4)	10.00			
I-H	0/29	-18.5	-18.5 0.10 (4)	10.00			
H-M	0/42	-18.5	-18.5 0.07 (4)	10.00			
M-F	0/42	-18.5	-18.5 0.04 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. OC

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCO 2010, NBCO 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2018 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.39/1.00 (C-D:1), BC=0.10/1.00 (H-I:4), WB=0.08/1.00 (D-I:1), SSI=0.22/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES

PLATE	GRP (DRY)	SHEAR (PS)	SECTION (PL)
MT20	618	354	1887

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.30 (D) (INPUT = 0.90)
JSI METAL= 0.12 (D) (INPUT = 1.00)



Structural component only
DWG# T-2007128

JOB NAME 408169	TRUSS NAME PB20	QUANTITY 3	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
--------------------	--------------------	---------------	----------	-------------------------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 28 2019 MTek Industries, Inc. Sat Apr 25 12:49:22 2020 Page 1
ID:K?TPdhgJOnpl1qYbbWOFzIdeG-mlb6FuqXVExpIkFUY_VFTVTITPKw7jivF6AJozNBDH

Scale = 1:16.3

The diagram shows a symmetrical gabled roof truss. The base has a total width of 30'-0". The peak height is 12'-0". The roof slope is 12:12. Members are labeled as follows: Top chord (T1, T2), Bottom chord (B1), Vertical web members (W1, W2), Diagonal bracing (D1, D2), and End gables (E1, E2). Dimensions include 8'-0" from eave to centerline, 3'-0" between vertical webs, and 4'-0" from vertical web to end gable. A cross-section at the bottom shows a 3x4 inch plate over a 2x4 inch beam, supported by a 4x4 inch post.

LUMBER

N.L.G.A. RULES:

CHORDS	SIZE	DRY	No.2
A - C	2x4	DRY	No.2
C - D	2x4	DRY	No.2
D - F	2x4	DRY	No.2
B - E	2x4	DRY	No.2

ALL WEBS 2x3 DRY No.2

DRY: SEASONED LUMBER.

DESCR.

SPF

SPF

SPF

SPF

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQ'D BRG
JT	VERT	HORZ	DOWN	HORIZ
B	221	0	221	0
E	209	0	209	0
H	248	0	248	0
G	280	0	280	0

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
B	154	113 / 0	0 / 0	0 / 0	0 / 0	41 / 0	0 / 0
E	146	106 / 0	0 / 0	0 / 0	0 / 0	39 / 0	0 / 0
H	178	109 / 0	0 / 0	0 / 0	0 / 0	87 / 0	0 / 0
G	198	127 / 0	0 / 0	0 / 0	0 / 0	71 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 / 15	-91.8 -91.8	0.03 (1)	10.00	H-C	-178 / 0	0.03 (1)
B-J	-83 / 0	-91.8 -91.8	0.01 (1)	8.25	C-G	-21 / 0	0.00 (1)
J-C	-74 / 0	-91.8 -91.8	0.05 (1)	8.25	G-D	-198 / 0	0.03 (1)
C-D	-30 / 0	-91.8 -91.8	0.15 (1)	8.25	I-J	-121 / 0	0.00 (1)
D-L	-54 / 0	-91.8 -91.8	0.05 (1)	8.25	K-L	-123 / 0	0.00 (1)
L-E	-41 / 0	-91.8 -91.8	0.01 (1)	8.25			
E-F	0 / 15	-91.8 -91.8	0.03 (1)	10.00			
B-I	0 / 60	-18.5 -18.5	0.06 (1)	10.00			
I-H	0 / 60	-18.5 -18.5	0.06 (1)	10.00			
H-G	0 / 48	-18.5 -18.5	0.03 (1)	10.00			
G-K	0 / 43	-18.5 -18.5	0.06 (1)	10.00			
K-E	0 / 43	-18.5 -18.5	0.06 (1)	10.00			

TOTAL WEIGHT = 3 X 25 = 75 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 25.6 PSF

DL = 8.0 PSF

BOT CH. LL = 0.0 PSF

DL = 7.4 PSF

TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 6.00/12

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:

PART 9 OF CBC 2018, OBC 2012, ABC 2019

PART 9 OF OBC 2012 (2019 AMENDMENT)

CSA 088-09, CSA 088-14

TPIC 2011, TPIC 2014

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.15/1.00 (C-D:1), BC=0.08/1.00 (B-I:1), WB=0.03/1.00 (D-G:1), SS=0.11/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION (PS) (PL) (PLI)

MAX MIN MAX MIN MAX MIN

MT20 618 354 1667 768 1667 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (B) (INPUT = 0.90)

JSI METAL= 0.04 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER

H. J. G. ALVES


1000090247

PROVINCE OF ONTARIO

Structural component only

DWG# T-2007144

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408168	J1	19	1	TRUSS DESC.		
Tamarack Roof Truss, Burlington				Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:34:43 2020 Page 1 ID:DMCubINVR6TstFoe31v8l_zns11-7e_onKBAWAC7oo1JURiN76ba9zNy3aYKn_h9zEzNBRO		



TOTAL WEIGHT = 19 X 17 = 319 lb

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
E - B	2x4	DRY	No.2
A - C	2x4	DRY	No.2
E - D	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (tablets in inches)				
JT	TYPE	PLATES	W	LEN Y X
B	TMV+p	MT20	3.0	4.0
E	BMV+p	MT20	3.0	4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG	REQD BRG
	VERT	HORZ	DOWN	HORZ		
E	525	0	525	0	5-8	5-8
C	202	0	202	0	1-8	1-8
D	45	0	50	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

JT	UNFACTORED REACTIONS		MAX./MIN. COMPONENT REACTIONS			
	1ST CASE	2ND CASE	SNOW	LIVE	PERM. LIVE	WIND
E	369	257 / 0	0 / 0	0 / 0	0 / 0	111 / 0
C	139	113 / 0	0 / 0	0 / 0	0 / 0	28 / 0
D	36	0 / 0	0 / 0	0 / 0	0 / 0	36 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

MEMB.	CHORDS		WEBS			
	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED HORZ. LOAD (LBS)	MAX. FACTORED VERT. LOAD (LBS)	MAX. FACTORED HORZ. LOAD (LBS)
FR-TO						
E-B	-461 / 0	0.0	0.0	0.13 (4)	7.81	10.00
A-B	0 / 28	-91.8	-91.8	0.12 (1)	6.25	10.00
B-C	-30 / 0	-91.8	-91.8	0.54 (1)	6.25	10.00
E-D	0 / 0	-18.5	-18.5	0.13 (4)	10.00	10.00

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. OC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCG 2010, NBCG 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF NBCG 2010, NBCG 2012, ABC 2019
- PART 9 OF NBCG 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = 1/360 (0.20")
CALCULATED VERT. DEFL. (LL) = 1/999 (0.00")
ALLOWABLE DEFL. (TL) = 1/360 (0.20")
CALCULATED VERT. DEFL. (TL) = 1/999 (0.03")
CSI: TC=0.54/1.00 (B-C:1), BC=0.13/1.00 (D-E:4), WB=0.00/1.00 (A-B:0), SS=0.24/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP (DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 788 1687 1688

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP = 0.19 (E) (INPUT = 0.90)
JSI METAL = 0.13 (B) (INPUT = 1.00)




Structural component only
DWG# T-2007126

JOB NAME 408169	TRUSS NAME J20S	QUANTITY 3	PLY 1	JOB DESC. GREEN PARK HOMES	TRUSS DESC.	DRWG NO.
--------------------	--------------------	---------------	----------	-------------------------------	-------------	----------

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 12:49:21 2020 Page 1
ID:K7TPdngi0np1q1YdbWIOFzIdeG-IZ1k2YpvkxP7792wrSGiGzIsV3rng3ZgbMdnLzNBD



Scale = 1/2" = 1'-0"

LUMBER				DESCR.	
N. L. G. A. RULES	CHORDS	SIZE	LUMBER	SPF	
H - B	2x4	DRY	No.2	SPF	
A - D	2x4	DRY	No.2	SPF	
H - G	2x4	DRY	No.2	SPF	
F - C	2x4	DRY	No.2	SPF	
F - E	2x4	DRY	No.2	SPF	
ALL WEBS EXCEPT E - D	2x3	DRY	No.2	SPF	

DRY: SEASONED LUMBER.

PLATES (table in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMVW+p	MT20	4.0	4.0	1.25 2.00
C	TMV+p	MT20	3.0	4.0	
D	TMVW-i	MT20	5.0	8.0	2.50 2.50
E	BMVW-i	MT20	4.0	4.0	
F	BMV+p	MT20	3.0	4.0	
G	BMVW-i	MT20	5.0	8.0	3.00 2.50
H	BMV-i	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED	MAXIMUM FACTORED	INPUT	REQD
JT	VERT	GROSS REACTION	GROSS REACTION	BRG	BRG
H	332	0	332	0	5-8
E	208	0	208	0	MECHANICAL

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST CASE	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
H	232	168 / 0	0 / 0	0 / 0	0 / 0	68 / 0	0 / 0
E	145	85 / 0	0 / 0	0 / 0	0 / 0	50 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 7.81 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS				WEBS			
MEMB.	FORCE (LBS)	FACTORED VERT. LOAD (PLF)	FACTORED LC+ MAX CSI (LC)	MEMB.	FORCE (LBS)	FACTORED VERT. LOAD (PLF)	FACTORED LC+ MAX CSI (LC)
FR-TO		FROM TO		FR-TO		FROM TO	
H-B	-307 / 0	0.0	0.0 0.03 (1)	7.81	B-G	0 / 83	0.02 (1)
A-B	0 / 35	-91.8	-91.8 0.14 (5)	10.00	E-D	-184 / 0	0.05 (1)
B-C	-83 / 0	-91.8	-91.8 0.07 (1)	6.25	G-E	-14 / 0	0.00 (1)
C-D	-100 / 0	-91.8	-91.8 0.08 (1)	6.25	G-D	0 / 220	0.05 (1)
H-G	0 / 0	-18.5	-18.5 0.04 (4)	10.00			
F-G	0 / 12	0.0	0.0 0.02 (1)	10.00			
G-C	-218 / 0	0.0	0.0 0.02 (1)	7.81			
F-E	0 / 9	-18.5	-18.5 0.01 (4)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 3 X 29 = 86 lb (M)

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.8 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. GC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 088-14
- TPIC 2011, TPIC 2014

(56% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/999 (0.00")

CSI: TC=0.14/1.00 (A-B-S), BC=0.04/1.00 (G-H-4), WB=0.05/1.00 (D-E-1), SH=0.09/1.00 (A-B-S)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 518 354 1867 788 1967 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.21 (B) (INPUT = 0.99)
JSI METAL = 0.07 (C) (INPUT = 1.00)




Structural component only
DWG# T-2007143

JOB NAME 408170	TRUSS NAME J40	QUANTITY 1	PLY 1	JOB DESC. GREEN PARK HOMES	DRWG NO.
Tamarack Roof Truss, Burlington					

Version 8.310 5 Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:14 2020 Page 1
ID:K7TPdhgi0npl1qYdbWIOFzIdeG-9GFyHsAnIRCMWlchqYYGUjuVsSPHGLQM61Q2zNB1c

Scale = 1/202



LUMBER			
N.L.G.A. RULES			
CHORDS	SIZE	LUMBER	
F - B	2x4	DRY	No.2
A - C	2x4	DRY	No.2
F - D	2x4	DRY	No.2
ALL WEBS	2x3	DRY	No.2
DRY: SEASONED LUMBER.			

DESCR.
SPF
SPF
SPF

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED		MAXIMUM FACTORED		INPUT		REQ'D	
	GROSS REACTION		GROSS REACTION		BRG		BRG	
F	441	0	441	0	5-8		5-8	
C	284	0	284	0	1-8		1-8	
D	53	0	60	0	1-8		1-8	

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

JT	1ST LOOSE		MAX. MIN. COMPONENT REACTIONS		WIND	DEAD	SOIL
	COMBINED	SNOW	LIVE	PERM. LIVE			
F	310	217 / 0	0 / 0	0 / 0	0 / 0	93 / 0	0 / 0
C	182	147 / 0	0 / 0	0 / 0	0 / 0	35 / 0	0 / 0
D	43	0 / 0	0 / 0	0 / 0	0 / 0	43 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

MEMB.	CHORDS		FACTORED		WEBS		FACTORED	
	MAX. FORCE (LBS)	VERT. LOAD (LBS)	MAX. (PLF)	MAX. (LC)	MAX. UNBRACED LENGTH	MEMB. FR-TO	MAX. FORCE (LBS)	MAX. (LC)
F-B	-388 / 0	0.0	0.0	0.05 (1)	7.81	B-E	0 / 0	0.00 (1)
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00			
B-C	0 / 0	-91.8	-91.8	0.52 (1)	10.00			
F-E	0 / 0	-18.5	-18.5	0.14 (4)	10.00			
E-D	0 / 0	-18.5	-18.5	0.18 (4)	10.00			

TOTAL WEIGHT = 20 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL. (LL) = $L/360$ (0.19")
CALCULATED VERT. DEFL. (LL) = $L/999$ (0.00")
ALLOWABLE DEFL. (TL) = $L/360$ (0.19")
CALCULATED VERT. DEFL. (TL) = $L/999$ (0.05")

CSI: TC=0.52/1.00 (B-C:1), BC=0.18/1.00 (D-E:4), WB=0.00/1.00 (B-E:1), SSI=0.18/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRP(DRY) SHEAR SECTION
(PSI) (PLI) (PLJ)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 788 1987 1656

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRP = 0.24 (B) (INPUT = 0.90)
JSI METAL = 0.07 (B) (INPUT = 1.00)




Structural component only
DWG# T-2007167

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	GREEN PARK HOMES	DRWG NO.
408170	C40	3	1	TRUSS DESC.		

Tamarack Roof Truss, Burlington

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:08 2020 Page 1
ID:K?TPdngj0np1qYdbWOFzideG-K7h1p608bSjebITMQj8i?Emz4pp?ZnT2QjCOzNB1



LUMBER				
N. L. G. A. RULES				
CHORDS		SIZE	LUMBER	
E - B	2x4	DRY	No.2	
A - C	2x4	DRY	No.2	
E - D	2x4	DRY	No.2	

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG	RECORD BRG
	VERT	HORZ	DOWN	HORZ		
E	405	0	405	0	5.0	5.0
C	130	0	130	0	1.8	1.8
D	45	0	50	0	1.8	1.8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

1ST LCASE		MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	286	190 / 0	0 / 0	0 / 0	0 / 0	96 / 0	0 / 0
C	90	73 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
D	36	0 / 0	0 / 0	0 / 0	0 / 0	36 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

MEMB.	CHORDS		FACTORED		MAX. UNBRACED LENGTH	FR-TO	WEBS	MAX. FACTORED	
	MAX. FORCE (LBS)	VERT. LOAD (PLF)	LC1 MAX (PLF)	LC2 MAX (PLF)				MEMB. FORCE (LBS)	MAX. CSI (LC)
FR-TO									
E-B	-342 / 0	0.0	0.0	0.13 (4)	7.81				
A-B	0 / 28	-91.8	-91.8	0.12 (1)	10.00				
B-C	-19 / 0	-91.8	-91.8	0.22 (1)	8.25				
E-D	0 / 0	-18.5	-18.5	0.13 (4)	10.00				

TOTAL WEIGHT = 3 X 14 = 42 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. OC

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCG 2010, NBCG 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2010, CBC 2012, ABC 2010
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/999 (0.03")

CSI: TC=0.22/1.00 (B-C:1), BC=0.13/1.00 (D-E:4), WB=0.00/1.00 (N/A:0), SSI=0.15/1.00 (B-C:1)

DOIL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

PLATE	GRIP(DRY)		SHEAR	SECTION	
	(PSI)	(PLI)		(PLI)	(PLI)
MT20	618	354	1667	788	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.14 (E) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007162

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	C41	3	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington		TRUSS DESC.			

Version 8.310 8 Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:09 2020 Page 1
ID:K7TPdhgJ0npl1qYdbWIOFzIdG-pJR3E96etvaaGltfw7ENrDmzlU9ykD1cG4PGkrzNB11



LUMBER

N. L. G. A. RULES

CHORDS	SIZE	LUMBER
E - B	2x4	DRY No.2
A - C	2x4	DRY No.2
E - D	2x4	DRY No.2

DRY: SEASONED LUMBER.

PLATES (table in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS							
	FACTORED		MAXIMUM FACTORED		INPUT	REQRD	
	GROSS REACTION		GROSS REACTION		BRG	BRG	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
E	284	0	284	0	0	5-8	5-8
C	63	0	63	0	0	1-8	1-8
D	44	0	52	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
E	200	137/0	0/0	0/0	0/0	62/0	0/0
C	46	21/0	0/0	0/0	0/0	25/0	0/0
D	36	0/3	0/0	0/0	0/0	37/0	0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (7)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	FACTORED LC1 MAX (PLF)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH FR-TO	MAX. FACTORED CSI (LO)
FR-TO				FR-TO			
E-B	-227/0	0.0	0.0	0.11 (4)	7.81		
A-B	0/28	-91.8	-91.8	0.12 (1)	10.00		
B-C	-9/9	-91.8	-91.8	0.08 (4)	10.00		
E-F	0/0	-18.5	-18.5	0.14 (4)	10.00		
F-G	0/0	-18.5	-18.5	0.14 (4)	10.00		
G-D	0/0	-18.5	-18.5	0.14 (4)	10.00		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX.	MAX.	FACE	DIR.	TYPE	HEEL	CONN.
F	1-11-4	7	1	12	BACK	VERT	TOTAL	--	C1
G	3-11-4	1	1	--	BACK	VERT	TOTAL	--	C1

CONNECTION REQUIREMENTS

- 1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

TOTAL WEIGHT = 3 X 12 = 35 lb

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL = 25.6 PSF
	DL = 5.0 PSF
BOT CH.	LL = 0.0 PSF
	DL = 7.4 PSF
TOTAL LOAD	= 39.0 PSF

SPACING = 24.0 IN. O.C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, OBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2018 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(65% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = 1/360 (0.20")
CALCULATED VERT. DEFL.(LL) = 1/999 (0.01")
ALLOWABLE DEFL.(TL) = 1/360 (0.20")
CALCULATED VERT. DEFL.(TL) = 1/999 (0.04")

CSI: TC=0.12/1.00 (A-B:1), BC=0.14/1.00 (D-E:4), WB=0.00/1.00 (m/a:0), SS1=0.09/1.00 (A-B:1)

DOL LUMBER=0.98 NAIL=0.98 LS 8END=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)
MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1667 788 1987 1658

PLATE PLACEMENT TOL = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.


JSI GRIP = 0.10 (E) (INPUT = 0.90)
JSI METAL = 0.08 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007163

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	C42	3	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 25 13:02:10 2020 Page 1
ID:K?TPdnglQnpl1qYdbWIOFzIdeG-HV?SRV7GeCIRuvRrTricNQJ6SuW4TTHmVh8pHhZNB1h



Scale = 1/8" = 1'-0"

LUMBER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER
E - B	2x4	DRY	No.2
A - C	2x4	DRY	No.2
E - D	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (tab/s in inches)			
JT TYPE	PLATES	W	LEN Y X
B	TMV+p	MT20	3.0 4.0
E	BMV+p	MT20	3.0 4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS			
JT	VERT	HORZ	DOWN
E	361	0	381
C	130	0	130
D	15	0	17

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

UNFACTORED REACTIONS			
JT	COMBINED	SNOW	LIVE
E	250	190/0	0/0
C	90	73/0	0/0
D	12	0/0	0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRAIDED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH (FT)
E-B	-342/0	0.0	0.01 (4)
A-B	0/28	-91.8	-91.8 0.13 (5)
B-C	-19/0	-91.8	-91.8 0.22 (1)
E-D	0/0	-18.5	-18.5 0.02 (4)

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

TOTAL WEIGHT = 3 X 10 = 30 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 25.6 PSF
DL = 8.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF CBC 2012 (2019 AMENDMENT)
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(56% OF 31.3 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/899 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/899 (0.00")

CSI: TC=0.22/1.00 (B-C:1), BC=0.02/1.00 (D-E:4), WB=0.00/1.00 (n/a:0), SS=0.15/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PS) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 798 1987 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP = 0.14 (E) (INPUT = 0.90)
JSI METAL = 0.09 (E) (INPUT = 1.00)



Structural component only
DWG# T-2007164

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
408170	C43	3	1	GREEN PARK HOMES	
Tamarack Roof Truss, Burlington					

Version 8.310 S Oct 29 2019 Mitek Industries, Inc. Sat Apr 26 13:02:11 2020 Page 1
ID:K?TPdhg1qYdbWfOFzideG-IIZqfr8uPWqIV2011YHwesJqls_CwXvkOuNpizNB1g



TOTAL WEIGHT = 3 X 7 = 21 lb

LUMBER			
N. L. G. A. RULES	SIZE	DRY	LUMBER
E - B	2x4	DRY	No.2
A - C	2x4	DRY	No.2
E - D	2x4	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMV+p	MT20	3.0	4.0	
E	BMV+p	MT20	3.0	4.0	

DESCR.
SPF
SPF

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	RECORD BRG
	VERT	HORZ	DOWN	HORZ
E	271	0	271	0
C	45	0	45	0
D	8	0	17	0

SEE MTEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C, D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS. FACTORED UPLIFT
PROVIDE ANCHORAGE AT BEARING JOINT D FOR 150 LBS. FACTORED UPLIFT

UNFACTORED REACTIONS

1ST LCASE	MAX. MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD
E	188	141/0	0/0	0/0	0/0	47/0
C	31	24/-18	0/0	0/0	0/0	7/0
D	7	0/-8	0/0	0/0	0/0	12/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	FACTORED HORZ. LOAD (PLF)	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	FACTORED HORZ. LOAD (PLF)
FR-TO		FROM	TO	FR-TO		FROM	TO
E-B	-244/0	0.0	0.0	0.04 (5)	7.81		
A-B	0/28	-91.8	-91.8	0.12 (1)	10.00		
B-C	-17/0	-91.8	-91.8	0.09 (1)	6.25		
E-D	0/0	-18.5	-18.5	0.04 (5)	10.00		

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 26.6 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 39.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, CBC 2012, ABC 2019
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 088-09, CSA 088-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55% OF 31.3 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 25.6 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.18")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.18")
CALCULATED VERT. DEFL.(TL) = L/999 (0.00")

CSI: TC=0.12/1.00 (A-B:1), BC=0.04/1.00 (D-E:5), WB=0.00/1.00 (A-B:0), SS=0.09/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT

NAIL VALUES			
PLATE GRIP (DRY)	SHEAR (PSI)	SECTION (PLI)	
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1667 788	1987 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP = 0.10 (E) (INPUT = 0.80)
JSI METAL = 0.07 (B) (INPUT = 1.00)



Structural component only
DWG# T-2007165

LUL/LUS/LJS/HUS/HHUS/HGUS

SIMPSON
Strong-Tie

Standard and Double-Shear Joist Hangers



This product is preferable to similar connectors because of
a) easier installation, b) higher capacities, c) lower installed
cost, or a combination of these features.

Most hangers in this series have double-shear nailing -- an innovation that distributes the load through two points on each joist nail for greater strength. This allows for fewer nails, faster installation, and the use of all common nails for the same connection. (Do not bend or remove tabs)

Double-shear hangers range from the light capacity LUS hangers to the highest capacity HGUS hangers. For medium load truss applications, the HUS offers a lower cost alternative and easier installation than the HGUS hangers, while providing greater load capacity and bearing than the LUS.

Material: See table on pp. 258-259.


Finish: Galvanized. Some products available in stainless steel or ZMAX® coating; see Corrosion Information, pp. 20-24.

Installation:


- Use all specified fasteners; see General Notes.
- Nails must be driven at an angle through the joist or truss into the header to achieve the tabulated resistances (except LUL).
- Where 16d commons are specified, 10d commons may be used at 0.83 of the tabulated factored resistance.
- Not designed for welded or nailer applications.
- With single ply 2x carrying members, use 10d x 1 1/4" nails into the header and 10d commons into the joist, and reduce the resistance to 0.64 of the table value where 16d nails are specified and 0.77 where 10d nails are specified.

Options:


- LUS, LJS, LUL and HUS hangers cannot be modified.
- Other sizes available; consult your Simpson Strong-Tie representative.
- See Hanger Options Information on p. 126.




LUS28




LU26L



HUS210
(HUS26, HUS28,
and HHUS similar)




HGUS28-2



HHUS210-2



Double-Shear
Nailing
Top View





Double-Shear
Nailing
Side View;
Do not
bend tab



Double-Shear
Nailing Side View
(available on
some models)
U.S. Patent 5,803,680

Typical HUS26
Installation
with Reduced
Heel Height
(Truss Designer
to provide
fastener quantity
for connecting
multiple members
together)



LJS26DS

Plated Truss Connectors

LUL/LUS/LJS/HUS/HHUS/HGUS**HHUS/HGUS**

See Hanger Options information on pp. 125–127.



HHUS — Sloped and/or Skewed Seat

- HHUS hangers can be skewed to a maximum of 45° and/or sloped to a maximum of 45°
- For skew only, maximum factored down resistance is 0.85 of the table value
- For sloped only or sloped and skewed hangers, the maximum factored down resistance is 0.72 of the table value
- Uplift resistances for sloped/skewed conditions are 0.62 of the table value
- The joist must be bevel-cut to allow for double-shear nailing

HGUS — Skewed Seat

- HGUS hangers can be skewed only to a maximum of 45°. Factored resistances are:

HGUS Seat Width	Joist	Down Resistance	Uplift
W < 2"	Bevel or square cut	0.82 of table value	0.46 of table value
2" < W < 6"	Bevel cut	0.67 of table value	0.41 of table value
2" < W < 6"	Square cut	0.46 of table value	0.41 of table value
W > 6"	Bevel cut	0.75 of table value	0.41 of table value



**Top View HHUS Hanger
Skewed Right**
(Joist must be bevel cut)
All joist nails installed on the
outside angle (non-acute side).

Standard and Double-Shear Joist Hangers (cont.)

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32–34 for more information.

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance				
		W	H	B	d _e ³	Header	Joist	D.Fir-L		S-P-F		
								Uplift	Normal	Uplift	Normal	
								(K _D = 1.15) lb. kN	(K _D = 1.00) lb. kN	(K _D = 1.15) lb. kN	(K _D = 1.00) lb. kN	
Single 2x Sizes												
■	LUS24	18	1 1/8	3 1/2	1 1/4	2 1/4	(4) 10d	(2) 10d	710 3.16	1625 7.23	645 2.87	1155 5.14
	LU24L	22	1 1/8	3	1 1/4	2 1/4	(4) 10d	(2) 10d x 1 1/2"	360 1.60	1020 4.54	320 1.42	725 3.22
■	LU26L	22	1 1/8	5	1 1/4	4 1/4	(6) 10d	(4) 10d x 1 1/2"	720 3.20	1605 7.14	645 2.87	1140 5.07
	SS	LUS26	18	1 1/8	4 1/4	1 1/4	3 3/4	(4) 10d	(4) 10d	1420 6.32	2170 9.65	1290 5.74
■		HUS26	16	1 1/8	5 1/4	3	3 3/8	(14) 16d	(8) 16d	2705 11.80	4940 21.97	2065 9.20
	■	LJS26DS	18	1 1/8	5	3 1/2	4 1/4	(16) 16d	(6) 16d	2055 9.14	4265 18.97	1460 6.49
■		HGUS26	12	1 1/8	5 1/4	5	4 1/4	(20) 16d	(8) 16d	2885 11.96	6625 29.51	2685 11.96
	■	LU28L	20	1 1/8	6 1/4	1 1/4	5 1/4	(8) 10d	(6) 10d x 1 1/2"	1140 5.07	2185 9.72	1020 4.54
SS		LUS28	18	1 1/8	6 1/4	1 1/4	3 3/4	(6) 10d	(4) 10d	1420 6.32	2520 11.21	1290 5.74
	■	HUS28	16	1 1/8	7 1/4	3	6 1/8	(22) 16d	(8) 16d	3805 16.04	5365 23.86	2675 11.90
■		HGUS28	12	1 1/8	7 1/4	5	6 1/4	(36) 16d	(12) 16d	3310 14.74	7675 34.19	3310 14.74
	■	LU210L	20	1 1/8	8	1 1/4	7 1/4	(10) 10d	(6) 10d x 1 1/2"	1140 5.07	2465 11.10	1020 4.64
SS		LUS210	18	1 1/8	7 1/4	1 1/4	3 3/4	(8) 10d	(4) 10d	1420 6.32	2785 12.39	1290 5.74

1. Factored uplift resistances have been increased 16% for wind or earthquake loading; no further increase is allowed.
2. Designer must ensure that hanger is compatible with truss when reduced heel height is used.
3. d_e is the distance from the bearing seat to the top joist nail.
4. Resistances shown require a minimum 2-ply girder truss. For fastening to single-ply truss request technical bulletin T-C-N10TRSSCN and/or see installation notes.
5. Nails: 16d = 0.162" dia. x 3 3/4" long. See pp. 27–28 for other nail sizes and information.


Face-Mount Hangers

SIMPSON
Strong-Tie

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32-34 for more information.

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance			
		W	H	B	d _a ¹	Header	Joist	D.Fir-L		S-P-F	
								Uplift	Normal	Uplift	Normal
								(K _D = 1.15)	(K _D = 1.00)	(K _D = 1.15)	(K _D = 1.00)
								lb.	lb.	lb.	lb.
								kN	kN	kN	kN
Double 2x Sizes											
LUS24-2	18	3 1/8	3 1/8	2	1 1/2	(4) 16d	(2) 16d	835	2020	590	1436
SS LUS26-2	18	3 1/8	4 1/8	2	4	(4) 16d	(4) 16d	3.71	8.88	2.62	6.38
								1720	2595	1545	1920
								7.65	11.54	6.87	8.54
HHUS28-2	14	3 1/8	5 1/8	3	3 1/8	(14) 16d	(8) 16d	2850	7335	2065	5205
								12.68	32.63	9.20	23.15
HGUS26-2	12	3 1/8	5 1/8	4	4 1/8	(20) 16d	(8) 16d	4385	8950	3110	6355
								19.51	39.81	13.83	28.27
SS LUS28-2	18	3 1/8	7	2	4	(8) 16d	(4) 16d	1720	3326	1545	2675
								7.65	14.79	6.87	11.45
HHUS28-2	14	3 1/8	7 1/8	3	6 1/8	(22) 16d	(8) 16d	3765	8940	2675	6345
								16.75	39.77	11.90	28.22
HGUS28-2	12	3 1/8	7 1/8	4	6 1/8	(36) 16d	(12) 16d	6070	12980	4310	9215
								27.00	57.74	19.17	40.99
SS LUS210-2	18	3 1/8	9	2	6	(8) 16d	(8) 16d	2580	4500	2320	3195
								11.48	20.02	10.32	14.21
HHUS210-2	14	3 1/8	9 1/8	3	8	(30) 16d	(10) 16d	4670	9660	4235	7000
								20.77	42.97	18.84	31.14
HGUS210-2	12	3 1/8	9 1/8	4	8 1/8	(46) 16d	(16) 16d	6840	14015	4855	10270
								30.43	62.34	21.60	45.69
Triple 2x Sizes											
HGUS26-3	12	4 1/8	5 1/8	4	4 1/8	(20) 16d	(8) 16d	4385	8950	3110	6355
								19.51	39.81	13.83	28.27
HGUS28-3	12	4 1/8	7 1/8	4	6 1/8	(36) 16d	(12) 16d	6070	12980	4310	9215
								27.00	57.74	19.17	40.99
HHUS210-3	14	4 1/8	9	3	7 1/8	(30) 16d	(10) 16d	4670	9670	4235	6865
								20.77	43.02	18.84	30.54
HGUS210-3	12	4 1/8	9 1/8	4	8 1/8	(46) 16d	(16) 16d	6840	14645	4855	10400
								30.43	65.14	21.60	46.26
Quadruple 2x Sizes											
HGUS26-4	12	6 1/8	5 1/8	4	4 1/8	(20) 16d	(8) 16d	4385	8950	3110	6355
								19.51	39.81	13.83	28.27
HGUS28-4	12	6 1/8	7 1/8	4	6 1/8	(36) 16d	(12) 16d	6070	12980	4310	9215
								27.00	57.74	19.17	40.99
HHUS210-4	14	6 1/8	8 1/8	3	7 1/8	(30) 16d	(10) 16d	4670	10155	4235	7210
								20.77	45.17	18.84	32.07
HGUS210-4	12	6 1/8	9 1/8	4	8 1/8	(46) 16d	(16) 16d	6840	14645	4855	10400
								30.43	65.14	21.60	46.26
HGUS212-4	12	6 1/8	10 1/8	4	10 1/8	(56) 16d	(20) 16d	7640	14995	5425	10645
								33.98	66.70	24.13	47.35
HGUS214-4	12	6 1/8	12 1/8	4	11 1/8	(66) 16d	(22) 16d	10130	16400	7195	11645
								45.06	72.95	32.00	51.80
4x Sizes											
LUS46	18	3 1/8	4 1/8	2	3 1/8	(4) 16d	(4) 16d	1720	2595	1545	1920
								7.65	11.54	6.87	8.54
HHUS46	14	3 1/8	5 1/8	3	3 1/8	(14) 16d	(8) 16d	2540	7335	2065	5205
								11.30	32.63	9.20	23.15
HGUS46	12	3 1/8	5 1/8	4	4 1/8	(20) 16d	(8) 16d	4385	8950	3110	6355
								19.51	39.81	13.83	28.27
LUS48	18	3 1/8	6 1/8	2	3 1/8	(6) 16d	(4) 16d	1720	3326	1545	2675
								7.65	14.79	6.87	11.45
HHUS48	14	3 1/8	7 1/8	3	6 1/8	(22) 16d	(8) 16d	3765	8940	2675	6345
								16.75	39.77	11.90	28.22
HGUS48	12	3 1/8	7 1/8	4	6 1/8	(36) 16d	(12) 16d	6070	12980	4310	9215
								27.00	57.74	19.17	40.99
LUS410	18	3 1/8	8 1/8	2	5 1/8	(8) 16d	(8) 16d	2580	4500	2320	3195
								11.48	20.02	10.32	14.21
HGUS410	12	3 1/8	9	4	8 1/8	(46) 16d	(16) 16d	6840	14015	4855	10270
								30.43	62.34	21.60	45.69
HGUS412	12	3 1/8	10 1/8	4	10 1/8	(56) 16d	(20) 16d	7640	14995	5425	10645
								33.98	66.70	24.13	47.35
HGUS414	12	3 1/8	12 1/8	4	11 1/8	(66) 16d	(22) 16d	10130	16400	7195	11645
								45.06	72.95	32.00	51.80



Plated Truss Connectors

See footnotes
on p. 258.

TC - Truss Connectors

SIMPSON
Strong-Tie

The TC truss connector is an ideal connector for scissor trusses and can allow horizontal movement up to 1 1/4". The TC also attaches plated trusses to top plates or sill plates to resist uplift forces. Typically used on one or both ends of truss as determined by the building designer.

Material: 16 gauge

Finish: G90 galvanized


Design: Factored resistances are in accordance with CSA 086-14

Installation:


- Use all specified fasteners.
- Nails: 10d = 0.148" dia. x 3" long common wire, 10d x 1 1/2" = 0.148" dia. x 1 1/2" long.
- Drive 10d nails into the truss at the inside end of the slotted holes (inside end is towards the centre of the truss) and clinch on the back side. Do not seat these nails into the truss—allow room under the nail head for movement of the truss with respect to the wall.

Optional TC Installation:


- Bend one flange up 90°. Drive specified nails into the top and face of the top plates or install Titen® screws into the top and face of masonry wall. See optional load tables and installation details.




TC24
U.S. Patent 4,932,173




Typical TC24 Installation



TC26
(TC28 Similar)



Optional TC26 Installation for Grouted Concrete Block using a Wood Nailer (8", 10", 12" Wall Installation Similar)



Optional TC26 Installation for Grouted Concrete Block using Titen Screws

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K ₀ =1.15) lb.	Uplift (K ₀ =1.15) lb.
TC24	(4) 10d	(4) 10d	605	430
TC26	(5) 10d	(6) 10d	1015	720
TC28	(5) 10d	(6) 10d	1015	720

Optional TC Installation Table

Model No.	Fasteners		Factored Resistance	
	Truss	Wall Plates	D.Fir-L	S-P-F
			Uplift (K ₀ =1.15) lb.	Uplift (K ₀ =1.15) lb.
TC26	(5) 10d	(8) 10d x 1 1/2"	810	660
	(5) 10d	(8) 10d	930	660

1. Factored resistances have been increased 15% for earthquake or wind loading; no further increase allowed; reduce where other loads govern.
2. Grout strength is 15 MPa minimum.
3. Optional TC26 installation with 10d nails requires minimum 3" top plate thickness.
4. TC26 fastened to grouted concrete block with (8) - 1/2" x 2 1/4" Titen screws has a factored uplift resistance of 275 lb.



UNITED STATES
DESIGN

(800) 999-5099
strongtie.com

H/TSP

SIMPSON
Strong-Tie

Seismic and Hurricane Ties (cont.)

These products are available with additional corrosion protection. For more information, see p. 24.

These products are approved for installation with the Strong-Drive® SD Connector screw. See pp. 32-34 for more information.

Model No.	Ga.	Fasteners			Factored Resistance ($K_D = 1.15$)					
		To Rafter/ Truss	To Plates	To Studs	D.Fir-L			S-P-F		
					Uplift	Lateral		Uplift	Lateral	
						F ₁	F ₂		F ₁	F ₂
					lb.	lb.	lb.	lb.	lb.	lb.
					kN	kN	kN	kN	kN	kN
H1	18	(8) 8d x 1 1/2"	(4) 8d	—	740	685	300	680	485	215
					3.29	3.05	1.33	3.02	2.18	0.98
SS H2A	18	(5) 8d x 1 1/2"	(2) 8d x 1 1/2"	(5) 8d x 1 1/2"	830	220	75	590	155	55
					3.69	0.98	0.33	2.62	0.69	0.24
SS H2.5A	18	(5) 8d	(5) 8d	—	805	160	160	755	160	160
					3.58	0.71	0.71	3.36	0.71	0.71
H2.5T	18	(5) 8d	(5) 8d	—	835	175	210	740	160	210
					3.71	0.78	0.93	3.29	0.71	0.93
SS H3	18	(4) 8d	(4) 8d	—	740	180	265	615	125	190
					3.29	0.80	1.18	2.74	0.56	0.85
H6	16	—	(8) 8d	(8) 8d	1585	1085	—	1125	770	—
					7.05	4.83	—	5.00	3.43	—
H7Z	16	(4) 8d	(2) 8d	(8) 8d	1390	670	—	990	475	—
					6.18	2.98	—	4.40	2.11	—
SS H8 ³	18	(5) 10d x 1 1/2"	(5) 10d x 1 1/2"	—	1120	—	—	1025	—	—
					4.98	—	—	4.56	—	—
SS H10A ⁹	18	(9) 10d x 1 1/2"	(9) 10d x 1 1/2"	—	1735	795	410	1505	565	290
					7.72	3.54	1.82	6.69	2.51	1.29
H10AR	18	(9) 10d x 1 1/2"	(9) 10d x 1 1/2"	—	1485	690	430	1220	570	305
					6.61	3.07	1.91	5.43	2.54	1.36
H10A-2	18	(9) 10d x 1 1/2"	(9) 10d x 1 1/2"	—	1835	1275	430	1645	880	305
					8.10	5.67	1.91	7.32	3.91	1.36
H10S ^{7,8}	18	(8) 8d x 1 1/2"	(8) 8d x 1 1/2"	(8) 8d	1465	795	315	1040	565	225
					6.52	3.54	1.40	4.63	2.51	1.00
H11Z	18	(6) 16d x 2 1/2"	(6) 16d x 2 1/2"	—	1095	920	545	780	655	390
					4.87	4.09	2.42	3.47	2.91	1.73
H14	18	1 (12) 8d x 1 1/2"	(13) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
		2 (12) 8d x 1 1/2"	(15) 8d	—	2390	855	320	1805	610	230
					10.63	3.80	1.42	8.03	2.71	1.02
TSP	18	(9) 10d x 1 1/2"	(6) 10d x 1 1/2"	—	1295	440	—	920	310	—
					5.76	1.98	—	4.09	1.38	—
		(9) 10d x 1 1/2"	(6) 10d	—	1560	440	—	1105	310	—
					6.94	1.98	—	4.92	1.38	—

- Factored resistances have been increased 15% for short term loading; no further increase is allowed.
- Factored resistances are for one anchor. A minimum rafter thickness of 2 1/2" must be used when framing anchors are installed on the same side of the plate (exception: H2.5A).
- H8 factored uplift resistances for stud-to-bottom plate installations are 595 lb. (2.65 kN) for D.Fir-L and 590 lb. (1.74 kN) for S-P-F.
- When cross-grain bending or cross-grain tension cannot be avoided, mechanical reinforcement to resist such forces should be considered.
- Hurricane ties are shown installed on the outside of the wall for clarity. Installation on the inside of the wall is acceptable. For a continuous load path, connections at the top and bottom of the wall must be on the same side of the wall (see technical bulletin T-HIECONPATH).
- Factored resistances in the F₁ direction are not intended to replace diaphragm boundary members or prevent cross grain bending of the truss or rafter members. Additional shear transfer elements shall be considered where there may be effects of cross grain bending or tension.

- H10S can have the stud offset a maximum of 1" from the rafter (centre to centre) for a reduced uplift of 1435 lb. (6.38 kN) S-P-F.
- H10S nails to plates are optional for uplift but required for lateral loads.
- H10A may be field-bent up to a slope of 6/12. Multiply the tabulated uplift value x 0.75. Full tabulated lateral resistances apply.
- The factored resistances of stainless-steel connectors match carbon-steel connectors when installed with Simpson Strong-Tie® stainless-steel, SCNRR ring-shank nails. For more information, refer to engineering letter L-P-SSNAILS at strongtie.com.
- D.Fir-L/S-P-F factored uplift resistances for the H2.5A fastened to a 2x4 truss bottom chord and double top plates using (5) 8d x 1 1/2" nails into the top plates and (3) 8d x 1 1/2" nails into the lowest three flange holes into the truss bottom chord is 495 lb. (2.20 kN).
- Nails: 16d x 2 1/2" = 0.162" dia. x 2 1/2" long, 10d = 0.148" dia. x 3" long, 10d x 1 1/2" = 0.148" dia. x 1 1/2" long, 8d = 0.131" dia. x 2 1/2" long, 8d x 1 1/2" = 0.131" dia. x 1 1/2" long. See pp. 27-28 for other nail sizes and information.



BEARING ANCHORAGE BY TOE-NAILS FOR LATERAL CAPACITY

B97791H1

NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL LATERAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	132	147
	3.25	0.144	132	147
	3.50	0.160	159	177
COMMON SPIRAL	3.00	0.122	97	108
	3.25	0.122	97	108
	3.50	0.152	145	162

NOTES:

1. Rafter and ceiling members may be anchored to top and bottom chords of girder truss by toe-nailing rafter and ceiling members to girder chords provided the reaction does not exceed the lateral capacities in the table. Hangers (specified by others) are required for reactions higher than the maximum toe-nail capacity. Reactions are based on factored loads.
2. Toe nail capacities shown in the table are for one toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.4.1.
3. For 9-3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in tables below.
5. Nail values in table are based on the following relative lumber densities: $G = 0.42$ (SPF), $G = 0.49$ (D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See next page for nailing on bearing plate).
7. For loads due to wind the nail lateral capacity in this table may be multiplied by 1.15 (K_D factor).
8. Lumber must be dry (< 19% moisture content) at the time of nail installation.
9. Nail values in this table comply with CSA O86-14, section 12.9.4
10. This design is not valid after March 31, 2021.




TOE-NAIL INSTALLATION

Nail type	Common wire	Common spiral	Common wire	Common spiral
Nail dia. (in)	0.160	0.152	0.144	0.122
	(3.5" nail)		(3" and 3.25" nail)	
LUMBER SIZE	MAXIMUM NUMBER OF TOE-NAILS			
2X4 SPF	2	2	3	3
2X4 D. Fir	2	2	2	2
2X6 SPF	4	4	4	5
2X6 D. Fir	3	3	3	4

MiTek® MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7

December 2, 2019



BEARING ANCHORAGE BY TOE-NAILS FOR WIND LOADING

B97791H2



NAIL TYPE	LENGTH (IN)	DIAMETER (IN)	NAIL WITHDRAWAL CAPACITY (LB)	
			S-P-F	D. FIR
COMMON WIRE	3.00	0.144	30	42
	3.25	0.144	32	45
	3.50	0.160	38	52
COMMON SPIRAL	3.00	0.122	28	36
	3.25	0.122	28	40
	3.50	0.152	36	50

Note: If using truss with D. Fir lumber and S-P-F bearing plate, use values in table for S-P-F.



NOTES:

1. Truss chord, rafter, or ceiling members may be anchored to bearing plate by toe-nails, provided that the actual factored uplift force due to **wind** or **earthquake** load does not exceed the withdrawal capacities in the table. Hangers (specified by others) are required for uplift forces that are higher than the maximum toe-nail withdrawal capacity.
2. Toe nail capacities shown in the table are for **one** toe-nail. For additional toe-nails multiply values in table by the number of toe-nails used. Toe-nail capacities take into account toe-nailing factor J_A in CSA O86-14, section 12.9.5.2.
3. For 9- 3/4 gauge 3.25" common wire gun nails (diameter = 0.120") use 3" common spiral nail values.
4. Maximum number of toe-nails allowed depends on the lumber size & species to be toe-nailed to supporting member and nail diameter, as shown in table above.
5. Nail values in table are based on the following relative lumber densities: $G = 0.42$ (SPF), $G = 0.49$ (D. Fir).
6. Toe-nails shall be driven at approximately 1/3 the nail length from the edge of the joist/truss chord and driven at an angle of 30° to the grain of the member (See drawing on detail B37579H1).
7. Lumber must be dry (< 19% moisture content) at the time of nail installation.
8. Nail values in this table comply with CSA O86-14, section 12.9.5
9. This design is not valid after March 31, 2021.

Toe-nailing on 2x6 Bearing Plate



Toe-nailing on 2x4 Bearing Plate



MiTek® MiTek Canada Inc
100 Industrial Rd.
Bradford, Ontario L3Z 3G7


PEO
Certificate No. 10889485




December 2, 2019

Symbols

PLATE LOCATION AND ORIENTATION



Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths or mm. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0-1/4" from outside edge of truss.



This symbol indicates the required direction of slots in connector plates.

*Plate location details available in MiTek software or upon request.

PLATE SIZE

4 x 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING LOCATION



Indicated by symbol shown and/or by text in the bracing section of the output. Use T, I, or Eliminator bracing if indicated.

BEARING




Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur.


Industry Standards:

TPIC: Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses
DSB-89: Design Standard for Bracing
BCSI: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

Numbering System



dimensions shown in ft-in-sixteenths or mm (Drawings not to scale)



JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.

CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.

PRODUCT CODE APPROVALS

CCMC Reports:

11996-L 10319-L 13270-L 12691-R

© 2007 MiTek® All Rights Reserved

MiTek
POWER TO PERFORM.™

MiTek Engineering Reference Sheet: MIT-7473C rev. 10-'08

General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury


1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T, I, or Eliminator bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by TPIC.
7. Design assumes trusses will be suitably protected from the environment in accord with TPIC.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with TPIC Quality Criteria.

Overview:

Where piggybacks are connected overtop of base trusses, 2x4 purlins must be first added to the flat portion of the base truss at a spacing no more than 24" o/c. These purlins not only provide support for the piggyback trusses above, but are required to laterally support the top chord of the base truss which will not have the sheathing directly connected to the flat portion of the base truss. This ensures the top chord, most often in compression, will not buckle laterally.

Further, the purlins in the plane of the flat portion require diagonal bracing to prevent lateral displacement of the purlins themselves where under certain conditions, the trusses may in fact all buckle in the same direction if this additional bracing is not added in the plane of the purlins.

Detail:




NOTE: THE SLOPED PORTION OF THE TOP CHORD OF THE BASE TRUSS AND PIGGYBACK TRUSS IN THIS SKETCH IS ASSUMED TO BE SHEATHED IN ACCORDANCE WITH THE OBC.

SKETCH FROM BCSI-CANADA 2013

Disclaimer:

OWTFA Tech Notes are intended to provide guidance to the design community both within the membership as well as to third party designers who might benefit from the information. The details have been developed by the OWTFA technical committee and although there may be professional engineers involved in development, the information contained in the tech-note are not intended to be used without having a professional engineer review the information for a specific application. The OWTFA takes no responsibility with respect to the information provided but has developed this tech-note to offer guidance where it is not currently readily available.



Alves Engineering Services Inc.

5208 Easton road
Burlington, Ontario L7L 6N6
(289) 259 5455

RESPONSABILITIES

- 1-Alves Engineering Services Inc. is responsible for the design of trusses as individual components
- 2-It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities having jurisdictions.
- 3- All dimensions are to be verified by owner, contractor, architect or other authority before manufacture.
- 4- Alves Engineering Services Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Alves Engineering Services Inc. drawings is specified for the truss as a single component and forms an integral part of the truss design, but is not meant to represent the only required bracing for that truss when trusses are installed in a series of trusses forming a roof truss system.
- 5- It is the manufactures responsibility to ensure that the trusses are manufactured in conformance with Alves Engineering Services Inc. specifications outlined below.

SPECIFICATIONS

- 1-Truss components sealed by Alves Engineering Services Inc. conform to the relevant sections of the current Building Code of Ontario and Canada (part 4 or part 9) or the current Canadian code for Farm Buildings in accordance with the application specified on the sealed truss component drawing. All truss component design procedures must conform to the current design standard issued by the truss plate Institute of Canada (TPIC). All lumber and nailing stresses to conform to the current CSA wood design standard identified on the current Building Code and TPIC.
- 2- Lumber is to be the sizes and grade specified on the truss drawing.
- 3- Moist content of lumber is not to exceed 19% in service unless otherwise specified.
- 4- Plates shall be applied to both faces of the each truss joint and shall be positioned as shown on the truss drawings
- 5- Lumber used on manufacture of trusses is not to be treated with chemicals unless otherwise specified on the truss drawings.
- 6- The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals specified on the truss drawing but not exceeding 24" c/c for (part 9) and not exceeding 48" for (part 4 or farm design)
- 7- When rigid ceiling is not attached directly to the bottom chord, lateral bracing is required and it should not exceed more than 3m or 10' intervals.
- 8-Refer to Mitek sheet MII7473C REV.10-08 attached for Information on symbols, numbering system and General Safety notes.

T-1800215

Feb 09, 2018