#### STRIP FOOTINGS FOR SINGLES AND SEMIS UP TO 2 STOREY

20'x6" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS. 24'x8" CONCRETE STRIP FOOTINGS BELOW PARTY WALLS.

22"x8" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS. 28'x10' CONCRETE STRIP FOOTINGS BELOW PARTY WALLS

INGS WITH REINFORCING BELOW PARTY WALLS 28"x8" CONCRETE STRIP F

90 KPa ENGINEERED FILL SOI

24"x8" CONCRETE STRIP FOOTINGS A POING BELOW FOUNDATION WALLS 30'x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS.

ASSUMED 120/100 KPa NATIVE SOIL BEARING CAPACITY OR 90 KPa FOR ENGINEERED FILL, TO BE VERIFIED ON SITE. REFER TO ENGINEERED FILL FOOTING DETAIL FOR REINFORCEMENT.

(REFER TO ENG. FILL FOOTING DETAIL)

#### AREA CALCULATIONS EL-1

FIRST FLOOR AREA SECOND FLOOR AREA	=	1218 Sq. F 1571 Sq. F
TOTAL FLOOR AREA	=	2789 Sq. F
ADD OPEN AREAS ADD FIN. BASEMENT AREA	=	0 Sq. F 0 Sg. F
GROSS FLOOR AREA	=	2789 Sq. F
GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA PORCH COVERAGE / AREA	= = =	1218 Sq. F 390 Sq. F 66 Sq. F
COVERAGE W/ PORCH	=	1674 Sq. F 155.52 Sq. m
COVERAGE W/O PORCH	=	1608 Sq. F

AREA CALCULATIONS EL-2 FIRST FLOOR AREA = 1218 Sa Ft SECOND FLOOR AREA = 1583 Sq. Ft = 2801 Sq. Ft TOTAL FLOOR AREA ADD OPEN AREAS 0 Sa F ADD FIN. BASEMENT AREA 0 Sq. F GROSS FLOOR AREA = 2801 Sq. F GROUND FLOOR COVERAGE = 1218 Sq. F GARAGE COVERAGE / AREA = 390 Sq. F PORCH COVERAGE / AREA = 66 Sq. F COVERAGE W/ PORCH = 1674 Sq. F = 155.52 Sq. m COVERAGE W/O PORCH = 1608 Sq. F

AREA CALCULATIONS EL-3 FIRST FLOOR AREA = 1218 Sa Ft SECOND FLOOR AREA = 1579 Sq. F TOTAL FLOOR AREA = 2797 Sq. Ft ADD OPEN AREAS 0 Sq. Ft.

Ht.		ADD FIN. BASEMENT AREA =		0	Sq. Ft.	
Ft.		GROSS FLOOR AREA		2797	Sq. Ft.	
Ft. Ft. Ft.		GROUND FLOOR COVERAGE = 1218 Sq. Ft. GARAGE COVERAGE / AREA = 390 Sq. Ft. PORCH COVERAGE / AREA = 66 Sq. Ft.				
Ft. n.		COVERAGE W/ PORCH = 1674 Sq. Ft. = 155.52 Sq. m.		3q. m.		
Ft. n.		COVERAGE W/O PORCH = 1608 Sq. Ft. = 149.39 Sq. m.				
	ENERGY EFFICIENCY- A1 PACKAGE					
FT²		OPENING FT <sup>2</sup> PERCENTAGE		Œ		
00 130.00 15.15 %						

KIMBERLY 1 ELEV1		ENERGY EFFICIENCY- A1 PACKAGE		
ELEVATION	WALL FT <sup>2</sup>	OPENING FT <sup>2</sup>	PERCENTAGE	
FRONT	858.00	130.00	15.15 %	
LEF" SIDE	1014.00	65.00	6.41 %	
RIGHT SIDE	1014.00	0.00	0.00 %	
REAR	828.00	163.00	19.69 %	
TOTAL	3714.00	358.00	9.64 %	

KIMBERLY 1 ELEV2		ENERGY EFFICIENCY- A1 PACKAGE		
ELEVATION	WALL FT <sup>2</sup>	OPENING FT <sup>2</sup>	PERCENTAGE	
FRONT	878.00	127.00	14.46 %	
LEF" SIDE	1020.00	65.00	6.37 %	
RIGHT SIDE	1020.00	0.00	0.00 %	
REAR	828.00	163.00	19.69 %	
TOTAL	3746.00	355.00	9.48 %	

KIMBERLY 1 ELEV3		ENERGY EFFICIENCY- A1 PACKAGE		
ELEVATION	WALL FT <sup>2</sup>	OPENING FT <sup>2</sup>	PERCENTAGE	
FRCNT	866.00	143.00	16.51 %	
LEF" SIDE	1018.00	65.00	6.39 %	
RIGHT SIDE	1018.00	0.00	0.00 %	
REAR	828.00	163.00	19.69 %	
TOTAL	3730.00	371.00	9.95 %	

## 2789 **13.3m LOTS**

**BUILDING STANDARDS DIVISION** 

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING

CODE AND THE APPLICABLE ZONING BY-LAW

20.130045.000.00.CM

ALL CONSTRUCTION SHALL COMPLY WITH

THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE

WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE

NOTE: THE PROPOSED DEVELOPMENT IS SUBJECT TO COMPLIANCE WITH ALL APPLICABLE PROVISIONS OF THE ZONING BY-LAW AND

ALL OTHER APPLICABLE LAWS INCLUDING THE PROVISIONS OF A SITE PLAN AND / OR SUBDIVISION AGREEMENT WHICH MAY OR MAY

NOT BE REGISTERED ON TITLE

KIMBERLY 1 (GR) ELEVATION 1.2 & 3

A1 PACKAGE

O.REG. 332/12

#### STRUDET INC.



FOR STRUCTURE ONLY

E CONTRACTOR SHALL CHECK AND VERIFY ALL DIVENSIONS AN INDITIONS ON SITE BEFORE PROCEEDING AITH CONSTRUCTION Y DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GRO

DIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCU SURVEY, STRUCTURAL OR ENGINEERING INFORVATION SHOW ONSTRUCTED INVERTS MUST BE VEHIFIED PRIOR TO POURING

RDIN DESIGN GROUP INC. HAS NOT REEN RETAINED TO CARRY C INERAL REVIEW OF THE WORK AND ASSUMES US RESPONSIBILLY BY THE FAULUE OF THE CONTRACTOR OR SUB-CONTRACTOR OF INFO DUTTIES WORK IN ACCORDANCE WITH THE CONTRACTOR.

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND

ı		E SCALED.	N DESIGN CHOOP INC. THIS DRAWING IS N
ı	7		
ı	6		
ı	5		
ı	4		
	3		
	2		

JULY 2, 2020 ISSUED FOR BUILDING PERMIT lo: DATE: WORK DESCRIPTION:

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371 EMAIL: info@jardindesign.ca

for this design and has the qualifications and meets the uirements set out in the Ontario Building Code to b

QUALIFICATION INFORMATION Required unless design is \$2xxxxx under Sylvision C, Subsection 3.2.5 if the building order

Walter Botter 21031

SIGNATURE REGISTRATION INFORMATION

jardin design group inc. 27763

IRM NAME

LAMPONE INVESTMENTS INC. CITY OF MARKHAM



It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of MARKHAM.

3/16"=1'-0" 0 20-03

### **PAD FOOTING**

120 KPa NATIVE SOIL

90 KPa ENGINEERED FILL F1 = 42"x42"x18" CONCRETE PAD F1 = 48"x48"x20" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x46" CONCRETE PAD

F3 = 30"x30"x12" CONCRETE PAD F3 = 34"x34"y14" CONCRETE PAD F4 = 24"x24"x12" CONCRETE PAD  $F4 = 28'' \times 28'' \times 12''$  CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAB

F1 = 46"x46"x20" CONCRETE PAD F2 = 38"x38 x16" CONCRETE PAD F3 = 32"x32"x14" CONCRETE PAD F5 = 17"x17"x8" CONCRETE PAQ

100 KPa NATIVE SOIL

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

### NOTE:

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT

#### **BRICK VENEER LINTELS:**

WL5 =  $6'' \times 4'' \times 3 \times (150 \times 100 \times 10) + 2 - 2'' \times 12'' \text{ SPR}$ .

 $WL1 = 3 \frac{1}{2} \times 3 \frac{1}{2} \times 1 \frac{4}{90 \times 90 \times 6} + 2 \cdot 2^{1} \times 8^{1} \text{ SPR}.$  $WL6 = 5'' \times 3 \times 1/2'' \times 5/16'' (125 \times 90 \times 8) + 2 - 2'' \times 12'' SPR.$ WL7 =  $5'' \times 3 \times 1/2'' \times 5/16'' (125\times90\times8) + 3-2'' \times 10'' \text{ SPR}.$  $WL2 = 4'' \times 3 \times 1/2'' \times 5/16'' \times 100\times 100\times 10^{-2} \times 1$ WL3 = 5" x 3 1\2" x 5\16" (125x90x8) + 2- 2" x 10" SPR. WL8 =  $5^{\circ}$  x 3 1\2" x 5\16" (125x90x8) + 3-2" x12" SPR.  $WI 4 = 6^{\circ} \times 3.1 \times 2^{\circ} \times 3 \times 2^{\circ} \times 150 \times 90 \times 10 = 2 - 2^{\circ} \times 12^{\circ} \times 12^{\circ} \times 10^{\circ}$  $WL9 = 6" \times 4" \times 3 \times " (150 \times 100 \times 10) + 3 - 2" \times 12" SPR.$ 

### **WOOD LINTELS:**

WB1 = 2-2" x 8" SPBLICE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRUCE BEAM WB7 = 5-2" x 12" SPRUCE BEAM WB3 = 2-2" x 10" SPRUCE BEAM WB4 = 3-2" x 10" SPRUCE BEAM WB11 = 4-2" x 10" SPRUCE BEAM WB5 = 2-2" x 12" SPRUCE BEAM

### **STEEL LINTELS:**

 $L1 = 3.1 \times 3.1 \times 1.4$ " (90 x 90 x 6) L4 = 6" x 3.1 \2" x 3\8" (150 x 90 x 10) L2 = 4" x 3 1\2" x 5\16" (100 x 90 x 8) L5 = 6" x 4" x 3\8" (150 x 100 x 10)  $L3 = 5" \times 3 \text{ 1/2"} \times 5 \text{ 16"} (125 \times 90 \times 8)$   $L6 = 7" \times 4" \times 3 \text{ 8"} (180 \times 100 \times 10)$ 

#### LAMINATED VENEER LUMBER (LVL BEAMS)

 $LVL1A = 1.13/4" \times 7.1/4" (1.45 \times 184)$  $LVL1 = 2-13/4" \times 71/4" (2-45x184)$  $LVL2 = 3-13/4" \times 71/4" (3-45\times184)$  $LVL3 = 4.13/4" \times 7.1/4" (4.45 \times 184)$ LVL4A = 1-1 3/4" x 9 1/2" (1-45x240)  $LVL4 = 2-1 3/4" \times 9 1/2" (2-45x240)$  $LVL5 = 3-1.3/4" \times 9.1/2" (3-45x240)$ LVL5A = 4-1 3/4" x 9 1/2" (4-45x240) LVI 6A = 1-1 3/4" x 11 7/8" (1-45x300) 2-1 3/4" x 11 7/8" (2-45x300) 3-1 3/4" x 11 7/8" (3-45x300) LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) LVL8 = 2-1 3/4" x 14" (2-45x356)

LVL9 = 3-1 3/4" x 14" (3-45x356)

2-2"x6" STUD WALL NAILED TOGETHER AND SPACED @12" O.C. FULL HT C/W SOLID BLOCKING 4'-0" O.C. VERTICAL AND 7/16" EXT. PLYWOOD SHEATHING.


Certified Model reviewed and approved based on

Where site conditions differ, a lot-specific revision

footing design for 120 kPa native soil.

approved prior to pouring of footings.


application is required to be submitted and



MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 18'-0" AND MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0'

### TWO STOREY HEIGHT WALL DETAIL

2 - 1 1/2" x 5 1/2" TIMBERSTRAND (LSL) 1.5E STUD WALL GLUED AND NAILED TOGETHER AND SPACED MAX. @10"O.C. FULL HT C/W SOLID BLOCKING MAX. 8'-0"O.C. VERTICAL AND 7/16" EXT. OSB SHEATHING.



MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 20'-2" AND MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0"

### TWO STOREY HEIGHT WALL DETAIL

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER

#### Door Schedule

NO.	WIDTH	HEIGHT 8' TO 9' CEILINGS		HEIGH 10' OR CEILIN	MORE	TYPE
1	2'-10"	6'-8"	(865x2033)	8'-0"	(865x2439)	INSULATED ENTRANCE DOOR
1a	2'-8'	6'-8"	(815x2033)	8'-0"	(815x2439)	INSULATED FRONT DOORS
2	2'-8'	6'-8"	(815x2033)	8'-0"	(815x2439)	WOOD & GLASS DOOR
3	2'-8'	6'-8 x 1-3/4"	(815x2033x45)	8'-0" x 1-3/4"	(815x2439x45)	EXTERIOR SLAB DOOR
4	2'-8'	6'-8" x 1-3/8"	(815x2033x35)	8'-0" x 1-3/8"	(815x2439x35)	INTERIOR SLAB DOOR
5	2'-6'	6'-8" x 1-3/8"	(760x2033x35)	8'-0" x 1-3/8"	(760x2439x35)	INTERIOR SLAB DOOR
6	2'-2'	6'-8" x 1-3/8"	(660x2033x35)	8'-0" x 1-3/8"	(660x2439x35)	INTERIOR SLAB DOOR
7	1'-6'	6'-8" x 1-3/8"	(460x2033x35)	8'-0" x 1-3/8"	(460x2439x35)	INTERIOR SLAB DOOR
8	3'-0'	6'-8" x 1-3/8"	(915x2033x35)	8'-0" x 1-3/8"	(915x2439x35)	INTERIOR SLAB DOOR

#### NOTE:


SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7'

#### NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER.

#### NOTE:

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/05

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



CITY OF WARKHAM
BUILDING STANDARDS DIVISION


REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



Date: 02/05/

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.




CITY OF WARKHAM
BUILDING STANDARDS DIVISION
REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



Date: 02/0

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



**ELEVATION 3** 

A1 PACKAGE



NSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURIN

NA WING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AN OBJECTION OF THE SERVICE OF THE PROVINCE OF THE PROVINC

	TE COOK REED!	
7		
6		
5		
4		
3		
2		
1	JULY 2, 2020	ISSUED FOR BUILDING PERM

for this design and has the qualifications and meets the

uirements set out in the Ontario Building Code to b

**DECK CONDITION EL-3** 

LAMPONE INVESTMENTS INC. CITY OF MARKHAM


3/16"=1'-0"

**BUILDING STANDARDS DIVISION** REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



#### ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.




**BUILDING STANDARDS DIVISION** 

CODE AND THE APPLICABLE ZONING BY-LAW 20.130045.000.00.CM

#### ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



CITY OF WARKHAM
BUILDING STANDARDS DIVISION


REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING
CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/05

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



CITY OF WARKHAM

BUILDING STANDARDS DIVISION

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING


CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/05/

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



NOTE:

WALL IS REQUIRED.

WHEN VENEER CUT IS GREATER THAN

26" A 10" POURED CONC. FOUNDATION

(FOUNDATION PLAN TO BE REVIEWED

IN CONJUNCTION WITH SITE PLAN)

This is to certify that these plans comply with the applicable Architectural Design

Guidelines approved by the City of MAKHAM G. WILLIAMS LTD., ARCHITECT

DATE: <u>OCT 29, 2020</u>

20-03

**BUILDING STANDARDS DIVISION** REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



#### ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.

NOTE: THE PROPOSED DEVELOPMENT IS SUBJECT TO COMPLIANCE WITH ALL APPLICABLE PROVISIONS OF THE ZONING BY-LAW AND ALL OTHER APPLICABLE LAWS INCLUDING THE PROVISIONS OF A SITE PLAN AND / OR SUBDIVISION AGREEMENT WHICH MAY OR MAY NOT BE REGISTERED ON TITLE

N DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACC BVEY, STRUCTURAL OR ENGINEERING INFORVATION SHOW NST-JUCTED INVERTS MUST BE VEHIFIED PRIOR TO POURING

	PROPERTY OF JARDI SE SCALED.	N DESIGN CROUP INC. THIS DRAWING IS N
7		
6		
5		
4		
3		
2		
1	JULY 2, 2020	ISSUED FOR BUILDING PERMIT

WORK DESCRIPTION: DESIGN GROUP INC

VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371 EMAIL: info@jardindesign.ca

for this design and has the qualifications and meets the uirements set out in the Ontario Building Code to b


JALIFICATION TO TOTAL TOTAL STATE OF THE STA

REGISTRATION INFORMATION

jardin design group inc. IRM NAME

**DECK CONDITION EL-3** LAMPONE INVESTMENTS INC. CITY OF MARKHAM

3/16"=1'-0"




**BUILDING STANDARDS DIVISION** 



#### ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



**SECTION ELEVATION 3** 

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of MARKHAM.

2789 13.3m LOTS

KIMBERLY 1 (GR) ELEVATION 3

A1 PACKAGE

O.REG. 332/12

STRUDET INC.



#### FOR STRUCTURE ONLY

THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIVENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION, ANY DISCREPANCIES SHALL RE REPORTED TO JARDIN DESIGN GROINC, PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACQUPA OF SURVEY, STEUDRAL OR ENGINEERING INFORMATION SHOWN THESE DRIVINGS OF FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BUILDING FEMIL. REFER TO THE AZPROPHATE ENGINEERING DRAWINGS BEFORE PROCESUING WITH WORK. AS CONSTRUCTED INVENTS MUST BE VEHICLED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT REEN RETAINED TO CARRY OUT GENERAL REMIEW OF THE WORK AND ASSUVES NO RESPONSIBILITY FOR THE FAULTE OF THE CONTRACTOR OF USE CONTRACTOR TO CARRY OUT THE MORK IN ACCORDANCE WITH THE CONTRACT

DOCUMENTS.

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AN THE PROPERTY OF JAR 2ND DESIGN OROUGHNO. THIS DRAWING IS

	DE CONTRACTOR		
7			
6			
5			
4			
3			
2			
1	JULY 2, 2020	ISSUED FOR BUILDING PERMI	

Jardin DESIGN GROUP INC

No: DATE:

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

WORK DESCRIPTION:

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION INFORMATION
Required unless design is exempt under sixton C, Subsection
3.2.5 of the builting offe

Walter Botter

21031

REGISTRATION INFORMATION
required unless design is exempt under Division C, Subsection

3.2.4 of the building code
jardin design group inc. 2776

FRM NAME BCIT SECTION ELEVATION-3

LAMPONE INVESTMENTS INC. CITY OF MARKHAM



3/16"=1'-0"
PROJ. No. DWG. No. 20-03





Date: **UZ/U5/** 

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.