STRIP FOOTINGS FOR SINGLES AND SEMIS UP TO 2 STOREY

201Y61 CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS. 24"x8" CONCRETE STRIP FOOTINGS BELOW PARTY WALLS.

100 KPa NATIVE SOIL

22"x8" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS. 28'x10' CONCRETE STRIP FOOTINGS BELOW PARTY WALLS

28'x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS

90 KPa ENGINEERED FILL SOIL

24"x8" CONCRETE STRIP FOOTING RCING BELOW FOUNDATION WALLS 30"x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS.

GENERAL NOTE:

100 KPa NATIVE SOIL

F1 = 46"x46"x20" CONCRETE PAD

F2 = 38"x38 x16" CONCRETE PAD

F3 = 32"x32"x14" CONCRETE PAD

 $F4 = 26' \times 26' \times 12'$ CONCRETE PAD

F5 = 17"x17"x8" CONCRETE PAD

ASSUMED 120/100 KPa NATIVE SOIL BEARING CAPACITY OR 90 KPa FOR ENGINEERED FILL, TO BE VERIFIED ON SITE. REFER TO ENGINEERED FILL FOOTING DETAIL FOR REINFORCEMENT

(REFER TO ENG. FILL FOOTING DETAIL)

AREA CALCULATIONS EL-1

FIRST FLOOR AREA SECOND FLOOR AREA	=	1253 Sq. Ft. 1600 Sq. Ft.
TOTAL FLOOR AREA	=	2853 Sq. Ft.
ADD OPEN AREAS ADD FIN. BASEMENT AREA	=	0 Sq. Ft. 2853 Sq. Ft.
GROSS FLOOR AREA	=	2853 Sq. Ft.
GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA PORCH COVERAGE / AREA	= = =	1253 Sq. Ft. 390 Sq. Ft. 116 Sq. Ft.
COVERAGE W/ PORCH	=	1759 Sq. Ft.
	=	163.4 Sq. m.
COVERAGE W/O PORCH	=	1643 Sq. Ft.

152.6 Sq. m.

AREA CALCULATIONS EL-2 FIRST FLOOR AREA 1253 Sq. Ft.

1643 Sa. Ft

152.6 Sq. m.

SECOND FLOOR AREA = 1600 Sq. Ft = 2853 Sq. F TOTAL FLOOR AREA ADD OPEN AREAS ADD FIN. BASEMENT AREA = 2853 Sq. Ft. GROSS FLOOR AREA = 2853 sq. Ft. GROUND FLOOR COVERAGE = 1253 Sq. Ft GARAGE COVERAGE / AREA = 390 Sq. Ft PORCH COVERAGE / AREA = 54 Sq. Ft. 1697 Sq. Ft. 157.6 Sq. m.

COVERAGE W/O PORCH

I II IOT I EGGITTINET		1200 04.11.
SECOND FLOOR AREA	=	1613 Sq. Ft.
TOTAL FLOOR AREA	=	2866 Sq. Ft.
ADD OPEN AREAS	=	0 Sq. Ft.
ADD FIN. BASEMENT AREA	=	2866 Sq. Ft.
GROSS FLOOR AREA	=	2866 Sq. Ft.
GROUND FLOOR COVERAGE	=	1253 Sq. Ft.
GARAGE COVERAGE / AREA	=	390 Sq. Ft.
PORCH COVERAGE / AREA	=	116 Sq. Ft.
COVERAGE W/ PORCH	=	1759 Sq. Ft.
	=	163.4 Sq. m.
COVERAGE W/O PORCH	=	1643 Sq. Ft.
	=	152.6 Sq. m.

AREA CALCULATIONS EL-3 FIRST FLOOR AREA

KIMBERLY 2 ELEV.	-1	ENERGY EFF	ICIENCY- A1 PACKAGE
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	859.00	138.00	16.07 %
LEF" SIDE	1043.00	52.00	4.99 %
RIGHT SIDE	1056.00	0.00	0.00 %
REAR	828.00	166.00	20.05 %
TOTAL	3786.00	356.00	9.40 %

KIMBERLY 2 ELEV	V2	ENERGY EFFICIENCY- A1 PACKAGE		
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE	
FRONT	869.00	144.00	16.57 %	
LEFT SIDE	1045.00	52.00	4.98 %	
RIGHT SIDE	1054.00	0.00	0.00 %	
REAR	828.00	166.00	20.05 %	
TOTAL	3796.00	362.00	9.54 %	

KIMBERLY 2 ELEV3		ENERGY EFF	CIENCY- A1 PACKAGE
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRCNT	876.00	147.00	16.78 %
LEF" SIDE	1042.00	52.00	4.99 %
RIGHT SIDE	1042.00	0.00	0.00 %
REAR	828.00	166.00	20.05 %
TOTAL	3788.00	365.00	9.64 %

2853 13.3m LOTS

BUILDING STANDARDS DIVISION

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING

CODE AND THE APPLICABLE ZONING BY-LAW

20.130062.000.00.CM

ALL CONSTRUCTION SHALL COMPLY WITH

THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE

WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE

NOTE: THE PROPOSED DEVELOPMENT IS SUBJECT TO COMPLIANCE WITH ALL APPLICABLE PROVISIONS OF THE ZONING BY-LAW AND

all other applicable laws including the provisions of a

SITE PLAN AND / OR SUBDIVISION AGREEMENT WHICH MAY OR MAY

NOT BE REGISTERED ON TITLE

KIMBERLY 2 (GR) **ELEVATION 1,2 & 3**

A1 PACKAGE

O.REG. 332/12

STRUDET INC.



FOR STRUCTURE ONLY

E CONTRACTOR SHALL CHECK AND VERIFY ALL DIVENSIONS AND NOTIONS ON STE BEFORE PROCEEDING MITH CONSTRUCTION. V DISCHERANCES SHALL SE REPORTED TO JARDIN DESIGN GRO PRIOR TO COMMENCEMENT OF WORK.

CONTROL OF THE ACCURATE ACTION OF THE ACCURATE A CONST-JUCTED INVERTS MUST BE VEHIFIED PRIOR TO POURING ITINGS.

FINE THE POPUL OF THE WORK AND ASSUMES NO RESPONSIBILITY
OR THE FAILURE OF THE CONTRACTOR OR SUB-CONTRACTOR TO
ARP OUT THE WORK IN ACCORDANCE WITH THE CONTRACTOR.

HIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND HE PROPERTY OF JARDIN DESIGN CROUP INC. THIS DRAWING IS NO

TOE	SE SCALED.	
7		
6		
5		
4		
3		
2		
1	JULY 2, 2020	ISSUED FOR BUILDING PERMIT

WORK DESCRIPTION:

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371; EMAIL: info@jardindesign.ca

he undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the uirements set out in the Ontario Building Code to b QUALIFICATION INFORMATION

QUALIFICATION INFORMATION
Required unless design is execute upda symston c, subsection
3.2.5 of the buying to the

Walter Botter 21031 SIGNATURE

NAME REGISTRATION INFORMATION

jardin design group inc. IRM NAME

TITLE SHEET

LAMPONE INVESTMENTS INC. CITY OF MARKHAM



It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of MARKHAM.

3/16"=1'-0" IOJ. No. 0 20-03

PAD FOOTING

120 KPa NATIVE SOIL

90 KPa ENGINEERED FILL SOIL =1 = 42"x42"x18" CONCRETE PAD =2 = 36"x36"x16" CONCRETE PAD

F1 = 48"x48"x20" CONCRETE PAD F2 = 40"x40"x46" CONCRETE PAD F3 = 30"x30"x12" CONCRETE PADF4 = 24"x24"x12" CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD

F3 = 34"x34"y44" CONCRETE PAD $F4 = 28 \times 28 \times 12$ CONCRETE PAD

F5 = 18"x18"x8" CONCRETE PAB

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

NOTE:

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT

BRICK VENEER LINTELS:

 $WL5 = 6'' \times 4'' \times 3 \times (150 \times 100 \times 10) + 2 - 2'' \times 12'' SPR.$

WI 1 = $3.1 \cdot 2'' \times 3.1 \cdot 2'' \times 1 \cdot 4'' \cdot (90 \times 90 \times 6) - 2 \cdot 2'' \times 8'' \text{ SPB}$ $WI.6 = 5^{\circ} \times 3.1 \times 2^{\circ} \times 5 \times 16^{\circ} (125 \times 90 \times 8) - 2 \cdot 2^{\circ} \times 12^{\circ} SPR$ WL2 = $4'' \times 3 \times 2'' \times 5 \times 16'' \times 100 \times 90 \times 8) + 2 - 2'' \times 8'' \text{ SPR}$. WL7 = 5° x 3 1\2" x 5\16" (125x90x8) + 3-2" x 10" SPR. WL3 = $5'' \times 3 \times 1/2'' \times 5/16'' \times 125 \times 90 \times 8) + 2 - 2'' \times 10'' \text{ SPR}.$ WL8 = 5° x 3 1\2" x 5\16" (125x90x8) + 3-2" x12" SPR. $WL4 = 6'' \times 3 \times 1/2'' \times 3/8'' (150x90x10) + 2-2'' \times 12'' SPR.$ $WL9 = 6" \times 4" \times 3 \times 8" (150 \times 100 \times 10) + 3 - 2" \times 12" SPR.$

WOOD LINTELS:

WB1 = 2-2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRUCE BEAM WB7 = 5-2" x 12" SPRUCE BEAM WB10 = 4- 2" x 8" SPRUCE BEAM WB3 = 2-2" x 10" SPRUCE BEAM WB4 = 3-2" x 10" SPRUCE BEAM WB11 = 4-2" x 10" SPRUCE BEAM

STEEL LINTELS:

WB5 = 2-2" x 12" SPRUCE BEAM

 $L1 = 3 \frac{1}{2} \times 3 \frac{1}{2} \times \frac{1}{4} (90 \times 90 \times 6)$ $L4 = 6'' \times 3 \frac{1}{2} \times 3 \frac{1}{2} \times 3 \frac{1}{2} \times 3 \times 90 \times 10$ L2 = 4" x 3 1\2" x 5\16" (100 x 90 x 8) L5 = 6" x 4" x 3\8" (150 x 100 x 10)

LAMINATED VENEER LUMBER (LVL BEAMS)

= 3-1 3/4" x 7 1/4" (3-45x184) LVL3 = 4-1 3/4" x 7 1/4" (4-45x184) LVL4A = 1-1 3/4" x 9 1/2" (1-45x240) LVL4 = 2-1 3/4" x 9 1/2" (2-45x240) $LVL5 = 3-1.3/4" \times 9.1/2" (3-45x240)$ LVL5A = 4-1 3/4" x 9 1/2" (4-45x240) LVL6A= 1-1 3/4" x 11 7/8" (1-45x300) LVL6 = 2-1 3/4" x 11 7/8" (2-45x300) LVL7 = 3-1 3/4" x 11 7/8" (3-45x300) LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) LVL8 = 2-1 3/4" x 14" (2-45x356)

LVL1A = 1-1 3/4" x 7 1/4" (1-45x184)

= 2-1 3/4" x 7 1/4" (2-45x184)

3-1 3/4" x 14" (3-45x356)

2-2'x6" STUD WALL NAILED TOGETHER AND SPACED @12" O.C. FULL HT C/W SOLID BLOCKING 4'-0" O.C. VERTICAL AND 7/16" EXT. PLYWOOD SHEATHING.


Certified Model reviewed and approved based on

Where site conditions differ, a lot-specific revision

application is required to be submitted and

footing design for 120 kPa native soil.


approved prior to pouring of footings.



MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 18'-0" AND MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0"

TWO STOREY HEIGHT WALL DETAIL

2 - 1 1/2" x 5 1/2" TIMBERSTRAND (LSL) 1.5E STUD WALL GLUED AND NAILED TOGETHER AND SPACED MAX. @10"O.C. FULL HT C/W SOLID BLOCKING MAX. 8'-0"O.C. VERTICAL AND 7/16" EXT. OSB SHEATHING.



MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 20'-2" AND MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0"

TWO STOREY HEIGHT WALL DETAIL

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER


Door Schedule

NO.	WIDTH	8' T(GHT O 9' LINGS	HEIGH ⁻ 10' OR CEILING	MORE	TYPE
1	2'-10"	6'-8"	(865x2033)	8'-0"	(865x2439)	INSULATED ENTRANCE DOOR
1a	2'-8"	6'-8"	(815x2033)	8'-0"	(815x2439)	INSULATED FRONT DOORS
2	2'-8"	6'-8"	(815x2033)	8'-0"	(815x2439)	WOOD & GLASS DOOR
3	2'-8"	6'-8 x 1-3/4"	(815x2033x45)	8'-0" x 1-3/4"	(815x2439x45)	EXTERIOR SLAB DOOR
4	2'-8"	6'-8" x 1-3/8"	(815x2033x35)	8'-0" x 1-3/8"	(815x2439x35)	INTERIOR SLAB DOOR
5	2'-6"	6'-8" x 1-3/8"	(760x2033x35)	8'-0" x 1-3/8"	(760x2439x35)	INTERIOR SLAB DOOR
6	2'-2"	6'-8" x 1-3/8"	(660x2033x35)	8'-0" x 1-3/8"	(660x2439x35)	INTERIOR SLAB DOOR
7	1'-6"	6'-8" x 1-3/8"	(460x2033x35)	8'-0" x 1-3/8"	(460x2439x35)	INTERIOR SLAB DOOR
8	3'-0"	6'-8" x 1-3/8"	(915x2033x35)	8'-0" x 1-3/8"	(915x2439x35)	INTERIOR SLAB DOOR

SPACE CONVENTIONAL FLOOR JOISTS @: 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN I

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED LOOR TRUSS LAYOUT BY MANUFACTURER

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.



BUILDING STANDARDS DIVISION


REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING

CODE AND THE APPLICABLE ZONING BY-LAW



ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/05/2

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/05/2

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.




CITY OF WARKHAM
BUILDING STANDARDS DIVISION



ALL CONSTRUCTION SHALL COMPLY WITH
THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.




CITY OF WARKHAM
BUILDING STANDARDS DIVISION

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING

20.130062.000.00.CM

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



Date: 02/05/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



REAR ELEVATION 3

2853 13.3m LOTS

KIMBERLY 2 (GR) ELEVATION 3

A1 PACKAGE

O.REG. 332/12

HE CONTRACTOR SHALL CHECK AND VERIFY ALL DIVENSIONS AND ONDITIONS ON SITE BEFORE PROCEEDING MITH CONSTRUCTION. NY DISCREPANCIES SHALL SE REFORTED TO JAFICHN DESIGN GROU C. PRICHTO CO VIMENCEMENT OF WORK.

CONTROL OF CONTROL OF THE ACOUS ARITHMENT STRUCTURAL OR EVAINEERING INFORVATION SHOWN ESE DRAWNASS OF FOR CONSTRUCTION STATEO PRIOR TO THE SURVICE OF A BUILDING 2-4MIT. REFETTO THE APPROPRIATE VISINEERING CHAWRIGS BUT ONE PROCESTING WITH MORK. CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING DTINGS.

7		
6		
5		
4		
3		
2		
1	JULY 2, 2020	ISSUED FOR BUILDING PERMI

WORK DESCRIPTION:

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the quirements set out in the Ontario Building Code to be

a designer
QUALIFICATION INFORMATION
Required unless design is execute under system C, Subsection
3.2.5 of the building under
Walter Botter 21031

SIGNATURE

REGISTRATION INFORMATION ss design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc. IRM NAME

REAR ELEVATION-3

LAMPONE INVESTMENTS INC. CITY OF MARKHAM



It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Sungaines Supproved by the Crity of MARK HARVITECTURAL CONTROL REVIEW

DATE: <u>OCT 29, 2020</u> s stamp certifies compliance with the applica Design Guidelines only and bears no further




3/16"=1'-0" 6B 20-03





ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



REAR ELEVATION 3 DECK CONDITION

FOR ADDITIONAL DECK STRUCTURE REFER TO PAGE 7 OF THE DETAIL PACKAGE

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

(FOUNDATION PLAN TO BE REVIEWED IN CONJUNCTION WITH SITE PLAN)

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot. This is to certify that these plans comply with the applicable Architectural Design Sungaines Supproved by the Crity of MARK HARVITECTURAL CONTROL REVIEW

DATE: OCT 29, 2020

2853 13.3m LOTS **KIMBERLY 2 (GR) ELEVATION 3**

A1 PACKAGE

O.REG. 332/12



REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.

NOTE: THE PROPOSED DEVELOPMENT IS SUBJECT TO COMPLIANCE WITH ALL APPLICABLE PROVISIONS OF THE ZONING BY-LAW AND ALL OTHER APPLICABLE LAWS INCLUDING THE PROVISIONS OF A SITE PLAN AND / OR SUBDIVISION AGREEMENT WHICH MAY OR MAY NOT BE REGISTERED ON TITLE

1 No:	JULY 2, 2020 DATE:	ISSUED FOR BUILDING PERMI WORK DESCRIPTION:
2		
3		
4		
5		
6		
7		

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371 EMAIL: info@jardindesign.ca

he undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the QUALIFICATION INFORMATION

Required unless design is several under symstom c, subsection 3.2.5 if the supply of the Walter Bottel 21031 SIGNATURE

REGISTRATION INFORMATION ss design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc. IRM NAME


DECK CONDITION EL-3 LAMPONE INVESTMENTS INC. CITY OF MARKHAM



3/16"=1'-0"

20-03

DRAWING NAME:



(REFER TO SECTION 2.3 OF SUPPLEMENTARY GUIDELINES)

IN GARAGE EXTERIOR WALLS.

(REFER TO SECTION 2.3 OF SUPPLEMENTARY GUIDELINES)

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING

BUILDING STANDARDS DIVISION

CODE AND THE APPLICABLE ZONING BY-LAW 20.130062.000.00.CM


ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.

NOTE: THE PROPOSED DEVELOPMENT IS SUBJECT TO COMPLIANCE WITH ALL APPLICABLE PROVISIONS OF THE ZONING BY-LAW AND ALL OTHER APPLICABLE LAWS INCLUDING THE PROVISIONS OF A SITE PLAN AND / OR SUBDIVISION AGREEMENT WHICH MAY OR MAY NOT BE REGISTERED ON TITLE



3/16"=1'-0" 7B 20-03



SECTION ELEVATION 3

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of MARKHAM.

2853 13.3m LOTS

KIMBERLY 2 (GR) ELEVATION 3

A1 PACKAGE

O.REG. 332/12

STRUDET INC.



FOR STRUCTURE ONLY

THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIVENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. ANY DISCREPANCIES SHALL BE REPORTED TO JAIDIN DESIGN GROUNG PRIOR TO COMMENCEMENT OF WORK.

AFRIN DESIGN GROUPTING, IS NOT RESPONSIBLE FOR THE ACQUIPACI FS LINVEY, STEUCTURAL OR ENGINEERING INFORMATION SHOWN ON HERE DRAWINGS OF FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING FE-MIT. REFER TO THE APPAOPHIATE INGINEERING DRAWINGS BEFORE PROCESSING WITH WORK. IS CONSTRUCTED INVERTS MUST BE VEHIFLED PRIOR TO POURING OCTINGS.

JENERAL REMEMO E THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FAILLIPE OF THE CONTRACTOR OR SUB-CONTRACTOR TO SARPY OUT. THE MORK IN ACCOMDANCE WITH THE CONTRACT JOCUMENTS.

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND I THE PROPERTY OF JARDIN DESIGN CROUP INC. THIS DRAWING IS NO TO BE SCALED.

7		
6		
5		
4		
3		
2		
1	JULY 2, 2020	ISSUED FOR BUILDING PERMIT

o: DATE: WORK DESCRIPTION:

Jardin DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer QUALIFICATION INFORMATION

Required unless design is several under Sylvation C, Subsection 3.2.5 if the supply of the Walter Botter 21031

NAME SIGNATURE BCIN

REGISTRATION INFORMATION

Required unless design is exempt under Division C, Subsection

3.2.4 of the building code

jardin design group inc. 27763 FIRM NAME BOIL

SECTION ELEV.-3

LAMPONE INVESTMENTS INC.
CITY OF MARKHAM



MODEL: T ----SCALE: 3/16"=1"-0" PROJ. No. DWG. No. 20-03 8B





Date: 02/05/2

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.