### STRIP FOOTINGS FOR SINGLES AND SEMIS UP TO 2 STOREY

201Y61 CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS. 24"x8" CONCRETE STRIP FOOTINGS BELOW PARTY WALLS.

22"x8" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS. 28'x10' CONCRETE STRIP FOOTINGS BELOW PARTY WALLS

28'x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS

### 90 KPa ENGINEERED FILL SOIL

RCING BELOW FOUNDATION WALLS 24"x8" CONCRETE STRIP FOOTING RIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS. 30"x8" CONCRETE ST

### GENERAL NOTE:

ASSUMED 120/100 KPa NATIVE SOIL BEARING CAPACITY OR 90 KPa FOR ENGINEERED FILL, TO BE VERIFIED ON SITE. REFER TO ENGINEERED FILL FOOTING DETAIL FOR REINFORCEMENT

(REFER TO ENG. FILL FOOTING DETAIL)

# **AREA CALCULATIONS EL-1**

FIRST FLOOR AREA SECOND FLOOR AREA	=	1284 Sq. Ft. 1637 Sq. Ft.
TOTAL FLOOR AREA	=	2921 Sq. Ft.
ADD OPEN AREAS ADD FIN. BASEMENT AREA	=	19 Sq. Ft. 0 Sq. Ft.
GROSS FLOOR AREA	=	2940 Sq. Ft.
GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA PORCH COVERAGE / AREA	= = =	1284 Sq. Ft. 390 Sq. Ft. 39 Sq. Ft.
COVERAGE W/ PORCH	=	1713 Sq. Ft. 159.1 Sq. m.
COVERAGE W/O PORCH	=	1674 Sq. Ft.

155.5 Sq. m.

### AREA CALCULATIONS EL-2 FIRST FLOOR AREA 1284 Sq. Ft

= 1637 Sq. F

1674 Sq. Ft.

155.5 Sq. m.

WALL FT<sup>2</sup>

859.00

1108.00

1104.00

828.00

3899.00

WALL FT2

863.00

1094.00

1096.00

828.00

3881.00

WALL FT2

865 00

1100.00

1100.00

828.00

3893.00

= 2921 Sq. F TOTAL FLOOR AREA ADD OPEN AREAS 19 Sa F ADD FIN. BASEMENT AREA = 0 Sq. Ft GROSS FLOOR AREA = 2940 sq. Ft. GROUND FLOOR COVERAGE = 1284 Sq. Ft GARAGE COVERAGE / AREA = 390 Sq. Ft PORCH COVERAGE / AREA = 39 Sq. Ft. 1713 Sq. Ft. 159.1 Sq. m.

KIMBERLY 5 ELEV.-1

KIMBERLY 5 ELEV.-2

KIMBERLY 5 ELEV.-3

SECOND FLOOR AREA

COVERAGE W/O PORCH

LEVATION

F" SIDE

GHT SIDE

TOTAL

I FVATION

F SIDE

GHT SIDE

OTAL

LEVATION

F SIDE

GHT SIDE

## AREA CALCULATIONS EL-3

FIRST FLOOR AREA SECOND FLOOR AREA	=	1284 Sq. Ft. 1637 Sq. Ft.
TOTAL FLOOR AREA	=	2921 Sq. Ft.
ADD OPEN AREAS ADD FIN. BASEMENT AREA	=	19 Sq. Ft. 0 Sq. Ft.
GROSS FLOOR AREA	=	2940 Sq. Ft.
GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA PORCH COVERAGE / AREA	= = =	1284 Sq. Ft. 390 Sq. Ft. 45 Sq. Ft.
COVERAGE W/ PORCH	=	1719 Sq. Ft.
COVERAGE W/O PORCH	= = =	159.7 Sq. m. 1674 Sq. Ft. 155.5 Sq. m.

ENERGY EFFICIENCY- A1 PACKAGE

ENERGY EFFICIENCY- A1 PACKAGE

ENERGY EFFICIENCY- A1 PACKAGE

PERCENTAGE

18.51 %

2.44 %

0.00 %

18.00 %

8.59 %

PERCENTAGE

2.47 %

0.00 %

18.00 %

8.40 %

PERCENTAGE

19 77 %

2.45 %

0.00 %

18.00 %

8.91 %

OPENING FT<sup>2</sup>

159.00

27.00

0.00

149.00

335.00

OPENING FT<sup>2</sup>

27.00

0.00

149.00

326.00

OPENING FT<sup>2</sup>

171.00

27.00

0.00

149.00

347.00

# 2940 13.3m LOTS

**KIMBERLY 5 (GR) ELEVATION 1,2 & 3** 

A1 PACKAGE

O.REG. 332/12

### **PAD FOOTING**

### 120 KPa NATIVE SOIL

90 KPa ENGINEERED FILL SOIL F1 = 48 x48"x20" CONCRETE PAD =1 = 42"x42"x18" CONCRETE PAD =2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PADF3 = 34"x34"x44" CONCRETE PAD F3 = 30"x30"x12" CONCRETE PAD

F4 = 24"x24"x12" CONCRETE PAD F4 = 28"x28"x12" CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAD

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

### 100 KPa NATIVE SOIL

F1 = 46"x + 6"x + 20" CONCREIE PAD F2 = 38"x38"x18" CONCRETE PAD F3 = 32"x32"x14" CONCRETE PAD

F4 = 28 x26 'x12" CONCRETE PAD E5 = 17"x17"x8" CONCRETE PAD

### NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

### NOTE:

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT

### **BRICK VENEER LINTELS:**

WI 1 =  $3.1 \cdot 2'' \times 3.1 \cdot 2'' \times 1 \cdot 4'' \cdot (90 \times 90 \times 6) - 2 \cdot 2'' \times 8'' \text{ SPB}$  $WI.6 = 5^{\circ} \times 3.1 \times 2^{\circ} \times 5 \times 16^{\circ} (125 \times 90 \times 8) - 2 \cdot 2^{\circ} \times 12^{\circ} SPR$ WL2 =  $4'' \times 3 \times 2'' \times 5 \times 16'' \times 100 \times 90 \times 8) + 2 - 2'' \times 8'' \text{ SPR}$ . WL7 =  $5^{\circ}$  x 3 1\2" x 5\16" (125x90x8) + 3-2" x 10" SPR.  $WL3 = 5" \times 3 \times 1/2" \times 5/16" (125x90x8) + 2-2" \times 10" SPR.$ WL8 =  $5^{\circ}$  x 3 1\2" x 5\16" (125x90x8) + 3-2" x12" SPR.  $WL4 = 6'' \times 3 \times 1/2'' \times 3/8'' (150x90x10) + 2-2'' \times 12'' SPR.$  $WL9 = 6" \times 4" \times 3 \times 8" (150 \times 100 \times 10) + 3 - 2" \times 12" SPR.$  $WL5 = 6" \times 4" \times 3 \times (150 \times 100 \times 10) + 2 - 2" \times 12" SPR.$ 

### **WOOD LINTELS:**

WB1 = 2-2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRUCE BEAM WB7 = 5-2" x 12" SPRUCE BEAM WB10 = 4-2" x 8" SPRUCE BEAM WB3 = 2-2" x 10" SPRUCE BEAM WB4 = 3-2" x 10" SPRUCE BEAM WB11 = 4-2" x 10" SPRUCE BEAM WB5 = 2-2" x 12" SPRUCE BEAM

### **STEEL LINTELS:**

 $L1 = 3 \frac{1}{2} \times 3 \frac{1}{2} \times \frac{1}{4} (90 \times 90 \times 6)$   $L4 = 6'' \times 3 \frac{1}{2} \times 3 \frac{1}{2} \times 3 \frac{1}{2} \times 3 \times 90 \times 10$ L2 = 4" x 3 1\2" x 5\16" (100 x 90 x 8) L5 = 6" x 4" x 3\8" (150 x 100 x 10)  $L3 = 5" \times 3 \text{ 1/2"} \times 5 \text{ 16"} (125 \times 90 \times 8)$   $L6 = 7" \times 4" \times 3 \text{ 8"} (180 \times 100 \times 10)$ 

### LAMINATED VENEER LUMBER (LVL BEAMS)

= 3-1 3/4" x 7 1/4" (3-45x184)  $LVL3 = 4-13/4" \times 71/4" (4-45x184)$ LVL4A = 1-1 3/4" x 9 1/2" (1-45x240) LVL4 = 2-1 3/4" x 9 1/2" (2-45x240)  $LVL5 = 3-1.3/4" \times 9.1/2" (3-45x240)$ LVL5A = 4-1 3/4" x 9 1/2" (4-45x240) LVL6A= 1-1 3/4" x 11 7/8" (1-45x300) LVL6 = 2-1 3/4" x 11 7/8" (2-45x300) 3-1 3/4" x 11 7/8" (3-45x300 LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) LVL8 = 2-1 3/4" x 14" (2-45x356)

LVL1A = 1-1 3/4" x 7 1/4" (1-45x184)

= 2-1 3/4" x 7 1/4" (2-45x184)

3-1 3/4" x 14" (3-45x356)

2-2'x6" STUD WALL NAILED TOGETHER AND SPACED @12" O.C. FULL HT C/W SOLID BLOCKING 4'-0" O.C. VERTICAL AND 7/16" EXT. PLYWOOD SHEATHING.


Certified Model reviewed and approved based on

Where site conditions differ, a lot-specific revision

footing design for 120 kPa native soil.

approved prior to pouring of footings.


application is required to be submitted and



MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 18'-0" AND MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0"

### TWO STOREY HEIGHT WALL DETAIL

2 - 1 1/2" x 5 1/2" TIMBERSTRAND (LSL) 1.5E STUD WALL GLUED AND NAILED TOGETHER AND SPACED MAX. @10"O.C. FULL HT C/W SOLID BLOCKING MAX. 8'-0"O.C. VERTICAL AND 7/16" EXT. OSB SHEATHING.



MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 20'-2" AND MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0"

### TWO STOREY HEIGHT WALL DETAIL

### NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER

### Door Schedule

NO.	WIDTH	HEIO 8' TO CEIL		HEIGH <sup>-</sup> 10' OR CEILING	MORE	TYPE
1	2'-10"	6'-8"	(865x2033)	8'-0"	(865x2439)	INSULATED ENTRANCE DOOR
1a	2'-8"	6'-8"	(815x2033)	8'-0"	(815x2439)	INSULATED FRONT DOORS
2	2'-8'	6'-8"	(815x2033)	8'-0"	(815x2439)	WOOD & GLASS DOOR
3	2'-8'	6'-8 x 1-3/4"	(815x2033x45)	8'-0" x 1-3/4"	(815x2439x45)	EXTERIOR SLAB DOOR
4	2'-8'	6'-8" x 1-3/8"	(815x2033x35)	8'-0" x 1-3/8"	(815x2439x35)	INTERIOR SLAB DOOR
5	2'-6'	6'-8" x 1-3/8"	(760x2033x35)	8'-0" x 1-3/8"	(760x2439x35)	INTERIOR SLAB DOOR
6	2'-2"	6'-8" x 1-3/8"	(660x2033x35)	8'-0" x 1-3/8"	(660x2439x35)	INTERIOR SLAB DOOR
7	1'-6"	6'-8" x 1-3/8"	(460x2033x35)	8'-0" x 1-3/8"	(460x2439x35)	INTERIOR SLAB DOOR
8	3'-0"	6'-8" x 1-3/8"	(915x2033x35)	8'-0" x 1-3/8"	(915x2439x35)	INTERIOR SLAB DOOR

SPACE CONVENTIONAL FLOOR JOISTS @: 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN I

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED LOOR TRUSS LAYOUT BY MANUFACTURER

### NOTE:

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of MARKHAM.

B. MARINKOVIC

\$/0Z/2020

NCE OF ON

STRUDET INC.

### FOR STRUCTURE ONLY

E CONTRACTOR SHALL CHECK AND VERIFY ALL DIVENSIONS AND NOTIONS ON STE BEFORE PROCEEDING MITH CONSTRUCTION. V DISCHERANCES SHALL SE REPORTED TO JARDIN DESIGN GRO PRIOR TO COMMENCEMENT OF WORK.

ARIN DISCONDENDENDEN OF WEST THE ACQUIRENCE STRUCTURAL OR EVENIVER, STRUCTURAL OR EVENIVERING INFORMATION SHOW ESE DRAWINGS OF FOR CONSTRUCTION STARTED PRIOR TO TO SUMPACE OF A BUILDING 3-2-3ML, REFE? TO THE A-3-3-0PHIA E GINEEHING BHAWINGS BEFORE PHOCES ING WITH WORK. CONSTITUCTED INVERTS MUST BE VEHIFIED PHIOR TO POURING TINGS.

ARDIN DESIGN CROUP INC. HAS NOT REEN RETAINED TO CARRY O RENERAL REVIEW OF THE WORK AND ASSUVES NO RESPONSIBILIT OR THE FAULLED OF THE CONTRACTOR OR SUB-CONTRACTOR TO A-APP OUT: HE MORK IN ACCORDANCE WITH THE CONT-ACT

HIS DRAWNE IS AN RESPONDE OF SERVICE, IN A SECTIVATION OF SERVICE SECTION OF SERVICE SECTION OF SEC

- 1	TOE	TO BE SCALED.				
	7					
	6					
	5					
	4					
	3					
	2					
	1	JULY 2, 2020	ISSUED FOR BUILDING PERMIT			

WORK DESCRIPTION:

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371 EMAIL: info@jardindesign.ca he undersigned has reviewed and takes responsibility

for this design and has the qualifications and meets the uirements set out in the Ontario Building Code to b QUALIFICATION INFORMATION

Required unless design is exempt, upda application C, Subsection 3.2.5 of the building crite

Walter Botter 21031 SIGNATURE

NAME REGISTRATION INFORMATION

jardin design group inc. IRM NAME

LAMPONE INVESTMENTS INC. CITY OF MARKHAM

TITLE SHEET



3/16"=1'-0" 0 20-03


# **BUILDING STANDARDS DIVISION**

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



### ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING
CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/05/5

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING
CODE AND THE APPLICABLE ZONING BY-LAW



### Date: 02/05/2

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILE CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/05/

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/05/2

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/05/

# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



Date: 02/05/2


# ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



**REAR ELEVATION 2** 

DRAWING NAME:



APPROVED BY: DATE: <u>OCT 29, 2020</u>

**BILD** 


20-03





### ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



# **REAR ELEVATION 2 DECK CONDITION**

FOR ADDITIONAL DECK STRUCTURE REFER TO PAGE 7 OF THE DETAIL PACKAGE

### NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

(FOUNDATION PLAN TO BE REVIEWED IN CONJUNCTION WITH SITE PLAN)

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply
of the applicable Architectural Design
Guidelings carpetowed that the weby of
MARKHAM. AND APPROVAL

DATE: OCT 29, 2020

2940 13.3m LOTS

**KIMBERLY 5 (GR) ELEVATION 2** 

**A1 PACKAGE** 

O.REG. 332/12

CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING TINGS.

N 1	DATE	WORK BEOODIDEION
1	JULY 2, 2020	ISSUED FOR BUILDING PERM
2		
3		
4		
5		
6		
7		

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371 EMAIL: info@jardindesign.ca

he undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the QUALIFICATION INFORMATION

Required unless design is several under symstom c, subsection 3.2.5 if the supply of the Walter Bottel 21031 SIGNATURE

REGISTRATION INFORMATION ss design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc. IRM NAME DECK CONDITION EL-2

LAMPONE INVESTMENTS INC. CITY OF MARKHAM



3/16"=1'-0" 20-03


6A-1





### ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



HEADER/RIM JOIST LEVEL

(FOR WALLS LESS THAN 1.2m (3'-11") FROM LOT LINE)

45 MINUTE FIRE RATED AT HEADER

CONTINUOUSLY ALONG THE RIM JOIST WHEN FLOOR

(REFER TO SECTION 2.3 OF SUPPLEMENTARY GUIDELINES)

PROVIDE 15.9mm (5/8") TYPE 'X" GYPSUM BOARD

JOISTS ARE PARALLEL TO RIM JOIST TO MAINTAIN

BETWEEN FLOOR JOIST AT THE HEADER OR

BRICK VENEER CONSTRUCTION

(FOR WALLS LESS THAN 1.2m (3'-11") FROM LOT LINE)

### 45 MINUTE FIRE RATED WALL

PROVIDE A CONTINUOUS LAYER 12.7mm (1/2") TYPE 'X" GYPSUM BOARD (INTERIOR SIDE) INSTALLED SO THAT ALL EDGES ARE SUPPORTED, TAPED AND FILLED. SPACE BETWEEN WOOD STUDS TO BE FILLED WITH PREFORMED MINERAL FIBRE INSULATION WITH A MASS OF NOT LESS THAN 1.22 Kg/SQ.M. AND MUST FILL AT LEAST 90%%% OF THE CAVITY THICKNESS. THE TYPE "X" & INSULATION MUST BE RUN CONTINUOUSLY BEHIND ALL INTERSECTING PARTIONS. MECHANICAL CHASES, BATHTUBS, SHOWERS, ETC. ENSURE INSULATION & TYPE "X" IS INSTALLED IN GARAGE EXTERIOR WALLS.

(REFER TO SECTION 2.3 OF SUPPLEMENTARY GUIDELINES)

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply At 1 the applicable Architectural Design Euide in Grand Proved On the Welly of VARKHAM. AND APPROVAL

APPROVED BY: DATE: OCT 29, 2020

jardin design group inc. IRM NAME

BILD

CITY OF MARKHAM 3/16"=1'-0" 7A 20-03

SIGNATURE

SIDE ELEVATION-2

LAMPONE INVESTMENTS INC.

REGISTRATION INFORMATION ss design is exempt under Division C, Subsection 3.2.4 of the building code

WORK DESCRIPTION:


**BUILDING STANDARDS DIVISION** 

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



### ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



**SECTION ELEVATION 2** 

2940 13.3m LOTS

**KIMBERLY 5 (GR) ELEVATION 2** 

**A1 PACKAGE** 

O.REG. 332/12

STRUDET INC.



FOR STRUCTURE ONLY

CONSTITUCTED INVERTS MUST BE VEHIFIED PRIOR TO POURING TINGS.

7		
6		
5		
4		
3		
2		
1	JULY 2, 2020	ISSUED FOR BUILDING PERMIT

WORK DESCRIPTION:



64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the

QUALIFICATION INFORMATION Required unless design is seven to upon system c, Subsection 3.2.5 of the outlook of the Walter Botter 21031

SIGNATURE NAME

REGISTRATION INFORMATION
Required unless design is exempt under Division C, Subsection
3.2.4 of the building code

jardin design group inc. FIRM NAME

SECTION ELEV.-2

LAMPONE INVESTMENTS INC. CITY OF MARKHAM



3/16"=1'-0" 20-03





### ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.