STRIP FOOTINGS FOR SINGLES AND SEMIS UP TO 2 STOREY

120 KPa NATIVE SOIL

100 KPa NATIVE SOIL

20"x6" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS.

22"x8" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS.

28"x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS

28"x10" CONCRETE STRIP FOOTINGS BELOW PAR

24"x8" CONCRETE STRIP FOOTINGS BELOW PARTY WALLS.

90 KPa ENGINEERED FILL SOIL

24"x8" CONCRETE STRIP FOOTINGS WIT RCING BELOW FOUNDATION WALLS. 30"x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS.

BEDROOM

FLOOR JOISTS

GARAGE

EXT. PLYWOOD SHEATHING.

DETAIL

GENERAL NOTE

ASSLIMED 120/100 KPa NATIVE SOIL BEARING CAPACITY OR 90 KPa FOR ENGINEERED FILL, TO BE VERIFIED ON SITE. REFER TO ENGINEERED FILL FOOTING DETAIL FOR REINFORCEMENT.

(REFER TO ENG. FILL FOOTING DETAIL)

Certified Model reviewed and approved based on footing design for 120 kPa native soil. Where site conditions differ, a lot-specific revision application is equired to be submitted and approved prior to pouring of footings

CONV. FRAMING

2"x4" SPF

VERHANG

CANOPY DETAIL AT GARAGE REV.

2-2"x6" STUD WALL NAILED TOGETHER AND SPACED @12" O.C.

FULL HT C/W SOLID BLOCKING 4'-0" O.C. VERTICAL AND 7/16"

12" | 12"

MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0"

MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 18'-0" AND

TWO STOREY HEIGHT WALL

16" O.C.

RAFTERS & CEILING JOISTS

KNEE BRACKET

(WHERE REQUIRED)

AREA CALCULATIONS EL-1A

= 1087 Sq. Ft

= 100.99 Sq. m.

870 Sq. Ft

0 Sq. Ft

= 1063 Sq. Ft.

= 1933 Sq. Ft.

= 1159 Sq. Ft.

 $= 107.67 \, \text{Sq. m.}$

= 1082 Sa. Ft.

= 100.52 Sa. m.

100.99 Sa. m

| | SECOND FLOOR AREA | = | 1060 | Sq. F |
|---|--|---|--------|----------------|
| | TOTAL FLOOR AREA | = | 1935 | Sq. F |
| 3 | ADD OPEN AREAS ADD FIN. BASEMENT AREA | = | | Sq. F Sq. F |
| • | GROSS FLOOR AREA | = | 1953 | Sq. F |
| | GROUND FLOOR COVERAGE | = | 875 | Sq. F |
| | GARAGE COVERAGE / AREA | = | 212 | Sq. F |
| | PORCH COVERAGE / AREA | = | 66 | Sq. F |
| | COVERAGE W/ PORCH | = | 1153 | Sq. F |
| | | = | 107.12 | Sq. m |

COVERAGE W/O PORCH

FIRST FLOOR AREA

ADD OPEN AREAS

SECOND FLOOR AREA

TOTAL FLOOR AREA

COVERAGE W/ PORCH

COVERAGE W/O PORCH

ADD FIN. BASEMENT AREA =

GROSS FLOOR AREA = 1951 sq. ft.

GROUND FLOOR COVERAGE = 870 Sq. Ft.

GARAGE COVERAGE / AREA = 212 Sa. Ft.

PORCH COVERAGE / AREA = 77 Sq. Ft

AREA CALCULATIONS EL-1B

| FIRST FLOOR AREA | = | 875 Sq. Ft. |
|--|---|-------------------------|
| SECOND FLOOR AREA | = | 1069 Sq. Ft. |
| TOTAL FLOOR AREA | = | 1944 Sq. Ft. |
| ADD OPEN AREAS ADD FIN. BASEMENT AREA | = | 18 Sq. Ft. 0 Sq. Ft. |
| GROSS FLOOR AREA | = | 1962 Sq. Ft. |

GROUND FLOOR COVERAGE = 875 Sq. Ft. GARAGE COVERAGE / AREA = 212 Sq. Ft. PORCH COVERAGE / AREA = 66 Sq. Ft

COVERAGE W/ PORCH = 1153 Sq. Ft = 107.12 Sq. m. COVERAGE W/O PORCH = 1087 Sq. Ft

AREA CALCULATIONS EL-2 (RIGHT) AREA CALCULATIONS EL-2 (LEFT)

| | AILEN ONLOGENITORIO | _ | () |
|---|---------------------------------------|---|-----------------------------|
| | FIRST FLOOR AREA SECOND FLOOR AREA | = | 870 Sq. Ft. 1063 Sq. Ft. |
| _ | SECOND FLOOR AREA | _ | 1003 34.11. |
| | TOTAL FLOOR AREA | = | 1933 Sq. Ft. |
| | ADD OPEN AREAS | = | 18 Sq. Ft. |
| | ADD FIN. BASEMENT AREA | = | 0 Sq. Ft. |
| | GROSS FLOOR AREA | = | 1951 Sq. Ft. |
| | GROUND FLOOR COVERAGE | = | 870 Sq. Ft. |
| | GARAGE COVERAGE / AREA | = | 212 Sq. Ft. |
| | PORCH COVERAGE / AREA | = | 77 Sq. Ft. |
| | COVERAGE W/ PORCH | = | 1159 Sq. Ft. |
| | | = | 107.67 Sq. m. |
| | COVERAGE W/O PORCH | = | 1082 Sq. Ft. |
| | | _ | 100 52 Sa m |

= 100.99 Sq. m.

AREA CALCULATIONS EL-3A

| FIRST FLOOR AREA SECOND FLOOR AREA | = | 875 Sq. Ft. 1074 Sq. Ft. |
|--|-------------|--|
| TOTAL FLOOR AREA | = | 1949 Sq. Ft. |
| ADD OPEN AREAS ADD FIN. BASEMENT AREA | = | 18 Sq. Ft. 0 Sq. Ft. |
| GROSS FLOOR AREA | = | 1967 Sq. Ft. |
| GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA PORCH COVERAGE / AREA | = = = | 875 Sq. Ft. 212 Sq. Ft. 71 Sq. Ft. |
| COVERAGE W/ PORCH | = | 1158 Sq. Ft. 107.58 Sq. m. |
| COVERAGE W/O PORCH | = | 1087 Sq. Ft. |

AREA CALCULATIONS EL-3E

| AIILA GALGGLATI | _ | 10 LL-0D |
|------------------------|---|---------------|
| FIRST FLOOR AREA | = | 875 Sq. Ft. |
| SECOND FLOOR AREA | = | 1060 Sq. Ft. |
| TOTAL FLOOR AREA | = | 1935 Sq. Ft. |
| ADD OPEN AREAS | = | 18 Sq. Ft. |
| ADD FIN. BASEMENT AREA | = | 0 Sq. Ft. |
| GROSS FLOOR AREA | = | 1953 Sq. Ft. |
| GROUND FLOOR COVERAGE | = | 875 Sq. Ft. |
| GARAGE COVERAGE / AREA | = | 212 Sq. Ft. |
| PORCH COVERAGE / AREA | = | 71 Sq. Ft. |
| COVERAGE W/ PORCH | = | 1158 Sq. Ft. |
| | = | 107.58 Sq. m. |
| COVERAGE W/O PORCH | = | 1087 Sq. Ft. |
| | = | 100 99 Sa m |

SEMI LOTS PEYTON 3 ELEVATION 1,2 & 3

O.REG. 332/12

A1 PACKAGE

BUILDING STANDARDS DIVISION

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING

CODE AND THE APPLICABLE ZONING BY-LAW

20.130122.000.00.CM

ALL CONSTRUCTION SHALL COMPLY WITH

THE ONTARIO BUILDING CODE

CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.

NOTE: THE PROPOSED DEVELOPMENT IS SUBJECT TO COMPLIANCE

WITH ALL APPLICABLE PROVISIONS OF THE ZONING BY-LAW AND

ALL OTHER APPLICABLE LAWS INCLUDING THE PROVISIONS OF A

SITE PLAN AND / OR SUBDIVISION AGREEMENT WHICH MAY OR MAY

NOT BE REGISTERED ON TITLE

PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR



FOR STRUCTURE ONLY

NSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

| TOE | N DESIGN GROOP INC. THIS DRAWING I | |
|----------|------------------------------------|---|
| 7 | | |
| 6 | | |
| 5 | | |
| <u> </u> | JAN. 27, 2020 | REV. AS PER CITY COMMENT REISSUED FOR PERMIT |
| 3 | JULY 2, 2020 | ISSUED FOR BUILDING PERMIT |
| 2 | JUNE 25, 2020 | ISSUED FOR PRE-COORDINATION |

JUNE 4, 2020 ISSUED FOR BROCHURE

DATE,

DESIGN GROUP INC

WORK DESCRIPTION:

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets th ents set out in the Ontario Building Code to b a designer

OUALIFICATION INFORMATION

3.2.5 of the bulling cale

Walter Botter Signature BCIN REGISTRATION INFORMATION

Required unless design is exempt under Divis 3.2.4 of the building code jardin design group inc. 27763

FIRM NAME

LAMPONE INVESTMENTS INC. CITY OF MARKHAM



3/16"=1'-0" 20-03

PAD FOOTING

120 KPa NATIVE SOIL = 1 = 42"x42"x18" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F3 = 30"x30"x12" CONCRETE PAD

90 KPa ENGINEERED FILL SOIL F1 = 48"x48"x20" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PADF3 = 34"x34"x44" CONCRETE PAD F4 = 24"x24"x12" CONCRETE PAD F4 = 28 x 28 x 12 CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD

100 KPa NATIVE SOIL F1 = 48 × 46 × 20 ° CONCRETE PAD F2 = 38"x38"x16" CONCRETE PAD F3 = 32"x32"x14" CONCRETE PAD $F4 = 26 \times 26 \times 12$ CONCRETE PAD

(REFER TO ELOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART'

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT

BRICK VENEER LINTELS:

 $WL1 = 3 1 \cdot 2^{n} \times 3 1 \cdot 2^{n} \times 1 \cdot 4^{n} (90 \times 90 \times 6) + 2 \cdot 2^{n} \times 8^{n} SPR$ $WI 6 = 5'' \times 3.1 \times 5 \times 16'' (125 \times 90 \times 8) + 2 - 2'' \times 12'' SPR$ $WL7 = 5'' \times 3 \times 12'' \times 5 \times 16'' \times 125 \times 90 \times 8) + 3 - 2'' \times 10'' \text{ SPR}.$ $WL2 = 4'' \times 3 \frac{1}{2}'' \times 5\frac{16''}{100x90x8} + 2 - 2'' \times 8'' SPR.$ WL3 = 5" x 3 1\2" x 5\16" (125x90x8) + 2-2" x 10" SPR $WL8 = 5" \times 3 \ 1\ 2" \times 5\ 16" (125 \times 90 \times 8) + 3 - 2" \times 12" SPR.$ WL9 = $6'' \times 4'' \times 3 \times (150 \times 100 \times 10) + 3 - 2'' \times 12'' \text{ SPR}$.

 $WL4 = 6" \times 3 \ 1\ 2" \times 3\ 8" \ (150 \times 90 \times 10) + 2 - 2" \times 12" \ SPR.$ $WL5 = 6" \times 4" \times 3\8" (150\times100\times10) + 2-2" \times 12" SPR.$

WOOD LINTELS:

WB-1 = 2- 2" x 8" SPRUCE BEAM WB2 = 3-2" x 8" SPRLICE BEAM WB3 = 2-2" x 10" SPRUCE BEAM WB4 = 3- 2" x 10" SPRUCE BEAM

WB6 = 3-2" x 12" SPRUCE BEAM WB7 = 5-2" x 12" SPRUCE BEAM WB-10 = 4- 2" x 8" SPRUCE BEAM

WB5 = 2-2" x 12" SPRUCE BEAM **STEEL LINTELS:**

 $L1 = 3.1\2 \times 3.1\2 \times 1\4'' (90 \times 90 \times 6)$ $L4 = 6'' \times 3.1\2'' \times 3\8'' (150 \times 90 \times 10)$ $L2 = 4" \times 3 \times 1/2" \times 5/16" (100 \times 90 \times 8)$ $L5 = 6" \times 4" \times 3/8" (150 \times 100 \times 10)$ L3 = 5" x 3 1\2" x 5\16" (125 x 90 x 8) L6 = 7" x 4" x 3\8" (180 x 100 x 10)

LAMINATED VENEER LUMBER (LVL BEAMS)

LVL1 = 2-1 3/4" x 7 1/4" (2-45x184) LVL2 = 3-1 3/4" x 7 1/4" (3-45x184)


LVL3 = $4-1 \frac{3}{4} \times 7 \frac{1}{4} (4-45 \times 184)$ $LVL4A = 1-1.3/4" \times 9.1/2" (1-45x240)$ $LVL4 = 2-13/4" \times 91/2" (2-45x240)$

 $LVL5 = 3-13/4" \times 91/2" (3-45x240)$ LVL5A = 4-1 3/4" x 9 1/2" (4-45x240) LVL6A= 1-1 3/4" x 11 7/8" (1-45x300

LVL6 = 2-1.3/4" x 11.7/8" (2-45x300) LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) LVL8 = 2-1.3/4" x 14" (2-45x356)

LVL9 = 3-1 3/4" x 14" (3-45x356)

2 - 1 1/2" x 5 1/2" TIMBERSTRAND (LSL) 1 5F STLID WALL GLUED AND NAILED TOGETHER AND SPACED MAX. @10"O.C. FULL HT C/W SOLID BLOCKING MAX. 8'-0"O.C. VERTICAL AND 7/16" EXT OSB SHEATHING.



MAXIMI IM HEIGHT OF WALL FOR THIS DETAIL IS 20'-2" AND MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0

TWO STOREY HEIGHT WALL DETAIL

Door Schedule

| | | HEI | GHT | HEIGH | Т | | |
|-----|--------|----------------|------------------|----------------|---------------|-------------------------|--|
| NO. | WIDTH | 8' TC |) 9 ['] | 10' OR | MORE | TYPE | |
| | | CEILINGS | | CEILINGS | | | |
| 1 | 2'-10" | 6'-8" | (865x2033) | 8'-0" | (865x2439) | INSULATED ENTRANCE DOOR | |
| 1a | 2'-8" | 6'-8" | (815x2033) | 8'-0" | (815x2439) | INSULATED FRONT DOORS | |
| 2 | 2'-8" | 6'-8" | (815x2033) | 8'-0" | (815x2439) | WOOD & GLASS DOOR | |
| 3 | 2'-8" | 6'-8 x 1-3/4" | (815x2033x45) | 8'-0" x 1-3/4" | (815x2439x45) | EXTERIOR SLAB DOOR | |
| 4 | 2'-8" | 6'-8" x 1-3/8" | (815x2033x35) | 8'-0" x 1-3/8" | (815x2439x35) | INTERIOR SLAB DOOR | |
| 5 | 2'-6" | 6'-8" x 1-3/8" | (760x2033x35) | 8'-0" x 1-3/8" | (760x2439x35) | INTERIOR SLAB DOOR | |
| 6 | 2'-2" | 6'-8" x 1-3/8" | (660x2033x35) | 8'-0" x 1-3/8" | (660x2439x35) | INTERIOR SLAB DOOR | |
| 7 | 1'-6" | 6'-8" x 1-3/8" | (460x2033x35) | 8'-0" x 1-3/8" | (460x2439x35) | INTERIOR SLAB DOOR | |
| 8 | 3'-0" | 6'-8" x 1-3/8" | (915x2033x35) | 8'-0" x 1-3/8" | (915x2439x35) | INTERIOR SLAB DOOR | |

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER.

NOTE:

SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7

NOTE:


THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED LOOR TRUSS LAYOUT BY MANUFACTURER

NOTE:

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of MARKHAM.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/2

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING
CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



LEGEND:

BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D) INDICATES SOLID BEARING REQUIRE

OR POINT LOAD FROM ABOVE STL. PLATE FOR STEEL COL'N ABOVE

LVL LAMINATED VENEER LUMBER S.J. SINGLE JOIST

D.J. DOUBLE JOIST TRIPLE JOIST

© REPEAT NOTE O SHOWER WEEPERS

NOTE:

REFER TO SHEET NO. 0 - FOR LINTEL, BEAMS AND DOOR SIZE

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER

NOTE:

SPACE CONVENTIONAL FLOOR JOISTS @ 12" D.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7'

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER.

NOTE:

WHEN VENEER CUT IS **GREATER THAN 26" A 10"** POURED CONC. FOUNDATION WALL IS **REQUIRED. (FOUNDATION** PLAN TO BE REVIEWED IN **CONJUNCTION WITH SITE** PLAN)

1953/1962 **SEMI LOTS PEYTON 3**

ELEVATION 1A & 1B

A1 PACKAGE

O.REG. 332/12

STRUDET INC.



FOR STRUCTURE ONLY

| | e con teen. | |
|-----|---------------|-----------------------------------|
| 7 | | |
| 6 | | |
| 5 | | |
| 4 | | |
| 3 | JULY 2, 2020 | ISSUED FOR BUILDING PERMIT |
| 2 | JUNE 25, 2020 | ISSUED FOR PRE-COORDINATION STAGE |
| 1 | JUNE 4, 2020 | ISSUED FOR BROCHURE |
| No: | DATE: | WORK DESCRIPTION: |
| | a | rdin |

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility

a designer QUALIFICATION INFORMATION Syxenty up synsion C, Subsection in the builty of the 21031 Walter Botter SIGNATURE REGISTRATION INFORMATION equired unless design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc. 27763 IRM NAME

DECK CONDITION EL-1 LAMPONE INVESTMENTS INC. CITY OF MARKHAM

BILD


3/16"=1'-0" 20-03

BUILDING STANDARDS DIVISION



ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



CITY OF WARKHAM
BUILDING STANDARDS DIVISION


BUILDING STANDARDS DIVISION
REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



CITY OF WARKHAM
BUILDING STANDARDS DIVISION


REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/2

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



CITY OF WARKHAM
BUILDING STANDARDS DIVISION


REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.




BUILDING STANDARDS DIVISION



ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.





REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.