STRIP FOOTINGS FOR SINGLES AND SEMIS UP TO 2 STOREY

120 KPa NATIVE SOIL

100 KPa NATIVE SOIL

20"x6" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS.

24"x8" CONCRETE STRIP FOOTINGS BELOW PARTY WALLS.

22"x8" CONCRETE STRIP FOOTINGS BELOW FOUNDATION WALLS.

28"x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS

28"x10" CONCRETE STRIP FOOTINGS BELOW PARTY WALLS

GENERAL NOTE

ASSLIMED 120/100 KPa NATIVE SOIL BEARING CAPACITY OR 90 KPa FOR ENGINEERED FILL, TO BE VERIFIED ON SITE. REFER TO ENGINEERED FILL FOOTING DETAIL FOR REINFORCEMENT.

30"x8" CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS.

(REFER TO ENG. FILL FOOTING DETAIL)

90 KPa ENGINEERED FILL SOIL

24"x8" CONCRETE STRIP FOOTINGS WIT

Certified Model reviewed and approved based on footing design for 120 kPa native soil. Where site conditions differ, a lot-specific revision application is equired to be submitted and approved prior to pouring of footings

AREA CALCULATIONS EL-1A

THOTTLOOTTAILA	_	070 04.11.
SECOND FLOOR AREA	=	1060 Sq. Ft.
TOTAL FLOOR AREA	=	1935 Sq. Ft.
ADD OPEN AREAS ADD FIN. BASEMENT AREA	=	18 Sq. Ft. 0 Sq. Ft.
GROSS FLOOR AREA	=	1953 Sq. Ft.
GROUND FLOOR COVERAGE	=	875 Sq. Ft.
GARAGE COVERAGE / AREA	=	212 Sq. Ft.
PORCH COVERAGE / AREA	=	66 Sq. Ft.
COVERAGE W/ PORCH	=	1153 Sq. Ft.

AREA CALCULATIONS EL-2 (LEFT)

= 1087 Sq. Ft = 100.99 Sq. m.

870 Sq. F

0 Sq. F

= 1063 Sq. Ft.

= 1933 Sq. Ft.

= 1951 Sq. Ft.

= 1159 Sa. Ft

 $= 107.67 \, \text{Sg. m}$

= 1082 Sa. Ft

= 100.52 Sa. m

= 100.99 Sa. m

IDOT EL OOD ADEA

COVERAGE W/O PORCH

FIRST FLOOR AREA

ADD OPEN AREAS

SECOND FLOOR AREA

TOTAL FLOOR AREA

GROSS FLOOR AREA

COVERAGE W/ PORCH

COVERAGE W/O PORCH

ADD FIN. BASEMENT AREA =

AREA CALCULATIONS EL-1B

FIRST FLOOR AREA SECOND FLOOR AREA	=		Sq. Ft. Sq. Ft.
TOTAL FLOOR AREA	=	1944	Sq. Ft.
ADD OPEN AREAS ADD FIN. BASEMENT AREA	=		Sq. Ft. Sq. Ft.
GROSS FLOOR AREA	=	1962	Sq. Ft.
GROUND FLOOR COVERAGE	=	875	Sq. Ft.
GARAGE COVERAGE / AREA	=	212	Sq. Ft.
PORCH COVERAGE / AREA	=	66	Sq. Ft.
COVERAGE W/ PORCH	=	1153	Sq. Ft
	=	107.12	Sq. m.
COVERAGE W/O PORCH	=	1087	Sq. Ft
	=	100.99	Sq. m.

AREA CALCULATIONS EL-2 (RIGHT

GROSS FLOOR AREA = 1951 sq. Ft.

GROUND FLOOR COVERAGE = 870 Sa Ft

GARAGE COVERAGE / AREA = 212 Sq. Ft

PORCH COVERAGE / AREA = 77 Sq. Ft

870 Sq.

0 Sq. Ft

= 1063 Sq. Ft.

= 1933 Sq. Ft.

= 1159 Sq. F

 $= 107.67 \, \text{Sg. m}$

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of MARKHAM.

FIRST FLOOR AREA

ADD OPEN AREAS

SECOND FLOOR AREA

TOTAL FLOOR AREA

ADD FIN. BASEMENT AREA

COVERAGE W/ PORCH

SEMI LOTS PEYTON 3 ELEVATION 1,2 & 3

A1 PACKAGE

O.REG. 332/12

STRUDET INC.

PROFESS

B. MARINKOVIC

101/2021

20.130122.000.00.CM

BUILDING STANDARDS DIVISION

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING

CODE AND THE APPLICABLE ZONING BY-LAW

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.

NOTE: THE PROPOSED DEVELOPMENT IS SUBJECT TO COMPLIANCE WITH ALL APPLICABLE PROVISIONS OF THE ZONING BY-LAW AND ALL OTHER APPLICABLE LAWS INCLUDING THE PROVISIONS OF A SITE PLAN AND / OR SUBDIVISION AGREEMENT WHICH MAY OR MAY NOT BE REGISTERED ON TITLE

PAD FOOTING

90 KPa ENGINEERED FILL SOIL 120 KPa NATIVE SOIL = 1 = 42"x42"x18" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F3 = 30"x30"x12" CONCRETE PAD F4 = 24"x24"x12" CONCRETE PAD

F1 = 48"x48"x20" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PADF3 = 34"x34"x44" CONCRETE PAD F4 = 28 x 28 x 12 CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD

100 KPa NATIVE SOIL F1 = 481x46"x20" CONCRETE PAD F2 = 38"x38"x16" CONCRETE PAD F3 = 32"x32"x14" CONCRETE PAD $F4 = 26 \times 26 \times 12$ CONCRETE PAD

(REFER TO ELOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART'

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT

BRICK VENEER LINTELS:

 $WL1 = 3 1 \cdot 2'' \times 3 1 \cdot 2'' \times 1 \cdot 4'' (90 \times 90 \times 6) + 2 \cdot 2'' \times 8'' SPR$ $WI 6 = 5'' \times 3.1 \times 5 \times 16'' (125 \times 90 \times 8) + 2 - 2'' \times 12'' SPR$ $WL7 = 5'' \times 3 \times 12'' \times 5 \times 16'' \times 125 \times 90 \times 8) + 3 - 2'' \times 10'' \text{ SPR}.$ $WL2 = 4'' \times 3 \frac{1}{2}'' \times 5\frac{16''}{100x90x8} + 2 - 2'' \times 8'' SPR.$ WL3 = 5" x 3 1\2" x 5\16" (125x90x8) + 2-2" x 10" SPR $WL8 = 5" \times 3 \ 1\ 2" \times 5\ 16" (125 \times 90 \times 8) + 3 - 2" \times 12" SPR.$ $WL4 = 6" \times 3 \times 2" \times 3 \times " (150 \times 90 \times 10) + 2 - 2" \times 12" \text{ SPR}.$ WL9 = $6" \times 4" \times 3 \times (150 \times 100 \times 10) + 3 - 2" \times 12" \text{ SPR}$.

 $WL5 = 6" \times 4" \times 3\8" (150\times100\times10) + 2-2" \times 12" SPR.$

WOOD LINTELS:

WB-1 = 2- 2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRLICE BEAM WB7 = 5-2" x 12" SPRUCE BEAM WB3 = 2- 2" x 10" SPRUCE BEAM WB-10 = 4- 2" x 8" SPRUCE BEAM WB4 = 3- 2" x 10" SPRUCE BEAM WB5 = 2-2" x 12" SPRUCE BEAM

STEEL LINTELS:

 $L1 = 3.1\2 \times 3.1\2 \times 1\4'' (90 \times 90 \times 6)$ $L4 = 6'' \times 3.1\2'' \times 3\8'' (150 \times 90 \times 10)$ $L2 = 4" \times 3 \times 1/2" \times 5/16" (100 \times 90 \times 8)$ $L5 = 6" \times 4" \times 3/8" (150 \times 100 \times 10)$ L3 = 5" x 3 1\2" x 5\16" (125 x 90 x 8) L6 = 7" x 4" x 3\8" (180 x 100 x 10)

LAMINATED VENEER LUMBER (LVL BEAMS)

LVL1 = 2-1 3/4" x 7 1/4" (2-45x184) LVL2 = 3-1 3/4" x 7 1/4" (3-45x184) LVL3 = $4-1 \frac{3}{4} \times 7 \frac{1}{4} (4-45 \times 184)$ $LVL4A = 1-1.3/4" \times 9.1/2" (1-45x240)$ $LVL4 = 2-13/4" \times 91/2" (2-45x240)$ $LVL5 = 3-13/4" \times 91/2" (3-45x240)$ LVL5A = 4-1 3/4" x 9 1/2" (4-45x240)


LVL6A= 1-1 3/4" x 11 7/8" (1-45x300 LVL6 = 2-1.3/4" x 11.7/8" (2-45x300) LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) LVL8 = 2-1.3/4" x 14" (2-45x356) LVL9 = 3-1 3/4" x 14" (3-45x356)

CONV. FRAMING **BEDROOM** 2"x4" SPF 16" O.C. FLOOR JOISTS RAFTERS & CEILING JOISTS VERHANG GARAGE KNEE BRACKET (WHERE REQUIRED)

RCING BELOW FOUNDATION WALLS.

CANOPY DETAIL AT GARAGE


2-2"x6" STUD WALL NAILED TOGETHER AND SPACED @12" O.C. FULL HT C/W SOLID BLOCKING 4'-0" O.C. VERTICAL AND 7/16" EXT. PLYWOOD SHEATHING.



MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 18'-0" AND MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0"

TWO STOREY HEIGHT WALL DETAIL

2 - 1 1/2" x 5 1/2" TIMBERSTRAND (LSL) 1 5F STLID WALL GLUED AND NAILED TOGETHER AND SPACED MAX. @10"O.C. FULL HT C/W SOLID BLOCKING MAX. 8'-0"O.C. VERTICAL AND 7/16" EXT OSB SHEATHING.



MAXIMI IM HEIGHT OF WALL FOR THIS DETAIL IS 20'-2" AND MAXIMUM SUPPORTED LENGTH OF TRUSS IS 40'-0

TWO STOREY HEIGHT WALL DETAIL

AREA CALCULATIONS EL-3A

GROUND FLOOR COVERAGE = 870 Sq. Ft.

GARAGE COVERAGE / AREA = 212 Sq. F

PORCH COVERAGE / AREA = 77 Sq. Ft

ı	FIRST FLOOR AREA	=	875 Sq. Ft.
	SECOND FLOOR AREA	=	1074 Sq. Ft.
	TOTAL FLOOR AREA	=	1949 Sq. Ft.
ı	ADD OPEN AREAS	=	18 Sq. Ft.
	ADD FIN. BASEMENT AREA	=	0 Sq. Ft.
	GROSS FLOOR AREA	=	1967 Sq. Ft.
ı	GROUND FLOOR COVERAGE	=	875 Sq. Ft.
ı	GARAGE COVERAGE / AREA	=	212 Sq. Ft.
	PORCH COVERAGE / AREA	=	71 Sq. Ft.
	COVERAGE W/ PORCH	=	1158 Sq. Ft.
		=	107.58 Sq. m.
	COVERAGE W/O PORCH	=	1087 Sq. Ft.

AREA CALCULATIONS EL-3B

FIRST FLOOR AREA	=	875 Sq. Ft.
SECOND FLOOR AREA	=	1060 Sq. Ft.
TOTAL FLOOR AREA	=	1935 Sq. Ft.
ADD OPEN AREAS	=	18 Sq. Ft.
ADD FIN. BASEMENT AREA	=	0 Sq. Ft.
GROSS FLOOR AREA	=	1953 Sq. Ft.
GROUND FLOOR COVERAGE	=	875 Sq. Ft.
GARAGE COVERAGE / AREA	=	212 Sq. Ft.
PORCH COVERAGE / AREA	=	71 Sq. Ft.
COVERAGE W/ PORCH	=	1158 Sq. Ft.
	=	107.58 Sq. m.
COVERAGE W/O PORCH	=	1087 Sq. Ft.
	=	100.99 Sq. m.

FOR STRUCTURE ONLY = 1082 Sa. FCOVERAGE W/O PORCH = 100.52 Sa. m.

NSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

HIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AN

THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS IT TO BE SCALED.				
7				
6				
5				
<u> </u>	JAN. 27, 2020	REV. AS PER CITY COMMENT; REISSUED FOR PERMIT		
3	JULY 2, 2020	ISSUED FOR BUILDING PERMIT		
2	JUNE 25, 2020	ISSUED FOR PRE-COORDINATION STAGE		

JUNE 4, 2020 ISSUED FOR BROCHURE

DATE,

DESIGN GROUP INC

WORK DESCRIPTION:

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets th ents set out in the Ontario Building Code to b

a designer OUALIFICATION INFORMATION

3.2.5 of the but ling cale.

Walter Botter SIGNATORE BCIN REGISTRATION INFORMATION

Required unless design is exempt under Divis 3.2.4 of the building code jardin design group inc. 27763

FIRM NAME

LAMPONE INVESTMENTS INC.



CITY OF MARKHAM					
A .	MODEL:				
	SCALE: 3/16"=1'-0"				
n D°	PROJ. No.	DWG.			
SILD°	20-03	0			

Door Schedule

2001 0011001101						
NO.	WIDTH	HEIGHT 8' TO 9' CEILINGS		HEIGHT 10' OR MORE CEILINGS		TYPE
1	2'-10"	6'-8"	(865×2033)	8'-0"	(865x2439)	INSULATED ENTRANCE DOOR
1a	2'-8"	6'-8"	(815x2033)	8'-0"	(815x2439)	INSULATED FRONT DOORS
2	2'-8"	6'-8"	(815x2033)	8'-0"	(815x2439)	WOOD & GLASS DOOR
3	2'-8"	6'-8 x 1-3/4"	(815x2033x45)	8'-0" x 1-3/4"	(815x2439x45)	EXTERIOR SLAB DOOR
4	2'-8"	6'-8" x 1-3/8"	(815x2033x35)	8'-0" x 1-3/8"	(815x2439x35)	INTERIOR SLAB DOOR
5	2'-6"	6'-8" x 1-3/8"	(760x2033x35)	8'-0" x 1-3/8"	(760x2439x35)	INTERIOR SLAB DOOR
6	2'-2"	6'-8" x 1-3/8"	(660x2033x35)	8'-0" x 1-3/8"	(660x2439x35)	INTERIOR SLAB DOOR
7	1'-6"	6'-8" x 1-3/8"	(460x2033x35)	8'-0" x 1-3/8"	(460x2439x35)	INTERIOR SLAB DOOR
8	3'-0"	6'-8" x 1-3/8"	(915x2033x35)	8'-0" x 1-3/8"	(915x2439x35)	INTERIOR SLAB DOOR

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER.

NOTE:


SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED LOOR TRUSS LAYOUT BY MANUFACTURER

NOTE:

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/21

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/2

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



LEGEND:

- BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D) INDICATES SOLID BEARING REQUIRE
- OR POINT LOAD FROM ABOVE STL. PLATE FOR STEEL COL'N ABOVE LVL LAMINATED VENEER LUMBER
- S.J. SINGLE JOIST D.J. DOUBLE JOIST
- TRIPLE JOIST © REPEAT NOTE

REFER TO SHEET NO. 0 - FOR LINTEL, BEAMS AND DOOR SIZE

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY MANUFACTURER

SPACE CONVENTIONAL FLOOR JOISTS @ 12" D.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7'

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER.

NOTE:

WHEN VENEER CUT IS **GREATER THAN 26" A 10"** POURED CONC. FOUNDATION WALL IS **REQUIRED. (FOUNDATION** PLAN TO BE REVIEWED IN CONJUNCTION WITH SITE

- 1967/1953 **SEMI LOTS PEYTON 3**
 - **ELEVATION 3A & 3B**
 - A1 PACKAGE

O.REG. 332/12

STRUDET INC.



FOR STRUCTURE ONLY

IS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND E PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NO

TO E	BE SCALED.				
7					
6					
5					
4					
3	JULY 2, 2020	ISSUED FOR BUILDING PERMIT			
2	JUNE 25, 2020	ISSUED FOR PRE-COORDINATION STAGE			
1	JUNE 4, 2020	ISSUED FOR BROCHURE			
No:	DATE:	WORK DESCRIPTION:			
	a	rdin			

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-371 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility

a designer QUALIFICATION INFORMATION second under synsion C, Subsection in the cultural of the cult Walter Botter SIGNATURE REGISTRATION INFORMATION equired unless design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc. 27763 IRM NAME DECK CONDITION EL-3

LAMPONE INVESTMENTS INC. CITY OF MARKHAM

3/16"=1'-0"




20-03

BUILDING STANDARDS DIVISION REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



CITY OF WARKHAM
BUILDING STANDARDS DIVISION


REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.






REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.




CITY OF WARKHAM
BUILDING STANDARDS DIVISION
REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING



ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.




BUILDING STANDARDS DIVISION



ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.



CITY OF WARKHAM
BUILDING STANDARDS DIVISION

REVIEWED FOR COMPLIANCE WITH THE ONTARIO BUILDING CODE AND THE APPLICABLE ZONING BY-LAW



Date: 02/19/

ALL CONSTRUCTION SHALL COMPLY WITH THE ONTARIO BUILDING CODE

NO PERSON SHALL CONSTRUCT OR DEMOLISH A BUILDING OR CAUSE A BUILDING TO BE CONSTRUCTED EXCEPT IN ACCORDANCE WITH THESE CERTIFIED BUILDING PERMIT DOCUMENTS, THE BUILDING CODE ACT AND THE BUILDING CODE.