DOOR SHEDULE:

1 = 2'-10" x 6'-8" INSULATED ENTRANCE DOOR 1A = 2'-8" x 6'-8" INSULATED ENTRANCE DOOR

 $2 = 2'-8" \times 6'-8"$ EXTERIOR GLAZED DOOR

 $3 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/4" EXTERIOR

 $4 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $5 = 2'-6'' \times 6'-8''' \text{ SLAB DOOR } (1.3/8''' \text{ INTERIOR})$

 $6 = 2'-2'' \times 6'-8''$ SLAB DOOR (1 3/8" INTERIOR)

 $7 = 1'-6" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $8 = 2'-6'' \times 6'-8'' BI-FOLD (1 3/8'' INTERIOR)$

 $9 = 3'-0" \times 6'-8" BI-FOLD (1 3/8" INTERIOR)$

10= 2- 2'-0" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

11= 2- 2'-6" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

12 = 2'-6" x 6'-8" FRENCH DOOR (1 3/8" INTERIOR)

PAD FOOTING

120 KPa NATIVE SOIL 90 KPa ENGINEERED FILL SOIL

F1 = 42"x42"x18" CONCRETE PAD F1 = 48"x48"x20" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PAD

F3 = 30"x30"x12" CONCRETE PAD F3 = 34"x34"x14" CONCRETE PAD

F4 = 24"x24"x12" CONCRETE PAD F4 = 28"x28"x12" CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAD

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

NOTE:

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT

BRICK VENEER LINTELS:

 $WL1 = 3 \frac{1}{2} \times 3 \frac{1}{2} \times 1 \frac{4}{90 \times 90 \times 6} + 2 - 2 \times 8 \text{ SPR}.$ WL2 = 4" x 3 1\2" x 5\16" (100x90x8) + 2- 2" x 8" SPR.

 $WL3 = 5'' \times 3 \times 12'' \times 5 \times 16'' \times 125 \times 90 \times 8) + 2 - 2'' \times 10'' \text{ SPR}.$ $WL4 = 6" \times 3 \times 1 \times 2" \times 3 \times 8" (150 \times 90 \times 10) + 2 - 2" \times 12" SPR.$ $WL5 = 6" \times 4" \times 3\8" (150\times100\times10) + 2-2" \times 12" SPR.$

 $WL6 = 5" \times 3 \times 1/2" \times 5/16" (125 \times 90 \times 8) + 2 - 2" \times 12" SPR.$ $WL7 = 5" \times 3 \times 12" \times 5 \times 16" (125 \times 90 \times 8) + 3 - 2" \times 10" SPR$ WL8 = $5'' \times 3 \times 1/2'' \times 5/16'' (125 \times 90 \times 8) + 3 - 2'' \times 12'' SPR$ $WL9 = 6" \times 4" \times 3\8" (150\times100\times10) + 3-2" \times 12" SPR.$

WOOD LINTELS:

WB1 = 2-2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRUCE BEAM WB7 = 5- 2" x 12" SPRUCE BEAM WB3 = 2- 2" x 10" SPRUCE BEAM WB10 = 4- 2" x 8" SPRUCE BEAM WB4 = 3- 2" x 10" SPRUCE BEAM WB11 = 4- 2" x 10" SPRUCE BEAM

WB5 = 2-2" x 12" SPRUCE BEAM

STEEL LINTELS:

 $L1 = 3 \frac{1}{2} \times 3 \frac{1}{4} (90 \times 90 \times 6)$ $L4 = 6'' \times 3 \frac{1}{2}'' \times 3 \%'' (150 \times 90 \times 10)$ L2 = 4" x 3 1\2" x 5\16" (100 x 90 x 8) L5 = 6" x 4" x 3\8" (150 x 100 x 10) L3 = 5" x 3 1\2" x 5\16" (125 x 90 x 8) L6 = 7" x 4" x 3\8" (180 x 100 x 10)

LAMINATED VENEER LUMBER (LVL BEAMS)

 $LVL1A = 1-13/4" \times 71/4" (1-45x184)$ $LVL1 = 2-1 3/4" \times 7 1/4" (2-45\times184)$ $LVL2 = 3-1 3/4" \times 7 1/4" (3-45 \times 184)$ LVL3 = 4-13/4" x 7 1/4" (4-45x184) $LVL4A = 1-1 3/4" \times 9 1/2" (1-45x240)$

 $LVL4 = 2-1 3/4" \times 9 1/2" (2-45x240)$ LVL5 = 3-13/4" x 9 1/2" (3-45x240) $LVL5A = 4-1 3/4" \times 9 1/2" (4-45x240)$

LVL6A= 1-1 3/4" x 11 7/8" (1-45x300) IVI6 = 2-1.3/4" x 11.7/8" (2-45x300) LVL7 = 3-13/4" x 11 7/8" (3-45x300)

LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) $LVL8 = 2-1 3/4" \times 14" (2-45x356)$ $LVL9 = 3-1 3/4" \times 14" (3-45 \times 356)$


DRAWINGS AND SPECIFICATIONS TO BUILDING


SHALL CONFORM TO THE REQUIREMENTS OF 9.23.9.2.(3), (4) & (5)

SOILS, SEE FIELD INSPECTOR

BEFORE FINAL INSPECTION SIGN-OFF

ENERGY PERFORMANCE LABELS FOR ALL GLAZING PRODUCTS IDENTIFYING THE CERTIFIED VALUES SHALL REMAIN ON FOR REVIEW DURING CONSTRUCTION





INVERTED STEEL ANGLE DETAIL

Scale: 3/4" = 1'-0"

WILLOW 2 ELEV1		ENERGY EFFICIENCY- SB12	
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	404.59	55.03	13.60 %
LEFT SIDE	1166.68	0.00	0.00 %
RIGHT SIDE	1166.68	21.00	1.80 %
REAR	379.06	102.16	26.95 %
TOTAL	3117.01	178.19	5.72 %
WILLOW 2 ELEV2		ENER	GY EFFICIENCY- SB12
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	394.76	61.67	15.62 %
LEFT SIDE	1159.74	0.00	0.00 %
RIGHT SIDE	1159.74	21.00	1.81 %
REAR	379.06	102.16	26.95 %
TOTAL	3093.30	184.83	5.98 %
WILLOW 2 ELEV3 ENE			GY EFFICIENCY- SB12
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	394.76	55.03	13.94 %
LEFT SIDE	1160.64	0.00	0.00 %
RIGHT SIDE	1160.64	21.00	1.81 %
REAR	379.06	102.16	26.95 %
TOTAL	3095.10	178.19	5.76 %

09 9 2 5 Units 2 S $\overline{}$ Block

= 1795 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sa. Ft. ADD FIN. BASEMENT AREA = 0 Sq. Ft. = 1795 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 733 Sq. Ft. GARAGE COVERAGE / AREA = 360 Sq. Ft. PORCH COVERAGE / AREA = 62 Sq. Ft. COVERAGE W/ PORCH = 1093 Sq. Ft. $= 101.54 \,\mathrm{Sg.\,m.}$ = 1155 Sq. Ft. COVERAGE W/O PORCH = 107.30 Sq. m.

AREA CALCULATIONS EL-1

733 Sq. Ft.

= 1062 Sq. Ft.

FIRST FLOOR AREA

SECOND FLOOR AREA

AREA CALCULATIONS EL-2

FIRST FLOOR AREA 733 Sq. Ft. SECOND FLOOR AREA = 1062 Sq. Ft. = 1795 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. 1795 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 733 Sq. Ft. GARAGE COVERAGE / AREA = 360 Sq. Ft. PORCH COVERAGE / AREA = 62 Sq. Ft. COVERAGE W/ PORCH = 1093 Sq. Ft = 101.54 Sq. m. = 1155 Sq. Ft COVERAGE W/O PORCH = 107.30 Sq. m

AREA CALCULATIONS EL-3

FIRST FLOOR AREA 733 Sq. Ft. SECOND FLOOR AREA = 1062 Sq. Ft. = 1795 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. GROSS FLOOR AREA 1795 Sg. Ft. GROUND FLOOR COVERAGE = 733 Sq. Ft. GARAGE COVERAGE / AREA = 360 Sq. Ft. PORCH COVERAGE / AREA = 62 Sq. Ft. = 1093 Sq. Ft. COVERAGE W/ PORCH = 101.54 Sq. m. COVERAGE W/O PORCH = 1155 Sq. Ft $= 107.30 \, \text{Sg. m.}$

NOT THI RANTING OF A PERMIT NOR REVIEWING OF SPE HESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPRO**&EDRAW** GS NOR INSPECTIONS MADE DURING INSTALLAT

ICIAL HAVING JURISDICTION SHALL RELIEVE TH BY THE M REQUIREMENTS OF THE ONTARIO BUILDING NY OTHER REFERENCED REQUIREMENTS.

LEGEND:

BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D)

INDICATES SOLID BEARING REQUIRED OR POINT LOAD FROM ABOVE

STL. PLATE FOR STEEL COL'N ABOVE LVL LAMINATED VENEER LUMBER

S.J. SINGLE JOIST D.J. DOUBLE JOIST

TRIPLE JOIST 0 REPEAT NOTE

0 SHOWER WEEPERS

t is the builder's complete responsibility t ensure that all plans submitted for approva fully comply with the Architectural Guideline nd all applicable regulations and requiremen including zoning provisions and any provision in the subdivision agreement. The Contro Architect is not responsible in any way fo examining or approving site (lotting) plans o working drawings with respect to any zoning o building code or permit matter or that any house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

CITY OF CAMBRIDGE BUILDING DIVISION

WILLOW 2 (GR) **|ELEVATION 1, 2 & 3| A1 PACKAGE** O.REG. 332/12

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION Y DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU NC. PRIOR TO COMMENCEMENT OF WORK. IADDIN DESIGN ODDI ID INC. IS NOT DESDONSIDI E COD THE ACCUIDA

1795

6.10m LOTS

SUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

IARDIN DESIGN GROUP INC. HAS NOT BEEN BETAINED TO CARRY OF ARDIN DESIGN GHOUP INC. HAS NOT BEEN HETAINED TO CARRY OF ENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY OR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO ARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

OCHMENTS. THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND I HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

6		
5		
4	AUG. 31, 2022	ISSUED BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED WITH FLOOR, ROC & ENGINEER'S COMMENTS
2	JUNE 20, 2022	PREPARED TO PRE-COORDINATIC STAGE & ISSUED TO CLIENT
1	MAR. 28, 2022	ISSUED TO CLIENT FOR BROCHU

DATE: WORK DESCRIPTION:

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be

a designer **QUALIFICATION INFORMATION** Required unless design is exempt under Division C, Subsectio

3.2.5 of

Walter Botter NAME REGISTRATION INFORMATION

Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc.

FIRM NAME

TITLE SHEET

BARLASSINA CONSTRUCTION

CITY OF CAMBRIDGE



WILLOW 2 SCALE

27763

3/16"=1'-0" ROJ. No. 21-35

FOR STRUCTURE ONLY

STRUDET INC.

B. MARINKOVIC

ept 15,2022

DRAWING NAME

NOTE: SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7

NOTE:


ROOF TRUSS DRAWINGS BY MANUFACTURER


NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER

NOTE:


PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.






1795 NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION **6.10m LOTS** BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS. WILLOW 2 (GR) **ELEVATION 3 A1 PACKAGE** 55'-0" O.REG. 332/12 51'-4" - FIRE WALL FOR MODEL - REINFORCED STUDS WITH BLOCKING FOR TH-39 & TH-40 ONLY WOOD FRAME PARTY WALL FUTURE GRAB BARS ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION FOR MODEL TH-57 & TH-58 (SEE TYP. DETAIL) DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU IC. PRIOR TO COMMENCEMENT OF WORK. JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE 11'-0" 7'-4" W-> NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. **ENSUITE** AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING 4,-0, JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT NATURAL LIGHTING OK 11'-2" LAUNDRY 10'-6" BEDROOM 2 WALK-IN CLOSET THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND I HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT BE SCALED. 12'-4" 2'-10" اکَ "0−3 NATURAL LIGHTING OK AUG. 31, 2022 ISSUED BUILDING PERMIT 11'-2" COORDINATED WITH FLOOR, ROO MASTER AUG. 29, 2022 & ENGINEER'S COMMENTS 6,-0, BEDROOM 3 ^m PREPARED TO PRE-COORDINATION **BEDROOM** JUNE 20, 2022 RAILING @ 24" oc MAX ENGINEERED APPROVED STAGE & ISSUED TO CLIENT MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE ROOF TRUSSES BY MANUF NATURAL LIGHTING OK COD SM DATE: WORK DESCRIPTION: **MEDIA** - ENG. APPR. ROOF HALLWAY 19'-6" 17'-0" 13'-8" 3'-3" TRUSSES BY MANUF 1 WINDOW SHALL PROVIDE AN UNOBSTRUCTED ARE OF 3.8SF w/ NO DIMENSION LESS THAN 15". WINDOW WOOD FRAME PARTY WALL - LINE OF BRICK ABOVE 64 JARDIN DR. SUITE 3A SILL TO BE MAX 39-3/8" ABOVE FINISHED FLOOR. , 2'-0" VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 55'-0" EMAIL: info@jardindesian.ca The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the WILLOW 2 requirements set out in the Ontario Building Code to be a designer **SECOND FLOOR PLAN EL-3 QUALIFICATION INFORMATION** Required unless design is exempt under Division C, Subsectio t is the builder's complete responsibility t In sime builder's completed responsioning of ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (Intition) plans or Walter Botter NAME REGISTRATION INFORMATION STRUDET INC. 3.2.4 of the building code examining or approving site (lotting) plans o **LEGEND**: working drawings with respect to any zoning o building code or permit matter or that any house can be properly built or located on its lo jardin design group inc. FIRM NAME BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D) SEC. FLOOR PLAN EL-3 This is to certify that these plans comply INDICATES SOLID BEARING REQUIRED with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE OR POINT LOAD FROM ABOVE B. MARINKOVI BARLASSINA CONSTRUCTION 202 STL. PLATE FOR STEEL COL'N ABOVE CITY OF CAMBRIDGE ept 15,20 LVL LAMINATED VENEER LUMBER JOHN G. WILLIAMS LTD., ARCHITECT HITECTURAL CONTROL REVIEW S.J. SINGLE JOIST WILLOW 2 DOUBLE JOIST D.J. NOTE: APPROVED BY: 3/16"=1'-0" TRIPLE JOIST DATE: OCT 11, 2022 FOR STRUCTURE ONLY THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED 90 REPEAT NOTE ROJ. No. **BILD** 21-35 3B ROOF TRUSS DRAWINGS BY MANUFACTURER Design Guidelines only and bears no further 0 SHOWER WEEPERS

DRAWING NAME





PARTIAL FRONT ELEVATION 3 MODEL TH-57

> It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (Idition) plans or examining or approving site (lotting) plans of working drawings with respect to any zoning of building code or permit matter or that anhouse can be properly built or located on its lo

This is to certify that these plans compl with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

APPROVED BY: DATE: OCT 11, 2022 This stamp certifies compliance with the applicable Design Guidelines only and bears no further

IOHN G. WILLIAMS LTD., ARCHITECT

BILD

6.10m LOTS WILLOW 2 (GR)

1795

ELEVATION 3

A1 PACKAGE

O.REG. 332/12

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. Y DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU NC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA-ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND I HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NO DIBE SCALED.

7		
6		
5		
4	AUG. 31, 2022	ISSUED BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED WITH FLOOR, ROO & ENGINEER'S COMMENTS
2	JUNE 20, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT

WORK DESCRIPTION: DATE:

MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE



64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION INFORMATION

Walter Bottei NAME

REGISTRATION INFORMATION 3.2.4 of the building code

iardin design group inc.

IRM NAME


FRONT ELEVATION 3


BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE

WILLOW 2

3/16"=1'-0" ROJ. No. 21-35

NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.





PARTIAL REAR ELEVATION 3 MODEL TH-57

NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS

BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING

CODE AND ANY OTHER REFERENCED REQUIREMENTS.

& DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION

WILLOW 2 ELEV3 (OPT. 30"x24" WINDOW)		ENERGY EFFICIENCY- SB12	
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	394.76	55.03	13.94 %
LEFT SIDE	1160.64	0.00	0.00 %
RIGHT SIDE	1160.64	21.00	1.81 %
REAR	379.06	103.86	27.40 %
TOTAL	3095.10	179.89	5.81 %

It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirement including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (Idition) plans or examining or approving site (lotting) plans o working drawings with respect to any zoning o building code or permit matter or that any house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of CAMBRIDGE

JOHN G. WILLIAMS LTD., ARCHITECT his stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility

1795 **6.10m LOTS**

WILLOW 2 (GR) **ELEVATION 3**

A1 PACKAGE

O.REG. 332/12

CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. NY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUI INC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA-JARDIN DESIGN GROUP INC. IS NOT HESPONSIBLE FOR THE ACCUR-OF SURVEY, STRUCTURAL OR ROIS REERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND IS THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N TO BE SCALED.

AUG. 31, 2022 ISSUED BUILDING PERMIT COORDINATED WITH FLOOR, ROOF AUG. 29, 2022 & ENGINEER'S COMMENTS PREPARED TO PRE-COORDINATION JUNE 20, 2022

> MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE WORK DESCRIPTION: DATE:

STAGE & ISSUED TO CLIENT



64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer QUALIFICATION INFORMATION



REGISTRATION INFORMATION 3.2.4 of the building code

iardin design group inc.

IRM NAME

REAR ELEVATION 3

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



WILLOW 2 3/16"=1'-0" ROJ. No. 21-35

