DOOR SHEDULE:

1 = 2'-10" x 6'-8" INSULATED ENTRANCE DOOR 1A = 2'-8" x 6'-8" INSULATED ENTRANCE DOOR

 $2 = 2'-8" \times 6'-8"$ EXTERIOR GLAZED DOOR

 $3 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/4" EXTERIOR

 $4 = 2'-8" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $5 = 2'-6'' \times 6'-8''' \text{ SLAB DOOR } (1.3/8''' \text{ INTERIOR})$

 $6 = 2'-2'' \times 6'-8''$ SLAB DOOR (1 3/8" INTERIOR)

 $7 = 1'-6" \times 6'-8"$ SLAB DOOR (1 3/8" INTERIOR)

 $8 = 2'-6" \times 6'-8" BI-FOLD (1 3/8" INTERIOR)$

 $9 = 3'-0" \times 6'-8"$ BI-FOLD (1 3/8" INTERIOR)

10= 2- 2'-0" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

11= 2- 2'-6" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

12 = 2'-6" x 6'-8" FRENCH DOOR (1 3/8" INTERIOR)

PAD FOOTING

120 KPa NATIVE SOIL 90 KPa ENGINEERED FILL SOIL

F1 = 42"x42"x18" CONCRETE PAD F1 = 48"x48"x20" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PAD

F3 = 30"x30"x12" CONCRETE PAD F3 = 34"x34"x14" CONCRETE PAD

F4 = 24"x24"x12" CONCRETE PAD F4 = 28"x28"x12" CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAD

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

NOTE:

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT.

BRICK VENEER LINTELS:

 $WL1 = 3 \frac{1}{2} \times 3 \frac{1}{2} \times 1 \frac{4}{90 \times 90 \times 6} + 2 - 2 \times 8 \text{ SPR}.$ WL2 = 4" x 3 1\2" x 5\16" (100x90x8) + 2- 2" x 8" SPR.

 $WL3 = 5" \times 3 \times 12" \times 5 \times 16" (125 \times 90 \times 8) + 2 - 2" \times 10" SPR.$ $WL4 = 6" \times 3 \times 1 \times 2" \times 3 \times 8" (150 \times 90 \times 10) + 2 - 2" \times 12" SPR.$ $WL5 = 6" \times 4" \times 3\8" (150\times100\times10) + 2-2" \times 12" SPR.$

 $WL6 = 5" \times 3 \times 1/2" \times 5/16" (125 \times 90 \times 8) + 2 - 2" \times 12" SPR.$ $WL7 = 5" \times 3 \times 12" \times 5 \times 16" (125 \times 90 \times 8) + 3 - 2" \times 10" SPR$ WL8 = $5'' \times 3 \times 1/2'' \times 5/16'' (125 \times 90 \times 8) + 3 - 2'' \times 12'' SPR$ $WL9 = 6" \times 4" \times 3\8" (150\times100\times10) + 3-2" \times 12" SPR.$

WOOD LINTELS:

WB1 = 2-2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WB2 = 3-2" x 8" SPRUCE BEAM WB7 = 5- 2" x 12" SPRUCE BEAM WB3 = 2- 2" x 10" SPRUCE BEAM WB10 = 4- 2" x 8" SPRUCE BEAM WB4 = 3- 2" x 10" SPRUCE BEAM WB11 = 4- 2" x 10" SPRUCE BEAM

WB5 = 2-2" x 12" SPRUCE BEAM

STEEL LINTELS:

 $L1 = 3 \frac{1}{2} \times 3 \frac{1}{4} (90 \times 90 \times 6)$ $L4 = 6'' \times 3 \frac{1}{2}'' \times 3 \%'' (150 \times 90 \times 10)$ L2 = 4" x 3 1\2" x 5\16" (100 x 90 x 8) L5 = 6" x 4" x 3\8" (150 x 100 x 10) L3 = 5" x 3 1\2" x 5\16" (125 x 90 x 8) L6 = 7" x 4" x 3\8" (180 x 100 x 10)

LAMINATED VENEER LUMBER (LVL BEAMS)

LVL1A = 1-1 3/4" x 7 1/4" (1-45x184) $LVL1 = 2-1 3/4" \times 7 1/4" (2-45\times184)$ $LVL2 = 3-1 3/4" \times 7 1/4" (3-45 \times 184)$ LVL3 = 4-13/4" x 7 1/4" (4-45x184)

 $LVL4A = 1-1 3/4" \times 9 1/2" (1-45x240)$ $LVL4 = 2-1 3/4" \times 9 1/2" (2-45x240)$ LVL5 = 3-13/4" x 9 1/2" (3-45x240)

 $LVL5A = 4-1 3/4" \times 9 1/2" (4-45x240)$ LVL6A= 1-1 3/4" x 11 7/8" (1-45x300) IVI6 = 2-1.3/4" x 11.7/8" (2-45x300)

LVL7 = 3-13/4" x 11 7/8" (3-45x300) LVL7A= 4-1 3/4" x 11 7/8" (4-45x300)


 $LVL8 = 2-1 3/4" \times 14" (2-45x356)$ $LVL9 = 3-1 3/4" \times 14" (3-45 \times 356)$ DRAWINGS AND SPECIFICATIONS TO BUILDING INSPECTOR AT FRAMING INSPECTION


NSTALLATION OF FLUSH STEEL REAMS HALL CONFORM TO THE REQUIREMENTS OF 9.23.9.2.(3), (4) & (5)

eng soils report <u>may</u> be req'd t CONFIRM BEARING CAPACITY OF

FINAL GRADING CERTIFICATE REQ'D BEFORE FINAL INSPECTION SIGN-OFF

ENERGY PERFORMANCE LABELS FOR AL GLAZING PRODUCTS IDENTIFYING THE FOR REVIEW DURING CONSTRUCTION





INVERTED STEEL ANGLE DETAIL

Scale: 3/4" = 1'-0"

WILLOW 1 ELEV1		ENERGY EFFICIENCY- SB12	
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	404.71	76.52	18.91 %
LEFT SIDE	1096.26	0.00	0.00 %
RIGHT SIDE	1096.26	0.00	0.00 %
REAR	379.06	82.74	21.83 %
TOTAL	2976.29	159.26	5.35 %
WILLOW 1 ELEV2	2	ENER	GY EFFICIENCY- SB12
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	394.90	83.17	21.06 %
LEFT SIDE	1088.76	0.00	0.00 %
RIGHT SIDE	1088.76	0.00	0.00 %
REAR	379.06	82.74	21.83 %
TOTAL	2951.48	165.91	5.62 %
WILLOW 1 ELEV	3	ENER	GY EFFICIENCY- SB12
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE
FRONT	394.90	76.52	19.38 %
LEFT SIDE	1089.66	0.00	0.00 %
RIGHT SIDE	1089.66	0.00	0.00 %
REAR	379.06	82.74	21.83 %
TOTAL	2953.28	159.26	5.39 %

\mathcal{C} 4 9 $\hat{\sigma}$ Units \sim S $\overline{}$ 양

 $\overline{\mathbf{m}}$

FIRST FLOOR AREA 706 Sa. Ft SECOND FLOOR AREA = 990 Sq. Ft. 1696 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sa. Ft. ADD FIN. BASEMENT AREA = 0 Sq. Ft. 1696 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 706 Sq. Ft.

AREA CALCULATIONS EL-1

= 71 Sq. Ft. PORCH COVERAGE / AREA COVERAGE W/ PORCH = 1049 Sq. Ft. $= 97.46 \,\mathrm{Sg} \,\mathrm{m}$ = 1120 Sq. Ft. COVERAGE W/O PORCH

AREA CALCULATIONS EL-2

 $= 104.05 \, \text{Sa. m.}$

= 1120 Sq. Ft

= 104.05 Sq. m

GARAGE COVERAGE / AREA = 343 Sq. Ft.

FIRST FLOOR AREA 706 Sq. Ft. SECOND FLOOR AREA 990 Sq. Ft. = 1696 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. 1696 Sq. Ft. GROSS FLOOR AREA GROUND FLOOR COVERAGE = 706 Sq. Ft. GARAGE COVERAGE / AREA = 343 Sq. Ft. PORCH COVERAGE / AREA 71 Sq. Ft. COVERAGE W/ PORCH = 1049 Sq. Ft = 97.46 Sq. m.

AREA CALCULATIONS EL-3

COVERAGE W/O PORCH

FIRST FLOOR AREA 706 Sq. Ft. SECOND FLOOR AREA = 990 Sq. Ft. = 1696 Sq. Ft. TOTAL FLOOR AREA ADD OPEN AREAS 0 Sq. Ft. ADD FIN. BASEMENT AREA 0 Sq. Ft. GROSS FLOOR AREA 1696 Sq. Ft. GROUND FLOOR COVERAGE = 706 Sq. Ft. GARAGE COVERAGE / AREA = 343 Sq. Ft. PORCH COVERAGE / AREA = 71 Sq. Ft. = 1049 Sq. Ft. COVERAGE W/ PORCH = 97.46 Sq. m. COVERAGE W/O PORCH = 1120 Sq. Ft $= 104.05 \, \text{Sg. m.}$

NOTE:

HESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROPED RAV ROOF TRUSS DRAWINGS BY MANUFACTURER

RANTING OF A PERMIT NOR REVIEWING OF SE S NOR INSPECTIONS MADE DURING INSTALLAT ICIAL HAVING JURISDICTION SHALL RELIEVE T M REQUIREMENTS OF THE ONTARIO BUILDING ANY OTHER REFERENCED REQUIREMENTS.

NOTE:

SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS. PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER

NOTE:

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.

LEGEND:

NOT TH

BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D)

INDICATES SOLID BEARING REQUIRED OR POINT LOAD FROM ABOVE

STL. PLATE FOR STEEL COL'N ABOVE LVL LAMINATED VENEER LUMBER

S.J. SINGLE JOIST

D.J. DOUBLE JOIST

TRIPLE JOIST 0 REPEAT NOTE

0 SHOWER WEEPERS It is the builder's complete responsibility t ensure that all plans submitted for approve fully comply with the Architectural Guideline and all applicable regulations and requiremen including zoning provisions and any provision in the subdivision agreement. The Contro Architect is not responsible in any way fo examining or approving site (lotting) plans o vorking drawings with respect to any zoning building code or permit matter or that an house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

CITY OF CAMBRIDGE BUILDING DIVISION

O.REG. 332/12 ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION Y DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU NC. PRIOR TO COMMENCEMENT OF WORK.

> IADDIN DESIGN ODDI ID INC. IS NOT DESDONSIDI E COD THE ACCUIDA SUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

1696

6.10m LOTS

WILLOW 1 (GR)

ELEVATION 1, 2 & 3

A1 PACKAGE

S CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING IARDIN DESIGN GROUP INC. HAS NOT BEEN BETAINED TO CARRY OF

ARDIN DESIGN ORDUP INC. HAS NOT BEEN HETAINED TO CARRY OL SENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY OR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO SARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT OCUMENTS. THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND I

HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

AUG. 31, 2022 ISSUED BUILDING PERMIT COORDINATED WITH FLOOR, ROO AUG. 29, 2022 & FNGINFER'S COMMENTS PREPARED TO PRE-COORDINATIO JUNE 20, 2022 STAGE & ISSUED TO CLIENT MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHUR

> DATE: WORK DESCRIPTION:

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsectio

3.2.5 of Walter Botter NAME

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

27763

jardin design group inc. FIRM NAME

STRUDET INC.

B. MARINKOVIC

FOR STRUCTURE ONLY

15,2022

TITLE SHEET


BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE




WILLOW 1 SCALE

3/16"=1'-0" ROJ. No. 21-35

DRAWING NAME





DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU

ARDIN DESIGN GROUP INC. HAS NOT BEEN BETAINED TO CARRY OF

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND I


HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS N

COORDINATED WITH FLOOR, ROO PREPARED TO PRE-COORDINATION

MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE

for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be

NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REQUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.



WILLOW 1 **SECOND FLOOR PLAN EL-3**

NOTE:

ROOF TRUSS DRAWINGS BY MANUFACTURER

examining or approving site (lotting) plans o **LEGEND:** working drawings with respect to any zoning o building code or permit matter or that any house can be properly built or located on its lo BUILDING FACE < THAN 4'-0" (1.2m) (45 MIN. FIRE RATING REQ'D) This is to certify that these plans comply INDICATES SOLID BEARING REQUIRED with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE OR POINT LOAD FROM ABOVE 202 STL. PLATE FOR STEEL COL'N ABOVE LVL LAMINATED VENEER LUMBER JOHN G. WILLIAMS LTD., ARCHITECT ARCHITECTURAL CONTROL REVIEW S.J. SINGLE JOIST AND APPROVAL DOUBLE JOIST D.J. APPROVED BY: OCT 11, 2022 TRIPLE JOIST nis stamp certifies compliance with the applicabl Design Guidelines only and bears no further THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED. 90 REPEAT NOTE 0 SHOWER WEEPERS professional responsibility.

In sime builder's completed responsioning of ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (Intition) plans or STRUDET INC.

t is the builder's complete responsibility t

FOR STRUCTURE ONLY

B. MARINKOVIC

1696

6.10m LOTS

WILLOW 1 (GR) **ELEVATION 3**

A1 PACKAGE

O.REG. 332/12

ONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROU IC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK. AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND I HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT BE SCALED.

AUG. 31, 2022 ISSUED BUILDING PERMIT COORDINATED WITH FLOOR, ROO AUG. 29, 2022 & ENGINEER'S COMMENTS PREPARED TO PRE-COORDINATION JUNE 20, 2022 STAGE & ISSUED TO CLIENT

> MAR. 28, 2022 ISSUED TO CLIENT FOR BROCHURE WORK DESCRIPTION: DATE:



VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesian.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION INFORMATION Required unless design is exempt under Division C, Subsectio

Walter Botter NAME

REGISTRATION INFORMATION 3.2.4 of the building code

jardin design group inc.


FIRM NAME

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE



WILLOW 1

3/16"=1'-0" ROJ. No. 21-35 3B



NOT THE GRANTING OF A PERMIT NOR REVIEWING OF SPECS & DRAWINGS NOR INSPECTIONS MADE DURING INSTALLATION BY THE OFFICIAL HAVING JURISDICTION SHALL RELIEVE THE OWNER FROM REOUIREMENTS OF THE ONTARIO BUILDING CODE AND ANY OTHER REFERENCED REQUIREMENTS.

1696

6.10m LOTS

WILLOW 1 (GR) **ELEVATION 3**

A1 PACKAGE

O.REG. 332/12

CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. IY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUI INC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA ARBINI DESIGN ORDUP INC. IS NOT RESPONSIBLE FOR THE ACCURY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OUT GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FALIURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

THIS DRAWING IS AN INSTRUMENT OF SERVICE. IS PROVIDED BY AND IS HE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NO O BE SCALED.

7		
6		
5		
4	AUG. 31, 2022	ISSUED BUILDING PERMIT
3	AUG. 29, 2022	COORDINATED WITH FLOOR, ROOF & ENGINEER'S COMMENTS
2	JUNE 20, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT
1	MAR. 28, 2022	ISSUED TO CLIENT FOR BROCHURE

DATE: WORK DESCRIPTION:



VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer **QUALIFICATION INFORMATION**

Required unless design is exempt under Division C, Subsection

Walter Botter NAME REGISTRATION INFORMATION

Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc.

IRM NAME

It is the builder's complete responsibility

ensure that all plans submitted for approva fully comply with the Architectural Guidelines and all applicable regulations and requirement including zoning provisions and any provisions in the subdivision agreement. The Contro Architect is not responsible in any way fo examipion or approving site (Intrino) plans or

examining or approving site (lotting) plans o working drawings with respect to any zoning o building code or permit matter or that any house can be properly built or located on its lo

This is to certify that these plans comply with the applicable Architectural Desig Guidelines approved by the City of CAMBRIDGE

JOHN G. WILLIAMS LTD., ARCHITECT ARCHITECTURAL CONTROL REVIEW

his stamp certifies compliance with the applicabl

Design Guidelines only and bears no further

OCT 11, 2022

APPROVED BY:

DATE: ___


FRONT ELEVATION 3

WILLOW 1

BARLASSINA CONSTRUCTION CITY OF CAMBRIDGE

BILD

SCALE: 3/16"=1'-0" ROJ. No. 21-35



for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be

