

# RECEIVED

MAR 2 9 2023

## **CONSTRUCTION SUMMARY**

Red Oaks - Roundel Homes Inc.

 PURCHASER: Irene Shui Yee YIP
 TEL: RES.: 647-889-3040

 LOT / PHASE
 REG. PLAN #
 HOUSE TYPE

 86 / 1
 65M 4737
 Pinetree I Flow I

86 / 1	65M-4737	Pinetree I Elev I		
CABINETRY#				
1 - KITCHEN - DELETE CA CONSTRUCTION SPECIFIC	CATIONS AND VENT N ENT - PURCHASER TO	VE AND HOODFAN - VENDOR WILL SUPPLY 6 MAY NOT BE IN THE APPROPRIATE LOCATION OF SUPPY OWN FAN AFTER CLOSING MAY BE PROVIDED		
1 - NOTE: MASTER ENSUI	TE VANITY TO BE RE	DUCED TO ACCOMODATE FRAMELESS GLAS	S SHOWER ENCLOSURE.	
***SEE SKETCH - LEAVE . 23Dec22 Note:	APPROXIMATELY 1F	Γ SPACE TO SHOWER -		
CABINETRY ACCESSO	RIES			
1 - ENSUITE 2 - VANITY C. 08Mar23 Note:	ABINETRY - RAISE V.	ANITY TO 36" HIGH VANITY IN LIEU OF STAN	DARD HEIGHT - PRICE IS PER FOOT	
1 - MASTER ENSUITE - VA PER FOOT 27Feb23 Note:	NITY CABINETRY - F	RAISE VANITY TO 36" HIGH VANITY IN LIEU C	OF STANDARD HEIGHT - PRICE IS	
1 - KITCHEN CABINETRY 22Dec22 Note:	BASE - COOKTOP CA	BINET WITH POT DRAWERS (2 DRAWERS) - S	TANDARD	
22Dec22 Note:	- BUILT-IN MICROWA	AVE/OVEN COMBO - STANDARD		
1 - PANTRY UNIT UPGRAI 22Dec22 Note:	DE - TO GO FROM 300	OMM TO 600MM DEEP - PRICE IS PER FOOT - S	TANDARD LEVEL CABINETRY	
1 - KITCHEN CABINETRY CABINETRY 22Dec22 Note:	UPPER - FULL DEPTH	H ABOVE FRIDGE - WITH GABLES - 600MM - P.	RICE IS EACH - STANDARD LEVEL	
CED AMIC THES				
T - TILE - UPGRADE 1 FLO	OOR TILE - POWDER F	ROOM		
08Mar23 Note:				
1 - TILE - UPGRADE 1 FLC 08Mar23 Note:	OOR TILE - FOYER			
1 - DELETE ALL CERAMIO 27Feb23 Note:	C BATHROOM ACCES	SORIES - DELETE TOWEL BAR, PAPER HOLDI	ER & SOAP DISH THROUGHOUT	
COUNTER TOP				
1 - UPGRADE COUNTER 3 27Feb23 Note:	TOP - KITCHEN - IN L	EU OF STANDARD MATERIAL		
ELECTRICAL				
1 - BUILT IN OVEN AND O 22Dec22 Note:	COOKTOP PROVISION	I - PROVISION ONLY - ELECTRICAL ONLY		
NEXT TO FRIDGE  1 - ENSUITE 3/4 - POT LIC	GHT - SHOWER POT L	IGHT TUB CEILING		

22Dec22 Note:

## CONSTRUCTION SUMMARY

Red Oaks - Roundel Homes Inc.

HOUSE TYPE

PURCHASER: Irene Shui Yee YIP

LOT / PHASE

TEL: RES.: 647-889-3040

86 / 1	65M-4737	Pinetree 1 Elev 1	
1 - PLUG - ELECTRICAL I 22Dec22 Note:	PLUG - TO BE INSTALLED O	VER FIREPLACE	
1 - RELOCATE STANDAR 22Dec22 Note:	RD KITCHEN LIGHT TO BE C	ENTERED OVER ISLAND	

# HARDWOOD FLOORING

1 - HARDWOOD - GROUP B SERIES 5 INCH - IN LIEU OF 3 1/4 INCH NATURAL RED OAK - - FIRST FLOOR IN STANDARD HARDWOOD AREAS 27Feb23 Note:

### MIRRORS AND GLASS

1 - MASTER ENSUITE – FRAMELESS GLASS SHOWER ENCLOSURE – INCLUDES CHROME KNOB AND HINGES 22Dec22 Note:

\*\*\*SEE SKETCH \*\*\* APPROXIMATELY 1FT OF SPACE TO REMAIN BETWEEN VANITY & SHOWER ENCLOSURE\*\*\*

### **PROMOTIONAL**

1 - LESS CREDIT FROM PURCHASER EXTRA SHEET IN OFFER
22Dec22 Note:

### STAIRS AND RAILINGS

1 - STAINED STAIRS - STANDARD STAIRCASE - PRICE IS PER SET
27Feb23 Note:

# EXTRAS AS PER OFFER

The Vendor agrees that notwithstanding any other term or provision in this Agreement included in the Purchase Price and in addition to those items detailed in Schedule GP to the Agreement of Purchase and Sale, the Purchaser is entitled to a credit of Ten Worksheet Note:

This Document is Extremely Time Sensitive - Printed 20 Mar 23 at 8:31

lephone Res. / Bus: (647) cor Advisor: Ida V ck Date: 9-Ma ayout Changes: Yes  Cabinetry tchen / Breakfast aundry Room cwder Room cowder Room consuite Bathroom DC consuite Bath - Bedroom 2	iola Model and E ir-23 27-Feb-23  No Sketch Attached: ○ Yes ○ No Style and Colour  ORAL H3081 HACIENDA BLACK  ISSE  ORAL W500  ORAL W500  ONACO 904 INK	Property: 86 Project: Roundel Hevation: Pinetree 1 Plan #: Exterior Colour	Elev 1 65M-4737	Hardware 179SA Standard
ayout Changes: O Yes  . Cabinetry  itchen / Breakfast aundry Room  owder Room  aster Ensuite Bathroom	fiola Model and E  ir-23 27-Feb-23  No Sketch Attached: ○ Yes ○ No  Style and Colour  DRAL H3081 HACIENDA BLACK  ISSE  DRAL W500  DRAL W500  DNACO 904 INK	levation: Pinetree 1 Plan #:	Elev 1 65M-4737	179SA
ayout Changes:  Yes  . Cabinetry  itchen / Breakfast	Style and Colour  ORAL H3081 HACIENDA BLACK  ORAL W500  ORAL W500  ONACO 904 INK	Plan #:	65M-4737	179SA
ayout Changes: Yes  . Cabinetry  tchen / Breakfast  aundry Room  bwder Room  aster Ensuite Bathroom  DC  nsuite Bath - Bedroom 2	No Sketch Attached: Yes No Style and Colour DRAL H3081 HACIENDA BLACK USSE DRAL W500 DRAL W500 DNACO 904 INK	management of the second of the	Second Se	179SA
tchen / Breakfast DC aundry Room EL owder Room DC aster Ensuite Bathroom 2 MC	Style and Colour DRAL H3081 HACIENDA BLACK ISSE DRAL W500 DRAL W500 DNACO 904 INK	Exterior Colour	Scheme:	179SA
tchen / Breakfast DO undry Room EL owder Room DC aster Ensuite Bathroom DC nsuite Bath - Bedroom 2 MC	DRAL H3081 HACIENDA BLACK USSE DRAL W500 DRAL W500 DNACO 904 INK			179SA
owder Room DC aster Ensuite Bathroom DC nsuite Bath - Bedroom 2	DRAL H3081 HACIENDA BLACK USSE DRAL W500 DRAL W500 DNACO 904 INK			179SA
aundry Room ELD  owder Room DC  aster Ensuite Bathroom DC  nsuite Bath - Bedroom 2 MC	DRAL W500 DRAL W500 DNACO 904 INK			Standard
owder Room DC aster Ensuite Bathroom DC asuite Bath - Bedroom 2 MC	DRAL W500 DRAL W500 DNACO 904 INK			Otanualu
aster Ensuite Bathroom DC	DRAL W500 DNACO 904 INK		******	464SA
nsuite Bath - Bedroom 2 MC	DNACO 904 INK			464SA
				464SA
Suite Bath Bearson 64				464SA
L				
Lance				
2. Counters				
C	Counter	Edge		
Kitchen / Breakfast	QUARTZ-MISTRAL	Edge #360 EDG	DE	
Kitchen / Breakfast	QUARTZ-MISTRAL N/A		)E	
Kitchen / Breakfast Laundry Room Powder Room	QUARTZ-MISTRAL N/A LAMINATE-PEARL SOAPSTONE 4886-38		SE.	
Kitchen / Breakfast Laundry Room Powder Room Master Ensuite Bathroom	QUARTZ-MISTRAL  N/A  LAMINATE-PEARL SOAPSTONE 4886-38  LAMINATE-WHITE CARRARA 4924-38		SE	
Kitchen / Breakfast  Laundry Room  Powder Room  Master Ensuite Bathroom  Ensuite Bath - Bedroom 2	QUARTZ-MISTRAL N/A LAMINATE-PEARL SOAPSTONE 4886-38		DE	
Kitchen / Breakfast  Laundry Room  Powder Room  Master Ensuite Bathroom  Ensuite Bath - Bedroom 2	QUARTZ-MISTRAL  N/A  LAMINATE-PEARL SOAPSTONE 4886-38  LAMINATE-WHITE CARRARA 4924-38  LAMINATE-PALOMA POLAR 6698-46		SE.	
Kitchen / Breakfast  Laundry Room  Powder Room  Master Ensuite Bathroom  Ensuite Bath - Bedroom 2	QUARTZ-MISTRAL  N/A  LAMINATE-PEARL SOAPSTONE 4886-38  LAMINATE-WHITE CARRARA 4924-38  LAMINATE-PALOMA POLAR 6698-46		DE_	
Kitchen / Breakfast  Laundry Room  Powder Room  Master Ensuite Bathroom  Ensuite Bath - Bedroom 2	QUARTZ-MISTRAL  N/A  LAMINATE-PEARL SOAPSTONE 4886-38  LAMINATE-WHITE CARRARA 4924-38  LAMINATE-PALOMA POLAR 6698-46		DE	

IY Initial:\_

Telephone Res. / Bus: (647) 889-3040 /

Purchaser:

Irene Shui Yee YIP

## INTERIOR COLOUR SCHEME

Property: 86

Project: Roundel Homes Inc.

a. Ceramic Flooring Intrance Vestibule Main Hall Kitchen / Breakfast Laundry Room Powder Room Master Ensuite Bathroom Ensuite Bath - Bedroom Ensuite Bath - Bedroom	TILE-AXIS L STRIP TILE-S.N. P TILE-DARK TILE-AXIS L TILE-ESSEI	27-Feb-23  LIGHT GREY 12X24  ASTELLO BIANCO 13X13  GREY 413 13X13  LIGHT GREY 12X24  NZE NERO 13X13  NZE NERO 13X13			goodsowie	65M-4737 reshold-If App. etal Strip Where	Applic.
ntrance Vestibule ain Hall stchen / Breakfast aundry Room owder Room aster Ensuite Bathroom nsuite Bath - Bedroom	TILE-AXIS L STRIP TILE-S.N. P TILE-DARK TILE-AXIS L TILE-ESSEI	ASTELLO BIANCO 13X13 GREY 413 13X13 LIGHT GREY 12X24 NZE NERO 13X13		At a 4	goodsowie		e Applic.
ntrance Vestibule ain Hall tchen / Breakfast nundry Room owder Room aster Ensuite Bathroom nsuite Bath - Bedroom	TILE-AXIS L STRIP TILE-S.N. P TILE-DARK TILE-AXIS L TILE-ESSEI	ASTELLO BIANCO 13X13 GREY 413 13X13 LIGHT GREY 12X24 NZE NERO 13X13		Ata	goodsowie		Applic.
lain Hall itchen / Breakfast aundry Room owder Room laster Ensuite Bathroom nsuite Bath - Bedroom insuite Bath - Bedroom	STRIP TILE-S.N. P TILE-DARK TILE-AXIS I TILE-ESSEI TILE-ESSEI	ASTELLO BIANCO 13X13 GREY 413 13X13 LIGHT GREY 12X24 NZE NERO 13X13				etai Strip vynere	э Аррис.
itchen / Breakfast aundry Room owder Room laster Ensuite Bathroom nsuite Bath - Bedroom i	TILE-S.N. P TILE-DARK TILE-AXIS I TILE-ESSEI TILE-ESSEI	GREY 413 13X13 LIGHT GREY 12X24 NZE NERO 13X13					
aundry Room owder Room laster Ensuite Bathroom nsuite Bath - Bedroom insuite Bath - Bedroom i	TILE-DARK TILE-AXIS I TILE-ESSEI TILE-ESSEI	GREY 413 13X13 LIGHT GREY 12X24 NZE NERO 13X13			1		
owder Room laster Ensuite Bathroom nsuite Bath - Bedroom insuite Bath - Bedroom	TILE-AXIS L TILE-ESSE TILE-ESSE	LIGHT GREY 12X24 NZE NERO 13X13					
aster Ensuite Bathroom nsuite Bath - Bedroom 2 nsuite Bath - Bedroom 3	TILE-ESSE	NZE NERO 13X13			4		
nsuite Bath - Bedroom insuite Bath - Bedroom i	TILE-ESSE			4 -	4		
nsuite Bath - Bedroom		NZE NERO 13X13			1		
	3/4 TILE-ESSE		P. 144 044 0 000 000 000 000 000 000 000 0		1 _		
* Refer to Construction		NZE NERO 13X13		ᆜ上	4 📙		
* Refer to Construction	Whether the same and the same a			4 -	4 -		
* Refer to Construction				늬늗	4 =		
receive construction	Summary						
	Outmindry						
4. Ceramic Wall Til					***********		
4. Ceramic Wall III Master Ensuite Bathroor		ection	1	Descri	be		
Tub Dec	p			***************************************			
	o Deck						
Tub Dec	k Skirt						
Showe	er Stall TILE-FOX	GREY 428 8X16					
Bathtub Enclosure	Walls		WATER A CONTRACT OF THE PROPERTY OF THE PROPER				
Ensuite Bath - Bedroom	2 TILE-EXT	RA LIGHT GREY 723 8X16					
Ensuite Bath - Bedroom	3/4 TILE-EXT	RA LIGHT GREY 723 8X16					
				-			
Kitchen Backsplash	N/A	STANDARD GROUT THRO					
5. Plumbing Fixtu	res		- Whirlpool				
All Bathrooms	White		Willipool				Yes No
		construction of the second of					
	New control of the Annual Control of the Ann						
		and the second s		0	ishw	asher Rough-l	In Yes No
	New York and the second of the	and the state of t			Wate	erline for Fridg	ge O Yes No
** Refer to Constructi	on Summanı		***	-			
Kelei to construct	on ounnary						
			200000000000000000000000000000000000000		***************************************		Account of the control of the contro
-6. Trim Carpentry							
Interior Doors	-	Construction Specifications		***************************************			
Interior Trim	Consultant to the Consultant of the Consultant o	Construction Specifications					
	-	Construction Specifications					
Door Handles	Handle As Per	Construction Specifications					
Door Handles Exterior Front Door I							
Exterior Front Door I							

Irene Shui Yee YIP

Purchaser:

## INTERIOR COLOUR SCHEME

Property: 86


elephone Res. / Bus:	(647) 889-3040 /		Project: Roundel I	Homes Inc.		
ecor Advisor:	lda Viola	Model ar	nd Elevation: Pinetree	1 Elev 1		
ock Date:	9-Mar-23	27-Feb-23	Plan #:	65M-4737		
. Other Flooring		to combination and a policy group of the combination of the combinatio				
ain Hall	STRIP-MIRAGE DRI	FTWOOD RED OAK CHARAC	CTER CORK DURAMATT 5"			
ving Room		FTWOOD RED OAK CHARAC				
ning Room		FTWOOD RED OAK CHARAC				
mily Room	And the second s	FTWOOD RED OAK CHARAC	CTER CORK DURAMATT 5"			
en / Library / Study	N/A					
asement Landing(If Applies)	the state of the s					
ower Landing (If Applies) oper Landing	N/A	FTWOOD RED OAK CHARAC	TER CORK DURAMATT 5"			
pper Landing pper Hall		TON ROCHEFORT OAK TL LV				
laster Bedroom		TON ROCHEFORT OAK TL LV				
edroom #2		TON ROCHEFORT OAK TL LV				
Sedroom #3	LAMINATE-LEXING*	TON ROCHEFORT OAK TL LV	N 1317 PEFC			
Sedroom #4	LAMINATE-LEXING	LAMINATE-LEXINGTON ROCHEFORT OAK TL LW 1317 PEFC				
Sedroom #5	N/A					
	Requirement control control and control contro					
Underpad	Туре		Area			
	N/A					
Treads AS P Red	ER CONSTRUCTION  Oak Stairs  Ye  tion Summary  TH	N SPECIFICATIO Comp s No No NE STAIN COLOURS OF		DE DRIFTWOOD RED OAK  DE DRIFTWOOD RED OAK  ON RISERS, TREADS, HED HARDWOOD OR		
9. Wall Paint Flat F						
Main & Upper Hall	22 WARM GF		ter Bedroom	22 WARM GREY		
Living Room	22 WARM GF		room #2	22 WARM GREY		
Dining Room	22 WARM GF		room #3	22 WARM GREY		
Kitchen / Breakfast	22 WARM GF		room #4	22 WARM GREY		
Family Room	22 WARM GF		room #5	22 WARM GREY		
Powder Room	22 WARM GF		ter Ensuite	22 WARM GREY		
Laundry Room	22 WARM GF		uite Bath - Bedroom 2	22 WARM GREY		
Den/Library	22 WARM GF	REY Ens	uite Bath - Bedroom 3/4	22 WARM GREY		
Trim & Door Paint-Ser	mi GlossBIRCH WHIT	E				
	***************************************					
Smooth Ceilings First	t Floor 🌑 Yes	○ No				
** Refer to Construction	on Summary					

## INTERIOR COLOUR SCHEME

Purchaser:	Irene Shui Yee YIP	i	Property: 86	
Telephone Res. / Bus:	(647) 889-3040 /			ndel Homes Inc.
Decor Advisor:	Ida Viola	Model and E	levation: Pine	
Lock Date:	9-Mar-23	27-Feb-23	Plan	
-10. Plaster Mouldir				1 #. COM 4701
Entrance Vestibule	N/A	Kitchen/Bre	akfast	
Main Hall		Den/Library		
Living Room		Lower Land		
Dining Room		and Andrew Condenses and Consession of Conse	9	
Family Room			L	
** Refer to Construc	tion Summary			
11. Fireplace				
Living Roo	m	Family Room		Other Room - Specify
Purchased	As Per Plan N/A	Purchased As Per Plan	N/A	Purchased As Per Plan N/A
0	0 0	0	0	0 0 0
Fireplace Type		As Per Construction Specific	ations	
Mantle Type		MANTLE M2-STANDARD		
Colour / Stain		AS PER CONSTRUCTION	SPECIFICATIONS	
Surround		NERO		
** Refer to Construction		NO	***************************************	
Note: to construction				
12. Heating and Air	r Conditionina		***	
Air Conditioning	NO		Gas Provision	s Stove NO
Gas Provisions Dry	er NO	***************************************	Gas Provision	
Comment	Antonorous antonorous reparation con antonorous antonor			· · · · · · · · · · · · · · · · · · ·
** Refer to Construction	n Summary			
13. Electrical		Note that the second		
Plugs and Switches	White		Above Kit	chen Cabinet Light ( Yes No
Hood Fan			manusi manusi	chen Cabinet Light O Yes No
Appliances	Built in Cooktop	Built in Oven	Gas St	tove Microwave
	Yes No	Yes No	○ Yes	No Yes O No
Dishwasher Rough-in	Yes			
** Refer to Construction	on Summary			
14. General Comm	iants			
** Refer to Construction				
	- Cammary			
- Disclaimers and No				
	otes			
	terials are as close as	possible to builder's sel	ection, but no	t necessarily identical due to
variances in man 2) Any extras listed	terials are as close as pufacturing. above are null and voi			ot necessarily identical due to
variances in man  2) Any extras listed invoice must be a line of the purchaser as	terials are as close as pufacturing. above are null and voiceaid in full. grees that this colour s	d unless accompanied b	y a separate	
variances in man  2) Any extras listed invoice must be a required by the V	terials are as close as pufacturing. above are null and voiceaid in full. grees that this colour solur.	d unless accompanied be election is final and that	oy a separate	invoice/amendment. Said
variances in man  2) Any extras listed invoice must be a required by the V  4) The Purchaser addisclaimers.	terials are as close as pufacturing. above are null and voiceaid in full. grees that this colour selection. cknowledges reading a	d unless accompanied be election is final and that accepting document	oy a separate in o changes which contain	invoice/amendment. Said

Date: \_\_March 28, 2023


Signature:





Orientation of home may be reversed and purchaser agrees to accept the same. Steps and porches may vary at any exterior entrance ways due to grading variance. Actual usable floor space may vary from the stated floor areas. All renderings are artists concept. Dimensions, specifications and architectural detailing subject to modifications. Roofline and adjoining model types may vary due to siting. E. & O. E. June 2022

THIS LAYOUT CONTAINS EXTRAS

THAT ARE NOT PART OF CONTRACT









COOKTOP

This drawing is the intellectual property of SELBA INDUSTRIES INC. and is an artistic interpretation of the general appearance of the design. It is not meant to be an exact rendition.

LAYOUT Drawing #: 1

GREENPARK ROUNDEL LOT 86 DEC 13 22





# 36" Electric Cooktop

800 Series - Black Frameless NET8669UC





NET8669UC Black

Also available in: Black with Stainless Steel Frame NET8669SUC

The 800 Series electric cooktop is sleek in design, and features SpeedBoost® which adds even more power to speed up the cooking process.

### Features & Benefits

Bridge element accommodates oblong pans and many diameters of cookware.

The smooth ceramic glass surface makes cooking and cleaning especially easy.

SpeedBoost® offers shorter heat-up times for liquids.

different direct cooking level settings.

Element Performance	
Power of Front Left heating element	1,800 W
Power of Back Left heating element	1,800 W
Power of Center heating element	3,600 / 1,400 W
Power of Back Right heating element	1,200 W
Power of Front Right heating element	1,900 / 800 W
Element Size	
Dimension of Front Left heating element	7"
Dimension of Back Left heating element	7"
Dimension of Center heating element	9", 6"
Dimension of Back Right heating element	6"
Dimension of Front Right heating element	8", 5"
Technical Details	
Watts	10,200 W
Circuit breaker	50 A
Volts	208-240 V
	······································

Dimensions & Weight	
Overall appliance dimensions (HxWxD)	4" x 37" x 21 1/4"
Required cutout size (HxWxD)	4" x 34 7/8" x 20"
Minimum distance from counter front	2 1/4"
Minimum distance from rear wall	2"
Net weight	31 lbs
Accessories — Optional	



HEZ390210





HEZ390230



HEZ390220 9" AutoChef® pan







60 Hz

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

Frequency


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

# 36" Electric Cooktop

800 Series - Black Frameless NET8669UC




### Installation Details




- A: Min. distance from the cooktop cut-out to
- B: Max. recessed depth
- C: Min. distance between the surface of the cooktop and the underside of the ventilation hood This distance can be smaller, check
- installation instructions of ventilation hood
- D: Min. distance from the cooktop cut-out to the side wall


### Installation above Wall Ovens

Measurements in inches (mm) 30" (762 mm) Built-in oven – under electric cooktop



- A: Cooktop
  B: Built-in oven
  C: Cooktop conduit fitting
  D: Dimensions based on standard countertop height: 36" (914 mm) with 43/4" (121 mm) toe
  - kick including base plate
    The built-in oven can be installed below the electric cooktop as long as there is no contact between the bottom of the cooktop and the top of the oven





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty. For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

# LWC3063\_

Combi Wall Oven

1.7 cu.ft. Microwave (Speed Oven) Infrared Heating™ 4.7 cu.ft. Oven **Crisp Convection** Self+EasyClean SmartThinQ® Technology



### Enjoy new ways to control your home with LG smart appliances

- Start or stop your Oven remotely
- · Set your Monitor Status from your smartphone
- Works with the LG SmartThinQ® app

950W 1650W

1550W

1650W

Yes

4.7

5

Yes



Total Oven Capacity (cu. ft.)

UPPER OVEN FEATURES Capacity (cu.ft)

Microwave Power output

Convection Element (W)

Broil Upper Element (W)

Broil Lower Element (W)

- = of Defrost (4 Menu)

- = of Sensor cook (9 Menu)

- = of Auto cook (28 Menu)

- # of Soften (4 Menu)

- = of Melt (5 Menu) LOWER OVEN FEATURES Capacity (cu.ft)

Variable cleaning time Variable broil

EasyClean® Self Clean

Broil element

Bake element

# of rack position

12 hrs. shut-off

Convection Fan

Door Lock

Convection conversion

-Convection element

Oven Cooking mode Oven Control Features

Convection System/Mode/Cooking System

- # of light

Microwave Convection Bake


Broil Speed cook

Interior(Cavity) - Upper MWO / Lower Oven

Microwave mode power consumption Convection Bake mode power consumption

Broil mode power consumption

Colors





6.4 (Upper & Lower)

Stainless / Enamel Coating

1500W (Sheath heater)

375W (Miraclon heater)

(Infrared Heating™)

Yes (TurboCook™)

Meat / Poultry / Fish / Bread

Stainless Steel / Black Stainless Steel

1200W = 700W (Miraclon heater) + 500W

Beverage / Casserole / Chicken / Pasta / Pizza / Plate of food / Rice / Soup / Vegetable

Plate of food / Rice / Soup / Vegetable
Bacon (regular sliced) / Bagels (frozen) / Baked
potatoes (7-9oz/ea) / Brownie / Cod fillets (1 lb) /
Com dog (frozen) / Fresh vegetable / Frozen chicken
wings / Frozen fries / Frozen chicken nuggets /
Frozen piza (regular crust) / Frozen soft pretzels
/ Frozen vegetable / Garlic bread (sliced, frozen) /
Hamburger (1/2" thick) / Lamb chops (1/2" chick,
6-7oz) / Meat loaf (9" X 5") / Nachos / Oatmeal /
Pork chops (1/2" thick, 6-7oz) / Quinoa / Rib eye
steak (1" thick 14-15oz) / Rice / Salmon steak (1"
thick) / Sausage / Sirloin steak (1" thick, 18-21oz)
/ Tenderloin / Vegetable-canned

Butter & Mamazine / Cream Chees /

Butter & Margarine / Cream Cheese / Ice Cream / Frozen Juice

Butter / Caramel / Cheese / Chocolate / Marshmallow

Yes (Full,Center / High,Med,Low)

2,500 watts inner / 1,500 watts outer

3 (Halogen Lamp - 3 dimension lighting)

Conv.Bake / Conv.Roast / Bake / Broil / Steam Bake / Steam Roast / Probe / more mode (Favorite/Warm/Proof)

Yes (2,000 watts Sheath heater)

Dual Speed (High/Low)

Glass Touch (SmoothTouch™)

Yes (3,4,5 hours) Yes (3,4,5 hours)

2,500 watts Hidden (8 pass)







Oven Control Type	Glass Touch (SmoothTouch™)
Display	White VFD
Language	English / Spanish / French
Smart Function	Wi-Fi / Smart Buzzer
Clock	12 hr or 24 hr (option)
Kitchen Timer	Yes
Timed Cook	Yes
Temperature Unit of Measure	Fahrenheit / Celsius
Cooking Complete Reminder Volume	Beeper (1. Loud, 2. Low, 3. Mute)
APPEARANCE	beeper (1. 2000, 2. 20W, 3. Wate)
Available Colors	Stainless Steel / Black Stainless Steel
Handle/Knobs	Stainless Steel Finish (Aluminum) Black Stainless Steel Finish (Aluminum)
Oven Door Feature	WideView™ Window
Scratch-Resistant	Yes
PrintProof™ Finish	Yes (Only Black Stainless Steel)
SmartThing® SMART FEATURES	cy such summes such
SmartDiagnosis™	Yes
Wi-Fi Connectivity	Yes
Works with	Google Assistant and Amazon Alexa
SmartThinO® with Innit and SideChef	Yes
DIMENSIONS/CLEARANCES/WEIGHT	
Shipping Weight (lbs)	244 lbs
Product Weight (lbs)	194 lbs
Product (W x H x D)	29 3/4" x 43 13/16" x 24 1/2"
Cut-out (W x H x D)	29 3/4 × 43 13/16 × 24 1/2 28 1/2" × 43 8/19" × 23 1/2"
Overall Depth (in) - including handle	28 1/2 ×43 8/19 × 23 1/2 26 7/8"
Actual Depth (in) - including handle  Actual Depth with Door Open (Upper) (in):	37.1"
	45.7"
Actual Depth with Door Open (Lower) (in):	45./* 20 8/11" × 8 9/25" × 17 5/13"
Oven Interior Dimensions (Upper) (in) (W x H x D)	
Oven Interior Dimensions (Lower) (in) (W x H x D)	24 1/2" x 17 5/8" x 18 7/8"
Carton Dimensions (in) (W x H x D)	33" × 30" × 50"
POWER/RATINGS	
Amp at 240V	32.5A
kW at 240V	7.8kW
Requirements	120 / 240 VAC, 120 / 208 VAC
ACCESSORIES	v
Glass Tray(Upper)	Yes
Metal Tray(Upper)	Yes
Rack(Upper)	Yes
Broiler pan & Grid	Yes
Gliding Rack	1
Heavy Duty Rack	2
Meat probe	Yes
Scouring Pad	Yes
WARRANTY	
Parts & Labor	1 Year
UPC CODES	
LWC3063ST (Stainless Steel)	048231339810
LWC3063BD (Black Stainless Steel)	048231339827

© 2018 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice. 10/4/18

# LWC3063\_

Combi Wall Oven


# **QUICK INSTALL & CLEARANCES**


For full installation directions/clearances please refer to the corresponding User Manual and Installation Guide.

Dead at Discouries (in) (Martha D)	20.2/45. 42.42/465. 24.4/25
Product Dimensions (in) (W x H x D)	29 3/4" x 43 13/16" x 24 1/2"
Cut-out (W x H x D)	28 1/2" x 43 8/19" x 23 1/2
Overall Depth (in) - including handle	26 7/8"
Actual Depth with Door Open (Upper) (in):	37.1"
Actual Depth with Door Open (Lower) (in):	45.7*
Oven Interior Dimensions (Upper) (in) (W x H x D)	20 8/11" x 8 9/25" x 17 5/13"
Oven Interior Dimensions (Lower) (in) (W x H x D)	24 1/2" x 17 5/8" x 18 7/8"
Carton Dimensions (in) (W x H x D)	33" × 30" × 50"
POWER RATINGS	
Amp at 240V	32.5A
kW at 240V	7.8kW
Requirements	120 / 240 VAC. 120 / 208 VAC

### INSTALLATION REQUIREMENTS


- The cabinet base platform must be able to support 202 lbs (91.65 kg) for a
  Microwave Combination Wall Oven. If the cabinet does not have a solid bottom,
  two braces or runners must be installed level with the bottom of the cutout to
  support the weight of the oven. Make sure the base is level and the front of the
  cabinet is square. If the cabinet base is not level, the oven racks will tend to slide
  out when opening the door.
- If marks, blemishes or the cutout opening are visible above the installed oven, it
  may be necessary to add wood shims under the runners and front trim until the
  marks or opening are covered.
- If the cabinet does not have a front frame and the sides are less than 3/4" (1.9 cm) thick, shim both sides equally to establish the cutout width.
- The junction box must be flush with the rear wall of the cabinet as shown below.
- Allow at least a 23" clearance for the door depth when it is open.
- Kitchen cabinets in contact with the oven must be heat resistant up to 194°F (90°C), and fronts of nearby units up to at least 158°F (70°C).





#### ELECTRICAL CONNECTIONS


- Be sure the wall oven is installed and grounded properly by a qualified installer or service technician.
- This wall oven must be electrically grounded in accordance with local codes or, in their absence, with the National Electrical Code ANSI/NFPA No.70- latest edition in United States, or with CSA Standard C22.1-1982 and C22.2 No.01982 (or latest edition), Canadian Electrical Code, Part1, and all local codes and ordinances.
- This wall oven must be supplied with the proper voltage and frequency, and
  connected to an individual, properly grounded branch circuit, protected by a circuit
  breaker or fuse. For the circuit breaker or fuse required by this model, see the
  rating plate to find the wattage consumption and refer to the table below to get
  the circuit breaker or fuse amperage.
- A Microwave Combination Wall Oven can consume up to 7,800 W at 240 VAC. A 50 Amp circuit breaker with wire gauge #8 AWG must be used.
- Do Not ground to a gas pipe.
- Do Not have a fuse in the neutral or grounding circuit.
- A U.L-listed conduit connector must be provided at the junction box.
- Prepare the electrical connection as follows:
- Turn off the circuit breaker or remove fuses to the oven branch circuit.
   With the oven positioned directly
- With the oven positioned directly in front of the cabinet opening, connect the flexible conduit to the electrical junction box as shown below. Position the conduit in such a manner that it will lie on top of the oven in a natural loop when the oven is installed.



- If local codes permit connection of the frame grounding conductor to the neutral(white) wire, follow the instructions for a 3-wire circuit connection.
- If used in mobile homes or new construction, or a recreational vehicle, or local codes do not permit connection of the frame grounding conductor to the neutral(white) wire, follow the instructions for a 4-wire circuit connection.

#### INSTALL THE OVEN

- Install the oven into the cabinet as follows:
- Slide the oven into the opening.
  - a. Loop (do not tie) a 36" (91 cm) string around the conduit before the oven is slid into place. Lay the string over the top of the oven and use it to keep the conduit from falling behind the oven.
  - b. Lift oven into cabinet cutout using the oven opening as a grip. Carefully push against the oven front frame. Do not push against outside edges.
  - c. While sliding the oven back, pull the string so that the conduit lies on the top of the oven in a natural loop.
  - d. When you are sure the conduit is out of the way, slide the oven 3/4 way back into the opening. Remove the string by pulling on one end of the loop.
- Secure the oven.
  - a. Using the mounting holes on the oven side trim as a guide, drill pilot holes for screws provided. (For securing the Combi Oven, use a minimum of 4 screws, one on each side in both the upper and lower ovens.)
  - b. Secure the oven to the cabinet with screws provided. If the cabinet is particle board, you must use 3/4" particle board screws. These may be purchased at any hardware store.



- Install the metal bottom trim.
  - a. Place the metal bottom trim centered over the pre-drilled mounting holes on the lower base.
  - b. Using 3 screws provided, secure the bottom trim to the bottom edge of the
- Reinstall the oven door.








© 2018 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice. 10/4/18

Lot 86 Roundel





Hotte murale / Wall mounted range hood

Modèle /Model: AVH-308CS & AVH-368CS — HAWAII

# INSTRUCTIONS D'INSTALLATION ET GUIDE DE L'USAGER

INSTALLATION GUIDE / USE AND CARE MANUAL

IMPORTANT: Lire et conserver ces instructions. Read and save these instructions.

NOTE : Installateur: Laissez ce manuel au propriétaire. Propriétaire: Conservez ce guide pour référence ultérieure.


Installer: Leave this manual with the homeowner. Homeowner: Keep this guide for future reference.


MCT 26112018




Lot 86 Roundel

# **Dimensions**






# Installation



Α	Floor to ceiling height	variable
В	Floor to counter top height (standard)	36"
С	Recommended height between cooking surface and bottom of the hood	28" to 30"
D	Hood height	2.36"
Ε	Chimney height	Max 44.63"



The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete and/or may change without notice.

Lot 86 Roundel

# **DIMENSIONS**





# **SUMMARY**

CAPACITY

18.4 cu.ft.

MEASUREMENTS (WXHXD)

32 7/8" x 70 3/8" x 28 3/4"

INSTAVIEW®

Yes

THINQ®

Yes

**SUMMARY** 

Brand

Туре	French Door	Lot 86 Round
Width	33"	
Counter Depth	Yes	
InstaView™ Door-in-Door®	Yes	
Door Type	4-Door	
Door-In-Door® with ColdSaver™ Panel	Yes	
Colour	Smudge Resistant Stainless Steel	
Total Capacity (cu.ft.)	18.4	
CAPACITY		
Refrigerator (cu.ft.)	10.5	
Freezer (cu.ft.)	7.8	
Total Capacity (cu.ft.)	18.4	
ENERGY		
Energy Consumption (kWh/year)	638	
ENERGY STAR® Qualified	Yes	
WATER & ICE SYSTEM		
Ice & Water Dispenser	Yes	
Dispenser Type	Integrated Tall Ice & Water	
Ice System	Slim SpacePlus®	
Dual Ice	No	
Dispenser Light	Yes	
Water Filter	LT1000P	
COOLING		
Linear Compressor	Yes	
Smart Cooling® System	Yes	

Multi-Air Flow Cooling	Yes	Lot 86 Roundel
Door Cooling⁺	Yes	
Fresh Air Filter	Yes	
CONVENIENCE		
Display Type	Membrane/White LED	
Temperature Controls	Electronic/Digital	
UVNano Technology	Yes	
Door Alarm	Yes	
Child Lock	Yes	
Auto Closing Door Hinge	Yes	
Sabbath Mode	Yes	
LoDecibel™ Quiet Operation	Yes	
REFRIGERATOR		
No. of Shelves	1 Full, 2 Half (1 Folding)	
Cantilevered Shelves	Hybrid Cantilevered	
Shelf Construction	Spill Protector™ Tempered Glass	
Crisper Bins	2-Humidity Crispers	
Glide N' Serve™ Pantry Drawer	No	
Refrigerator Light	Ceiling LED	
CoolGuard™	Yes	
REFRIGERATOR DOOR		
InstaView™ Door-in-Door®	Yes	
Adjustable Door-in-Door® Bin	No	
No. of Bins	4	
Door Bin Construction	1 Piece (Clear)	
FREEZER		

Door Type	Pull Drawer	Lot 86 Roundel
Drawers	2	
DuraBase™ Solid Drawer Base	Yes	
Drawer Divider	Yes	
Freezer Light	Yes	
THINQ® SMART FEATURES		
Wi-Fi Enabled	Yes	
LG ThinQ®	Yes	
Works with	Google Assistant, Amazon Alexa	
SmartDiagnosis™	Yes	
MATERIALS AND FINISHES		
Contour Door	Yes	
Flush Metal Plate Cover on Back	Yes	
Hidden Hinges	Yes	
Surface	Smooth	
Available Colour	Smudge Resistant Stainless Steel	
Handles	Pocket	
DIMENSIONS/CLEARANCES/WEIGHTS		
Depth with Handles	28 3/4"	
Depth without Handles	28 3/4"	
Depth without Door	24"	
Depth (Total with Door Open 90°)	41 7/8"	
Height to Top of Case	68 5/8"	
Height to Top of Door Hinge	70 3/8"	
Width	32 7/8"	
Width (Door Open 90° with Handle)	36 7/8"	

Width (Door Open 90° without Handle)	367/8"	86 Roundel:
Door Edge Clearance with Handle	3 1/8"	
Door Edge Clearance without Handle	3 1/8"	
Installation Clearance	Sides 1/8", Top 1", Back 2"	
Weight (Unit/Carton)	304 lbs / 346 lbs	
Carton Dimensions (WxHxD)	37 1/2" x 71 7/8" x 37"	
LIMITED WARRANTY		
Parts & Labour	1 Year	
Sealed System	7 Years	
Inverter Linear Compressor	10 Years	
UPC CODES		

195174008591

LRMVC1803S