

CONSTRUCTION SUMMARY

Red Oaks - Roundel Homes Inc.

PURCHASERS: Man Yue WAN and Hou Yun Elsa KWAN

TEL: RES.: 647-970-6599

LOT / PHASE 65 / 2	REG. PLAN # 65M-4737	HOUSE TYPE Glenrowan 3 Elev 3		
-----------------------	-------------------------	----------------------------------	--	--

CABINETRY

1 - CABINETRY - KITCHEN - CM11 CROWN MOULDING WITH HEADER 27Sep23 Note:	
1 - CABINETRY - KITCHEN - LIGHT VALANCE - INCLUDING ADDITIONAL CABINET EXTENSION 27Sep23 Note: CABINETRY ONLY - ELECTRICAL PRICED SEPARATELY	
1 - CABINETRY - KITCHEN - UPGRADE 3 27Sep23 Note:	
1 - VANITY - PRIMARY ENSUITE - RAISE VANITY TO 36" HIGH VANITY IN LIEU OF STANDARD HEIGHT 27Sep23 Note:	
1 - EXTEND KITCHEN CABINETRY TO REAR WALL - INCLUDES BASE AND UPPERS CABINETS (STANDARD LEVEL CABINETRY) WITH STONE COUNTERTOP - SEE SKETCH 04May23 Note:	
1 - CABINETRY PROVISION - PROVISION FOR PLUG ON ISLAND (PLUG EXTRA ORDERED SEPARATELY) 04May23 Note:	

CABINETRY ACCESSORIES

1 - CABINETRY FEE FOR FLUSH CUTOUT ON WALL SINGLE OVEN CABINET 27Sep23 Note:	
1 - KITCHEN CABINETRY BASE - PIE CUT CORNER CABINET - BASE CABINETRY - UPGRADE 3 27Sep23 Note:	
1 - KITCHEN CABINETRY BASE - BANK OF DRAWERS - UPGRADE 3 27Sep23 Note: SEE SKETCH FOR LOCATION	
1 - KITCHEN CABINETRY UPPER - FULL DEPTH ABOVE FRIDGE - WITH GABLES - 650 DEEP - PRICE IS EACH 27Sep23 Note:	
1 - KITCHEN CABINETRY - TALL BUILT-IN SINGLE OVEN WITH FULL SET OF POT DRAWERS BELOW - UPGRADE 3 27Sep23 Note:	
1 - KITCHEN CABINETRY BASE - COOKTOP CABINET WITH POT DRAWERS (2 DRAWERS) - UPGRADE 3 27Sep23 Note:	
1 - KITCHEN BASE CABINETRY - BAR FRIDGE PROVISION 27Sep23 Note: SEE SKETCH FOR LOCATION	

CERAMIC TILE

1 - PRICE IS FOR LABOUR ONLY - INSTALL TILE AT A 45 DEGREE ANGLE OR INSTALL TILE IN A STAGGERED PATTERN - KITCHEN/BREAKFAST 27Sep23 Note:	
1 - PRICE IS FOR LABOUR ONLY - INSTALL TILE AT A 45 DEGREE ANGLE OR INSTALL TILE IN A STAGGERED PATTERN - FOYER 27Sep23 Note:	
1 - GROUT COLOUR - UPGRADE GROUT COLOUR THROUGHOUT - FLAT FEE 27Sep23 Note:	



CONSTRUCTION SUMMARY

Red Oaks - Roundel Homes Inc.

PURCHASERS: Man Yue WAN and Hou Yun Elsa KWAN TEL: RES.: 647-970-6599

LOT / PHASE	REG. PLAN #	HOUSE TYPE		
65 / 2	65M-4737	Glenrowan 3 Elev 3		
1 - TILE - UPGRADE 2 WALL TILE - PRIMARY ENSUITE - SHOWER 27Sep23 Note:				
1 - TILE - UPGRADE 2 FLOOR TILE - PRIMARY ENSUITE - FLOOR 27Sep23 Note:				
1 - PRICE IS FOR LABOUR ONLY - INSTALL TILE IN A STAGGERED PATTERN - PRIMARY ENSUITE - SHOWER 27Sep23 Note:				
1 - PRICE IS FOR LABOUR ONLY - INSTALL TILE IN A STAGGERED PATTERN - PRIMARY ENSUITE - FLOOR 27Sep23 Note:				
1 - TILE - UPGRADE 1 FLOOR TILE - KITCHEN/BREAKFAST 27Sep23 Note:				
1 - TILE - UPGRADE 1 FLOOR TILE - POWDER ROOM 27Sep23 Note:				
1 - TILE - UPGRADE 1 FLOOR TILE - LAUNDRY ROOM 27Sep23 Note:				
1 - TILE - UPGRADE 1 FLOOR TILE - FOYER 27Sep23 Note:				
1 - DELETE ALL CERAMIC BATHROOM ACCESSORIES - DELETE TOWEL BAR, PAPER HOLDER & SOAP DISH THROUGHOUT 27Sep23 Note:				

CONSTRUCTION

1 - PROVISION FOR SHAMPOO NICHE APPROX. 14" WIDE X 20" HIGH AS PER SKETCH – IF CONSTRUCTION PERMITS 04May23 Note: MASTER ENSUITE				
1 - SMOOTH CEILINGS ON SECOND FLOOR 04May23 Note:				
1 - SMOOTH CEILINGS ON FIRST FLOOR 04May23 Note:				

COUNTER TOP

1 - UPGRADE STONE COUNTER TOP - KITCHEN - IN LIEU OF STANDARD MATERIAL 27Sep23 Note:				
1 - SHAMPOO NICHE 14" WIDE X 20" HIGH AS PER SKETCH – MARBLE, GRANITE OR QUARTZ – IF CONSTRUCTION PERMITS - REQUIRES PROVISION FROM CONSTRUCTION 04May23 Note: SUPPLY & INSTALL  MASTER ENSUITE				

ELECTRICAL

1 - BUILT IN OVEN AND COOKTOP PROVISION - PROVISION ONLY - ELECTRICAL ONLY 27Sep23 Note:				
1 - KITCHEN - VALANCE LIGHTING - LED LIGHTING 27Sep23 Note: INCLUDING ADDITIONAL CABINET AREA				



CONSTRUCTION SUMMARY

Red Oaks - Roundel Homes Inc.

PURCHASERS: Man Yue WAN and Hou Yun Elsa KWAN

TEL: RES.: 647-970-6599

LOT / PHASE	REG. PLAN #	HOUSE TYPE		
65 / 2	65M-4737	Glenrowan 3 Elev 3		

1 - PLUG - ELECTRICAL PLUG - FOR BAR FRIDGE 27Sep23 Note: SEE SKETCH FOR LOCATION	
1 - FAN - BATHROOM EXHAUST FAN - ENERGY STAR 80 CFM - IN LIEU OF STANDARD FAN 04May23 Note: MASTER ENSUITE ENSUITE 2/3 ENSUITE 4	
5 - SWITCH - DIMMER SWITCH IN LIEU OF EXISTING SWITCH - PRICE IS EACH 04May23 Note: KITCHEN FAMILY ROOM DINING ROOM MAIN HALLWAY MASTER BEDROOM	
6 - POT LIGHT - LED - SECOND FLOOR INSTALLATION 04May23 Note: SEE SKETCH	
30 - POT LIGHT - LED - FIRST FLOOR INSTALLATION- SEE SKETCH FOR LOCATIONS  * AS PER PURCHASERS REQUEST- POTLIGHTS IN DINING ROOM, FAMILY AND MASTER BEDROOM- TO BE AS CLOSE TO PERIMETER WALLS AS POSSIBLE- IF CONSTRUCTION PERMITS- SEE SKETCH 04May23 Note:	
1 - PLUG - ELECTRICAL PLUG - TO BE INSTALLED OVER FIREPLACE 04May23 Note:	
1 - PLUG - ELECTRICAL PLUG - ADD TO ISLAND 04May23 Note:	
3 - PLUG - ELECTRICAL PLUG WITH GFI - NEXT TO TOILET 04May23 Note: MASTER ENSUITE ENSUITE 2/3 ENSUITE 4	
1 - RELOCATE STANDARD KITCHEN LIGHT TO BE CENTERED OVER ISLAND 04May23 Note:	
1 - PLUG - ELECTRICAL PLUG WITH GFI AND SWITCH - FOR FESTIVE LIGHTING 04May23 Note: @ PORTICO	
1 - ELECTRIC VEHICLE ROUGH-IN PROVISION ONLY FOR FUTURE ELECTRIC CAR (CONDUIT FROM BASEMENT INTO JUNCTION BOX IN GARAGE WITH PULL STRING, NO WIRE) 04May23 Note:	

FIREPLACE AND ACCESSORIES

1 - GAS LINE ROUGH-IN FOR BARBECUE - FIRST FLOOR 04May23 Note:	
1 - GAS LINE ROUGH-IN FOR STOVE (INCLUDES ELECTRICAL OUTLET) - FIRST FLOOR 04May23 Note:	

HARDWOOD FLOORING

1 - HARDWOOD - GROUP C SERIES 6 1/2 INCH - - UPPER HALL 27Sep23 Note:	
--	--



CONSTRUCTION SUMMARY

Red Oaks - Roundel Homes Inc.

PURCHASERS: Man Yue WAN and Hou Yun Elsa KWAN TEL: RES.: 647-970-6599

LOT / PHASE	REG. PLAN #	HOUSE TYPE		
65 / 2	65M-4737	Glenrowan 3 Elev 3		

1 - HARDWOOD - GROUP C SERIES 6 1/2 INCH - IN LIEU OF 3 1/4 INCH NATURAL RED OAK - - FIRST FLOOR IN STANDARD HARDWOOD AREAS 27Sep23 Note:	
--	--

HEATING AND AIR CONDITIONING

1 - HUMIDIFIER 04May23 Note:	
---------------------------------	--

PLUMBING

1 - MOEN- TUB FAUCET - TWO HANDLE ROMAN TUB FAUCET WITH HAND SHOWER T944/9796 -CHROME FINISH 28Sep23 Note: MASTER ENSUITE EVA T944/9796 -CHROME FINISH	
--	--

1 - KITCHEN - ADD BAR SINK AND FAUCET - SEE SKETCH 04May23 Note: TECO SINK #201 MOEN ARBOR BAR FAUCET (CHROME) #5995	
--	--

3 - MOEN CHATEAU POSI-TEMP TUB/SHOWER FAUCET WITH 3 FUNCTION TRANSFER VALVE/TRIM AND SLIDE BAR WITH HAND SHOWER – CHROME TL183EP/U361CI/UT2721/3669EP/A725/62320 04May23 Note: PRICE INCLUDES TO TESTER  MASTER ENSUITE ENSUITE 2/3 ENSUITE 4	
--	--

2 - HOSE BIB - EXTERIOR FROST FREE 04May23 Note:	
---	--

1 - WATER LINE FOR FRIDGE - ROUGH-IN ONLY 04May23 Note:	
--	--

1 - TUB TO SHOWER CONVERSION - 5 FOOT SHOWER WITH SLIDING GLASS CHROME DOORS IN LIEU OF TUB 04May23 Note: ENSUITE 2/3	
--	--

PROMOTIONAL

1 - LESS CREDIT FROM PURCHASER EXTRA SHEET IN OFFER 04May23 Note:	
--	--

STAIRS AND RAILINGS

1 - STAINED STAIRS – STANDARD STAIRCASE - PRICE IS PER SET 27Sep23 Note:	
---	--

EXTRAS AS PER OFFER

The Vendor agrees that notwithstanding any other term or provision in this Agreement included in the Purchase Price and in addition to those items detailed in Schedule GP to the Agreement of Purchase and Sale, the Purchaser is entitled to a credit of Ten Worksheet Note:	
--	--

10 foot ceiling height on Main Floor. The Purchaser acknowledges that as a result of the increased ceiling height from the Vendor's standard ceiling height, various modifications to the interior and exterior of the dwelling unit may be made, including Worksheet Note:	
---	--



Purchasers:Man Yue WAN & Hou Yun Elsa KWAN

Property: 65

Telephone Res. / Bus: (647) 970-6599 /

Project: Roundel Homes Inc.

Decor Advisor: Giulia Di Girolamo

Model and Elevation: Glenrowan 3 Elev 3

Lock Date: 27-Sep-23

27-Sep-23

Plan #: 65M-4737

1. Cabinetry

	Style and Colour	Hardware
Kitchen / Breakfast	SENOSAN - 85384 MISTY GREY	464SA
Laundry Room	ELISSE	Standard
Powder Room	MONACO- 350 PLATINUM SILVER	464SA
Master Ensuite Bathroom	MONACO- 350 PLATINUM SILVER	464SA
Ensuite Bath - Bedroom 2/3	MONACO- 350 PLATINUM SILVER	464SA
Ensuite Bath - Bedroom 4	MONACO- 350 PLATINUM SILVER	464SA

Stove Opening

36" COOKTOP

NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width

Fridge Opening

STANDARD

NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height

\*\* Refer to Construction Summary

2. Counters

	Counter	Edge	Niche
Kitchen / Breakfast	QUARTZ-MISTRAL	#360 EDGE	
Laundry Room	N/A		
Powder Room	LAMINATE-PORTICO MARBLE 7735-58		
Master Ensuite Bathroom	LAMINATE-PORTICO MARBLE 7735-58		QUARTZ-MISTRAL
Ensuite Bath - Bedroom 2/3	LAMINATE-PORTICO MARBLE 7735-58		
Ensuite Bath - Bedroom 4	LAMINATE-PORTICO MARBLE 7735-58		

Kitchen Backsplash

N/A

\*\* Refer to Construction Summary

Initials:\_\_\_\_\_



3. Ceramic Flooring

At a 45

Entrance Vestibule	TILE- AXIS BIANCO 12X24- INSTALL TILE IN A STAGGERED PATTERN	<input type="checkbox"/>
Main Hall	HARDWOOD	<input type="checkbox"/>
Kitchen / Breakfast	TILE- AXIS BIANCO 12X24- INSTALL TILE IN A STAGGERED PATTERN	<input type="checkbox"/>
Laundry Room	TILE- AXIS BIANCO 12X24	<input type="checkbox"/>
Powder Room	TILE- AXIS BIANCO 12X24	<input type="checkbox"/>
Master Ensuite Bathroom	TILE-IROC WHITE 12X24- INSTALL TILE IN A STAGGERED PATTERN	<input type="checkbox"/>
Ensuite Bath - Bedroom 2/3	TILE-FORM LIGHT GREY 12X12	<input type="checkbox"/>
Ensuite Bath - Bedroom 4	TILE-FORM LIGHT GREY 12X12	<input type="checkbox"/>
		<input type="checkbox"/>
		<input type="checkbox"/>
		<input type="checkbox"/>

\*\* Refer to Construction Summary \*\*UPGRADE GROUT #50 - TITANIUM\*\*

4. Ceramic Wall Tile

Master Ensuite Bathroom	Selection	Describe
Tub Deck Wall	N/A	
Shower Stall	TILE-IROC WHITE 12X24	INSTALL TILE IN A STAGGERED PATTERN
Bathtub Enclosure Walls	N/A	
Ensuite Bath - Bedroom 2/3	TILE-SILVIA WHITE 8X16	
Ensuite Bath - Bedroom 4	TILE-SILVIA WHITE 8X16	
Kitchen Backsplash	N/A	

\*\* Refer to Construction Summary - \*\*UPGRADE GROUT #50 - TITANIUM\*\*

5. Trim Carpentry


Interior Doors	CARRARA-SMOOTH
Interior Trim	As Per Construction Specifications

\*\* Refer to Construction Summary

6. Plaster Mouldings and Medallions

Entrance Vestibule			Kitchen/Breakfast		
Main Hall			Den/Library		
Living Room			Lower Landing		
Dining Room					
Family Room					

\*\* Refer to Construction Summary





7. Other Flooring

Main Hall	HARDWOOD-MIRAGE-FLAIR COLLECTION-SNOWDRIFT-WHITE OAK CHARACTER BRUSHED-6 1/2"-DURAMATT
Living Room	N/A
Dining Room	HARDWOOD-MIRAGE-FLAIR COLLECTION-SNOWDRIFT-WHITE OAK CHARACTER BRUSHED-6 1/2"-DURAMATT
Family Room	HARDWOOD-MIRAGE-FLAIR COLLECTION-SNOWDRIFT-WHITE OAK CHARACTER BRUSHED-6 1/2"-DURAMATT
Den / Library / Study	N/A
Basement Landing(If Applies)	N/A
Lower Landing (If Applies)	HARDWOOD-MIRAGE-FLAIR COLLECTION-SNOWDRIFT-WHITE OAK CHARACTER BRUSHED-6 1/2"-DURAMATT
Upper Landing	HARDWOOD-MIRAGE-FLAIR COLLECTION-SNOWDRIFT-WHITE OAK CHARACTER BRUSHED-6 1/2"-DURAMATT
Upper Hall	HARDWOOD-MIRAGE-FLAIR COLLECTION-SNOWDRIFT-WHITE OAK CHARACTER BRUSHED-6 1/2"-DURAMATT
Master Bedroom	LAMINATE-LEXINGTON-BRUSSELS OAK-TL-LW1316
Bedroom #2	LAMINATE-LEXINGTON-BRUSSELS OAK-TL-LW1316
Bedroom #3	LAMINATE-LEXINGTON-BRUSSELS OAK-TL-LW1316
Bedroom #4	LAMINATE-LEXINGTON-BRUSSELS OAK-TL-LW1316
Bedroom #5	N/A

Underpad

Standard☐

Upgrade

N/A

\*\* Refer to Construction Summary

8. Railings and Pickets

Railing Type	AS PER CONSTRUCTION SPECIFICATIONS	Colour	MIRAGE-WHITE OAK-SNOWDRIFT
Picket Type	AS PER CONSTRUCTION SPECIFICATIONS	Colour	MIRAGE-WHITE OAK-SNOWDRIFT
Stringer / Riser	AS PER CONSTRUCTION SPECIFICATIONS	Colour	MIRAGE-WHITE OAK-SNOWDRIFT
Treads	AS PER CONSTRUCTION SPECIFICATIONS	Colour	MIRAGE-WHITE OAK-SNOWDRIFT

Red Oak Stairs as Per Vendor's Standard

\*\* Refer to Construction Summary

THE STAIN COLOURS OR FINISH AVAILABLE ON RISERS, TREADS, PICKETS AND RAILS (STAIRCASES), WILL NOT BE AN EXACT MATCH TO PREFINISHED HARDWOOD OR LAMINATE FLOORS.

9. Wall Paint Flat Finish

Main & Upper Hall	22 WARM GREY	Master Bedroom	22 WARM GREY
Living Room	N/A	Bedroom #2	22 WARM GREY
Dining Room	22 WARM GREY	Bedroom #3	22 WARM GREY
Kitchen / Breakfast	22 WARM GREY	Bedroom #4	22 WARM GREY
Family Room	22 WARM GREY	Bedroom #5	N/A
Powder Room	22 WARM GREY	Master Ensuite	22 WARM GREY
Laundry Room	22 WARM GREY	Ensuite Bath - Bedroom 2/3	22 WARM GREY
Den/Library	N/A	Ensuite Bath - Bedroom 4	22 WARM GREY
Trim & Door Paint-Semi Gloss	BIRCH WHITE		

\*\* Refer to Construction Summary



10. Fireplace

Living Room

Purchased

As Per Plan

N/A

☐

☐

☒

Family Room

Purchased

As Per Plan

N/A

☐

☒

☐

Other Room - Specify

Purchased

As Per Plan

N/A

☐

☐

☒

Fireplace Type

As Per Construction Specifications

Mantle Type

MANTLE M2-STANDARD

Colour / Stain

BIRCH WHITE

Surround

BIANCO

Hearth

NO

\*\* Refer to Construction Summary

11. Air Conditioning

Air Conditioning

NO

Comment

\*\* Refer to Construction Summary

12. General Comments

\*\* Refer to Construction Summary

Disclaimers and Notes

1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.


2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.

3) The Purchaser agrees that this colour selection is final and that no changes will be permitted, unless required by the Vendor.

4) The Purchaser acknowledges reading and accepting document which contains other miscellaneous disclaimers.

5) In the event of a conflict between the Standard Features schedule of the Agreement of Purchase and Sale and the Interior Colour Scheme, the Interior Colour Scheme shall prevail.

Signature:



Date: Sept 27, 2023

Signature:

Date:



✱ lots to be  
as close to  
covered box

ELEV. 2 &amp; 3 - 2,932 sq.ft.

3

16 person  
dinner switch

add gfi plug

sharps  
niche 14" x 20"

3

16 person  
dinner switch

add gfi plug

sharps  
niche 14" x 20"

baseline

→ 11 pots of  
1 dinner switch  
includes 11 sq. ft. of open area

★ Add bar sink + faucet

8 pots on  
1 dinner  
Switch

6 person  
1 dimmer  
Switch

★ Pats to be as close to walls as possible

## Festive plug

4

→ Main Level  
5 spots on  
1 dinner  
Switch  
- delete std. li

- Electric vehicle  $r_{II}$  (conduct)


-relocate  
Std. light

—Add plug

- \*Smooth ceilings first + Second floor
- \*Gas line r/1 for stove
- \*Humidifier
- \*Waterline r/1 for fridge

★ pots to be as close to walls as possible

- convert two to snower
- add qfi plug



Orientation of home may be reversed and purchaser agrees to accept the same. Steps and porches may vary at any exterior entrance ways due to grading variance. Actual usable floor space may vary from the stated floor areas. All renderings are artist's concept. Dimensions, specifications and architectural detailing subject to modifications. Roofline and adjoining model types may vary due to siting. E. & O. E. June 2022



LOT # 65





THIS LAYOUT CONTAINS EXTRAS  
THAT ARE NOT PART OF CONTRACT

FILE NAME: ROUNDEL LOT 65 SEPT 28

BIANCA  
SEPT 28 23

PROTOTYPE FOR EXTRAS

- CH11 crown  
moulding w/  
header
- upgrade 3 cabinetry:  
Senosan - 85384 Misty Grey
- Light valance



**Selba Industries J#**

WWDTH \_\_\_\_\_ W HIGHT \_\_\_\_\_ W CNT \_\_\_\_\_

FLOOR HIGHT \_\_\_\_\_ DOOR HIGHT \_\_\_\_\_


ST CENT \_\_\_\_\_ 2X4 \_\_\_\_\_ VENT BOX COVER \_\_\_\_\_

DESIGNER: KS  
DATE: JUNE 721

JOB NUMBER: \_\_\_\_\_  
BUILDER: GREENPARK  
SITE: ROUNDEL, Richmond Hill  
MODEL: GLENROWAN 3X EL 1,2,3  
LOT #: 65



LOT #65 - Roundel



This drawing is the intellectual property of  
SELBA INDUSTRIES INC. and is an  
artistic  
interpretation of the general  
appearance of the design. It is  
not meant to be an exact rendition.



Designed: 9/28/2023  
Printed: 9/28/2023

ROUNDLE PH2 LOT 65 SEPT 28 23

LAYOUT

Drawing #: 1



## 36" Induction Cooktop

Benchmark® Series – Black with Stainless Steel Frame NITP660SUC



**BOSCH**  
Invented for life



**NITP660SUC**  
Black with Stainless  
Steel Frame

Also available in:  
Frameless NITP660UC

**FlexInduction® cooktop**  
allows you to place your  
cookware wherever you  
want on the flexible  
cooking zone.

### Features & Benefits

**FlexInduction®** – provides  
even more flexibility by  
combining two cooking  
zones into one larger zone

**12" dual-ring center**  
cooking zone for large pots  
and pans

**PowerMove™** – divides  
FlexInduction® into 3  
preset power level zones.  
Simply move the cookware  
to change the power level

**Home Connect™** – the  
easy way to connect your  
smart device with your  
Bosch cooktop

### Element Performance

Power of Full Zone Left & Right heating element	3,300 W
Power of Full Zone Left & Right heating element (in boost)	3,600 W
Power of Front Left heating element	2,200 W
Power of Front Left heating element (in boost)	3,600 W
Power of Back Left heating element	2,200 W
Power of Back Left heating element (in boost)	3,600 W
Power of Center heating element	3,300 / 2,200 W
Power of Center heating element (in boost)	3,600 / 3,400 W
Power of Back Right heating element	2,200 W
Power of Back Right heating element (in boost)	3,600 W
Power of Front Right heating element	2,200 W
Power of Front Right heating element (in boost)	3,600 W
Burners with booster	All*

### Element Size

Dimension of Front Left heating element	7" x 8"
Dimension of Back Left heating element	7" x 8"
Dimension of Center heating element	12", 9"
Dimension of Back Right heating element	7" x 8"
Dimension of Front Right heating element	7" x 8"

### General Properties

Home Connect™ (Wi-Fi Enabled)	Yes
Controls	PreciseSelect® Touch

### Technical Details

Watts	12,000 W
Circuit breaker	50 A
Volts	208-240 V
Frequency	60 Hz
Plug type	No plug
Power cord length	37"
Energy source	Electric

### Dimensions & Weight

Overall appliance dimensions (HxWxD)	4 1/8" x 37" x 21 1/4"
Required cutout size (HxWxD)	4 1/8" x 34 7/8" x 20"
Minimum distance from counter front	2 1/4"
Minimum distance from rear wall	2"
Net weight	53 lbs

### Accessories—Optional



**HEZ390210**  
8" AutoChef® pan



**HEZ390220**  
9" AutoChef® pan



**HEZ390230**  
10" AutoChef® pan



**HEZ390512**  
Teppanyaki



**HEZ9GR37UC**  
17" Non-Stick Induction Grill



Home Connect

\*For 36" model Boost function may be used simultaneously in 3 zones only. See User Manual.

**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.









## 36" Induction Cooktop

Benchmark® Series – Black with Stainless Steel Frame NITP660SUC



### Installation Details



**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.




**MEDS301WS**  
**30-INCH STEAM AND CONVECTION SINGLE**  
**BUILT-IN OVEN**  
MASTERPIECE® SERIES

**Thermador**★



**FEATURES & BENEFITS**

- ★ - Large Steam and Convection cavity at 2.8 cu. ft.
- Designed for flexibility—standard or flush installation into kitchen cabinets
- Steam and Convection Cooking provides unrivaled taste and quality—food stays moist on the inside and is perfect on the outside
- Steam and Convection Oven offers passionate cooks more cooking solutions—Broil, Steam, True Convection, Steam and Convection
- Specially crafted gray glass on stainless steel for a luxurious look and finish



**GENERAL PROPERTIES**

**Heating Modes**

(17) Bake, Broil, Roast, Convection Bake, Convection Broil, Convection Roast, Proof, Warm, Pizza, True Convection, Dehydrate, Speed Convection, Slow Roast, Steam, Steam Convection, Defrost, Reheat, Steam Programs

Cleaning Type	Easy Clean / Ecolytic Clean
Telescopic Rack(s)	3
Illumination Type	LED
Interior Lights	3
Home Connect® (Wi-Fi Enabled)	Yes

**OVEN PERFORMANCE**

Convection Element	2,300 W
Bake Element	1,420 W
Broiler Element	3,050 W

**TECHNICAL DETAILS**

Watts	4,100 W
Circuit Breaker	20 A
Volts	240 / 208 V
Frequency	60 Hz
Plug Type	Fixed Connection, No Plug
Conduit	50" 3-Wire
Energy Source	Electric
Installation Type	Non-Plumbed

**DIMENSIONS & WEIGHT**

Oven Cavity Size	2.8 cu. ft.
Overall Appliance Dimensions (HxWxD)	25 13/16" x 29 3/4" x 23 7/16"
Dimensions with Storage Drawer SDS30WC	29" x 29 3/4" x 24 1/2"
Trim Overlaps (Top – Sides – Bottom)	3/8" to 1 5/16" – 9/16" – 0"
Required Cutout Size (HxWxD) – Standard Installation	24 1/2" – 25 7/16" x 28 1/2" x 23 1/2"
Standard Installation with Storage Drawer SDS30WC	27 5/8" – 28 5/8" x 28 1/2" x 23 1/2"
Required Cutout Size (HxWxD) – Flush Installation	25 15/16" x 30" x 24 1/2"
Flush Installation with Storage Drawer SDS30WC	29 1/8" x 30" x 24 1/2"
Overall Oven Interior Dimensions (HxWxD)	14 1/2" x 18 7/8" x 17 3/8"
Usable Oven Interior Dimensions (HxWxD)	11 1/2" x 15 1/2" x 15 5/8"
Net Weight	173 lbs

**ACCESSORIES (INCLUDED)**

3 Telescopic Racks, Multi-point Meat Probe, Broil Pan, 1 Large Pan, 1 Small Pan, 1 Large Perforated Pan, 1 Small Perforated Pan

**WARRANTY**

Limited Warranty Parts and Labor	2 Year
----------------------------------	--------

★ THERMADOR® EXCLUSIVE

†To be fully ADA compliant, these units must be installed according to ADA guidelines. Please check current ADA requirements for guidance on installation.

Handwritten signature or mark inside a red circle.







Roundel Lot#65  
Page 5 of 15

MEDS301WS  
30-INCH STEAM AND CONVECTION SINGLE  
BUILT-IN OVEN  
MASTERPIECE® SERIES



INSTALLATION DETAILS

SIDE-BY-SIDE INSTALLATION – TOP VIEW

Standard

IMPORTANT: When installing an oven in combination, a minimum distance between the ovens is required. Refer to the oven installation manual for all other measurements.

measurements in inches (mm)

NOTE: Conventional ovens with a serial number beginning with "FD009" require accessory kit TWO30YS for Standard or Flush side-by-side installation with another oven or with any other approved product. This kit must be purchased separately and installed prior to installing the oven in the cabinetry. Refer to the Oven Installation Guide for additional information.

Flush

Combination Type	A Left reveal cleat	B Right reveal cleat	C cut-out width	D cut-out width
Flush Bottom hinge	3/4" (19 mm)	3/4" (19 mm)	29 3/4" (743 mm)	29 3/4" (743 mm)
Flush Side Hinge (Left)	1 1/2" (38 mm)	N/A*	30" (762 mm)	N/A*
Flush Side Hinge (Right)	N/A*	1 1/2" (38 mm)	N/A*	30" (762 mm)

\*Installation not recommended

measurements in inches (mm)

THERMADOR SIDE-BY-SIDE BUILT-IN OVEN  
COMBINATION GUIDE

The following **OVENs** are approved to be installed side-by-side in combination and the installation has been certified by CSA. This guide is only effective with the use of the Thermador built-in oven side-by-side accessory kit TWO30YS. The built-in oven side-by-side accessory kit is required for approved installation.

The following **OVENs** and **DRAWERs** are approved by BSH Home Appliances Corporation to be installed in combination. These products, identified in the table below, may be installed in combination with other cooking units. The suitability of the combination has not been evaluated by CSA.

BUILT-IN OVENS	
Conventional Ovens*	Steam Ovens
ME301WS	MEDS301WS
MED301WS	PODS301WS
MED301LWS	MEDS301WS w/ SDS30WC
MED301RWS	PODS301WS w/ SDS30WC
PO301W	
POD301W	
POD301LW	
POD301RW	

BUILT-IN OVENS			
Conventional Ovens*	Steam Ovens	Microwave Ovens	Speed Ovens
ME301WS	MEDS301WS	MB30WS	MC30WS
MED301WS	PODS301WS	MB30WP	MC30WP
MED301LWS	MEDS301WS w/ SDS30WC	MB30WS w/ SD30WC	MC30WS w/ SD30WC
MED301RWS	PODS301WS w/ SDS30WC	MB30WP w/ SD30WC	MC30WP w/ SD30WC
PO301W		MB30WS w/ WD30WC	MC30WS w/ WD30WC
POD301W		MB30WP w/ WD30WC	MC30WP w/ WD30WC
POD301LW			
POD301RW			

\*Conventional ovens with a serial number beginning with "FD009" require accessory kit TWO30YS for side-by-side installation with another oven or in combination with any other approved product. All parts in the kit may not be required. Refer to the Oven Installation Guide for additional information.





# MEDS301WS


## 30-INCH STEAM AND CONVECTION SINGLE BUILT-IN OVEN

MASTERPIECE® SERIES




30-INCH STEAM AND CONVECTION SINGLE OVEN WITH STORAGE DRAWER SDS30WC

Steam Oven with Storage Drawer Wall Mount Installation




measurements in inches (mm)

Door Handle Depth\*  
Masterpiece Series Handle



\*Protrusion of handle from door skin


Steam Oven with Storage Drawer Wall Mount Installation



\* For single ovens installed into a wall cabinet, the junction box may be located above, beneath, left or right of the unit within reach of the power cord.

measurements in inches (mm)

Steam Oven with Storage Drawer Under-Counter Installation




\* Includes 3/4" (19 mm) base plate.


\*\* For single ovens installed under a cabinet, the junction box should be located to the right or left of the unit within reach of the power cord.

measurements in inches (mm)

Flush installation Top view



Steam Oven with Storage Drawer - Side View



measurements in inches (mm)



# MEDS301WS


## 30-INCH STEAM AND CONVECTION SINGLE BUILT-IN OVEN

MASTERPIECE® SERIES



30-INCH STEAM AND CONVECTION SINGLE OVEN UNDER SPEED OVEN OR MICROWAVE


Standard installation  
30" speed oven or microwave above a steam oven



- \* Junction box may be located above or next to the unit within the reach of the power cable.
- \*\* Junction box may be located below (depending on space) or next to the unit within the reach of the power cable.
- Minimum dimensions between cut-outs:
  - 1" (25 mm) for wall steam oven cut-out height of 25 7/16" (646 mm).
  - 1 1/8" (48 mm) for wall steam oven cut-out height of 24 1/2" (623 mm).

measurements in inches (mm)

Flush installation  
Speed oven or microwave above a 30" single Steam oven



\*\*\*Flush installation requires a base plate underneath the body: 30" products—Dimensions: H 5/16" (8 mm) x W 28 1/2" (724 mm) x D 22 1/2" (571 mm)

minimum 1/2" (13 mm) required between cut-outs\*

\*IMPORTANT: Base has to be able to support the weight of the oven. Please check oven manual for minimum weight requirements.

measurements in inches (mm)



## MEDS301WS


### 30-INCH STEAM AND CONVECTION SINGLE BUILT-IN OVEN

MASTERPIECE® SERIES



#### INSTALLATION DETAILS

Standard installation  
Single oven, double oven or combo oven over warming or storage drawer




\* Wall oven junction box may be located above or to the right or left of the unit within reach of the power cable.

\*\* Electrical hook-up may be located below (depending on space) or next to the drawer within reach of the power cable.

Minimum 3/4" (18 mm) required between cut-outs.

measurements in inches (mm)

Flush installation  
Single oven over storage or warming drawer



Single wall oven

\*IMPORTANT: Base has to be able to support the weight of the oven. Please check oven manual for minimum weight requirements.

minimum 1/2" (13 mm) required between cut-outs\*

Warming drawer

\*\*For WD30W, the installed dimension may differ. This drawing based on a 3/4" (19 mm) thick custom panel.

measurements in inches (mm)

These warranties give you specific legal rights and you may have other rights that vary from state to state. Limited warranty from date of delivery. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA.THERMADOR.COM | CANADA.THERMADOR.CA | ©2023 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.





## 24" Pocket Handle Dishwasher

500 Series – Stainless Steel SHP65CM5N



**BOSCH**

Invented for life



**SHP65CM5N**  
Stainless Steel

Also available in:

White SHP65CM2N  
Black SHP65CM6N

**The AutoAir® drying option automatically releases the door at the end of the cycle to let moisture escape and fresh air in for drier dishes.**

### Features & Benefits

So quiet at 44 dBA, InfoLight® shines on the floor so you know the dishwasher is running.

The Flexible 3rd Rack with fold down sides adds 30% more\* loading area, perfect for utensils and ramekins.

Enhance your cleaning experience with Wi-Fi enabled Home Connect®. Access additional wash cycles and options or choose the right one for your needs using Smart Cycle.

### General Properties

Number of wash cycles	5 + 3 additional in Home Connect®
Number of options	3 + 2 additional in Home Connect®
dBA	44
Wash system	PrecisionWash®
Drying system	AutoAir®
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Touch Controls
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
Home Connect® (WiFi enabled)	Yes
NSF®-certified** sanitize option	Yes
Water softener	No
Five-level wash	Yes
Child Lock button suspension	No
Anti-Fingerprint Finish	Yes
Special features	InfoLight®, AutoAir® Option

### Efficiency

Water usage per cycle	3.2 gal
ENERGY STAR® certified	Yes
Total annual energy consumption	240 kWh

### Capacity

Number of place settings	16
--------------------------	----

Home Connect



### Technical Details

Watts	1440 W
Current	12 Amps
Volts	120 V
Frequency	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door	Left – 45" Right – 56"
Minimum water pressure	14 lb/sin
Length outlet hose	78 3/4"

### Dimensions & Weight

Overall appliance dimensions (HxWxD)	33 7/8" x 23 9/16" x 23 3/4"
Required cutout size (HxWxD)	33 7/8" x 24" x 24"
Adjustable feet	Yes
Net weight	85 lbs

### Accessories—Optional

Junction Box	SMZPCJB1UC
Junction Box + Supply Hose Kit	SMZ3IN1UC
Bosch Dishwasher Water Supply Hose	SMZSH1ABUC
Drain Hose Extension Kit	SGZ1010UC
Silverware Basket	SMZ4000UC
Dishwasher Accessory Kit	SMZ5000
Anti-Tarnish Silverware Cassette	SMZ5002UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC

\*Compared to a Bosch dishwasher with 2 racks.

\*\*Certification to NSF/ANSI Standard 184 for residential dishwashers.

**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

**For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904**

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

8/23








## 24" Pocket Handle Dishwasher

500 Series – Stainless Steel SHP65CM5N



### Installation Details



**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.






## 24" Pocket Handle Dishwasher

500 Series – Stainless Steel SHP65CM5N



### Installation Details



Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

8/23

RE



## EBS51SS1

Beverage Center | SINGLE DOOR SINGLE ZONE


 **elica**  
aria nuova



RISERVA - EBS51SS1 creates the dream conditions for your favorite seltzer drinks. This 24" undercabinet refrigerator has the capacity to fit up to 120 cans (12oz). Featuring 3 adjustable slide out Tempered Glass shelves, 304 Stainless Steel

frame with double layered UV resistant glass door and an exclusive concealed hinge design that delivers a more refined appear and tighter fit within cabinetry.

### STORAGE CAPACITY








# EBS51SS1

Beverage Center | SINGLE DOOR SINGLE ZONE



PRODUCT DESCRIPTION <b>EBS51SS1</b>		ELECTRICAL SPECIFICATIONS	
Width	24"	Compressor Brand	Embraco
Dimensions	23 13/32" W x 33 13/16" H x 23 5/8" D	Min. Circuit Required	15A
Weight	128 lbs	AC Power	110-120V/60HZ
Installation Type	Built-in and Free Standing	Amperage	0.95A
Refrigerant Type	R600a	Plug Type	B
Volume	4.8 cu ft (135L)	OTHER FEATURES	
Total Capacity	> 120 cans (12 oz cans)	Superior Full Extension Racks	
Temperature Range	34 to 65°F	Beverage Shelving made of Tempered Glass	
Sound Level	39 dBA	White LED Lights with 3 level KELVIN shade adjustment	
Door Finish	304 Stainless Steel + Glass	Anti Vibration Technology	
Cabinet Finish	Black	Double Panel Tempered Glass Door, UV coated	
Interior Finish	Black	Sabbath Mode	
Hinge Design	Concealed	Stylish look with tubular handle	
Lighting	3 Level White LED	Carbon Filter Replacement	L00114-1
Shelving	3 Adjustable - Slide Out-Tempered Glass Shelves with Metal front Trim (without rollers)	KITS	
		PRO Handle	KIT0175505
Controls	Capacitive Touch with Display with White Numbers		
DOOR		WARRANTY	
Door Handle	Tubular	2+1 Year Parts and In-Home Labor Warranty. Third year awarded after product registration on <a href="http://www.elica.com">www.elica.com</a>	
Door Glass	Tinted Dual Pane, Low-e Argon-filled		
Reversible Door	Yes		


## LINE DRAWING





## 36" Counter-Depth 4-Door Refrigerator

800 Series – Stainless Steel B36CL80ENS



**B36CL80ENS**  
Stainless Steel w/  
Recessed Handles

Introducing the revolutionary, new FarmFresh System™, with four freshness technologies designed to work together to keep your food fresher, longer. Enjoy less food waste, new innovative features and more thoughtful design.

### Features & Benefits

VitaFreshPro™ provides pre-programmed freshness settings to optimize temperature and humidity to keep meat, fish, and produce fresher, longer.

Interior Water Dispenser is thoughtfully placed inside for refreshing water at the touch of a button or a push of a nozzle.

FlexBar™ utilizes typically unused space in the upper refrigerator cavity.

Recessed handle provides flush design to match any sleek kitchen.

General Properties	
Full 72" height and true counter depth for built-in appearance	Yes
Easy Clean Stainless Steel	Yes
Lighting	Recessed LED light bars
Number of compressors/evaporators	2 / 2
Defrost process refrigerator section	Frost-free
Number of shelves – refrigerator	5
Adjustable shelves – refrigerator	4 half-width
Shelf material – refrigerator	Tempered glass
Type of shelves – refrigerator	Frameless split shelves with metal trim
Flexible storage bar	FlexBar™
Gallon storage bins	2
Humidity control compartments	2
Full width temp. & humidity controlled drawer	VitaFreshPro™
Ice maker	Yes
Water filter	UltraClarityPro™
Internal water dispenser	Yes
Touch control panel	Yes
AirFresh® filter	Yes
FreshProtect™ ethylene filter	Yes
MultiAirFlow™	Yes
Stainless steel back wall	Yes
Defrost process freezer section	Automatic
Number of drawers – freezer	3
Wi-Fi enabled	Yes, Home Connect™ app

Capacity	
Total capacity	20.5 cu. ft.
Refrigerator capacity	14.5 cu. ft.
Freezer capacity	6 cu. ft.
Technical Details	
Current	15 A
Volts	115 V
Frequency	60 Hz
Power cord length	67"
Plug type	120V-3 prong
Dimensions & Weight	
Appliance dimensions with hinges and doors (H x W x D)	72** x 35 5/8" x 28 3/4"
Appliance dimensions without hinges and doors (H x W x D)	71 1/2" x 35 5/8" x 24***
Required cutout size (H x W x D)	72" x 36" x 25"
Net weight	350 lbs
Efficiency	
Energy consumption	568 kWh/yr
ENERGY STAR® qualified	Yes
Accessories	
UltraClarityPro™ Water Filter: BORPLFTR55	
Ethylene Filter Kit: FPETHKT50	
Ethylene Filter Refill Kit: FPETHRF50	
90 Degree Door Stopper: 10012733	



\*When leveling legs are fully extended, add 5/8" to overall height, total 72 5/8".

\*\*The cutout depth of 25" includes the required 1" airflow. The electrical covers on the back of unit do not require additional depth.

Accessories: To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

Handwritten signature/initials





## 36" Counter-Depth 4-Door Refrigerator

800 Series – Stainless Steel B36CL80ENS



### Installation Details



**Accessories:** To purchase Bosch accessories, cleaners & parts please visit [www.bosch-home.com/us/store](http://www.bosch-home.com/us/store) or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

**Notes:** All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

**Warranties:** Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to [www.bosch-home.com/us](http://www.bosch-home.com/us) or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

2/23

86