

BUILDING PERMIT COVER PAGE

MHP 23020 Development Services Department **Building Permit and Inspection Services**

SOIL CONDITIONS

SOIL CONDITIONS SHALL BE VERIFIED BY A PROFESSIONAL ENGINEER COMPETENT IN THE FIELD OF SOIL ENGINEERING, PRIOR TO PLACING ANY FOUNDATION.

THE PERMIT PLANS HAVE BEEN **ANY FUTURE CHANGES WILL REQUIRE A** SEPARATE BUILDING PERMIT

BUILDING **ACCEPTED AS NOTED** PERMIT PLANS **REVIEWED BY** DATE REVIEW **ZONING** PLANNING **ARCHITECTURA** CMDec 6, 2023 STRUCTURAL FIRE CARD PLUMBING MECHANICAL PLANS REVIEW CMDec 6, 2023 COMPLETED

PLUMBING INSTALLATIONS

ALL PLUMBING INSTALLATIONS ARE TO BE DONE BY A PLUMBING CONTRACTOR POSSESSING AN ONTARIO COLLEGE OF TRADES MEMBERSHIP, NO PLUMBING IS TO BE COVERED UNTIL INSPECTED AND APPROVED BY A PLUMBING INSPECTOR. TELEPHONE 905-436-5658 WHEN READY FOR AN INSPECTION AND TESTING.

ALL STANDARDS REFERRED TO IN THESE BUILDING PERMIT DOCUMENTS SHALL BE THE **EDITION DESIGNATED IN OBC 2012 AS** AMENDED.

RAIN WATER DOWNSPOUTS ARE TO BE DISCHARGED AT GRADE AND NOT CONNECTED TO WEEPING TILES

FUTURE ALTERATIONS

A SEPARATE BUILDING PERMIT IS REQUIRED FOR ANY PROPOSED INTERIOR PARTITIONS AND/OR ALTERATIONS.

COPY OF THE STAMPED/REVIEWED DRAWINGS MUST REMAIN ON SITE DURING CONSTRUCTION.

NOTE:

IT IS RECOMMENDED THAT CRUSHED CONCRETE OR SLAG AGGREGATE **NOT** TO BE USED FOR BACKFILL UNDER CONCRETE SLABS, AROUND SEWER LATERALS OR WEEPERS.

MHP CERTIFICATION

ALL MARKUPS AND STAMPS APPLIED TO BASE MODEL AND BASE ELEVATION SHALL APPLY AS APPLICABLE TO THE ENTIRE MODEL HOUSE

AS BUILT SURVEY

UPON COMPLETION OF THE FOUNDATION, A SURVEY PREPARED BY AN ONTARIO LAND SURVEYOR INDICATING THE LOCATION OF THE **BUILDING TO ALL PROPERTY LINES IS** REQUIRED TO BE SUBMITTED TO THE BUILDING **DEPARTMENT**

IMPORTANT NOTE

NEITHER THE ISSUANCE OF A PERMIT NOR THE CARRYING OUT OF INSPECTIONS BY THE CITY RELIEVE THE APPLICANT FROM FULL RESPONSIBILITY FOR COMPLIANCE WITH THE PROVISIONS OF THE BUILDING CODE ACT AND THE ONTARIO BUILDING CODE, BOTH AS AMENDED, AS WELL AS OTHER APPLICABLE STATUES AND REGULATIONS OF THE PROVINCE OF ONTARIO AND ALL RELEVANT BY-LAWS OF THE CITY OF OSHAWA AND THE REGIONAL MUNICIPALITY OF DURHAM.

ALL ELECTRICAL WIRING MUST BE INSPECTED BY THE ELECTRICAL SAFETY AUTHORITY. SEPARATE INSPECTION APPLICATIONS (PERMITS) MUST BE FILED. WE RECOMMEND YOU USE A QUALIFIED ELECTRICAL CONTRACTOR. FOR MORE **INFORMATION PLEASE CALL:**



1-877-ESA-SAFE OR VISIT WWW.ESASAFE.COM

OBC 9.10.14.5 - CLADDING

CLADDING ON THE EXPOSING BUILDING FACE IS PERMITTED TO BE VINYL WHEN WITHIN 600mm OF PROPERTY LINE PROVIDED THAT THE VINYI CONFORMS TO OBC DIV. B. 9.27.13, IS INSTALLED OVER SHEATHING PAPER AND12.7mm DRYWALL, HAS A FLAME SPREAD RATING NOT GREATER THAN 25. AND IS NOT MORE THAN 2mm THICK AND THE ENTIRE EXTERIOR WALL HAS A MINIMUM FIRE RESISTANCE RATING OF 3/4 HOURS.

RETURN AIR INLET FROM ANYROOM
PROVISIONS SHALL BE MADE FOR THE RETURN OF AIR FROM ANY ROOM OR
SPACE WITHOUT A RETURN AIR INLET, BY LEAVING GAPS BENEATH DOORS,
USING LOUVERED DOORS, OR INSTALLING RETURN AIR DUCT INLETS.

BEDROOM WINDOWS

(1) EVERY FLOOR LEVEL CONTAINING BEDROOMS IN A SUITE SHALL BE PROVIDED WITH AT LEAST 1 OUTSIDE WINDOW THAT CAN BE OPENED FROM THE INSIDE WITHOUT THE USE OF TOOLS, AND EACH SUCH WINDOW SHALL PROVIDE AN INDIVIDUAL, UNOBSTRUCTED OPEN PORTION HAVING A MINIMUM AREA OF 0.35M2 (3.8 SQ.FT.) WITH NO DIMENSION LESS THAN 380 MM (15 IN).

(2) EXCEPT FOR BASEMENT AREAS. THE WINDOW DESCRIBED IN SENTENCE (1) SHALL HAVE A MAXIMUM SILL HEIGHT OF 1M (3 FT 3 IN) ABOVE THE FLOOR. (3) WHEN SLIDING WINDOWS ARE USED, THE MINIMUM DIMENSION DESCRIBED IN SENTENCE (1) SHALL APPLY TO THE OPENABLE PORTION OF THE WINDOW.

PREFABRICATED WOOD TRUSSES

FABRICATION AND ERECTION DRAWINGS WITH DESIGN DATA, PREPARED AND SEALED BY A PROFESSIONAL ENGINEER, MUST BE AVAILABLE ON SITE FOR REVIEW BY THE BUILDING INSPECTOR

ROOF CEILING INSULATION

ROOF FRAMING OR TRUSS HEEL JOINT MUST PERMIT SUFFICIENT SPACE FOR THE EXTENSION OF THE ROOF-CELLING INSULATION OVER EXTERIOR WALLS MINIMIZE THERMAL BRIDGES. AN UNOBSTRUCTED VENTILATION SPACE MUST BE PROVIDED OVER EXTERIOR WALLS TO ALLOW UNIMPEDED AIR FLOW FORM SOFFIT

UNPROTECTED OPENINGS IN THE EXPOSING BUILDING FACE SHALL NOT BE PERMITTED IF THE LIMITING DISTANCE IS LESS THAN 1.2m (3'11") AND SHALL BE LIMITED IN CONFORMANCE WITH THE REQUIREMENTS FOR UNPROTECTED OPENINGS IN DIV. B ARTICLE 9.10.15.1. WHERE THE LIMITING DISTANCE IS 1.2m (3'11") OR GREATER.

DIV.B. 9.10.14.1 EXPOSING BUILDING FACE OF HOUSES

THE EXPOSING BUILDING FACE SHALL HAVE A FIRE RESISTANCE RATING OF NOT LESS THAN 45 MINUTES WHERE THE LIMITING DISTANCE IS LESS THAN

ATTIC HATCHES SHALL NOT BE LESS THAN 550mm (21 5") BY 900mm (35")

OBC 9.26.4.1.

FLASHING REQUIRED AT ALL **ROOF-WALL JUNCTIONS**

INTERIOR FINISH OF EXITS

THE FLAME SPREAD RATING OF WALL OR CEILING FINISH IN AN **EXIT MUST NOT EXCEED 25.**

INTERIOR FINISH (EXCEPT EXITS)

FLAME SPREAD RATING OF INTERIOR FINISH MATERIALS SHALL NOT EXCEED $\underline{150}$ ON WALLS AND $\underline{150}$ ON CEILINGS. COMBUSTIBLE WALL AND CEILING FINISHES SUCH AS WOOD, PLYWOOD, PLASTIC, FABRIC, CARPET, ETC. MUST BE APPROVED BY THE INSPECTOR PRIOR TO THE INSTALLATION.

ATTACHED OR BUILT-IN GARAGE

THE SEPARATION BETWEEN THE GARAGE AND DWELLING UNIT SHALL BE CONSTRUCTED AS AN EFFECTIVE BARRIER TO GAS AND EXHAUST FUMES. THE DOOR BETWEEN THE GARAGE AND DWELLING UNIT SHALL BE EXTERIOR TYPE, TIGHT FITTING AND WEATHER-STRIPPED TO PROVIDE AN EFFECTIVE BARRIER AGAINST THE PASSAGE OF GAS AND EXHAUST FUMES AND SHALL BE FITTED WITH AN APPROVED SELF CLOSING DEVICE

2012 OBC DIV. B, 9.8.2.1. to 9.8.4.7. STAIR DIME MAX. RISE, MIN. RISE, MAX. RUN, mm MIN. RUN, mm STAIR HEAD

	mm, ALL STEPS	mm, ALL STEPS	RECTANGULAR TREADS	RECTANGULAR TREADS	WIDTH,	mm
PRIVATE STAIRS	200	125	355	255	860	1950
PUBLIC STAIRS	180	125	NO LIMIT	280	900	2050
SERVICE STAIRS	NO LIMIT	125	355	NO LIMIT	900	2050
STAIR TO UNOCCUPIED ATTIC SPACE	NO LIMIT	125	355	NO LIMIT	860	1950
STAIRS TO CRAWL SPACE	NO LIMIT	125	355	NO LIMIT	860	1950
STAIRS THAT SERVE MEZZANINES NOT EXCEEDING 20 m2 WITHIN LIVE/WORK UNITS	NO LIMIT	125	355	NO LIMIT	WIDTH AS PER DIV B 9.8.2.1.(3)	2050
NOTE: THE CURVED EDGES OF TREADS SHALL NOT REDUCE THE REQUIRED TREAD DEPTH BY MORE THAN 15mm AND SHALL NOT EXCEED 25mm HORIZONTALLY,				EPTH		

STRUCTURAL ALTERATIONS

ALL STRUCTURAL ALTERATIONS MUST BE FIELD REVIEWED BY A PROFESSIONAL ENGINEER IF REQUIRED BY THE BUILDING INSPECTOR

FINISHED SITE GRADING

THE BUILDING SHALL BE LOCATED AND THE BUILDING SITE GRADED SO THAT WATER WILL NOT ACCUMULATE AT OR NEAR THE BUILDING AND WILL NOT ADVERSELY AFFECT ANY ADJACENT PROPERTIES.

> **A CURSORY REVIEW OF THE** STRUCTURAL ELEMENTS HAS **BEEN COMPLETED AND IS RELIANT ON ENGINEER'S CERTIFICATION OF**

RESISTANCE TO FORCED ENTRY 2012 O.B.C. DIV B. 9.7.5.2. & 9.7.5.3. A return air inlet shall be located in any room where at least 1/2 of the floor area is located over an unconditioned space (e.g. room over a garage)

- 1. SWINGING DOORS PROVIDING ACCESS TO DWELLING UNITS SHALL SATISFY THE REQUIREMENTS FOR RESISTANCE TO FORCED ENTRY AS DESCRIBED IN SUBSECTION 9.7.5.2.
- 2. WINDOWS IN DWELLING UNITS THAT ARE LOCATED WITHIN 2M OF ADJACENT GROUND LEVEL SHALL CONFORM TO THE REQUIREMENTS FOR RESISTANCE TO FORCED ENTRY AS DESCRIBED IN CLAUSE 5.3.5.OF AAMA/WDMA/CSA 101/I.S.2/A440.

2012 Code

9.8.8.1.(8)(a)(b) Windows over Stairs, Ramps and Landings

(2) In dwelling units, glazing installed over stairs, ramps and landings that extend to less than 900 mm (2 ft 11 in) above the surface to the treads, ramp or landing shall be,


- (a) protected by guards, in accordance with this Subsection, or
- (b) non-openable and designed to withstand the specified lateral loads for *guards* as provided in Article 4.1.5.14.

9.5.2.3. STUD WALL REINFORCEMENT

- (1) IF WOOD WALL STUDS OR SHEET STEEL WALL STUDS ENCLOSE THE MAIN BATHROOM IN A DWELLING UNIT, REINFORCEMENT SHALL BE INSTALLED TO PERMIT THE FUTURE INSTALLATION OF A GRAB BAR ON A WALL ADJACENT TO,
 - (a) A WATER CLOSET IN THE LOCATION REQUIRED BY CLAUSE 3.8.3.8.(1)(d), AND
 - (b) A SHOWER OR BATHTUB IN THE LOCATION BY CLAUSE 3.8.3.13.(1)(f).

(SEE APPENDIX A.)

The Corporation of the City of Oshawa, 50 Centre Street South, Oshawa, Ontario L1H 3Z7 Phone 905.436.5658 1.800.667.4292 Fax 905.436.5623



30'x8' CONCRETE STRIP FOOTINGS WITH REINFORCING BELOW PARTY WALLS. (REFER TO ENG. FILL FOOTING DETAIL)

PAD FOOTING 120 KPa NATIVE SOIL 90 KPa ENGINEERED FILL SOIL F1 = 42"x42"x18" CONCRETE PAD F1 = 48"x48"x20" CONCRETE PAD F2 = 36"x36"x16" CONCRETE PAD F2 = 40"x40"x16" CONCRETE PAD F3 = 30'x30'x12" CONCRETE PAD F3 = 34'x34'x14" CONCRETE PAD F4 = 24"x24"x12" CONCRETE PAD F4 = 28"x28"x12" CONCRETE PAD F5 = 16"x16"x8" CONCRETE PAD F5 = 18"x18"x8" CONCRETE PAD

(REFER TO FLOOR PLAN FOR UNUSUAL SIZE PADS NOT ON CHART)

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.

ALL GARAGE SLABS, PORCH SLABS, STAIRS (EXPOSED CONC. FLAT WORK) TO BE 32 MPa WITH 5-8% AIR ENTRAITMENT

BRICK VENEER LINTELS:

 $WL1 = 3.1 \times 1.2^{\circ} \times 3.1 \times 1.4^{\circ} \times 1.4^{\circ$ $WL6 = 5'' \times 3 \frac{1}{2}' \times \frac{5}{16}'' (125x90x8) + 2 - 2'' \times 12'' SPR.$ $WL2 = 4" \times 3 \ 1\ 2" \times 5\ 16" (100 \times 90 \times 8) + 2 - 2" \times 8" SPR.$ WL7 = 5" x 3 1\2" x 5\16" (125x90x8) + 3-2" x 10" SPR. $WL3 = 5" \times 3 1\2" \times 5\16" (125\times90\times8) + 2-2" \times 10" SPR.$ WL8 = 5" x 3 1\2" x 5\16" (125x90x8) + 3- 2" x12" SPR. $WL4 = 6" \times 3 \text{ 1/2"} \times 3\text{ /8"} (150x90x10) + 2-2" \times 12" SPR,$ WL9 = 6" x 4" x 3\8" (150x100x10) + 3- 2" x 12" SPR. $WL5 = 6" \times 4" \times 3 \times (150 \times 100 \times 10) + 2 - 2" \times 12" SPR.$

WOOD LINTELS:

WB1 = 2-2" x 8" SPRUCE BEAM WB6 = 3-2" x 12" SPRUCE BEAM WR2 = 3-2" x 8" SPRLICE REAM WB7 = 5-2" x 12" SPRUCE BEAM WB10 = 4- 2" x 8" SPRUCE BEAM WB3 = 2-2" x 10" SPRUCE BEAM WB4 = 3-2" x 10" SPRUCE BEAM WB11 = 4-2" x 10" SPRUCE BEAM WB5 = 2-2" x 12" SPRUCE BEAM

STEEL LINTELS:

 $L1 = 3.1/2 \times 3.1/2 \times 1/4'' (90 \times 90 \times 6)$ $L4 = 6'' \times 3.1/2'' \times 3/8'' (150 \times 90 \times 10)$ $L2 = 4" \times 3 \frac{1}{2}" \times 5\frac{16"}{100 \times 90 \times 8}$ $L5 = 6" \times 4" \times 3\frac{8"}{150 \times 100 \times 10}$ L3 = 5" x 3 1\2" x 5\16" (125 x 90 x 8) L6 = 7" x 4" x 3\8" (180 x 100 x 10)

LAMINATED VENEER LUMBER (LVL BEAMS)

LVL1A = 1-1 3/4" x 7 1/4" (1-45x184) $LVL1 = 2-13/4" \times 71/4" (2-45x184)$ $LVL2 = 3-13/4" \times 71/4" (3-45x184)$ LVL3 = 4-1 3/4" x 7 1/4" (4-45x184) LVL4A = 1-1 3/4" x 9 1/2" (1-45x240) |V| 4 = 2-1.3/4 x 9 1/2 (2-45x240) = 3-1 3/4" x 9 1/2" (3-45x240) $LVL5A = 4-13/4" \times 91/2" (4-45x240)$ LVL6A= 1-1 3/4" x 11 7/8" (1-45x300) 2-1 3/4" x 11 7/8" (2-45x300) LVL7 = 3-13/4" x 11 7/8" (3-45x300) LVL7A= 4-1 3/4" x 11 7/8" (4-45x300) 2-1 3/4" x 14" (2-45x356) LVL9 = 3-1 3/4" x 14" (3-45x356)

DOOR SHEDULE:

1 = 2-10" x 6-8" INSULATED ENTRANCE DOOR 1A = 2'-8" x 6'-8" INSULATED ENTRANCE DOOR 2 = 2'-8" x 6'-8" EXTERIOR GLAZED DOOR 3 = 2'-8" x 6'-8" SLAB DOOR (1 3/4" EXTERIOR) 4 = 2 -8" x 6'-8" SLAB DOOR (1 3/8" INTERIOR) 5 = 2'-6" x 6'-8" SLAB DOOR (1 3/8" INTERIOR)

6 = 2'-2" x 6'-8" SLAB DOOR (1 3/8" INTERIOR) $7 = 1'-6'' \times 6'-8'' \text{ SLAB DOOR } (1.3/8'' \text{ INTERIOR})$

8 = 2'-6" x 6'-8" BI-FOLD (1 3/8" INTERIOR) 9 = 3'-0" x 6'-8" BI-FOLD (1 3/8" INTERIOR) 10= 2- 2'-0" x 6'-8" BI-FOLD (1 3/8" INTERIOR)

11= 2- 2'-6" x 6'-8" BI-FOLD (1 3/8" INTERIOR 12 = 2'-6" x 6'-8" FRENCH DOOR (1 3/8" INTERIOR)

^	
	THESE DIMININGS AND TO BE NEAD IN CONSUNCTION WITH
	THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED ROOF TRUSS DRAWINGS BY
	MANUFACTURER.

NOTE:

SPACE CONVENTIONAL FLOOR JOISTS @ 12" O.C. BELOW ALL CERAMIC TILE AREAS, PROVIDE 1 ROW BRIDGING FOR SPANS OF 5'-7', 2 ROWS FOR SPANS GREATER THAN 7'

NOTE:

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEER APPROVED FLOOR TRUSS LAYOUT BY MANUFACTURER.

PENROSE 3 FLEV.-2

WALL FT2

714.00

1256.00

1256.00

695.00

3921.00

FI EVATION

EFT SIDE

IGHT SIDE

TOTAL

PENF

ELEVA FRONT

NOTE:

PLANS NOT DRAWN TO ACTUAL GRADE. REFER TO FINAL GRADING PLAN.

PENROSE 3 ELEV	PENROSE 3 ELEV1 ENERGY EFFICIENCY- SB12				
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE	GROUND FLOOR AREA	
FRONT	710.00	104.00	14.65 %	SECOND FLOOR AREA	
LEFT SIDE	1256,00	88.00	7.01 %	TOTAL FLOOR AREA	
RIGHT SIDE	1256.00	39.00	3,11 %	ADD OPEN AREAS	
REAR	695.00	138.00	19.86 %	ADD FIN. BASEMENT AREA	
				GROSS FLOOR AREA	
TOTAL	3917.00	369.00	9.42 %	GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA	
				PORCH COVERAGE / AREA	
1				COVERAGE W/ PORCH	
				COVERAGE W/O PORCH	

OPENING FT

128.00

88.00

39.00

138.00

393.00

PERCENTAGE

17,93 %

7.01 %

3.11 %

19.86 %

10.02 %

		Annual Control of Article (1971) is - Article (1971) in the Articl			12.48m LU15	
FT ²	PERCENTAGE	GROUND FLOOR AREA	=	1436 Sq. Ft.		
	14.65 %	SECOND FLOOR AREA	=	1721 Sq. Ft.	PENROSE 3	
)	7.01 %	TOTAL FLOOR AREA	= "	3157 Sq. Ft.	- 12	
	3.11 %	ADD OPEN AREAS	=	23 Sq. Ft.	(GR)	
	19.86 %	ADD FIN. BASEMENT AREA	= 1	0 Sq. Ft.	ELEVATION 1 2 0 2	
		GROSS FLOOR AREA	=	3180 Sq. Ft.	ELEVATION 1,2 & 3	
	9.42 %	GROUND FLOOR COVERAGE	=	1436 Sq. Ft.	O DEC 222/12	
	5.4L 70	GARAGE COVERAGE / AREA	=	396 Sq. Ft.	O.REG. 332/12	
		PORCH COVERAGE / AREA	=	90 Sq. Ft.		
		COVERAGE W/ PORCH	=	1922 Sq. Ft.	It is the builder's complete responsibility to	
		1	=	178.6 Sq. m.	ensure that all plans submitted for approval fully comply with the Architectural Guidelines	
		COVERAGE W/O PORCH	=	1832 Sq. Ft.	and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control	
			=	170.2 Sq. m.	in the subdivision agreement. The Control Architect is not responsible in any way for	
					examining or approving site (lotting) plans or working drawings with respect to any zoning or	
ENER	GY EFFICIENCY-SB12	AREA CALCULA	ATIO	NS EL-2	building code or permit matter or that any house can be properly built or located on its lot.	

ATIONS EL-1

3180 12.48m LOTS

This is to certify that these plans compl with the applicable Architectural Desig Guidelines approved by the City of

	SECOND FLOOR AREA	=	1716 Sq. Ft.
_	TOTAL FLOOR AREA	=	3152 Sq. Ft.
	ADD OPEN AREAS ADD FIN, BASEMENT AREA	=	23 Sq. Ft. 0 Sq. Ft.
_	GROSS FLOOR AREA	= 0	3175 Sq. Ft.
	GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA PORCH COVERAGE / AREA	= = =	1436 Sq. Ft. 396 Sq. Ft. 90 Sq. Ft.
	COVERAGE W/ PORCH COVERAGE W/O PORCH	= =	1922 Sq. Ft. 178.6 Sq. m. 1832 Sq. Ft.
		=	170.2 Sq. m.
)	ADEA CALCUI	ATION	IC EL 2

GROUND FLOOR AREA

ROSE 3 ELEV3		ENER	GY EFFICIENCY-SB12	AREA CALCULA
ATION	WALL FT ²	OPENING FT ²	PERCENTAGE	GROUND FLOOR AREA
el	690,00	110.00	15.94 %	SECOND FLOOR AREA
IDE	1266.00	88.00	6.95 %	TOTAL FLOOR AREA
SIDE	1266.00	39.00	3.08 %	ADD OPEN AREAS
	695.00	138.00	19.86 %	ADD FIN. BASEMENT AREA
		S224300 350	94.235.255.555	GROSS FLOOR AREA
L	3917.00	375.00	9.57 %	GROUND FLOOR COVERAGE GARAGE COVERAGE / AREA
				PORCH COVERAGE / AREA

2	AREA CALCUL	ATION	NS EL-3
	GROUND FLOOR AREA SECOND FLOOR AREA	=	1436 Sq. Ft. 1730 Sq. Ft.
	TOTAL FLOOR AREA	= 1	3166 Sq. Ft.
	ADD OPEN AREAS ADD FIN. BASEMENT AREA	= =	23 Sq. Ft. 0 Sq. Ft.
	GROSS FLOOR AREA	= 1	3189 Sq. Ft.
	GROUND FLOOR COVERAGE	=	1436 Sq. Ft.
	GARAGE COVERAGE / AREA PORCH COVERAGE / AREA	=	397 Sq. Ft. 92 Sq. Ft.
	COVERAGE W/ PORCH	=	1925 Sq. Ft.
	COVERAGE W/O PORCH	=	178.8 Sq. m. 1833 Sq. Ft.

170.3 Sq. m.

THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION, ANY DISCREPANCIES SHALL BE REPORTED TO JAPOIN DESIGN GROUI INC, PRIOR TO COMMENCEMENT OF WORK, JAPOIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURACY OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN OTHERS DRAWMINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWMINGS OR SEFORE PROCEEDING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING FOOTINGS.

JARDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OF GENERAL REMEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.

DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND I PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NO

	7		
38.0	6		
	5		
0.000	4	MAY 9, 2023	REVISED GROSS AREA TO ELEV. 2 & 3. RE-ISSUED TO CLIENT
	3	JUN. 6, 2022	ISSUED FOR BUILDING PERMIT
	2	JUN. 2, 2022	COORDINATED AS PER FLOOR JOIST & ROOF TRUSS DRAWINGS
	1	APR, 21, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT
	No:	DATE:	WORK DESCRIPTION:

DESIGN GROUP INC 64 JARDIN DR. SUITE 3A

VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersioned has reviewed and takes responsibilit for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be

a designer QUALIFICATION INFORMATION Required unless design is execute under Division C, s
3.2.5 of the building case.

Walter Botter

NAME

SIGNATORE

REGISTRATION INFORMATION

3.2.4 of the building co jardin design group inc. 27763

FIRM NAME TITLE SHEET

ZADORRA ESTATES CORP. CITY OF OSHAWA

0



SCALE: 3/16"=1'-0" 22-16

2-2'x6' STUD WALL NAILED TOGETHER AND SPACED @ 12' O.C. FULL HEIGHT C/W SOLID BLOCKING @ 4-0" O/C VERTICAL AND 7/16" EXT. PLYWOOD - BRICK VENEER - 1/2" DRYWALL NOTE: MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 18'-0"

TWO STOREY HEIGHT WALL DETAIL

2-2'x8" STUD WALL NAILED TOGETHER AND SPACED @ 12' O.C. FULL HEIGHT C/W SOLID BLOCKING @ 4-0" O/C VERTICAL AND 7/16" EXT. PLYWOOD SHEATHING - BRICK VENEER 010001000100010 — 1/2" DRYWALI 12" NOTE: MAXIMUM HEIGHT OF WALL FOR THIS DETAIL IS 20-2"

TWO STOREY HEIGHT WALL DETAIL WITH BRICK VENEER N.T.S.

THE MINIMUM THERMAL PERFORMANCE OF BUILDING ENVELOPE AND EQUIPMENT SHALL CONFORM TO THE FOLLOWING SB-12 PRESCRIPTIVE PACKAGE A1 COMPONENT NOTE CEILING WITH ATTIC SPACE 10.57 (R60) MINIMUM RSI (R) VALUE EXPOSE FLOOR 5.46 (R31) MINIMUM RSI (R) VALUE WALLS ABOVE GRADE MINIMUM RSI (R) VALUE 3.87 (R22) MINIMUM RSI (R) VALUE EDGE OF BELOW GRADE SLAB 1.76 (R10) ≤ 600mm BELOW GRADE MINIMUM RSI (R) VALUE WINDOWS & SLIDING GLASS DOORS 1.6 (0.28) SPACE HEATING EQUIPMEN GAS FIREPLACE ELECTRONIC SPARK IGNITION 5% HRV TO BE INTERCONNECTED TO THE MINIMUM EFFICIENCY URNACE FAN MUST BE BALANCED INDICATING O HIGH SPEED FRESH/STALE HOT WATER TANK ONDENSING HOT WATER TANK 90% TE NVIROSENCE DRAIN WATER HEAT RECOVER NE SHOWER > 42% STEADY R3-42 OR TD34 ETACHED LEVEL 1 (2.5 ACH/0.18 NLR) TTACHED LEVEL 1 (3.0 ACH/0.26 NLR) AIR TIGHTNESS MUST MEET MINIMUM DUCT SEALING ALL SUPPLY DUCTS 1 m (HORIZONTAL) OF RETUR

75% CFLs OR LEDs

LIGHTS

LEGEND:

BUILDING FACE < THAN 4'-0' (1.2m) (45 MIN. FIRE RATING REO'D)

STRUDET INC.

OROFESS/ON

B. MARINKOVIC

NCE OF ON

FOR STRUCTURE ONLY

JUNE 27.2022

Throw


INDICATES SOLID BEARING REQUIRED OR POINT LOAD FROM ABOVE STL. PLATE FOR STEEL COL'N ABOVE 100


I AMINATED VENEER LUMBER LVL


S.J. SINGLE JOIST D.J. DOUBLE JOIST


T.J. TRIPLE JOIST


REPEAT NOTE 0 SHOWER WEEPERS





































DRAWN RV:





4A 22-16




DRAWN RV:

DRAWING NAM








	7		
	6		
	5		
	4		
٠	3	JUN. 6, 2022	ISSUED FOR BUILDING PERMIT
	2	JUN. 2, 2022	COORDINATED AS PER FLOOR JOIST & ROOF TRUSS DRAWINGS
	1	APR. 21, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT

requirements set out in the Ontario Building Code to be

5B





PENROSE 3 REAR ELEVATION 1

3180

12.48m LOTS

PENROSE 3 (GR) **ELEVATION 1**

O.REG. 332/12

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans compl with the applicable Architectural Desig Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT APPROVED BY: DATE: JUL 31, 2023 This stamp certifles compliance with the applicabl Design Guidelines only and bears no further professional responsibility.

ARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURAL FSURPLY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN O HESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

S CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING DOTINGS.

JAPDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OU BENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY OR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO ARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.

ISSUED FOR BUILDING PERMIT JUN. 6, 2022 JUN. 2, 2022 COORDINATED AS PER FLOOR
JOIST & ROOF TRUSS DRAWINGS

APR. 21, 2022 PREPARED TO PRE-COORDINATION
STAGE & ISSUED TO CLIENT

WORK DESCRIPTION: **DESIGN GROUP INC**

64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be

QUALIFICATION INFORMATION Required unless design is exempt under Division 3.2.5 of the building code

Walter Botter SIGNATURE

REGISTRATION INFORMATION

jardin design group inc. FIRM NAME


REAR ELEVATION 1

ZADORRA ESTATES CORP. CITY OF OSHAWA



3/16"=1**'-**0" 6 22-16





PENROSE 3 REAR ELEVATION 2

3180

12.48m LOTS

PENROSE 3 (GR) **ELEVATION 2**

O.REG. 332/12

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans compl with the applicable Architectural Desig Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT APPROVED BY: DATE: JUL 31, 2023

is stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility.

ARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURAL FSURPLY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN O HESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

S CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING DOTINGS.

JAPDIN DESIGN GROUP INC. HAS NOT BEEN RETAINED TO CARRY OU BENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY OR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO ARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.

ISSUED FOR BUILDING PERMIT JUN. 6, 2022 JUN. 2, 2022 COORDINATED AS PER FLOOR
JOIST & ROOF TRUSS DRAWINGS

APR. 21, 2022 PREPARED TO PRE-COORDINATION
STAGE & ISSUED TO CLIENT

WORK DESCRIPTION:

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be

QUALIFICATION INFORMATION Required unless design is exempt under Division 3.2.5 of the building code

Walter Botter SIGNATURE

REGISTRATION INFORMATION

jardin design group inc. FIRM NAME

REAR ELEVATION 2

ZADORRA ESTATES CORP. CITY OF OSHAWA



3/16"=1**'-**0"

6A 22-16





PENROSE 3 REAR ELEVATION 3

3180

12.48m LOTS

PENROSE 3 (GR) **ELEVATION 3**

O.REG. 332/12

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans compl with the applicable Architectural Desig Guidelines approved by the City of Oshawa

JOHN G. WILLIAMS LTD., ARCHITECT
ARCHITECTURAL CONTROL REVIEW ARCHITECTURAL CONTRO AND APPROVAL APPROVED BY:

DATE: JUL 31, 2023
s stamp certifies compliance with the applicable Design Guidelines only and bears no further

ARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURAL FSURPLY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN O HESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE NGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

S CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING DOTINGS.

JAPDIN DESIGN GROUP INC, HAS NOT BEEN RETAINED TO CARRY OU SENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY OR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO ARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT JOCUMENTS.

ISSUED FOR BUILDING PERMIT JUN. 6, 2022

JUN. 2, 2022 COORDINATED AS PER FLOOR
JOIST & ROOF TRUSS DRAWINGS

APR. 21, 2022 PREPARED TO PRE-COORDINATION
STAGE & ISSUED TO CLIENT WORK DESCRIPTION:

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be

QUALIFICATION INFORMATION Required unless design is exempt under Division 3.2.5 of the building code

Walter Botter SIGNATURE

REGISTRATION INFORMATION

jardin design group inc. FIRM NAME

REAR ELEVATION 3

ZADORRA ESTATES CORP. CITY OF OSHAWA




3/16"=1**'-**0"

22-16

6B





PENROSE 3 REAR ELEVATION 1 DECK CONDITION

PENROSE 3 ELEV1 (DECK CONDITION)	ENERGY EFFICIENCY SR12				
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE		
FRONT	710.00	104.00	14.65 %		
LEFT SIDE	1256.00	88.00	7.01 %		
RIGHT SIDE	1256.00	39.00	3.11 %		
REAR	774.00	141.00	18.22 %		
TOTAL	3996.00	372.00	9.31 %		

FOR ADDITIONAL DECK STRUCTURE REFER TO PAGE 7 OF THE DETAIL PACKAGE

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.
(FOUNDATION PLAN TO BE REVIEWED IN CONJUNCTION WITH SITE PLAN)

3180

12.20m LOTS

PENROSE 3 (GR) ELEVATION 1

O.REG. 332/12

It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guldelines and all applicable regulations and requirements including zoning provisions and any provision. In the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning o building code or permit matter or that any

This is to certify that these plans comply with the applicable Architectural Design Guldellnes approved by the Clty of OSHAWA.

JOHN G. WILLIAMS LTD., ARCHITECT ARCHITECTURAL CONTROL REVIEW AND APPROVAL

APPROVED BY:

DATE: JUL 31. 2023

This stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility.

THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION, ANY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUP INC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURAC OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN ON THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BULLDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

OTINGS.

RDIN DESIGN GROUP INC., HAS NOT BEEN RETAINED TO CARRY OUT:

**INERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY

IN THE FAILURE OF THE CONTRACTOR OR SUR CONTRACTOR TO

DOCUMENTS.
THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND IS
THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT

7		
6		
5		
4	SEPT. 12, 2022	ADDED DECK PAGES; REISSUED TO CLIENT FOR PERMIT
3	JUN. 6, 2022	ISSUED FOR BUILDING PERMIT
2	JUN. 2, 2022	COORDINATED AS PER FLOOR JOIST & ROOF TRUSS DRAWINGS
1	APR. 21, 2022	PREPARED TO PRE-COORDINATION

Jardin DESIGN GROUP INC

WORK DESCRIPTION:

64 JARDIN DR, SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

designer

QUALIFICATION INFORMATION
Required unless design is exempt under Division C. Subsec

Walter Botter Signature B

REGISTRATION INFORMATION
Required unless design is exempt under Division C, Subsectio
3.2.4 of the building code

jardin design group inc. FIRM NAME

DECK CONDITION EL-1
ZADORRA ESTATES CORP.
CITY OF OSHAWA




SCALE: 3/16

3/16"=1'-0"
PROJ. No.
22-16

0-1





PENROSE 3 REAR ELEVATION 2 DECK CONDITION

PENROSE 3 ELEV2 (DECK CONDITION) ENERGY EFFICIENCY- SB12				
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE	
FRONT	714.00	128.00	17.93 %	
LEFT SIDE	1256.00	88.00	7.01 %	
RIGHT SIDE	1256.00	39.00	3.11 %	
REAR	774.00	141.00	18.22 %	
TOTAL	4000.00	396.00	9.90 %	

FOR ADDITIONAL DECK STRUCTURE REFER TO PAGE 7 OF THE DETAIL PACKAGE

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED. (FOUNDATION PLAN TO BE REVIEWED IN CONJUNCTION WITH SITE PLAN)

3180

12.20m LOTS

PENROSE 3 (GR) **ELEVATION 2**

O.REG. 332/12

This is to certify that these plans comply with the applicable Architectural Design Guldelines approved by the City of OSHAWA

JOHN G. WILLIAMS LTD., ARCHITECT

ARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA F SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN I HESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE VGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

7		
6		
5		
4	SEPT. 12, 2022	ADDED DECK PAGES; REISSUED TO CLIENT FOR PERMIT
3	JUN. 6, 2022	ISSUED FOR BUILDING PERMIT
2	JUN. 2, 2022	COORDINATED AS PER FLOOR JOIST & ROOF TRUSS DRAWINGS
1	ADD 21 2022	PREPARED TO PRE-COORDINATIO

APR. 21, 2022 STAGE & ISSUED TO CLIENT WORK DESCRIPTION:



64 JARDIN DR. SUITE 3A VAUGHAN ONT, L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the equirements set out in the Ontario Building Code to be

QUALIFICATION INFORMATION

NAME

REGISTRATION INFORMATION

jardin design group inc. FIRM NAME

DECK CONDITION EL-2


ZADORRA ESTATES CORP. CITY OF OSHAWA



3/16"=1'-0"

6A-22-16





PENROSE 3 REAR ELEVATION 3 DECK CONDITION

PENROSE 3 ELEV3 (DECK CONDITION)		ENERGY EFFICIENCY- SB12		
ELEVATION	WALL FT ²	OPENING FT ²	PERCENTAGE	
FRONT	690.00	110.00	15.94 %	
LEFT SIDE	1266.00	88.00	6.95 %	
RIGHT SIDE	1266.00	39.00	3.08 %	
REAR	774.00	141.00	18.22 %	
TOTAL	3996.00	378.00	9.46 %	

FOR ADDITIONAL DECK STRUCTURE
REFER TO PAGE 7 OF THE DETAIL PACKAGE

NOTE:

WHEN VENEER CUT IS GREATER THAN 26" A 10" POURED CONC. FOUNDATION WALL IS REQUIRED.
(FOUNDATION PLAN TO BE REVIEWED IN CONJUNCTION WITH SITE PLAN)

3180

12.20m LOTS

PENROSE 3 (GR) ELEVATION 3

O.REG. 332/12

It is the builder's complete responsibility to ensure that all plans submitted for approva fully comply with the Architectural Guldelines and all applicable regulations and requirements including zoning provisions and any provision. In the subdivision agreement. The Contro Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning o building code or permit matter or that any

This is to certify that these plans compl with the applicable Architectural Desig Guldellnes approved by the Clty o OSHAWA.



THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION. ANY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUP INC. PRIOR TO COMMENCEMENT OF WORK.

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURAC OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN ON THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING FOOTINGS.

JARDIN DESIGN GROUP INC. HAS NOT REEN BETAINED TO CARRY

JAMDIN DESIGN GROUP ING. HAS NOT BEEN HE HIRED TO CARPY OF GENERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY FOR THE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO CARPY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT DOCUMENTS.

THIS DRAWING IS AN INSTRUMENT OF SERVICE, IS PROVIDED BY AND IS THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT

7		
6		
5		
4	SEPT. 12, 2022	ADDED DECK PAGES; REISSUED TO CLIENT FOR PERMIT
3	JUN. 6, 2022	ISSUED FOR BUILDING PERMIT
2	JUN. 2, 2022	COORDINATED AS PER FLOOR JOIST & ROOF TRUSS DRAWINGS
1	APR. 21, 2022	PREPARED TO PRE-COORDINATIO STAGE & ISSUED TO CLIENT
No:	DATE:	WORK DESCRIPTION:

Jardin DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

designer

QUALIFICATION INFORMATION
Required unless design is exempt under Division C. Subsec

Walter Botter Signatore 2

REGISTRATION INFORMATION Required unless design is exempt under Division C, Subsection 3.2.4 of the building code

jardin design group inc. FIRM NAME


DECK CONDITION EL-3


ZADORRA ESTATES CORP. CITY OF OSHAWA




SCALE: 3/16"=1'-0"

22-16 B-








RAWN BY: DRAWING





SECTION A-A ELEVATION 1

STRUDET INC.



FOR STRUCTURE ONLY

3180

12.48m LOTS

PENROSE 3 (GR) ELEVATION 1

O.REG. 332/12

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa

HE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION.

YY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUP C, PRIOR TO COMMENCEMENT OF WORK,

JARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURAC OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN ON THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BUILDING FERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING FOOTINGS.

INERAL REVIEW OF THE WORK AND ASSUMES NO RESPONSIBILITY IN THE FALILIES OF THE CONTRACTOR OR SUB CONTRACTOR TO IRRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT ICUMENTS.

THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT TO BE SCALED.

7		
6		
5		
4		
3	JUN. 6, 2022	ISSUED FOR BUILDING PERMIT
2	JUN. 2, 2022	COORDINATED AS PER FLOOR JOIST & ROOF TRUSS DRAWINGS
1	APR. 21, 2022	PREPARED TO PRE-COORDINATION

DATE: WORK DESCRIPTION:



64 JARDIN DR, SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION INFORMATION
Required unless design is exempt under Division C, Subs

Walter Botter SigNATORE B

REGISTRATION INFORMATION
Required unless design is exempt under Division C, Subsection
3.2.4 of the building code
jardin design group inc. 2776

FIRM NAME


SECTION ELEV.-1

ZADORRA ESTATES CORP. CITY OF OSHAWA



T
SCALE:
3/16"=1'-0"
PROJ. No. DWG.

22-16 BWG. No.



SECTION A-A ELEVATION 2

STRUDET INC.



FOR STRUCTURE ONLY

3180

12.48m LOTS

PENROSE 3 (GR) ELEVATION 2

O.REG. 332/12

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Oshawa

HE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE BEFORE PROCEEDING WITH CONSTRUCTION.

YY DISCREPANCIES SHALL BE REPORTED TO JARDIN DESIGN GROUP C, PRIOR TO COMMENCEMENT OF WORK,

JARION DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURAL OF SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN O THESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE ISSUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE ENGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

AS CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING FOOTINGS.

IN THE FAILURE OF THE WORK AND ASSUMES NO RESPONSIBILITY

RETHE FAILURE OF THE CONTRACTOR OR SUB CONTRACTOR TO

ARRY OUT THE WORK IN ACCORDANCE WITH THE CONTRACT

DOLUMENTS.

HIS DRAWING IS AN INSTHUMENT OF SERVICE, IS PROVIDED BY AND IS

THE PROPERTY OF JARDIN DESIGN GROUP INC. THIS DRAWING IS NOT TO BE SCALED.

7		
6		
5		
4		
3	JUN. 6, 2022	ISSUED FOR BUILDING PERMIT
2	JUN. 2, 2022	COORDINATED AS PER FLOOR JOIST & ROOF TRUSS DRAWINGS
1	APR. 21, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT

DESIGN GROUP INC

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be a designer

QUALIFICATION INFORMATION
Required unless design is exempt under Division C, Sub-

Walter Botter Signatore Bi

REGISTRATION INFORMATION
Required unless design is exempt under Division C, Subsection
3.2.4 of the building code
jardin design group inc. 2776

FIRM NAME


SECTION ELEV.-2

ZADORRA ESTATES CORP. CITY OF OSHAWA



SCALE:

3/16"=1'-0"
PROJ. No. DWG. No.
22-16 8A



SECTION A-A ELEVATION 3

STRUDET INC.



FOR STRUCTURE ONLY

3180

12.48m LOTS

PENROSE 3 (GR) **ELEVATION 3**

O.REG. 332/12

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans compl with the applicable Architectural Desig Guidelines approved by the City of Oshawa

ARDIN DESIGN GROUP INC. IS NOT RESPONSIBLE FOR THE ACCURA F SURVEY, STRUCTURAL OR ENGINEERING INFORMATION SHOWN (RESE DRAWINGS OR FOR CONSTRUCTION STARTED PRIOR TO THE SUANCE OF A BUILDING PERMIT. REFER TO THE APPROPRIATE VGINEERING DRAWINGS BEFORE PROCEEDING WITH WORK.

CONSTRUCTED INVERTS MUST BE VERIFIED PRIOR TO POURING OTINGS.

7		
6		
5		
4		
3	JUN. 6, 2022	ISSUED FOR BUILDING PERMIT
2	JUN. 2, 2022	COORDINATED AS PER FLOOR JOIST & ROOF TRUSS DRAWINGS
1	APR. 21, 2022	PREPARED TO PRE-COORDINATION STAGE & ISSUED TO CLIENT

DESIGN GROUP INC

WORK DESCRIPTION:

64 JARDIN DR. SUITE 3A VAUGHAN ONT. L4K 3P3 TEL: 905 660-3377 FAX: 905 660-3713 EMAIL: info@jardindesign.ca

The undersigned has reviewed and takes responsibility for this design and has the qualifications and meets the requirements set out in the Ontario Building Code to be

QUALIFICATION INFORMATION

Walter Botter NAME

REGISTRATION INFORMATION
Required unless design is exempt under Division C, Subsection 3.2.4 of the building code jardin design group inc.

FIRM NAME

SECTION ELEV.-3

ZADORRA ESTATES CORP. CITY OF OSHAWA



3/16"=1'-0" 8B 22-16