

Benchmark Information
Elevations shown hereon are geodetic and are referred to town of Richmond Hill benchmark No. 78-125 having a published elevation of 202.911m

- Reference Documents

 1. Site engineering, servicing and utilities from "Lot Grading Plan" and "Utility Coordination Plan" prepared by SCS Consulting Group Limited, project no. 2310.
- Survey information from "Plan of Subdivision" by Schaeffer Dzaldov Purcell Limited, Job no. 20-156-05D dated May 10, 2023.

- Notes

 4. The contractor shall take all precautionary measures under the occupational health and safety act as required by the Ministry of Labour.
- All work shall be done in accordance with the minimum standards and specifications of the municipality's engineering department.
- Driveways are to be 1.0m clear of utility structures and hydrants.
- The builder must measure the invert elevations and verify that adequate fall is available for the storm and sanitary sewer pipes prior to the pouring of footings.
- Builder to verify location of all hydrants, street lights, transformers and other services. If minimum dimensions are not maintained, builder is to relocate at his own expense.

 The contractor shall verify all dimensions, levels,
- and datums on site and report any discrepancies or omissions to the designer prior to construction. This drawing is to be read and understood in
- conjunction with all other plans and documents applicable to this project.
- Do not scale the drawings
- All existing underground utilities to be verified in the field by the contractor prior to construction.
- 13. Builder to ensure 1.25m cover on all footings. Footings to bear on undisturbed native soil or engineer fill.

Revisions

Description Date 2024-01-10 Issued for review JM Revised and issued for permit 2024-01-23

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Richmond Hill.



30 Aug 2024 By: James Paulidis Vorth



Site Plan Statistics

Lot coverage (55% max.)

Storeys (4 storeys max.)

Zoning Lot area

Buildina area

type, appurtenant grading, proposed grading is in conformity with the Master Lot Grading Plan reviewed as appendices to the and relative elevations.

Reviewed by:

C.J.C

×100.00 proposed elevation ППП 45 min. fire rated wall downspout & splash pad \Box 0 - sanitary sewer / manhole -storm sewer / manhole \sim dual service connect

engineered fill

direction of drainage

 \otimes valve chamber \bowtie valve box **CMB** community mail box streetlight $\widetilde{\triangle}$ hydro transformer hydro service В bell pedestal С cable pedestal pole breaker for street (PB)

☐ RLCB / DICB catch basin

hydrant and valve

lighting service $^{\mathsf{B}}$ pipe bumber regulatory signs

GLB grade level box (bell) connect pedestal and vault (cable)

flush to grade (cable) FTG switch gear

street trees



Block 3 (Condo Townhouses) 1.8m high privacy fence

(see landscape dwgs.)

8

⇎ 0%

213.01 212.11

Villa 5

Elev. 3 Rev.

8'-6" pour

sunken×1R udroom×212.98

212.63

<u>212</u>.51

5.40

1.50m c.s.w.

9.12

48

213.01

සූසු

Boccella Crescent

first floor elevation

top of foundation wall

underside of footing

area drain

catch basir

curb cut

existing

sanitary

storm

swale

invert

risers

basement floor elevation

(g) (g)

No unprotected

openings permitted within 1.2 metres of

9.10.14 of the Ontario

the lot line as per

Building Code.

212.47

213.16

212.62

212.49 4.0%

2R

11.69(s)

212.04

212.17 202

2.1% 211.83(hp) 212.10

213. [6] 12.26

Villa 6

Elev. 1

8'-6" pour

213.31 212.96 210.47 210.19

212.81

-SILL -2

11.00

5.71

ZONING REVIEWED

1.50m

sunken×1R mudroom×213.13

9.12

212.52

₩6

¹▲ 1R

Infiltration trench (see

detail on SCS DWG. 903)

တ္ထိ

212.03

212.05 83

47 21;

> 212.44 212.40

212.50

%

o

ZBL 55-15, MZO 698-20

Legend

TFW

RF

UF

ΑD

СВ

ΕX

INV

#R

SAN

STM

SW

 \bigoplus

337.20 sq m

153.38 sq m

45.5 %

0.1m curb

1.50m c.s.w.

2

209

1.23 8.78

211.62

∟св🐕 8 🛞

wood deck

ut 26:

Villa 1

ilev. 2

RLCB

nent

00

213.09 212.74 210.50 sunken 210.27 mµdroom



Jamie Mack

Siting and Grading Plan Trinigroup Development Inc.

Richmond Hill, ON

Lot 7, 65M-



drainage and servicing works proposed for Lot **7** Plan 65M-4818 complies with sound engineering design and that the subdivision agreement and with adjacent lands for both drainage Date: 2024-03-05

103532

nation Mackitecture

2024-01-23 1:250 22-016-SITE-GRADING