

Benchmark Information
Elevations shown hereon are geodetic and are referred to town of Richmond Hill benchmark No. 78-125 having a published elevation of 202.911m

- Reference Documents

 1. Site engineering, servicing and utilities from "Lot Grading Plan" and "Utility Coordination Plan" prepared by SCS Consulting Group Limited, project no. 2310.
- Survey information from "Plan of Subdivision" by Schaeffer Dzaldov Purcell Limited, Job no. 20-156-05D dated May 10, 2023.

- Notes

 4. The contractor shall take all precautionary measures under the occupational health and safety act as required by the Ministry of Labour.
- All work shall be done in accordance with the minimum standards and specifications of the municipality's engineering department.
- Driveways are to be 1.0m clear of utility structures and hydrants.
- The builder must measure the invert elevations and verify that adequate fall is available for the storm and sanitary sewer pipes prior to the pouring of footings.
- Builder to verify location of all hydrants, street lights, transformers and other services. If minimum dimensions are not maintained, builder is to relocate at his own expense.


 The contractor shall verify all dimensions, levels,
- and datums on site and report any discrepancies or omissions to the designer prior to construction. This drawing is to be read and understood in
- conjunction with all other plans and documents applicable to this project.
- Do not scale the drawings
- All existing underground utilities to be verified in the field by the contractor prior to construction.
- 13. Builder to ensure 1.25m cover on all footings. Footings to bear on undisturbed native soil or engineer fill.

Revisions

Description Date 2024-07-04 Issued for review JM 2024-07-10

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of Richmond Hill.





E7.702세IIIIIIII)7.72 7.82 detail on SCS DWG 903) detail on SCS DWG. 903). Intiltration trench (see Infiltration trench (see (a)(qn)+c.\(n)53.405 (S)95 70K 07.71 69.70 207.52 207.62 207.61 11.00 5.7€ 5.0% 207.68 207.44 207.47(ĥp) 2.0% 207.55(hp) 207.53 60 3.0% 58 53 207.66 207.70 ▲ 3R Villa 6 207 207 Villa 5 Villa 6 Elev. 3 Rev. Elev. 3 Elev. 2 Rev. 8'-6" pour 208.12 207.77 205.53 205.30 (SP) FF 208.20 TFW 207.85 BF 205.36 UF 205.13 20% 31.93 31.93 207 18.80 า 3R า 207.58 ď sunken 3R mudroom 207.66 α 2R ┌ 207.37 ×20 9.12 9.12 0.64 <u> 207.25</u> <u> SILL</u> SILL 207.26 <u>7.08</u> 208 05 707 207.15 7.06 5.55 207.03 207 08 ≌ 207 80 4.5% 1.50m c.s.w 1.50m c.s.w. Richmond Hill City of Richmond Hill **Building Division** Boccella Crescent ZONING REVIEWED ZBL 55-15, MZO 698-20

Site Plan Statistics

Zoning Lot area Buildina area Lot coverage (55% max.) Storeys (4 storeys max.) PROFESSIONAL CHO

343.20 sq m 153.38 sa m

> TFW RF UF ΑD СВ

> > SW

Consultants Declaration

100515333

NVCE OF ONTARIO

hereby certify that the building type, appurtenant grading, drainage and servicing works proposed for Lot **59** Plan 65M-4818 complies with sound engineering design and that the proposed grading is in conformity with the Master Lot Grading Plan reviewed as appendices to the subdivision agreement and with adjacent lands for both drainage and relative elevations. Date: 2024-07-10

Reviewed by:

C.J.C.

Legend

first floor elevation top of foundation wall basement floor elevation underside of footing area drain

Initials:

 \otimes

catch basir curb cut existing ΕX

INV invert #R risers sanitary SAN STM storm

swale

 \oplus engineered fill direction of drainage <100.00 proposed elevation ППП

45 min. fire rated wall downspout & splash pad sanitary sewer / manhole storm sewer / manhole dual service connect

water service connection

☐ RLCB / DICB catch basin hydrant and valve

valve chamber valve box M

JW

CMB community mail box streetlight hydro transformer

hydro service В bell pedestal

С cable pedestal pole breaker for street

(PB) lighting service $^{\circ}$ pipe bumber

regulatory signs grade level box (bell)

connect pedestal and vault (cable)

flush to grade (cable) FTG switch gear

street trees

BUILDING DIVISION



ation Mackitecture

Siting and Grading Plan

Trinigroup Development Inc. 2024-07-10 scale 1:250

Lot 59, 65M-4818 Richmond Hill, ON

single service connection CITY OF RICHMOND HILL

www.mackitecture.ca