

<div>CONSTRUCTION SUMMARY</div> <div>Legacy Hill - Trinigroup Development Inc.</div> <div>PURCHASERS: Chun Hon PAK and Hiu Pui LAM</div> <div>TEL:</div>				
--	--	--	--	--

LOT / PHASE	REG. PLAN #	HOUSE TYPE		
73 / 1	65M-4818	Villa 6 Elev 3		

CABINETRY

1 - KITCHEN - SHIFT FRIDGE TO ACCOMODATE BUILT INS 04Mar25 Note:	
1 - KITCHEN - FLUSH INSTALL FOR FRIDGES & FREEZER 28Feb25 Note:	
2 - CABINETRY PROVISION - PROVISION FOR PLUG ON ISLAND (PLUG EXTRA ORDERED SEPARATELY) 28Feb25 Note: PLUG TO BE INSTALLED ON DUMMY DOORS SIDE OF ISLAND INSTALLED HORIZONTALLY AS HIGH AS POSSIBLE TO KITCHEN COUNTERTOP (IF CONSTRUCTION PERMITS)	
1 - KITCHEN ISLAND - ADD APPROX. 2 FEET OF BASE CABINETS TO ISLAND AS PER SKETCH 28Feb25 Note: INCLUDES UPGRADE 6 CABINETRY AND QUARTZ COUNTERTOP	
1 - KITCHEN CABINETRY HARDWARE - DELETE HARDWARE NO HOLES DRILLED 28Feb25 Note:	
1 - CABINETRY - KITCHEN - UPGRADE 6 28Feb25 Note:	

CABINETRY ACCESSORIES

1 - CABINETRY FEE FOR FLUSH CUTOUT ON WALL OVEN/MICROWAVE COMBO CABINET ONLY 28Feb25 Note:	
1 - KITCHEN CABINETRY - APPLIANCE DOOR PANELS - 24" DISHWASHER DOOR PANEL (SUPPLY ONLY, INSTALLATION NOT INCLUDED, HARDWARE NOT INCLUDED) - UPGRADE 6 28Feb25 Note:	
1 - KITCHEN CABINETRY BASE - COOKTOP CABINET WITH POT DRAWERS (2 DRAWERS) - UPGRADE 6 28Feb25 Note:	
1 - KITCHEN CABINETRY - BUILT-IN MICROWAVE/OVEN COMBO WITH ONE POT DRAWER - UPGRADE 6 28Feb25 Note:	
1 - KITCHEN CABINETRY - APPLIANCE DOOR PANELS - FRIDGE & FREEZER DOOR PANELS - SUPPLY ONLY, INSTALLATION NOT INCLUDED, HARDWARE NOT INCLUDED - UPGRADE 6 28Feb25 Note:	
1 - KITCHEN CABINETRY - BUILT-IN FRIDGE/FREEZER FEE - PRICE IS EACH 28Feb25 Note:	
1 - KITCHEN CABINETRY UPPER - FULL DEPTH ABOVE FRIDGE UPPER WITH GABLES - 650MM DEEP - PRICE IS EACH 28Feb25 Note: X2 FRIDGE X1 FREEZER SIDE BY SIDE SEE SKETCH AND SPECS	

CERAMIC TILE

1 - DELETE ALL CERAMIC BATHROOM ACCESSORIES - DELETE TOWEL BAR, PAPER HOLDER & SOAP DISH THROUGHOUT 28Feb25 Note:	
--	--

CONSTRUCTION

1 - OFFICE - 4 BOX WAFFLE CEILING 07Jun24 Note:	
--	--

RECEIVED
APR 08 2025

CONSTRUCTION SUMMARY				
Legacy Hill - Trinigroup Development Inc.				
PURCHASERS: Chun Hon PAK and Hiu Pui LAM				TEL:
LOT / PHASE	REG. PLAN #	HOUSE TYPE		
73 / 1	65M-4818	Villa 6 Elev 3		
1 - FAMILY ROOM - 6 BOX WAFFLE CEILING 07Jun24 Note:				
1 - SMOOTH CEILINGS ON FIRST FLOOR 07Jun24 Note:				
1 - SMOOTH CEILING ON SECOND FLOOR 07Jun24 Note:				
1 - ENLARGED BASEMENT WINDOWS (MAY REQUIRE WINDOW WELLS) - WINDOW IS 30 INCHES X 24 INCHES 19Oct23 Note:				
1 - LOWER LEVEL - BASEMENT 8 FOOT 6 INCH CONCRETE POUR - MEASURED FROM TOP OF FOOTING TO TOP OF FOUNDATION WALL 19Oct23 Note:				
1 - FIRST FLOOR INCREASE CEILING HEIGHT FROM 9 FEET TO 10 FEET 19Oct23 Note:				

COUNTER TOP

2 - KITCHEN ISLAND - ADD WATERFALL LEGS 28Feb25 Note:	
1 - KITCHEN BACKSPLASH FULL HEIGHT - UPGRADE STONE COUNTERTOP 28Feb25 Note:	
1 - KITCHEN COUNTERTOP - UPGRADE STONE COUNTERTOP 28Feb25 Note:	
MAJESTIC- PLEASE CONTACT HOME OWNER DIRECTLY FOR A SLAB VIEW/SELECTION- AS PER PURCHASERS REQUEST	

DOORS AND TRIM

1 - TRIM - 7 1/4 INCH BASEBOARD AND 3 1/4 INCH BB CASING - STEP 03Mar25 Note:	
1 - INTERIOR DOORS - UPGRADE INTERIOR DOOR STYLE THROUGHOUT WHERE APPLICABLE - FOR 10' MAIN FLOOR & 9' UPPER LEVEL CEILING HEIGHTS 28Feb25 Note:	

ELECTRICAL

2 - KITCHEN ISLAND - ISLAND PLUGS TO BE INSTALLED ON DUMMY DOORS OF ISLAND DUE TO WATERFALL LEGS - INSTALLED HORIZONTALLY AS HIGH AS POSSIBLE TO COUNTERTOP (IF CONSTRUCTION PERMITS) SEE SKETCH 28Feb25 Note:	
1 - PLUG - ELECTRICAL PLUG - KITCHEN FOR FREEZER - SEE SKETCH 28Feb25 Note:	
1 - BUILT IN OVEN AND COOKTOP PROVISION - PROVISION ONLY - ELECTRICAL ONLY 28Feb25 Note:	
1 - FAN - BATHROOM EXHAUST FAN - ENERGY STAR 80 CFM - IN LIEU OF STANDARD FAN MASTER ENSUITE 07Jun24 Note:	

<div>CONSTRUCTION SUMMARY</div> <div>Legacy Hill - Trinigroup Development Inc.</div> <div>PURCHASERS: Chun Hon PAK and Hiu Pui LAM<div>TEL:</div></div>				
LOT / PHASE 73 / 1	REG. PLAN # 65M-4818	HOUSE TYPE Villa 6 Elev 3		
<div>2 - PLUG - ELECTRICAL PLUG - ADD TO ISLAND</div> <div>ADD TO EACH SIDE</div> <div>07Jun24 Note:</div>				
<div>2 - PLUG - ELECTRICAL PLUG WITH GFI - NEXT TO TOILET</div> <div>POWDER ROOM & MASTER ENSUITE</div> <div>07Jun24 Note:</div>				
<div>1 - LIGHT AND SWITCH - NO FIXTURE INCLUDED - LIVING ROOM</div> <div>07Jun24 Note:</div>				
<div>1 - ABOVE KITCHEN ISLAND - ADD LIGHT AND SWITCH - NO FIXTURE INCLUDED</div> <div>07Jun24 Note:</div>				
<div>1 - PLUG - ELECTRICAL PLUG WITH GFI AND SWITCH - FOR FESTIVE LIGHTING</div> <div>07Jun24 Note:</div>				
<div>1 - ELECTRIC VEHICLE ROUGH-IN PROVISION ONLY FOR FUTURE ELECTRIC CAR (CONDUIT FROM BASEMENT INTO JUNCTION BOX IN GARAGE WITH PULL STRING, NO WIRE)</div> <div>07Jun24 Note:</div>				
<div>FIREPLACE AND ACCESSORIES</div>				
<div>1 - GAS LINE ROUGH-IN FOR STOVE (INCLUDES ELECTRICAL OUTLET) - FIRST FLOOR</div> <div>07Jun24 Note:</div>				
<div>HARDWOOD FLOORING</div>				
<div>1 - HARDWOOD - GROUP C SERIES 6 1/2 INCH - UPPER HALL</div> <div>03Mar25 Note:</div>				
<div>1 - HARDWOOD - GROUP C SERIES 6 1/2 INCH - KITCHEN/BREAKFAST AREA</div> <div>28Feb25 Note:</div>				
<div>1 - HARDWOOD - GROUP C SERIES 6 1/2 INCH - IN LIEU OF 3 1/4 INCH NATURAL RED OAK - FIRST FLOOR HARDWOOD AREAS INCLUDING STAIR LANDINGS</div> <div>28Feb25 Note:</div>				
<div>HEATING AND AIR CONDITIONING</div>				
<div>1 - HUMIDIFER (MANUAL)</div> <div>07Jun24 Note:</div>				
<div>MISCELLANEOUS</div>				
<div>1 - FURTHER VENDOR DISCOUNT</div> <div>28Feb25 Note:</div>				
<div>PLUMBING</div>				
<div>1 - SINK - UNDERMOUNT - BLANCO PRECIS SILGRANIT U SUPER SINGLE #402884 SOFT WHITE</div> <div>28Feb25 Note:</div>				
<div>1 - KITCHEN - BLANCO METAL STRAINER FOR KITCHEN SINK - SOFT WHITE #203439</div> <div>28Feb25 Note:</div>				

<div>CONSTRUCTION SUMMARY</div> <div>Legacy Hill - Trinigroup Development Inc.</div> <div>PURCHASERS: Chun Hon PAK and Hiu Pui LAM<div>TEL:</div></div>				
LOT / PHASE 73 / 1	REG. PLAN # 65M-4818	HOUSE TYPE Villa 6 Elev 3		
<div>2 - HOSE BIB - EXTERIOR FROST FREE</div> <div>GARAGE & BACKYARD</div> <div>07Jun24 Note:</div>				
<div>1 - DELTA - WALL MOUNT POT FILLER - CONTEMPORARY #1165LF - CHROME</div> <div>07Jun24 Note:</div>				
<div>1 - WATER LINE FOR FRIDGE - ROUGH-IN ONLY</div> <div>07Jun24 Note:</div>				
<div>PROMOTIONAL</div> <div>1 - LESS CREDIT FROM PURCHASER EXTRA SHEET IN OFFER</div> <div>19Oct23 Note:</div>				
<div>STAIRS AND RAILINGS</div> <div>1 - STAINED STAIRS - STANDARD STAIRCASE - INCLUDES EXTRA STEP</div> <div>28Feb25 Note:</div>				
<div>EXTRAS AS PER OFFER</div> <div>The Vendor agrees that notwithstanding any other term or provision in this Agreement included in the Purchase Price and in addition to those items detailed in Schedule GP to the Agreement of Purchase and Sale, the Purchaser is entitled to a credit of Ten Worksheet Note:</div>				

This Document is Extremely Time Sensitive - Printed 25 Mar 25 at 12:23

Purchasers:

Chun Hon PAK & Hiu Pui LAM

Property: 73

Telephone Res. / Bus:

/

Project: Trinigroup Development Inc.

Decor Advisor:

Ida Viola

Model and Elevation: Villa 6 Elev 3

Lock Date:

28-Feb-25

28-Feb-25

Plan #: 65M-4818

1. Cabinetry

	Style and Colour	Hardware
Kitchen / Breakfast	BELLINI 616 GALLERY	See Below
Laundry Room	ELISSE	Standard
Powder Room	SABRA 291 CLEAR	464SA
Master Ensuite Bathroom	SABRA 291 CLEAR	464SA
Ensuite Bath - Bedroom 2	SABRA 291 CLEAR	464SA
Ensuite Bath - Bedroom 3/4	SABRA 291 CLEAR	464SA
Stove Opening	SEE SPECS	NOTE: If not specified, opening will be set to builder's standard opening of approximately 30" width
Fridge Opening	SEE SPECS	NOTE: If not specified, opening will be set to builder's standard opening of approximately 37" width x 74" height

** Refer to Construction Summary KITCHEN - NO HARDWARE INSTALL NO HOLES DRILLED

2. Counters

	Counter	Edge	Niche
Kitchen / Breakfast	QZITE TAJ MAHAL	#370 EDGE	
Laundry Room	N/A		
Powder Room	LAMINATE-PORTICO MARBLE 7735-58		
Master Ensuite Bathroom	LAMINATE-PORTICO MARBLE 7735-58		
Ensuite Bath - Bedroom 2	LAMINATE-PORTICO MARBLE 7735-58		
Ensuite Bath - Bedroom 3/4	LAMINATE-PORTICO MARBLE 7735-58		
Kitchen Backsplash	QZITE TAJ MAHAL		

** Refer to Construction Summary

Purchasers:	Chun Hon PAK & Hiu Pui LAM	Property:	73
Telephone Res. / Bus:	/	Project:	Trinigroup Development Inc.
Decor Advisor:	Ida Viola	Model and Elevation:	Villa 6 Elev 3
Lock Date:	4-Mar-25	28-Feb-25	Plan #: 65M-4818

3. Ceramic Flooring		At a 45
Entrance Vestibule	TILE-KALMA BLANCO GLOSSY 12.5 X 12.5	<input type="checkbox"/>
Main Hall	HARDWOOD	<input type="checkbox"/>
Kitchen / Breakfast	HARDWOOD	<input type="checkbox"/>
Laundry Room	TILE-PETRE CENDRA 12.5 X 12.5	<input type="checkbox"/>
Powder Room	TILE-KALMA BLANCO GLOSSY 12.5 X 12.5	<input type="checkbox"/>
Master Ensuite Bathroom	TILE-PETRE CENDRA 12.5 X 12.5	<input type="checkbox"/>
Ensuite Bath - Bedroom 2	TILE-PETRE CENDRA 12.5 X 12.5	<input type="checkbox"/>
Ensuite Bath - Bedroom 3/4	TILE-PETRE CENDRA 12.5 X 12.5	<input type="checkbox"/>
Mud Room	TILE-PETRE CENDRA 12.5 X 12.5	<input type="checkbox"/>
		<input type="checkbox"/>
		<input type="checkbox"/>

** Refer to Construction Summary ** METAL STRIP THRESHOLD WHERE APPLICABLE UNLESS SPECIFIED **

4. Ceramic Wall Tile		
Master Ensuite Bathroom	Selection	Describe
Tub Deck Wall		
Shower Stall	TILE-EXTRA WHITE/BEIGE (719) 8X16	
Bathtub Enclosure Walls		
Ensuite Bath - Bedroom 2	TILE-EXTRA WHITE/BEIGE (719) 8X16	
Ensuite Bath - Bedroom 3/4	TILE-EXTRA WHITE/BEIGE (719) 8X16	
Mud Room		
Kitchen Backsplash	QZITE TAJ MAHAL	

** Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED

5. Trim Carpentry	
Interior Doors	LINCON-SMOOTH
Interior Trim	3 1/4" BB CASING WITH 7 1/4" BASEBOARD - ONE STEP
** Refer to Construction Summary	

6. Plaster Mouldings and Medallions					
Entrance Vestibule	N/A		Kitchen/Breakfast	N/A	
Main Hall	N/A		Den/Library	N/A	
Living Room	N/A		Lower Landing	N/A	
Dining Room	N/A				
Family Room	N/A				

** Refer to Construction Summary

Purchasers:	Chun Hon PAK & Hiu Pui LAM	Property:	73
Telephone Res. / Bus:	/	Project:	Trinigroup Development Inc.
Decor Advisor:	Ida Viola	Model and Elevation:	Villa 6 Elev 3
Lock Date:	4-Mar-25	28-Feb-25	Plan #: 65M-4818

7. Other Flooring

Main Hall	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Living Room	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Dining Room	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Family Room	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Den / Library / Study	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Basement Landing(If Applies)	N/A
Lower Landing (If Applies)	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Upper Landing	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Upper Hall	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Master Bedroom	LAMINATE- LEXINGTON KORTEMARK OAK TL LW1312 PEFC
Bedroom #2	LAMINATE- LEXINGTON KORTEMARK OAK TL LW1312 PEFC
Bedroom #3	LAMINATE- LEXINGTON KORTEMARK OAK TL LW1312 PEFC
Bedroom #4	LAMINATE- LEXINGTON KORTEMARK OAK TL LW1312 PEFC
Bedroom #5	N/A
Flex	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Kitchen	HARDWOOD-VINTAGE NORTHERN SOLID SAWN WIRE BRUSHED WHITE OAK CHARACTER 6 1/2" NAUTILUS
Underpad	Standard <input type="checkbox"/> Upgrade <input type="checkbox"/>

** Refer to Construction Summary

8. Railings and Pickets

Railing Type	AS PER CONSTRUCTION SPECIFICATIONS	Colour	VINTAGE NAUTILUS WHITE OAK
Picket Type	AS PER CONSTRUCTION SPECIFICATIONS	Colour	VINTAGE NAUTILUS WHITE OAK
Stringer / Riser	AS PER CONSTRUCTION SPECIFICATIONS	Colour	VINTAGE NAUTILUS WHITE OAK
Treads	AS PER CONSTRUCTION SPECIFICATIONS	Colour	VINTAGE NAUTILUS WHITE OAK

Red Oak Stairs as Per Vendor's Standard

** Refer to Construction Summary THE STAIN COLOURS OR FINISH AVAILABLE ON RISERS, TREADS, PICKETS AND RAILS (STAIRCASES), WILL NOT BE AN EXACT MATCH TO PREFINISHED HARDWOOD OR LAMINATE FLOORS.

9. Wall Paint Flat Finish

Main & Upper Hall	22 WARM GREY	Master Bedroom	22 WARM GREY
Living Room	22 WARM GREY	Bedroom #2	22 WARM GREY
Dining Room	22 WARM GREY	Bedroom #3	22 WARM GREY
Kitchen / Breakfast	22 WARM GREY	Bedroom #4	22 WARM GREY
Family Room	22 WARM GREY	Bedroom #5	N/A
Powder Room	22 WARM GREY	Master Ensuite	22 WARM GREY
Laundry Room	22 WARM GREY	Ensuite Bath - Bedroom 2	22 WARM GREY
Den/Library	22 WARM GREY	Ensuite Bath - Bedroom 3/4	22 WARM GREY
Trim & Door Paint-Semi Gloss	BIRCH WHITE	Mud Room	22 WARM GREY
		Flex	22 WARM GREY

** Refer to Construction Summary

Initials: CP JL

Purchasers:Chun Hon PAK & Hiu Pui LAM

Property: 73

Telephone Res. / Bus: /

Project: Trinigroup Development Inc.

Decor Advisor: Ida Viola

Model and Elevation: Villa 6 Elev 3

Lock Date: 28-Feb-25

28-Feb-25

Plan #: 65M-4818

10. Fireplace

Living Room

Purchased

As Per Plan

N/A

Family Room

Purchased

As Per Plan

N/A

Other Room - Specify

Fireplace Type

Mantle Type

Colour / Stain

Surround

Hearth

As Per Construction Specifications

MANTLE M2-STANDARD

AS PER CONSTRUCTION SPECIFICATIONS

BIANCO

NO

** Refer to Construction Summary

11. Air Conditioning

Air Conditioning

NO

Comment

** Refer to Construction Summary

12. General Comments

** Refer to Construction Summary

Disclaimers and Notes

1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.

2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.

3) The Purchaser agrees that this colour selection is final and that no changes will be permitted, unless required by the Vendor.

4) The Purchaser acknowledges reading and accepting document which contains other miscellaneous disclaimers.

5) In the event of a conflict between the Standard Features schedule of the Agreement of Purchase and Sale and the Interior Colour Scheme, the Interior Colour Scheme shall prevail.

Signature: [Signature]

Date: FEB 28, '25

Signature: [Signature]

Date: FEB 28, '25

Page 4 of 4

Printed 2/28/2025 15:58:24

西

Elev. 1: 3.038 sq.ft. Elev. 2: 3.047 sq.ft. Elev. 3: 3.047 sq.ft.

- * 10 Ft Ceiling 1st Floor
- * Basement 8Ft 6 in Concrete Pour *
- * SMOOTH CEILINGS 1st 2nd Floors

Box
Waffle
Ceiling

—4 Box
Waffle Ceiling


Unlars
Windor

Add CFI Plug

UPPER LEVEL



KS 7793 D
Built-in refrigerator
with PerfectFresh Active, FlexiLight 2.0, and FlexiTray for maximum convenience.



- Fresh 5x longer with active humidification – PerfectFresh Active
- Individually adjustable glass shelf lighting with FlexiLight 2.0
- Uniform temperature distribution inside the appliance – DynaCool
- Easy to remove items thanks to pivotable glass shelf – FlexiTray
- Door shelf heights can be adjusted individually

EAN: 4002516424697 / Material number: 11749850 / Old Material Number: 36779301USA


Appliance category	
Refrigerator	•
Construction type	
Built-in appliance	•
Integrated appliance	•
Can be installed side by side	•
Design	
Fridge section lighting	FlexiLight 2.0
Fan lighting	•
Freshness system lighting	•
User convenience	
Networking with Miele@home	•
Freshness system	PerfectFresh Active
Active humidification in top drawer	•
Fine adjustment of inner door	•
ComfortClean	•
DynaCool	•
ComfortSize	•
SoftClose	•
SelfClose	•
Controls	
User interface	FreshTouch
Switch for fridge compartment	No
Independent temperature regulation of fridge and freezer compartments	No
SuperCool	•
Number of temperature zones	2
Sabbath mode	•
Party mode	•
Holiday mode	•
Fridge / Fridge section	
Number of shelves	4
including how many illuminated	3
Chrome metal bottle rack	•
Number of crisper drawers	3
Dry back wall	CleanTouch Steel
CompactCase	•
FlexiTray	•
Number of door racks for cans	3
Door rack for bottles	2
Door shelves	5
Safety	
Safety lock	•
Acoustic door alarm	•
Optical door alarm	•
Technical data	
Niche width in inches (mm), min.	22 1/8 (560)
Niche width in inches (mm), max.	22 1/2 (570)
Niche height in inches (mm), min.	69 7/8 (1772)
Niche height in inches (mm), max.	70 1/2 (1788)



Park

Feb 24/25.

FNS 7794 E
Built-in freezer
with NoFrost and 8 freezer drawers on telescopic runners for max. convenience.



- Ice cubes thanks to the IceMaker with fresh water connection
- Double the convenience with Miele's Ice&PizzaBox
- No icing up of food and no need to defrost thanks to NoFrost
- Optimum and maintenance-free LED lighting in compartment
- Soft closing of the door with SoftClose


EAN: 4002516480938 / Material number: 11911910 / Old Material Number: 37779400USA

Appliance category	
Freezer	•
Construction type	
Built-in appliance	•
Integrated appliance	•
Door hinging	Left
Convertible hinging	•
Can be installed side by side	•
Design	
Freezer section lighting	LED
IceMaker lighting	•
User convenience	
Networking with Miele@home	•
NoFrost	•
VarioRoom	•
SoftClose	•
IceMaker with fresh water connection	•
Controls	
User interface	FreshTouch
Independent temperature regulation of fridge and freezer compartments	No
SuperFrost	•
Number of temperature zones	1
Sabbath mode	•
Party mode	•
Freezer / Freezer section	
Number of freezer drawers	8
of which on runners	8
of which Ice&PizzaBox	2
Safety	
Safety lock	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Acoustic temperature alarm	•
Optical door alarm	•
Optical temperature alarm	•
Power cut indication for freezer section	•
Technical data	
Niche width in inches (mm), min.	22 1/8 (560)
Niche width in inches (mm), max.	22 1/2 (570)
Niche height in inches (mm), min.	69 7/8 (1772)
Niche height in inches (mm), max.	70 1/2 (1788)
Niche depth in mm	21 3/4 (550)
Appliance width in mm	22 1/8 (559)
Appliance height in mm	69 3/4 (1770)
Appliance depth in mm	21 1/2 (544)
Weight in lbs (kg)	157 (70.9)
Door hinge technology	Fixed door
Max. weight of door, fridge section, in kg	58 (26)
Max. weight of door, freezer section, in kg	58 (26)



Handwritten: *KS Fridge*

KS 7793 D
Built-in refrigerator
with PerfectFresh Active, FlexiLight 2.0, and FlexiTray for maximum convenience.




EAN: 4002516424697 / Material number: 11749850 / Old Material Number: 36779301USA


Niche depth in mm	21 3/4 (550)
Appliance width in mm	22 1/8 (559)
Appliance height in mm	69 3/4 (1770)
Appliance depth in mm	21 1/2 (546)
Weight in lbs (kg)	152 (68.8)
Current consumption in milliamps (mA)	0
Voltage in V	120
Fuse rating in A	10
Number of phases	1
Frequency in Hz	50
Replacing lamps	Customer Service
Accessories supplied	
Egg tray	•
PerfectFresh organization box	•



KS 7793 D
Built-in refrigerator
with PerfectFresh Active, FlexiLight 2.0, and FlexiIray for maximum convenience.



KS7793D, FNS7794E, side view (installation drawings) (US)




KS7793D, FNS7794E, built-in (installation (*footnote)
(installation drawings) (US)

*The declared energy consumption was calculated in a 560 mm deep niche. The appliance is fully functional in a 550 mm niche but the energy consumption will be slightly higher.



FNS 7794 E
Built-in freezer
with NoFrost and 8 freezer drawers on telescopic runners for max. convenience.




EAN: 4002516480938 / Material number: 11911910 / Old Material Number: 37779400USA


Climate class	SN-T
Storage time in case of fault in h	9
Current consumption in milliamps (mA)	0
Voltage in V	120
Fuse rating in A	15
Number of phases	1
Frequency in Hz	50
Length of power cable in m	7 (2.2)
Replacing lamps	Customer Service



FNS 7794 E
Built-in freezer
with NoFrost and 8 freezer drawers on telescopic runners for max. convenience.




KS7793D, FNS7794E, side view (installation drawings) (US)



KS7793D, FNS7794E, built-in (installation (*footnote) (installation drawings) (US)

*The declared energy consumption was calculated in a 560 mm deep niche. The appliance is fully functional in a 550 mm niche but the energy consumption will be slightly higher.




FNS7794E, installation (*footnote) (installation drawings) (US)

*1. View from the front, 2. Mains connection cable, L = 2100 mm, 3. Mains Ventilation cut-out min. 200 cm², 4. Ventilation, 5. No connections permitted in this area, 6. Water connection L = 2000 mm



KMR 1134-3 G EDST/CLST
36-inch RangeTop
with 6 burners for professional applications



EAN: 4002516534969 / Material number: 11852340 /
Old Material Number: 26113470USA

8th cooking zone / cooking area

Simmer function

User convenience

Operation via genuine metal knobs with illuminated ring

Cleaning convenience

Dishwasher-safe grates

Single piece surround

Safety

ReStart

Technical data

Dimensions in mm (width) 36 (914)

Dimensions in mm (height) 7 5/8 (191)

Dimensions in mm (depth) with bullnose 27 1/4 (692)

Dimensions in mm (depth) without bullnose 25 5/8 (650)

Weight in lbs (kg) 121 (55)

Total output in BTU/h 98200

Total rated load in kW 32.20

Voltage in V 120

Fuse rating in A 10

Number of phases 1

Length of power cable in m 3 (1.2)



KMR 1134-3 G EDST/CLST
36-inch RangeTop
with 6 burners for professional applications




- Professional design – 36 (914) in (mm) wide in stainless steel with CleanSteel finishing
- Direct control – high-quality metal knobs with illuminated ring
- Easy cleaning – dishwasher-safe ComfortClean grates
- Broad performance spectrum – burner w. up to 19,500 BTU (5.7 kW)
- Convenient and safe – automatic re-ignition for all burners

EAN: 4002516534969 / Material number: 11852340 /
Old Material Number: 26113470USA

Heating type	
Heating type	Gas
Construction type	
RangeTop	•
Design	
Casing	Stainless steel
Front panel	CleanSteel
Genuine metal knobs	•
Cast-iron grate (matt black enamel led)	•
Cooking zone details	
Number of burners	6
1st cooking zone / cooking area	
Position	front left
Type	Ultra high-speed burner
Minimum power output in BTU/h	1700
Maximum power output in BTU/h	19500
Max. rating in W	5700
2nd cooking zone / cooking area	
Position	rear left
Type	High-speed burner
Minimum power output in BTU/h	1200
Maximum power output in BTU/h	12500
Max. rating in W	3700
3rd cooking zone / cooking area	
Position	rear right
Type	High-speed burner
Minimum power output in BTU/h	1700
Maximum power output in BTU/h	13600
Max. rating in W	4000
4th cooking zone / cooking area	
Position	rear right
Type	High-speed burner
Minimum power output in BTU/h	1700
Maximum power output in BTU/h	13600
Max. rating in W	4000
5th cooking zone / cooking area	
Position	front right
Type	Ultra high-speed burner
Minimum power output in BTU/h	1700
Maximum power output in BTU/h	19500
Max. rating in W	5700
6th cooking zone / cooking area	
Position	front centre
Type	Ultra high-speed burner
Minimum power output in BTU/h	1700
Maximum power output in BTU/h	19500
Max. rating in W	5700




KMR 1134-3 G EDST/CLST
36-inch RangeTop
with 6 burners for professional applications



KMR1134, KMR1135, KMR1136, KMR1134-3, KMR1135
3, KMR1136 3 (Installation drawing)
1) Side view, 2) Front view, 3) Rear view, 4) Gas
Connection, 5) Electrical connection



H 7270 BM
30 inch speed oven
In perfect mix and match design with automatic programs and combo modes.




- Clear-text display with sensor controls – DirectSensor S
- Easy cleaning – cabinet with linen-weave pattern & PerfectClean
- Faster and more consistent results – Quick & Gentle
- Network-enabled WiFi appliance – Miele@home
- Your wish, at the touch of a button – Quick MW and Popcorn button

EAN: 4002516485117 / Material number: 11804570 / Old Material Number: 22727046USA

Construction type and design	
Speed oven	•
Colour	CleanTouch Steel
PureLine	•
Convenience features	
Quick & Gentle	•
Rapid Pre-Heat	•
Keeping warm	•
Operating modes	
Defrost	•
MasterChef programs	•
Auto Roast	•
Broiling operating modes	•
Maxi Broil	•
Microwave	•
Microwave with Auto Roast	•
Microwave with Broil	•
Microwave with Convection Bake	•
Microwave with Convection Broil	•
Convection Broil	•
User convenience	
Networking with Miele@home	•
Display	DirectSensor S
SoftOpen	•
SoftClose	•
Ergonomic swivel handle	•
3 in 1	Oven, Microwave, Speed oven
Language Options	•
Popcorn function	•
Time-of-day display	•
Time synchronization	•
Timer	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Audible signal when desired temperature is reached	•
Recommended temperatures	•
Recommended microwave power	•
Quick MW	•
Individual settings	•
Cleaning convenience	
Stainless steel / Clean Touch Steel surface	•
Stainless steel oven compartment with linen-weave pattern and PerfectClean finish	•
Hinged broiler	•
CleanGlass door	•
Safety	
Appliance cooling system with touch-cool fronts	•




H 7270 BM
30 inch speed oven
In perfect mix and match design with automatic programs and combo modes.




side view 30 inch Flush inset BM30, installation drawing, NA

7/8" - 22" mm - Glas, 15/16" - 23.3" mm - Edelstahl




side view 30 inch Flush inset built-under BM30, installation drawing, NA

7/8" - 22" mm - Glas, 15/16" - 23.3" mm - Edelstahl




installation 30 inch Flush inset BM30, installation drawing, NA

7/8" - 22" mm - Glas, 15/16" - 23.3" mm - Edelstahl




installation 30 inch Flush inset built-under BM30, installation drawing, NA

7/8" - 22" mm - Glas, 15/16" - 23.3" mm - Edelstahl



installation 30 inch Flush inset wide front BM30, installation drawing, NA

7/8" - 22" mm - Glas, 15/16" - 23.3" mm - Edelstahl




installation 30 inch Flush inset built-under wide front BM30, installation drawing, NA

7/8" - 22" mm - Glas, 15/16" - 23.3" mm - Edelstahl

Miele





H 7280 BP
30 inch oven
with clear text display, connectivity, and Self Clean.



- Clear-text display with sensor controls – DirectSensor S
- Minimal cleaning effort – Pyrolytic cleaning
- Achieve perfect results with ease – Automatic programs
- Unlimited possibilities – volume of 4.59 cu. ft. on 6 levels
- Network-enabled WiFi appliance – Miele@home

EAN: 4002516487340 / Material number: 11805500 / Old Material Number: 22728045USA

Construction type and design	
Built-in oven	•
Colour	CleanTouch Steel
PureLine	•
Convenience features	
Rapid PreHeat	•
Operating modes	
Defrost	•
MasterChef programs	•
Auto Roast	•
Broiling operating modes	•
Maxi Broil	•
Broil	•
Intensive	•
Surround	•
Bake	•
Convection Broil	•
User convenience	
Networking with Miele@home	•
Display	DirectSensor S
SoftOpen	•
SoftClose	•
Language Options	•
Time-of-day display	•
Time synchronization	•
Timer	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Audible signal when desired temperature is reached	•
Recommended temperatures	•
Individual settings	•
Cleaning convenience	
Stainless steel / Clean Touch Steel surface	•
SelfClean	•
CleanGlass door	•
Safety	
Appliance cooling system with touch-cool fronts	•
Safety shut-off	•
System lock	•
Door lock during SelfClean	•
Technical data	
Oven compartment volume in cubic feet (l)	4.59 (130) ft ³ (l)
Number of shelf levels	6
Number of shelf levels oven compartment 1	6
Number of shelf levels oven compartment 2	6
Numbered shelf levels	•
Oven interior lighting	2 halogen spots
TwinPower Convection Fans	•




WM5500H_A

LG Pro Builder

4.5 cu. ft. Front Load Washer

- 4.5 cu. ft. Ultra Large Capacity
- TurboWash® 360° Technology
- AI Fabric Sensor/ Smart Pairing™
- Tempered Glass Door
- 25 Cycles / 15 Options
- Allergiene™ Cycle
- ColdWash™ Option
- Direct Drive Motor (10-Year Limited Warranty)
- NeveRust™ Stainless Steel Tub
- LG ThinQ® Technology (Wi-Fi)



COLOR AVAILABILITY

- ☒ WM5500HVA – Graphite Steel
- ☐ WM5500HWA – White

CAPACITY & MATCHING DRYERS

Capacity (cu. ft.)	4.5
Matching Electric Dryer	DLEX5500V, DLEX5500W
Matching Gas Dryer	DLGX5501V, DLGX5501W

APPEARANCE

Electronic Controls with LCD Display	Yes
Hard Buttons	Yes (On/Off and Pause)
Touch Buttons	Yes
Dial-A-Cycle™	Yes

ENERGY & WATER

ENERGY STAR® Certified	Yes, Most Efficient
CEE Qualified	Tier 2
Integrated Modified Energy Factor (IMEF)	2.92
Integrated Water Factor (IWF)	3.0

WASH CYCLES

Number of Cycles	25
Wash Cycles	Normal, AI Wash, Bedding, Delicates, Towels, Quick Wash, Heavy Duty, Allergiene®, Perm. Press, Tub Clean, Bright Whites™, Sanitary, Rinse+Spin, Spin Only, Hand/Wool, Active Wear, Swimwear, Kids Wear, Jeans, Dresses, Color Care, Sweat Stains, Small Load, Large Load, X Large Load

WASH OPTIONS

Number of Options	15
Options	TurboWash®, Steam, Fresh Care, Pre-wash, Remote Start, Delay Wash, Wi-Fi, Add Item, Extra Rinse, Control Lock, Drum Light, Cold Wash, Signal, Cycle List Edit, Cycle Optimization

WASH DETAILS

Internal Heater	Yes
Number of Wash / Rinse Temps	5
Wash / Rinse Temps	Extra Hot, Hot, Warm, Cold, Tap Cold
Number of Spin Speeds	5
Spin Speeds	Extra High, High, Medium, Low, No Spin
Max RPM	1,300
Water Levels	Load Sensing
Number of Soil Levels	5
AAFA Certified	Yes

FABRIC CARE

AI DD™	Yes
Wash Technology	TurboWash® 360
Steam Technology	Yes
Allergiene™ Cycle	Yes
Sanitary Cycle	Yes
ColdWash™ Option	Yes
AI Fabric Sensor	Yes
Soil Level Sensor	No

CONVENIENCE

Vibration Sensing (Cabinet Vibration Sensor)	Yes
TrueBalance™ Anti-Vibration System	Yes
Dispenser Type	4-Tray (Prewash, Main Wash with Liquid Detergent Cup, Bleach, Fabric Softener)
Drum Light	Yes
End of Cycle Signal	Yes
LoadSense	Yes
Control Lock	Yes
Auto Suds Removal	Yes
4 Adjustable Leveling Legs	Yes
ADA Compliant	No

SMART FEATURES

Wi-Fi Enabled	Yes
ThinQ® Technology	Yes
ThinQ Care	Yes
Voice Control	Google Assistant, Amazon Alexa
SmartDiagnosis™	Yes
Remote Start (On / Off)	Yes
Remote Monitoring & Notifications	Yes
Energy Monitoring	Yes
Tub Clean Coach	Yes

MOTOR AND AGITATOR

Motor Type	Inverter Direct Drive Motor
Axis	Horizontal

MATERIALS AND FINISHES

NeveRust™ Stainless Steel Drum	Yes
Cabinet	Painted Steel
Control Panel	Painted Steel
Top Plate	Painted Steel
Door / Rim	Glass / STS Silver
Door Cover	Tempered Glass Door

TECHNICAL SPECS

Electrical Requirements	120V, 60 Hz, 10 Amps
Type	Electric
Power Outlet Location	Within 60" of Either Side
Plug Type	3-Prong (Cord Attached to Unit)
Min. / Max. Water Pressure	20 - 120 psi

INCLUDED ACCESSORIES

Drain Hose, Non-Skid Pads, Hole Caps, Wrench, Tie Strap, Elbow Bracket (for Securing Drain Hose)

OPTIONAL ACCESSORIES

Pedestal	WDP6V, WDP6W
Pedestal (W x H x D)	27" x 13 5/8" x 28" (43 7/8" D with Door Open)
ADA-Compliant Pedestal Riser	WDPS2W
ADA-Compliant Pedestal Riser (W x H x D)	27" x 5 1/8" x 27"
LG Sidekick™ Pedestal Washer	WD300CV, WD300CW
LG Sidekick™ Pedestal Washer (W x H x D)	27" x 14 1/8" x 30 3/4" (50 1/2" D with Drawer Open)
Stacking Kit	KSTK4

DIMENSIONS

Product (W x H x D)	27" x 39" x 30 1/4"
Depth with Door Open	55"
Cutout Dimensions (W x H x D)	29" x 39 1/4" x 34 1/4"
Carton Dimensions (W x H x D)	29 1/2" x 42 1/8" x 31 1/2"
Approx. Weight (Product / Carton)	200.8 lbs. / 214.4 lbs.


LIMITED WARRANTY

Parts and Labor	1 Year
Direct Drive Motor	10 Years (Parts Only)
Drum	3 Years (Parts Only)

DIMENSIONS / CLEARANCES

FLOOR INSTALLATION

To ensure sufficient clearance for water inlet hoses, drain hose and airflow, allow minimum clearances of at least 1 inch (2.5 cm) at the sides and 4 inches (10 cm) behind the washer. Be sure to allow for wall, door, or floor moldings that may increase the required clearances.




DIMENSIONS / CLEARANCES

A	55" (139.6 cm)
B	30 1/4" (77 cm)
C	4" (10 cm)
D	1" (2.5 cm)
E	27" (70 cm)
F	1/4" (0.5 cm)

STACKING OR PEDESTAL INSTALLATION

The washer can be stacked under a dryer or on top of a pedestal or pedestal washer.



DIMENSIONS / CLEARANCES

A	30 1/4" (77 cm)
B	4" (10 cm)
C	1" (2.5 cm)
D	27" (70 cm)
E	77 1/2" (196.8 cm)
F	1/4" (0.5 cm)