Greenpark.

### CONSTRUCTION SUMMARY

Charisma Condominiums - Dulcina Investments Inc.

PURCHASERS: Alejandro Angel CAMACHO MONDRAGON and Martha Laura TOSCANO FRAGA

TEL:

Unit 5, Level 13 (1405-5)

Floor Plan
C868

CABINETRY	CA	BI	N	ET	R	Y	-
-----------	----	----	---	----	---	---	---

1 - KITCHEN - DELETE CABINETS ABOVE STOVE AND HOOD FAN - VENDOR WILL SUPPLY 6 INCH VENT AS PER CONSTRUCTION SPECIFICATIONS AND VENT MAY NOT BE IN THE APPROPRIATE LOCATION FOR INSTALLATION OF PURCHASER SUPPLIED FAN 29Jul24 Note:

1 - CABINETRY - RAISE VANITY TO 36" HIGH VANITY IN LIEU OF STANDARD HEIGHT - POWDER ROOM

29Jul24 Note:

1 - CABINETRY - RAISE VANITY TO 36" HIGH VANITY IN LIEU OF STANDARD HEIGHT - ENSUITE 2

29Jul24 Note:

1 - CABINETRY - RAISE VANITY TO 36" HIGH VANITY IN LIEU OF STANDARD HEIGHT - ENSUITE

29Jul24 Note:

1 - KITCHEN CABINETRY - EXTENDED UPPER CABINETS - UPGRADE 2 CABINETS

29Jul24 Note:

1 - KITCHEN CABINETRY - UPGRADE 2 CABINETS

29Jul24 Note:

1 - CABINETRY PROVISION - PROVISION FOR PLUG ON ISLAND (PLUG EXTRA ORDERED SEPARATELY)

18May23 Note:

### CONSTRUCTION

2 - SMOOTH CEILING - BOTH BEDROOMS

29Jul24 Note:

### COUNTER TOP

1 - KITCHEN COUNTERTOP - UPGRADE EDGE

29Jul24 Note:

1 - KITCHEN BACKSPLASH - FULL HEIGHT QUARTZ BACKSPLASH INCLUDING EXTRA AREA BEHIND CHIMENEY

HOOD FAN

29Jul24 Note:

1 - KITCHEN COUNTERTOP - UPGRADE STONE COUNTERTOP IN LIEU OF VENDOR STANDARD QUARTZ

29.Jul24 Note:

### ELECTRICAL

1 - PLUG - ADD PLUG AT ISLAND 18May23 Note: SEE SKETCH

1 - ADD POT LIGHT TO BATHTUB CEILING

18May23 Note: SECOND BEDROOM ENSUITE

1 - LIGHT - ADD CEILING LIGHT COMPLETE WITH FIXTURE AND SWITCH

18May23 Note: LIVING ROOM

### MIRRORS AND GLASS

1 - ENSUITE 2 - FRAMELESS GLASS BATH TUB SCREEN 30" WIDE (NO DOOR)

29Jul24 Note:

Greenpark.

$\mathbf{C}$	ONSTRUCTION SUMMARY		
Charisn	na Condominiums - Dulcina Investments Inc.		
PURCHASERS: Alejandro Angel CAMACHO MON	NDRAGON and Martha Laura TOSCANO FRAGA		TEL:
Unit 5, Level 13 (1405-5)	Floor Plan C868		
MISCELLANEOUS			
1 - PACKAGE CHANGE FEE			
29Jul24 Note:			
PLUMBING			
3 - MOEN METHOD - BATHROOM ACCESSORY	- PIVOTING PAPER HOLDER #YB2408CH - CHROME		
ALL WASHROOMS			
29Jul24 Note:			
3 - MOEN METHOD - BATHROOM ACCESSORY	10" TOWEL DAD #WD2419CH CHDOME		
	- 10 TOWEL BAK # I BZ410CH - CHROME		
ALL WASHEROOMS 29Jul24 Note:			
	ATER SYSTEM FOR KITCHEN MODERN CHROM FAUC	ET - INSTALL FAUC	CET ON
LEFT SIDE OF SINK  29Jul24 Note: Please be advised the Absolute	Alkaline plus drinking system requires an annual filter	change by an Absol	ute
Water Systems technician. The	Purchaser is responsible to order and pay for replacem		
information and ordering refer	to absolutewater.systems		
2 - MASTER ENSUITE & ENSUITE 2 - CHATEAU	SHOWER FAUCET -MOEN ENGAGE 6 FUNCTION HAT	NDSHOWER WITH	
MAGNETIX DOCKING 26100EPBL CHROME IN 29.Jul24 Note:	LIEU OF STANDARD SHOWER HEAD		
2554124			
1 - MOEN SOAP DISPENSER - #3942 - CHROME	- RIGHT SIDE OF SINK		
29Jul24 Note:			
1 - KITCHEN SINK - TECO UNDERMOUNT SINK 29.Jul24 Note:	L#163		
29Jul24 Note:			
1 - TOE TESTER - ADD TOE TESTER SPOUT WIT	TH INTEGRATED DIVERTER FOR SHOWER		
18May23 Note: MASTER ENSUITE			
	EXTRAS AS PER OFFER		

This Document is Extremely Time Sensitive - Printed 29 Jul 24 at 11:10

1 Parking Unit - location to be selected by the Vendor at their sole discretion.

Worksheet Note:

**Greenpark** INTERIOR COLOUR SCHEME Alejandro Angel CAMACHO MONDRAGON & Ma Const. No.: Unit 5, Level 13 Purchasers: Telephone Res. / Bus: Municipal: 1405 Decor Advisor: Ida Viola Suite Type: C868 7/29/2024 11:09:14 Project/Phase: Dulcina Investments Inc./5 Lock Date: 1. Kitchen and Vanities Style and Colour Hardware SONATA SATIN SNOW Standard Primary Ensuite Bathroom MONACO 350 PLATINUM SILVER Standard Bedroom 2 Ensuite MONACO 350 PLATINUM SILVER Standard Powder Room MONACO 350 PLATINUM SILVER Standard Kitchen Extended Upper Cabinets 
Yes O No Comment \*\* Refer to Construction Summary 2. Counters Edge Counter QUARTZ- MISTRAL # 370 Mitered Edge **Primary Ensuite Bathroom** QUARTZ - ISTRIA Standard Standard Bedroom 2 Ensuite QUARTZ - ISTRIA QUARTZ - ISTRIA Standard Powder Room Kitchen Backsplash QUARTZ- MISTRAL FULL HEIGHT Comment \* Refer to Construction Summary 3. Flooring - In all Non-Tiled Areas where Applicable LAMINATE-LEXINGTON ROCHEFORT OAK TL LW1317 PEFC Comment \*\* Refer to Construction Summary 4. Tile Floor Tile Wall Tile TILE-ULTRA BIANCO 12X24 TILE-GLOSSY WHITE 8X16 Primary Ensuite Bathroom TILE-GLOSSY WHITE 8X16 TILE-ULTRA BIANCO 12X24 Bedroom 2 Ensuite TILE-ULTRA BIANCO 12X24 N/A Powder Room TILE-WHITE MATTE 8X8 Laundry Room QUARTZ- MISTRAL FULL HEIGHT Kitchen Backsplash Comment \*\* Refer to Construction Summary - STANDARD GROUT THROUGHOUT UNLESS SPECIFIED 5. Wall, Trim and Door Paint - Standard paint as per constuction specificationThroughout.

Initials:



\*\* Refer to Construction Summary

Comment

### Greenpark.

### INTERIOR COLOUR SCHEME

Purchasers: Alejandro Angel CAMACHO MONDRAGON & Ma Const. No.: Unit 5, Level 13

Telephone Res. / Bus:

Municipal: 1405

Decor Advisor:

Ida Viola

Suite Type: C868

Lock Date:

7/29/2024 11:09:14

Project/Phase: Dulcina Investments Inc./5

6. General Comments		
Revision Detail		

### **Disclaimers and Notes**

The following disclaimers apply to all of the Purchaser's Extra, Purchaser's Estimate Request and all Interior Colour Selection Schedules. The Purchaser(s) acknowledges that the following items may affect matters relating to their unit:

### **Natural Stone**

The Purchaser acknowledges that natural stone products such as granite, marble and quartz that are installed in their dwelling may vary in shading, pattern, texture, veining, pores, colour and fissures from the sample in the Vendor's Décor Centre despite having the same name. Marble is not recommended in high traffic areas, such as the kitchen, as marble is a more porous stone

### Ceramic Tile

any variables affect tile colour, pattern and/or design which means that installed tiles may not be identical to the samples. As a result of the manufacturing process, tiles with the same name but of different sizes, may have different colours, pattern or and will not be an exact match to each other. Furthermore, the staggered pattern of the laid tiles will vary due to size of the tile. Purchaser accepts tiles as laid by Vendor.

### Hardwood/Laminate Flooring

Cupping and shrinkage are characteristics of hardwood/laminate flooring normally appearing some time after installation, and warranty is provided by the flooring supplier with respect to such cupping and shrinkage. Purchaser acknowledges that hardwood

### Appliances

All appliance openings are set to Vendor's standard width. Please advise Décor Centre at time of colour appointment if custom sizing of cabinets and openings are required for any appliance. The Purchaser is responsible for costs and fees associated with changes to standard kitchen cabinets and openings and shall provide the Vendor with appliance specifications prior to


If applicable, where appliances are supplied by the Vendor, the model may vary according to availability and the Purchaser acknowledges that the Vendor may substitute appliances for same or better quality as determined by the Vendor in its sole unfettered discretion.

The Purchaser(s) acknowledge that all measurements and locations are approximate only and are subject to verification on site and may be adjusted to accommodate site conditions. Purchaser acknowledges that not all of the above modifications were available or offered to the Purchaser.

- 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing.
- The selection images are digital photographs of the Vendor's samples at its Decor Centre. Such images when displayed on your computer monitor may not match Decor Centre samples due to the hardware/software configuration of the computer.

  In the event of conflict between selection images and the Décor Centre samples, Décor Centre samples shall prevail.
- 3) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- 4) The Purchaser agrees that this colour selection is final and that no changes will be permitted, unless required by the Vendor.
- 5) The Purchaser acknowledges reading and accepting document which contains other miscellaneous disclaimers.

Signature:	Date:	_ Date: <u>21/July/2</u> 024
	Signature:	_ Date:
		Page 2 of 2



Suite 1405 Dulcina



Specifications for Project

27 KORDA GATE CAMACHO, ALEJANDRO AND MARTA

Location

Vaughan 905-303-6909



**REMINDER:** To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.

Powered by SteelCod

1065

### Suite 1405 Dulcina

### **27 KORDA GATE**

CAMACHO, ALEJANDRO AND MARTA

27 KORDA GATE SUITE 1405 THE FIFTH VAUGHAN, ON TBA TBA (647) 285-5083

Contents

Page no.

### **UVW9301SLSS**

3-5

**GE** Ventilation

30" Smart Designer Wall Mount Hood w/ Perimeter Venting



### **Coast Appliances**

coastappliances.com

### **Andrew Haidari**

Commercial Sales Representative 905-303-6909

Inv S03742123

Version 1.1

Mon, Jul 29, 2024 9:23 AM EDT

To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances for this project to share all the attached specifications to ensure the cabinet provider, contractor, or any other tradesperson have all the information required to complete their work accurately.

Specifications are subject to change. If any tradesperson has questions regarding the attached specifications please contact our sales associate.



enterprise.steelcod.com/sp/csta/FPPBORPF

### Note about page numbers:

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only.

Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

Suite 1405 Dulcina





### **UVW9301SLSS**

30 Smart Designer Wall Mount Hood w/ Perimeter Venting

	JXHC1 - Power Cord Kit   UX12DC9SLSS - 12 High Ceiling Duct Cover Kit		
Optional Accessories	UX14DC9SLSS - 14 High Ceiling Duct Cover Kit   UXRC70 - Remote		
	Control		
Blower / Light Switch Color	Backlit		
Color Appearance	Stainless Steel		
Venting Type	Convertible		
8" Round Duct	Yes		
CFM/ Sones Rating	450/8.0 (Boost Speed) - Vertical venting		
Charcoal Filter	UXCF91		
Control Features	Timer/Clock		
Control Location	Front		
Control Type	Electronic Touch		
Cooktop Lighting	3   LED		
Ducting	Vertical Only		
Exhaust Options	Vented to Outside   Recirculating		
Fan Speed Control	4-Speed		
Filter Cleaning	Dishwasher Safe		
Light Controls	On/Off/Night		

Specifications are subject to change without warning. Specifications are intended for initial planning purposes and any final planning, cabinet & countertop cutouts, etc. should be calculated using the manufacturer's installation guide or actual appliance.

325

### Sunte 1405 Dulcina



Max CFM	450	
Product Type	Designer Hood	
Removable Filter	Grease amp Charcoal included	
Time Delay Shut-Off	Yes	
WiFi Connect	Built-In	
Amp Rating at 120V	5.3	
Labor Warranty	Limited 1-year entire appliance	
Parts Warranty	Limited 1-year entire appliance	
Warranty Notes	See written warranty for full details	
Approximate Shipping Weight	80 lb	
Cabinet Width	30 in	
Net Weight	70 lb	
Overall Depth	20 in	
Overall Height	24 in	
Overall Width	30 in	

Specifications are subject to change without warning. Specifications are intended for initial planning purposes and any final planning, cabinet & countertop cutouts, etc. should be calculated using the manufacturer's installation guide or actual appliance.

4065

13-13/16"

27-1/2" to 51"

## UVW9301SL/BL

30" WiFi-Enabled Designer Wall Mount Hood w/Perimeter Venting

# DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)

## INSTALLATION INFORMATION:


Before installing, consult Use & Care/installation instructions packed with product f or current dimensional data.

### **OPTIONAL ACCESSORIES**


UX12DC9SLSS/BLTS - 12(ft.) Ceiling Duct Cover K it Max ceiling height installation with kit - 12′-0″ (30″ hood spacing)

UX14DC9SLSS/BLTS - 14(ft.) Ceiling Duct Cover Kit Max ceiling height installation with kit - 14'-0" UXCF91 - Charcoal Filter (needed if used in recirculation mode)





\*The supplied duct cover fits 7'-7" to 10'-6" ceiling heights (12' ceiling height with optional high celling kit UX12DC9SLSS/UX12DCBLTS) (14' ceiling height with optional high celling kit UX14DC9SLSS/UX14DC9BLTS)




The vent hood must be installed 24" min, above the cooking surface. For optimal performance, installing the hood more than 36" above the cooking surface is not recommended. The hood installation height above the cooking surface depends upon ceiling height. The telescopic duct cover conceals the ductwork running from the top of the hood to the ceiling.

24" Min 36" Max NOTE: Installation height should be measured from the cooking surface to the lowest part of the hood. This hood may be installed onto a wall and vented to the outdoors, or it can be installed for recirculating operation. Parts for recirculating operation are supplied with the hood.



For answers to your Monogram, Cafe", GE Profile" or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center\* Service, 800.626.2000.





### Unit 5, Level 13 Suite 1405

Dimensions, specifications, layouts, location of materials and fixtures, tile floor patterns and architectural detailing (including window size and location and door size, location and swing) are approximate only and are subject to change or modifications, without notice. Actual usable floor space varies from stated floor area. Ceiling height measured from top of floor slab to underside of floor slab above and excludes finishes, bulkheads and drop ceilings. Orientation of suite may be reversed and Purchaser agrees to accept same. Balconies, without notice. All illustrations are artist concept only. The provisions of the Agreement of purchase and sale apply to this Schedule.