



22-Jun-21

Interior Finishing Selection Sheet

LOT	00241	37-3452 ELEV A THE BALSAM
PURCHASERS: A. ABDUL HAKIM AHMED MERIEM ABDULMEJ ALI		
CONTACT NO: 416-918-9075		
VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED		

UPG

Appliances

6-8894 Kitchen HoodFan

☐ CYCLONE 30" CANOPY CHIMNEY HOODFAN STAINLESS STEEL SCB51430 STD PAGE 31

Cabinetry

81-9156 Ensuite 2 Cabinet Colour/Style

☐ SIMCOE RAIN CLOUD Viking III STD 3DL

85-7672 Ensuite 2 Cabinet Hardware

☐ HARDWARE 135 UPG II

84-8796 Ensuite 2 Countertop

☐ Countertop PALOMA POLAR ETCHINGS FINISH 6698-46 Formica

122-9157 Finished Basement Bathroom Cabinet Colour/ Styles

☐ SIMCOE MOONLIGHT Viking III STD 3DL

124-7672 Finished Basement Bathroom Cabinet Hardware

☐ HARDWARE 135 UPG II

123-8796 Finished Basement Bathroom Countertop

☐ Countertop PALOMA POLAR ETCHINGS FINISH 6698-46 Formica

1-9111 Kitchen Cabinet Colour/Style

☐ SIMCOE ORCHID VIKING III STD 3DL ISLAND TO BE 9158 - NAVY BLUE

3-2086 Kitchen Cabinet Hardware

☐ HARDWARE 9677 STD

20-9158 Master Ensuite Cabinet Colour/Style

☐ SIMCOE NAVY BLUE Viking III STD 3DL

22-7672 Master Ensuite Cabinet Hardware

☐ HARDWARE 135 UPG II

21-8796 Master Ensuite Countertop

☐ Countertop PALOMA POLAR ETCHINGS FINISH 6698-46 Formica

177-6319 Shared Bathroom Cabinet Colour/Style

☐ MANCHESTER CAVIAR CL Viking III MAPLE

179-7672 Shared Bathroom Cabinet Hardware

☐ HARDWARE 135 UPG II

178-8796 Shared Bathroom Countertop

☐ Countertop PALOMA POLAR ETCHINGS FINISH 6698-46 Formica

Carpet

37-9246 Bedroom 2 Flooring

☐ Dynasty Tex 40 oz Poly BEACH SHELL DY 84558 STD

38-9246 Bedroom 3 Flooring

☐ Dynasty Tex 40 oz Poly BEACH SHELL DY 84558 STD

111-9246 Bedroom 4 Flooring

☐ Dynasty Tex 40 oz Poly BEACH SHELL DY 84558 STD

289-9246 Finished Basement Bedroom Flooring

☐ Dynasty Tex 40 oz Poly BEACH SHELL DY 84558 STD

1. The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
2. The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
3. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
4. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
5. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
6. Selections will not be processed unless signed by Heathwood Homes Head Office.
7. The colour selections made on the Colour Chart are final and cannot be changed once submitted.
8. The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

Sun 22nd 2021	Sun 22/21	TARA LEFUR
Date	Purchaser	Date
Date APPROVED -		Décor Consultant
-07-07-2021		MPK
Date	Purchaser	Date Approved
		HEATHWOOD HOMES (WHITBY) LIMITED



22-Jun-21

Interior Finishing Selection Sheet

LOT 00241

37-3452 ELEV A THE BALSAM

PURCHASERS: A. ABDUL HAKIM AHMED
MERIEM ABDULMEJ ALI

CONTACT NO: 416-918-9075

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED

Carpet

285-9246 Finished Basement Rec Room Flooring

☐ Dynasty Tex 40 oz Poly BEACH SHELL DY 84558 STD

36-9246 Master Bedroom Flooring

☐ Dynasty Tex 40 oz Poly BEACH SHELL DY 84558 STD

52-1079 Throughout Underpad

☐ Underpad 500 Series STD

Ceramics

87-2225 Ensuite 2 Floor Grout

☐ Grout (27) Silver STD

86-9106 Ensuite 2 Flooring

☒ Madison Series White Matte GE.MD.WHT.1818.MT UPG 1 18" X 18" Matte

108-9020 Ensuite 2 Wall Tile

☐ Weave White QT.WV.WHT.0810 STD 8 x 10 INSTALL STACKED HORIZONALLY

110-2226 Ensuite 2 Wall Tile Grout

☐ Grout (00) White STD

125-9257 Finished Basement Bathroom Flooring

☐ CARRARA White / Grey GE.CR.WHT.1313.MT STD 13 x 13

126-2225 Finished Basement Bathroom Grout

☐ Grout (27) Silver STD

127-8833 Finished Basement Bathroom Wall Tile

☐ Uniwall White QT.UW.WHT.0810 STD 8 x 10 NSTALL STACKED HORIZONALLY

128-2226 Finished Basement Bathroom Wall Tile Grout

☐ Grout (00) White STD

16-8247 Foyer Flooring

☒ Carrara X White Matte OV.CX.WHT.2424.MT UPG_6 24 x 24

17-2225 Foyer Grout

☐ Grout (27) Silver STD

4-5742 Kitchen Backsplash

☒ Chess Bevelled Gloss Arctic White QT.CH.ARW.0306BR UPG_3 3 x 6 TO BE INSTALLED IN HERRINGBONE PATTERN

5-2226 Kitchen Backsplash Grout

☐ Grout (00) White STD

66-9257 Laundry Room Flooring

☐ CARRARA White / Grey GE.CR.WHT.1313.MT STD 13 x 13

67-2225 Laundry Room Grout

☐ Grout (27) Silver STD

24-2225 Master Ensuite Floor Grout

☐ Grout (27) Silver STD

23-8913 Master Ensuite Floor Tile

☒ Biel Bianco (White) UN.BL.BIA.1224 UPG_2 12 x 24 SEE SKETCH # 7 PAGE 22 PAGE FOR 12 X 24 TILE DIRECTION

74-2226 Master Ensuite Shower Floor Grout

☐ Grout (00) White STD

1. The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
2. The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
3. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
4. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
5. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
6. Selections will not be processed unless signed by Heathwood Homes Head Office.
7. The colour selections made on the Colour Chart are final and cannot be changed once submitted.
8. The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

22 Jun 2021

22 Jun 2021

TINA LEFUR

Date

Purchaser

Date

-07-07-2021

Décor Consultant

myk

Date

Purchaser

Date Approved HEATHWOOD HOMES (WHITBY) LIMITED



22-Jun-21

Interior Finishing Selection Sheet

04

LOT 00241

37-3452 ELEV A THE BALSAM

PURCHASERS: A. ABDUL HAKIM AHMED
MERIEM ABDULMEJ ALI

CONTACT NO: 416-918-9075

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED

Ceramics

UPG

73-8661 Master Ensuite Shower Floor Tile

☐ Ontario Series Mosaic Snow White Matte
OD.ON.SWT.0202.MT.N STD 2 x 2

147-8923 Master Ensuite Shower Jamb(s) and Sill(s)

☐ Shower Jamb / Sill Thassos White STD

104-5721 Master Ensuite Shower Wall Tile

☒ Colour and Dimension Bright Arctic White
QT.CD.ARW.0306.BR UPG_1 3 x 6 INSTALL IN HERRINGBONE
PATTERN

105-2225 Master Ensuite Shower Wall Tile Grout

☐ Grout (27) Silver STD

32-8247 Powder Room Floor

☒ Carrara X White Matte OV.CX.WHT.2424.MT UPG_6 24 x 24

33-2225 Powder Room Floor Grout

☐ Grout (27) Silver STD

180-8995 Shared Bathroom Flooring

☒ ONTARIO HEXAGON MATTE White/Black Matte
OD.ON.W/B.02.HEX.MT UPG_2 2 x 2 HEX

181-2221 Shared Bathroom Grout

☒ Upgrade Grout (47) Charcoal

185-2226 Shared Bathroom Shower Floor Grout

☐ Grout (00) White STD

184-8661 Shared Bathroom Shower Floor Tile

☐ Ontario Series Mosaic Snow White Matte
OD.ON.SWT.0202.MT.N STD 2 x 2

188-8923 Shared Bathroom Shower Jamb(s) and Sill (s)

☐ Shower Jamb / Sill Thassos White STD

186-8833 Shared Bathroom Shower Wall Tile

☐ Uniwall White QT.UW.WHT.0810 STD 8 x 10 INSTALL
STACKED HORIZONTALLY

187-2226 Shared Bathroom Shower Wall Tile Grout

☐ Grout (00) White STD

53-2232 Throughout Thresholds

☐ Metal Thresholds STD METAL THRESHOLDS

Electrical

90-5796 Throughout Switches and Plug

☐ Decora White Switches and Plugs STD

Fireplace

136-8892 Great Room Fireplace Mantle

☐ Paint Grade Mantle- 6" Deep Mantle (TV above Fireplace
WHITE NF-17 UPG PAGE 24

138-8878 Great Room Fireplace Surround

☒ 3 pc-4" Granite Surround Nero Assoluto UPG

135-5530 Great Room Fireplace Type

☐ 30" Direct Vent Gas Fireplace

Granite

1. The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
2. The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
3. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
4. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
5. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
6. Selections will not be processed unless signed by Heathwood Homes Head Office.
7. The colour selections made on the Colour Chart are final and cannot be changed once submitted.
8. The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

June 11th 2021

Date

Purchaser

June 23rd 2021

Date

Décor Consultants

TINA LEFUR

Date

Purchaser

Date Approved: HEATHWOOD HOMES (WHITBY) LIMITED



22-Jun-21

Interior Finishing Selection Sheet

LOT 00241

37-3452 ELEV A THE BALSAM

PURCHASERS: A. ABDUL HAKIM AHMED
MERIEM ABDULMEJ ALI

CONTACT NO: 416-918-9075

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED

Granite

2-9121 Kitchen Countertop

UPG

☐ MSI Quartz ICED WHITE Group 1 UPG 3/4" with Mitred Edge

Hardwood

121-9011 Basement Stairs Landing(s) Flooring

☐ Vintage Red Oak Solid Sculpted Character PEARL PEWTER Red Oak PEARL 3/4" x 5"

345-9011 Breakfast flooring

☐ Vintage Red Oak Solid Sculpted Character PEARL PEWTER Red Oak PEARL 3/4" x 5"

99-9011 Dining Room Flooring

☐ Vintage Red Oak Solid Sculpted Character PEARL PEWTER Red Oak PEARL 3/4" x 5"

11-9011 Great Room Flooring

☐ Vintage Red Oak Solid Sculpted Character PEARL PEWTER Red Oak PEARL 3/4" x 5"

338-9011 Kitchen Flooring

☒ Vintage Red Oak Solid Sculpted Character PEARL PEWTER Red Oak PEARL 3/4" x 5"

98-9011 Main Hall Flooring

☐ Vintage Red Oak Solid Sculpted Character PEARL PEWTER Red Oak PEARL 3/4" x 5"

100-9011 Main Stairs Landing(s) Flooring

☐ Vintage Red Oak Solid Sculpted Character PEARL PEWTER Red Oak PEARL 3/4" x 5"

35-9011 Upper Hall Flooring

☐ Vintage Red Oak Solid Sculpted Character PEARL PEWTER Red Oak PEARL 3/4" x 5"

209-9011 Walk-in Pantry Flooring

☒ Vintage Red Oak Solid Sculpted Character PEARL PEWTER Red Oak PEARL 3/4" x 5"

Interior Railings

170-8148 Basement Stairs - Lower Handrail/Pickets/Posts Type

☐ Single Collar Alt. Plain w/ Shoes with 3 1/2" Square/Cap Post(s) BLACK METAL STD

163-8148 Basement Stairs - Upper Handrail/Pickets/Posts Type

☐ Single Collar Alt. Plain w/ Shoes with 3 1/2" Square/Cap Post(s) BLACK METAL STD

145-8148 Main Stairs Handrail/Pickets/Posts Type

☐ Single Collar Alt. Plain w/ Shoes with 3 1/2" Square/Cap Post(s) BLACK METAL STD

Interior Stairs

166-1712 Basement Stairs - Lower Type

☐ Oak Stairs UPG_1

159-1712 Basement Stairs - Upper Type

☐ Oak Stairs UPG_1

142-1712 Main Stairs Type

☐ Oak Stairs UPG_1

Interior Trim

- The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
- The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
- The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
- Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
- The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
- Selections will not be processed unless signed by Heathwood Homes Head Office.
- The colour selections made on the Colour Chart are final and cannot be changed once submitted.
- The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

June 22nd / 2021

Date

Purchaser

June 22 / 21

TINA LEFUR

Date

Décor Consultant

Date

Purchaser

Date Approved HEATHWOOD HOMES (WHITBY) LIMITED



22-Jun-21

Interior Finishing Selection sheet

LOT 00241

37-3452 ELEV A THE BALSAM

PURCHASERS: A. ABDUL HAKIM AHMED
MERIEM ABDULMEJALI

CONTACT NO: 416-918-9075

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED

Interior Trim

UPG

91-8704 Throughout Trim Size

☐ 5 1/4" Baseboards and 3" Integrated Backband Casings
STD

Painting

168-7761 Basement Stairs - Lower Colour

☐ Stain handrail, stringers, treads, risers, nosing & posts. (Metal pickets) STAIRS TO BE STAINED TO COMPLEMENT PEWTER HARDWOOD. STAIRS WILL VARY FROM FLOORS.

161-7761 Basement Stairs - Upper Colour

☒ Stain handrail, stringers, treads, risers, nosing & posts. (Metal pickets) STAIRS TO BE STAINED TO COMPLEMENT PEWTER HARDWOOD. STAIRS WILL VARY FROM FLOORS.

143-7761 Main Stairs Colour

☐ Stain handrail, stringers, treads, risers, nosing & posts. (Metal pickets) STAIRS TO BE STAINED TO COMPLEMENT PEWTER HARDWOOD. STAIRS WILL VARY FROM FLOORS.

240-1716 Throughout Trim - Paint Colour

☐ Trim WHITE STD

51-1717 Throughout Walls - Paint Colour

☐ Wall WARM GREY 22 STD

Plumbing

264-1737 Ensuite 2 Plumbing Fixture (colour)

☐ Plumbing Fixtures WHITE STD

268-1737 Finished Basement Bathroom Plumbing Fixture (Colour)

☐ Plumbing Fixtures WHITE STD

149-1737 Master Ensuite Plumbing Fixture (colour)

☐ Plumbing Fixtures WHITE STD

34-1737 Powder Room Plumbing Fixture (Colour)

☐ Plumbing Fixtures WHITE STD

189-1737 Shared Bathroom Plumbing Fixture (Colour)

☐ Plumbing Fixtures WHITE STD

1. The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
2. The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
3. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
4. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
5. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
6. Selections will not be processed unless signed by Heathwood Homes Head Office.
7. The colour selections made on the Colour Chart are final and cannot be changed once submitted.
8. The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

Date	June 22nd 2021	Date	June 22/21	Décor Consultant	Fiona LEFUR
Purchaser		Date Approved	07-07-2021		M. Rozan
Purchaser		Date Approved			



22-Jun-21

Sales Selection Sheet
01-18

LOT	00241	37-3452 ELEV A THE BALSAM
PURCHASERS:	A. ABDUL HAKIM AHMED MERIEM ABDULMEJ ALI	CONTACT NO: 416-918-9075
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED	HST # 1405 18937 RT0001

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

Appliances

2		KITCHEN	Qty: 1
---	--	---------	--------

NOTE THAT 36" COOKTOP BEING CHANGED TO 30" COOKTOP - SEE SPECS PAGES 33-38

Cabinetry

4077	Optional Extras	KITCHEN	Qty: 1
	40J- Two-tone colour/style selection for island (must be of equal or lower level to main selection) Viking		
	ISLAND TO BE 9158 - NAVY BLUE		

4025	Optional Extras	KITCHEN	Qty: 1
	19B- 45cm wide pull-out door base cabinet waste/recycle centre with soft-close (12) 35L bins) (available only with 45cm or 18" wide cabinet) Viking		
	SEE SKETCH# 6 PAGE 21 FOR LOCATION		

8218	Optional Extras	MASTER ENSUITE	Qty: 1
	12D- Vanity bank of drawers (Vanity bank of drawers (60cm to 90cm wide)) Viking		
	SKETCH # 8 PAGE 23		

4049	Optional Extras	MASTER ENSUITE	Qty: 1
	04D- Increase vanity to kitchen height greater than 3' (90cm high, maintains vanity depth) Viking		
	SKETCH # 8 PAGE 23		

4023	Optional Extras	MASTER ENSUITE, MAIN BATH, ENSUITE 2	Qty: 2
	11B- Bank of drawers (max. width 55cm) (size subject to floor plan) Viking		
	SEE SKETCH # 8 PAGE 23 FOR LOCATION		

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

Date	June 22nd/2021	Date	June 22/21	Date	TWA LEFUR
Purchaser		Date APPROVED	-06-23-2021	Décor Consultant	
Purchaser		Date Approved		HEATHWOOD HOMES (WHITBY) LIMITED	



22-Jun-21

Sales Selection Sheet
Of 18

LOT	00241	37-3452 ELEV A THE BALSAM
PURCHASERS:	A. ABDUL HAKIM AHMED MERIEM ABDULMEJ ALI	CONTACT NO: 416-918-9075
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED	HST # 1405 18937 RT0001

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

Ceramics						
4722	Upgrade Floor Tile Upgrade 1 Tile	Ensuite 2 Bath Floor	Qty:	1		
4717	Upgrade Floor Tile Upgrade 6 Tile	Foyer	Qty:	1		
4724	Optional Upgrade Upgrade 3 Tile INSTALL IN HERRINGBONE PATTERN	Kit. Basplash	Qty:	1		
4724	Optional Upgrade	Kit. Basplash	Qty:	1		
TO BE HERRINGBONE PATTERN						
4720	Upgrade Floor Tile Upgrade 2 Tile	Main/Shrd Bath FLOOR	Qty:	1		
4720	Upgrade Floor Tile Upgrade Grout	Main/Shrd Bath FLOOR	Qty:	1		
4721	Upgrade Floor Tile Upgrade 2 Tile SEE SKETCH # 7 DIRECTION	Master Bath Floor	Qty:	1		FOR 12 X 24 TILE
4712	Upgrade Wall Tile Install in Specified Pattern INSTALL TILE # 5721 IN HERRINGBONE PATTERN	Master Shower Wall	Qty:	1		

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

June 22 nd / 2021		June 22/21	TINA LEFUR
Date	Purchaser	Date	APPROVED - Décor Consultant
			-06- 29 2021
Date	Purchaser	Date-Approved	HEATHWOOD HOMES (WHITBY) LIMITED



22-Jun-21

Sales Selection Sheet
6 of 18

LOT	00241	37-3452 ELEV A THE BALSAM
PURCHASERS:	A. ABDUL HAKIM AHMED MERIEM ABDULMEJ ALI	CONTACT NO: 416-918-9075
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED	HST # 1405 18937 RT0001

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein. It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

4712	Upgrade Wall Tile Upgrade 1 Tile INSTALL IN HERRINGBONE PATTERN	Master Shower Wall	Qty: 1
------	---	--------------------	--------

4718	Upgrade Floor Tile Upgrade 6 Tile	Powder	Qty: 1
------	--------------------------------------	--------	--------

Fireplace

5872	Purchasers have been advised: heat from the FP can damage TV above a FP and items placed on mantle. Purchasers acknowledge: Heathwood Homes and its contractors will not be liable for any damage on items placed/installed above a FP after closing		
------	--	--	--

2150	Optional Surround Granite Surround in lieu of Marble Surround NERO ABSOLUTO (8878)		Qty: 1
------	--	--	--------

Granite

3455	Optional Extras Drill Additional Hole on Countertop for future soap dispenser (1-1/8" diameter) PURCASHER PROVIDING OWN DISPENSER	KITCHEN SKETCH # 6 PAGE 21	Qty: 1
------	---	-------------------------------	--------

Hardwood

2879	VINTAGE 5" Red Oak Sculpted Solid-Sawn	Kitchen	Qty: 1
------	---	---------	--------

Mirrors/Glass Products

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

20 June 22/2021	June 22/2021	TINA LEFOR
Date	Purchaser	Date
		Décor Consultant
		-06-29-2021
		MY Kozien
Date	Purchaser	Date

Date Approved: HEATHWOOD HOMES (WHITBY) LIMITED



22-Jun-21

Sales Selection Sheet
of 8

LOT	00241	37-3452 ELEV A THE BALSAM
PURCHASERS:	A. ABDUL HAKIM AHMED MERIEM ABDULMEJ ALI	CONTACT NO: 416-918-9075
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED	HST # 1405 18937 RT0001

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein. It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

5876 Qty: 1

Delete ALL bathroom mirrors throughout (including mirror in powder room)

Plumbing

2084 Qty: 1

STANDARD Kitchen Sink Option KITCHEN

KINDRED Kitchen Sink Collection - Reginox NS1930U/9 Stainless Kitchen Single Bowl Undermount Sink (or equivalent) PAGE 25

Structured Wiring

8219 Qty: 3

Optional Extra

Speaker Roungh-In (16 Gauge)

SEE SKETCH # 58 PAGE # 20B

8220 Qty: 1

Optional Extra

Low Voltage Conduit Attic to Basement Houses under 4000 Sqft

SEE SKETCH # 58 PAGE # 20B

8221 Qty: 2

Optional Extra

Cat 6 Rough-in home run to electrical panel

SEE SKETCH # 58 PAGE # 20B

8222 Qty: 2

Optional Extra

IP Camera Rough-in (Cat 5e) home run to electrical panel

SEE SKETCH # 58 PAGE # 20B

Waffle Ceiling

6542 Qty: 1

Optional Extra

Install Waffle Ceiling in main floor Great Room and Library

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. The Vendor acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

June 22/2021	June 20/21	TINA LEFUK
Date	Purchaser	Décor Consultant
Date	Purchaser	
-06- 29 2021		my Rosen
Date Approved		HEATHWOOD HOMES (WHITBY) LIMITED



22-Jun-21

Sales Selection Sheet
of 8

LOT	00241	37-3452 ELEV A THE BALSAM
PURCHASERS:	A. ABDUL HAKIM AHMED MERIEM ABDULMEJ ALI	CONTACT NO: 416-918-9075
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED	HST # 1405 18937 RT0001

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

Date	Purchaser	Date	Décor Consultant
June 22/2021		June 22/2021	Tina Letour
Date	Purchaser	Date	Décor Consultant
		-06-29-2021	
		Date Approved	HEATHWOOD HOMES (WHITBY) LIMITED


C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

19 of 48
THE BALSAM

37-3452 ELEV. A Lot 241

ELEVATION A & B - 4,211 SQ. FT.
Includes 758 Square Feet of Finished Lower Level

Sketch #4



LOWER LEVEL - ELEV. A

PLA


C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

37-3452 ELEV. A Lot 241

ELEVATION A & B - 4,211 SQ. FT.
Includes 758 Square Feet of Finished Lower Level

Sketch # 5A

20^A of 48
THE BALSAM




GROUND FLOOR - ELEV. A


MA




Sketch 5B



OPTIONAL FINISHED LOWER LEVEL.



SECOND FLOOR



GROUND FLOOR

10 Camera Wire

Camera Wire

9/27




06/18/94
Caf6

1x bottle to BSMT conduit

9/5/20
2020

Actual inside space may vary from stated area. Dimensions, specifications, and architectural details are subject to change without notice. L & O. All markings and labels are subject to change without notice. Model 17-185

Kitchen-The Classic Series with Built-In Appliances



This sketch is for DESIGN PURPOSES ONLY – It is not meant to be an exact rendition.

5-A

- Standard Fec
- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

Heathwo
Country Lc
Mc
37-345
The Clas



Sketch #6

RECYCLE DRAWER

DRILL
HOLE
1 1/2"
FUTURE
SINK
DISPOSER

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

Standard Fec

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS

- Tandem Box
- Drawers
- Blumotion H
- Crown Moul
- Top Drawer
- Deep Fridge
- w/Deep Pal
- Tall upper C

The Clas

Heathwo
Country Lc
Mc
37-345

F R K
KITCHEN
1350 SHOWS


C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

22 of 48
THE BALSAM

37-3452 ELEV. A Lot 241

ELEVATION A & B - 4,211 SQ. FT.
Includes 758 Square Feet of Finished Lower Level

Sketch #7



SECOND FLOOR - ELEV. A

HA

23 of 18

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM



Heathw
Country
Model Typ
The Cl



- Standard F
- Blum Metr
 - Blum Clip
 - Top draw
 - Ensuite

Sketch #8


Drawn By: Sanjeev Kumar
Date: August 21, 2017
Revision:
Scale: Not To Scale

Approved By Builder:


Date:




Vanities



Master Ensuite
INCREASE VANITY HEIGHT



Ensuite 2-BedRm 2




Main/Shared Vanity-Bed Rm 3/4

This sketch is for DESIGN PURPOSES ONLY – It is not meant to be an exact rendition.

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

24 of 48



STANDARD NF 15 Mantel

Clean apron finish with fluted legs
WHITE PAINT GRADE FINISH

(PICTURE SHOWN WITH UPGRADE SURROUND AND HEARTH -PRICED SEPARATELY)



STANDARD NF 17 Mantel



WHITE PAINT GRADE FINISH

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

25 of 48

Stainless Steel | 122.0264.716

FAMILY : Sinks | SERIES : Reginox | MODEL : NS1930U/9 | FINISH : Stainless Steel | INSTALLATION TYPE : Undermount



TECHNICAL DATA	
Width overall	18 3/4"
Length overall	29 3/4"
Width of large bowl	17"
Length of large bowl	28"
Depth of large bowl	8 1/2"
Cabinet Size	36"
Number of Bowls	1
Waste Outlet Diameter	3 1/2"
Cut-Out Template	Yes
Faucet Hole	None
Type of Material	18 Gauge Stainless Steel
Surface Finish	SILK
Special feature	Rear Drain Waste Hole Location
Waste Kit Included	YES


C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

26 of 48

STANDARD KITCHEN FAUCET

Align

Modern



Single Handle Pull-Down Kitchen
Faucet*

Model 7565+

Align

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

27 of 48



**BOULEVARD®
PEDESTAL SINK**
VITREOUS CHINA

BOULEVARD® PEDESTAL SINK

- ☐ 0641.800 Faucet holes on 8" (203mm) centers (illustrated)
- ☒ 0641.400 Faucet holes on 4" (102mm) centers
- ☐ 0641.100 Center hole only
 - Classic styled rectangular pedestal lavatory
 - Vitreous china
 - Rear overflow
 - Supplied with mounting kit
 - Right Height® for greater comfort during use
 - Faucet ledge with large deck area (faucet not included)
 - Design coordinates with Boulevard® Toilet
 - Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with u-shaped cut out)

Nominal Dimensions:

24" x 19" x 35-1/2"
(610 x 483 x 902mm)

- ☐ 0641.008 Pedestal top-8" (203mm) centers
- ☐ 0641.004 Pedestal top-4" (102mm) centers
- ☐ 0641.001 Pedestal top-center hole only
- ☐ 0010.000 Pedestal only

Bowl sizes:

17" (432mm) wide,
12-1/2" (318mm) front to back,
5" (127mm) deep

Compliance Certifications -


Meets or Exceeds the Following Specifications:

- ASME A112.19.2 - 2008/CSA B45.1-08

To Be Specified:

- ☐ Color: ☐ White ☐ Linen
- ☐ Faucet Finish:
- ☐ Supplies:
- ☐ 1-1/4" Trap:
- ☐ Nipple:

* See faucet section for additional models available



SEE REVERSE FOR ROUGHING-IN DIMENSIONS

MA

COLONY COUNTERTOP SINK

- ☒

0346 803

Faucet holes on 203mm (8") centres
- ☐

0346 403 (Illustrated)

Faucet holes on 102mm (4") centres
- ☐

0346 001

Centre hole only

Nominal Dimensions:
521 x 448mm (20-1/2" x 17-5/8")
Bowl sizes:
422mm (16-5/8") wide, 279mm (11") front to back, 143mm (5-5/8") deep

COMPLIANCE CERTIFICATIONS –
Meets or exceeds the following Specifications:
• ASME A112.19.2M for Vitreous China Fixtures.
• CAN/CSA B45 Series.

To Be Specified

☐ Colour: ☒ White ☐ Bone ☐ Silver Gray

☐ Linen



☐ Faucet**:

☐ Faucet Finish:

☐ Supplies & Stops:

☐ Trap 1-1/4" (32 mm):


* See faucet section for additional models available



NOTES:
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND \"P\" TRAP ARE SUGGESTED. FOR COUNTERTOP CUTOUT AND INSTALLATION INSTRUCTIONS USE TEMPLATE SUPPLIED WITH SINK.
Faucets NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2.
These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

29 of 48



Demi CF2007


MA

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

30 of 48


Chateau

Transitional



Lavatory Faucet with Pop-Up Drain
Model L4621†

VANITY SINKS AND PEDESTAL



Posi-Temp® Pressure Balancing Tub/Shower
Model 62320 / TL183†

OR

Posi-Temp Valve and Tub/Shower Trim
with Eco-Performance Easy Clean® XL

Model 62320 / TL183EP†
(TL183EP not available in BC)

SHOWER AND 5' TUB FAUCETS



2 Handle Roman Tub with 9" Spout
Model 4796 / T990†

FREESTANDING TUB FAUCETS

MA

31 of 8

Technical drawing of a rectangular box. The drawing shows the top, front, and side views. The top view is a rectangle with dimensions 30" (width) and 19 1/2" (depth). The front view shows a box with a height of 2 1/2" and a width of 11 1/4". The side view shows a box with a height of 21 1/2" and a width of 10 1/4". The top surface of the box is divided into three rectangular sections by two vertical lines. The front face of the box has a row of five small circular features. The side face of the box has a row of five small circular features.

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

32 of 18

HOME APPLIANCES

LG REFRIGERATION

LFXC22526

22 cu.ft. Counter Depth 3-Door French Door Refrigerator

Smudge Resistant Finish

10 Year Warranty on Inverter Linear Compressor

Slim SpacePlus® Ice System

Dual Ice Maker in freezer

Door Cooling+

Glide N' Serve Pantry Drawer

SmartThinQ® - WiFi Connectivity

Fresh Air Filter

Flat Duct design

SmartPull™ Handle

ENERGY STAR®



Enjoy new ways to control your home with LG smart appliances

- Get an alert when kids forget to close the door
- Make more ice while you're at work
- Works with the LG SmartThinQ® app

SmartThinQ® works with the Google Assistant



CAPACITY

Refrigerator (cu.ft.) 14.8

Freezer (cu.ft.) 7.3

Total Capacity (cu.ft.) 22.1

ENERGY

Energy Consumption (kWh/Year)

ENERGY STAR® Qualified

WATER & ICE SYSTEM

Ice & Water Dispenser

Dispenser Type

Ice System

Dual Ice Maker

Dispenser Light

Water Filter

COOLING

Inverter Linear Compressor

Multi-Air Flow

Temperature Sensors

Fresh Air Filter

CONVENIENCE

Display Type

Temperature Controls

Door Alarm

LoDecibel™ Quiet Operation

REFRIGERATOR

No. of Shelves

Can't-Invered Shelves

Shelf Construction

Crisper Bins

Glide N' Serve Pantry Drawer


Refrigerator Light

REFRIGERATOR DOOR

No. of Bins

Door Bin Construction

Door Cooling+



FREEZER

Door Type

Drawers

Drawer Div der

Freezer Light

Freezer Handle

SmartThinQ® SMART FEATURES

Wi-Fi Enabled

SmartDiagnosis

MATERIALS AND FINISHES

Content Door

Hidden Hinges

Smudge Resistant Finish

SmartThinQ® SMART FEATURES

Wi-Fi Enabled

SmartDiagnosis

MATERIALS AND FINISHES

Content Door

Hidden Hinges

Smudge Resistant Finish

SmartThinQ® SMART FEATURES

Wi-Fi Enabled

SmartDiagnosis

MATERIALS AND FINISHES

Content Door

Hidden Hinges

Smudge Resistant Finish

SmartThinQ® SMART FEATURES

Wi-Fi Enabled

SmartDiagnosis

MATERIALS AND FINISHES

Content Door

Hidden Hinges

Smudge Resistant Finish

SmartThinQ® SMART FEATURES

Wi-Fi Enabled

SmartDiagnosis

MATERIALS AND FINISHES

Content Door

Hidden Hinges

Smudge Resistant Finish

SmartThinQ® SMART FEATURES

Wi-Fi Enabled

SmartDiagnosis

MATERIALS AND FINISHES

Content Door

Hidden Hinges

Smudge Resistant Finish

SmartThinQ® SMART FEATURES

Wi-Fi Enabled

SmartDiagnosis

MATERIALS AND FINISHES

Content Door

Hidden Hinges

Smudge Resistant Finish

SmartThinQ® SMART FEATURES

Wi-Fi Enabled

SmartDiagnosis

MATERIALS AND FINISHES

Content Door


Hidden Hinges

Smudge Resistant Finish

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

33 of 48

Whirlpool® 30" Gas Cooktop
WCG97US0H



Stainless Steel
WCG97US0HS

General Features & Properties

- FlexHeat™ Burner
- AccuSimmer® Burner
- Fifth Burner
- Sealed Burners
- Full-Width Grates
- Dishwasher-Safe Knobs
- Wall Oven Compatible

Electrical Details

- Amps 15
- Volts 120

Certifications

- ADA Compliant Yes

Technical Details

- Fuel Type Gas
- Number of Burners/Elements 5
- Burner/Element Power (1) 17000 BTU (3) 10,000 BTU (1) 5000 BTU
- Burner/Element Type/Size FlexHeat, SpeedHeat™, Simmer

Dimensions

- Product Dimensions (H x W x D) 4-1/8" x 30" x 21"
- Cutout Dimensions (W x D) 29-5/16" x 20"

Reference Material

- [Install Guide](#)
- [Use & Care Guide](#)
- [Warranty](#)

Key Features & Benefits

EZ-2-Lift™ Hinged Cast-Iron Grates


Get quick access to spills on the cooktop with our industry-first EZ-2-Lift™ hinged cast-iron grates. The hinged design lets you wipe up underneath without removing them. For a more thorough clean, the grates are also dishwasher-safe.

Upswept SpillGuard™ Cooktop

Clean up faster with a cooktop that has raised edges to help contain spills.

Griddle

Make pancakes, grill vegetables or sear steaks with the included griddle that lets you cook breakfast, lunch and dinner right on the cooktop.



NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.


©/TM © 2020 All rights reserved. Printed in the U.S.A. For more information, visit whirlpool.com

C1 COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

34 of 48


Product Dimensions

KCGS550ESS and KCGS950ESS Models




- A. 21" (53.3 cm)
- B. 30" (76.2 cm)
- C. 19 3/8" (49.2 cm)
- D. 28 3/8" (72.1 cm)
- E. 3 1/8" (9.2 cm)
- F. 4 7/16" (11.6 cm)
- G. 1 3/8" (3.4 cm)

All Other 30" (76.2 cm) Models




- A. 21" (53.3 cm)
- B. 30" (76.2 cm)
- C. 18 1/8" (48.0 cm)
- D. 28 3/8" (72.1 cm)
- E. 3 1/8" (8.6 cm)
- F. 4 1/8" (10.5 cm)
- G. 1 1/2" (3.8 cm)

KCGS556ESS and KCGS956ESS Models



- A. 21" (53.3 cm)
- B. 36 1/4" (92.0 cm)
- C. 19 3/8" (49.2 cm)
- D. 34 3/8" (88.1 cm)
- E. 3 1/8" (9.2 cm)
- F. 4 7/16" (11.6 cm)
- G. 1 1/8" (3.6 cm)

All Other 36" (91.4 cm) Models




- A. 21" (53.3 cm)
- B. 36" (91.4 cm)
- C. 18 7/8" (48.0 cm)
- D. 33 3/4" (85.7 cm)
- E. 3 1/8" (8.6 cm)
- F. 4 1/8" (10.5 cm)
- G. 1 1/2" (3.8 cm)

C1 COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM


35 of 48

Cabinet Clearances

Side View



Front View




- A. 13" (33.0 cm) recommended upper cabinet depth.
B. 30" (76.2 cm) for 30" models; 36" (91.4 cm) for 36" models.
C. 18" (45.7 cm) minimum clearance from upper cabinet to countertop within minimum horizontal clearances to cooktop.
D. 30" (76.2 cm) minimum clearance between top of cooktop platform and bottom of uncovered wood or metal cabinet. 24" (61 cm) minimum clearance if bottom of wood or metal cabinet is covered by not less than 1/4" (0.6 cm) flame retardant millboard covered with not less than No. 28 MSG sheet steel, 0.015" (0.04 cm) stainless steel, or 0.024" (0.06 cm) aluminum or 0.020" (0.05 cm) copper.
E. Gas line opening - Wall: anywhere 5' (12.7 cm) below underside of countertop. Cabinet floor: anywhere within 6' (15.2 cm) of rear wall is recommended.

C1 COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

36 or 48

Cutout Dimensions - Top View



Cutout (Product Opening) Dimensions						
30" (76.2 cm) Models						
Models	A			B		
	Min	Recommended	Max	Min	Recommended	Max
KCGS556 and KCGS950	28 1/2" (72.4 cm)	28 7/8" (73.4 cm)	29 3/4" (74.3 cm)	19 1/2" (49.5 cm)	19 3/4" (50.2 cm)	20" (50.8 cm)
All Other 30" (76.2 cm) Models	28 1/2" (72.4 cm)	28 7/8" (73.4 cm)	29 3/4" (74.3 cm)	19" (48.3 cm)	19 1/2" (49.5 cm)	20" (50.8 cm)
36" (91.4 cm) Models						
KCGS556 and KCGS956	34 7/8" (88.4 cm)	35 3/8" (89.4 cm)	35 3/4" (90.3 cm)	19 1/2" (49.5 cm)	19 3/4" (50.2 cm)	20" (50.8 cm)
All Other 36" (91.4 cm) Models	33 7/8" (86.0 cm)	34 1/4" (87.0 cm)	35 1/4" (89.5 cm)	19" (48.3 cm)	19 1/2" (49.5 cm)	20" (50.8 cm)

Side Walls (Combustible Surfaces)	
Models	H and I
KCGS55 and KCGS9	H and I added together must be at least 48" (122.0 cm), with each side individually being at least 8" (20.3 cm).
KCGS350, KCGS356, MCGC0536, WCG07U50, WCG09U56	H and I added together must be at least 48" (122.0 cm), with each side individually being at least 12" (30.5 cm).
All Other Models	Bolt flange to be 8" (20.3 cm) or more.

Back Wall and Countertop Front Dimensions				
Models		C	D	E
KCGS556 and KCGS950		25" (63.5 cm)	2 1/4" (7.3 cm)	2 1/4" (6.3 cm)
All Other Models				3 1/2" (7.9 cm)

NOTES: After making the countertop cutout, some installations may require notching down the base cabinet side walls to clear the cooktop base. To avoid this modification, use a base cabinet with sidewalls wider than the cutout.

If cabinet has a drawer, a 4" (10.2 cm) depth clearance from the countertop to the top of the drawer (or other obstruction) in base cabinet is required. The drawer depth may need to be shortened to avoid interfering with the regulator.

IMPORTANT: If a built-in wall oven is to be installed below this cooktop, the grounded outlet and gas supply piping must be located in an adjacent cabinet. If installing a range hood or microwave hood combination above the cooking surface, follow the range hood or microwave hood combination installation instructions for dimensional clearances above the cooktop surface.

This cooktop and its gas and electrical supply sources must be installed before the undercounter built-in wall oven is installed.

C1 COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

37 of 48

Electrical Requirements

⚠ WARNING

Electrical Shock Hazard
Plug into a grounded 3 prong outlet. Do not remove ground prong. Do not use an adapter. Do not use an extension cord. Failure to follow these instructions can result in death, fire, or electrical shock.

IMPORTANT: The cooktop must be electrically grounded in accordance with local codes and ordinances, or in the absence of local codes, with the National Electrical Code, ANSI/NFPA 70 or Canadian Electrical Code, CSA C22.1.

If codes permit and a separate ground wire is used, it is recommended that a qualified electrical installer determine that the ground path is adequate.

A copy of the above code standards can be obtained from:

National Fire Protection Association
One Batterymarch Park
Quincy, MA 02269

CSA International
8501 East Pleasant Valley Road
Cleveland, Ohio 44131-5575

- A 120 V, 60 Hz, AC-only, 15 A, fused electrical circuit is required. A time-delay fuse or circuit breaker is also recommended. It is recommended that a separate circuit serving only this cooktop be provided.
- Electronic ignition systems operate within wide voltage limits, but proper grounding and polarity are necessary. Check that the outlet provides 120 V power and is correctly grounded.
- The wiring diagrams are provided with this cooktop. See "Wiring Diagrams" on a separate sheet. The wiring diagrams are located on the left underside of the cooktop base.

Gas Supply Requirements

⚠ WARNING

Explosion Hazard
Use a new CSA International approved gas supply line. Install a shut-off valve. Securely tighten all gas connections. If connected to propane, have a qualified person make sure gas pressure does not exceed 14" (36 cm) water column. Examples of a qualified person include: licensed heating personnel, authorized gas company personnel, and authorized service personnel. Failure to do so can result in death, explosion, or fire.

Observe all governing codes and ordinances.

IMPORTANT: This installation must conform with all local codes and ordinances. In the absence of local codes, installation must conform with the American National Standard, National Fuel Gas Code ANSI Z223.1 - latest edition or CAN/CGA B149 - latest edition.

IMPORTANT: Leak testing of the cooktop must be conducted according to the manufacturer's instructions.

Type of Gas

Natural Gas:

- This cooktop is factory set for use with Natural gas. If converting to propane gas, see the "Propane Gas Conversion" instructions provided in the package containing literature. The model/serial rating plate located on the underside of the cooktop base has information on the types of gas that can be used. If the types of gas listed do not include the type of gas available, check with the local gas supplier.

Propane Gas Conversion:

Conversion must be done by a qualified service technician. No attempt shall be made to convert the cooktop from the gas specified on the model/serial rating plate for use with a different gas without consulting the serving gas supplier. See the Gas Conversion instructions provided in the package containing literature.

C1 COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

38 of 48

Gas Supply Line


- Provide a gas supply line of 3/4" (1.9 cm) rigid pipe to the cooktop location. A smaller size pipe on longer runs may result in insufficient gas supply. Pipe-joint compounds that resist the action of propane gas must be used. Do not use TEFLON[®] tape. With propane gas, piping or tubing size should be 1/2" (1.3 cm) minimum. Usually, propane gas suppliers determine the size and materials used in the system.

Flexible metal appliance connector:

- If local codes permit, use a 1/2" (1.3 cm) or 3/4" (1.9 cm) I.D. flexible stainless steel tubing gas connector, designed by CSA to connect the cooktop to the rigid gas supply line.



- A 1/2" (1.3 cm) male pipe thread is needed for connection to the female pipe threads of the inlet to the cooktop pressure regulator.
- Do not kink or damage the flexible metal tubing when moving the cooktop.
- Must include a shut-off valve:
Install a manual gas line shut-off valve in an easily accessible location. Do not block access to shut-off valve. The valve is for turning on or shutting off gas to the cooktop.



A. Gas supply line
B. Shut-off valve open position
C. To cooktop

Gas Pressure Regulator

The gas pressure regulator supplied with this cooktop must be used. The inlet pressure to the regulator should be as follows for proper operation:

Natural Gas:

Minimum pressure: 5" (12.7 cm) WCP
Maximum pressure: 7" to 14" (17.8 cm to 35.5 cm) WCP

Propane Gas:

Minimum pressure: 10" (25.4 cm) WCP
Maximum pressure: 14" (35.5 cm) WCP
Contact local gas supplier if you are not sure about the inlet pressure.

Burner Input Requirements

Input ratings shown on the model/serial rating plate are for elevations up to 2,000 ft (609.6 m).

For elevations above 2,000 ft (609.6 m), ratings should be reduced at a rate of 4% for each 1,000 ft (304.8 m) above sea level (not applicable for Canada).

Gas Supply Pressure Testing

Gas supply pressure for testing regulator must be at least 1" (2.5 cm) water column pressure above the manifold pressure shown on the model/serial rating plate.

Line pressure testing above 1/2 psi (3.5 kPa) gauge 14" (35.5 cm) WCP

The cooktop and its individual shutoff valve must be disconnected from the gas supply piping system during any pressure testing of that system at test pressures in excess of 1/2 psi (3.5 kPa).

Line pressure testing at 1/2 psi (3.5 kPa) gauge 14" (35.5 cm) WCP or lower

The cooktop must be isolated from the gas supply piping system by closing its individual manual shut-off valve during any pressure testing of the gas supply piping system at test pressures equal to or less than 1/2 psi (3.5 kPa).

C1 COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

39 of 48

Whirlpool® 6.4 cu. ft. Smart Combination Wall Oven
WOC75EC0H5



Stainless Steel
WOC75EC0H5

Also available in:

- White WOC75EC0HW
- Black WOC75EC0HB
- Black Stainless WOC75EC0HV

Key Features & Benefits

Smart Appliance


Care smarter with connected features that let you send cooking instructions to the oven from your smartphone, control your kitchen with voice commands using a compatible voice-enabled device* or skip preheating.

Scan-to-Cook Technology™

Get the right settings every time. Scan a frozen food barcode with your smartphone or tablet and send recommended or customized cooking instructions straight to your oven or microwave for dinner done the way your family wants it.

Yummly® Guided Cooking™

Prompts in the app even send cooking instructions straight to your Whirlpool® smart wall oven† at the right times, so dinner's ready when your family's hungry.



Capacity		Oven	6.4 cu. ft.
General Features & Properties			
Touchscreen			
Voice control with a compatible voice-enabled device			
Fingerprint Resistant			
Frozen Bake™ technology			
Multi-Step Cooking			
True Convection Cooking			
Convection Conversion			
Steam Clean option			
Scan-to-Connect Technology			
Electrical Details			
Amps			40
Volts			240
Certifications			
Connected/Smart Appliance			Yes
Star-K Certified/Kosher			Yes
Technical Details			
Fuel Type		Electric	
Oven Type		Combination	
Oven Cooking System		True Convection	
Number of Oven Racks		3	
Cleaning Type		Self-Cleaning	
Dimensions			
Product Dimensions (H x W x D)		42-9/16" x 30" x 23-1/4"	
Depth with Door Open 90°		46-3/4"	
Cutout Dimensions (H x W x D)		41-5/16" x 28-1/2" x 24"	
Reference Material			
Install Guide			
Use & Care Guide			
Energy Guide			
Warranty			


*Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect...U.S. Only. †Select recipes only. Compatible smart appliance required. Appliance must be set to remote enable. Features subject to change. For details and privacy statements, visit whirlpool.com/connect and yummiy.com/privacy. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice. ©/TM © 2020. All rights reserved. Printed in the U.S.A. D200104XXE, WOC75EC0H5SpecSheetV01.

C1 COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

40x48

Product Dimensions

~~27" (68.6 cm) and 30" (76.2 cm) Ovens~~



~~27" (68.6 cm) models~~


- ~~A. 42 $\frac{1}{2}$ " (108.0 cm) overall height~~
- ~~B. 25 $\frac{1}{2}$ " (64.5 cm) recessed width~~
- ~~C. 4 $\frac{1}{2}$ " (104.1 cm) recessed height~~
- ~~D. 23 $\frac{1}{2}$ " (59.1 cm) max. recessed depth~~
- ~~E. 27" (68.6 cm) overall width~~
- ~~F. 48" (121.9 cm) Flexible conduit length measured from the conduit clamp located at the rear of the oven. Do not remove the conduit clamp.~~

~~30" (76.2 cm) models~~

- ~~A. 42 $\frac{1}{2}$ " (108.0 cm) overall height~~
- ~~B. 28 $\frac{1}{4}$ " (72.3 cm) recessed width~~
- ~~C. 41" (104.1 cm) recessed height~~
- ~~D. 23 $\frac{1}{4}$ " (59.1 cm) max. recessed depth~~
- ~~E. 30" (76.2 cm) overall width~~
- ~~F. 48" (121.9 cm) Flexible conduit length measured from the conduit clamp located at the rear of the oven. Do not remove the conduit clamp.~~

Cabinet Dimensions

~~27" (68.6 cm) and 30" (76.2 cm) Ovens~~



~~27" (68.6 cm) models~~

- ~~A. 27" (68.6 cm) min. cabinet width~~
- ~~B. 1" (2.5 cm) top of cutout to bottom of upper cabinet door~~
- ~~C. 19 $\frac{1}{2}$ " (48.9 cm) bottom of cutout to floor is recommended~~
- ~~D. 4" (10.2 cm) min. bottom of cutout to floor is acceptable.~~
- ~~E. 1 $\frac{1}{2}$ " (3.8 cm) min. bottom of cutout to top of cabinet door~~
- ~~F. 41 $\frac{1}{2}$ " (105 cm) recommended cutout height~~
- ~~G. 24" (60.7 cm) cutout depth~~

~~30" (76.2 cm) models~~

- ~~A. 30" (76.2 cm) min. cabinet width~~
- ~~B. 1" (2.5 cm) top of cutout to bottom of upper cabinet door~~
- ~~C. 19 $\frac{1}{2}$ " (48.9 cm) bottom of cutout to floor is recommended~~
- ~~D. 4" (10.2 cm) min. bottom of cutout to floor is acceptable.~~
- ~~E. 1 $\frac{1}{2}$ " (3.8 cm) min. bottom of cutout to top of cabinet door~~
- ~~F. 41 $\frac{1}{2}$ " (105 cm) recommended cutout height~~
- ~~G. 24" (60.7 cm) cutout depth~~

* NOTE: The cutout height can be between 41" (104.1 cm) and 41 $\frac{1}{2}$ " (105.6 cm) for microwave/oven combination.

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

41 of 48

Whirlpool® Undercounter Dishwasher

PRODUCT MODEL NUMBERS

WDF110PAB	WDF310PLA	WDE530PSX
WDF111PAB	WDF320PAD	WDF540PAD
WDF120PAF	WDF510PAY	WDF730PAY
WDF121PAF	WDF520PAD	WDT710PAY
WDF310PAA	WDF530PAY	WDT720PAD
WDF310PCA	WDF530PLY	WDT770PAY

Electrical Requirements: 120-volt, 60-Hz, AC only, 15- or 20-amp, fused electrical supply. Copper wire only. A time delay fuse or circuit breaker and separate circuit is recommended.

If direct wiring dishwasher: Use flexible, armored, or nonmetallic, sheathed copper wire with grounding wire that meets the wiring requirements for your home and local codes and ordinances. Use a UL listed or CSA approved conduit connector.

If connecting dishwasher with a power supply cord:

Use Power Supply Cord Kit (Part No. 4317824) marked for use with dishwashers. Follow the kit instructions for installing the power supply cord. Power supply cord must plug into a grounded 3 prong, outlet, located in the cabinet next to the dishwasher opening. Outlet must meet all local codes and ordinances.

Water Supply Requirements: A hot water line with 20 to 120 psi (138 to 862 kPa) water pressure. Water temperature must be 120°F (49°C) water at dishwasher. Use ¾" O.D. copper tubing with compression fitting or flexible braided water supply line (½" minimum plastic tubing is not recommended). Use a 90° elbow with ¾" N.P.T. external pipe threads on one end. Do not solder within 6" (15.2 cm) from water inlet valve.

Drain Requirements: A new drain hose is supplied with your dishwasher. If this is not long enough, use a new drain hose with a maximum length of 12' (3.7 m) (Part No. 3395556) that meets all current AHAM/IAPMO test standards, is resistant to heat and detergent, and fits the 1" (2.5 cm) drain connector of the dishwasher.


Make sure to connect the drain hose to waste tee or disposer inlet above drain trap in house plumbing and 20" (50.8 cm) minimum above the floor. It is recommended

that the drain hose either be looped up and securely fastened to the underside of the counter or be connected to an air gap.


Make sure to use an air gap if the drain hose is connected to house plumbing lower than 20" (50.8 cm) above subfloor or floor.

Use ½" (1.3 cm) minimum I.D. drain line fittings.

If required, the air gap should be installed in accordance with the air gap installation instructions. When connecting the air gap, a rubber hose (not provided) will be needed to connect to the waste tee or disposer inlet.



PRODUCT DIMENSIONS



*Insulation may be compressed (not used on all models)

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM


42.48

CABINET CUTOUT DIMENSIONS

NOTE: Shaded areas of cabinet walls show where utility connections may be installed.

*Measure from the lowest point on the underside of the countertop. May be reduced to 33½" (85.1 cm) by removing the rear leveling legs from dishwasher.

**Minimum, measured from narrowest point of opening.




44A

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

43 of 48

WHIRLPOOL WASHER Model #: WFW5620HW

Whirlpool Brand Canada English | Washer and Dryer | Freshair | Front Load Washers | WFW5620HW



5.2 cu. ft. I.E.C. Closet-Depth
Front Load Washer with
Load & Go™ Dispenser



Whirlpool® 5.2 cu. ft. I.E.C. Closet-Depth Front Load Washer with Load & Go™ Dispenser
Model #: WFW5620HW

Dimensions

Depth	80.17 cm, 31-5/16 in
Depth With Door Open 90 Degree	143.51 cm, 56-1/2 in
Minimum Height	98.11 cm, 38-5/8 in
Width	68.58 cm, 27.0 in

Appearance

LCD Touch Screen	No
Window	Yes

Details

Drum Material	Stainless Steel
---------------	-----------------

Cycles and Options

Number of Wash Cycles	37
-----------------------	----

Electrical

Hz	60
Power Cord Included	Yes

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

44 of 48

WHIRLPOOL WASHER Model #: WFW5620HW

LOCATION REQUIREMENTS



Proper installation is your responsibility.

You will need:

- A water heater set to 120°F (49°C).
- A grounded electrical outlet located within 6 ft (1.8 m) of power cord on back of washer.
- Hot and cold water faucets located within 4 ft (1.2 m) of hot and cold water fill valves on washer, and water pressure of 20–100 psi (137.9–689.6 kPa).
- A level floor with maximum slope of 1" (25 mm) under entire washer. Installing on carpet or surfaces with foam backing is not recommended.
- Floor must support washer's total weight (with water and load) of 315 lbs (143 kgs).



IMPORTANT: Do not install, store, or operate washer where it will be exposed to weather or in temperatures below 32°F (0°C). Water remaining in washer after use may cause damage in low temperatures. See "Washer/Care" in your Use and Care Guide for winterizing information.

Whirlpool Models*



*For additional details (or information) specific to your model, refer to the "Dimensions" listed for your model at www.whirlpool.com.


Maytag Models



All dimensions show minimum spacing allowed. For each arrangement, consider allowing more space for ease of installation and servicing, and spacing for companion appliances and clearances for walls, doors, and floor moldings.

Space must be large enough to allow door to fully open. Add spacing of 1" (25 mm) on all sides of washer to reduce noise transfer. If a closet door or louvered door is installed, top and bottom air openings in door are required.

Recessed area or closet installation (stacked washer and dryer):




MP

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM


45 of 48

WHIRLPOOL WASHER Model #: WFW5620HW


Custom under-counter installation:



Recessed area or closet installation:



Custom cabinet installation:




DRAIN SYSTEM

The drain system can be installed using a floor drain, wall standpipe, floor standpipe, or laundry tub. Select the method you need.


IMPORTANT: To avoid siphoning, only 4.5" (114 mm) of drain hose should be inside standpipe. Always secure drain hose with cable tie.

Floor standpipe drain system




Minimum diameter for a standpipe drain: 2" (51 mm). Minimum carry-away capacity: 17 gal. (64 L) per minute. A 1/4" (6 mm) diameter to 1" (25 mm) diameter Standpipe Adapter Kit is available (Part Number 3363920). Top of standpipe must be at least 30" (762 mm) high; install no higher than 96" (2.44 m) from bottom of washer. If you have an overhead sewer and need to pump higher than 96" (2.44 m), a sump pump and associated hardware are needed. See "Alternate parts."

Wall standpipe drain system



See requirements for floor standpipe drain system.

Laundry tub drain system



Minimum capacity: 20 gal. (76 L). Top of laundry tub must be at least 30" (762 mm) above floor; install no higher than 96" (2.44 m) from bottom of washer.


PLA

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

46 of 48

WHIRLPOOL DRYER Model #: YWED5620HW

Whirlpool Brand Canada English | Whirlpool Dryers | Electric Dryers | YWED5620HW



7.4 cu. ft. Front Load Electric
Dryer with Intuitive Touch
Controls



Whirlpool 7.4 cu. ft. Front Load Electric Dryer with Intuitive Touch Controls

Model #: YWED5620HW

Dimensions

Depth	78.74 cm, 31.0 in
Depth With Door Open 90 Degree	138.43 cm, 54-1/2 in
Height	96.42 cm, 38-3/4 in
Width	68.58 cm, 27.0 in

Configuration and Overview

Fuel Type	Electric
-----------	----------

Cycles and Options

Cycle Time Remaining	Yes
Lint Filter Indicator	No
Number of Dryer Cycles	36
Number of Dryness Levels	3

Ventilation System

Long Vent	No
Maximum Vent Length	64
Venting Direction	Left, Right, Bottom, Rear

Electrical

Hz	60
----	----

Power Cord Included

Yes


MA

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

47 of 48

WHIRLPOOL DRYER Model #: YWED5620HW

Back view:



*Approx. measurement

NOTE: Most installations require a minimum of 5" (127 mm) clearance behind dryer for exhaust vent with elbow. See "Venting Requirements."

Installation Clearances

For each arrangement, consider allowing more space for ease of installation and servicing, spacing for companion appliances, and clearances for walls, doors, and floor moldings. Space must be large enough to allow door to fully open. Add spacing on all sides of dryer to reduce noise transfer. If a closet door or louvered door is installed, top and bottom air openings in door are required.

Check code requirements. Some codes limit, or do not permit, installation of the dryer in garages, closets, mobile homes, or sleeping quarters. Contact your local building inspector.


NOTE: No other fuel-burning appliance can be installed in the same closet as a dryer.

Installation spacing for recessed area or closet installation

All dimensions show recommended and minimum spacing allowed.


- Additional spacing should be considered for ease of installation and servicing.
- Additional clearances might be required for wall, door, floor moldings, dryer venting, and gas line.
- Additional spacing should be considered on all sides of the dryer to reduce noise transfer.
- For closet installation with a door, minimum ventilation openings in the top and bottom of the door are required. Louvered doors with equivalent ventilation openings are acceptable.
- Companion appliance spacing should also be considered.

Recommended installation clearances (dryer only):



0" (0 mm) rear spacing is allowed for straight back venting only. For steam models only, inlet hose must not be kinked.

Custom under-counter installation:



Mobile home - Additional installation requirements:

This dryer is suitable for mobile home installations. The installation must conform to the Manufactured Home Construction and Safety Standard, Title 24 CFR, Part 3280 (formerly the Federal Standard for Mobile home construction and Safety, Title 24, HUD Part 280) or Standard CAN/CSA-Z240 MH.

Mobile home installations require:

- Metal exhaust system hardware, available for purchase from your dealer. For further information, see "Assistance or Service" in your Use and Care Guide.
- Special provisions must be made in mobile homes to introduce outside air into dryer. Openings (such as a nearby window) should be at least twice as large as dryer exhaust opening.

For mobile home installation of gas dryers:

- Mobile Home Installation Hold-down Kit Part Number 346764 is available to order. For further information, see "Assistance or Service" in your Use and Care Guide.

24

C1-COUNTRY LANE
LOT 241
37-3452 ELEV A
THE BALSAM

48 of 48

WHIRLPOOL DRYER Model #: YWED5G20HW

Additional parts may be required, depending on your installation. Check local codes. Check existing electrical supply and venting. Read "Electrical Requirements" and "Venting Requirements" before purchasing parts.

If using a power supply cord:

Use a UL Listed power supply cord kit marked for use with clothes dryers. The kit should contain:

- A UL Listed 30 amp power supply cord, rated 120/240 volt minimum. The cord should be type SRD or SRDT and be at least 4 ft. (1.22 m) long. The wires that connect to the dryer must end in ring terminals or spade terminals with upturned ends.
- A UL Listed strain relief.

Optional Equipment (not supplied with dryer):

Refer to your Use and Care Guide for information about accessories available for your dryer.

LOCATION REQUIREMENTS

Check code requirements. Some codes limit, or do not permit, installing dryer in garages, closets, mobile homes, or sleeping quarters. Contact your local building inspector.

! WARNING



Explosion Hazard

Keep flammable materials and vapors, such as gasoline, away from dryer.

Place dryer at least 18 inches (460 mm) above the floor for a garage installation.


Failure to do so can result in death, explosion, or fire.

You will need:

- A location allowing for proper exhaust installation. See "Venting Requirements."
 - A separate 15 or 20 amp circuit for a gas dryer or 30 amp circuit for an electric dryer.
 - If using power supply cord, a grounded electrical outlet located within 2 ft. (610 mm) of either side of dryer. See "Electrical Requirements."
 - Floor must support dryer weight of 200 lbs. (90.7 kg). Also consider weight of companion appliance.
 - Cold water faucets located within 4 ft. (1.2 m) of the water fill valves, and water pressure of 20–120 psi (138–827 kPa). You may use your washer's water supply by purchasing the necessary parts noted in "Parts needed."
 - Level floor with maximum slope of 1" (25 mm) under entire dryer. If slope is greater than 1" (25 mm), install Extended Dryer Feet Kit, Part Number 279810. If not level, clothes may not tumble properly and automatic sensor cycles may not operate correctly.
 - For garage installation, place dryer at least 18" (460 mm) above floor. If using a pedestal, you will need 18" (460 mm) to bottom of dryer.
 - The dryer must not be installed or stored in an area where it will be exposed to water and/or weather.
- IMPORTANT:** Do not operate, install, or store dryer where it will be exposed to water, weather, or at temperatures below 40°F (4°C). Lower temperatures may cause dryer not to shut off at end of automatic sensor cycles, resulting in longer drying times.


DRYER DIMENSIONS

Front view:




Side view:

Whirlpool Models



*Approx. measurement

Maytag Models



*Approx. measurement

6-6-24