



03-Sep-21

PRE-Sales Selection Sheet

CHECKLIST

2^B of 53^{C2}

LOT 00532 * REUSED *

20-2070-AC ELEV A THE APPLIEDALE

PURCHASERS: SRIKANTH MANDA

CONTACT NO: 647-267-5940 647-272-0609

VANAJA KURRE

972-514-2279

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4

OFFERED CEILING - DINING ROOM

COFFERED CEILING - GREAT ROOM

☒ FINISHED BASEMENT

☐ COLD CELLAR

UPGRADED / MODIFIED ELEVATION

☐ CORNER UPGRADE

☐ SIDE UPGRADE

☐ REAR UPGRADE

CEILING UPGRADE - SMOOTH

☒ MAIN FLOOR

☐ SECOND FLOOR

ADDITIONAL ROUGH-INS

☒ 200 AMP SERVICE *

☐ WET BAR ROUGH IN

GAS ROUGH-IN

☒ STOVE

☒ BBQ *

HOODFAN VENTING

☒ 6" ROUND DUCT

☐ 7" ROUND DUCT

FULL BASEMENT STAIRS:

ALL OAK

UPPER BASEMENT STAIRS:

N/A

LOWER BASEMENT STAIRS:

N/A

STAIRS TO LOWER LEVEL:

N/A

STAIRS TO UPPER LEVEL:

N/A

MAIN STAIRS:

ALL OAK

MEDIA STAIRS (if applicable):

N/A

Sept 3/21 Signatures on

Sept. 3/21

IRIT Salem

Date

Purchaser

file

Date

Décor Consultant

* REUSED *

Date

Purchaser

-09-03-2021

myLozen

Date Approved: HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4



Interior Finishing Selection Sheet

20-Aug-21

LOT 00532

20-2070-AC ELEV A THE APPLIEDALE

PURCHASERS: SRIKANTH MANDA
VANAIA KURRE

CONTACT NO: 647-267-5940 647-272-0609
972-514-2279

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4

UPG

Appliances

6-8896 Kitchen HoodFan

☒ CYCLONE 36" STAINLESS CANOPY CHIMNEY HOODFAN
STAINLESS STEEL SCB51436 UPG PAGE 36

Cabinetry

122-9156 Finished Basement Bathroom Cabinet Colour/Style

☐ SIMCOE RAIN CLOUD Viking III STD 3DL

124-2086 Finished Basement Bathroom Cabinet Hardware

☐ HARDWARE 9677 STD

123-8796 Finished Basement Bathroom Countertop

☐ Countertop PALOMA POLAR ETCHINGS FINISH 6698-46
Formica

1-9111 Kitchen Cabinet Colour/Style

☐ SIMCOE ORCHID VIKING III STD 3DL

3-2098 Kitchen Cabinet Hardware

☐ HARDWARE 12801 STD

102-8827 Laundry Room Opt. Countertop

☐ Countertop CALCUTTA MARBLE 4925K-07 Wilsonart

211-9158 Laundry Room Opt. Upper Cabinet

☐ SIMCOE NAVY BLUE Viking III STD 3DL

212-2098 Laundry Room Opt. Upper Cabinet Hardware

☐ HARDWARE 12801 STD

25-6265 Main Bathroom Cabinet Colour/Style

☐ MANCHESTER SHALE GREY CL Viking III MAPLE

29-7672 Main Bathroom Cabinet Hardware

☐ HARDWARE 135 STD

20-9157 Master Ensuite Cabinet Colour/Style

☐ SIMCOE MOONLIGHT Viking III STD 3DL

22-2086 Master Ensuite Cabinet Hardware

☐ HARDWARE 9677 STD

Carpet

37-9299 Bedroom 2 Flooring

☒ SHAW - Entwined With You Alabaster 172 UPG 1

38-9299 Bedroom 3 Flooring

☒ SHAW - Entwined With You Alabaster 172 UPG 1

377-9299 Finished Basement Bedroom Flooring

☒ SHAW - Entwined With You Alabaster 172 UPG 1

285-9299 Finished Basement Rec/Hall Flooring

☒ SHAW - Entwined With You Alabaster 172 UPG 1

36-9299 Master Bedroom Flooring

☒ SHAW - Entwined With You Alabaster 172 UPG 1

52-1079 Throughout Underpad

☐ Underpad 500 Series STD

Ceramics

1. The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
2. The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
3. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
4. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
5. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
6. Selections will not be processed unless signed by Heathwood Homes Head Office.
7. The colour selections made on the Colour Chart are final and cannot be changed once submitted.
8. The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

Sept 3/21 Signatures on
Date Purchaser file

6 APPROVED -
Date

Décor Consultant

11

-09- 03 2021

Date Purchaser

Date Approved HEATHWOOD HOMES (WHITBY)
LIMITED - PHASE 4



03-Sep-21

Interior Finishing Selection Sheet

LOT 00532

20-2070-AC ELEV A THE APPLIEDALE

PURCHASERS: SRIKANTH MANDA
VANAJA KURRE

CONTACT NO: 647-267-5940 647-272-0609
972-514-2279

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4

Ceramics

UPG

125-8915	Finished Basement Bathroom	Flooring	☒ Biel Antracita (Dark Grey) UN.BL.ATR.1224 UPG_2 12 x 24 TO BE INSTALLED FRONT TO BACK SKETCH # 8 PAGE 23
126-2225	Finished Basement Bathroom	Grout	☐ Grout (27) Silver STD
127-9020	Finished Basement Bathroom	Wall Tile	☐ Weave White QT.WV.WHT.0810 STD 8 x 10 TO BE INSTALLED VERTICALLY
128-2226	Finished Basement Bathroom	Wall Tile Grout	☐ Grout (00) White STD
16-8913	Foyer Flooring		☒ Biel Bianco (White) UN.BL.BIA.1224 UPG_2 12 x 24 INSTALLED SIDE TO SIDE SKETCH # 9 PAGE 24
17-2225	Foyer Grout		☐ Grout (27) Silver STD
4-8106	Kitchen Backsplash		☒ ONTARIO HEXAGON MATTE TENDER GREY OD.ON.TGR.02.HEX.MT UPG_2
5-2226	Kitchen Backsplash Grout		☐ Grout (00) White STD
140-9257	Landing at Garage Entry	Flooring	☐ CARRARA White / Grey GE.CR.WHIT.1313.MT STD 13 x 13
141-2225	Landing at Garage Entry	Grout	☐ Grout (27) Silver STD
66-8913	Laundry Room	Flooring	☒ Biel Bianco (White) UN.BL.BIA.1224 UPG_2 12 x 24 TO BE INSTALLED FRONT TO BACK SKETCH # 11 PAGE 26
67-2225	Laundry Room	Grout	☐ Grout (27) Silver STD
30-8916	Main Bathroom	Flooring	☒ Chambray White OV.CH.WHT.1224 UPG_2 12 x 24 INSTALLED SIDE TO SIDE SKETCH # 11 PAGE 26
31-7705	Main Bathroom	Grout	☒ Upgrade Grout (01) Alabaster U/G
303-8665	Main Bathroom	Opt. Shower Floor Tile	☒ Ontario Series Mosaic Taupe Matte OD.ON.TPE.0202.MT.N UPG 1 2 x 2
304-2226	Main Bathroom	Opt. Shower Floor Tile Grout	☐ Grout (00) White STD
307-8923	Main Bathroom	Opt. Shower Jam(s) and Sill(s)	☐ Shower Jamb / Sill Thassos White STD
305-9022	Main Bathroom	Opt. Shower Wall Tile	☐ Weave Tender Grey QT.WV.TGR.0810 STD 8 x 10 TO BE INSTALLED VERTICALLY
306-2226	Main Bathroom	Opt. Shower Wall Tile Grout	☐ Grout (00) White STD
23-9106	Master Ensuite	Floor Tile	☒ Madison Series White Matte GE.MD.WHT.1818.MT UPG 1 18" X 18" Matte
24-2225	Master Ensuite	Floor Tile Grout	☐ Grout (27) Silver STD

1. The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
2. The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
3. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
4. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
5. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
6. Selections will not be processed unless signed by Heathwood Homes Head Office.
7. The colour selections made on the Colour Chart are final and cannot be changed once submitted.
8. The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

Sept 3/21 Signatures on
Date Purchaser file

Sept 3/21
Dated

Décor Consultant

-09- 03 2021

Date Purchaser

Date Approved HEATHWOOD HOMES (WHITBY)
LIMITED - PHASE 4

LOT 00532

20-2070-AC ELEV A THE APPLIEDALE

PURCHASERS: SRIKANTH MANDA
VANAJA KURRE

CONTACT NO: 647-267-5940 647-272-0609
972-514-2279

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4

UPG

Ceramics

73-8108 Master Ensuite Shower Floor Tile

☒ ONTARIO HEXAGON MATTE DARK GREY
OD.ON.DGR.02.HEX.MT UPG_2

74-2226 Master Ensuite Shower Floor Tile Grout

☐ Grout (00) White STD

147-8923 Master Ensuite Shower Jamb(s) and Sill(s)

☐ Shower Jamb / Sill Thassos White STD

104-9106 Master Ensuite Shower Wall Tile

☒ Madison Series White Matte GE.MD.WHT.1818.MT UPG 1
18" X 18" Matte

105-2226 Master Ensuite Shower Wall Tile Grout

☐ Grout (00) White STD

32-8913 Powder Room Flooring

☒ Biel Bianco (White) UN.BL.BIA.1224 UPG_2 12 x 24 TO BE
INSTALLED SIDE TO SIDE SKETCH # 9 PAGE 24

33-2225 Powder Room Grout

☐ Grout (27) Silver STD

53-2232 Throughout Thresholds

☐ Metal Thresholds STD

Electrical

90-5796 Throughout Switches and Plug

☐ Decora White Switches and Plugs STD

Fireplace

136-8892 Great Room Fireplace Mantle

☐ Paint Grade Mantle- 6" Deep Mantle WHITE NF-17 STD
PAGE 28

138-8875 Great Room Fireplace Surround

☐ 3 pc- 4" Marble Surround Blanca Carrara STD

135-5529 Great Room Fireplace Type

☐ 36" Direct Vent Gas Fireplace

Granite

2-9121 Kitchen Countertop

☒ MSI Quartz ICED WHITE Group 1 UPG 3/4" with Mitered
Edge

28-7833 Main Bathroom Countertop

☒ Quartz-Caesarstone ICE SNOW # 9141 Group 2 UPG 3/4"
with Mitred Edge

21-9069 Master Ensuite Countertop

☐ MSI Quartz ICED WHITE Group 1 STD 3/4"

Hardwood

99-8497 Dining Room Flooring

☐ Vintage Red Oak Solid Sculpted Character UVF OIL HILLSIDE Red
Oak UVF 3/4" x 5"

11-8497 Great Room Flooring

☐ Vintage Red Oak Solid Sculpted Character UVF OIL HILLSIDE Red
Oak UVF 3/4" x 5"

1. The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
2. The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
3. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
4. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
5. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
6. Selections will not be processed unless signed by Heathwood Homes Head Office.
7. The colour selections made on the Colour Chart are final and cannot be changed once submitted.
8. The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

Sept 3/21 Signatures on
Date Purchaser file

Sept 3/21 IRIT SALOM
Date ~~APPROVED~~ Décor Consultant
-09- 03 2021 Mforan

Date Purchaser

Date Approved HEATHWOOD HOMES (WHITBY)
LIMITED - PHASE 4

LOT 00532

20-2070-AC ELEV A THE APPLEDALE

PURCHASERS: SRIKANTH MANDA
VANAJA KURRE

CONTACT NO: 647-267-5940 647-272-0609
972-514-2279

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4

UPG

Hardwood

338-8497 Kitchen Flooring

☒ Vintage Red Oak Solid Sculpted Character UVF Oil HILLSIDE
Red Oak UVF 3/4" x 5"

98-8497 Main Hall Flooring

☐ Vintage Red Oak Solid Sculpted Character UVF Oil HILLSIDE
Red Oak UVF 3/4" x 5"

35-8497 Upper Hall Flooring

☐ Vintage Red Oak Solid Sculpted Character UVF Oil HILLSIDE
Red Oak UVF 3/4" x 5"

Interior Railings

49-8148 Stairs to Lower Level Handrail/Pickets/Posts Type

☐ Single Collar Alt. Plain w/ Shoes with 3 1/2" Square/Cap Post(s)
BLACK METAL STD

43-8148 Stairs to Upper Level Handrail/Pickets/Posts Type

☐ Single Collar Alt. Plain w/ Shoes with 3 1/2" Square/Cap Post(s)
BLACK METAL STD

Interior Stairs

45-1712 Stairs to Lower Level Type

☐ Oak Stairs UPG_1

39-1712 Stairs to Upper Level Type

☐ Oak Stairs UPG_1

Interior Trim

91-8704 Throughout Trim Size

☒ 5 1/4" Baseboards and 3" Integrated Backbend Casings
Singles STD-

Painting

46-7761 Stairs to Lower Level Colour

☐ Stain handrail, stringers, treads, risers, nosing & posts. (Metal
pickets) STAIN SAMBUCA COLOUR IS DIFFERENT THE
HARDWOOD FLOOR

40-7761 Stairs to Upper Level Colour

☐ Stain handrail, stringers, treads, risers, nosing & posts. (Metal
pickets) STAIN SAMBUCA COLOUR IS DIFFERENT THE
HARDWOOD FLOOR

240-1716 Throughout Trim - Paint Colour

☐ Trim WHITE STD

51-1717 Throughout Walls - Paint Colour

☐ Wall WARM GREY 22 STD

Plumbing

268-1737 Finished Basement Bathroom Plumbing Fixture
(Colour)

☐ Plumbing Fixtures WHITE STD

266-1737 Main Bathroom Plumbing Fixture (Colour)

☐ Plumbing Fixtures WHITE STD

149-1737 Master Ensuite Plumbing Fixture (colour)

☐ Plumbing Fixtures WHITE STD

1. The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
2. The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
3. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
4. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
5. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
6. Selections will not be processed unless signed by Heathwood Homes Head Office.
7. The colour selections made on the Colour Chart are final and cannot be changed once submitted.
8. The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

Sept 3/21 Signature on
Purchaser file

Sept 3/21 12:17 Salem
APPROVED
Date
-09-03-2021
Décor Consultant
myRen

Date Purchaser

Date Approved HEATHWOOD HOMES (WHITBY)
LIMITED - PHASE 4



03-Sep-21

Interior Finishing Selection Sheet

17 of 53

LOT 00532

20-2070-AC ELEV A THE APPLIEDALE

PURCHASERS: SRIKANTH MANDA

CONTACT NO: 647-267-5940 647-272-0609

VANAJA KURRE

972-514-2279

VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4

Plumbing

UPG

34-1737 Powder Room Plumbing Fixture (Colour)

☐ Plumbing Fixtures WHITE STD

1. The Purchaser acknowledges these selections are subject to the terms and conditions of the applicable Agreement of Purchase and Sale.
2. The Purchaser acknowledges that the Vendor accepts no responsibility in the event the Vendor is unable to supply a selection. The Purchaser agrees to reselect from the currently available selections immediately upon request.
3. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
4. The Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
5. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
6. Selections will not be processed unless signed by Heathwood Homes Head Office.
7. The colour selections made on the Colour Chart are final and cannot be changed once submitted.
8. The Purchaser has checked and acknowledges the accuracy of this Colour Chart.

SEP 23/21 Signatures

SEP 3/21

IRIT SALEM

Date

Purchaser

Date

Décor Consultant

-09-03 2021

my Rosen

Date

Purchaser

Date Approved

HEATHWOOD HOMES (WHITBY)

LIMITED - PHASE 4



20-Aug-21

Sales Selection Sheet
18 of 33

LOT	00532	20-2070-AC ELEV A THE APPLIEDALE	
PURCHASERS: SRIKANTH MANDA		CONTACT NO: 647-267-5940 647-272-0609	
VANAJA KURRE		972-514-2279	
VENDOR: HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4		HST #	

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

Appliances

- | | | | |
|------|---|-------------|--------|
| 2161 | Cyclone 36" Wall Mount Chimney Hood SS | KITCHEN | Qty: 1 |
| | SCB51436 Upgrade from 30' STD Chimney 51430 | PAGE 36 | |
| 2 | BUILT-IN AND UPGRADED APPLIANCE SPECS | PAGES 37-53 | |

Cabinetry

- | | | | |
|------|---|--------------|--------|
| 1298 | Optional Extras | KITCHEN | Qty: 1 |
| | 26B- Base pie-cut corner Viking | | |
| | SKETCH # 10 PAGE 25 | | |
| 2485 | Optional Extras | LAUNDRY ROOM | Qty: 1 |
| | Tall gable at laundry sink to support countertop over washer/dryer no cabinet no sink (laminated countertop or strapping for granite countertop included) (max. length 8' [244cm]) Viking | | |
| | SKETCH # 11 PAGE 26 WASHER/DRYER SPECS | PAGES 52-53 | |

1463

- | | | |
|----------------------------------|------------|--------|
| Optional Upgrade | Ldry Upper | Qty: 1 |
| Optional Upgrade VIKING I/II/III | | |
| SKETCH # 11 PAGE 26 | | |

Carpet

- | | | | |
|-----|---|-------------------------|--------|
| 662 | Optional Extra | Bedroom 2 | Qty: 1 |
| | Shaw - Complete Control, Entwined with You, Infalible Instinct. | | |
| 663 | Optional Extra | Bedroom 3 | Qty: 1 |
| | Shaw - Complete Control, Entwined with You, Infalible Instinct. | | |
| 664 | Optional Extra | Bedroom 4 (Lower Level) | Qty: 1 |
| | Shaw - Complete Control, Entwined with You, Infalible Instinct. | | |

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

Sept 3/21	Signatures on	Sept 3/21	1 RIT SALS
Date	Purchaser file	Date APPROVED	Décor Consultant
		-09- 03 2021	MyLoren
Date	Purchaser	Date Approved	HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4



20-Aug-21

Sales Selection Sheet
of 3

LOT	00532	20-2070-AC ELEV A THE APPLIEDALE	
PURCHASERS: SRIKANTH MANDA		CONTACT NO: 647-267-5940	647-272-0609
VANAJA KURRE		972-514-2279	
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4		HST #

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

661	Optional Extra	Master Bedroom including Walk-in Closet	Qty: 1
Shaw – Complete Control, Entwined with You, Infallible Instinct.			
665	Optional Extra	Recreation Room	Qty: 1
Shaw – Complete Control, Entwined with You, Infallible Instinct.			

Ceramics

1763	Upgrade 2 Tile	Foyer Floor	Qty: 1
SKETCH # 9 PAGE 24 FOR 12x24" TILE INSTALL DIRECTION			
1770	Upgrade 2 Tile	Kit. Basplash	Qty: 1
1769	Upgrade 2 Tile	Laundry Floor	Qty: 1
SKETCH # 11 PAGE 26 FOR 12x24" TILE INSTALL DIRECTION			
1969	Upgrade Shower Floor	MAIN BATHROOM Shower Shower Floor	Qty: 1
Upgrade 1 Tile			
1767	Upgrade 2 Tile	Main/Shrd Bath Floor	Qty: 1
SKETCH # 11 PAGE 26 FOR 12x24" TILE INSTALL DIRECTION			
1767	Upgrade Grout	Main/Shrd Bath Floor	Qty: 1
1768	Upgrade 1 Tile	Master Bath Floor	Qty: 1

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

Sept 3/21	Signatures on	Sept 3/21	1217	Salem
Date	Purchaser file	Date APPROVED	D�cor Consultant	
		-09- 03 2021	M. L. L. L.	
Date	Purchaser	Date Approved HEALTHWOOD HOMES (WHITBY) LIMITED - PHASE 4		



20-Aug-21

Sales Selection Sheet
of

LOT	00532	20-2070-AC ELEV A THE APPLIEDALE	
PURCHASERS: SRIKANTH MANDA		CONTACT NO: 647-267-5940 647-272-0609	
VANAJA KURRE		972-514-2279	
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4		HST #

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

1761	Upgrade 2 Tile	Master Shower Shower Floor	Qty: 1
1760	Upgrade 1 Tile	Master Shower Wall	Qty: 1
2079	Upgrade Wall: Install Floor tile on Wall	Master Shower Wall	Qty: 1
1764	Upgrade 2 Tile	Powder Floor	Qty: 1
Electrical			
1972	Optional Extras		Qty: 1
Upgrade from 100amp to 200 amp service Upg 1 Before June 1, 2021			
Granite			
819	Optional Upgrade	Kitchen	Qty: 1
Countertop 3/4" GROUP 1 with double edge			
821	Optional Upgrade	Main Bathroom	Qty: 1
Countertop upgrade with 4" backsplash 3/4" GROUP 1 with single edge			
763	Optional Extras	MASTER AND MAIN BATHROOM	Qty: 3
Granite cutout w/ straight edge polish to accommodate under mount vanity sink			

SKETCH # 9 PAGE 24 FOR 12 X 24 " TILE INSTALL DIRECTIONS

SINK SPEC PAGE 32

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

SEPT 3/21	Signatures on	SEPT 3/21	1121T Salem
Date	Purchaser file	Décor Consultant	
Date	Purchaser		

-09- 03 2021

Date Approved - HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4



20-Aug-21

Sales Selection Sheet
of 3

LOT	00532	20-2070-AC ELEV A THE APPLIEDALE		
PURCHASERS: SRIKANTH MANDA		CONTACT NO: 647-267-5940 647-272-0609		
VANAJA KURRE		972-514-2279		
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4			HST #

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

820 Optional Upgrade Master Ensuite Qty: 1
Countertop upgrade with 4" backsplash 3/4" GROUP 1 with single edge

Hardwood

1039 Vintage KITCHEN Qty: 1
5" RED OAK SCULPTED NSS UV-Oil or Pearl

Heating / Air

329 Optional Extras Qty: 1
ROUGH-IN GAS LINE FOR BBQ AT MAIN FLOOR UP TO 40' (Quick Connect Not Included) Before June 1, 2021 SKETCH # 9 PAGE 24

Modifications - Tub/Shower Conversion

2154 MAIN BATHROOM Qty: 1
Change standard 5' tub to full shower stall (w/ 8" high sill) includes chrome-FRAMED 36" wide panel and 24" hinged door SKETCH # 11 AND 12 PAGES 26 AND 27

Plumbing

277 STANDARD Kitchen Sink Option KITCHEN Qty: 1
KINDRED Kitchen Sink Collection - Reginox NS1930U/9 Stainless Kitchen Single Bowl Undermount Sink (or equivalent) PAGE 29

110 AMERICAN STANDARD - SINK OPTIONS - MASTER AND MAIN Qty: 3
Undermount Sink BATHROOM
BOXE - White - Model 0315 000 020 PAGE 32

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

Sept 3/21 Signatures on Sept 3/21 1217 Salem
Date Purchaser file Date APPROVED - Décor Consultant mPoren
-09- 03 2021
Date Purchaser Date

Date Approved HEALTHWOOD HOMES (WHITBY)
LIMITED - PHASE 4



20-Aug-21

Sales Selection Sheet
2 of 3

LOT	00532	20-2070-AC ELEV A THE APPLIEDALE	
PURCHASERS: SRIKANTH MANDA		CONTACT NO: 647-267-5940 647-272-0609	
VANAJA KURRE		972-514-2279	
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4		HST #

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein. It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
7. Selections will not be processed unless signed by Heathwood Homes Head Office.
8. The selections made on this schedule are final and cannot be changed once submitted.
9. The Purchaser has checked and acknowledges the accuracy of this schedule.

Sept 3/21 Signatures on		Sept 3/21	IRIT Saeem
Date	Purchaser	Date	Décor Consultant
	<i>file</i>	RECEIVED	
Date	Purchaser	-09-03-2021	<i>MP Rosen</i>
		Date Approved	HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4

C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPLIEDALE


23 of 53

The Appledale CORNER

20-2070 ALT CRN ELEV. A

ELEVATION A: 2,674 SQUARE FEET
(Includes 514 square feet of finished Lower Level)

Sketch #8



WLS

LOWER LEVEL
ELEV. A

C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPLIEDALE

24 of 53


The Appledale CORNER

20-2070 ALT CRN ELEV. A

ELEVATION A: 2,674 SQUARE FEET
{ Includes 514 square feet of finished Lower Level }

Sketch # 9

BBQ GAS PK



GROUND FLOOR
ELEV. A

VK
SUN



Heathwood Homes
Country Lane, Whitby
Model:
20-2070 ALT. (2603 ALT.)
The Classic Series

Standard Features:

- Tandem Box Soft Close Drawers
- Blumotion Hinges for Doors
- Crown Moulding & Facia
- Top Drawer Construction
- Deep Fridge Upper w/Deep Panel
- Tall Upper Cabinets


Drawn By: Sepideh B
Date: May 23, 2019
Revision:
Scale: Not To Scale

Approved By Builder:


Date:

Sketch #10


C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPELDALE



Kitchen-The Classic Series with Built-In Appliances



BASE PIE ALT



SK

This sketch is for DESIGN PURPOSES ONLY - It is not meant to be an exact rendition.


25 OF 53

The Appledale CORNER

20-2070 ALT CRN ELEV. A

ELEVATION A: 2,674 SQUARE FEET
[Includes 514 square feet of finished Lower Level]


Sketch # 11




AK CS

SECOND FLOOR
ELEV. A

Sketch # 12



PLAN : SHOWER STALL



PART.ELEV. : SHOWER STALL




REV.	DESCRIPTION	DATE	DATE	PROJECT NO.	LOT NO.
				MODEL NO.	SCALE
				SHEET TITLE	
				DATE	DRAWING NO. 1 OF 1

VK SM

C-2 COUNTRY LANE
LOT 532

20-2070 ALT CRN ELEV. A
THE APPLEDALE

28 of 53




STANDARD NF 15 Mantel X

Clean apron finish with fluted legs

WHITE PAINT GRADE FINISH

(PICTURE SHOWN WITH UPGRADE SURROUND AND HEARTH - PRICED SEPARATELY)




STANDARD NF 17 Mantel ✓

C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPLIEDALE

29 of 53

Stainless Steel | 122.0264.716

FAMILY : Sinks | SERIES : Reginox | MODEL : NS1930U/9 | FINISH : Stainless Steel | INSTALLATION TYPE : Undermount



TECHNICAL DATA	
Width overall	18 3/4"
Length overall	29 3/4"
Width of large bowl	17"
Length of large bowl	28"
Depth of large bowl	8 1/2"
Cabinet Size	36"
Number of Bowls	1
Waste Outlet Diameter	3 1/2"
Cut-Out Template	Yes
Faucet Hole	None
Type of Material	18 Gauge Stainless Steel
Surface Finish	SILK
Special feature	Rear Drain Waste Hole Location
Waste Kit Included	YES

WL
LMS


C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPLIEDALE

30 of 53

STANDARD KITCHEN FAUCET

Align

Modern



Single Handle Pull-Down Kitchen
Faucet#

Model 7565+

VR
LWS

C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPELDALE

31 of 53

*American
Standard*

**BOULEVARD®
PEDESTAL SINK**
VITREOUS CHINA

BOULEVARD® PEDESTAL SINK

- ☐ 0641.800 Faucet holes on 8" (203mm) centers (Illustrated) - *
- ☒ 0641.400 Faucet holes on 4" (102mm) centers
- ☐ 0641.100 Center hole only
 - Classic styled rectangular pedestal lavatory
 - Vitreous china
 - Rear overflow
 - Supplied with mounting kit
 - Right Height® for greater comfort during use
 - Faucet ledge with large deck area (faucet not included)
 - Design coordinates with Boulevard® Toilet
 - Basin has flat bottom to also allow use as an above counter sink or a drop-in sink (with U-shaped cut out)

Nominal Dimensions:

24" x 19" x 35-1/2"
(610 x 483 x 902mm)

- ☐ 0641.008 Pedestal top-8" (203mm) centers
- ☐ 0641.004 Pedestal top-4" (102mm) centers
- ☐ 0641.001 Pedestal top-center hole only
- ☐ 0010.000 Pedestal only

Bowl sizes:

17" (432mm) wide,
12-1/2" (318mm) front to back,
5" (127mm) deep

Compliance Certifications -


Meets or Exceeds the Following Specifications:

- ASME A112.19.2 - 2008/CSA B45.1-08

To Be Specified:

- ☐ Color: ☐ White ☐ Linen
- ☐ Faucet Finish:
- ☐ Supplies:
- ☐ 1-1/4" Trap:
- ☐ Nipple:

* See faucet section for additional models available



SEE REVERSE FOR ROUGHING-IN DIMENSIONS

VK 2/25

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPELDALE

32 of 53

MAIN & MASTER BATHROOM

American Standard

BOXE
UNDERCOUNTER SINK
VITREOUS CHINA

Style That Works Better


 BARRIER FREE

BOXE UNDERCOUNTER SINK

- Vitreous china
- Rectangular undercounter mount sink with rectangular interior and flat bottom design bowl
- Unglazed rim
- Front overflow
- Supplied with template
- Meets OBC requirement when sink is installed with overflow to the rear
- Mounting clips available separately (P031006000) (Faucet not included)

☐ 0315 000 Unglazed Rim
508 x 406mm (20" x 16")

Bowl size:
438mm (17-1/4") wide,
337mm (13-1/4") front to back,
127mm (5") deep



COMPLIANCE CERTIFICATIONS -

Meets or exceeds the following Specifications:

- ASME A112.19.2M for Vitreous China Fixtures.
- CAN/CSA B45 Series.

To Be Specified


- ☐ Colour: ☐ White
- ☐ Faucet*:
- ☐ Faucet Finish:
- ☐ Supplies & Stops:
- ☐ Trap 1-1/4" (32 mm):

* See faucet section for additional models available



- Countertop 864mm (34") from finished floor. Sink installed 102mm (4") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.
- MEETS THE AMERICAN DISABILITIES ACT GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES.

NOTES:
WE RECOMMEND USING SINK AS A TEMPLATE TO DETERMINE PROPER CONTOUR. CUT COUNTERTOP 38MM (1-1/2") INSIDE SINK CONTOUR. FAUCETS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAP ARE SUGGESTED.
† UNDERCOUNTER MOUNTING KIT SUPPLIED SEPARATELY.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



* To comply with ADA standards, overflow hole must face back.

C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPELDALE

American Standard

 BARRIER FREE

COLONY COUNTERTOP SINK

- Vitreous china
- Self-rimming
- Front overflow
- Supplied with template
- Faucet deck
- (Faucet shown not included)

- ☒ 0346 803
Faucet holes on 203mm (8") centres
- ☐ 0346 403 (Illustrated)
Faucet holes on 102mm (4") centres
- ☐ 0346 001
Centre hole only

Nominal Dimensions:
521 x 448mm (20-1/2" x 17-5/8")

Bowl sizes:
422mm (16-5/8") wide, 279mm (11") front to
back, 143mm (5-5/8") deep

COMPLIANCE CERTIFICATIONS -
Meets or exceeds the following Specifications:
• ASME A112.19.2M for Vitreous China Fixtures.
• CAN/CSA B45 Series.

- To Be Specified
- ☐ Colour: ☒ White ☐ Bone ☐ Silver Gray
☐ Linen
- ☐ Faucet*:
- ☐ Faucet Finish:
- ☐ Supplies & Stops:
- ☐ Trap 1-1/4" (32 mm):




* See faucet section for additional models available

BAS-198

© 2000 American Standard Inc.

01/07

LOWER BATHROOM
COLONY™
3 of 3
COUNTERTOP SINK
VITREOUS CHINA




NOTES:
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND TRAP ARE SUGGESTED.
FOR COUNTERTOP CUTOUT AND INSTALLATION INSTRUCTIONS USE TEMPLATE
SUPPLIED WITH SINK.
FAUCETS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances
established by ANSI Standard A112.19.2.
These measurements are subject to change or cancellation. No responsibility is assumed for use
of superseded or voided pages.

VK
WS

C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPLIEDALE

34 of 53



Deml CP2007


VK
33

C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPLEDALE

35 of 53


Chateau

Transitional



Lavatory Faucet with Pop-Up Drain
Model L4621†

VANITY SINKS AND PEDESTAL



Posi-Temp® Pressure Balancing Tub/Shower
Model 62320 / TL183†

OR

Posi-Temp Valve and Tub/Shower Trim
with Eco-Performance Easy Clean® XL

Model 62320 / TL183EP†
(TL183EP not available in BC)

SHOWER AND 5" TUB FAUCETS



2 Handle Roman Tub with 9" Spout
Model 4796 / T990†

FREESTANDING TUB FAUCETS

Handwritten notes: "LWS" and a signature.

C2-COUNTRY LANE
LOT 532
20-2070 CA ELEV A
THE APPELDALE


36 of 53

Cyclone®

SCB51436 Canopy Hood


Alito Collection

Makes a statement of strength and power as the stainless steel frame gleams under your kitchen lights. It features baffle filters, tow bright LED lights in each corner, a three speed control panel, and a quiet, powerful motor. The bold design and strong stainless steel frame encasing the fan will make this machine the focus of your kitchen. Fitted with time-delay "OFF" options up to nine minutes.




Specifications


Air Flow Volume:	550 CFM
Colours:	Stainless Steel
Dimensions:	W:36" H:44.5" D:19.5"
Electrical Connection:	120V/60Hz
Electrical Consumption:	200 watts
Fan Speed:	1254 RPM
Sones:	Min. at 2 and Max at 6
Venting:	6" Round (Top Only)



TOP



SIDE



C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLE DALE


37 of 53

WR0459ENKZ

Whirlpool®


69" COUNTER-DEPTH FRENCH DOOR REFRIGERATOR

PRODUCT DIMENSIONS





DIMENSION	DESCRIPTION	
A	Freezer door height	31 7/8" (809 mm)
B	Refrigerator door height	35 1/2" (902 mm)
C*	Height of recessed refrigerator	68 1/2" (1739 mm)
D*	Height of top of hinges	69 1/2" (1766 mm)
E	Depth with doors	28 3/8" (720.7 mm)
F	Depth without doors	24 7/8" (631.8 mm)
G	Cabinet width	35 3/4" (90.9 cm)
H	Doors thickness	3 1/2" (87.5 mm)
I	Doors width	17 1/2" (449 mm)
J*	Height of the cabinet wheels	1 1/4" (30 mm)
K	Depth with doors open 90°	14 5/8" (1082.7 mm)
L	Width of door fully open 130°	31 3/4" (806.4 mm)
M	Space required for water lines and power chord	2" (50.8 mm)
N	Water line location distance from side	2 1/2" (63.5 mm)
O	Water line location distance from bottom	6 7/8" (174.6 mm)

*Add 1/2" (1.9 cm) to height dimension when leveling legs are fully extended.




Interior Dimensions	Width	Height
Refrigerator Compartment	31 1/2" (802 mm)	31" (788 mm)
Freezer Compartment and Convertible Compartment	14 3/16" (360.4 mm)	28" (711.2 mm)



C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLIEDALE

38 of 53




*Water lines are not foamed in and are external.

	Power Chord		
	Type	Length	
		Inches	mm
	Standard	75 $\frac{3}{4}$	1920

Electrical: A 115 V, 60 Hz, AC only, 15 A or 20 A fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.

Water: A cold water supply with water pressure of between 30 psi and 120 psi (207 kPa and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, qualified plumber.

LOCATION REQUIREMENT




To ensure proper ventilation for your refrigerator, allow for a 1/2" space on each side and at the top. Allow for a 1.97" space behind the refrigerator. If your refrigerator has an ice maker, allow extra space at the back for the water line connections. When installing your refrigerator next to a fixed wall, leave a 3.74" minimum space between the refrigerator and wall to allow the door to swing open.

NOTE: This refrigerator is intended for use in a location where the temperature ranges from a minimum of 50°F (10°C) to a maximum of 110° F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60° F (15°C) and 90° F (32°C). It is recommended that you do not install the refrigerator near a heat source, such as an oven or radiator.


*Space from a side wall required to open the door at 118° and open the drawers and trays inside the bottom compartments.

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPELDALE


39 of 53




Refrigerator Crisper Pan




Full Width Shelf




Pull Out Freezer Shelf



Freezer Drawer



Ice Bin




Full Width Removable Rack

Refrigerator Compartment Features			
Description	A (width)	B (height)	C (depth)
Refrigerator Crisper Pan	15½" (393.7 mm)	6⅞" (175 mm)	12⅞" (327 mm)
Full Width Shelf	31⅞" (797 mm)	NA	14" (356 mm)
Pull Out Freezer Shelf	9¾" (248 mm)	4" (101.6 mm)	13½" (343 mm)
Freezer Drawer	9¾" (248 mm)	7" (178 mm)	13½" (343 mm)
Ice Bin	11⅞" (302 mm)	3¾" (95 mm)	11⅞" (290 mm)
Full Width Removable Rack	12¾" (324 mm)	5" (127 mm)	15¼" (387 mm)

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLEDALE

40 of 53

Whirlpool® 36" Gas Cooktop
WCG97US6H



Stainless Steel
WCG97US6HS

General Features & Properties

- Flex-Heat™ Burner
- AccuSimmer® Burner
- Fifth Burner
- Sealed Burners
- Full-Width Grates
- Dishwasher-Safe Knobs
- Wall Oven Compatible

Electrical Details

- Amps 15
- Volts 120

Certifications

- ADA Compliant Yes

Technical Details

- Fuel Type Gas
- Number of Burners/Elements 5
- Burner/Element Power
 - (1) 18000 BTU
 - (2) 9100 BTU
 - (1) 12,000 BTU
 - (1) 5000 BTU
- Burner/Element Type/Size Flex-Heat, Sealed Burner, SpeedHeat™, Simmer

Dimensions

- Product Dimensions (H x W x D) 4-1/8" x 36" x 21"
- Cutout Dimensions (W x D) 35-1/4" x 20"

Reference Material

- Install Guide
- Use & Care Guide
- Warranty

Key Features & Benefits

EZ-2-Lift™ Hinged Cast-Iron Grates


Get quick access to spills on the cooktop with our industry-first EZ-2-Lift™ hinged cast-iron grates. The hinged design lets you wipe up underneath without removing them. For a more thorough clean, the grates are also dishwasher-safe.

Upswept SpillGuard™ Cooktop

Clean up faster with a cooktop that has raised edges to help contain spills.

Griddle

Make pancakes, grill vegetables or sear steaks with the included griddle that lets you cook breakfast, lunch and dinner right on the cooktop.




NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.
©7th © 2020. All rights reserved. Printed in the U.S.A. D200104XXE. WCG97US6HSpecSheetV01.

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPELDALE

41 of 53


Product Dimensions

KCGS530ESS and KCGS950ESS Models




- A. 21" (53.3 cm)
- B. 30" (76.2 cm)
- C. 19 3/8" (49.2 cm)
- D. 28 3/8" (72.1 cm)
- E. 3 3/8" (9.2 cm)
- F. 4 9/16" (11.6 cm)
- G. 1 3/8" (3.4 cm)

All Other 30" (76.2 cm) Models




- A. 21" (53.3 cm)
- B. 30" (76.2 cm)
- C. 18 3/8" (48.0 cm)
- D. 28 3/8" (72.1 cm)
- E. 3 3/8" (8.6 cm)
- F. 4 3/8" (10.5 cm)
- G. 1 1/2" (3.8 cm)

KCGS556ESS and KCGS956ESS Models



- A. 21" (53.3 cm)
- B. 36 1/2" (92.0 cm)
- C. 19 3/8" (49.2 cm)
- D. 34 3/8" (88.1 cm)
- E. 3 3/8" (9.2 cm)
- F. 4 9/16" (11.6 cm)
- G. 1 3/8" (3.6 cm)

All Other 36" (91.4 cm) Models



- A. 21" (53.3 cm)
- B. 36" (91.4 cm)
- C. 18 3/8" (48.0 cm)
- D. 33 3/8" (85.7 cm)
- E. 3 3/8" (8.6 cm)
- F. 4 3/8" (10.5 cm)
- G. 1 1/2" (3.8 cm)


C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLEDALE

42 of 53

Cabinet Clearances


Side View

Front View



- A. 13" (33.0 cm) recommended upper cabinet depth.
B. 30" (76.2 cm) for 30" models (36" (91.4 cm) for 36" models).
C. 18" (45.7 cm) minimum clearance from upper cabinet to countertop within minimum horizontal clearances to cooktop.
D. 30" (76.2 cm) minimum clearance between top of cooktop platform and bottom of uncovered wood or metal cabinet.
E. 24" (61 cm) minimum clearance if bottom of wood or metal cabinet is covered by not less than 1/4" (0.6 cm) flame retardant millboard covered with not less than No. 28 MSG sheet steel, 0.015" (0.04 cm) stainless steel, or 0.024" (0.06 cm) aluminum or 0.020" (0.05 cm) copper.
F. 36" (91.4 cm) top of countertop to floor.
F. Gas line opening - Wall: anywhere 5" (12.7 cm) below underside of countertop. Cabinet floor: anywhere within 6" (15.2 cm) of rear wall is recommended.

Cutout Dimensions - Top View



Cutout (Product Opening) Dimensions						
30" (76.2 cm) Models						
Models	A			B		
	Min	Recommended	Max	Min	Recommended	Max
KCGS550 and KCGS950	28 1/2" (72.4 cm)	28 3/8" (73.4 cm)	29 3/8" (74.3 cm)	19 1/2" (49.5 cm)	19 1/8" (50.2 cm)	20" (50.8 cm)
All Other 30" (76.2 cm) Models	28 1/2" (72.4 cm)	28 3/8" (73.4 cm)	29 3/8" (74.3 cm)	19" (48.3 cm)	19 1/2" (49.5 cm)	20" (50.8 cm)
36" (91.4 cm) Models						
KCGS556 and KCGS956	34 7/8" (89.4 cm)	35 3/8" (89.7 cm)	36 3/8" (92.9 cm)	19 1/2" (49.5 cm)	19 3/8" (50.2 cm)	20" (50.8 cm)
All Other 36" (91.4 cm) Models	33 7/8" (86.0 cm)	34 3/8" (87.0 cm)	35 1/4" (89.5 cm)	19" (48.3 cm)	19 1/2" (49.5 cm)	20" (50.8 cm)

Side Walls (Combustible Surfaces)	
Models	H and I
KCGS5 and KCGS9	H and I added together must be at least 18" (122.0 cm), with each side individually being at least 8" (20.3 cm).
KCGS350, KCGS356, MCGS356, WCG97US0, WCG97US6	H and I added together must be at least 18" (122.0 cm), with each side individually being at least 12" (30.5 cm).
All Other Models	Both have to be 8" (20.3 cm) or more.

Back Wall and Countertop Front Dimensions				
Models		C	D	E
KCGS550 and KCGS950		25" (63.5 cm)	2 3/8" (7.3 cm)	2 1/2" (6.9 cm)
All Other Models				3 1/8" (7.9 cm)

NOTES: After making the countertop cutout, some installations may require notching down the base cabinet side walls to clear the cooktop base. To avoid this modification, use a base cabinet with sidewalls wider than the cutout.

If cabinet has a drawer, a 4" (10.2 cm) depth clearance from the countertop to the top of the drawer (or other obstruction) in base cabinet is required. The drawer depth may need to be shortened to avoid interfering with the regulator.


IMPORTANT: If a built-in wall oven is to be installed below this cooktop, the grounded outlet and gas supply piping must be located in an adjacent cabinet. If installing a range hood or microwave hood combination above the cooking surface, follow the range hood or microwave hood combination installation instructions for dimensional clearances above the cooktop surface.

This cooktop and its gas and electrical supply sources must be installed before the undercounter built-in wall oven is installed.

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLEDALE

44 OF 53

Whirlpool® 6.4 cu. ft. Smart Combination Wall Oven
WOC75EC0H



Stainless Steel
WOC75EC0HS

Also available in:

- ☐ White WOC75EC0HW
- ☒ Black WOC75EC0HB
- ☒ Black Stainless WOC75EC0HV

Key Features & Benefits

Smart Appliance


Care smarter with connected features that let you send cooking instructions to the oven from your smartphone, control your kitchen with voice commands using a compatible voice-enabled device* or skip preheating.

Scan-to-Cook Technology™

Get the right settings every time. Scan a frozen food barcode with your smartphone or tablet and send recommended or customized cooking instructions straight to your oven or microwave for dinner done the way your family wants it.

Yummly® Guided Cooking™

Prompts in the app even send cooking instructions straight to your Whirlpool® smart wall oven† at the right times, so dinner's ready when your family's hungry.



Capacity	
Oven	6.4 cu. ft.
General Features & Properties	
Touchscreen	
Voice control with a compatible voice-enabled device**	
Fingerprint Resistant	
Frozen Bake™ technology	
Multi-Step Cooking	
True Convection Cooking	
Convection Conversion	
Steam Clean option	
Scan-to-Connect Technology	
Electrical Details	
Amps	40
Volts	240
Certifications	
Connected/Smart Appliance	Yes
Star-K Certified/Kosher	Yes
Technical Details	
Fuel Type	Electric
Oven Type	Combination
Oven Cooking System	True Convection
Number of Oven Racks	3
Cleaning Type	Self-Cleaning
Dimensions	
Product Dimensions (H x W x D)	42-9/16" x 30" x 23-1/4"
Depth with Door Open 90°	46-3/4"
Cutout Dimensions (H x W x D)	41-5/16" x 28-1/2" x 24"
Reference Material	
Install Guide	
Use & Care Guide	
Energy Guide	
Warranty	

*Appliance must be set to remote enable. WiFi & App Required. Features subject to change. Details and privacy info at whirlpool.com/connect. **U.S. Only. †Select recipes only. Compatible smart appliance required. Appliance must be set to remote enable. Features subject to change. For details and privacy statements, visit whirlpool.com/connect and yummly.com/privacy. NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice. ©/TM © 2020. All rights reserved. Printed in the U.S.A. D200T04XXE. WOC75EC0HSpecSheetV01.

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLEDALE

45 of 53

BUILT-IN MICROWAVE/OVEN COMBINATION SAFETY

Your safety and the safety of others are very important.

We have provided many important safety messages in this manual and on your appliance. Always read and obey all safety messages.



This is the safety alert symbol.

This symbol alerts you to potential hazards that can kill or hurt you and others.

All safety messages will follow the safety alert symbol and either the word "DANGER" or "WARNING." These words mean:

! DANGER

You can be killed or seriously injured if you don't immediately follow instructions.

! WARNING

You can be killed or seriously injured if you don't follow instructions.

All safety messages will tell you what the potential hazard is; tell you how to reduce the chance of injury, and tell you what can happen if the instructions are not followed.

INSTALLATION REQUIREMENTS

Tools and Parts

Gather the required tools and parts before starting installation. Read and follow the instructions provided with any tools listed here.

Tools needed

- Phillips screwdriver
- Measuring tape
- Drill (for wall cabinet installations)
- 1" (25 mm) drill bit (for wall cabinet installations)
- Level
- Flat-blade screwdriver

Parts needed

- UL listed or CSA approved conduit connector
- UL listed wire connectors
- Warning Drawer Deflector Kit (for ovens installed above a warning drawer)
- Order Part Number W10489566 for white 27" (68.6 cm) kit
- Order Part Number W10489564 for black 27" (68.6 cm) kit
- Order Part Number W10489568 for stainless steel 27" (68.6 cm) kit
- Order Part Number W10877123 for black stainless steel 27" (68.6 cm) kit
- Order Part Number W10489567 for white 30" (76.2 cm) kit
- Order Part Number W10489565 for black 30" (76.2 cm) kit
- Order Part Number W10489569 for stainless steel 30" (76.2 cm) kit
- Order Part Number W10723092 for black stainless steel 30" (76.2 cm) kit

To order, see the "Assistance or Service" section of the Use and Care Guide.

Parts supplied

- Four #8-14 x 3/4" (19 mm) screws
- Bottom vent
- Two #8-18 x 3/8" (9.5 mm) screws - bottom vent

Check local codes. Check existing electrical supply. See the "Electrical Requirements" section.

It is recommended that all electrical connections be made by a licensed, qualified electrical installer.

Built-In Microwave/Oven Combination Location Requirements

IMPORTANT: Observe all governing codes and ordinances.


- Cabinet opening dimensions that are shown must be used. Given dimensions provide minimum clearance with oven.
 - Recessed installation area must provide complete enclosure around the recessed portion of the oven.
 - Grounded electrical supply is required. See the "Electrical Requirements" section.
 - Electrical supply junction box should be located 3" (7.6 cm) maximum below the support surface when the oven is installed in a wall cabinet. A 1" (2.5 cm) minimum diameter hole should have been drilled in the left rear corner of the support surface to pass the appliance cable through to the junction box.
 - Oven support surface must be solid, level and flush with bottom of cabinet cutout. Floor must be able to support a total weight (microwave and built-in oven) of 208 lbs (95 kg) for 27" (68.6 cm) models or 249 lbs (113 kg) for 30" (76.2 cm) models.
- IMPORTANT:** To avoid damage to your cabinets, check with your builder or cabinet supplier to make sure that the materials used will not discolor, delaminate or sustain other damage. This oven has been designed in accordance with the requirements of UL and CSA International and complies with the maximum allowable wood cabinet temperatures of 194°F (90°C).

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLE DALE

46 of 53

Product Dimensions

~~27" (68.6 cm) and 30" (76.2 cm) Ovens~~



~~27" (68.6 cm) models~~


- A. 42 $\frac{1}{2}$ " (108.0 cm) overall height
- B. 25 $\frac{1}{2}$ " (64.6 cm) recessed width
- C. 41" (104.1 cm) recessed height
- D. 23 $\frac{1}{4}$ " (59.1 cm) max. recessed depth
- E. 27" (68.6 cm) overall width
- F. 48" (121.9 cm) Flexible conduit length measured from the rear of the oven. Do not remove the conduit clamp.

~~30" (76.2 cm) models~~

- A. 42 $\frac{1}{2}$ " (108.0 cm) overall height
- B. 28 $\frac{1}{2}$ " (72.3 cm) recessed width
- C. 41" (104.1 cm) recessed height
- D. 23 $\frac{1}{4}$ " (59.1 cm) max. recessed depth
- E. 30" (76.2 cm) overall width
- F. 48" (121.9 cm) Flexible conduit length measured from the rear of the oven. Do not remove the conduit clamp.

Cabinet Dimensions

~~27" (68.6 cm) and 30" (76.2 cm) Ovens~~



~~27" (68.6 cm) models~~

- A. 27" (68.6 cm) min. cabinet width
- B. 1" (2.5 cm) top of cutout to bottom of upper cabinet door
- C. 19 $\frac{1}{2}$ " (48.9 cm) bottom of cutout to floor is recommended.
- D. 25 $\frac{1}{2}$ " (64.6 cm) cutout width
- E. 1 $\frac{1}{2}$ " (3.8 cm) min. bottom of cutout to top of cabinet door
- F. 41 $\frac{1}{8}$ " (105 cm) recommended cutout height
- G. 24" (60.7 cm) cutout depth

~~30" (76.2 cm) models~~

- A. 30" (76.2 cm) min. cabinet width
- B. 1" (2.5 cm) top of cutout to bottom of upper cabinet door
- C. 19 $\frac{1}{2}$ " (48.9 cm) bottom of cutout to floor is recommended.
- D. 28 $\frac{1}{2}$ " (72.4 cm) cutout width
- E. 1 $\frac{1}{2}$ " (3.8 cm) min. bottom of cutout to top of cabinet door
- F. 41 $\frac{1}{8}$ " (105 cm) recommended cutout height
- G. 24" (60.7 cm) cutout depth

* NOTE: The cutout height can be between 41" (104.1 cm) and 41 $\frac{1}{2}$ " (105.6 cm) for microwave/oven combination.

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLE DALE

47 of 53

Electrical Requirements

If codes permit and a separate ground wire is used, it is recommended that a qualified electrical installer determine that the ground path and wire gauge are in accordance with local codes.

Check with a qualified electrical installer if you are not sure the oven is properly grounded.

This oven must be connected to a grounded metal, permanent wiring system.

Be sure that the electrical connection and wire size are adequate and in conformance with the National Electrical Code, ANSI/NFPA 70-latest edition or CSA Standards C22.1-94, Canadian Electrical Code, Part 1 and C22.2 No. 0-M91-latest edition, and all local codes and ordinances.

A copy of the above code standards can be obtained from:


National Fire Protection Association
1 Batterymarch Park
Quincy, MA 02169-7471

CSA International
8501 East Pleasant Valley Road
Cleveland, OH 44131-5575

Electrical Connection

To properly install your oven, you must determine the type of electrical connection you will be using and follow the instructions provided for it here.

- Oven must be connected to the proper electrical voltage, amperage, and frequency as specified on the model/serial/ rating plate. See the following illustration.



A. Model/serial/rating plate

- Models rated from 7.3 to 9.6 kW at 240 volts (5.5 to 7.2 kW at 208 volts) require a separate 40-amp circuit. Models rated at 7.2 kW and below at 240 volts (5.4 kW and below at 208 volts) require a separate 30-amp circuit.
- A circuit breaker is recommended.
- Connect directly to the fused disconnect (or circuit breaker box) through flexible, armored or nonmetallic sheathed, copper cable (with grounding wire). See the "Make Electrical Connection" section.
- Flexible conduit from the oven should be connected directly to the junction box.
- Do not cut the conduit. The length of conduit provided is for serviceability of the oven.
- A UL Listed or CSA Approved conduit connector must be provided.
- If the house has aluminum wiring, follow the procedure below:

1. Connect the aluminum wiring using special connectors and/or tools designed and UL listed for joining copper to aluminum.

Follow the electrical connector manufacturer's recommended procedure. Aluminum/copper connection must conform with local codes and industry accepted wiring practices.

Be sure that the electrical connection and wire size are adequate and in conformance with the National Electrical Code, ANSI/NFPA 70-latest edition or CSA Standards C22.1-94, Canadian Electrical Code, Part 1 and C22.2 No. 0-M91-latest edition, and all local codes and ordinances.

A copy of the above code standards can be obtained from: National Fire Protection Association 1 Batterymarch Park Quincy, MA 02169-7471 CSA International 8501 East Pleasant Valley Road Cleveland, OH 44131-5575.

For power requirements, refer to the following table.

Voltage	Amperage (L1)*	Amperage (L2)*	Rating (kW)
120/240	30	15	7.2
120/208	26	13	5.4

*L1 includes both the microwave and the oven, and L2 includes only the oven. Amperage values noted above are for information purposes only. The units are rated in watts.

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLE DALE

48th 53

WDTA50SAKZ

Whirlpool®


24" Dishwasher

DETAILED PLANNING DIMENSIONS GUIDE

Applies to all model numbers starting with:

WDTA50SAK, WDTZ50SAKWB, WDTA50SAKZ

PRODUCT DIMENSIONS



*Dishwasher can be raised 1¹/₄" (3.7 cm) with feet fully extended.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.


C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLE DALE

49 of 53

Whirlpool® 24" Dishwasher

DETAILED PLANNING DIMENSIONS GUIDE

PRODUCT DIMENSIONS (CONTD.)



DESCRIPTION		DIMENSIONS
A	Width of door	23 7/8" (60.6 cm)
B	Height to top of handle	31 1/8" (80.1 cm)
C	Height of adjustable toe kick	3 1/2" (8.8 cm) - min. 4 1/4" (10.8 cm) - max.
D	Height of recessed dishwasher	23 3/8" (60.6 cm)
E	Depth without door	22 3/8" (57.5 cm)
F	Depth with Towel Bar Handle	26 1/2" (67.3 cm)
G	Depth with Pocket Handle	24 1/2" (62.2 cm)
H	Height to bottom of door (min.)	3 3/8" (8.4 cm)
I	Height to top of door (min.)	33 3/8" (84.9 cm)
J	Height of recessed dishwasher (min.)	33 3/8" (85.4 cm)
K	Depth with door fully open (min.)	50 3/8" (127.4 cm)
L	Depth with toe kick (min.)	20 13/16" (52.9 cm)

†Insulation blanket thickness not included, can be crushed up to 1/8" (0.3 cm), or removed along the top perforate section for additional clearance.

*Dishwasher can be raised 1 7/16" (3.7 cm) with feet fully extended.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLE DALE


50 of 53

Whirlpool® 24" Dishwasher

DETAILED PLANNING DIMENSIONS GUIDE

OPENING/CLEARANCE DIMENSIONS

IMPORTANT: Check that all surfaces have no protrusions that would prohibit dishwasher installation.



A. Measured from the lowest point on the underside of the countertop. May be reduced to 33 3/4" min. (85.4 cm) min. by removing the feet and perforated area of insulation (blanket) on dishwasher.

B. Minimum, measured from narrowest point of opening.

NOTE: Corner locations require a 2" (5.1 cm) minimum clearance between the side of the dishwasher door and the wall or cabinet.

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLE DALE


51 of 53

DRAIN REQUIREMENTS

- A new drain hose is supplied with your dishwasher. If drain hose is not long enough, use a new drain hose with a maximum length of 12 ft (3.7 m) that meets all current AHAM/ IAPMO test standards, is resistant to heat and detergent, and fits the 1" (2.5 cm) drain connector of the dishwasher.

NOTE: Do not connect multiple drain hoses together.

- Make sure to connect drain hose to waste tee or disposer inlet above drain trap in house plumbing and 20" (50.8 cm) minimum above the floor. It is recommended that the drain hose either be looped up and securely fastened to the underside of the counter or be connected to an air gap.
- Make sure to use an air gap if the drain hose is connected to house plumbing lower than 20" (50.8 cm) above subfloor or floor.



- If required, the air gap should be installed in accordance with the air gap installation instructions. When you are connecting the air gap, a rubber hose (not provided) will be needed to connect to the waste tee or disposer inlet.
- Use 1/2" (1.3 cm) minimum I.D. drain line fittings.

WATER SUPPLY REQUIREMENTS

- This dishwasher has a water heating feature and also requires a connection to a hot water supply line.
 - A hot water line with 20 psi to 120 psi (138 kPa to 852 kPa) water pressure can be verified by a licensed plumber.
 - 120°F (49°C) water at dishwasher.
 - 3/8" (0.95 cm) O.D. copper tubing with compression fitting or flexible braided water supply line.
- NOTE:** 1/2" (1.3 cm) minimum plastic tubing is not recommended.

- A 90° elbow with 3/4" (0.95 cm) hose connection with rubber washer.
 - Do not solder within 6" (15.2 cm) of the water inlet valve.
 - If installed in new construction, make sure the house water supply lines have been flushed prior to connecting the dishwasher to remove any debris that may exist in the supply line.
- NOTE:** If replacing an existing dishwasher, it is recommended to install a new water line and drain hose (supplied) with the new dishwasher.

ELECTRICAL REQUIREMENTS

! WARNING



Electrical Shock Hazard

- Plug into a grounded 3 prong outlet.
- Do not remove ground prong.
- Do not use an adapter.
- Do not use an extension cord.
- Failure to follow these instructions can result in death, fire, or electrical shock.

Be sure that the electrical connection and wire size are adequate and in conformance with the National Electrical Code, ANSI/NFPA 70 - latest edition, and all local codes and ordinances.

A copy of the above code standards can be obtained from:

National Fire Protection Association
1 Batterymarch Park
Quincy, MA 02169-7471

You Must Have:

- 120 V, 60 Hz, AC only, 15 A or 20 A, fused electrical supply
- Copper wire only
- A maximum of 2 field wiring supply conductors (12 AWG largest size) plus 1 grounding conductor are permitted in the terminal box.

We Recommend:

- A time-delay fuse or circuit breaker.

Circuit Requirements:

- The dishwasher may be installed on the same circuit as a garbage disposal providing that the branch circuit cannot exceed rated circuit load and must comply with all governing codes and regulations such as but not limited to National Electrical Code, ANSI/NFPA 70 - latest edition.

- No electrical connections other than the dishwasher power and ground connections can be made inside of the dishwasher terminal box.

If connecting dishwasher with a power supply cord:

- Use UL Listed power cord kit marked for use with dishwasher.

- Plug into a grounded 3 prong outlet. Outlet must meet all local codes and ordinances.

If connecting dishwasher with direct wiring:

- Use flexible, armored, or nonmetallic sheathed copper wire with grounding wire that meets the wiring requirements for your home and local codes and ordinances.

- Use a UL Listed/CSA Approved metallic strain relief.



C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLE DALE

52 of 53

HOME APPLIANCES

LG LAUNDRY

WM4100HBA

5.2 cu. ft. Capacity Front Load Washer

TurboWash™ 360 Technology

AI DD™

Steam Technology

ENERGY STAR® Qualified


SmartDiagnosis™

Touch Control Panel

ThinQ™ Technology (Wi-Fi Enabled)

SMART APPLIANCE

Enjoy new ways to control your home with LG smart appliances
LG ThinQ™ • Start the laundry while you're out shopping
• Get alerts when the cycle is finished
• Works with the LG ThinQ™ app



CAPACITY		5.2
Capacity (cu. ft.)		
APPEARANCE		Front Control
Design Look		
Intelligent Electronic Controls with		
LED Display		
Touch Buttons		
Dial-A-Cycle™		
ENERGY		
ENERGY STAR® Qualified		
CEE Tier		
DRYING PROGRAMS		
No. of Programs - 14	Normal, Perm. Press, Heavy Duty, Delicates, Towels, Speed Wash, Drain+Spin, Bedding, 100 Clean, Bright Whites™, Sanitary, Allergene™, Sportswear, Downloaded	
No. of Options - 14	TurboWash™, Steam, Fresh Care, Pre-wash, Remote Start, Delay Wash, Wi-Fi, Add Item, Cold Wash, Extra Rinse, Rinse+Spin, Control Lock, Spin Only, Signal	
Temperature Settings	Extra Hot, Hot, Warm, Cold, Top Cold	5
Spin Speeds	Extra High, High, Medium, Low, No Spin	5
Water Levels	Load Sensing	
Suit Levels		
FABRIC CARE FEATURES		5
AI DD™		
TurboWash™ 360 Technology		
Steam Technology		
Allergene™ Cycle		
Sanitary Cycle		
ColdWash™ Option		
CONVENIENCE FEATURES		
4 Tray Dispenser	Prewash, Main Wash (with liquid detergent cup), Bleach, Fabric Softener	
TrueBalance™ Anti-Vibration System		
Load Sense		
Control Lock		
Auto Suds Removal		
Leveling Legs		
ThinQ™ TECHNOLOGY		4 Adjustable Legs
SmartDiagnosis™ (v3.0)		
Wi-Fi		
Remote Start and Cycle Monitor		
Energy Monitoring		

Top Clean Coach		
MOTOR		
Motor Type	Front Load Direct Drive Motor	
Motor Speed	Variable	
Max RPM	1,300	
Axis	High Capacity	
MATERIALS AND FINISHES		
NeveRust™ Stainless Steel Drum		
Cabinet	PCM	
Control Panel	Painted	
Top Plate	Painted	
Door Cover	Tempered Glass Door	
Door / Lin	Glass/Chrome	
All Available Colours	Black Steel (B)	
POWER SOURCE		
Rating	UL Listed	
Electric Requirements	120V, 10 Amps	
Type	Electric	
OPTIONS		
pedestal	WDPJB	27" x 14 1/8" x 30 3/4"
Stainless Steel Pedestal Washer	WDIOBCB	27" x 14 1/8" x 30 3/4"
Stainless Steel	KSTKI	
DIMENSIONS		
Product (WxHxD)		27" x 29" x 30 1/2"
Carton (WxHxD)		35" (With door open)
Weight (Product/ Carton)		29 23/32" x 45 27/32" x 31 17/32"
LIMITED WARRANTY		198.4 lbs / 212.1 lbs
1 Year Parts and Labour, 3 Years on Drum, 10 Years on Direct Drive Motor		
UPC CODES		
WM4100HBA		772454073250
DI EK4200R		772454073267
DUGX4200B		772454073366
WDIOCB		772454071005
WDPJB		04823103643
KSTKI		772454059895

© 2020 LG Electronics Canada, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 2021-01-12

C-2 COUNTRY LANE
LOT 532
20-2070 ALT CRN ELEV. A
THE APPLE DALE

53 of 53

HOME APPLIANCES


LG LAUNDRY

DLEX4200_ / DLGX4201_

7.4 cu.ft. Front Load Dryer with TurboSteam™ and Built-In Intelligence

7.4 cu. ft. Ultra Large Capacity
TurboSteam™ Technology
AI Fabric Sensor/ Smart Pairing™
LG ThinQ® Technology / Proactive Customer Care
Tempered Glass Door
FlowSense™ Duct Clogging and Lint Filter Indicators
ENERGY STAR® Certified
Closest Depth
LoDecibel™ Quiet Operation
Reversible Door
Wrinkle Care Option

AVAILABLE COLORS



WHITE

BLACK STEEL



SMART APPLIANCE


LG ThinQ™

works with the
Google Assistant



Enjoy new ways to control your home with LG smart appliances

- Use the ThinQ® app to start the laundry while you're out
- Get alerts when the cycle is finished
- With Smart Pairing™, the washer can tell the dryer to select a compatible drying cycle



PRODUCT FEATURES

SUMMARY

Type Front Load Dryer
Capacity 7.4 cu.ft.
Matching Washer WM2400HWA, WM14200HBA
Sensor Dry Yes
Steam Yes
Color White (W), Black Steel (B)
APPEARANCE
Intelligent Electronic Controls with LED Display Yes
Dial-A-Cycle™ Yes
Touch Buttons Yes
DRYER PROGRAMS
No. of Programs 14
Normal, Heavy Duty, Bedding, Small Load, Anti-Bacterial Steam-Sanitizing™, SteamFris™, Petri Press, Delicates, Sportswear, Towels, Speed Dry (Manual Dry), Air Dry (Manual Dry), Downloaded

Programs (Sensor Dry)

No. of Options 12

Options

Temperature Settings

Drying Levels

Manual Dry Times

More Time, Less Time, Dump Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam™, Reduced Static, Remote Start, Drum Light, Signal High, Med/High, Medium, Low, Ultra Low
Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time

FABRIC CARE FEATURES

A.I. Dry Yes
Sensor Dry Yes
Precise Temperature Control with Variable Heater Yes
Steam TurboSteam™

CONVENIENCE FEATURES

3 Minute Installation Check LoDecibel™ Quiet Operation End of Cycle Signal Drum Light Yes
Reversible Door Yes
FlowSense™ Duct Clogging Indicator Yes
Wrinkle Care Option Yes
Child Lock Yes
Venting Option Electric, 4 Way Venting / Gas 3 Way Venting
4 Adjustable Legs Yes
Remaining Time Display/Status Indicator(s) Yes

THINQ™ TECHNOLOGY

SmartDiagnosis™ (v3.0)

Wi-Fi Yes
Remote Start and Cycle Monitor Yes
Energy Monitoring Yes (Wi-Fi)

ENERGY

ENERGY STAR® Certified

CEP

MATERIALS AND FINISHES

Aluminized Alloy Steel Drum Tub Rear Painted
Cabinet Painted Steel
Door Tempered Glass Door White (W), Black Steel (B)
All Available Colors

POWER SOURCE

Rating Electrical Requirements

CSA Listed 120V, 15 Amps (Gas) / 240V 30 Amps (Electric)
Electric Gas
20,000 Feet

Type

BTU Rating

OPTIONS

LP Conversion Kit

Slide Venting Kit

Pedestal

Pedestal (Wash D)

27" x 14 1/8" x 30 3/4" (50 1/2" D with door open)

DIMENSIONS (ELECTRIC)

Product (WxHxD)

Depth w. th Door Open 27" x 39" x 30 1/8"

Carton (WxHxD) 51 3/8"

Weight (Product) 29 1/2" x 42 1/4" x 31 1/4" 125.3 lbs.

Weight (Carton) 142.6 lbs.

DIMENSIONS (GAS)

Product (WxHxD)

Depth with Door Open 27" x 39" x 30 1/8"

Carton (WxHxD) 51 3/8"

Weight (Product) 29 1/2" x 42 1/4" x 31 1/4" 139.34 lbs.

Weight (Carton) 155.0 lbs.

LIMITED WARRANTY

Parts & Labor

1 Year

3 Years

UPC CODES

DLEX4200W (White) 048231028417

DLGX4201W (White) 048231028424

WM14200HWA (White) 048231028301

DLEX4200D (Black Steel) 048231028394

WM14200HBA (Black Steel) 048231028400

© 2020 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks for registered trademark holders. All other trademarks are trademarks of their respective owners. Design, features and specifications are subject to change without notice. 12/1/20