

20-Dec-21

LOT	051-3	20-2329 ELEV B THE ENGLEWOOD	
PURCHASERS:	KAREN L. FLETCHER	CONTACT NO:	647-204-9834
	ALAN RICHARD MORRIS		416-725-7869
VENDOR:	HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4		HST #

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

AMOUNT:

Appliances

2	Qty: 1	\$0.00
---	--------	--------

PLEASE SEE NEW SPECS FOR UPGRADED LG APPLIANCES PAGES 52-62 NOTE: NO CHANGE TO CABINETRY OPENINGS ARE REQUIRED.

\$0.00

1. Purchasers have requested the change described above, its costs, and the corresponding adjustments in the construction schedule. By signing this change order, Purchasers agree to pay for this change and acknowledge that the estimated delivery date for the home be revised accordingly. The Vendor will incorporate the change into the home only when the change order has been approved by the Vendor, and paid for in full by the purchasers.
2. The Vendor will endeavour to incorporate the requested revisions in the construction of the house, but will not be liable to the Purchaser in any way.
3. Costs quoted above are firm provided the Purchaser agrees and pays in full the designated changes or extras within five (5) days of the date of the Vendor's Offer as noted below.
4. Notwithstanding the signing of this Sales Selection Sheet by both the Vendor and the purchaser, Vendor may elect at any time not to proceed with any or all such changes or optional extras. In the event of such election, the monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances.
5. In the event that the transaction of Purchase and Sale is not completed for any reason whatsoever, the Purchaser acknowledges that these monies will not be returned by the Vendor.
6. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality.
7. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
8. Selections will not be processed unless signed by Heathwood Homes Head Office.
9. The selections made on this schedule are final and cannot be changed once submitted.
10. The Purchaser has checked and acknowledges the accuracy of this schedule.

Dec 20/21	Signatures on	Dec 20/21	SONIA SHARIF
Date	Purchaser	Date	Décor Consultant
11	file		
Date	Purchaser	-12- 20 2021	myroen
		Date Approved	HEATHWOOD HOMES (WHITBY) LIMITED - PHASE 4

C2 COUNTRY LANE
LOT 51-3
20-2329 ELEV B
THE ENGLEWOOD

52 of 62

HOME APPLIANCES

LG REFRIGERATION

LFXC22526

22 cu.ft. Counter Depth 3-Door French Door Refrigerator

- Smudge Resistant Finish
- 10 Year Warranty on Inverter Linear Compressor
- Slim SpacePlus® Ice System
- Dual Ice Maker in freezer
- Door Cooling+
- Glide N' Serve Pantry Drawer
- SmartThinQ® - WiFi Connectivity
- Fresh Air Filter
- Flat Duct design
- SmartPull™ Handle
- ENERGY STAR®



Enjoy new ways to control your home with LG smart appliances

- Get an alert when kids forget to close the door
- Make more ice while you're at work
- Works with the LG SmartThinQ® app

SmartThinQ® works with the Google Assistant



CAPACITY

Refrigerator (cu.ft.)	14.8
Freezer (cu.ft.)	7.3
Total Capacity (cu.ft.)	22.1

ENERGY

Energy Consumption (kWh/Year)	665
ENERGY STAR® Qualified	Yes

WATER & ICE SYSTEM

Ice & Water Dispenser	Yes
-----------------------	-----

Dispenser Type

Dispenser Type	Integrated Tall
----------------	-----------------

Ice System

Ice System	Slim SpacePlus®
------------	-----------------

Dual Ice Maker

Dual Ice Maker	Installed
----------------	-----------

Dispenser Light

Dispenser Light	Yes
-----------------	-----

Water Filter

Water Filter	LT1000P
--------------	---------

COOLING

Inverter Linear Compressor	Yes
----------------------------	-----

Multi-Air Flow

Multi-Air Flow	Yes
----------------	-----

Temperature Sensors

Temperature Sensors	6
---------------------	---

Fresh Air Filter

Fresh Air Filter	Yes
------------------	-----

CONVENIENCE

Display Type	Membrane / White LED
--------------	----------------------

Temperature Controls

Temperature Controls	Electronic/Digital
----------------------	--------------------

Door Alarm

Door Alarm	Yes
------------	-----

LoDecibel™ Quiet Operation

LoDecibel™ Quiet Operation	Yes
----------------------------	-----

REFRIGERATOR

No. of Shelves	4 Split
----------------	---------

Cantilevered Shelves

Cantilevered Shelves	Hybrid Cantilevered
----------------------	---------------------

Shelf Construction

Shelf Construction	Spill Protector™ Tempered Glass
--------------------	---------------------------------

Crisper Bins

Crisper Bins	2 Humidity Crispers
--------------	---------------------

Glide N' Serve Pantry Drawer

Glide N' Serve Pantry Drawer	Yes
------------------------------	-----

Refrigerator Light

Refrigerator Light	Ceiling LED
--------------------	-------------

REFRIGERATOR DOOR


No. of Bins	6 Total
-------------	---------

Door Bin Construction

Door Bin Construction	1 Piece (Clear)
-----------------------	-----------------

Door Cooling+

Door Cooling+	Yes
---------------	-----



FREEZER

Door Type	Pull Drawer
-----------	-------------

Drawers

Drawers	2-Tier Organization
---------	---------------------

DuraBase™ Solid Drawer Base

DuraBase™ Solid Drawer Base	Yes
-----------------------------	-----

Drawer Divider

Drawer Divider	Yes
----------------	-----

Freezer Light

Freezer Light	LED Lighting
---------------	--------------

Freezer Handle

Freezer Handle	SmartPull™ Handle
----------------	-------------------

SmartThinQ® SMART FEATURES

SmartThinQ® SMART FEATURES	Wi-Fi Enabled
----------------------------	---------------

SmartDiagnosis

SmartDiagnosis	Yes
----------------	-----

MATERIALS AND FINISHES

MATERIALS AND FINISHES	Yes
------------------------	-----

Contour Door

Contour Door	Yes
--------------	-----

Hidden Hinges

Hidden Hinges	Yes
---------------	-----

Smudge Resistant Finish

Smudge Resistant Finish	Yes
-------------------------	-----

Handles

Handles	Matching Commercial
---------	---------------------

Available Colours

Available Colours	Smudge Resistant Stainless Steel
-------------------	----------------------------------

DIMENSIONS/CLEARANCES/WEIGHTS

DIMENSIONS/CLEARANCES/WEIGHTS	31 1/4"
-------------------------------	---------

Depth with Handles

Depth with Handles	28 3/4"
--------------------	---------

Depth without Door

Depth without Door	24 3/4"
--------------------	---------

Depth (Total with Door Open)

Depth (Total with Door Open)	43 1/2"
------------------------------	---------

Height to Top of Case

Height to Top of Case	68 3/8"
-----------------------	---------

Height to Top of Door Hinge

Height to Top of Door Hinge	69 3/4"
-----------------------------	---------

Width

Width	35 3/4"
-------	---------

Width (Door Open 90° with Handle)

Width (Door Open 90° with Handle)	44 1/4"
-----------------------------------	---------

Width (Door Open 90° without Handle)

Width (Door Open 90° without Handle)	39 1/4"
--------------------------------------	---------

Door Edge Clearance with Handle

Door Edge Clearance with Handle	4 1/2"
---------------------------------	--------

Door Edge Clearance without Handle

Door Edge Clearance without Handle	1 3/4"
------------------------------------	--------

Installation Clearance

Installation Clearance	Sides 1/8", Top 1", Back 2"
------------------------	-----------------------------

Weight (Unit/Carion)

Weight (Unit/Carion)	271 lbs. / 301 lbs.
----------------------	---------------------

Carton Dimensions (WxHxD)

Carton Dimensions (WxHxD)	38" x 73" x 36"
---------------------------	-----------------

WARRANTY

WARRANTY	1 Year
----------	--------

Part & Labour

Part & Labour	5 Years
---------------	---------

Sealed System

Sealed System	10 Years
---------------	----------

Inverter Linear Compressor

Inverter Linear Compressor	UPC CODES
----------------------------	-----------

LFXC22526S (Smudge Resistant Stainless Steel) 04B231797238

C2 COUNTRY LANE
LOT 51-3
20-2329 ELEV B
THE ENGLEWOOD

53.62

HOME APPLIANCES

LG COOKING

LSGL6335

6.3 cu ft. Smart Wi-Fi Enabled ProBake Convection® InstaView™ Gas Slide-in Range with Air Fry



6.3 cu ft. Capacity

Built-In Air Fry with ProBake Convection®


EasyClean® + Self Clean

20K BTU on Edge-to-edge cooktop

ThinQ® app with Proactive Customer Care

KEY FEATURES

AVAILABLE COLORS




PRINTPROOF™ STAINLESS STEEL

PRINTPROOF™ BLACK STAINLESS STEEL

SMART APPLIANCE

Enjoy new ways to control your home with LG smart appliances

- Install Setup Quick Check
- Preventative Alerts & Guidance
- Performance & Usage Reports



LG ThinQ

PRODUCT FEATURES

SUMMARY		OVEN	
Cooktop Type	Sealed	Oven Type	Single Oven
Number of Cooktop Burners	5	Oven Cooking System	ProBake Convection®
Oven Type	Single Oven	Convection Conversion	Auto-Adjust
Oven Cooking System	ProBake Convection®	Oven Cleaning Type	EasyClean® + Self Clean
Oven Capacity (cu. ft.)	6.3	Self-Clean Oven Door Lock	Automatic
Oven Cleaning Type	EasyClean® + Self Clean	Oven Capacity (cu. ft.)	6.3
Drawer Type	Storage	Broiler Element Power	13,500 BTU
Slide-in Width (in.)	30	Bake Element Power	19,000 BTU
APPEARANCE		Number of Rack Positions	7
Color	PrintProof™ Stainless Steel, PrintProof™ Black Stainless Steel	Number of Oven Racks	2
Control Type	SmoothTouch™ Glass	Oven Rack Type	1 Offset, 1 Heavy Duty
Knobs	Stainless Steel Appearance, Weighted	Drawer Type	Storage
Oven Door Feature	InstaView® WideView™ Window	Oven Modes	Bake, Conv. Bake, Conv. Roast, Broil High, Broil Low, Warm, Proof, Frozen Meal, Air Fry, Slow Cook, EasyClean, Self Clean
Cooktop Finish	EasyClean® Stainless Steel, Porcelain Enamel	Oven Light Type	Halogen
COOKTOP		Oven Light Type	Halogen
Cooktop Type	Sealed	CONTROL FEATURES	
EasyClean Cooktop	Yes (PrintProof™ Stainless Steel)	Kitchen Timer	Yes
Number of Cooktop Burners	5	Timed Cook	Yes (Key)
Element/Burner - Left Front	18,000 BTU	Oven Control Lock	Yes
Element/Burner - Left Rear	9,100 BTU	Sabbath Mode	Yes
Element/Burner - Right Front	20,000 BTU UltraHeat™		
Element/Burner - Right Rear	9,000 BTU		
Element/Burner - Center	10,000 BTU Oval		
Cooktop Burner Grate Features	Edge-to-edge continuous grates		
Cooktop Burner Grate Material	Cast Iron		

SMART FEATURES	
Wi-Fi Connect	Yes
Proactive Customer Care	Yes
Smart Diagnosis™	Yes
Works with	LG ThinQ® Amazon Alexa Google Assistant Siri/CHEF Inoviz™ Nescafé™ Kraft Heinz™
INCLUDED ACCESSORIES	
Air Fry Tray	Yes
Cast-iron Griddle	Yes
POWER/RATINGS	
Volts/Hertz/Amps	120V/60Hz/4.2A
DIMENSIONS & WEIGHT	
Cabinet Width (in.)	30
Overall Depth (in.) - including handle	29 5/32 (743.9mm)
Overall Height (in.)	37 1/8 (943.0mm)
Overall Width (in.)	30-7/8 (781.8mm)
Product Weight (lb)	157.7
Shipping Weight (lb)	200.3
Shipping Dimensions (W x H x D) (in.)	32 1/2" x 44" x 30 1/2"
UPC CODES	
LSGL6335F (PrintProof™ Stainless Steel)	048231341882
LSGL6335D (PrintProof™ Black Stainless Steel)	048231341899

*These features may not yet be available at the time of purchase of this product; please continue to check for app updates.



© 2021 LG Electronics USA, Inc. All rights reserved. "Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice. 2/25/21

C2 COUNTRY LANE
LOT 51-3
20-2329 ELEV B
THE ENGLEWOOD

54 of 62

LS9L6335F

DIMENSIONS



SUMMARY


CAPACITY	MEASUREMENTS (WXHxD)
6.3 cu.ft.	29.9" x 37.2" x 29.3"

C2 COUNTRY LANE
LOT 51-3
20-2329 ELEV B
THE ENGLEWOOD

55 of 62


ENGLISH

Clearances



- 1 Minimum
- 2 Minimum clearance to left/right wall
- 3 Maximum depth for cabinets above countertops
- 4 Front edge of the range side panel forward from cabinet
- 5 To cabinets below cooktop and at the range back

Gas Pipe and Electrical Outlet Locations





Leveling

Leveling the Range

Level the range by adjusting the leveling legs with a wrench. Extending the legs slightly may also

make it easier to insert the rear leg into the anti-tip bracket.



C2 COUNTRY LANE
LOT 51-3
20-2329 ELEV B
THE ENGLEWOOD


56 of 62

14 INSTALLATION

Dimensions and Clearances

- Provide proper clearance between the range and adjacent combustible surfaces.
- These dimensions must be met for safe use of your range.
- The location of the electrical outlet and pipe opening (see "Gas Pipe and Electrical Outlet Locations" below) may be adjusted to meet specific requirements.
- The range may be placed with 0" clearance (flush) at the back wall.

Dimensions



-	Dimensions	LSGL6337*, LSGL6335*
A	Width	30" (761.8 mm)
B	Height	37 1/8" (943mm)
C	Depth (Includes Door Handle)	29 9/32" (743.9 mm)
D	Height (Excludes Vent Trim)	36" (913.0 mm)
E	Depth (Includes only the product body that is loaded into the cabinet. Excludes door, drawer, and handles)	24 3/4" (629.4 mm)
F	Depth (Excludes Door Handle)	26 7/8" (683 mm)
G	Depth when drawer is fully opened	38 7/16" (976.7 mm) 36 1/16" (916.2 mm) (Excludes handle)
H	Depth when door is fully opened	48 5/8" (1235.9 mm)

C2 COUNTRY LANE
LOT 51-3
20-2329 ELEV B
THE ENGLEWOOD

57 of 62

HOME APPLIANCES

LG DISHWASHERS




LDFN4542

Front Control Dishwasher with QuadWash™

KEY FEATURES

- QuadWash™ System
- 3rd Rack
- 15 Place Settings
- EasyRack™ Plus
- Dynamic Dry™
- NeveRust™ Stainless Steel Tub
- LoDecibel™ Operation (48 dB)
- NFC Tag On Technology
- NSF Certified
- Available in PrintProof™ Black Stainless Steel, PrintProof™ Stainless Steel, black, and White



PRODUCT FEATURES

CAPACITY	15
Total Place Settings	15
Upper Rack Dish Height Limit	9 3/4"
Lower Rack Dish Height Limit	12 3/4"
RACKS AND BASKETS	
Cutlery Baskets	Yes
Fold Down Tines	Yes (Half Fold on Upper & Half Fold on Lower)
BPA-Free Nylon Coated Racks and Tines	Yes
Rack Handle	Yes (Upper)
EasyRack™ Plus System	Yes
Height Adjustable Upper Rack	Yes
3rd Rack (Fixed)	Yes
STYLE AND DESIGN	
Control Panel Location	Front Control
Electronic Control	Fully Integrated Control Panel
Tub Material	NeveRust™ Stainless Steel
Handle	Pocket Handle
All Available Colors	PrintProof™ Stainless Steel, PrintProof™ Black Stainless Steel, White, Black
Fingerprint Resistant	Yes
FEATURES	
QuadWash®	Yes
Inverter Direct Drive Motor	Yes
LoDecibel™ Quiet Operation	Yes
Number of Wash Cycles	48dBa
Number of Options	9 (Auto, Heavy, Delicate, Normal, Turbo, Download Cycle, Machine Clean, Rinse Express)
Number of Spray Arms	8 (Dual Zone, Half Load, Energy Save, High Temp. Extra Dry, Delay Start, Control Lock, Night Dry)
SenseClean™ Wash System	3 (Top, Upper, Lower)
Warm Wash	Yes
Detergent and Rinse Aid Dispenser	Yes
Drying System	Dynamic Dry
End of Cycle Indicator	Yes (Beepers + END indication on display)
Hidden Water Heater	Yes
Safety Flood Switch (Leaks)	Yes
Soil (Turbidity) Sensor	Yes
Tub Insulation (Damping Sheet, Sound Absorbing Material (Left, Base))	Yes
BPA-Free Nylon Coated Racks and Tines	Yes
Anti-Bacterial Treatment (Sump, Inlet / Outer filter, Drain pump case, Drain hose)	Yes
Re-locked Door	Yes
3-Stage Filtration System	Yes

SMART FEATURES	
NFC Tag On	Yes
CERTIFICATIONS	
NSF® Certified	Yes
POWER RATINGS	
ENERGY STAR® Qualified	Yes
CEE Tier	1
Energy Use (kWh/Year)	258 kWh/Year
Water Factor (WF)	2.9
DIMENSIONS / CLEARANCES / WEIGHT	
Product Dimensions (in) (W x H x D)	23 3/4" x 33 5/8" x 24 5/8"
Product Weight (lbs)	75 lbs
Depth with Door Closed with Handle (in)	24 5/8"
Depth with Door Open (in)	49 1/4"
Carton Dimensions (in) (W x H x D)	26" x 34 7/8" x 29 5/8"
Shipping Weight with Carton (lbs)	88.2 lbs
LIMITED WARRANTY	
Labor	1 Year
Parts	1 Year
Control Board and Rack Parts	5 Years
Direct Drive Motor	10 Years
Stainless Steel Door Upper or Tub	Lifetime
UPC CODES	
LDFN4542S (PrintProof™ Stainless Steel)	048231341943
LDFN4542D (PrintProof™ Black Stainless Steel)	048231342001
LDFN4542B (Black)	048231341981
LDFN4542W (White)	048231341998

© 2020 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require internet access. Contents may vary by product and are subject to change without notice. 1/29/20

12 INSTALLATION


Installation Overview

- Preparing Cabinet Opening
- Preparing Electrical Wiring
- Preparing Water Supply Connection
- Preparing the Dishwasher
- Removing Lower Cover
- Sliding the Dishwasher into Cabinet


- Leveling the Dishwasher
- Securing the Dishwasher to Countertop
- Connecting the Drain Hose
- Connecting Water Supply
- Connecting Power
- Final Check

Product Dimensions

Back view



Side view



Water supply hose, drain hose and electric cable should be passed through this area.

NOTE

- For easiest installation, see marked areas above for water and electrical clearances in base of dishwasher.

Product Specifications

The appearance and specifications listed in this manual may vary due to constant product improvements.


Electrical requirement	120 V, 60 Hz AC only, minimum 15 A circuit breaker
Water pressure	20 - 80 psi (140 - 550 kPa)
Dimensions	23 3/4"(W) X 24 3/8"(D) X 33 5/8"(H)
	603 mm(W) X 625 mm(D) X 854 mm(H)
Inlet water temperature	120 °F (49 °C) minimum, 149 °F (65 °C) maximum
Net weight	75 - 89 lbs. (34 - 40 kg)

59 of 62


Preparing Cabinet Opening

This dishwasher is designed to fit a standard dishwasher opening. An opening may be needed on both sides to route plumbing and electrical connections.


- To ensure proper drainage, install the dishwasher no more than 12 ft. (3.65 m) from the sink.
- The location must have sufficient space for the dishwasher door to open easily and provide at least 0.1" (2 mm) between the dishwasher and the cabinet sides.
- If installing the dishwasher in a corner, leave a minimum of 2" (50 mm) between the dishwasher and the adjacent wall.
- The adjacent wall must be free of obstructions.
- For flush installations only, you may remove the cabinet brace ❶ inside the cabinet.



- 1 Select a location as close to the sink as possible for easy connections to water supply line, drain hose and electrical connection.




- 2 To allow for proper clearance of plumbing and electrical, use the template included with the literature to determine the clearance on the side of the cabinet where the cabinet meets the back wall. Using a 2 1/2" diameter hole saw, drill a hole in the target area as shown on the template.



⚠ WARNING


- Installation damage is not covered by the warranty, and leaks caused by improper installation may result in property damage.
- Do not use existing holes unless they are in the target area.
- Failure to properly locate the hole for the water and drain lines may prevent the dishwasher from installing flush with the cabinets and could result in kinked, pinched, crushed, stressed or damaged lines.




14 INSTALLATION

Preparing Water and Electrical Connections

There are 2 channels in the bottom of the dishwasher for routing the water and electrical connections. As shown in the bottom view below, channel ① is for the water supply line, and channel ② is for the electrical cable.



- 1 Turn off the house water supply and the circuit breaker or dedicated power before connecting the dishwasher.
- 2 Run the water supply line along the floor 6 1/2" - 7 3/4" (165-197 mm) from the left side of the opening and tape it in place in front of the opening.
- 3 Run the electrical cable ③ along the floor 14-16" (356-406 mm) from the water supply line ④ and tape it in place.
 - The electrical outlet must be within 4 ft. (1.22 m) of either side of the dishwasher.
 - The best location for the electrical conduit is on the right side of the back wall. Re-route the electrical cable before installation if the electrical conduit pipe is longer than 3" (76 mm) and is centered on the back wall.



⚠ WARNING

Water Connection

- Do not reuse an old hose. Use only a new hose when installing the dishwasher. The old hose could leak or burst causing flooding and property damage. Contact an LG Customer Information Center for assistance in buying a new hose.

Electrical Connection

- Use a time-delay fuse or circuit breaker.
- Operate this appliance with the correct voltage as shown in this manual and on the rating plate.
- The wiring must be grounded properly. If in doubt, have it checked by a qualified electrician.
- Connect the appliance using 3-wires, including a ground wire.
- The appliance and outlet must be positioned so that the plug is easily accessible.
- Do not use an extension cable or adapter with this dishwasher.
- Do not overload the outlet with more than one appliance.
- The included 16AWG wire nuts should be used.
- It is the personal responsibility and obligation of the product owner to have a proper outlet installed by a qualified electrician.

⚠ CAUTION

- When connecting the dishwasher water supply line to the house water supply, sealing tape or compound should be used on pipe threads to avoid leaks. Tape or compound should not be used on compression fittings.
- Connect the dishwasher to a hot water supply with a temperature range between 120 °F (49 °C) and 149 °F (65 °C). This temperature range provides the best washing results and shortest cycle time. To prevent damage to dishes, the temperature should not exceed 149 °F (65 °C).
- Water supply pressure must be between 20 psi and 80 psi (140-550 kPa). If the water supply pressure exceeds 80 psi, a pressure reducing valve must be installed. Otherwise premature failure of the inlet valve may occur.

C2 COUNTRY LANE
LOT 51-3
20-2329 ELEV B
THE ENGLEWOOD

61 of 62

HOME APPLIANCES

LG LAUNDRY

WT7300C

5.0 cu.ft. Top Load Washer with TurboWash3D™

TurboWash3D™ Technology
LG SmartThinQ® Technology
ColdWash™ Technology
5.0 cu.ft. Capacity
6Motion™ Technology
ENERGY STAR® Qualified
Direct Drive Motor 10-Year Limited Warranty

AVAILABLE COLORS



SMART APPLIANCE



Enjoy new ways to control your home with LG smart appliances

- Start the laundry while you're out shopping
- Get alerts when the cycle is finished
- Works with the LG SmartThinQ® app

SmartThinQ® works with the Google Assistant alexa

PRODUCT FEATURES

SUMMARY

Type Top Load Washer

Energy Star Qualified Yes

Capacity (cu.ft.) 5.0 cu. ft.

Matching Electric Dryer DLE7300WE / DLE7300VE

Matching Gas Dryer DLG7300WE / DLG7301VE

Color White (W) / Graphite Steel (V)

Capacity 5.0 cu. ft.

Appearance Intelligent Electronic Controls with Dual LED Display

Touch Buttons Yes

Electronic Control Panel with LED Display Yes

Dial-A-Cycle™ Yes

ENERGY ENERGY STAR® Qualified Yes

CEE Tier 1

IMEF 2.76

IWF 3.2

WASH PROGRAMS No. of Programs 8

Normal Heavy Duty, Bedding, Deep Wash, Pre Wash + Normal, Delicates, Waterproof

Downloaded

WASH OPTIONS No. of Options 14

Soak, Extra Rinse, Add Garments, Delay Wash, Control Lock, Water Plus, ColdWash™, Rinse-Spin, Spin Only, StainCare, Tub Clean, Signal, Remote Start, Wi-Fi

SmartThinQ® SMART FEATURES SmartDiagnosis™ Yes

Wi-Fi Connectivity Yes

Remote start and cycle monitor Yes

Energy Monitoring Yes

WASH DETAILS

No. of Wash/Rinse Temps 5

Hot, Warm, Steam Warm, Cold, Tap Cold

Wash/Rinse Temps 5

No. of Spin Speeds 5

Extra High, High, Medium, Low, No Spin

Spin Speeds Automatically adjusts to the size of load

No. of Water Levels 3

FABRIC CARE FEATURES TurboWash™ 3D™ Yes

SmartRinse™ Jet Spray System Yes

ColdWash™ Option Yes

SenseClean™ System Yes

CONVENIENCE FEATURES StampProof™ Lid Yes

TrueBalance™ Yes

Anti-Vibration System Yes

SmartDiagnosis™ Yes

3-Tray Dispenser Yes

LoadSense Yes

Status Indicator(s) Yes

End of Cycle Signal Yes

Child Lock Yes

Auto Suds Removal Yes

Forced Drain System Yes

Add Garment Indicator Yes

LoDecibel™ Quiet Operation Yes

Leveling Legs Yes

SmartThinQ® SMART FEATURES SmartDiagnosis™ Yes

Wi-Fi Connectivity Yes

Remote start and cycle monitor Yes

Energy Monitoring Yes

MOTOR

Motor Type HDD

Max RPM 950

Axis Vertical

MATERIALS AND FINISHES NeverRust™ Stainless Steel Drum

NeverRust™ Stainless Steel

Cabinet Painted Steel

Lid Transparent Glass

POWER SOURCE Ratings CSA Listed

Electrical Requirements 120V @ 60Hz

DIMENSIONS Product (WxHxD) 27" x 44 1/2" x 28 3/8" (57 1/4" H with lid open)

Carton (WxHxD) 29 19/32" x 46 3/8" x 31 3/8"

Weight (Product) 146.9lbs.

Weight (Carton) 162.3lbs.


LIMITED WARRANTY Parts and Labor 1 Year

Direct Drive Motor 10 Years

Drum Limited Lifetime

UPC CODES WTT7300C-W (White) 0-8231026000

WTT7300C-V (Graphite Steel) 0-8231026017



C2 COUNTRY LANE
LOT 51-3
20-2329 ELEV B
THE ENGLEWOOD


62 of 62

HOME APPLIANCES

LG LAUNDRY

DLEX7250W

7.3 cu.ft. Super Capacity Dryer



- 7.3 cu.ft. Capacity
- TurboSteam™ Technology
- ENERGY STAR® Qualified
- SmartThinQ® Technology (Wi-Fi Enabled)
- Wi-Fi Connectivity
- SmartDiagnosis™
- Sensor Dry System
- Smart Pairing



Enjoy new ways to control your
home with LG smart appliances

SmartThinQ®

PRODUCT FEATURES

CAPACITY	7.3 cu. ft.
Capacity	
APPEARANCE	
EasyLoad™ Door	
Design Look	Rear Control
Intelligent Electronic Controls with Dual LED Display	
Touch Buttons	
Dial-A-Cycle™	
ENERGY	
ENERGY STAR® Qualified	
DRYER PROGRAMS	
No. of Programs	8
Programs (Sensor Dry)	Cotton/Normal, Perm Press/Casual, Heavy Duty, Delicates, SteamFresh™, SteamSanitary™, Air Dry, Downloaded
Programs (Manual Dry)	
No. of Options	15
Options	Wrinkle Care, Custom Program, PCM Save, Child Lock, More Time, Less Time, TurboSteam™, ReduceStatic™, Drum Light, Signal, Damp Dry Signal, Energy Saver, Default On/Off, Wi-Fi Connect, Remote Start
Temperature Settings	High, Medium, High, Medium, Low, Ultra Low
Dryer Levels	Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry
Manual Dry Times	60 min., 50 min., 40 min., 30 min., 20 min., More Time/Less Time
CONVENIENCE FEATURES	
3 Minute Installation Check	
Sensor Dry (Dual Sensor)	
LoDecibel™ Quiet Operation	
End of Cycle Signal	
Drum Light	
Reversible Door	
Flow-Sense™ Duct Clogging Indicator	
Venting Option	4 Way Venting
Leveling Legs	3 Adjustable Legs
Remaining Time Display/Status Indicator(s)	
Damp Dry Beep	

LG Electronics Canada Inc.
20 Havelock Drive, North York, Ontario M8L 2J6
Tel: 647-353-6300 | LG.ca
Customer Service & Parts 1-888-542-3623

© 2018 LG Electronics Canada, Inc. All rights reserved. LG, Life's Good, is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Approximate weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 11/20/2018

SMART THINQ™ TECHNOLOGY

SmartDiagnosis™	
Wi-Fi Connectivity	
Smart Pairing	
MATERIALS AND FINISHES	
Aluminized Alloy AlcoaSteel Drum	
Tub Rear	
Cabinet	Painted Steel
Control Panel	Plastic
Door / Trim	Glass / Silver painted
Available Colours	White (Wi)
POWER SOURCE	
Rating	CSA Listed
Electrical Requirements	240V, 30 Amps
Type	Electric
DIMENSIONS	
Product (WxHxD)	27" x 45 7/16" x 28 15/16" (50 1/4" H w/door open)
Carton (WxHxD)	29 1/2" x 49" x 31 1/4"
Weight (Product/Carrier)	127.4 lbs / 147.7 lbs
LIMITED WARRANTY	
1 Year Parts and Labour	
UPC CODES	
DLEX7250W Electric Dryer	077245407086
WT7320CW Washer	048331026000