

SITE

FRENDEL KITCHENS

Sales Selection Sheet

Selection Sr Wallaceton 5 of 48

PURCHASER: MOHAMMAD, ALI KHAN

TEL:

LOT / UNIT	PHASE	MODEL	Va
3189B-9	3	20-1790 A The Dunmore	***

It is herein understood and agreed between the undersigned parties hereto that the following changes shall be made to the above mentioned Agreement of Purchase and Sale in accordance with the agreement and except for such changes noted below, all other terms and conditions in the Agreement of Purchase and Sale shall remain as stated herein: It is further understood that and agreed that all changes and additions shall be installed as per builder's specifications, location and available selections. The Purchaser hereby agrees to purchase the following extras:

APPLIANCES

1 KITCHEN - PLEASE SEE UPGRADED LG KITCHEN APPLIANCES : FRIDGE, GAS RANGE AND DISHWASHER TO REPLACE STANDARD SPECS AS PER COLOUR CHART	
124,475 Note: NOTE: THERE ARE NO CHANGES TO CABINET DIMENSIONS, ELECTRICAL AND GAS ROUGH-IN HAS BEEN DONE AS PER ORIGINAL COLOUR CHART	%

Sub Total
HST
Total

- 1. This Sales Selection Sheet when properly executed forms part of our Agreement of Purchase and Sale.
- 2. All extras and upgrades listed above are subject to Construction Progress and Architectural and Municipal requirements.
- 3. In the event the Vendor is unable to incorporate the work approved above in the construction of the house for any reason whatsoever, the Vendor will not be liable to the Purchaser in any way. The monies paid for any changes or optional extras not proceeded with shall be returned to the Purchaser, without interest. The cost of options or extras is non-refundable in all other circumstances. If for any reason whatsoever the Agreement of Purchase and Sale is not completed, the total cost of work approved above will be retained by the Vendor.
- 4. The Vendor reserves the right to substitute above materials and equipment with that of equal or better quality,
- 5. Purchaser acknowledges that items may not be exactly as shown. Variations from the Vendor's samples may occur in finished materials due to normal production processes. Vendor is not responsible for shade difference which may occur from different dye lots or wood grains. Variations from the Vendor's samples will occur with natural materials such as wood, marble, granite, hardwood and brick.
- 6. The Vendor reserves the right to select Grout & Thresholds that best suits the Tile selected.
- 7. Selections will not be processed unless signed by Heathwood Homes Head Office.
- 8. The selections made on this schedule are final and cannot be changed once submitted.
- 9. The Purchaser has checked and acknowledges the accuracy of this schedule.

Payment Summary	
Paid By	<u>Amount</u>
Total Payment:	

PURCHASER:

MOHAMMAD, ALI KHAN

21-Mar-23

JONIA SHARIF

21-Mar-23 DATE

T. T.

Date Approved Heathwood Honges (Huron) Limited

TAX#:1

PREPARED BY: Marilyn Rosen

PE 1,065-1 SInvoice.rpt 28may19 Model: 20-1790 A The Dunmore

46 of 48

LOT 3189 B-9

HOME APPLIANCES

LG REFRIGERATION

LFXC22526

22 cu.ft. Counter Depth 3-Door French Door Refrigerator

Smudge Resistant Finish 10 Year Warranty on Inverter Linear Compressor Slim SpacePlus® Ice System Dual Ice Maker in freezer Door Cooling+ Glide N' Serve Pantry Drawer SmartThinQ® - WiFi Connectivity Fresh Air Filter Flat Duct design



CAPACITY

ENERGY

Refrigerator (cu.ft.)

Total Capacity (cu.ft.)

ENERGY STAR® Qualified WATER & ICE SYSTEM

Ice & Water Dispenser

Dispenser Type

Energy Consumption (kWh/Year)

Freezer (cu.ft.)

SmartPull™ Handle **ENERGY STAR®**

Enjoy new ways to control your home with LG smart appliances

- · Get an alert when kids forget to close the door
- Make more ice while you're at work
 Works with the LG SmartThinQ®app





works with the Google Assistant





FREEZER Yes LED Lighting





No. of Shelves Cantilevered Shelves Shelf Construction Crisper Bins Glide N' Serve Pantry Drawer Refrigerator Light REFRIGERATOR DOOR

No. of Bins Door Cooling+ 7.3

4 Split . Hybrid Cantilevered Spill Protector™ Tempered Glass 2 Humidity Crispers Ceiling LED

6 Total 1 Piece (Clear) Yes

Door Type Drawers 2-Tier Organization DuraBase™ Solid Drawer Base Drawer Divider Freezer Light SmartThinQ® SMART FEATURES Wi-Fi Enabled Yes

SmartDiagnosis Yes MATERIALS AND FINISHES Yes Hidden Hinges Yes Smudge Resistant Finish Yes Available Colours Smudge Resistant Stainless Steel DIMENSIONS/CLEARANCES/WEIGHTS Depth with Handles 31 1/4" 28 3/4" Depth without Handles Depth without Door 24 3/4" Depth (Total with Door Open) 43 1/2 Height to Top of Case Height to Top of Door Hinge 69 3/4" Width 35 3/4" Width (Door Open 90' with Handle) 44 1/4" Width (Door Open 90" without Handle) 39 1/4" Door Edge Clearance with Handle Door Edge Clearance without Handle 1 3/4" Installation Clearance Sides 1/8", Top 1", Back 2" Weight (Unit/Carton) 271 lbs. / 301 lbs. Carton Dimensions (WxHxD) 38" x 73" x 36" WARRANTY Part & Labour 1 Year 5 Years Sealed System Inverter Linear Compressor 10 Years UPC CODES

LFXC22526S (Smudge Resistant Stainless Steel) 04823179723B LFXC22526D (Smudge Resistant Black Stainless Steel) 048231797245

Project: Wallaceton

Unit: 3189B-9, Phase: 3

Model: 20-1790 A The Dunmore

47 of 48

LOT 3189 B-9

HOME APPLIANCES

LG COOKING

LSGL6335

6.3 cu ft. Smart Wi-Fi Enabled ProBake Convection® InstaView™ Gas Slide-in Range with Air Fry

6.3 cu ft. Capacity Built-In Air Fry with ProBake Convection® EasyClean® + Self Clean 20K BTU on Edge-to-edge cooktop

ThinQ® app with Proactive Customer Care





PRINTPROOFTM STAINLESS STEEL



PRINTPROOFTM BLACK STAINLESS STEEL

LG ThinQ°

Enjoy new ways to control your home with LG smart appliances

- Install Setup Quick Check
- · Preventative Alerts & Guidance
- · Performace & Usage Reports



Single Oven

Storage

Cast Iron

30

ProBake Convection®

EasyClean® + Self Clean

works with the Google Assistant



OVEN



SUMMARY

Drawer Type Size in Width (in.) APPEARANCE Control Type

Knobs Oven Door Feature Cooktop Finish сооктор Cooktop Type EasyClean Cooktop Number of Cooktop Burners Element/Burner - Left Front Element/Burner - Left Rear Element/Burner - Right Front Element/Burner - Right Rear Element/Burner - Center

Cooktop Burner Grate Features

Cooktop Burner Grate Material

PrintProof™ Stainless Steel, PrintProof™ Black Stainless Steel SmoothTouch™ Glass Stainless Steel Appearance InstaView & WideView™ Window EasyClean® Stainless Steel, Porcelain Enamel Yes (PrintProof™ Stainless Steel) 9,100 BTU 20,000 STU UltraHeat™ 5,000 BTU 10,000 BTU Oval Edge-to-edge continuous grates

Oven Type Oven Cooking System Convection Conversion Auto-Adjust Oven Cleaning Type Self-Clean Oven Door Lock Oven Capacity (cu. ft.) Broiler Element Power Bake Element Power Number of Rack Positions Number of Oven Racks Oven Rack Type Drawer Type Oven Modes Oven Light Type CONTROL FEATURES Timed Cook Oven Control Lock Sabbath Mode

ProBake Convection EasyClean® + Self Clean Automatic 13.500 BTU 19,000 BTU 1 Offset, 1 Heavy Duty Storage Bake, Conv. Bake, Conv. Roast, Broil High, Broil Low, Warm, Proof, Frozen Meal, Air Fry, Slow Cook, EasyClean, SelfClean Halogen Yes (Key) Yes

Single Oven


Wi-Fi Connect Proactive Custom Smart Diagnosis™ Yes LG ThinQ® Amazon Alexa Google Assistant Google Assistal
SIDECHEF
Innit (*)
Nestle (*)
Kraft-Heinz(*) Works with INCLUDED ACCESSORIES Air Fry Tray Cast Iron Griddle Yes POWER/RATINGS Volts/Hertz/Amps 120V/60Hz/4.2A **DIMENSIONS & WEIGHT** Cabinet Width (in.) 30 Overall Depth (in.) - including 29 9/32 (743,9mm) handle Overall Height (in.) 37 1/8 (943.0mm) Overall Width (in.) 30 (761.8mm) Product Weight (lb) 1577 Shipping Weight (lb) 200.3 Shipping Dimensions (W x H x D) (in.) 32 1/2" x 44" x 30 1/2" UPC CODES LSGL6335F (PrintProof™ Stainless 048231341882

LSGL6335D (PrintProof™ Black Stainless Steel)

048231341899



© 2021 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require internet access. Content and services may vary by product and are subject to change without notice. 2/25/21



SMART FEATURES

Model: 20-1790 A The Dunmore

48 of 48

LOT 3189 B-9

HOME APPLIANCES


LG DISHWASHERS

LDFN3432T

Front Control Dishwasher

15 Place Settings Dynamic Dry™ NeveRust™ Stainless Steel Tub LoDecibel™ Operation (50 dB)

NSF Certified



Total Place Sectings Upper Rack Dish Height Limit Lower Rack Dish Height Limit RACKS AND BASKETS

Cutlery Baskets Fold Down Tines

BPA-Free Nylon Coated Racks and Tines

Height Adjustable Upper Rack STYLE AND DESIGN

Control Panel Location Electronic Controls Tub Material All Available Colors **FEATURES**

Inverter Direct Drive Motor LoDecibel™ Quiet Operation Number of Wash Cycles Number of Options

SenseClean™ Wash System

Vario Wash Detergent and Rinse-Aid Dispenser

Drying System

End of Cycle Indicator

Hidden Water Heater Safety Float Switch (Leaks) Soll (Turbidity) Sensor Tub Insulation (Damping Sheet, Sound Absorbing Material (felt), Base)

BPA-Free Nylon Coated Racks and Tines Anti-Bacterial Treatment (Sump, Inner / Outer filter, Drain pump case, Drain hose)

Balanced Door 3-Stage Filtration System 9.0" 12.5*

Yes (Half Fold on Upper & Half Fold on Lower)

Yes (Manual)

Fully Integrated Control Panel NeveRust™ Stainless Steel Stainless Steel

50dBA

5 (Auto, Heavy, Normal, Turbo, Machine Clean) 6 (Flex Zone, High Temp, Extra Dry, Delay Start, Control Lock, Night Dry)

3 (Top, Upper, Lower)

Yes Yes

Dynamic Dry

Yes (Beeper + END indication on display)

Yes Yes Yes Yes

CERTIFICATIONS NSF® Certifled

POWER RATINGS

CEE Tier Energy Use (kWh/Year)

Water Factor (WF)

DIMENSIONS / CLEARANCES / WEIGHT Product Dimensions (in) (W \times H \times D)

Product Weight (lbs)

Depth with Door Closed with Handle (in) Depth with Door Open (in) Carton Dimensions (in) (W x H x D)

Shipping Weight with Carton (lbs) LIMITED WARRANTY

Labor

Parts

Control Board and Rack Parts Direct Drive Motor Stainless Steel Door Liner or Tub

LDFN3432T (Stainless Steel)

Yes

258 kWh/Year

2.9

23 3/4" x 33 5/8" x 24 5/8"

75 lbs 24 5/8"

49 1/4" 28" x 34 7/8" x 29 5/8"

1 Year

1 Year 5 Years

10 Years

Lifetime

048231341950